

THE ROYAL CAPADIAN INC. IN THE

Digitized by the Internet Archive in 2008 with funding from Microsoft Corporation



AN ACCOUNT OF THE STRATA

OF

NORTHUMBERLAND AND DURHAM

AS PROVED BY

BORINGS AND SINKINGS.

SUPPLEMENTARY VOLUME

ISSUED BY THE COUNCIL OF THE NORTH OF ENGLAND INSTITUTE OF MINING AND MECHANICAL ENGINEERS.

NEWCASTLE-UPON-TYNE: PUBLISHED BY THE INSTITUTE.

PRINTED BY ANDREW REID & Co., LIMITED, NEWCASTLE-UPON-TYNE. 1910.

QE 262 N8N6 Suppl.

655908

AN ACCOUNT OF THE STRATA

01

NORTHUMBERLAND AND DURHAM

AS PROVED BY

BORINGS AND SINKINGS.

No. 2,354.—ACKLINGTON.

TOWNSHIP OF ACKLINGTON, NORTHUMBERLAND.

Sheet 46 of Ordnance Map. Lat.

Long.

Account of Strata bored through at Acklington by Mr. William Coulson.

Approximate surface-level feet above sea (Ordnance datum).

| Soil Fs. Ft. In. Fs. Ft In Brought forward 3 1 0 31 | Ft. In. 5 3 |
|---|----------------|
| Soil U i U Brought forward 3 1 0 31 | 5 3 |
| | |
| Sand and water 0 3 0 Dark grey metal, | |
| Sand and water 0 3 0 Yellow clay 1 4 0 Loamy clay 1 4 0 Soft grey post, with | |
| Loamy clay 1 4 0 Soft grey post, with | |
| Strong stony clay 3 1 9 water 1 1 0 | |
| 7 1 9 Grey metal, with | |
| Yellow freestone 1 0 3 post girdles 0 3 0 | |
| Light grey metal 0 4 0 Dark grey metal 1 0 0 | |
| Grey post 0 1 6 Hard grey post, with | |
| Grey metal 1 4 0 water 1 4 9 | |
| COAL 0 0 1 Dark grey post 0 3 0 | |
| 3 3 10 Dark metal 1 2 0 | |
| 3 3 10 Dark metal 1 2 0 | |
| | |
| Tollow Bandstone I O O O Oley post O 4 O | |
| COAL, 4 inches of Dark metal 0 3 0 | |
| coarse coal at Strong grey metal 1 3 0 | |
| bottom 0 2 0 Grey post, with | |
| 9 2 6 metal partings 1 1 9 | |
| Soft light grey Dark grey metal 1 2 4 | |
| metal thill 1 1 6 White post 4 3 7 | |
| Dark grey metal, Dark grey metal 1 1 0 | |
| scared with coal 2 0 6 Dark post, with | |
| Light grey metal 1 5 0 metal partings 0 4 7 | |
| Grey post, with Dark grey post, with | |
| | |
| | |
| Brown post 0 4 0 Dark metal 1 0 6 | |
| Grey post 3 5 11 Grey post 0 3 0 | |
| COAL 0 0 1 Grey metal 0 2 6 | |
| 11 3 2 Grey post, with | |
| Brown metal 0 2 0 metal partings 1 0 9 | |
| Grey metal 1 0 0 Grey metal 0 2 9 Dark grey metal 1 0 0 White post 4 5 3 | |
| Dark grey metal 1 0 0 White post 4 5 3 | |
| Soft grey post 0 5 0 33 | 0 9 |
| | |
| Carried forward 3 1 0 31 5 3 Total 65 | 0 0 |

Boring stopped on March 24th, 1874, by order of Mr. William Green.

No. 2,355.—ACOMB.

TOWNSHIP OF WEST ACOMB, NORTHUMBERLAND.

Sheet 85 of Ordnance Map. Lat. 54° 59′ 30″, Long. 2° 5′ 27″.

Strata sunk through at Tynedale Colliery, Acomb, near Hexham, 1900.

Approximate surface-level 376 feet above sea (Ordnance datum).

| Soil Stony clay | 0 | 1 | In. F 0 0 | řs. | Ft. | In. | Brought forward 26 2 8 0 Little Limestone Coal— | 5 | In. O |
|--|----|---|-----------------|-----|-----|-----|--|---|----------|
| Dark blue plate White post | 0 | 3 | 0 | 0 | 5 | 0 | COAL, good 2 2 Band 0 10 | | |
| Blue plate, with post girdles | | | | | | | COAL, good 1 0 Band 0 0½ | | |
| Hazle, very hard Blue plate, with grey | | | | | | | COAL 0 3 Band 0 0½ COAL.coarse 0 7 | | j |
| post girdles 1 Hard shale Little Limestone | 0 | 2 | 4 | | | | COAL, coarse 0 7 COAL, good 1 0 | | , |
| Hard grey post Grey beds | 0 | 1 | 0 | | | | | 2 | 7 |
| Carried forward 2 | 26 | 2 | 8 | 0 | 5 | 0 | Total 28 | 1 | 7 |

No. 2,356.—ALLENDALE, WEST.
TOWNSHIP OF ALLENDALE COMMON, NORTHUMBERLAND.

Sheet 111 N.W. of Ordnance Map. Lat. 54° 48′ 58″, Long. 2° 18′ 18″.

Account of the Measures passed through in sinking the Barney Crag Mine Shaft, near Carr Shield.

Approximate surface-level 1,350 feet above sea (Ordnance datum).

| 11 | | - | ` | |
|-----------------------|-----------|---|---|--------|
| Quarry Hazle Plate | 3 4 0 | | Brought forward Nattrass Gill Hazle, | |
| Four Fathoms Lim | e- | | into | |
| Plate | | | | |
| Carried forwa | rd 17 3 0 | | Total | 21 2 0 |

No. 2,357.—ALLENDALE, WEST. TOWNSHIP OF ALLENDALE COMMON, NORTHUMBERLAND.

Sheet 111 N.W. of Ordnance Map. Lat. 54° 48' 58", Long. 2° 18' 51".

Account of the Measures sunk through in the Scraithe Hole Shaft, Coalcleugh Mine.

Approximate surface-level 1,530 feet above sea (Ordnance datum).

| | | | | Ft. | In. Fs. | Ft. | In. | | n. |
|-------------|--------|------|----------|-----|---------|-----|-----|-------------------------|----|
| Fire-stone, | | | | | | | | Brought forward 5 5 0 | |
| over it | | | 2 | 1 | 6 | | | Little White Sill 1 3 0 | |
| Shale | | | 3 | 3 | 6 | | | Shale 3 4 6 | |
| | | | | | | | | 1 | |
| Carrie | d forv | vard | 5 | 5 | 0 | | | Carried forward 11 0 6 | |

No. 2,357.—ALLENDALE, WEST.—CONTINUED.

| | | | In. Fs. | Ft. | In. | | | | Fs. | Ft. | In. Fs. | Ft. | In. |
|--------------------|-------|---|---------|-----|-----|-----------|--------|------|-----|-----|------------|-----|-----|
| Brought forwa | rd 11 | 0 | 6 | | | Broug | ht for | ward | | | 24 | 0 | 9 |
| Fiddler's Sill | 0 | 4 | 0 | | | Shale | | | | 1 | 6 | | |
| Shale | 2 | 1 | 9 | | | Low Coal | Sill, | with | | | | | |
| Pattinson's Sill | 2 | 1 | 6 | | | coal | | | 1 | 4 | 0 | | 200 |
| Shale | 2 | 5 | 6 | | | | | | _ | | — 3 | 5 | 6 |
| Little Limestone | 1 | | | | | Shale | | | 2 | 3 | 0 | | |
| Sandstone | 0 | 1 | 6 | | | Great Lim | estone | | 10 | 1 | 0 | | |
| Shale | 1 | | | | | Tuft | | | 1 | 2 | 6 | | |
| High Coal Sill, wi | th | | | | | Shale | | | 2 | 2 | 0 | | |
| coal | 1 | 2 | 0 | | | | | | _ | | - 16 | 2 | 6 |
| | _ | | 24 | 0 | 9 | | | | | | _ | | _ |
| | | | _ | | _ | | 1 | otal | | | 44 | 2 | 9 |
| Carried forwa | rd | | 24 | 0 | 9 | | | | | | | | _ |
| | | | | | | | | | | | | | |

No. 2,358.—ALLENDALE.

TOWNSHIP OF ALLENDALE TOWN, NORTHUMBERLAND.

Sheet 102 N.W. of Ordnance Map. Lat.

Long

Account of the Measures sunk through in the Studdon Dean Shaft, Blackett Level.

Approximate surface-level 768 feet above sea (Ordnance datum).

| Hazle sill Fs. Ft. In. Fs. Ft. In. Hazle sill 1 3 6 Plate 4 5 6 Little Limestone, im- | Brought forward 7 4 0 Famp* 0 3 0 Freestone 6 3 0 |
|--|---|
| pure 1 1 0 | 14 4 0 |
| Carried forward 7 4 0 | Total 14 4 0 |

• Soft sandstone or shale.

No. 2,359.—ALLENDALE.

TOWNSHIP OF HIGH FOREST, NORTHUMBERLAND.

Sheet 111 of Ordnance Map. Lat.

Long.

General Section of Strata from the Fell Top Limestone to the lowest Stratum in the Lead-mines at Allenheads, by Mr. T. Sopwith.

Approximate surface-level 1,700 feet above sea (Ordnance datum).

| | Fs. | Ft. | In. Fs. Ft. In. | 1 | | Ps. | Ft. | In. Fs. | Ft. | In. |
|--------------------|-----|-----|-----------------|-------------|---------|-----|-----|---------|-----|-----|
| Plate* | | | | Brought | forward | 28 | 1 | 9 | | |
| Fell Top Limestone | 0 | 4 | 3 | White hazle | e | 1 | 3 | 6 | | |
| Fell Top Hazle | | | | Plate | | 3 | 5 | 6 | | |
| Plate | | | | Ironstone | | 0 | 3 | 6 | | |
| Whetstone Sill | | | | COAL | | 0 | 1 | 6 | | |
| | 2 | | | | | | | 34 | 3 | 9 |
| | 1 | | | Fire-stone | | 4 | 5 | 0 | | |
| Plate | 1 | 1 | 6 | Plate* | | | | | | * |
| | 4 | 0 | 0 | White Tuft | | | | | | |
| | 1 | 1 | 0 | Sillt | | 2 | 2 | 3 | | |
| Low Slate Sill | 3 | 5 | 0 | Plate | | | | | | |
| Plate | 4 | | | Girdle beds | | 0 | 3 | 6 | | |
| Carried forward | 28 | 1 | 9 | Carried | forward | 13 | 3 | 9 34 | 3 | 9 |

No. 2,359.—ALLENDALE.—Continued.

| TD 14 Com | | | In. Fs. | | | | Ft. In. 1 | | | |
|------------------|---------|-----------|------------------|---|---|--|------------|----|---|---|
| Brought forw | | 3 | 9 34 3 | 3 | 9 | Brought forward 55 | 5 11 (| 00 | 5 | 9 |
| Plate | 2 | 0 | | | | Plate‡ 0 | | | | |
| Pattinson's Sill | 2 | 0 | 0 | | | Hazle 1 | 1 0 | | | |
| Plate | 3 | 1 | 6 | | | Plate 1. | 5 8 | | | |
| Little Limestone | 1 | 3 | 9 | | | Hazle 1 | 0 11 | , | | |
| Plate | 3 | 1 | 9 | | | COAL 0 | 0 3 | | _ | _ |
| COAL | 0 | 2 | 0 | 1 | o | Grev bed 0 | 3 7 | 50 | 2 | 9 |
| High Coal Sill | 1 | 2 | 26 | 1 | U | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 3 7 5 9 | | | |
| Plate | 1 | 3 | ŏ | | | Plate 4 | 3 6 | | | |
| COAL | 0 | 2 | ŏ | | | Scar Limestone— | 0 0 | | | |
| JOAL | 0 | 4 | - 3 | 1 | 0 | Ft. In. | | | | |
| Low Coal Sill | 1 | 4 | _ 3 | 1 | U | Limestone 10 0 | | | | |
| Plate | 1 | 1 | 8 | | | Plate 3 3 | | | | |
| | 3 | T | 0 | | | Limestone 21 9 | | | | |
| Great Limestone— | t. In. | | | | | —— 5 | 5 0 | | | |
| High Flatt 18 | | | | | | Plate 0 | 0 8 | | | |
| | 4 0 | | | | | Hazle 0 | 1 4 | | | |
| Limestone 6 | - | | | | | D1-4- 1 | 5 3 | | | |
| | 4 0 | | | | | Trans. 0 | 5 0 | | | |
| Middle Flatt 10 | | | | | | T01.4. | 0 3 | | | |
| | | | | | | TT 1. 0 | 3 11 | | | |
| | | | | | | | 0 6 | | | |
| Low Flatt 14 | ± 3 | _ | 9 | | | , , | 2 3 | | | |
| - Fuft | - | 5 | 3 6 | | | Tr1. | 5 0 | | | |
| | | 2 | | | | 701.4. | | | | |
| Plate | 3 | 2 | 6 | | | Plate 0 | 0 3 | | • | |
| Limestone Post | 0 | 3 | 6 | | | Hazle 0 | 2 6 | | | |
| Quarry Hazle | 4 | 4 | 6 | | | Grey bed 0 | 3 0 | | | |
| Plate | 5 | 2 | 6 | | | Cockle-shell Limestone 0 | 1 2 | | | |
| Till bed | 2 | 0 | 9 | | | Hazle 1 | 0 9 | | | |
| Four Fathoms La | | | | | | Plate 0 | 1 8 | | | |
| stone | 3 | 0 | 9 | | | Hazle 0 | 3 0 | | | |
| Nattrass Gill H | | 1 | 0 | | | Tyne-bottom Lime- | | | | |
| Plate | 5 | 3 | 6 | | | stone 0 | 4 0 | | | |
| Three Yards La | ime- | | | | | Whetstone or Pencil | | | | |
| stone | 1 | 3 | 3 | | | Bed 8 | 0 0 | | | |
| Plate | 1 | 2 | 9 | | | Whin Sill or basalt 40 | 1 4 | | | |
| ix Fathoms Haz | | $\bar{2}$ | Ō | | | Pencil bed 5 | 0 0 | | | |
| Plate | 0 | 4 | Õ | | | Jew Limestone, into | | | | |
| Five Yards L | | _ | • | | | | | 6 | 5 | 8 |
| stone† | 2 | 3 | 6 | | | | | • | • | • |
| | | | | | _ | | _ | | _ | _ |
| Carried forw | vard 55 | 5 | 1 1 63 | 5 | 9 | Total | 20 |)1 | 2 | 2 |

* to * Section taken in Collier Shaft, on the Blackett Level.

† to † Section taken in High Shaft.

‡ to ‡ Section of Burtree Pasture Mine, in Weardale.

No. 2,360.—ALLENDALE. TOWNSHIP OF HIGH FOREST, NORTHUMBERLAND.

Sheet 107 of Ordnance Map. Lat. 54° 49′ 22½″, Long. 2° 13′ 49″.

Account of the Measures sunk through in the Breckon Hill Shaft, Blackett Level.

Approximate surface-level 1,150 feet above sea (Ordnance datum).

| Blue clay | | 4 | 0 | | | | Brought forward 11 1 0 6 4 0 | |
|-----------------|--------|---|---|---|---|---|------------------------------|--|
| Great Limestone | 11 | 1 | 0 | | | | Tuft 0 2 6 Plate 2 4 6 | |
| Carried forw | ard 11 | 1 | 0 | 6 | 4 | 0 | Carried forward 14 2 0 6 4 0 | |

No. 2,360.—ALLENDALE.—CONTINUED.

| Famp* 0 3 6 Six Fathoms Hazle 2 3 0 Six Fathoms Hazle 5 0 0 50 3 6 | Quarry Hazle 12 1 0 Plate 1 4 0 Four Fathoms Lime- stone 3 3 6 | Brought forward 37 2 0 6 4 0 Plate 8 3 6 Three Yards Lime- stone 1 4 0 Famp* 0 3 0 Six Fathoms Hazle 2 3 0 |
|--|--|--|
| Carried forward 37 2 0 6 4 0 Total 57 1 6 | Nattrass Gill Hazle 5 0 0 | |

This shaft is not sunk to random of level.

* Soft sandstone or shale.

No. 2,361.—ALLENDALE.

TOWNSHIP OF LOW FOREST, NORTHUMBERLAND.

Sheet 107 of Ordnance Map. Lat. 54° 51′ 56″, Long. 2° 14′ 43″.

Account of the Measures sunk through in the Holms Linn Shaft, Blackett Level.

Approximate surface-level 888 feet above sea (Ordnance datum).

| | | | | | Ft. | In. | | | | In. Fr | | |
|---------------------------------|---|---|---|---|-----|-----|--------------------|---|---|--------------|---|---|
| Plate | 4 | 4 | 9 | | | | Brought forward | 4 | 4 | 0 7 | 4 | 9 |
| Little Limestone | 1 | 0 | 0 | | | | Low Coal Sill | 0 | 5 | 0 | | |
| Sandstone | 0 | 4 | 0 | | | | Plate | 5 | 3 | 0 | | |
| Plate | 1 | 1 | 0 | | | | Limestone, Tumbler | | | | | |
| COAL | | | | | | | Bed | 1 | 0 | 6 | | |
| | | | | 7 | 4 | 9 | Shale | 3 | 1 | 0 | | |
| High Coal Sill | 4 | 3 | 0 | | | | Great Limestone | 7 | 3 | 0 | | |
| High Coal Sill Plate, with coal | 0 | 1 | 0 | | | | | _ | | — 2 2 | 4 | 6 |
| . Carried forward | 4 | 4 | 0 | 7 | 4 | 9 | Total | | | 30 | 3 | 3 |

No. 2,362.—ALLENDALE.

TOWNSHIP OF LOW FOREST, NORTHUMBERLAND.

Sheet 107 of Ordnance Map. Lat. 54° 50′ 37″, Long. 2° 14′ 26″.

Account of the Measures sunk through in the Sipton Shaft, Blackett Level.

Approximate surface-level 1,040 feet above sea (Ordnance datum).

| Blue clay 17 | 5 0 | Brought forward 29 1 6 17 5 0 Three Yards Lime- |
|--|-----------|--|
| Quarry Hazle 5 Plate 6 | 0 0 | stone 1 3 0 Grey famp* 0 3 0 Six Fathoms Hazle 2 2 0 |
| Four Fathoms Lime- stone 3 Famp* 0 | 3 0 2 0 | Plate and grey beds 4 0 0 Five Yards Lime- |
| Nattrass Gill Hazle 4 Plate 10 | 0 0 | stone, into 0 1 0 37 4 6 |
| Carried forward 29 | 1 617 5 0 | Total 55 3 6 |

^{*} Soft sandstone or shale.

No. 2,363.—ALLENDALE.

TOWNSHIP OF WHITFIELD, NORTHUMBERLAND.

Sheet 106 of Ordnance Map. Lat. 54° 51′ 43″, Long. 2° 21′ 13″.

Account of Strata sunk through at Longcleugh Mine.

Approximate surface-level 900 feet above sea (Ordnance datum).

| Shale Little Limestone Hazle Shale COAL High Coal Sill Shale COAL | Fs. Ft. In. Fs 4 0 0 1 0 6 0 5 0 1 3 6 0 1 0 1 5 0 1 1 6 0 1 3 | Ft. In. 4 0 | Brought forward |
|---|--|-------------|-----------------|
| Carried forw | vard 10 | 5 9 | Total 29 4 3 |

No. 2,364.—ALLENDALE.

TOWNSHIP OF WHITFIELD, NORTHUMBERLAND.

Sheet 101 of Ordnance Map. Lat.

Long.

Account of a Boring on Whitfield Moor, near to the Long Syke, by Messrs. John Watson & Partner, for the use of Mr. William Ord, June 14th, 1762.

Approximate surface-level feet above sea (Ordnance datum).

| Moss and clay | 0 | | 3 | | Ft. | | Brought forward 2 5 9 0 | t. In. 2 3 |
|-------------------------------------|---|---|---|---|-----|---|--|---------------|
| Grey scamy post, with water | 1 | | | | - | Ū | Black stone 0 3 6 Grey and white post 1 3 0 | 0 3 |
| Grey metal stone, with post girdles | 1 | 5 | 0 | | _ | | | |
| Carried forward | 2 | 5 | 9 | 0 | 2 | 3 | Total 5 | 2 6 |

No. 2,365.—ALLERDEAN. TOWNSHIP OF ANCROFT, NORTHUMBERLAND.

Sheet 6 of Ordnance Map. Lat. 55° 43′ 7″, Long. 2° 2′ 32.

Bore-hole put down on Allerdean Estate 80 yards East of the Berwick and Etal Turnpike, at a point about midway between the Miller's Bridge and Camp Houses.

Approximate surface-level 200 feet above sea (Ordnance datum).

| Surface clay 2 2 0 Brought forward 0 2 6 2 2 Grey post 0 2 6 Blue metal and post girdles 1 3 0 | In. | Ft. | Fs. | In. | Ft. | Fs. | rward | ht for | Brong | | Ft. I | | | | | v | lav | ace cla | Surfa | |
|---|--|-----|-----|-----|-----|-----|-------|--------|--------|---|-------|---|---|---|--|---|-----|---------|-------|--|
| grades I b | v | _ | - | | | | post | l and | e meta | | 2 | 2 | _ | | | • | ٠ | | | |
| Carried forward 0 2 6 2 2 0 Carried forward 1 5 6 2 2 | <u>. </u> | \ | | _ | | | | | | - | _ | | | _ | | | | | • | |

No. 2,365.—ALLERDEAN.—CONTINUED.

| Brought forward | | | In. | Fs. 2 | Ft. | ln. | Fs. Ft. In. Fs. Ft. In. Brought forward 6 1 1 8 2 3 |
|---------------------|---|--------|--------|----------|-----|-----|--|
| Dark metal and post | - | . 0 | U | - | - | ٠ | Coal and stone mixed 0 0 8 |
| | 1 | 0 | 6 | | | | Blue metal 0 0 9 |
| girdles | _ | | 4 | | | | |
| COAL | U | U | * | 3 | 0 | 4 | $egin{array}{cccccccccccccccccccccccccccccccccccc$ |
| Dine metal and next | | | | J | U | | |
| Blue metal and post | ^ | 9 | 0 | | | | and post in |
| girdles | | 3 1 | 8 6 | | | | |
| Grey post | 0 | 1 | О | | | | 0041 |
| Blue metal and post | _ | | 0 | | | | |
| girdles | 0 | 3 | 6 | | | | 7 3 7 |
| Dark metal and post | _ | | _ | | | | Fire-clay 0 0 6 |
| girdles | | 3 | 8 | | | | Post, with metal |
| COAL | 0 | 1 | 0 | _ | _ | | partings 0 3 10 |
| | _ | | | 2 | 1 | 4 | |
| Grey metal | 0 | 1 | 0 | | | | Post girdle 0 0 6 |
| Grey post | 0 | 1 | 4 | | | | Blue metal 0 5 6 |
| Grey metal | 0 | 1 | 0 | | | | Post girdle 0 0 6 |
| Black stone | 0 | 0 | 5 | | | | Dark metal 0 1 10 |
| COAL | 0 | 0 | 10 | | | | COAL 0 1 9 |
| | | | | 0 | 4 | 7 | 3 2 11 |
| Grey metal | 0 | 0 | 5 | | | | Limestone, hard 0 1 6 |
| Black stone | 0 | 0 | 5 | | | | Dark metal 0 1 0 |
| Whin | 0 | 0 | 11 | | | | Blackhill Seam- |
| Grey metal | 0 | 2 | 0 | | | | Ft. In. |
| Blue metal | 1 | 4 | 0 | | | | COAL 2 4 |
| Post girdle | 0 | 2 | 0 | | | | Fire-clay 0 11 |
| Dark blue metal | 0 | 3 | 0 | | | | COAL 1 14 |
| Blue metal | ō | 5 | Õ | | | | 0 3 7 |
| Hard post | ŏ | ő | 4 | | | | 1 0 1 |
| Blue metal | ň | 2 | 8 | | | | Dark metal 0 1 8 |
| Hard grey post | - | 4 | 4 | | | | Post girdle 0 0 5 |
| Soft grey post | Ä | 1 | ō | | | | 0 2 1 |
| Dark metal | _ | 5 | Ö | | | | |
| TOTA MEDIAL | _ | | | _ | | | |
| Carried forward | 6 | 1 | 1 | -8 | 2 | 3 | Total 20 4 11 |
| cullicu for ward | | • | • | 0 | - | U | 10001 |
| | | | | | | | |

No. 2,366.—ALSTON. TOWNSHIP OF ALSTON COMMON, CUMBERLAND.

Sheet 34 N.W. of Ordnance Map. Lat.

Long.

Account of Measures sunk through in the Ayleburn Mine, South Tyne Valley.

Approximate surface-level feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|-------------------------|--------------------------|
| Hazle or Upper Coal | Brought forward 22 3 6 |
| Sill 2 1 0 | Plate 5 0 0 |
| Plate 5 0 0 | Hazle or hard dry |
| Hazle or Whetstone | slate 1 3 0 |
| Sill 1 3 0 | Plate 3 3 0 |
| Plate 2 0 0 | Ironstone and coal 0 4 6 |
| Hazle 2 0 0 | Fire-stone 5 3 0 |
| Plate 1 1 0 | White tuft 1 5 0 |
| Upper Slate Sill 4 0 0 | Plate 2 1 0 |
| Plate 1 1 6 | Girdle beds 1 0 0 |
| Lower Slate Sill 3 3 0 | Plate 2 1 0 |
| | |
| Carried forward 22 3 6 | Carried forward 46 0 0 |

No. 2,366.—ALSTON.—Continued.

| Brought forward 46 0 0 Pattinson's Sill or Hazle 2 0 0 | Brought forward 3 4 6 55 4 8 COAL 0 1 4 3 5 10 |
|---|--|
| Plate 3 0 0 | Low Coal Sill 1 3 0 |
| Second or $Little$ | Plate 3 1 0 |
| $Limestone \qquad \dots 1 3 0$ | Limestone, Tumbler |
| Plate 3 0 0 | Bed and black bed 1 3 0 |
| COAL 0 1 8 | Great Limestone 8 4 0 |
| 55 4 8 | Tuft 1 3 0 |
| High Coal Sill 2 0 0 | Plate 3 3 0 |
| Plate 1 4 6 | 19 5 0 |
| | - |
| Carried forward 3 4 6 55 4 8 | Total 79 3 6 |

Galena is chiefly found in the Great Limestone.

No. 2,367.—ALSTON.

TOWNSHIP OF ALSTON COMMON, CUMBERLAND.

Sheet 42 of Ordnance Map. Lat. about 54° 46′ 38", Long. about 2° 22′ 53".

Account of Strata sunk through at Bentyfield High Level Mine, South Tyne Valley.

Approximate surface-level 1,500 feet above sea (Ordnance datum).

| * * | | | | - | | |
|------------------|-------|---|------------|-----|-----|--|
| High Slate Sill | | 8. F | . In. Fs. | Ft. | In. | Brought forward Fs. Ft. In. Fs. Ft. In. Sp. Ft. In. |
| Plate | | 0 3 | 0 | | | Low Coal Sill 2 0 4 |
| Low Slate Sill | | 3 0 | 0 | | | Plate 3 4 4 |
| Plate | | 2 3 | | | | Great Limestone 10 3 3 |
| Fiddler's Sill | | 0 2 | | | | Tuft 1 4 0 |
| Plate | (| 6 0 | | | | Tuft 1 4 0 Plate 3 2 0 |
| COAL | | 0 1 | | | | Quarry Hazle 4 3 4 |
| | | | 15 | 3 | 6 | Plate and till bed 6 0 0 |
| Ironstone | | 0 4 | | • | • | Four Fathoms Lime- |
| Fire-stone | | ĭ | | | | atom a 4 0 0 |
| Plate | ••• | 8 5 | | | | Nattrass Gill |
| High Pattinson | 'a | | • | | | Hazle 5 2 6 |
| Sill | | 0 4 | 0 | | | Plate 12 1 7 |
| Plate | | 3 3 | | | | Three Yards Lime- |
| Low Pattinson's | | | • | | | stone 2 1 9 |
| Sill | | 1 0 | 0 | | | Plate 0 4 9 |
| Plate | | $\stackrel{\cdot}{2}$ $\stackrel{\circ}{3}$ | | | | 0041 |
| Little Limestone | | 1 0 | | | | GOAL 0 0 7 |
| White hazle | (| 0 3 | | | | Six Fathoms |
| T | | 1 0 | - | | | 1 |
| | | 0 0 | | | | D1 4 |
| COAL | ••• | U U | 21 | 0 | 3 | |
| TT: -1- C1 C:11 | | | | U | o | Five Yards Lime- |
| High Coal Sill | | 2 0 | | | | stone 2 3 8 Slaty hazle 4 0 3 |
| Plate | | 0 3 | | | | The state of the s |
| COAL | ••• ' | 0 0 | | 0 | c | 12 5 1 |
| | _ | | z | 3 | 6 | |
| C | 1 | | 20 | 1 | 3 | M-4-1 100 4 0 |
| Carried forward | 1 | | 3 9 | 1 | 3 | Total 108 4 9 |
| | | | | | | |

Note: The Low Level Shaft of this mine is situated in Whitesyke. Galena is chiefly found in the Coal Sills and Great Limestone.

No. 2,368.—ALSTON.

TOWNSHIP OF ALSTON COMMON, CUMBERLAND.

Sheet 34 S.E. of Ordnance Map. Lat. 54° 48' 2", Long. 2° 20' 12".

Account of Strata sunk through at Brownley Hill Mine, Nent Valley.

Approximate surface-level 1,600 feet above sea (Ordnance datum).

| Fs | s. Ft. In. Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|--------------------|------------------------|-----------------------------|
| Little Limestone 1 | 0 0 | Brought forward 7 3 0 8 0 0 |
| White hazle 2 | 2 3 0 | Great Limestone 8 4 0 |
| Plate 1 | | Tuft 1 3 0 |
| | 0 0 4 | Plate 2 4 0 |
| | 5 0 0 | Limestone Post 0 1 3 |
| High Coal Sill 2 | 2 0 0 | Quarry Hazle 5 0 0 |
| | 0 5 8 | Plate 5 0 0 |
| | | Till bed 1 1 6 |
| | 3 0 0 | Four Fathoms Lime- |
| Low Coal Sill 2 | 2 0 0 | |
| | 3 0 0 | |
| | , , , | 35 4 9 |
| Limestone, Tumbler | | |
| Bed 2 | 2 3 0 | Total 43 4 9 |
| | | |

Carried forward 7 3 0 8 0 0

Galena and blende are chiefly found in the Great Limestone.

No. 2,369.—ALSTON.

TOWNSHIP OF ALSTON COMMON, CUMBERLAND.

Sheet 42 of Ordnance Map. Lat. 54° 46′ 50″, Long. 2° 21′ 10″.

Section of Strata sunk through in the Air Shaft, Dow Gang, Nent Valley.

Approximate surface-level 1,810 feet above sea (Ordnance datum.)

| DI 4 | | | | Ft. | | Fs. | Ft. | Ĭu. | Fs. Ft. In. Fs. Ft. In. |
|-------------|-----------|-------|-----|-----|---|-----|-----|-----|-------------------------------|
| Plate | • • • • | • • • | 2 | _ | 4 | | | | Brought forward 14 5 0 45 0 0 |
| COAL | | | 0 | 0 | 8 | _ | _ | _ | Plate 3 0 0 |
| | | | | | | 3 | 0 | 0 | Little Limestone 2 0 0 |
| Fell Top | Limes | tone | 0 | 4 | 0 | | | | White hazle 1 0 0 |
| Plate | ••• | | 4 | 0 | 0 | | | | Plate 1 0 7 |
| Hazle | | | 1 | 0 | 0 | | | | COAL 0 1 5 |
| Plate | | | 2 | 0 | 0 | | | | 22 1 0 |
| Hazle | | | 2 | 0 | 0 | | | | High Coal Sill 2 0 0 |
| Plate | | | 1 | 2 | Ó | | | | Plate 1 0 11 |
| Upper Slat | e Sill | | 4 | 0 | Ō | | | | COAL 0 0 1 |
| Plate | | | 1 | ī | Õ | | | | 3 1 0 |
| Lower Slat | | | 4 | õ | ō | | | | Low Coal Sill 1 4 0 |
| TO1 4 | | | 3 | 5 | ŏ | | | | Plate 3 0 0 |
| Fiddler's S | | | 2 | ŏ | ŏ | | | | Limestone, Tumbler |
| Plate and h | | | 6 | 3 | ŏ | | | | D-1 0 0 0 |
| Hard post | | | ŏ | 3 | ŏ | | | | |
| Plate and h | | | 7 | ŏ | ő | | | | /TT 64 |
| Ironstone | | | 1 | ŏ | 0 | | | | D1.4. |
| Plate | • • • | ••• | 0 | 4 | 8 | | | | |
| COAL | ••• | • • • | - | ** | - | | | | Limestone Post 0 1 6 |
| COAL | ••• | • • • | 0 | 1 | 4 | 40 | _ | | Quarry Hazle 5 0 0 |
| T22 | | | | | | 42 | 0 | 0 | |
| Fire-stone | • • • | • • • | .2 | 1 | 0 | | | | Till bed 1 1 6 |
| Plate | | • • • | | 2 | 0 | | | | Four Fathoms Lime- |
| Pattinson's | Sill | • • • | 0 | 2 | 0 | | | | stone 4 0 0 |
| Carried | forwa | rd | 14 | 5 | _ | 45 | 0 | _ | 36 1 0 |
| Carried | . 101 W & | u | 1.2 | 3 | U | ŦĐ | U | v | Total 106 3 0 |

Galena is chiefly found in the Great Limestone.

No. 2,370.—ALSTON.

TOWNSHIP OF ALSTON COMMON, CUMBERLAND.

Sheet 34 of Ordnance Map. Lat. about 54° 47' 40", Long. 2° 22' 30".

Account of Strata sunk through at Galligill Syke Lead-mine, Nent Valley West.

Approximate surface-level 1,400 feet above sea (Ordnance datum).

| Approximate surface-ievel 1,40 | reet above sea (Ordnance datum). |
|--------------------------------|----------------------------------|
| Fs. Ft. In. Fs. Ft. I | |
| Fell Top Limestone 1 0 0 | Brought forward 16 0 6 38 2 |
| Hazle, called Upper | Pattinson's Sill or |
| Coal Sill 3 0 0 | Hazle 1 1 0 |
| Plate 6 0 0 | Plate2 2 6 |
| Hazle, called Whet- | Little Limestone 1 2 0 |
| stone Sill 3 0 0 | Hazle 0 4 0 Plate 1 5 6 |
| Plate 4 0 0 | Plate 1 5 6 |
| Hazle 4 0 0 | COAL 0 1 6 ' |
| Plate 2 4 0 | 23 5 |
| Hazle, called Upper | Hazle, called High |
| Slate Sill 3 0 0 | Coal Sill 2 1 0 |
| Plate 2 2 0 | Plate 1 2 6 |
| Hazle, called Lower | COAL 0 0 6 |
| Slate Sill 3 0 0 | 3 4 (|
| Plate 2 5 0 | Hazle, called Low |
| Hazle, called iron- | Coal Sill 1 0 0 |
| stone 2 1 0 | Plate 4 0 0 |
| Plate 1 0 6 | Limestone, Tumbler |
| COAL 0 1 6 | Bed 2 3 0 |
| | 0 Great Limestone 8 0 0 |
| Hazle, called fire- | Hazle, called tuft 1 1 0 |
| stone 5 1 0 | Plate 3 1 0 |
| | Quarry Hazle 3 1 0 |
| Plate 6 5 0 | |
| Girdle bed 2 3 0 Plate 1 3 6 | 21000 |
| Plate 1 3 6 | Four Fathoms Lime- |
| | stone 4 2 0 |
| 0 1 1 0 1 10 0 0 00 0 | 32 2 0 |
| Carried forward 16 0 638 2 | 00.1.0 |
| | Total 98 1 0 |
| | |

No. 2,371.—ALSTON. TOWNSHIP OF ALSTON COMMON, CUMBERLAND.

Sheet 34 of Ordnance Map. Lat. 54° 47′ 58″, Long. 2° 19′ 55″.

Section of New Shaft sunk from the Horse-level at Guddamgill Mine, Nenthead, 1903.

Approximate surface-level 1,730 feet above sea (Ordnance datum).

| Fs. Ft In. Fs. Ft. In. | |
|---------------------------|-------------------------|
| Quarry Hazle* 1 1 0 | Brought forward 26 4 6 |
| Plate 5 1 0 | Plate 1 4 0 |
| Till bed 0 4 0 | Six Fathoms Hazle 6 0 0 |
| Four Fathoms Lime- | Plate 1 0 0 |
| stone 3 4 0 | Five Yards Lime- |
| Plate 0 0 6 | stone 2 2 0 |
| Nattrass Gill Hazle 2 4 0 | |
| ElevenFathomsPlate 11 1 0 | |
| Three Yards Lime- | |
| stone 2 1 0 | |
| | |
| Carried forward 26 4 6 | Total 37 4 6 |
| | |

^{*} This part of the Quarry Hazle lies under the Horse-level.

No. 2,372.—ALSTON.

TOWNSHIP OF ALSTON COMMON, CUMBERLAND.

Sheet 34 of Ordnance Map. Lat. about 54° 48′ 30″, Long. about 2° 21′ 28″.

Account of Strata of the High Raise and other Veins in the Nent Valley.

Approximate surface-level feet above sea (Ordnance datum).

| | Fs. | Ft. | In. Fs. | Ft. | In. | | | Ft. | In. Fs. | | In. |
|--------------------|-----------|-----|---------|-----|-----|---------------------|---|-----|------------------|---|-----|
| High Slate Sill | 4 | 0 | 0 | | | Brought forward | | | 48 | 1 | 6 |
| | 1 | | 6 | | | Low Coal Sill | 1 | 4 | 0 | | |
| Low Slate Sill | 3 | 3 | 0 | | | Plate | 3 | 0 | 0 | | |
| Plate | 5 | 0 | 0 | | | Great Limestone 1 | 0 | 3 | 0 | | |
| Hazle or hard dry | | | | | | Tuft or Water Sill | 1 | 3 | 0 | | |
| slate | - | 3 | 0 | | | Plate | 3 | 3 | 0 | | |
| Plate | 3 | 3 | 0 | | | Small Limestone | 0 | 1 | 6 | | |
| Ironstone and coal | 0 | 4 | 6 | | | Quarry Hazle | 5 | 0 | 0 | | |
| | | | - 19 | 3 | 0 | | 5 | 3 | 0 | | |
| Fire-stone | 5 | 3 | 0 | | | Till bed | 1 | 1 | 6 | | |
| Plate | 4 | 0 | 0 | | | Four Fathoms Lime- | | | | | |
| White tuft | 1 | 5 | 0 | | | stone | 4 | 0 | 0 | | |
| Plate | 2 | 1 | 0 | | | Nattrass Gill Hazle | 3 | 0 | 0 | | |
| Girdle bed | - | 0 | 0 | | | Plate 1 | | 0 | 0 | | |
| Plate | 2 | 0 | 0 | | | Three Yards Lime- | | | | | |
| Pattinson's Sill | ~ | 0 | 0 | | | stone | 1 | 3 | 0 | | |
| Plate | 3 | 0 | 0 | | | Six Fathoms Hazle | 6 | 0 | 0 | | |
| Little Limestone | - | 3 | 6 | | | Plate | 1 | 4 | 6 | | |
| Plate | | 0 | 0 | | | Five Yards Lime- | | | | | |
| COAL | 0 | 1 | 6 | | | stone | 2 | 3 | 0 | | |
| | | | 26 | 3 | 0 | | | 0 | 0 | | |
| High Coal Sill | 2 | 0 | 0 | _ | | Plate | | 0 | 0 | | |
| Plate and coal | - | 1 | 6 | | | Scar Limestone | | 0 | 0 | | |
| | $\dot{-}$ | Ť | _ 2 | 1 | 6 | - | | | - 7 1 | 5 | 6 |
| Carried forward | | | 48 | 1 | 6 | Total . | | | 120 | 1 | 0 |

No. 2,373.—ALSTON.

TOWNSHIP OF ALSTON COMMON, CUMBERLAND.

Sheet 34 of Ordnance Map. Lat. 54° 48' 32", Long. 2° 21' 47".

Account of Strata sunk through on the High Raise Vein, East End, near the Guddamgill, Nent Valley.

Approximate surface-level 1,760 feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In | 1. |
|------------------------------|----------------------------|----|
| Plate 2 0 0 | Brought forward 9 3 0 25 1 | - |
| Hazle 2 0 0 | White tuft 1 5 0 | |
| Plate 1 4 6 | Plate 2 1 0 | |
| Upper Slate Sill 4 0 0 | Girdle bed 1 0 0 | |
| Plate 1 1 6 | Plate 2 1 0 | |
| Lower Slate Sill 3 3 0 | Pattinson's Sill 2 0 0 | |
| Plate 5 0 0 | Plate 3 0 0 | |
| Hard dry slate 1 3 0 | Little Limestone 1 3 0 | |
| Plate 3 3 0 | White hazle 1 1 0 | |
| Ironstone and coal 0 4 6 | Plate 2 0 4 | |
| 25 1 6 | COAL 0 0 10 | |
| Fire-stone 5 3 0 | 26 3 | 9 |
| Plate 4 0 0 | 20 0 | _ |
| | Carried forward 51 4 8 | Q |
| Carried forward 9 3 0 25 1 6 | 01 T | , |

No. 2,373.—ALSTON.—CONTINUED.

| Brought forward High Coal Sill Plate | l . 2 . 1 | 0 2 | ${f 0} \\ {f 2}$ | | t. In. 4 S | Brought forward 20 1 0 55 1 2 Limestone Post 0 1 6 Quarry Hazle 5 0 0 |
|--|-------------------|--------|------------------|-----|---------------|---|
| | . 0 . 1 . 3 | 4 | | 3 : | 2 6 | Plate 5 3 0 |
| Great Limestone Tuft Plate | . 10 | 3 3 | 0 | | | Nattrass Gill Hazle 3 0 0 39 0 6 |
| Carried forward | 1 20 | 1 | 0 5 | 5 : | L 2 | Total 94 1 8 |

Galena is found in the strata from the Slate Sills to the bottom of the tuft, and blende in the Great Limestone and underlaying strata.

No. 2,374.—ALSTON.

TOWNSHIP OF ALSTON COMMON, CUMBERLAND.

Sheet 34 of Ordnance Map. Lat. about 54° 48′ 16″, Long. about 2° 23′ 4″.

Account of Strata sunk through at Hudgill Burn, near Nent Hall, Nent Valley. Approximate surface-level 1,300 feet above sea (Ordnance datum).

| fire-stone 3 1 0 Plate bed 3 0 0 Plate bed 0 2 0 | | | | | | | | | | | | | |
|--|----------------|-------|----------|-----|---------|-----|-----|---------------------|-----------|-------------|------|---|---|
| Plate bed 3 0 0 0 0 0 0 0 0 | | | Fs. | Ft. | In. Fs. | Ft. | In. | | | | | | |
| Plate bed | | the | | | | | | Brought forward | 16 | 4 | 0 26 | 3 | 0 |
| Plate | fire-stone | | | 1 | | | | Plate bed | 3 | 0 | 0 | | |
| Plate | Plate bed | | | | 0 | | | Limestone Post | 0 | 2 | 0 | | |
| Plate | White tuft | | 1 | 5 | 0 | | | Plate bed | 0 | 4 | 0 | | |
| Girdle bed 1 0 0 0 Plate 2 1 0 0 Four Fathons Limestone 3 5 6 Plate and grey beds 1 2 2 Nattrass Gill Hazle 2 2 3 Plate bed 9 0 0 Plate bed 9 0 0 Three Yards Limestone 2 0 0 Fix Fathoms Hazle 7 5 0 Plate bed 2 0 0 Fix Fathoms Hazle 7 5 0 Plate bed 2 0 0 Fix Fathoms Hazle 7 5 0 Plate bed 2 0 0 Fix Fathoms Hazle 7 5 0 Plate bed 0 3 1 Five Yards Limestone 1 0 6 Slaty hazle 2 0 9 Plate bed 2 0 9 Plate bed 2 1 0 Flate bed 2 1 0 Flate bed 1 0 6 Slaty hazle 2 1 0 Flate bed 2 1 0 Flate bed 1 0 0 Flate bed 2 1 0 Flate bed 2 1 0 Flate bed 2 1 0 Flate bed 1 0 6 Flate bed 2 1 2 Flate bed 2 1 2 Flate bed 2 1 2 Flate bed 1 0 6 Flate bed 2 1 2 Flate bed 2 1 2 Flate bed 1 0 6 Flate bed 1 0 6 Flate bed 2 1 2 Flate bed 2 1 2 Flate bed 1 0 0 Flate bed 1 0 0 Flate bed 1 0 0 Flate 1 0 0 F | Plate | | 2 | 1 | 0 | | | | | 0 | 0 | | |
| Plate 2 1 0 Pattinson's Sill or 1 4 0 Hazle 1 4 0 Plate bed 4 1 0 Plate bed 0 1 0 Plate bed 0 1 0 Plate bed 0 0 1 Einestone, Tumbler | Girdle bed | | 1 | 0 | 0 | | | | | 4 | 0 | | |
| Pattinson's Sill or Hazle 1 4 0 Four Fathoms Limestone 3 5 6 Plate bed 1 0 0 Nattrass Gill Hazle 2 2 White hazle 0 1 0 Plate bed 9 0 0 Plate bed 0 1 0 Plate bed 9 0 0 Plate bed 2 0 0 Three Yards Limestone 2 0 Six Fathoms Hazle 7 5 0 Plate bed 0 3 1 Plate bed 2 0 0 Six Fathoms Hazle 7 5 0 Plate bed 0 3 1 Five Yards Limestone 1 0 6 Slaty hazle 2 0 9 Plate bed 2 0 9 Plate bed 2 1 0 2 1 0 | Plate | | 2 | 1 | 0 | | | | | 1 | 0 | | |
| Hazle | | | | | | | | | | _ | | | |
| Little Limestone 1 0 0 White hazle 0 1 0 Plate bed 0 1 0 High Coal Sill 2 0 0 1 0 0 2 0 0 0 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | | | 1 | 4 | 0 | | | | 3 | 5 | 6 | | |
| Little Limestone 1 0 0 White hazle 0 1 0 Plate bed 0 1 0 High Coal Sill 2 0 0 1 0 0 2 0 0 0 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | | | | 1 | | | | Plate and grey heds | | $\tilde{2}$ | 2 | | |
| White hazle 0 1 0 Plate bed 3 0 0 Plate bed 0 1 0 Plate bed 0 1 0 High Coal Sill 1 0 0 Plate bed 2 0 0 Low Coal Sill 0 5 0 Plate bed 2 4 0 Limestone, Tumbler Bed 2 0 0 Great Limestone 5 0 0 Clay bed 1 0 0 Hazle, called the Tuft Sill 2 1 0 | | | | | | | | Nattrass Gill Hazle | $\bar{2}$ | 2 | 3 | | |
| Plate bed 3 0 0 0 0 0 0 0 0 0 | | | | | | | | | 9 | ō | ŏ | | |
| COAL 0 1 0 1 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 1 0 1 0 1 0 1 0 3 1 1 0 3 1 1 1 0 3 1 1 1 0 3 1 1 1 0 3 1 1 1 0 3 1 1 1 0 3 1 1 1 0 3 1 1 1 0 3 1 1 1 0 1 1 0 0 1 0 1 0 0 1 0 | | | | | | | | | • | • | • | | |
| High Coal Sill 1 0 0 Plate bed 2 0 0 Plate bed 2 4 0 Slaty hazle 2 0 9 Plate bed 2 0 0 Plate bed 2 0 0 Slaty hazle 2 0 9 Plate bed 2 1 0 Plate 1 0 0 Plate 1 0 0 Plate 1 0 0 | | | - | - | - | | | ı | 2 | 2 | 0 | | |
| High Coal Sill 1 0 0 Plate bed 0 3 1 Plate bed 2 0 0 5 0 1 0 6 0 1 0 6 0 0 1 0 6 0 0 0 2 1 0 <td></td> <td></td> <td><u> </u></td> <td>_</td> <td>•</td> <td>3</td> <td>n</td> <td></td> <td></td> <td></td> <td>-</td> <td></td> <td></td> | | | <u> </u> | _ | • | 3 | n | | | | - | | |
| Plate bed 2 0 0 Five Yards Lime- Low Coal Sill 0 5 0 Slaty hazle 1 0 6 Plate bed 2 4 0 Slaty hazle 2 0 9 Plate bed 2 1 0 Scar Limestone 6 0 0 Plate bed 1 0 0 Plate 1 0 0 | High Coal Sill | | 1 | Λ | | · | • | 701 / 1 1 | | 3 | | | |
| Low Coal Sill 0 5 0 stone 1 0 6 Plate bed 2 0 9 Plate bed 2 0 9 Plate bed 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 0 2 1 2 1 0 0 2 1 2 1 0 | | | | | | | | | · | U | • | | |
| Plate bed 2 4 0 Slaty hazle 2 0 9 Limestone, Tumbler Plate bed 2 1 2 Bed 2 0 0 Scar Limestone 6 0 0 Great Limestone 1 0 0 Plate 1 0 0 Hazle, called the Tuft Sill 2 1 0 Tuft Sill 2 1 0 | | | | | | | | | 1 | Λ | e | | |
| Limestone, Tumbler Bed 2 0 0 Bed 2 0 0 Great Limestone 5 0 0 0 Clay bed 1 0 0 Hazle, called the 2 1 0 Tuft Sill 2 1 0 | To 1 1 1 | | | 4 | | | | | | | | | |
| Bed 2 0 0 Great Limestone 5 0 0 Plate 1 0 0 Hazle, called the Tuft Sill 2 1 0 | | | 4 | - | v | | i | | | 1 | | | |
| Great Limestone 5 0 0 Clay bed 1 0 0 Hazle, called the Tuft Sill 2 1 0 | | | 0 | ^ | Δ | | i | | | Ť | | | |
| Clay bed 1 0 0 Hazle, called the Tuft Sill 2 1 0 | | ••• | z | | | | | | - | | | | |
| Hazle, called the Tuft Sill 2 1 0 | | | | Ň | | | | Plate | T | U | - | , | = |
| Tuft Sill 2 1 0 | | | ī | U | U | | | - | | | 09 | T | Ð |
| | | | _ | | | | - 1 | | | | | | |
| Carried forward 16 4 0 26 3 0 Total 95 4 5 | Tuft Sill | • • • | 2 | 1 | 0 | | | | | | | | |
| Carried forward 16 4 0 26 3 0 Total 95 4 5 | | | _ | | | | _ | m . 1 | | | | - | |
| | Carried forwa | rd l | 6 | 4 | 0 26 | 3 | 0 | Total . | •• | • | . 95 | 4 | 5 |

Very rich in galena, with carbonates and oxides of lead in the strata from the fire-stone to the Quarry Hazle.

No. 2,375.—ALSTON.

TOWNSHIP OF ALSTON COMMON, CUMBERLAND.

Sheet 42 of Ordnance Map. Lat. 54° 47′ 9″, Long. 2° 20′ 12″.

Section of Strata at Rampgill Mine, Nenthead, adjoining Coalcleugh.

Approximate surface-level 1,450 feet above sea (Ordnance datum).

Left off sinking February, 1903.

| | | Ft. | In. Fa. | Ft. | In. | Fs. | Ft. | In. Fs. | Ft. | In |
|--------------------|-------|-----|--------------|-----|-----|-------------------------|-----|---------|-----|-----|
| Fell Top Limestone | 0 | 4 | 6 | | W | Brought forward 27 | 3 | 0 35 | 0 | - 6 |
| Hazle | 2 | 0 | 0 | | | Plate 1 | - | 0 | - | |
| Plate | 5 | 0 | 0 | | | | 0 | 0 | | |
| Hasle | 1 | 3 | 0 | | | Plate 4 | | Õ | | |
| | 2 | 0 | 0 | | 7 | Great Limestone 10 | 8 | Ö | | |
| Hasle | 2 | 0 | 0 | | | Tuft 1 | 4 | 60 | | |
| Plate | 1 | 1 | 0 | | | Plate 2 | 5 | Ö | | |
| High Slate Sill | 4 | 0 | 0 | | | Limestone Post 0 | 1 | 3 | | |
| Plate | - | 1 | 6 | | | Quarry Hazle 5 | | 0 | | |
| | 3 | 8 | 0 | | | Plate 5 | 3 | 0 | | |
| | 3 | 4 | 0 | | | Till bed 0 | 4 | Õ | | |
| | 2 | 3 | 0 | | | Four Fathoms Lime- | _ | | | |
| D1 4 | 5 | 0 | 0 - | | | stone 3 | 4 | 0 | | |
| ronstone and coal | 0 | 4 | 6 | | | Plate 0 | 2 | Õ | | |
| | | - | — 3 5 | 0 | 6 | Nattrass Gill Hazle 3 | | | | |
| Fire-stone | 5 | 0 | 0 | | | Eleven Fathoms Plate 11 | 0 | Õ | | |
| Girdle beds | 11 | 0 | 0 | | | Three Yards Lime- | _ | | | |
| Pattinson's Sill | 2 | 0 | 0 | | | stone 1 | 4 | 4 | | |
| Plate | 4 | 0 | 0 | | | Six Fathoms Hazle 3 | 3 | 0 | | |
| Little Limestone | 1 | 0 | 0 | | | Plate 4 | 0 | Õ | | |
| White hazle | 0 | 5 | 0 | | | Five Yards Limestone 2 | 0 | Õ | | |
| Plate | 1 | | 0 | | | Slaty hazle 5 | Ō | Ö | | |
| High Coal Sill | 2 | 1 | Ō | | | | _ | 95 | 5 | |
| Carried forwa | rd 27 | 3 | 0 35 | 0 | 6 | Total | | 130 | 5 | - |

* The Horse-level is just under the chirtstone in the tuft.

Note: The Rampgill vein has been worked up to the boundary between Coalcleugh, in Allendale, and Nenthead.

No. 2,376.—ALSTON.

TOWNSHIP OF ALSTON COMMON, CUMBERLAND.

Sheet 41 of Ordnance Map. Lat. about 54° 46' 25", Long. about 2° 28' 24".

Account of Strata sunk through at Rotherhope Fell Mine, South Tyne Valley.

Approximate surface-level 1,250 feet above sea (Ordnance datum).

| Ps. Pt. In. Fz. Ft. In | |
|---------------------------|--------------------------|
| Hazle 1 4 0 | Brought forward 21 3 6 |
| Plate 1 1 0 | Ironstone and coal 0 4 6 |
| Upper Slate Sill 4 0 0 | Fire-stone 5 3 0 |
| Plate 1 1 6 | Plate 4 0 0 |
| Lower Slate Sill 3 3 0 | White hazle 1 2 0 |
| Plate 5 0 0 | Plate 2 1 0 |
| Hazle or hard slate 1 3 0 | Girdle beds 1 0 0 |
| Plate 3 3 0 | Plate 2 1 0 |
| | |
| Carried forward 21 3 6 | Carried forward 38 3 0 |

No. 2,376.—ALSTON.—CONTINUED.

| | Fa | Ft | In. | Fg. | Et. | Tn | Fs. Ft. In. Fs. Ft. In. |
|----------------------|-----------|-------------|-----|-----|-------|-----|--|
| Brought forward | | 3 | 0 | | 2. 0. | | Brought forward 64 5 250 4 8 |
| Pattinson's Sill | 2 | 0 | 0 | | | | Plate and grey beds 1 4 0 |
| Plate | 3 | 0 | 0 | | | | Hazle 0 2 6 |
| Little Limestone | 1 | 3 | 0 | | | | Cockle-shell Lime- |
| Plate | 3 | 0 | 0 | | | | stone 0 2 0 |
| COAL | 0 | 1 | 2 | | | | Plate and grey beds 0 2 6 |
| | | | | 48 | 1 | 2 | Single Post Lime- |
| High Coal Sill | 0 | 5 | 0 | | | | stone 1 3 0 |
| Plate | | 4 | 0 | | | | Plate 1 0 0 |
| COAL | 0 | Ō | 6 | | | | Hazle 1 5 0 |
| | | | | 2 | 3 | 6 | Alternating strata 3 3 0 |
| Low Coal Sill | 0 | 5 | 2 | _ | • | • | Plate 1 3 0 |
| Plate | | ĭ | ō | | | | Hazle 0 3 6 |
| Great Limestone | 7 | î | ŏ | | | | Plate 0 1 0 |
| Tuft or Water Sill | 3 | ō | Ŏ | | | | Hazle 0 3 0 |
| Plate | ~ | $\tilde{2}$ | 6 | | | | Plate 0 1 0 |
| Limestone Post | _ | 2 | ŏ | | | | Hazle 0 3 0 |
| Quarry Hazle | | ō | ŏ | | | | Plate 0 1 0 |
| Plate | | 2 | ŏ | | | | Hazle 0 2 6 |
| Till bed | ĭ | 2 | ŏ | | | | Plate 0 4 0 |
| Four Fathoms Lime- | • | _ | Ů | | | | Hazle 0 0 8 |
| stone | 4 | 0 | 0 | | | | Plate 0 0 6 |
| Nattrass Gill Hazle | | 5 | ŏ | | | | Hazle 0 0 8 |
| Plate | 5 | 3 | ŏ | | | - 1 | Plate 0 2 0 |
| Three Yards Lime- | Ü | 0 | U | | | 1 | Grey beds 0 2 0 |
| stone | 1 | 3 | 0 | | | | Plate 0 4 6 |
| Six Fathoms Hazle | | 4 | ŏ | | | | Tyne-bottom Lime- |
| Plate | ĭ | 4 | ŏ | | | | stone 3 1 0 |
| Five Yards Limestone | $\hat{2}$ | 3 | ŏ | | | | Whetstone Bed 0 3 3 |
| Slaty hazle | 2 | 1 | Ö | | | - 1 | Whin Sill 32 0 0 |
| Plate | _ | ō | ő | | | - 1 | Pencil bed 0 2 0 |
| Scar Limestone | | ŏ | ő | | | | —————————————————————————————————————— |
| Plate | ő | 2 | 6 | | | | |
| | 2 | ñ | 0 | | | | |
| Hazle | | | | | | | |
| Carried forward | 64 | 5 | 2 8 | 50 | 4 | 8 | Total 168 4 5 |
| Carried for ward | U-2 | J | 2 | ,,, | -1 | 9 | 10001 100 1 |

No. 2,377.—ALSTON. TOWNSHIP OF ALSTON COMMON, CUMBERLAND.

Sheet 42 S.W. of Ordnance Map. Lat. about 54° 44', Long. about 2° 22'.

General Section of Strata at Tynehead, as proved by the Old Shafts of the Lead-mines, Tynehead.

Approximate surface-level feet above sea (Ordnance datum).

| | | | | In. F | s.] | Ft. | In. | | | Ft. | In. Fs. | | |
|-----------------|-------|---|---|-------|------|-----|-----|-----------------|----|----------|---------|---|---|
| Hazle* | | 1 | 2 | 0 | | | | Brought forward | | | 12 | 4 | 0 |
| Plate | | 3 | 2 | 0 | | | | Low Coal Sill | 1 | 2 | 0 | | |
| Little Limeston | e | 1 | 2 | 0 | | | | Plate | 3 | 0 | 0 | | |
| Plate | | 3 | 1 | 0 | | | | Great Limestone | 10 | 2 | 0 | | |
| COAL | | | 2 | | | | | Tuft | 1 | 2 | 0 | | |
| | | | | | 9 | 3 | 0 | Plate | 4 | 0 | 0 | | |
| High Coal Sill | | 1 | 3 | 0 | | | | Limestone Post | 0 | 3 | 6 | | |
| Plate | | 1 | | | | | | Quarry Hazle | 5 | 0 | 0 | | |
| COAL | | ō | | Ō | | | | Plate | 5 | 2 | 0 | | |
| JOHL | ••• | _ | | _ | 3 | 1 | 0 | Till bed | 1 | 2 | 0 | | |
| | | | | _ | | | | | | | | | |
| Carried fo | rward | | | 1 | 2 | 4 | 0 | Carried forward | 32 | 1 | 612 | 4 | 0 |

No. 2,377.—ALSTON.—CONTINUED.

| | | | | | Ft. | | |
|----------------------|----------|---|---|----|-----|----|---------------------------|
| Brought forward | 32 | 1 | 6 | 12 | 4 | 0 | |
| Four Fathoms Lime- | | _ | • | | | | Whin Sill* 19 4 0 |
| stone | 4 | 0 | 0 | | | | Plate† 1 3 0 |
| Nattrass Gill Hazle | | 0 | 0 | | | | Hazle 1 3 0 |
| Plate | 3 | 4 | 0 | | | | Plate 1 4 0 |
| Three Yards Lime- | | _ | • | | | | Hazle 2 1 0 |
| stone | 1 | 5 | 0 | | | | Plate 0 5 0 |
| Six Fathoms Hazle | 5 | 5 | 0 | | | | Hazle 2 4 0 |
| Plate | 1 | 4 | 0 | | | | Plate 1 2 0 |
| Five Yards Limestone | 1 | 2 | 0 | | | | Jew Limestonet 3 4 0 |
| Slaty hazle | | 4 | 0 | | | | Plate‡ 1 2 0 |
| Plate | 3 | 2 | 0 | | | | Slate 2 2 0 |
| Scar Limestone | 5 | 0 | 0 | | | | Plate 1 0 0 |
| Plate | 0 | 4 | 0 | | | | Little Limestone 2 4 0 |
| COAL | 0 | 0 | 6 | | | | Plate and grey beds 2 2 0 |
| | | | | 64 | 2 | -0 | |
| Plate | 1 | 0 | 0 | | | | Plate 4 0 0 |
| Copper Hazle | 2 | 0 | 0 | | | | Smiddy Limestone 5 0 0 |
| Plate | 2 | 0 | 0 | | | | Hazle 2 1 0 |
| Hazle | 0 | 2 | 0 | | | | Limestone 4 0 0 |
| Cockle-shell Lime- | | | | | | | Plate 1 2 0 |
| stone | 0 | 3 | 0 | | | | Hazle 2 0 0 |
| Plate | 1 | 2 | 0 | | | | Plate 0 5 0 |
| Single Post Lime- | | | | | | | Robinson's Lime- |
| stone | 1 | 2 | 0 | | | | stone 3 4 0 |
| Plate | 1 | 0 | 0 | | | | Hazle 1 2 0 |
| Grey stone | 0 | 4 | 0 | | | | Plate 0 4 0 |
| Tyne-bottom Plate | 9 | 2 | 0 | | | | Melmerby Scar Lime- |
| Tyne-bottom Lime- | | | | | | | stone, 1 into 22 3 0 |
| stone | 3 | 4 | 0 | | | | 124 0 0 |
| Whetstone | ŏ | 4 | Ŏ | | | | |
| | _ | | | | | | |
| Carried forward | 23 | 5 | 0 | 77 | 0 | 0 | Total 201 0 0 |
| Surrica 101 ward | | • | • | •• | - | • | 10001 201 0 |

to * Tynehead Section. † to † Tees-side Section. ‡ to ‡ Blencairn Section.

No. 2,378.—ALSTON.

TOWNSHIP OF OUSBY FELL, CUMBERLAND.

Sheet 41 of Ordnance Map. Lat. about 54° 44′ 40″, Long. about 2° 30′ 27″.

Section of Strata at Smittergill Head and Fox Fold, North-west of Cashwell, South Tyne Valley.

Approximate surface-level 1,500 feet above sea (Ordnance datum).

| Hazle Plate Jew Limestone Plate | 1 | 6 8 1 3 2 5 5 | 4 5 0 4 4 3 1 0 | 0 9 3 6 0 9 6 0 | fa. F | t. In. | Fs. Ft. In. Fs. Ft. In. Hazle 10 9 10 10 10 10 10 10 |
|---------------------------------|---|---------------------------------|--------------------------------------|--------------------------------------|-------|--------|--|
| Carried forwa | _ | | 0 | 9 | | | Carried forward 94 1 3 |

No. 2,378.—ALSTON.—CONTINUED.

| Fs. Ft. In. Fs. Ft. Iu. Brought forward 94 1 3 | Fs. Ft. In. Fs. Ft. In. Brought forward 186 4 9 |
|---|---|
| Melmerby Scar Lime- | COAL 0 0 7 |
| stone 30 5 0 | 186 5 4 |
| Hazle and plate 5 5 0 | Hazle and plate 30 0 0 |
| Limestone 2 5 0 | Freestone 7 0 6 |
| Hazle 25 2 0 | Girdle bed 2 0 0 |
| Hazle and plate 13 0 0 | Limestone 5 0 0 |
| Limestone 0 5 0 | Freestone 43 0 6 |
| Hazle 2 0 6 | Plate 21 2 9 |
| Plate 11 5 0 | 108 3 9 |
| Carried forward 186 4 9 | Total 295 3 1 |

No. 2,379.—ASHINGTON.

TOWNSHIP OF BOTHAL, NORTHUMBERLAND.

Sheet 64 of Ordnance Map. Lat. 55° 11' 3", Long. 1° 35' 50".

Strata sunk and bored through at the Carl Pit, Ashington Colliery, below the Yard Coal Seam.—Continuation of No. 21.

Approximate surface-level 113 feet above sea (Ordnance datum).

| | Fs. | Ft. | In. F | s. Ft. | In. | |
|--------------------|-----|-----|-------|--------|-----|------------------------------|
| Depth from surface | | | | | | Brought forward 80 0 4 |
| to Yard Coal Seam | ı | | 15 | 14 | 6 | |
| Seggar-clay | 0 | 1 | 0 | | | Grey post 1 3 9 |
| White post | 6 | 5 | 0 | | | Whin girdle 0 0 7 |
| Blue metal parting | | | 6 | | | Grev nost 1 3 0 |
| White post | | 5 | 0 | | | Mussel bed 0 0 2 |
| Whin | 0 | 3 | 0 | | | Grey metal ' 0 2 8 |
| White post | Ó | 4 | 6 | | | Mussel bed 0 0 3 |
| Whin | Ō | ī | 8 | | | COAL 0 0 2 |
| White post | | 1 | 1 | | | 3 5 11 |
| Blue metal | | ō | 6 | | | Grey post 3 0 2 |
| White post | - 1 | 3 | ŏ | | | White post girdle 0 0 9 |
| Blue metal | | ŏ | š | | | Grey metal 0 3 2 |
| White post | _ | 2 | 2 | | | Low Moin Seam- |
| Blue metal | _ | ō | 2 | | | Ft. In. |
| White post, mixed | ٠ | ٠ | - | | | COAL 0 41 |
| | 5 | 5 | 0 | | | Band 0 51 |
| Bensham Seam- | U | U | U | | | COAL 4 11 |
| | 0 | 2 | 4 | | | Band 0 41 |
| OOAL | v | 4 | 22 | 2 5 | 2 | |
| Black band | 0 | _ | 8 24 | 2 0 | 4 | COAL 1 2½ 1 0 6 |
| | | | 0 | | | 1 0 0 |
| Seggar Grey post | 4 | 7 | 4 | | | Grev metal stone 1 5 0 |
| Crey post | | í | 2 | | | |
| Grey metal | U | т | 4 | | | Grey post 4 1 0 |
| Five-Quarter Seam— | | | | | | , c , g |
| Ft. In. | | | | | | D. 1 |
| COAL 1 114 | • | | | | | Dark metal 0 0 3 |
| Band 0 44 | ī | | | | | Grey metal 0 0 6 |
| COAL 1 2 | _ | | | | | Grey metal stone 1 1 6 |
| | 0 | 3 | 6. | | | Grey post 0 4 0 |
| | | | —_ E | 5 2 | 3 | Grey metal stone 0 3 0 |
| Carried forward | | | 80 | 0 | 4 | Carried forward 2 3 3 94 5 7 |
| | | | | | | , |

No. 2,379.—ASHINGTON.—Continued.

| Brought forward | Fs. | Ft. | In. | | Ft. | In. 7 | Brought forward 3 5 8 127 4 8 |
|-------------------------------|-----|-----|-----|-----|-----|-------|---|
| Dark metal and | - | ., | ., | | | | Ft. In. |
| 2 11 | 1 | 5 | 0 | | | | COAL 1 1 |
| | • | • | • | | | | Dark metal 0 4 |
| Plessey Seam- | 0 | 2. | 5 | | | | COAL and |
| COAL | U | - | J | | | 0 | metal, tender 0 4 |
| | | | | 4 | .4 | 8 | |
| Dark metal and coal | 0 | 0 | -8 | | | | |
| Grey metal stone | | 5 | 6 | | | | Dark metal 0 3 |
| Grey post | 2 | 1 | 0 | | | | COAL 0 7 |
| Hard white post | | 5 | 0 | | | | 0 3 2 |
| Char nost | 2 | 1 | 0 | | | | 4 2 10 |
| Grey post | | 4 | 0 | | | | Grey metal 0 1 9 |
| Grey metal stone | | | · | | | | Grey post 0 2 0 Grey metal stone 1 5 3 |
| COAL, good, rather | | 2 | 0 | | | | Grey metal stone 1 5 3 |
| tender | 0 | 2 | U | | | | Dark metal stone 0 2 0 |
| | | | | - | 1 | 2 | Grey post 2 0 10 |
| Grey metal | 0 | 2 | 0 | | | | Grey metal stone 1 3 6 |
| | _ | 4 | 6 | | | | Whin 0 0 9 |
| Grey metal stone | | | 0 | | | | 1 |
| Grey post | 0 | 2 | 0 | | | | arej post III |
| Whin | 0 | | 0 | | | | |
| Grey post | 0 | 4 | 0 | | | | arej pare in in i |
| Grey metal stone | 0 | 1 | U | | | | |
| Dark metal and | | | | | | | COAL 0 0 3 |
| girdles | | 3 | 6 | | | | 10 2 7 |
| Grey metal stone | 1 | 4 | 0 | | | | Grey post 4 0 0 |
| COAL | 0 | 0 | 6 | | | | COAL 0 1 6 |
| | | | _ | 8 | 2 | 6 | 4 1 (|
| a 1 | 1 | | 0 | | | | Grey metal stone 2 2 3 |
| Grey post | 1 | 0 | 6 | | | | Grey post 0 3 6 |
| Grey metal stone | | 3 | 0 | 0 | | | Dark metal 0 4 3 |
| Dark metal | | 2 | 9 | | | | Ft. In. |
| COAL | 0 | 0 | 5 | | | | COAL, coarse |
| | | | _ | 2 | 0 | 8 | and tender 2 3 |
| Char motul | Λ | 0 | 9 | | | | Black metal 0 6 |
| Grey metal | ~ | | G | | | | |
| Grey post | 5 | 4 | (1 | | | | |
| Beaumont Scam- | | | | | | | 0 3 4 |
| COAL | 0 | 2 | 2 | | | | 4 1 4 |
| | _ | _ | | 6 | 1 | 5 | |
| Black metal | 0 | 0 | 3 | | | | Grey post 1 1 6 |
| | _ | | 6 | | | | Whin 0 0 6 |
| Grey metal | | | 9 | | | | Grey post 0 2 6 |
| Grey metal stone | | | 4 | | | | Grey metal stone 3 5 3 |
| COAL | 0 | U | -3 | | | | Grey post 6 5 3 |
| | - | | | 1 | 3 | 10 | Grey post 6 5 3 Dark metal stone 1 4 6 |
| Grey metal stone | 0 | 1 | 3 | | | | Grey metal stone 0 5 6 |
| Grey post , | | Õ | 6 | | | | Dark metal stone 1 3 0 |
| Dark metal | | - | 7 | | | | Grey post 2 4 9 |
| COAL | _ | _ | 6 | | | | Whin 0 1 7 |
| OOAL | _ | | | 2 | 9 | 10 | |
| Cham matal | | 1 | 4 | | - | 10 | Grey post 1 3 5 Dark metal stone 0 2 4 |
| Grey metal | | | | | | | Ducalinell Comm |
| Grey metal stone | . 0 | | | | | | Brockwell Seam- |
| Grey post Dark metal stone | 0 | _ | | | | | COAL 0 2 1 |
| Dark metal stone | 0 | - | | | | | 22 0 11 |
| Dark metal and coal | 0 | | 9 | | | | Grey metal, into 0 3 0 |
| Dark metal stone | 2 | 2 | 3 | | | | 0 3 0 |
| | _ | | | _ | | | |
| Carried forward | 3 | 5 | 8 | 127 | 7 4 | 8 | Total 173 4 10 |
| | | | | | | | |

No. 2,380.—AXWELL. TOWNSHIP OF WHICKHAM, DURHAM.

Sheet 6 of Ordnance Map. Lat. 54° 57' 8", Long. 1° 40' 0".

Strata bored through at Swalwell, near the Garden House, July 12th, 1874.

Approximate surface-level 100 feet above sea (Ordnance datum).

| Soil and black sand | | Ft. | In. | Fs. | Ft. | ln. | Brought forward Fs. Ft. In. Fs. Ft. 1 8 5 | |
|-------------------------------|--------|---------------|--------|-----|-----|-----|--|---|
| gravel | | 0 | 0 | | | | Grey metal 0 0 3 | |
| Hard gravel, with water | 0 | 1 | 0 | | | | Black metal, scarred with coal 0 0 6 | |
| Brown ramble | | 2 | 0 | 0 | 0 | 0 | White post 1 1 6 | |
| Blue metal Brown and white | 1 | 0 | 0 | 2 | 3 | 0 | Grey metal, with girdles 1 1 0 COAL 0 0 6 | |
| post Grey metal, with | 2 | 2 | 0 | | | | Grey metal, with | 9 |
| | 0 | $\frac{5}{4}$ | 9 6 | | | | girdles 1 5 3 Thready whin 0 0 9 | |
| | 0 0 | $\frac{2}{2}$ | 3 0 | 5 | 0 | 3 | 2 0 | 0 |
| COAL 1 9 Grey metal 1 1 | | | | | | | | |
| COAL 1 3 | 0 | 4 | 1 | 1 | 2 | 4 | | |
| Carried forward | | | | 8 | 5 | 7 | Total 13 3 | 4 |

No. 2,381.—AXWELL. TOWNSHIP OF WHICKHAM, DURHAM.

Sheet 6 of Ordnance Map. Lat. 54° 57' 0", Long. 1° 41' 25".

Strata sunk through in the Engine Pit, Axwell Park and Whickham Royalty, 1839.

Approximate surface-level 80 feet above sea (Ordnance datum).

| Outset | | Ft. 3 | | Fs. | Ft. | In. | Brought forward 8 0 9 9 | | In. |
|---------------------|---|----------|---|-----|-----|-----|---------------------------------|---|-----|
| Soil and elay | 8 | 3 | 0 | | | | Strong coarse yellow | | |
| | | | | 9 | 0 | 0 | post, in which the | | |
| Black slate | 0 | 0 | 3 | | | | water took off to | | |
| COAL, thick on one | | | | | | | 65 gallons per | | |
| side of pit and | | | | | | | minute 1 1 3 | | |
| runs out | 0 | 1 | 0 | | | | COAL, varying | | |
| | | | | ុ0 | 1 | 3 | from 2 feet 3 | | |
| Fire-clay | | | | | | | inches to 2 feet 7 | | |
| Strong brown post | 0 | 2 | 3 | | | | inches in shaft 0 2 4 | | |
| Blue and brown | | | | | | | 9 | 4 | 4 |
| metal, mixed with | _ | _ | _ | | | | Fire-clay 0 3 6 | | |
| post | 1 | T | 3 | | | | Blue metal stone 0 1 7 | | |
| Open brown and | | | | | | | COAL 0 0 6 | | |
| grey gulletty post, | | | | | | | 0 | 5 | 7 |
| with water, which | | | | | | | Grey metal stone and | 0 | • |
| increased to up- | | | | | | | post girdles 0 2 10 | | |
| wards of 80 gal- | ~ | 9 | 9 | | | | post girdles 0 2 10 | 9 | 10 |
| lons per minute | J | 2 | J | | | | | 4 | TO |
| Carried forward | 8 | 0 | 9 | 9 | 1 | 3 | Total sunk (carried forward) 20 | 2 | 0 |

No. 2,381.—AXWELL.—CONTINUED.

| Brought forward Fs. Ft. In. Fs. Ft. In. 20 2 0 | Fs. Ft. in. Fs. Ft. in. Drought forward 10, 1, 6,50, 1, 0 |
|---|---|
| 9 | Brought forward 10 4 6 59 4 0 |
| Bored further:— Grev metal and post 1 5 2 | White post, with blue seamy part- |
| | ings 1 0 3 |
| White post, with much water 2 0 10 | ings 1 0 3 Dark grey post 0 5 8 |
| much water 2 0 10 | B 1 |
| Grey post, with blue partings 0 3 3 White post 0 3 0 | White post 0 2 5 |
| partings 0 3 3 | Blue metal stone 0 0 6 |
| White post 0 3 0 | Hard brown post 0 0 8 |
| write post, with | White post 0 1 5 White post 0 2 2 |
| scamy partings 0 4 1 | White post 0 2 2 |
| Blue metal 0 3 2 Grey metal 0 4 5 White post 6 4 4 | Post, with blue |
| Grey metal 0 4 5 | partings 0 0 8 |
| White post 6 4 4 | Hard post girdles 0 0 4 |
| Grev metal, mixed | Post, with blue |
| with post 0 5 1 Grey metal 0 2 2 White post 0 4 9 Blue metal, with | partings 0 1 8 Blue stone 0 1 1 |
| Grey metal 0 2 2 | Blue stone 0 1 1 |
| White post 0 4 9 | COAL 0 0 6 |
| Blue metal, with | 14 3 10 |
| water 0 0 9 White post, with | Blue stone 0 3 3 |
| White post, with | White post, with blue |
| partings and water 5 2 4 | partings 0 2 2 Grey post, with hard girdles 1 5 9 Blue stone 0 0 4 Death post |
| Grey metal 0 0 7 | Grey post, with |
| COAL 0 1 4 | hard girdles 1 5 9 |
| 91 3 3 | Blue stone 0 0 4 |
| Fire-clay 0 0 7 | Dark Dost, with |
| Blue metal stone 1 5 9 | water 1 2 0 White post 0 2 11 Blue stone 1 4 11 |
| Metal stone and | White post 0 2 11 |
| white post 0 3 11 | Blue stone 1 4 11 |
| white post 0 3 11 Grey post 0 1 6 | Grey metal, mixed |
| Brown bastard whin 0 1 4 | with post 0 2 9 |
| | |
| White post, with blue | Blue stone 0 3 5 Grey metal 1 0 5 |
| metal partings and | Crew metal 1 0 5 |
| water 0 5 0 | Grey metal, mixed |
| Blue metal stone 0 0 6 | with post 0 4 1 |
| Grey metal, mixed | Grey metal 0 1 9 |
| with post 1 0 2 | |
| with post 1 0 2 Blue metal 1 3 1 White post, with | Blue metal, mixed |
| white post, with | with post 0 5 10 |
| blue partings 0 5 2 | White post 0 5 16 |
| COAL 0 1 0 | Grey metal 1. 1 5 3 |
| | Blue stone 1 3 8 |
| Grey metal 0 0 10 White post 7 3 4 White post, with partings 0 5 10 White post 0 5 7 | White post 1 0 6 |
| White post 7 3 4 | Blue stone 0 0 11 |
| White post, with | Dark post 1 3 0 |
| partings 0 5 10 | White post, with |
| White post 0 5 7 | blue partings 7 3 11 |
| Blue metal stone 0 2 / | Blue stone 1 4 9 |
| COAL 0 0 7 | Post, with blue part- |
| 10 0 9 | ings and water 3 0 9 |
| Grey metal 0 2 4 Grey metal, with | Blue stone 0 2 8 |
| Grey metal, with | Blue stone 0 2 8 Grey metal 0 2 6 White post 0 0 5 |
| ironstone girdles 0 1 2 | White post 0 0 5 |
| White post 1 0 3 | (irev metal, with |
| Blue metal stone 2 2 0 | ironstone girdles 0 2 4 |
| Bastard whin 1 0 0 | ironstone girdles 0 2 4 White post 1 0 9 Rhe store |
| Bastard whin 1 0 0 Grey metal stone 0 2 6 | Blue stone 0 5 0 |
| Bastard whin 0 2 7 | Blue stone 0 5 0 Grey metal 0 2 6 |
| Grey and white post 0 2 5 | White post and blue |
| Grey metal stone 1 1 5 | nartings into 0 1 5 |
| Blue metal stone 0 4 11 | partings, into 0 1 5 |
| | 34 4 6 |
| Grey metal stone 2 2 11 | |
| Carried forward 10 4 6 59 4 0 | Total 109 0 6 |
| Carried forward to 4 0 55 4 0 | 10tat 103 0 6 |

No. 2,382.—AXWELL. TOWNSHIP OF WHICKHAM, DURHAM.

Sheet 6 of Ordnance Map. Lat. 54° 57′ 0″, Long. 1° 41′ 0″.

Axwell Park and Swalvell Bore-hole, near Mr. Lockey's Farm.
Approximate surface-level 161 feet above sea (Ordnance datum).

| Soil | | 0 | 1 | 0 | Ft. In. | Brought for | ward | Fs. 4 | Ft. | In. | Fs. | Ft. | In. |
|-------------------------|-----|---|---|---|---------|-------------|--------|-------|-----|-------------|-----|-----|-----|
| Gravel and soil Clay | | | | | | Sand | • • • | 0 | 1 | 6 | 1 | 4 | c |
| Gravel and sand | | 2 | 3 | 6 | | Brown post | | 1 | 3 | 6 | 4 | 4 | О |
| Grey metal | ••• | 0 | 3 | 6 | | | | | | _ | 1 | 3 | G |
| Carried forw | ard | 4 | 3 | 0 | | ! | l'otal | ••• | | ·· <u>:</u> | 6 | 2 | _0 |

No. 2,383.—AXWELL.

TOWNSHIP OF WHICKHAM, DURHAM.

Sheet 6 of Ordnance Map. Lat. 54° 57′ 0″, Long. 1° 41′ 3″.

A.cwell Park, Second Bore-hole, 5 yards East of Mr. Lockey's Bore-hole.

Approximate surface-level 161 feet above sea (Ordnance datum).

| | Fs. | Ft. | In. | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In | |
|---------------------|----------|-----|-----|-----|-----|-----|-------------------------------------|---|
| Soil | | 1 | 6 | | | | Brought forward 13 5 | |
| Brown clay | 0 | 5 | 0 | | | | Dark grey metal 1 2 3 | |
| Sand and gravel | 1 | 0 | | | | | Dark metal 0 1 0 | |
| Whinstone tumbler | 0 | ĩ | _ | | | | White post and coul 0 0 2 | |
| Loamy sand and | | | | | | | Blue and light grey | |
| gravel | 0 | 4 | 0 | | | | metal 1 2 0 | |
| Blue metal | _ | 3 | 8 | | | | Dark metal 0 0 10 | |
| Sand and gravel | | ĭ | 4 | | | | 61 | |
| and that graves | | • | | 3 | 5 | 4 | | |
| Blue metal | 1 | 0 | 5 | o | U | -31 | | |
| Brown post girdles | | 0 | 8 | | | | | |
| Blue metal | ŏ | 3 | 4 | | | | | |
| Brown metal | ñ | 3 | 3 | | | | White post 1 1 6 | |
| White and brown | U | J | | | | | Rotten brown post 0 3 0 | |
| post | 5 | 4 | 3 | | | | White post 1 3 3 Blue metal 0 0 4 | |
| Five Quarter Seam— | U | -ar | u | | | | | |
| Ft. In. | | | | | | | Brockwell Seam— | |
| COAL, foul 1 4 | | | | | | | COAL foul O. 6 | |
| COAL 3 1 | | | | | | | COAL, foul 0 6 | |
| | 0 | 4 | 5 | | | | Grey metal 0 8 COAL 2 5 | |
| _ | | | _ | 8 | 4 | 4 | | |
| Dark grey metal | n | 0 | 10 | O | 30 | -30 | . — 0 3 7 | , |
| | ŏ | ŏ | 4 | | | | 8 1 7 | |
| | <u> </u> | | | 0 | 1 | 2 | Grey metal, with post | |
| Grey metal | n | 2 | 6 | Ü | - | - | girdles 1 3 3 | |
| Grey metal, with | ٠ | - | ٠ | | | | Dark grey metal 0 1 2 COAL 0 0 9 | |
| coal | 0 | 1 | 5 | | | | | |
| Blue metal | | ī | ő | | | | Grev metal $\frac{}{}$ 1 5 2 | 1 |
| Three-Quarter Seam- | | - | ٠ | | | | | |
| | 0 | 1 | 10 | | | | White post 1 4 11 | |
| | | | | 1 | 0 | 9 | Strong whin 0 0 10 | |
| | | | | | | | White post 1 4 5 | |
| Carried forward | | | | 13 | 5 | 7 | Carried forward 5 1 4 24 0 4 | |
| | | | | | ., | • | Carried forward 5 1 4 24 U 4 | 4 |
| | | | | | | | | |

No. 2,383.—AXWELL.—CONTINUED.

| | Fs. | Ft. | In. | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. Iu. |
|---|-----|-----|-----|-------|-----|-----|--|
| Brought forward | 5 | 1 | 4 | 24 | 0 | 4 | Brought forward 34 1 5 31 2 1 |
| Bastard whin | 1 | 0 | 1 | | | | Whin 0 0 6 |
| Strong white post | 0 | 0 | 10 | | | | White post and whin |
| Dark metal and post | 0 | 4 | 0 | | | | girdles 0 0 11 |
| COAL | 0 | 1 | 6 | | | | Dark metal 0. 1 11 |
| | | | | 7 | 1 | 9 | COAL 0 0 6 |
| Grey metal stone | 5 | 1 | 5 | | | | 34 5 3 |
| Grev post | 0 | 1 | 0 | | | | Grey metal stone 0 1 0 |
| White post | 3 | 1 | 6 | | | | Whin girdle 0 1 6 |
| Grey post | Õ | 1 | 0 | | | | Whin girdle 0 1 6 Grey metal stone 0 1 2 Strong whin 1 5 0 |
| Strong white nost | 6 | î | 1 | | | | Strong whin 1 5 0 |
| Ractard whin: | 9 | 5 | 3 | | | | Strong post and |
| Strong white post | ō | 4 | 0 | | | | whin girdles 0 1 2 |
| Grew metal stone | 9 | 5 | 8 | | | | Grey metal and iron |
| White post, with dark | | | _ | | | | |
| soaros | 1 | 5 | 8 | | | | post girdles 1 5 0 Dark metal stone 0 5 0 |
| scares Grey metal stone | ā | 1 | 6 | | | | COAL 0 0 9 |
| Grey metal stone | U | | U | | | | 5 2 7 |
| | | 1 | 0 | | | | Grey metal stone |
| and post girdles White post and whin | U | | U | | | | and whin girdles 1 0 1 |
| | | 0 | 4 | | | | and with gridles 1 0 1 |
| girdles | 10 | 2 | 4 | | | | 1 0 1 |
| Carried forward | 34 | 1 | 5 | 31 | 2 | 1 | Total 72 4 0 |
| Carried Ionward | | , | , | , ,,, | ~ | • | 10001 |

No. 2,384.—AXWELL. TOWNSHIP OF WHICKHAM, DURHAM.

Sheet 6 of Ordnance Map. Lat. 54° 56′ 30″, Long. 1° 41′ 45″.

Strata sunk through in No. 2 Pit, Ascell Colliery, 1873.

Approximate surface-level 290 feet above sea (Ordnance datum).

| | Еa. | Ft. | ln. | Fs. | Ft. | In. | | Fs. | Ft. | In. | Fs. | Ft. | In. |
|-----------------------|-----|-----|-----|-----|-----|-----|---|-----|-----|-----|-----|-----|-----|
| Soil | | 1 | 0 | | | | Brought forward | | | | 10 | 0 | 3 |
| Soil and gravel | 1 | 2 | 0 | | | | Coarse seggar | 0 | 2 | 7 | | | |
| Gravelly clay | 1 | 3 | 0 | | | | Thill shale | 0 | 2 | 9 | | | |
| - | | | | 3 | () | 0 | Yellow and grey | | | | | | |
| Freestone post, mixed | | | | | | | freestone | 2 | 4 | 0 | | | |
| with clay | 3 | 0 | 0 | | | | Cannel, Splint or | | | | | | |
| Yellow and white | | | | | | | Hodge Seam- | | | | | | |
| freestone | 1 | 0 | 0 | | | | Ft. In | | | | | | |
| White post | | 3 | 0 | | | | COAL, can- | • | | | | | |
| Blue shale | | '3 | 6 | | | | nel 1 8 | | | | | | |
| Grey metal | | 2 | 6 | | | | Brown band 1 1 | | | | | | |
| Towneley Main Seam- | | _ | _ | | | | COAL 0 7 | | | | | | |
| Ft. In. | | | | | | | Seggar-clay 2 1 | | | | | | |
| GOAL 2 5 | | | | | | | COAL 0 3 | | | | | | |
| Band 0 41 | | | | | | | OOAL 0 3 | 0 | 5 | 8 | | | |
| COAL 1 4 | | | | | | | | U | 0 | G | 4 | 3 | 0 |
| | 0 | 4 | 2 | | | | Cooper cooperate alors | 0 | 2 | 2 | | ٠, | U |
| - | 0 | • | د | 6 | 1 | 2 | Coarse seggar-clay Blue metal thill | | | | | | |
| Seggar-clay | 0 | 4 | 0 | U | _ | - | White franchis | 0 | 4 | G | | | |
| Tilley Seam— | v | * | U | | | | White freestone post | 1 | 0 | 9 | | | |
| 0001 | | | | | | | White girdle | ņ | 1 | 0 | Dr. | | |
| | | | | | | | White freestone post White girdle Grey leafy post Grey metal Grey freestone | Ü | 4 | 0 | | | |
| | | | | | | | Grey metal | Ü | 4 | 3 | | | |
| | ^ | 1 | 1 | | | | Grey freestone | U | 3 | 9 | | | |
| | 0 | 1 | 1 | | - | | Blue metal and post | | _ | | | | |
| _ | _ | | | 0 | 5 | 1 | girdles | 0 | 3 | | | | |
| | | | | | | | Dark blue metal | 0 | 1 | 6 | | | |
| Campial Commit | | | | • • | _ | _ | | | | | - | | _ |
| Carried forward | | | | 10 | 0 | 3 | Carried forward | | | 11 | 1 4 | 3 | 3 |

No. 2,384.—AXWELL.—Continued.

| Brought forward 5 0 11 14 3 3 Stone Coal or Upper Busty Seam— | Brought forward 1 3 7 23 1 22 Three-Quarter Seam— Ft. In. |
|--|--|
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | COAL 1 6 Band 0 1 COAL 0 7 |
| | Seggar-elay 0 1 6 COAL 0 0 2 0 1 8 |
| Blue metal, with iron girdles 1 4 0 Black shale 0 0 1 Five-Quarter or Lower | Coarse seggar-elay 0 2 2 Black metal 0 1 0 White post 0 5 0 Blue post 0 1 0 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | Yellow and white coarse post 2 4 8 Coarse white post 1 1 0 Yellow and white |
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | post 2 2 0 Soft blue metal 0 0 6 Mild white post, with blue partings 1 2 6 |
| Grey metal 0 1 2 Coarse seggar, with ironstone balls 0 3 9 Black metal 0 2 6 | Strong white post 1 0 0 Brockwell Seam— COAL 0 3 0 ———————————————————————————————— |
| Dark shale 0 0 11 Carried forward 1 3 7 23 1 3½ | Total 36 1 6½ |
| | |

No. 2,385.—AXWELL. TOWNSHIP OF WHICKHAM, DURHAM.

Sheet 6 of Ordnance Map. Lat. 54° 56' 52'', Long. 1° 41' 48''.

Account of Boring near Swalwell Dam, January 2nd, 1752. Approximate surface-level 55 feet above sea (Ordnance datum).

| Soil and sand | 0 | 4 | 0 | Fs. | Ft. | ln. | Brought forward | 0 | | 1n. Fs. | | |
|--|--------|--------|--------|-----|-----|-----|--|--------|---------------|-----------|---|---|
| Strong clay Sand and gravelly stones, with water | | | | | | | Brown and grey scalmy metal Brown and grey | | 4 | 0 | | |
| Sand and broken post, mixed with clay | | | | | | | sealmy post, with | 6 | 4 | 0 | | ٠ |
| Soft rotten brown | | | | 2 | 5 | 0 | Grey and white post Blue and grey metal Grey post girdle | 1 0 | $\frac{2}{1}$ | 0 6 | | |
| post, with metal partings | 0 | 4 | 0 | | | | Grey post girdle COAL | 0 0 | 0 | 3 | , | 6 |
| Soft grey metal Black metal, mixed with coal | | | | | | | Grey metal Grey and white post, | 0 | 2 | — 10 6 | 1 | U |
| COAL | ŏ — | | 6 | 2 | 0 | 6 | with scalmy part- | | | | | |
| Grey metal Soft black metal | | 1 0 | 0 6 | | | | water White and grey post | 1 0 | 3 3 | $0 \\ 0$ | | |
| Carried forward | 0 | 1 | 6 | 4 | 5 | 6 | Carried forward | 2 | 2 | 6 15 | 1 | 0 |

No. 2,385.—AXWELL.—Continued.

| Brought forward | Fs. | Ft. | In. | Fs. | Ft. | In. 0 | | Fs. | Ft | In. | Fs. | Ft, | In. |
|---------------------|-----|-----|-----|-----|-----|----------|---------------------------------------|-------|----|-----|-----|-----|-----|
| White post, with | | | | 10 | • | U | Grey and white post, | | •, | U | 10 | ~ | U |
| Water Blue metal | | | | | | | with metal partings and water | | 3 | 0 | | | |
| COAL | 0 | l' | 0 | | | | Greyand black metal, | | | | | | |
| Grey metal | 0 | | - 6 | 3 | 1 | 6 | with post girdles Strong white and | l | 3 | 0 | | | |
| Blue and grey metal | | | | | | | grey post Grey metal, into | 0 | 5 | 0 | | | |
| stone, with water | 1 | 1 | () | | | | | 1 | | | 43 | | 9 |
| | | | | | | | | | | | _ | | |
| Carried forward | 1 | 3 | 6 | 18 | 2 | 6 | Total | • • • | | : | 25 | 0 | 9 |

No. 2,386.—AXWELL.

Sheet 6 of Ordnance Map. Lat. Long.

Account of Boring near Swalwell, about 250 yards East-south-east from Grinding Mill, Approximate surface-level feet above sea (Ordnance datum).

| • • | | | | | | | , | | | | | | |
|-----------------------|---|-------|----|----|-----|-----|--|-------|----|-------|-----|-----|----|
| Soil and brown gravel | | | | | Ft. | In. | Brought forward | Fs. | Ft | In. | Fs. | Ft. | In |
| Soft swelling brown | 0 | • • • | 0 | | | | Grey metal stone | | | | 10 | - | , |
| clay | 1 | ٥ | 0 | | | | COAL | | | | | | |
| | | U | U | | | | | | | | | •> | |
| Sand and gravelly | | 0 | ^ | | | | Grey metal | | _ | | - 1 | •) | ť |
| clay, with water | 1 | Ü | U | | | | Grey metal | 2 | U | O | | | |
| Stony clay | 2 | 3 | U | 5 | 0 | 0 | White and grey post, with metal partings | | | | | | |
| Crov motal | _ | •, | _ | | v | U | | | Ω | Ω | | | |
| Grey metal | U | .) | U | | | | and much water | | U | U | | | |
| Grey metal stone, | | | | | | | Black and grey metal | | | 10 | | | |
| with post girdles | | _ | | | | | stone | 0 | 1 | 10 | | | |
| and water | 0 | a | U | | | | COAL | O | U | 8 | | | |
| Brown and grey post, | | | | | | | | - | | | 7 | .3 | 6 |
| with scalmy part- | | | | | | | Soft grey metal | 0 | 3 | 0 | | | |
| ings and water | 2 | 5 | 6 | | | | Grey post, with scalmy | | | | | | |
| Blue and grey metal | 0 | 4 | 6 | | | | partings and water, | | | | | | |
| COAL | 0 | 2 | -6 | | | | into | 1 | 1 | 0 | | | |
| | _ | _ | _ | 5 | 2 | 6 | | | | | 1 | 4 | 0 |
| Carried forward | | | | 10 | | - | /P. 4 1 | | | | 31 | | |
| Carried forward | | | | 10 | 2 | 6 | Total | • • • | | • • • | -1 | | 0 |

No. 2,387.—AXWELL.

Sheet 2 of Ordnance Map. Lat, 54° 57' 48", Long. 1° 42' 18".

Strata bored through at the South-east corner of Axwell Park, near the Wagonway, where a copious Freder of Sulphur and Water was raised. This Hole was set in about 15 fathoms below the Crop of the Brockwell Seam.

Approximate surface-level 45 feet above sea (Ordnance datum).

| Soil 68 Ft. In Stony brown clay 0 3 Caravel 0 3 Caravel 69 Caravel 69 Caravel 60 Caravel . |) | Brought forward 1 1 0 Brown ramble 0 3 0 | | | |
|--|---|--|---|---|---|
| Carried forward 1 1 0 | ō | Carried forward | 1 | 4 | 0 |

No. 2,387.—AXWELL.—CONTINUED.

| | | | | | - | | |
|--|---------|-------------|--|--------|---------------|----------------|---------|
| Brought forward Fs. Ft. | In. Fs. | Ft. In. 4 0 | Brought forward | Fs. | Ft. | In. Fs. | Ft. In. |
| Brown post, with | | | Strong white post. | | - | | - 0 |
| eashy partings 1 0 | | | with whin | 2 | 2 | 0 | |
| Parting, with water 0 1 | 0 | | with whin Grey stone, with | | | | |
| Brown post, easily | 0 | | water | 1 | 1 | 0 | |
| partings and water 4 4 | | | Soft white post, | | _ | | |
| Black and grey metal 0 3 Black stone 0 1 | | | with water Grey stone | 0 | 5 | 0 | |
| Soft metal, with coal 0 0 | | | Black and grey metal | á | $\frac{0}{1}$ | 6 | |
| Grey stone, with | Ü | | COAL, foul | | | | |
| water 0 4 | 0 | | | | _ | 23 | 4 10 |
| Grey girdles, with | | | Whin girdles Grey stone | 0 | 0 | 7 | |
| open partings and | | | Whin girdles | 0 | 1 | 5 | |
| water 0 3 | 4 | | Grey stone | 0 | 3 | 8 | |
| Black and grey metal 0 1 | 0 | | White post, with | | | | |
| Grey stone 0 4 Blue stone 0 4 | 0 | | black scares | 0 | 3 | 6 | 6 |
| White past circles | 0 | | White and brown | ^ | ., | 0 | |
| White post girdles, with water 0 0 | 7 | | post Grey post | U | 3 | 0 | + |
| Blue metal 0 1 | 9 | | Black and grey stone | 'n | | | |
| White post, with | v | | Blue metal | ñ | 4. | 6 | |
| water 0 2 | 4 | | Whin girdle | ŏ | ô | 4 | |
| water 0 2 Blue stone 0 2 | 0 | | Whin girdle Black metal | ŏ | Õ | 9 | |
| COAL 0 0 | 8 | | Post girdles, with | | | | |
| | 10 | 3 8 | metal partings | 0 | 2 | 11 | |
| Soft grey thill 0 0 Grey stone 0 3 | 3 | | White and brown | | | | |
| Grey stone 0 3 | 0 | | post, with sulphur | 0 | 2 | 6 | |
| Grey post, with water and part- | | | Grey stone | | 1 | 6 | |
| water and part- | | | | 0 | 5 | 4 | |
| ings 2 3 White post 1 1 | 0 4 | | Grey stone, with | 0 | E | 0 | |
| A rife parting, with | 4 | | water Blue metal | 0 | 5 2 | 0 | |
| water 0 2 | 0 | | Strong white post | 1 | õ | 0 | |
| White post, with | • | | Grey stone | | ĭ | ŏ | |
| gulletty partings | | | Strong blue stone | | | Õ | - |
| and water 1 2 | 2 | | Grey stone girdles | 1 | | 0 | |
| Blue metal 0 2 Grey stone 0 5 | 6 | | Blue and grey metal | 1 | 1 | 9 | |
| Grey stone 0 5 | 6 | | Grey stone, with | | | | |
| White post, with water 1 0 Grey stone, with | | | strong whin | 0 | 2 | 0 | |
| water 1 0 | 4 | | Strong whin | 0 | 1 | 0 | |
| water 1 3 | 0 | | White and grey post | 1 | 5 0 | 4 | |
| water 1 3 White post, with | U | | Grey stone Strong white post, | 1 | U | 1 | |
| water at the part- | | | with water | n | 1. | 3 | |
| ings 5 0 | 0 | | Grev stone | ñ | 5 | | |
| Whin 0 1 | 3 | | Whin girdle | ŏ | ŏ | | |
| ings 5 0 Whin 0 1 White post, with | | | Grey stone Whin girdle White metal | 1 | Ō. | Õ | |
| open partings and | | | Strong white post | 0 | 4 | 6 | |
| water 1 1 | 6 | | Grey stone, with | | | | |
| Whin 0 0 | 6 . | | water | 1 | 1 | 6 | |
| Strong white post, | | | water White post | 0 | 2 | 0 | |
| with whin 0 2 | 0 | | Strong whin, into | 0 | Ţ | 6 | |
| Whin 0 2 | 8 | - | | | | 19 | 4 7 |
| Carried forward 17 1 | 0.12 | 1 8 | Total | | | 55 | 5 1 |
| control forward 17 1 | ش.د ت | . 0 | ı (tai | • • • | | | <u></u> |
| | | | | | | | |

No. 2,388.—BACKWORTH.

Sheet 89 of Ordnance Map. Lat. 55° 2′ 26", Long. 1° 31′ 29".

An Account of Strata passed through in a Sinking below the Low Main Seam, near the bottom of the Mande Pit, Backworth Colliery, 1904.—Continuation of No. 42.

Approximate surface-level 200 feet above sea (Ordnance datum).

| D 11 C 13 | | Fs. | Ft | In. | Fs | Ft | In | Fs. Ft. In Fs. Ft. In |
|-----------------|---------|-----|----|-----|-----|----|----|-------------------------------|
| Depth from Si | Trace | | | 1 | 40 | 1 | 0 | Brought forward 3 5 3 196 1 4 |
| to Low Main | | Δ | 2 | 0 | 40 | 1 | U | COAL 0 2 |
| | • • • • | | 3 | | | | | Blue metal 1 7 |
| Post | blue |))) | ., | - 1 | | | | COAL 1 5 |
| Black and metal | | •) | 1 | 4 | | | | 0 3 2 |
| | | | 0 | - å | | | | |
| COAL | | v | 0 | | | | | Fire-clay and fron- |
| | - | - | | | 12 | 1 | 1 | stone 1 3 5 |
| Blue metal | | 0 | 2 | - 1 | | | | Ft. In. |
| COAL | | 0 | 0 | 7 | | | | COAL and |
| | - | | | _ | 0 | -> | 11 | black stone 1.11 |
| Fire-clay | | 1 | 0 | 0 | | | | Uire-clay 0 5 |
| COAL | | o | 0 | 1 | | | | COAL ., 0 4 |
| OUNE | | • | | - | 1 | 0 | 1 | 0 2 8 |
| | - | | | | 1 | U | | 2 0 1 |
| Posty metal | | | 1 | 0 | | | | Hard blue and grey |
| Black stone | | | 0 | ī | | | | metal, faulted 3 2 6 |
| Blue metal | 4 - | 1 | | 10 | | | | l'ire-clay 0 1 6 |
| Ramble, soft | 4 * 4 | 0 | 0 | 2 | | | | Ironstone 0 0 2 |
| Supposed Bear | umaut | | | | | | | Fire-clay 0 0 8 |
| Seum- | | | | | | | | COAL, rather |
| 0041 | Ft. In | | | | | | | splinty, burns well 0 2 10 |
| COAL | 0 10 | | | | | | | 1 1 8 |
| Splint | | | | | | | | Black stone 0 0 6 |
| COAL | | | | | | | | Fire-clay 0 4 6 |
| Splint | 1 7 | | | | | | | COAL 0 0 4 |
| Swad | | | | | | | | 0 5 1 |
| Swad | 0 = | | | - | | | | Fire-clay 0 4 8 |
| | | 0 | 3 | 7 | | | | Leafy post 0 4 10 |
| | - | | | | 5 | 3 | 2 | Black stone 0 0 9 |
| Fire-clay | | 0 | 2 | 3 | | | | COAL 0 0 6 |
| Posty fire-clay | | 0 | 1 | 0 | | | | Fire-clay 0 2 0 |
| | Ft. In. | | | | | | | |
| COAL | 0 6 | | | | | | | |
| Splint | 0 1 | | | | | | | Fire-clay 0 2 11 |
| COAL | 0 10 | | | | | | | 0041 |
| | | 0 | 1 | 5 | | | | |
| | | Ü | • | | 1 | , | | Fire-clay 0 1 6 |
| | | | | | ı | 1 | | White post 0 5 7 |
| Fire-clay and | | | | | | | | Leafy post 1 0 4 |
| stone | | | 0 | 0 | | | | Black stone 0 1 1 |
| Post | | | 4 | 4 | | | | COAL 0 1 11 |
| Black stone | | | 2 | 0 | | | | 2 4 5 |
| Blue metal | | 1 | 0 | 0 | | | | Fire-clay 0 1 4 |
| Ironstone | | 0 | 2 | 6 | | | | Dark post, with water 1 4 7 |
| COAL | | 0 | 0 | 4 | | | d | White post 2 1 0 |
| | - | _ | | _ | 5 | 3 | 2 | COAL, half across |
| Posty fire-clay | | 0 | 5 | 8 | | | | pit 0 0 2 |
| Post | | 1 | 1 | 9 | | | | White post 0 3 0 |
| Grey metal | | 0 | 4 | 3 | | | , | COAL 0 0 3 |
| Post | | 0 | 2 | 7 | | | | 4 4 4 |
| | | _ | _ | | | _ | - | |
| Carried for | ward | 3 | 5 | 3] | 196 | I | 4 | Carried forward 218 1 0 |

No. 2,388.—BACKWORTH.—CONTINUED.

| Brought fe | arward | Fs. | | In. | | | | Fs. Ft. In. Fs. Ft. I Brought forward 225 1 | Iu. 8 |
|-------------|---|-----|---|-----|--------|---|---|--|----------|
| White post | | 0 | | | | | · | Fire-clay 0 5 9 | |
| Leafy post | | 0 | 5 | 4 | | | | Blue metal 1 2 3 | |
| Blue metal | | 2 | 4 | 0 | | | | Ft. In. | |
| COAL | | 0 | | | | | | COAL 1 0 | |
| | | | | _ | 4 | 2 | 5 | Band 0 11/2 | |
| Fire-clay | | 0 | | | | | | COAL $0 S_2^{\tilde{1}}$ | |
| Black stone | | 0 | | 3 | | | | Band 0 9 | |
| Fire-clay | | 0 | | | | | | COAL 1 0 | |
| White post | | 0 | | | | | | 0 3 7 | _ |
| Blue metal | • • • • | 0 | | | | | | 2 5 | 7 |
| COAL | • | 0 | 1 | | | | | Fire-clay 1 0 0 | |
| | | | | _ | 2 | 4 | 3 | 1 0 | 0 |
| Carried fo | rward | | | 2 | 25 | 1 | 8 | Total <u>229</u> 1 | 3 |

No. 2,389.—BARNARD CASTLE.

TOWNSHIP OF MARWOOD, DURHAM.

Sheet 47 of Ordnance Map. Lat. 54° 35′ 48″, Long. 1° 53′ 33″.

Account of Bore-hole put down by Mr. William Teasdule, at Langleydale, North Eastern Railway Company's Viaduct, on Bankside, a few yards South of Langley Beck and West of Viaduct, near Barnard Castle. Approximate surface-level 670 feet above sea (Ordnance datum).

| Blue metal | | 6 | 3 | 4 | . Ft. In | Brought forward 8 | | Ft. | In. |
|-------------------------|------|---|---|---|----------|-------------------|-------|-----|-----|
| Grey post Blue metal | | | | | | Limestone 0 | | 4 | 3 |
| Carried forw | vard | 8 | 3 | 0 | | Total | 8 | 4 | 3 |

No. 2,390.—BARNARD CASTLE.

TOWNSHIPS OF STREATLAM AND STAINTON, DURHAM.

Sheet 46 of Orduance Map. Lat. 54° 33′ 48½″, Long. 1° 54′ 55½″.

Account of Borr-hole put down by Mr. William Teasdate, at Quarry Grange, near Barnard Castle, about 7½ chains North-west of Dent Gate Lane and 9¾ chains South-west of Railway Crossing.

Approximate surface-level 595 feet above sea (Ordnance datum).

| Boulder clay | 0 | 3 | . tn. 6 | | | | Brought forward 6 5 9 0 3 6 Grey stone 0 0 4 |
|---------------|--------|---|------------|---|---|---|---|
| | 2 0 | 2 | 4 | U | J | U | Blue metal 7 2 2 Grey stone 0 0 9 |
| Blue metal | 0 | 3 | 0 | | | | White post 0 2 5 Light grey post 1 2 2 |
| Blue metal | 1 | 2 | 11 | | | | Millstone grit, into 0 0 3 |
| | 2 | | | | | | |
| Carried forwa | rd 6 | 5 | 9 | 0 | 3 | 6 | Total 16 5 4 |

No. 2,391.—BARRINGTON.

TOWNSHIP OF WEST SLEEKBURN, NORTHUMBERLAND.

Sheet 72 of Ordnance Map. Lat. 55° 9' 21', Long. 1° 34' 33'.

Account of Strata sunk through in the Hannah Pit at Barrington Colliery, commenced August 22nd, 1854.

Approximate surface-level 79 feet above sea (Ordnance datum).

| Soil Strong clay | Fix. | Ft. | ln 0 | Fs. | Ft. | ln. | Brought forward | Fs. 9 | FL | ln. | Fs. 23 | Ft. | lu 9 |
|--|------|-----|---------|------|-----|-----|-------------------------|-------|----|-----|--------|-----|---------|
| Strong clay | 10 | 4 | 0 | | | | COAL, slaty | | 1 | | - | - | • |
| Strong clay, with | | | | | | | | _ | _ | | 9 | 2 | 1 |
| boulders | 1 | 0 | 0 | | | | Black thill | 0 | 1 | | | - | • |
| Clay, mixed with | - | • | | | | | Grey metal | | | | | | |
| sand and gravel | 0 | 3 | 5 | | | | orey metal | _ | - | 0 | 0 | 3 | 0 |
| Blue clay with stones | | | 7 | | | | Bored further (begun | | | | U | J | U |
| Sand and gravel. | | • | | | | | Mar. 9th, 1855):- | | | | | | |
| with a sixing of | | | | | | | COAL | 0 | 0 | - | | | |
| with a siping of | | = | 0 | | | | COAL | U | U | - 4 | | | |
| water | I. | 5 | 9 | | | | (17) (11) (11) | - | | | 0 | 0 | |
| Blue clay | 1 | 1 | 6 | 541 | | 43 | Thill and coal, mixed | | | 3 | | | |
| n 1 11 1 | | | | 19 | - | 3 | Thill | 0 | 1 | 1 | | | |
| Broken yellow free- | | | | | | | Black stone and coal | 0 | 1 | 8 | | | |
| stone | 0 | 3 | U | | | | White post, with 150 | | | | | | |
| Very soft blue | | | | | | | gallons of water | | | | | | |
| metal, dark and | | | | | | | per minute | 1 | 3 | 4 | | | |
| strong near the | | | | | | | Black stone | 0 | 0 | 9 | | | |
| hottom | 3 | 0 | - 9 | | | | Black stone, with coal | 0 | 0 | -4 | | | |
| COAL, with water | 0 | 0 | 9 | | | | Mild grey post | 0 | 2 | 6 | | | |
| | | | - | 3 | 4 | 15 | Strong blue metal | 0 | | 4 | | | |
| Thill-stone | 0 | 1 | 6 | | | | Post girdle | | | 6 | | | |
| Strong post | 0 | | | | | | Blue metal | - | 0 | 4 | | | |
| Blue metal | - | 1 | | | | | Strong white post | | | 5 | | | |
| Strong white post, | • | | • | | | | Light mild grey post | 1 | ô | 6 | | | |
| making 1,270 gal- | | | | | | | Blue metal | Ô | 0 | 11 | | | |
| lons per hour | 0 | 3 | 5 | | | | | | o | 6 | | | |
| Blue metal | | | 6 | | | | | | - | 3 | | | |
| Man and A | | - | 1 | | | | | 0 | 0 | _ | | | |
| Grey post Whin girdle Blue metal | 0 | | | | | | Grey post | | ó | 2 | | | |
| Plus metal | 1 | | 11 | | | | Whin girdle | 0 | 1 | 0 | | | |
| | • | | 0 | | | | Strong white post | | | - | | | |
| Black stone | | 2 | 0 | | | | girdle | | 0 | 5 | | | |
| Strong blue metal | - | 1 | | | | | Blue metal | | 1 | 5 | | | |
| Bastard whin | | | 5 | | | | Grey metal | 0 | | 10 | | | |
| Blue metal | | | | 0 | | | Blue metal Grey post | | 1 | 10 | | | |
| Post girdle | | 0 | | | | | Grey post | 0 | 5 | 2 | | | |
| Strong blue metal | | 1 | | | | | Blue metal | 0 | 1 | 0 | | | |
| Strong grey metal | 0 | 0 | 5 | | | | Black stone | 0 | 0 | 8 | | | |
| Strong black stone | 0 | 0 | 3 | | | | Blue metal | 1 | 5 | 6 | | | |
| Soft blue metal, with | | | | | | | High Main Seam- | | | | | | |
| ironstone bands | 0 | 3 | 11 | | | | | | | | | | |
| Grey metal | | 1 | 6 | | | | COAL, top 1 31 | | | | | | |
| Blue metal and iron- | | | | | | | Stone 0 24 | | | | | | |
| stone balls | 0 | 3 | 2 | | | | COAL, bot- | | | | | | |
| Blue stone, with | - | - | - | | | | tom 5 F1 | | | | | | |
| cockle shells | 0 | 2 | 4 | | | | tom 5 £4 | | 0 | | | | |
| Soft blue stone | 1 | 5 | 2 | | | | | I | 0 | | 10 | | - |
| ore orde stone | 1 | 0 | - | | | | | | _ | _ | 12 | 1 | 7 |
| Carried formand | 0 | 1 | _ | 1)') | ., | - | ten 4 - 1 | | | | | _ | _ |
| Carried forward | 3 | 1 | 1 | 23 | 2 | 9 | Total . | | | | 45 | 4 | 0 |

No. 2,392.—BEADNELL.

TOWNSHIP OF BEADNELL, NORTHUMBERLAND.

Sheet 22 of Ordnance Map. Lat. 55° 33′ 41½", Long. 1° 38′ 1½".

Boring at Beadnell, near to the Lime-kiln, on the Links between Beadnell and Annstead, February, 1862.

Approximate surface-level 25 feet above sea (Ordnance datum).

| | | | | | | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
|------------|---------|---------|---|---|----|-----|-----|-----|-------------------------------|
| Limestone | | | 0 | 5 | 0 | | | | Brought forward 1 1 10 2 0 11 |
| COAL | | | 0 | 0 | 4 | | | | Black metal 0 0 3 |
| | | | | | | 0 | 5 | 4 | Freestone 0 0 8 |
| Metal | | | 1 | 1 | 0 | | | | Black metal 0 0 3 |
| COAL | | | 0 | 0 | 7 | | | | Freestone bands 0 1 3 |
| | | | | | | 1 | 1 | 7 | Metal parting 0 0 6 |
| Black bed | dv meta | al | 0 | 2 | 6 | | | | Freestone 0 2 0 |
| Blue meta | | | 0 | 0 | 6 | | | | Metal 0 0 8 |
| Beddy free | | heds | 0 | 0 | 10 | | | | Freestone 0 2 9 |
| Metal | | | Õ | Õ | 3 | | | | Metal 0 0 9 |
| Freestone | | | ō | ŏ | -6 | | | | Freestone, very hard 0 2 6 |
| Metal | | | ŏ | ŏ | 3 | | | | Metal 0 0 7 |
| Freestone | | | ő | ŏ | 6 | | | | Freestone band 0 1 9 |
| Metal | • • • • | • • • • | 0 | 0 | 2 | | | | 35 4 1 |
| | • • • | • • • | - | - | _ | | | | 17 1 0 0 0 |
| Freestone | • • • | • • • | 0 | 0 | 10 | | | | |
| Metal | | | 0 | 0 | 3 | | | | Parting 0 0 5 |
| Freestone | | | 0 | 0 | 5 | | | | Freestone post 0 5 1 |
| Metal | | | 0 | 0 | 2 | | | | 5 0 6 |
| Freestone | bands | | 0 | 0 | 8 | | | | |
| Carrio | ed forw | ard | 1 | 1 | 10 | 2 | 0 | 11 | Total 7 1 5 |

No. 2,393.—BEAMISH.

TOWNSHIP OF TANFIELD, DURHAM.

Sheet 12 of Ordnance Map. Lat. 54° 53′ 29″, Long. 1° 39′ 9″.

Account of Strata bored through in No. 1 Hole, from the Surface on the Beamish Royalty, near the Wood in Corner of 17 acre Field and about \(\frac{1}{2}\) mile Northeast of Pockerley Farm, for Messrs. James Joicey & Co., Ltd., commenced August 27th, 1894.

Approximate surface-level 330 feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In |
|--|---|
| Dark loamy soil, | Brought forward 14 0 4 |
| with freestone 0 2 4 | Coal, drift, with free- |
| Brown soil, with | stone 0 3 5 |
| freestone boulders 1 2 2 | Boulder elay, with |
| Loamy sand, with | freestone 11 3 11 |
| Loamy sand, with water at 12 feet 1 5 9 | 26 1 8 |
| Coal, drift 0 0 4 | Grey shale 0 1 6 |
| Running sand, with | Black metal, with |
| water 1 1 11 | coal pipes 0 4 8 |
| Boulder clay 5 0 10 | Fire-clay 0 3 0 |
| water 1 1 11 Boulder clay 5 0 10 Sand, with coal 0 1 0 | Light grev shale 2 3 10 |
| Boulder clay 3 4 0 | Light grey shale 2 3 10 Open space or gullet 0 0 3 |
| | |
| Carried forward 14 0 4 | Carried forward 4 1 326 1 8 |

No. 2,393.—BEAMISH.—CONTINUED.

| Daniel Commed | | | | Fa. | | | D=1 | Fs. | Ft. | In. | Fs. | Ft. | |
|--------------------------|----|----|-----|-----|---|----|---------------------|-----|-----|-----|-----|-----|-----|
| Brought forward | -3 | ı | 3 | 20 | ī | 8 | Brought forward | | | | 62 | a | 8 |
| Strong grey metal. | | | | | | | COAL, hard coarse | 0 | 0 | 9 | | | |
| with post girdle: | 2 | 4 | 2 | | | | | | | | 5 | 3 | - 3 |
| Strong grey post. | | | | | | | | 0 | | | | | |
| with metal part- | | | | | | | COAL | 0 | 0 | 1 | | | |
| ings | | 5 | | | | | | | | | 0 | 0 | 10 |
| Mild grey post | | 3 | | | | | Dark grey metal, | | | | | | |
| Hard grey post | 3 | 0 | 8 | | | | with scares of coal | 0 | 2 | 7 | | | |
| Grey shale | 0 | 4 | -4 | | | | Grey post, with | | | | | | |
| Very hard grey post, | | | | | | | shale partings | 1 | 3 | 4 | | | |
| with girdles and | | | | | | | White post | | 1 | 2 | | | |
| water | 5 | 5 | 0 | | | | Black shale | | ī | 0 | | | |
| Ironstone girdle | | 1 | | | | | Dark grey shale | | | 10 | | | |
| Hard grey post | | 4 | _ | | | | Black metal | _ | | 6 | | | |
| Grey post | | 2 | 7 | | | | COAL | | - | 3 | | | |
| Grey post Black metal | | 2 | | | | | COAL | U | U | • | 4 | - | 4 |
| | _ | _ | 6 | | | | 731 1 4 1 | _ | | - | -1 | 5 | Ö |
| COAL | 0 | U | | | | | | 0 | | | | | |
| | | | _ | 24 | О | 1 | Dark grey metal | 0 | 1 | 1.0 | | | |
| Grey metal, with | | _ | | | | | Ft. In. | | | | | | |
| ironstone balls | 4 | 2 | - 1 | | | | COAL, coarse, | | | | | | |
| COAL, hard, mixed | | | | | | | with thin | | | | | | |
| with stone | 0 | 0 | 10 | | | | black bands | | | | | | |
| | | | | 4 | 2 | 11 | near top 1 7 | | | | | | |
| Dark grey shale | 0 | 0 | 11 | | | | COAL 1 1 | | | | | | |
| Dark grey post | | | 0 | | | | Metal 0 3 | | | | | | |
| Grey shale, with | - | | - | | | | COAL 0 5 | | | | | | |
| post girdles | 4 | 4 | 6 | | | | Metal 1 3 | | | | | | |
| White post | | | | | | | COAL, coarse 0 8 | | | | | | |
| COAL and stone | - | ., | U | | | | COAL, Charse o a | 0 | 5 | ., | | | |
| | | | ~ | | | | | U | 1) | ., | | . 1 | 5 |
| mixed | 0 | 0 | 7 | | | | 0 11 11 | | | - | 1 | 2 | 4) |
| 0 | | | | - | 2 | 0 | Grey shale, with | | | | | | |
| Grey metal | 1 | 0 | | | | | ironstone girdles, | | | | | | |
| White post | | 2 | 0 | | | | into | 1 | 1 | 0 | | | |
| Grey shale | 1 | 0 | 0 | | | | | | - | _ | 1 | 1 | O |
| | | | | _ | | | | | | | | | _ |
| Carried forward | 5 | 2 | 6 | 62 | 5 | 8 | Total | | | | 76 | () | 10 |

No. 2,394.—BEAMISH.

TOWNSHIP OF TANFIELD, DURHAM.

Sheet 12 of Ordnance Map. Lat. 54° 53 26", Long. 1° 40' 39".

Account of Strata boxed through from the Surjace in No. 2 Hole on the Beamish Royalty, near Beamish Burn, for Messis, James Joicey & Co., Ltd., commenced March 8th, 1895.

Approximate surface-level 385 feet above sea (Ordnance datum).

| Soil and gravel 0 1 6 Gravel and water 2 5 6 Boulder clay 1 3 0 Running sand, with water 2 3 0 Boulder clay 11 1 0 | Brought forward Grey post Boulder clay | 18 0 2 | 2 0 3 | $\frac{7}{2}$ = 20 | | In 9 |
|--|--|--------------|-------------|--------------------|---|---------|
| Carried forward 18 2 0 | Carried forward | 7 | 3 | 1 20 | 5 | 9 |

No. 2,394.—BEAMISH.—Continued.

| Brought forward | 7s. | Ft. | In, 1 | Fs. 20 | Ft. 5 | In. , | Brought forward 2 2 0 39 1 6 |
|-----------------------|-----|-----|----------|-----------|----------|-------|--|
| COAL and stone, | | | | | | | Grey post 2 2 3 |
| with water and a | | | | | | | Light grev shale 0 2 4 |
| little gas | 0 | 0 | 2 | | | | White post 2 2 8 |
| - | | | | 7 | | 3 | COAL 0 0 3 |
| Freestone | 0 | 4 | 0 | | | | 7 3 6 |
| Light grey shale, | | | - | | | | Dark grey shale, with |
| with post part- | | | | | | | coal mines 0 0 0 |
| ings | 4. | 9 | 3 | | | | coal pipes 0 0 9 Black metal, with |
| Dark grey shale | ň | 3 | G | | | | coal pipes 0 0 9 |
| | | 0 | | | | | |
| COAL | U | U | - 5 | 5 | 5 | ο. | Light grey metal 0 3 3 White post 2 5 2 |
| Tinks some shale | _ | - | | 0 | 9 | ا ئد | |
| Light grey shale | U | Э | 1 | | | | COAL 0 0 4 |
| Light grey post, with | | | | | | | 3 4 3 |
| ironstone girdles | 1 | 0 | | | | | Light grey metal 0 4 6 |
| Light grey metal | 2 | 4 | 2 | | | | Dark grey shale 0 4 4 |
| Ft. In. | | | | | | | COAL 0 1 5 |
| COAL 0 2 | | | | | | | 1 4 3 |
| Grey metal 0 3 | | | | | | | Seggar-clay 0 2 6 |
| COAL 1 5 | | | | | | | Light grey shale 0 5 6 White post 2 5 6 |
| | 0 | 1 | 10 | | | | White post 2 5 6 |
| _ | | | | -1 | 5 | 4 | COAL 0 0 9 |
| Black stone, with | | | | | | | 4 2 3 |
| threads of coal | 0 | 0 | 9 | | | | Dark grey shale 0 0 5 |
| Seggar-clay | ŏ | | 9 | | | | Light grey shale 0 0 5 |
| Strong light grey | • | • | | | | | |
| shale | 1 | 9 | 6 | | | | · · · · · · · · · · · · · · · · · |
| Suare | | - | . 0 | | | | 0 4 2 |
| Carried forward | 9 | •9 | | 30 | 1 | G | Total 57 1 11 |
| Carried forward | - | _ | U | ()() | 1 | U | Total 57 1 11 |
| | | | | | | | |

No. 2,395.—BEAMISH.

TOWNSHIP OF TANFIELD, DURHAM.

Sheet 12 of Ordnance Map. Lat. 54° 52′ 35″, Long. 1° 40′ 22″.

Section of Strata sunk through in Mary Pit, Beamish Colliery. Approximate surface-level 490 feet above sea (Ordnance datum).

| Clay and gravel | | | In. Fs 9 | . Ft. | In. | Brought forward 8 4 4 10 4 6 |
|--|--------|---------------|---------------|-------|-----|--|
| | | | 3 | 3 0 | 9 | Shield Row Seam— |
| Soft blue metal, with iron girdles COAL, dirty | 2 | $\frac{2}{2}$ | | 2 4 | 3 | COAL, top 1 6 Seggar band 2 4 COAL, bot- |
| Soft grey metal, with post girdles | | | | | | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| and water Soft blue metal | 2 | 5 | 2 | | | Seggar-clay 0 4 2 Blue metal 0 3 6 |
| COAL | | | 4 | 5 | 6 | COAL 0 0 4 |
| Leafy post Post | 2 5 | 5 5 | $\frac{0}{4}$ | | | Strong grey post, with whin balls 1 1 9 |
| Carried forward | 8 | 4 | 4 10 | 4 | 6 | Carried forward 1 1 9 22 1 6 |

No. 2,395.—BEAMISH.—Continued.

| | | | - | | | | | | | | | | |
|--|-----|-----|-----|--------|-----|----------|-----------------------------------|----------|-----|-----|-----------|----|---------|
| Brought forward | Fs. | Ft. | In. | Fs. 22 | Ft. | In. 6 | Brought forward | Fs. | Ft. | | Fs. 79 | | In 2 |
| COAL | | 0 | | | | | Blue metal, with | | | | | _ | _ |
| | _ | | | 1 | 2 | 3 | | 2 | 0 | 6 | | | |
| Strong grey metal | 1 | 1 | 6 | | _ | | Strong leafy post | - 5 | | 0 | | | |
| Grey metal | | i | ő | | | | Strong post | ã | õ | 0 | | | |
| COAL | | ō | 7 | | | | Strong post Strong leafy post, | (, | U | U | | | |
| OORL | | | | 2 | 3 | 1 | with iron girdles | | 0 | 0 | | | |
| Seggar-clay | _ | 2 | 0 | | ., | 1 | with iron girdles | - 18 | | | | | |
| | | | | | | | Blue metal | | | 0 | | | |
| Strong grey metal | | 1 | 8 | | | | | 0 | 0 | 5 | | _ | _ |
| Five-Quarter Seam- | | | | | | | | | | | 20 | 5 | õ |
| COAL | 0 | 4 | 6 | | | | Seggar-clay | | 3 | | | | |
| | _ | | | 6 | 2 | 2 | | 1 | - 3 | - 6 | | | |
| Seggar-clay Grey metal Post girdles | 0 | - 3 | 0 | | | | COAL | 0 | 0 | - 9 | | | |
| Grey metal | 0 | -4 | 0 | | | | | | | | - 2 | 1 | Ţ |
| Post girdles | 0 | 1 | 10 | | | | Seggar-clay | 0 | 4 | 0 | | | |
| Grey metal, with | | | | | | | Grey metal | | 2 | - 6 | | | |
| Grey metal, with post girdles | 1 | -\$ | -1 | | | | Harvey Scam- | | | | | | |
| Whin girdles | 0 | 2 | 0 | | | | 1. | 0 | 1 | 3 | | | |
| Blue metal | 1 | õ | ő | | | | JONE | | | ., | 3 | 1 | • |
| Whin panel | ñ | 3 | | | | | Source olay | 0 | -3 | 6 | | | • |
| Grav motel | 9 | 0 | ō | | | | | | | | | | |
| Ding metal | 1 | 9 | 9 | | | | Leafy post Blue metal | 3 | 2 | | | | |
| Whin girdles Blue metal Whin panel Grey metal Blue metal | 1 | 3 | Ð | | | | | U | 2 | 6 | | | |
| Dittes I had beam- | | | | | | | Tilley or Constantine | | | | | | |
| COAL | 0 | 4 | 8 | | | | Seam- | | | | | | |
| | | | | 9 | 2 | 8 | COAL | 0 | 1 | -8 | | | |
| Seggar-clay | 0 | 2 | 1 | | | | | _ | | - | 4 | -3 | - 8 |
| Leafy post | 2 | 4 | - 9 | | | | Seggar-clay | 0 | 4 | -4 | | | |
| Strong grev metal. | | | | | | | Post | 1 | | | | | |
| with post girdles | 4 | 1 | 6 | | | | COAL | ō | | 2 | | | |
| Strong white post | -1 | 1 | 0 | | | | 00AL | v | v | | 2 | 1 | c |
| Grev metal | 1 | | 0 | | | | | | | | - | 1 | G |
| Grey metal Strong post | 6 | 4 | 0 | | | | Seggar-clay | 0 | -4 | 0 | | | |
| Strong grey metal | 9 | 5 | 0 | | | | Grey metal and | | | | | | |
| Strong grey metal | _ | U | · | | | | Grey metal and leafy post | 2 | 5 | 0 | | | |
| Strong grey metal, mixed with whin | 2 | 5 | 0 | | | | White leafy post | -1 | 0 | - 0 | | | |
| | | | | | | | Busty Scam- | | | | | | |
| Blue metal | - | 4 | 6 | | | | Ft In. | | | | | | |
| Post | 0 | 4 | 6 | | | | COAL , top 2 3 Band 0 5 | | | | | | |
| Maudlin Seam- | | | | | | | Band 0 5 | | | | | | |
| COAL | | 2 | 4 | | _ | | COAL, but- | | | | | | |
| | | | | 27 | 5 | 8 | tom 2 0 | | | | | | |
| Seggar-clay Leafy post Blue metal | 0 | 2 | 0 | | | | | α | ,t | 8 | | | |
| Leafy post | 1 | 2 | 0 | | | | | ., | - 1 | | 8 | 1 | 8 |
| | 1 | 2 | 0 | | | | | - | | | (7 | 4 | - |
| Low Main Seam- | | | | | | | Seggar-clay | U | 4 | 6 | | | |
| COAL | 0 | 4 | 6 | | | | Seggar-clay, with | | | | | | |
| | | | | 3 | 4 | 6 | iron girdles | 0 | -3 | O | | | |
| Seggar-clay | 0 | 1 | 0 | | | 1 | Rino motal | -9 | 2 | 0 | | | |
| Strong post panel | ō | 3 | | | | | Black metal | 0 | 5 | 2 | | | |
| Blue metal | | 1 | 0 | | | | Strong grey post, | | | | | | |
| Post, with whin | | 2 | - 8 | | | | mixed with whin | 4 | 2 | 8 | | | |
| Chara markal | | 2 | 0 | | | | Three-Quarter Seam- | | - | _ | | | |
| Grey metal Strong post Leafy post Post Blue metal | | | | | | | COAL | | 1 | 5 | | | |
| Strong post | 0 | 3 | 0 | | | | JUAL | 9 | 1 | ., | 9 | 0 | 9 |
| Leafy post | | 0 | 0 | | | | | _ | | | ., | O | 31 |
| Post | | | 6 | | | | Seggar-clay | 0 | 2 | 0 | | | |
| | 0 | 2 | 6 | | | | Grey metal | 0 | 5 | 9 | | | |
| Hutton Seam- | | | | | | | Strong white post | 3 | 5 | 0 | | | |
| COAL | 0 | 4 | 2 | | | | | | | | | | |
| | | | | 5 | 4 | 4 | Post girdles and grey metal | 0 | 5 | 0 | | | |
| Seggar-clay | 0 | 5 | 6 | - | - | - | | ō | | 10 | | | |
| | _ | | _ | _ | | | | | | | | | _ |
| Carried forward | 0 | 5 | 6 | 79 | 2 | 2 | Carried forward | 6 | 0 | 7 | 130 | 0 | 8 |
| | 0 | | 0 | | - | - | Cathed intward | U | 0 | • | 1.10 | 0 | G |
| | | | | | | | | | | | | | |

No. 2,395.—BEAMISH.—Continued.

| Brought forward Brockwell Seam— | Fs. 6 | Ft. O | In. 1 7 1 | Fя. [30 | Ft. 0 | in. 8 | Brought COAL | | | Fs. 1 0 | U | 3 | Fs. 137 | Ft. | In. 10 |
|--|-------|----------|--------------|------------|----------|----------|----------------------------|-----|--------|---------------|---|---|------------|-----|-----------|
| COAL 2 3 Band 3 3 COAL 2 1 | 1 | 1 | 7 | | | | Black band COAL Grey metal | ••• | ••• | 0 | 0 | 6 | 0 | 0 | 5 0 |
| Seggar-elay Seggar-elay, mixed with iron | | | 0 | 7 | 2 | 2 | orey mean | ••• | | | | | 1 | 4 | 0 |
| Carried forward | 1 | 0 | 3 1 | 37 | 2 | 10 | | Т | otal . | | | 1 | 40 | 2 | 3 |

No. 2,396.—BEARPARK.

TOWNSHIP OF ELVET, DURHAM.

Sheet 19 of Ordnauce Map. Lat. 54° 47′ 3″, Long. 1° 37′ 23″.

Strata sunk through in the 16 feet Pit at Bearpark-Brancepeth Colliery.— Continuation of No. 79.

Approximate surface-level 336 feet above sea (Ordnance datum).

| 1) () (| Fs. | Ft | In. | Fs. | $\mathbf{F}\iota.$ | In. | | |
|----------------------------------|-----|------------|-----|-----|--------------------|----------------|--|-------|
| Depth from surface to Busty Scam | | | | 66 | 4 | 8 | Brought forward 3 1 4½ 76 Brockwell Seam— | A 112 |
| Seggar-clay | 0 | 3 | 0 | | | | Ft. In. | |
| Grey metal and post | | | | | | | COAL 0 4 | |
| girdles | 3 | 0 | | | | | Band 0 2 COAL 0 3 | |
| | | - 3 - 3 | 3 | | | | GOAL 0 3 Band 0 9½ - | |
| Blue metal | | •) | U | | | | COAL 0 7 | |
| COAL, splint 0 8 | • | | | | | | Band 0 01 | |
| COAL 1 2 | | | | | | | COAL 0 $6\frac{7}{2}$ | |
| | 0 | 1 | 10 | | | | Band 0 01 | |
| • | _ | | | 8 | 5 | 10 | COAL 0 11½ | |
| Seggar-clay | 0 | 2 | 10 | | | | 0 3 8¼ | 5 03 |
| Whin girdle | | 0 | | | | | Seggar-clay 0 1 6 | 0 04 |
| | | | 5 | | | | Grev post 2 1 2 | |
| COAL | 0 | 0 | 8 | 2 | | | Post and whin 0 4 0 | |
| _ | | - | _ | 1 | () | $5\frac{1}{2}$ | Grey metal 0 5 0 | |
| | | | 6 | | | | COAL 0 0 4 | 0 0 |
| Grey post | 0 | 2 | 6 | | | | | 0 0 |
| Grey metal and post girdles | 2 | 2 | 4 | 1 2 | | | Grey metal, into 0 2 0 | 2 0 |
| Carried forward | 3 | 1 | 41 | 76 | 4 1 | 14 | Total 85 | 0 01 |

No. 2,397.—BEBSIDE.

Sheet 73 of Ordnance Map. Lat. 55° 7' 32', Long. 1° 33' 29'.

Section of Strata sunk through at Behside Colliery from the Plessey to the Harvey Seam,—Continuation of Nos. 87 and 88.

Approximate surface-level 93 feet above sea (Ordnance datum).

| Depth from | Surfa | ice | Fs. | Ft. | Iu. | Fa. | Ft. | In | Brough | for | ward | Fa. | Ft. | In. 0 | Fx. | Ft. | In. |
|------------|-------|-------|-----|-----|-----|-----|-----|----|------------|-----|--------|-----|-----|----------|-----|-----|-----|
| to Plessey | | | | | 10 | 06 | 5 | 1 | COAL | | | 0 | 0 | 10 | | | - |
| Grey metal | | | | | 8 | | | | | | | | | - | 9 | . 0 | 10 |
| Post | | | | | | | | | Blue stone | | | 6 | 0 | 0 | | | |
| COAL | • • • | | 0 | 1 | 6 | | | | Harvey Sea | m- | | | | | | | |
| | | | | | - | 3 | 3 | .2 | COAL | | • • • | 0 | 2 | 1 | | | |
| Blue stone | | | 3 | 1 | 0 | | | | | | | | - | | 6 | 2 | 1 |
| | | • • • | 3 | 0 | 0 | | | | Post | | | 5 | 3 | 0 | | | |
| Blue stone | ••• | | 1 | 2 | 0 | | | | | • | | - | - | | 5 | 3 | 0 |
| Post | • • • | • • • | 1 | 3 | 0 | | | | | | | | | | | | |
| Carried | forwa | rd | 9 | 0 | 0 1 | 110 | 2 | 3 | | 1 | otal . | | | 1 | 31 | 2 | 2 |

No. 2,398.—BEECHBURN. TOWNSHIP OF NEWTON CAP (DETACHED NO. 8), DURHAM.

Sheet 33 of Ordnauce Map. Lat. , Long.

Account of Strata bored through from a Scaffold at Low Reschburn Colliery, Crook. Commenced May 12th, 1898.

Approximate surface-level feet above sea (Ordnance datum).

| To scaffold | 0 0 1 0 0 0 | 0 6 4 2 3 3 5 5 5 8 1 6 | Brought forward 9 0 11 COAL 0 5 Band 0 14 COAL 0 61 Dark seggar 0 0 9 Post, with shale partings 0 4 4 |
|-----------------|-------------|--|--|
| Carried forward | 9 | 0 11 | Total 10 1 1 |

No. 2,399.—BEECHBURN. TOWNSHIP OF NEWTON CAP (DETACHED NO. 8), DURHAM.

Sheet 33 of Ordnance Map. Lat. 54° 42′ 25°, Long. 1° 45′ 32′.

Account of Strata bored through in a Field near Beechburn Colliery. Commenced May 28th, 1898.

Approximate surface-level 550 feet above sea (Ordnauce datum).

| Soil 0 0 10 Stony elay 5 5 11 | | | | Brought forward Grey shale, with post girdles | | | | 6 | Ft 0 | In. 9 |
|----------------------------------|---|---|---|---|---|---|---|---|------|----------|
| Carried forward | Ģ | U | 9 | Carried forward | 3 | 1 | 8 | G | 0 | 9 |

No. 2,399.—BEECHBURN.—Continued.

| Brought forward | | Ft. | | | | | |
|-------------------|----|-----|---|----|---|----|-----------------------|
| Ft. In. | | | | | | | with ironstone |
| COAL 1 6 | | | | | | | balls 0 5 0 |
| Band 0 6 | | | | | | | White post 2 2 0 |
| COAL 0 1 | | | | | | | Blue shale 0 2 4 |
| Band 0 8 | | | | | | | Marshall Green Seam- |
| COAL 2 3 | | | | | | | Black stone, mixed |
| Band 0 2 | | | | | | | with coal 0 1 1 |
| COAL 1 0 | | | | | | | 15 0 |
| | 1 | 0 | 2 | | | | Seggar 0 0 10 |
| | | | | 4 | 1 | 10 | |
| Very dark seggar, | | | | | | | Grey post 1 1 6 |
| mixed with coal | | 1 | 4 | | | | Dark blue shale 0 4 6 |
| Seggar | 0 | 1 | 7 | | | | Grey post (water |
| Grey shale | • | 4 | 6 | | | | went away 36 |
| Hard grey post | 2 | 2 | 6 | | | | fathoms, 3 feet, 6 |
| trey shale, with | | | | | | | inches) 1 2 0 |
| iron girdles | 0 | 3 | 9 | | | | Blue shale 0 2 9 |
| Grey post | 0 | 0 | 6 | | | | Hard grey post 0 4 0 |
| Blue shale, with | | | | | | | Grey whin 0 1 8 |
| iron girdles | 1 | 4 | 7 | | | | Grey post 0-3 6 |
| Dark seggar, with | | | | | | | Blue shale 5 5 6 |
| iron girdles | 0 | | 6 | | | | Dark blue shale, |
| Light seggar | 0 | 5 | 0 | | | | with ironstone |
| Victoria Seam- | | | | | | | balls 2 3 4 |
| COAL | 0 | 1 | 1 | | | | Grey shale 0 1 4 |
| | | | _ | 8 | 0 | 4 | Hard grey post 0 2 7 |
| | | 4 | 4 | | | | Dark blue shale 1 1 6 |
| Grey post | 8 | 0 | 7 | | | | Dark grey post 0 5 10 |
| Hard grey shale | 0 | | 0 | | | | Dark blue shale 0 4 2 |
| Hard grey post | 1 | 1 | 3 | | | | Dark grey shale 0 2 6 |
| Light seggar | 0 | 5 | 0 | | | | 18 0 8 |
| Carried forward | 11 | 2 | 2 | 18 | 2 | 11 | Total 51° 3 1 |

No. 2,400.—BEECHBURN.

TOWNSHIP OF NEWTON CAP (DETACHED NO. 8), DURHAM.

Sheet 33 of Ordnance Map. Lat. , Long.

Account of Strata bored through from the Thill of the Top Main Seam South-east, at Low Beechburn Colliery, Crook. Commenced October 20th, 1899.

Approximate surface-level feet above sea (Ordnance datum).

| | | | Fs. | Ft. | In. | Rrought forward | Fs. | Ft. | In. | Fs. | Ft. | In. |
|---|----------------------------|-----------------------------|---|---|--|---|--|---|---|---|---|--|
| U | О | U | | | | Brought forward | 1 | ., | 2 | J | •,, | U |
| | | | | | | Hard white post | 0 | 4 | 6 | | | |
| 1 | 4 | 6 | | | | Grey post and metal | | | | | | |
| | | | | | | partings | 0 | 2 | 0 | | | |
| 1 | 3 | 0 | | | | Strong white post | 1 | 4 | 0 | | | |
| | | | | | | Hard white post | 1 | 1 | 6 | | | |
| · | · | ., | | | | | | | | | | |
| 0 | 4 | 6 | | | | Grey shale and iron- | | | | | | |
| _ | | | 5 | 3 | 6 | stone balls | 0 | 2 | 0 | | | |
| 1 | 3 | 0 | | | | Grey shale | 1 | 0 | 0 | • | | |
| 1 | 3 | 0 | 5 | 3 | 6 | Carried forward | 7 | 4 | 6 | 5 | 3 | 6 |
| | 0 1 0 1 0 0 | 0 5 1 4 0 3 1 3 0 0 0 4 1 3 | 0 5 0 1 4 6 0 3 9 1 3 0 0 0 9 0 4 6 1 3 0 | 0 5 0 1 4 6 0 3 9 1 3 0 0 0 9 0 4 6 1 3 0 | 0 5 0 1 4 6 0 3 9 1 3 0 0 0 9 0 4 6 1 3 0 5 3 | 0 5 0 1 4 6 0 3 9 1 3 0 0 0 9 0 4 6 1 3 0 5 3 6 | Hard white post Grey post and metal partings Strong white post Strong white post Hard white post Strong white post Hard white post Grey shale Grey shale and ironstone balls Grey shale Grey shale | Brought forward 1 Hard white post 0 Grey post and metal partings 0 Strong white post 1 Hard white post 1 Hard white post 1 Blue shale 0 Grey shale and ironstone balls 0 Grey shale 1 | 0 5 0 Brought forward 1 3 Hard white post 0 4 1 4 6 Grey post and metal partings 0 2 1 3 0 Strong white post 1 4 1 4 6 Hard white post 1 1 Brought forward 1 3 Hard white post 0 2 0 2 Strong white post 1 1 1 1 Blue shale 0 5 6 6 Grey shale and ironstone balls 0 2 2 Grey shale 1 0 0 | Brought forward 1 3 0 Hard white post 0 4 6 Grey post and metal partings 0 2 0 Strong white post 1 4 0 Hard white post 1 1 6 Blue shale 0 5 6 Grey shale and iron- stone balls 0 2 0 Grey shale 1 0 0 | Brought forward 1 3 0 5 Hard white post 0 4 6 Grey post and metal partings 0 2 0 Strong white post 1 4 0 Hard white post 1 1 6 Blue shale 0 5 6 Grey shale and iron- stone balls 0 2 0 Grey shale 1 0 0 | 0 5 0 Brought forward 1 1 3 0 5 3 1 4 6 Grey post and metal partings 0 0 2 0 1 3 0 5 3 6 3 4 6 1 3 0 5 3 6 3 4 6 6 2 0 0 2 0 0 2 0 <td< td=""></td<> |

0 9

No. 2,400,—BEECHBURN.—CONTINUED.

| | Fs. | Ft | In | Fs. | FL | In. | Fs, Ft. In. Fs. Ft. It |
|---|-----|----|----|-----|---|-----|----------------------------|
| Brought forward | 7 | 4 | 6 | 5 | 3 | 6 | Brought forward 1 3 1 15 2 |
| Grey shale, with | | | | | | | White post 0 3 6 |
| post girdles | 1 | 1 | 6 | | | | Blue shale 0 5 6 |
| Seggar | 0 | 3 | 9 | | | | COAL 0 1 1 |
| post girdles Seggar l'ictoria Seam— | | | | | | | 3 1 3 |
| COAL | | | | | | | Dark grey shale, |
| | | | | 9 | 4 | 8 | |
| Grev shale | 0 | 3 | 1 | | | | girdles 1 2 8 |
| Grey shale Strong grey post | 1 | 0 | 0 | | | | - 1 2 8 |
| Carried forward | 1 | 3 | 1 | 15 | • | * | Total 20 0 0 |

No. 2,401.—BEECHBURN.

TOWNSHIP OF NEWTON CAP (DETACHED NO. 8), DURHAM.

Sheet 33 of Ordnance Map. Lat. 54° 42′ 28°, Long. 1° 44′ 48°.

Account of Strata bored through in No. 2 Hole, in Timber Yard, in front of Drift,
Low Beechburn Colliery, Crook. Commenced December 22nd, 1899.

Approximate surface-level 450 feet above sea (Ordnance datum).

Fs. Ft. In Fs. Ft. In, In. Fo. Ft. In Forced ground Yellow clay ... 0 6 Brought forward 0 3 0 Stony clay 2 1 Hard stony clay Loamy sand, with 0 1 6 Stony clay and freeclay partings stone boulders ... 5 a Hard stony clay ... Grey shale O 1 6 Loamy sand 0 0 6 Carried forward 2 Total ...

No. 2.402.—BEECHBURN.

TOWNSHIP OF NEWTON CAP (DETACHED NO. 8), DURHAM.

Sheet 34 of Ordnance Map. Lat. 54° 42′ 27°, Long. 1° 43′ 50′.

Account of Strata bared through in No. 3 Hole at Jobs Hill Farm, Crook, for the Owners of Low Becchlora Colliery. Commenced December 28th, 1899.

Approximate surface-level 615 feet above sea (Ordnance datum).

Soil 0 1 0 Brot. forward 3 2 4 1 9
Yellow clay ... 1 1 6 COAL, coarse 0 8

2 6 COAL 0 7 1 Grey shale ... Blue shale ... 1 3 6 0 ő 2 .5 0 4 3 Hutton or Collin Seam-Seggar Grey shale, In with COAL 1 6 post girdles 0 Band 2 0 Dark grey shale Black shale 3 0 COAL 0 0 1 6 Hard shale Black stone and coal... 0 4 Seggar 0 Grey shale and post .) 0 0 girdles 3

Car. forward 3 2 4 1 9 1 2 6 Total 10

No. 2,403.—BEECHBURN.

TOWNSHIP OF NEWTON CAP (DETACHED NO. 8), DURHAM.

Sheet 33 of Ordnance Map. Lat. 54° 42′ 27″, Long. 1° 43′ 53″.

Account of Strata bored through in No. 4 Hole, about 30 yards North-west of No. 3 Hole, for the Owners of Low Beechburn Colliery.

Commenced January 18th, 1900.

Approximate surface-level 615 feet above sea (Ordnance datum).

| | 0 | 2 | | Fs. | Ft. | In. | Brought forward 10 2 6 20 4 6 | |
|--------------------------|----|----------|--------|-----|-----|-----|---------------------------------------|--|
| Stony clay | 0 | 4 | 6 | | | | Grey shale, with | |
| Sand and gravel, | ^ | - | ^ | | | | coal pipes 0 1 0 | |
| with water | | 1 5 | 0 6 | | | | Grey post, with metal partings 0 2 6 | |
| Stony elay COAL | 0 | 0 | 9 | | | | | |
| COAL | | U | | 2 | 2 | 3 | Strong white post, with grey part- | |
| Grey shale | 0 | 1 | 3 | _ | 2 | · | ings 1 1 6 | |
| Stony clay | 2 | 2 | 6 | | | | Blue shale 0 3 6 | |
| Loamy sand, with | - | - | U | | | | Black stone 0 0 8 | |
| clay partings | 0 | 2 | 6 | | | | Marshall Green Seam— | |
| Hard boulders | | 4 | 6 | | | | Ft. In. | |
| Hard stony clay | | 0 | 0 | | | | Black stone | |
| Grey shalc | 4 | 4 | 6 | | | | and <i>coal</i> 0 5 | |
| Main Coal Seam- | | | | | | | COAL 0 6 | |
| Old workings | 1 | 2 | 6 | | | | Black stone, | |
| | | | | 10 | 5 | 9 | with threads | |
| | 1 | 0 | 0 | | | | of coal 0 4 | |
| White post | 2 | 0 | 0 | | | | COAL 0 4 | |
| Grey post, with shale | _ | _ | _ | | | | 0 1 7 | |
| partings | | 5 | 0 | | | | 13 1 3 | |
| 731 1 1 1 | 0 | 5 | 6 | | | ĺ | Seggar 0 1 8 | |
| Black shale | 0 | 1 | 6. | | | | White post, with | |
| Grey shale, with | ^ | 9 | c | | | | B= 0 I B | |
| hard girdles | 0 | 3 | 6 0 | | | | White post 0 2 6 White post, with | |
| Seggar Victoria Seam— | U | 4 | U | | | | grey partings 1 0 0 | |
| COAL | 0 | 1 | 0 | | | | Blue shale 0 2 6 | |
| 00AL | _ | | _ | 7 | 2 | 6 | | |
| Seggar | 0 | 2 | 9 | • | - | • | Strong grey post 0 2 0 | |
| White post | • | ī | 3 | | | | Hard white post 0 4 6 | |
| Seggar | 0 | 2 | 0 | | | | Blue metal 1 1 1 | |
| Grey shale | 0 | 2 | 6 | | | | 6 0 3 | |
| • | _ | | | | | | | |
| Carried forward | 10 | 2 | 6 | 20 | 4 | 6 | Total 40 0 0 | |
| | _ | | | | | | · · · · · · · · · · · · · · · · · · · | |

No. 2,404.—BEECHBURN.

TOWNSHIP OF WITTON-LE-WEAR, DURHAM.

Sheet 34 of Ordnance Map. Lat. 54° 40' 40", Long. 1° 44' 30".

Beechlurn, Bore-hole near River Wear, a little North-west of Witton Park Bore-hole, No. 2,296.

Approximate surface-level 280 feet above sea (Ordnance datum).

| Soil Gravel | | | 0 | Ft. 3 4 | 0 | s. F | . In. | Brought forward 1 1 0 Sand and clay 0 5 6. | t. 1 | in, |
|----------------|---------|------|---|---------------|---|------|-------|--|------|-----|
| | | | | | | | | 2 | О | 6 |
| | | | | | | | ĺ | | | |
| Carrie | ed forw | vard | 1 | 1 | 0 | | | Carried forward 2 0 | 0 | 6 |

No. 2,404.—BEECHBURN.—Continued.

| | | | Fs. | Ft. | Iu | | | | | | Ft. | | | Ft. | |
|-------------|---------|-------|-----|-----|----|----|----|----|--------------------|-----|-----|-----|----|-----|----|
| Brough | t for | ward | | | | 2 | 0 | 6 | Brought forward | | | | 5 | 2 | 9 |
| Sandstone | | | 0 2 | 1 2 | 0 | | | | Black shale | . 0 | 1 | 2 | | | |
| Shale | | | 2 | 2 | 6 | | | | Grev shale | . 0 | 4 | 6 | | | |
| Brockwell S | | _ | | | | | | | Victoria Seam- | | | | | | |
| COAL | | | 0 | 4 | 9 | | | | COAL | . 0 | 2 | 0 | | | |
| JUNE | ••• | | | | | 3 | 2 | 3 | | | _ | | 11 | 4 | 3 |
| Shale | | | 1 | 0 | 0 | ., | - | ", | Fire-clay | . 0 | 2 | 6 | | | |
| Sandstone | | | Ô | 1 | | | | | | | 4 | | | | |
| | • • • | • • • | - | | | | | | | - | | | | | |
| Shale | | | | | 9 | | | | Dark shale | | 3 | | | | |
| Sandstone | | | 2 | 5 | -1 | | | | Grey shale | . 1 | 2 | 0 | | | |
| Shale | | *** | 2 | 0 | 0 | | | | Sandstone | . 3 | 0 | 0 | | | |
| Sandatone | | | 0 | 2 | 0 | | | | Black shale | . 0 | 2 | 0 | | | |
| Shale | | | | 2 | 0 | | | | Marshall Green Sea | | | | | | |
| Sandstone | | 4 | - | | 0 | | | | | . 0 | 1 | - 5 | | | |
| Shale | • • • • | < + + | 1 | ō | 6 | | | | OORE | | - | • | 9 | 2 | 9 |
| Suale | • • • | | | U | 0 | | | | | | | | 3 | a | 24 |
| Carrie | A C | ma ad | 10 | 4) | ~ | 5 | 1) | 9 | Total | | | | 96 | | 0 |
| Carrie | u tor | ward | 10 | - | | 0 | - | 3 | Lota | | | | 26 | | 23 |

No. 2,405.—BEECHBURN.

TOWNSHIP OF WITTON-LE-WEAR, DURHAM.

Sheet 33 of Ordnance Map. Lat. 54° 42° 37', Long. 1° 46' 12'.

Beechburn, No. 3 Bore-hole, North-west of No. 1.

Approximate surface-level 680 feet above sea (Ordnance datum).

| | | | 10. | Fr. | Ft. | łu. | | Fn | Ft | In. | Fa. | Ft. | lu. |
|------------------|-----|---|-----|-----|-----|-----|------------------|----|----|-----|-----|-----|-----|
| Soil | . 0 | 1 | 0 | | | | Brought forward | | | | 19 | :3 | 3 |
| Blue and brown | | | | | | | Dark metal, with | | | | | | |
| stony clay | . 7 | 3 | 0 | | | | scares of coal | 0 | 0 | 3 | | | |
| | - | - | | 7 | 4 | () | Grey post | 4 | 3 | 0 | | | |
| Blue metal | 1 | 0 | 0 | | | | Blue metal stone | 3 | 4 | 7 | | | |
| COAL | . 0 | 3 | 0 | | | | COAL | 0 | 0 | 9 | | | |
| | _ | | - | 1 | 3 | U | | | | | 8 | 2 | 7 |
| Grey metal | . 0 | 1 | 6 | | | | Grey metal | 2 | 1 | 10 | | | |
| Grey metal stone | . 1 | 4 | 6 | | | | Dark metal stone | 3 | 0 | 0 | | | |
| Yellow post | . 0 | | 6 | | | | White post | 1 | 5 | 0 | | | |
| White post | . 1 | 2 | 0 | | | | Grev metal stone | 1 | | 4 | | | |
| Yellow post | . 0 | 5 | 6 | | | | Dark metal | 0 | | 10 | | | |
| Dark metal stone | . 0 | 2 | 0 | | | | COAL | 0 | ĩ | | | | |
| White post | . 1 | 0 | 7 | | | | | | _ | _ | 9 | 2 | 0 |
| Yellow post | . 0 | 4 | 8 | | | | Grey post | 1 | 1 | 8 | | | |
| Black stone | . 0 | 0 | 11 | | | | Dark metal stone | Ô | 4 | 0 | | | |
| Grey metal stone | . 1 | 5 | 0 | | | | White post | 1 | 5 | 0 | | | |
| Dark metal stone | . 0 | 2 | 7 | | | | Grey metal stone | 2 | 1 | 6 | | | |
| Black metal | . 0 | 0 | 7 | | | | White post | 9 | ô | 7 | | | |
| O 4 1 | . 0 | 1 | 11 | | | | Grey metal stone | | 4 | | | | |
| GOAL | . 0 | 1 | 0 | | | | arey meetit mone | | - | _ | 15 | 5 | 6 |
| | _ | | _ | 10 | 2 | 3 | | | | | 10 | • | U |
| | | | | | | | | | | | | | |
| Carried forwar | d | | | 19 | 3 | 3 | Total | | | | 53 | 1 | |
| | | | | | | | 10(8) | | | - 1 | 3.7 | _ | _ |

No. 2,406.—BEECHBURN.

TOWNSHIP OF WITTON-LE-WEAR, DURHAM.

Sheet 33 of Ordnance Map. Lat. 54° 41' 28", Long. 1° 45' 19".

No. 5 Bore-hole at Beechburn, 300 yards from Havgill Hill I ublic House. -July, 1844.

Approximate surface-level 490 feet above sea (Ordnance datum).

| | | | | | | | | | | | | | - |
|----------------------|---|--------|---|-----|-----|----|-------------------------------|-----|-----|-----|-----------|-----|----------|
| Soil | | | | Fs. | Ft. | In | Brought forward | Fs. | Ft. | In. | Fs. 11 | Ft. | In 10 |
| Brown stony clay | | | | | | | Brown metal, with | | | | | | |
| | | | | 3 | () | 6 | roal | 0 | 0 | 3 | | | |
| Brown post, with | | | | | | | Grey metal stone | | | | | | |
| water | 1 | 0 | 0 | | | | and post Strong white post | 0 | 1 | 5 | | | |
| Grey metal stone | | | | | | | Strong white post | 6 | 3 | 0 | | | |
| post girdles COAL | 5 | 4 | 0 | | | | Grey metal and | | | | | | |
| COAL | 0 | 0 | 3 | | | | metal stone | | 4 | 6 | | | |
| | | _ | | | 4 | 3 | Marshall Green Seam | | | | | | |
| Grey metal | 1 | 2 | 8 | | | | COAL, foul | | | | | | |
| Victoria Seam— | | | | | | | | | | _ | 10 | 4 | 1 |
| Ft. In | | | | | | | Grey and white post, | | | | | | |
| COAL, coarse 0 5 | | | | | | | into | 1 | 2 | 0 | | | |
| COAL, good 2 0 | | | | | | | | | | _ | 1 | 2 | 1 |
| | 0 | | 5 | | | | | | | | | | _ |
| | _ | _ | _ | 1 | 5 | 1 | | | | | | | |
| Carried forward | | | | 11 | 3 | 10 | Total | | | | 23 | 4 | |

No. 2,407.—BEESBANK. TOWNSHIP OF PITTINGTON, DURHAM.

Sheet 20 of Ordnance Map. Lat. 54° 48′ 42″, Long. 1° 32′ 0″.

Account of Strata bored through for the Earl of Durham on the North Side of the River Wear, near Beesbank Railway Bridge. By Mr. Wm. Conlson. Commenced October 29th, 1873.

Approximate surface-level 70 feet above sea (Ordnance datum).

| | Fs. | Ft. | In. | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. Brought forward 4 0 10 6 2 0 |
|-------------------------|-----|---|-----|-----|-----|-----|---|
| Soil | | | | | | | |
| 15 7 7 7 | | | | U | 3 | U | Grey metal, with |
| Brown and white | | | | | | | post girdles 1 0 5 COAL, coarse 0 0 91 |
| post | 0 | -3 | 0 | | | | COAL, coarse 0 0 91 |
| Grey post | | | | | | | 5 2 0½ |
| Soft dark grey metal | | 2 | 0 | | | | Mild grey metal 0 2 10 |
| Grey post, with | | | | | | | Dark grey metal, |
| water | 2 | 5 | G | | | | with post girdles 1 3 6 |
| Dark grey post, | | | | | | | COAL, strong 0 1 2 |
| with metal part- | | | | | | | 2 1 6 |
| | | 4 | 0 | | | | Grey metal thill 0 1 5 |
| ings COAL, coarse | Õ | ō | 6 | | | | Grey metal, with |
| 337.2, course | _ | | | 6 | 0 | 0 | post girdles 0 2 6 |
| Grey metal | Ω | 9 | 1 | • | • | • | COAL, coarse 0 0 7 . |
| Grey metal, with | U | 4 | -76 | | | | 00AL, coarse 0 0 1 0 4 6 |
| | 1 | 9 | 0 | | | | 9 2 2 |
| post girdles | 1 | • | U | | | | Grey metal, with |
| Grey post, with | | | | | | | post girdles $0 	 2 	 3\frac{1}{2}$ |
| metal partings | 1 | 1 | 9 | | | | Grey post, into 0 1 6 |
| White post | 0 | 5 | 9 | | | | $ 0 3 9\frac{1}{2}$ |
| | | | | _ | | | |
| Ca rried forward | 4 | 0 | 10 | 6 | 2 | 0 | Total 15 1 10 |
| | | | | | | | |

No. 2,408.—BELFORD. TOWNSHIP OF BELFORD, NORTHUMBERLAND.

Sheet 16 of Ordnance Map. Lat. 55° 35° 38½°, Long. 1 51 1°.

Account of Boring at Belford, near Sionside, about 300 yards to the North-east from the Whinney Hill. July 1st, 1763.

Approximate surface-level 360 feet above sea (Ordnance datum).

| | Fs. | Ft | In. | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
|----------------------|-----|-----|-----|-----|-----|-----|------------------------------|
| Soil and stony clay, | | | | | | | Brought forward 7 5 8 16 5 7 |
| with a mixture of | | | | | | | Grey metal, with |
| sand and a small | | | | | | | girdles 2 1 6 |
| spring of water | 1 | 1 | 6 | | | | CÖAL 0 0 5 |
| Sand, with water | | | | | | | 10 1 7 |
| Leafy clay | | | | | | | Strong white post, |
| Stony clay | | | | | | | with water 3 0 0 |
| ,, | | | | - 3 | 1 | - 6 | Grey metal 1 0 9 |
| Blue grey metal | | | | - | - | | Ft. In |
| stone, with girdles | | - 5 | 6 | | | | COAL, foul 0 7 |
| Mixture whin | | | | | | | Black and grey |
| Strong limestone or | | • | | | | | metal, with |
| whin | ., | - 3 | 0 | | | | brassy gird- |
| COAL | õ | ň | - | | | | les and some |
| OOAL | • | | | 13 | 4 | 1 | sparkles of |
| Dunnish grey metal | 0 | 0 | | | | | coal . 1 2 |
| Grey metal | | | | | | | COAL, with |
| Grey and brown | U | - | U | | | | water 0 6 |
| post, and set away | | | | | | | 0 0 2 3 |
| the water | ., | | 6 | | | | 4 3 0 |
| White and grey post | | | | | | | Grey metal 0 2 9 |
| Grey metal stone | | | | | | | Whin or strong |
| Whin and strong | | | • | | | | limestone 0 0 3 |
| limestone | | 9 | 4) | | | | ——— 0 3 0 |
| | _ | _ | | _ | | | |
| Carried forward | 7 | 5 | 8 | 16 | 5 | 7 | Total 32 1 2 |
| | | | | | | | |

N.B.—Rods measured by Mr. Newbigin to ... 32 2 5

No. 2,409. - BELLASIS.

TOWNSHIP OF BELLASIS, NORTHUMBERLAND,

Sheet 80 of Ordnance Map. Lat. , Long.

Account of the Boring at Bellasis, near Stannington. 1864-65.

Approximate surface-level feet above sea (Ordnance datum).

| Soil | | | | | | Ft. | 111 | Fs. Ft. In. Fs. Ft. In. Brought forward 14 2 9 4 5 7 |
|-----------------|------|---|----|----|----|-----|-----|--|
| | | | | | | | | Ft. In. |
| , | | | | | | 3 | 6 | COAL, soft 1 2 |
| Soft freestone, | | | | | | | | COAL, foul 0 4 |
| water | | 1 | 1 | 8 | | | | 0 1 6 |
| Brown post | | 2 | 4 | 10 | | | | 14 4 3 |
| COAL | | 0 | -1 | 7 | | | | Grey metal, mixed |
| | | | | | -1 | 2 | 1 | with post 1 2 9 |
| Grey metal | | 6 | 5 | 5 | | | | COAL 0 0 4 |
| White post, | with | | | | | | | 1 3 1 |
| water | | 2 | 0 | -0 | | | | Grey metal and post |
| Grey metal, | with | | | | | | | gírdles 3 5 1 |
| girdles | | ō | 3 | 4 | | | | Grey post 8 2 4 |
| | | | _ | | _ | | | |

Carried forward 14 2 9 4 5 7 Carried forward 12 1 5 21 0 11

No. 2,409.—BELLASIS.—Continued.

| Brought forward Grey metal White post Metal Grey post Grey metal | 12 0 2 4 1 | $\begin{smallmatrix}1\\2\\2\\5\\1\end{smallmatrix}$ | 5 21 0 0 2 6 | | Brought forward 23 0 Grey metal stone 6 2 Grey post 1 0 Metal post girdles 2 0 Post, into 6 3 | 2 0 0 0 0 0 3 0 | | 11 |
|--|------------------------|---|--------------------------|------|---|--------------------------|---|----|
| Carried forward | 23 | 0 | 1 21 | 0 11 | Total | 60 | 0 | 0 |

No. 2,410.—BELLINGHAM. TOWNSHIP OF BELLINGHAM, NORTHUMBERLAND.

Sheets 60 and 68 of Ordnance Map. Lat. , Long.

tieneral Section, according to Mr. T. J. Taylor, from Hareshaw or Upper Series of Coal-beds to the Bellinghum Seam of Coal.

| Coar-orns (O or Bea) | ngnum ream of coar. |
|--|--|
| Sandstone and shale 20 0 0 0 Freestone 2 3 5 Blue and grey metal 1 0 10 COAL 0 0 5 23 4 8 | Fs. Ft. In, Fs. Ft. In, Brought forward 20 3 0 155 1 8 Ridsdale I ronstone or Five-fathoms Shale— Ft. In. Top shale, with shell |
| Freestone and grey metal 1 4 0 Grey metal and post girdles 2 2 3 Freestone 1 3 6 Grey beds 0 5 6 Freestone 2 1 2 COAL 0 0 7 | band(6in.) and iron- s to n e nodules 14 0 Bottom shale, richer in nodules than the top 15 10 —— 4 5 10 |
| Grey metal and grey beds 1 3 8 **Hareshaw Head Seram—** **COAL 0 3½ **COAL and shale 0 4½ **COAL, clean 2 10** | Fire-clay 0 4 0 Grey beds 0 2 10 Freestone 2 0 0 Grey shale 0 5 1 Ft. In. Ironstone, Isabella band 0 3 COAL, splint 0 1½ |
| Grey and blue shale 1 0 0 COAL 0 0 5 1 0 5 Shale freestone, etc. 6 5 7 Limestone 2 1 0 Shale freestone and | Ironstone, Thomas band, ferruginous limestone $6\frac{1}{2}$ inches, to 0 10 COAL 0 6 0 1 $\frac{8\frac{1}{2}}{2}$ Grey shale 0 3 0 Sandstone and shale 15 0 0 |
| Limestones110 0 0 Haining Rig Seam— COAL 0 1 10 ——————————————————————————————— | Upper Hall Seam. formerly worked |
| Carried forward 20 3 0 155 1 8 | Total 205 5 81 |

No. 2,411.—BELLINGHAM.

TOWNSHIP OF BELLINGHAM, NORTHUMBERLAND.

Sheets 68 and 69 of Ordnance Map. Lat.

, Long.

Hureshaw and Bellingham Ironworks, General Section.

Approximate surface-level feet above sea (Ordnance datum).

| | | . Ft | 1 | E'a | E. | . In. | | BA. | Ft. | | L. | P. | 1 |
|------------------|-------|------|-----|------|----|-------|-----------------------|------|------|-----|----|-----|-----|
| Moss | (| | | 1.84 | | | Brought forward | FB. | r t. | | 19 | | 10 |
| Gravel | (| 3 | - 6 | | | | Fire-clay | | 3 | 0 | | - | |
| White sandstone | | 2 | 0 | | | | Freestone | _ | 3 | 4 | | | |
| Shattered freest | | | 6 | | | | Frecstone | 8 | 0 | 0 | | | |
| Freestone | 1 | | | | | | Haining Rig Seam- | | • | • | | | |
| Grey beds | (| | | | | | COAL | 0 | 1 | 10 | | | |
| Fire-clay | (| | | | | | JOAL | | • | 10 | 9 | 2 | 63 |
| Plate or shale | (| | 0 | | | | Grey beds* | 3 | 4 | 0 | ., | - | - |
| Ironstone band | (| | - | | | | Fourlaws Limestone | 1 | 4 | 0 | | | |
| Plate | 6 | | Ô | | | | (2) | 0 | 5 | 0 | | | |
| | | - | 8 | | | | 1 (1) | 0 | 4 | 4 | | | |
| COAL | ,,, 0 | , 0 | G | 5 | 4 | 0 | | 1 | 0 | 8 | | | |
| 15manduna | - | 3 | 7 | 3 | .8 | U | | 1 | U | 0 | | | |
| Freestone | 1 | | | | 0 | | Black band, not | | | | | | |
| Grey beds | (| | 8 | | | | good: a bituminous | 0 | | | | | |
| Freestone | 0 | _ | 8 2 | | | | shale | 0 | | 11 | | | |
| Grey beds | 0 | _ | | | | | COAL* | 0 | 0 | 24 | | | |
| Plate | 0 | | 6 | | | | 12- 4 | | 0 | _ | 8 | 1 | 1 3 |
| Ironstone band | 0 | | 3 | | | | Freestone | 5 | 0 | 0 | | | |
| Plate | 0 | - | 3 | | | | Shivery freestone | 1 | 5 | 3 | | | |
| Limestone | 0 | - | 6 | | | | Grey beds | 0 | 4 | 0 | | | |
| Fire-clay | 0 | | 4 | | | | Plate and nodules of | | | | | | |
| COAL ' | 0 | 0 | 3 | | | | ironstone | 6 | 2 | 6 | | | |
| | - | | | 3 | 4 | 24 | | | | | | | |
| Fire-clay | .,. 0 | _ | 3 | | | | Lower Limestone of | | | | | | |
| COAL | 0 | 0 | 1 | 1 | | | No. 2,409 | 2 | 5 | 0 | | | |
| | | | | 0 | 3 | - | Freestone | 1 | 5 | 6 | | | |
| Plate and nodule | s I | | 2 | | | | Ridsdale Ironstone Sh | ale- | - | | | | |
| Fire-clay | 0 | | 11 | | | | Ft. In. | | | | | | |
| White freestone | 0 | 3 | 1 | | | | Top plate, | | | | | | |
| Grey beds | 0 | 1 | 0 | | | | with no- | | | | | | |
| White freestone | 2 | 3 | 6 | | | | dules of | | | | | | |
| Grey beds | 1 | 0 | 0 | | | | ironstone 13 8 | | | | | | ę |
| COAL | 0 | 0 | 1 | | | | Shell band 0 6 | | | | | | |
| | - | | | 6 | 2 | 9 | Bottom plate, | | | | | | |
| Freestone | 0 | 3 | 1 | | | | with no- | | | | | | |
| Grey beds | 0 | 2 | 6 | | | | dules of | | | | | | |
| Freestone | 0 | 4 | 6 | | | | ironstone 17 0 | | | | | | |
| Grey beds | 0 | 1 | 0 | | | | | 5 | 1 | 2 | | | |
| Freestone | 0 | 3 | 6 | | | | | | - | - : | 23 | 5 | 5 |
| Grey beds | 0 | 3 | 0 | | | | Fire-clay | 1 | 0 | 0 | | | |
| Fourlaws or He | | | | | | | Grey beds | 5 | 4 | 0 | | | |
| shaw Head Seas | | | | | | | Fire-clay | 0 | 3 | 0 | | | |
| COAL | 0 | 2 | 3 | | | | Plate, with ironstone | 0 | 2 | 0 | | | |
| | | | _ | 3 | 1 | 10 | Upper Hall Seam- | | | | | | |
| Freestone | 0 | 1 | 0 | | | | COAL | 0 | 1 | 3 | | | |
| COAL | 0 | | 8 | | | | | | | | 7 | 4 | 3 |
| | - | | | 0 | 1 | 8 | | | | | | | |
| | | | | _ | | | | | | _ | | | _ |
| Carried forwa | ard | | | 19 | 5 | 10 | Total . | 1 | | 6 | 9 | 0 5 | 91 |
| Cuttica form | | | | | _ | | - // // / | - * | | - | - | | _ 4 |

[·] to · Section taken in Blackband Pit.

No. 2,412.—BELLINGHAM.

TOWNSHIP OF BELLINGHAM, NORTHUMBERLAND.

Sheet 68 of Ordnance Map. Lat. 55° 8' 46", Long. 2° 15' 0".

Section of Boring at Bellingham for the Hareshaw Iron Company, situated 150 yards above the Railway up Bellingham Burn.

Approximate surface-level 410 feet above sea (Ordnance datum).

| | | | | _ | | | | |
|-----------------------|----------|---------------|--------|-----|-----|-----|---|-----|
| Shale | Fs. 3 | | In. | Fs. | Ŀ٦. | In. | | In. |
| Furnace Scam— | ., | ., | • | | | | Grey shale, with | |
| 0041 | 0 | 1 | 3 | | | | | |
| COAL | U | | ٠, | 3 | 4 | 9 | post girdles 0 4 6 White post 0 3 7 | |
| | | | _ | ., | | 9 | | |
| Fire-clay | 0 | 2 | 0 | | | | Post, with metal | |
| Freestone | 6 | 2 | 4 | | | | partings 0 5 0 | |
| Grey beds | 1 | 1 | 2 | | | | Grey metal, with | |
| Freestone | 0 | 1 | 0 | | | | post girdles 1 3 0 | |
| GOAL | 0 | 0 | - 9 | | | | Strong post 3 5 8 | |
| | _ | | | 8 | 1 | - 3 | Freestone 4 5 4 | |
| 12 4 | Α | 3 | 0 | | | | Blue shale, with | |
| Freestone | 0 | .) | U | | | | ironstone girdles 0 0 11 | |
| Dark shale, with | | | | | | | Curiteth or Belling- | |
| whin girdles | 0 | -1 | 0 | | | | ham Seam— | |
| Black stone | | 1 | 0 | | | | Ft. In. | |
| COAL | 0 | 0 | 4 | | | | COAL 0 9 | |
| | _ | | | 1 | 2 | 4 | Black stone 0 14 | |
| White post girdles | - 1 | 5 | 2 | | | | | |
| Blue metal and post | | | 6 | | | | COAL 0 101 | 4 |
| Black stone | _ | î | 0 | | | | 0 1 83 | 01 |
| | 0 | 0 | 8 | | | | 12 5 | 84 |
| COAL, splint | U | U | 0 | 4 | 2 | 4 | Grey metal 0 3 2 | |
| | | | | 4 | - | ** | COAL 0 0 8 | |
| Black stone | 0 | 0 | :3 | | | | 0 3 | 10 |
| White post | 1 | 0 | -1 | | | | Grey metal 0 2 4 . | |
| Limestone | 0 | 4 | 0 | | | | Grey metal, with | |
| Freestone | 3 | -4 | 9 | | | | post girdles 4 4 0 | |
| Grey metal, with | | | | | | | Freestone 13 4 2 | |
| ironstone | 3 | 3 | 0 | | | | Blue metal, with | • |
| Ferruginous lime- | ., | | · | | | | coal partings 0 0 7 | |
| stone | 0 | 5 | 9 | | | | Grey metal, with | |
| Blue shale | | í | 0 | | | | | |
| | - | $\frac{1}{2}$ | 0 | | | | | |
| Grey shale | _ | | | | | | 1 | |
| White freestone | | 1 | 6 | | | | Grey metal, with | |
| Whin | 0 | 1 | 3 | | | | thin post girdles 1 2 2 | |
| White post, with | _ | _ | _ | | | | COAL 0 0 10 | ؞ |
| whin girdles | 1 | 0 | 0 | | | | 20 5 | 0 |
| Whin | 0 | 1 | 2 | | | | Dark grey metal 0 2 10 | |
| Grey shale, with post | | | | | | | Freestone 1 4 3 | |
| girdles | | 0 | 7 | | | | Grey shale 3 3 5 | |
| Black stone | _ | 0 | 7 | | | | Limestone 0 1 7 | |
| White post | _ | 4 | 7 | | | | Blue shale 2 0 7 | |
| Blue shale | 1 | 3 | ò | | | | Limestone 0 1 2 | - |
| Grey shale, with | - | ., | , | | | | Blue shale 7 1 2 | |
| post girdles | 0 | 1 | 6 | | | | Limestone 0 0 11 | |
| Blue shale | | i | 8 | | | | Blue shale 1 2 8 | |
| | _ | 0 | 4 | | | | | |
| COAL | U | U | | 15 | 1 | 9 | | |
| | _ | | _ | 15 | 1 | 3 | Limestone* 1 0 10 | |
| (1 | | | | | | 11 | (1 | F 3 |
| Carried forward | | | | 32 | О | 11 | Carried forward 19 0 8 67 2 | 07 |
| | | | | | | | | |

^{*}This Limestone is supposed by Mr. T. J. Taylor to be the same as the Papists Cross Limestone, which lies about 14 fathoms above the Plashetts seam of coal.

No. 2,412.—BELLINGHAM.—CONTINUED.

| Brought | forv | ward | Fs. 19 | Ft. | In. Fs. 8 67 | Ft. | In. 53 | Brought forward 6 | ×. | Ft. | In. Fs. 6-86 | Ft. | $\frac{1n}{7\frac{1}{2}}$ |
|------------|------|------|-----------|-----|-----------------|-----|-----------|----------------------|----|-----|-----------------|-----|---------------------------|
| Shale | | | | | 1 | | | Dark shale, mixed | | | | | |
| COAL | | | | | | | | with coal (|) | 0 | ti | | |
| | | | | | - 19 | 1 | 13 | Dark grey post 0 |) | 1 | 0 | | |
| Shale | | | 2 | 2 | 6 | | | Limestone 0 |) | 2 | 2 | | |
| | | | 0 | 1 | . 7 | | | Shale C |) | 2 | 10 | | |
| | | | 0 | .2 | 10 | | | Very hard limestone, | | | | | |
| Limestone | | | | | | | | into (|) | -2 | 0 | | |
| Shale, wit | | post | | | | | | _ | _ | - | - 7 | 3 | 0 |
| girdles | | | | 4 | 0 | | | | | | _ | _ | - |
| Carried | for | ward | 6 | 0 | 6 86 | 3 | 71 | Total | | | 94 | 0 | 74 |

No. 2,413. BELLINGHAM.

TOWNSHIP OF BELLINGHAM, NORTHUMBERLAND.

Sheet 67 of Ordnance Map. Lat, 55° 8' 38°, Long, 2° 19' 59°.

Account of Strata sunk through at High Cariteth, on Cariteth Moor, North Typedale.

Approximate surface-level 650 feet above sea (Ordnance datum).

| Sandstone at H hirst Crags COAL, sooty | | | | | Fa. | Ft- | Iñ. | | 0 | 10 | | | | | | | |
|--|------|-----------|-----|---|-----|-----|-----|------------------------|-----|------|---|----|-------|----|-----|-----------|---|
| | | - | _ | | -4 | 3 | 10 | COAL | | | 0 | 2 | 5 | 12 | • > | <i>t.</i> | |
| Shale High Cariteth Seam— | | . 4 | . 0 | U | | | | Bastard Seggar-clay | | oper | 0 | -3 | 0 | | - | J | |
| COAL . | Fi 1 | tı. \$ | | | | | | | | | - | | | 0 | 4 | 0 | 0 |
| Car. forward | 1 | 4 : | 0 | 0 | 4 | 3 | 10 | | Tot | tal | | | • • • | 8 | 4 | 3 | |

No. 2,414. -BENTON.

TOWNSHIP OF LONGBENTON, NORTHUMBERLAND.

Sheet 88 or 89 of Ordnance Map. Lat. , Long.

Account of Strata sunk through at the Jack Pit, Longlenton, 1751.

Approximate surface-level feet above sea (Ordnance datum).

| | | Fe | Ft. | la. | Fa. | Ft. | In | | Fs | Ft. | In. Fa | Ft. | In |
|------------------|----|----|-----|-----|-----|-----|----|------------------------|----|-----|--------|-----|----|
| Outset | | 0 | 4 | 0 | | | | Brought forward | | | 14 | - 3 | 1 |
| Soil and clay | | | 0 | 0 | | | | Blue metal stone, with | | | | | |
| Dry sand | | 0 | 1 | 1 | | | | whin girdles | 0 | 5 | 0 | | |
| Stony clay | | S | -2 | 0 | | | | Grey post | | 4 | 0 | | |
| | | - | | | 10 | -1 | 1 | Blue stone, with post | | | | | |
| Grey post | | .2 | .) | 0 | | | | criedles | 3 | 0 | U | | |
| Blue metal stone | | 0 | 1 | 1 | | | | Whin girdles | 0 | 0 | 6 | | |
| COAL | | 0 | ì | 11 | | | | Blue stone | 1 | 1 | -2 | | |
| | | | | | • 3 | 5 | 0 | COAL | | 43 | 4 | | |
| Blue metal stone | | 1 | .) | 4 | | | | | | | - 6 | - 1 | -0 |
| COAL | | ò | | | | | | Thill and grey post | 2 | 1 | 0 | | |
| | | | _ | _ | 1 | 3 | 0 | Whin | ō | 2 | Ö | | |
| Carried forwar | a) | | | | 14 | 3 | 1 | Carried forward | | 3 | 0 20 | | 1 |

No. 2,414.-BENTON.-CONTINUED.

| | 122 | 121 | In. Fs. | E. | T. | | 124 | E's | In. Fs. | 124 | Tu |
|-----------------------|-----|-----|---------|----|----|----------------------|-----|-----|---------|-----|----|
| Brought forward | 2 | 3 | 0 20 | 4 | ï | Brought forward | 9 | 3 | 9 27 | Ö | Ï |
| Grey post | | | | | | COAL and black | | | | | _ |
| Blue metal stone | 2 | 1 | 2 | | | metal | 0 | ı | 0 | | |
| Black metal stone | 0 | 3 | 0 | | | | | | - 9 | 4 | 9 |
| COAL | 0 | 0 | 10 | | | Grey and black metal | 4 | 1 | 6 | | , |
| | - | _ | — 6 | 2 | 0 | Black metal, mixed | | | | | |
| Soft grey metal, with | | | | | | with coal | | 1 | 0 | | |
| catheads | | | | | | Grey and white post, | | | | | |
| Strong white post, | | | | | | with whin girdles | 9 | 0 | 9 | | |
| with water | 5 | 3 | 0 | | | High Main Coal | | | | | |
| Grey and black metal, | | | | | | Seam- | | | | | |
| with girdles and | | | | | | COAL | | | | | |
| cathends | 3 | 3 | 0 | | | | - | | - 14 | 4 | 3 |
| a | - | | | | | | | | | _ | _ |
| Carried forward | 9 | 3 | 9 27 | 0 | l | Total | | | 51 | _3 | _1 |
| | | | | | | | | | | | _ |

No. 2,415.—BENWELL.

TOWNSHIP OF BENWELL, NORTHUMBERLAND.

Sheet 97 of Ordnance Map. Lat. 54° 58′ 23″, Long. 1° 39′ 35″.

Account of Strata sunk through at the Charlotte Pit, Beawell, below the Beaumont Scam. August 27th, 1902. Continuation of No. 168.

Approximate surface-level 305 feet above sea (Ordnance datum).

| | | | | | - | | 1) II I II I |
|--------------------|---------|--------|-------|------|----|-----|---|
| Depth from surfa | | Ft. | In. F | ъ. Р | t. | In. | Brought forward Fs. Ft. In. Fs. Ft. In. Br. Ft. In. |
| to top of Beaum | | | | | | | Blue metal 1 1 0 |
| | 101 | 3 | 6 | | | | White post 4 0 0 |
| Beaumont Seam- | | | | | | | COAL 0 0 10 |
| | In. | | | | | | 5 1 10 |
| COAL 2 | 6 | | | | | | Blue metal 2 1 0 |
| Band 1 | 0 10 | | | | | | Five-Quarter Seam— |
| COAL 0 | 0 | 4 | 4 | | | | COAL 2 6 |
| - | 0 | * | _ 10 | 2 | 1 | 10 | Band 0 7 |
| Clay, with iron | 0 | 3 | 0 | _ | • | | COAL 0 7 |
| Clay, coarse | 0 | 5 | 0 | | | | 0 3 8 |
| White post | 5 | 0 | 0 | | | | 2 4 8 |
| Blue metal | 0 | 4 | 0 | | | | Blue metal 7 4 6 |
| COAL | 0 | 1 | 6 | _ | | | Blue post 1 4 6 White post 1 1 0 |
| D1 | | _ | 6 | 7 | 1 | 6 | White post 1 1 0 Brockwell Seam— |
| Band Blue metal | 0 | 0 4 | 0 | | | | COAL 0 2 8 |
| Blue metal | 0 | 1 | 8 | | | | 11 0 8 |
| OOAL | | | _ | 1 | 0 | 2 | Blue metal 0 3 0 |
| Band | 0 | 0 | 8 | _ | - | _ | White post 3 2 0 |
| Blue metal | 1 | 0 | 0 | | | | 3 5 0 |
| COAL | 0 | 0 | 8 | | | | |
| | | | | 1 | 1 | 4 | |
| (1 | | | 11 | 1 | 4 | 10 | Total 134 5 0 |
| Carried forwa | .ra | | 11 | T | 4 | 10 | 10tai 134 5 0 |

No. 2,416.—BERRINGTON.

TOWNSHIP OF BERRINGTON, NORTHUMBERLAND.

Sheet 11 of Ordnance Map. Lat. 54° 41' 4", Long. 2° 0' 30".

Account of Strata bored through on the Berrington Estate for Messes. Johson & Whittle of Morpeth. July, 1900.

Approximate surface-level 200 feet above sea (Ordnance datum).

| Dark sand and loam | | | | | Ft. | 1n. | Brought forward 5 1 10 6 0 0 Blue metal 2 5 4 |
|---|----|---|----|---|-----|-----|---|
| Limestone, supposed Second Limestone | | ٠ | | | | | Whinstone 0 0 6 |
| below Licker Seam | 3 | 3 | 8 | | | | COAL, splint 1 4 COAL, good 2 6 |
| COAL | 0 | 1 | 0 | | | | COAL, good 2 6 |
| | - | | | 3 | 4 | -8 | . — 0 3 10 |
| Blue red keel, soft | | | | | | | |
| stone | .2 | 0 | 0 | | | | Seggar-clay 0 0 6 |
| Post Blue post and iron- | 0 | 2 | 0 | | | | 0 0 6 |
| stone bands | 2 | 5 | 10 | | | | |
| Carried forward | 5 | 1 | 10 | 6 | 0 | 0 | Total 15 0 0 |

No. 2,417.—BEWICKE MAIN. TOWSSHIP OF KIBBLESWORTH, DURHAM.

Sheet 12 of Ordnance Map. Lat. 54° 53' 38°, Long. 1° 37' 0°.

Account of Strata bored through at No. 1 Bore-hole, about 150 yards North-east of the Riding Farm, near present Main Coal Staple, Bewicke Main Colliery.

Appoximate surface-level 220 feet above sea (Ordnance datum).

| Soil | | Ft. | In. 1 | Fa. | Ft. | In. | Brought forward | | F1. | In. | Fs. | Ft. | in (|
|-----------------|---|-----|-------|-----|-----|-----|--------------------|----|-----|-----|-----|-----|------|
| | ^ | õ | 3 | | | | Leafy post | | _ | 10 | G | v | , |
| | | 3 | 0 | | | | | | | | | | |
| Clay, gravelly | U | 13 | U | | | | White post | - | 2 | 4 | | | |
| | | | | 1 | 0 | 0 | Blue metal | | 2 | 9 | | | |
| Hard white post | 0 | 0 | 7 | | | | Leafy post | 0 | 0 | - | | | |
| Black plate | 0 | 0 | 3 | | | | Blue metal, mixed | | | | | | |
| White post | 0 | 3 | 0 | | | | with stone girdles | 0 | | 10 | | | |
| Freestone | 0 | 3 | 0 | | | | Blue metal, mild | 0 | | | | | |
| Leafy post | 2 | 2 | 2 | | | | Leafy post | 0 | 0 | 5 | | | |
| Blue metal | 0 | 1 | 0 | | | | Blue metal, with | | | | | | |
| Post | ñ | ō | 2 | | | | stone girdles | 0 | 1 | 5 | | | |
| COAL | o | | 10 | | | | White post | | 1 | 4 | | | |
| OOAL | 0 | U | 10 | 3 | 5 | 0 | | 0 | | 11 | | | |
| | _ | | | ., | 9 | | | 0 | | 0 | | | |
| | 0 | 2 | 4 | | | | | | | _ | 3 | .1 | 2 |
| Leafy post | 0 | 0 | 8 | | | | Black plate | 0 | 0 | 9 | 0 | | • |
| Blue metal | 0 | 0 | 8 | | | | | _ | 1 | 0 | | | |
| , Ft. 1n. | | | | | | | | - | 1 | 2 | | | |
| COAL 0 4 | | | | | | | Seggar | _ | o | 2 | | | |
| Band 0 2 | | | | | | | CUAL | 0 | U | 2 | | | |
| COAL 3 4 | | | | | | | 0 | _ | - | - | 0 | 3 |] |
| | 0 | 3 | 10 | | | | Seggar | | 1 | 6 | | | |
| | | | | 1 | 1 | 6 | White post | - | 0 | 2 | | | |
| | | _ | | 1 | 1 | | Blue metal | | 0 | 4 | | | |
| White post | 0 | 0 | 2 | | | | White post | 0 | 1 | 5 | | | |
| Black plate | 0 | 0 | 4 | | | | Blue metal | 2 | 0 | 7 | | | |
| Carried forward | 0 | 0 | 6 | 6 | 0 | 6 | Carried forward | -3 | 0 | _ | 10 | 2 | - |

No. 2,417.—BEWICKE MAIN.—CONTINUED.

| Brought forw | rd F | s Ft | . In. 0 | Fs. 10 | Ft. | In. | Brought forward | Fs. | | In. Fa 17 | | |
|--------------------------|-------|-------|------------|-----------|-----|-----|------------------------------------|-----|---|--------------|-----|---|
| COAL | | | 0 | | | | Seggar | | | | | |
| Black plate | | 0 0 | 8 | 3 | 1 | 0 | Blue metal, with ironstone girdles | 0 | 2 | 0 | | |
| White post | | 0 - 2 | 2 | | | | Leafy post | 0 | 3 | 8 | | |
| Whin Leafy post | | | | | | | Blue metal White post | | | | | |
| White post, hard | | | | | | | Blue metal | | | | | |
| Leafy post White post | | | | | | | White post, very hard, into | 0 | 2 | 3 | | |
| COAL | • • • | 0 2 | 2 | 3 | 4 | 1 | | | | <u> </u> | 3 1 | 9 |
| | _ | | | | | | , | | | | | |
| Carried forwa | ırd | | | 17 | 1 | 6 | Total | ••• | | `20 | 3 | 3 |

No. 2,418.—BIDDICK.

TOWNSHIP OF HARRATON, DURHAM.

Sheet 13 of Ordnance Map. Lat, 54° 52' 59'', Long. 1° 30' 16''.

Strata sunk through in the Little Pit, 15 yards South-west of the Haugh Pit, North Biddick Colliery, March, 1894.

Approximate surface-level 40 feet above sea (Ordnance datum).

| Soil | 0 | ì | In. F | 's. F | 't l | In. | Brought forward 7 4 | 0 | Fs. l 5 | Fւ. 2 | In. 0 |
|----------------------------|---|---------------|-------|-------|------|-----|---------------------------|---------------|------------|----------|----------|
| Yellow clay | 0 | 5 | 0 | | | | COAL 0 0 | 2 | | | |
| Blue clay | l | 0 | 0 | | | | | | 7 | 4 | 2 |
| Quicksand: liquid as water | 1 | 3 | 0 | | | | Seggar-clay 1 4 | 0 | | | |
| Blue clay | | 2 | ő | | | | Grey metal, with post | | | | |
| Brown stony clay | õ | 4 | | | | | girdles 2 3 | 0 | | | |
| moun stony che, | | | | 6 | 4 | 0 | Blue metal 0 4 | 0 | | | |
| Broken yellow free- | | | | `` | • | " | Blue post, with water 0 5 | 0 | | | |
| stone | 0 | 3 | 0 | | | | Blue metal 2 0 | 0 | | | |
| Brown and white | | | - | | | | Black metal 4 1 | 9 | | | |
| freestone | 3 | 3 | 0 | | | | COAL 0 0 | 2 | | _ | |
| Blue metal | 0 | 2 | 0 | | | | | | 11 | a | 11 |
| Seggar-clay | 1 | 0 | () | | | | Seggar-clay 0 3 | | | | |
| Black metal | 0 | 4 | 3 | | | | Blue metal 0 3 | | | | |
| COAL | 0 | 0 | 3 | | | | COAL 0 0 | l | | | |
| | | | | 6 | 0 | 6 | | — | I | 1 | ı |
| Thill | 0 | 2 | 8 | | | | | 9 | | | |
| Blue metal | 0 | 1 | 0 | | | | Grey metal, with | | | | |
| Grey metal, with post | | | | | | | water 0 4 | 6 | | | |
| girdles | 1 | 3 | 10 | | | | White post 1 2 | 7 | | | |
| Black stone | 0 | - 1 | 8 | | | | Post 0 2 | 6 | | | |
| COAL | 0 | 0 | 4 | | | | Blue metal 0 0 | l | | | |
| 61 | | | | 2 | 3 | 6 | Grey whin 0 4 | 0 | | | |
| Seggar clay | ı | 2 | 0 | | | | Strong white post 1 0 | 0 | | | |
| White post, with whin | | | | | | | Strong post, with | _ | | | |
| balls | 4 | 3 | 0 | | | | partings 0 4 | 5 | | | |
| Grey metal, with | , | 9 | | | | | Strong post 5 0 | $\frac{0}{2}$ | | | |
| water | | $\frac{3}{2}$ | () | | | | Blue metal 0 1 | 10 | | | |
| Black metal | 0 | 2 | 0 | | | | Post girdle 0 0 | 10 | | | |
| Carried forward | 7 | 4 | 0 1 | 5 | 2 | 0 | Carried forward 10 4 | 10 | 36 | l | 2 |

No. 2,418.—BIDDICK.—Continued.

| Brought forward | | | In. 10 | | | | Brought forward Fs. Ft. In. Fs. Ft. In. Fs. Ft. In. Fs. Ft. In. |
|-----------------------|-----|-----|-----------|---------|-----|-----|---|
| Blue metal, with iron | • • | • | | , | • | _ | Strong dark post 0 2 0 |
| girdles | 1 | 4 | 6 | | | | Blue metal 1 3 0 |
| A A 1 | | 3 | ĭ | | | | Grey metal, with post |
| COAL | U | ., | | 10 | 6 | - | |
| _ | | | | 13 | u | 5 | girdles 1 0 0 |
| Seggar | 0 | 2 | - 0 | | | | Blue metal, with iron |
| Frey metal | 5 | 2 | 0 | | | | bands 2 2 0 |
| Dark slaty stone | | 2 | .5 | | | | Ft. In. |
| COAL, very dirty | | 2 | S | | | | COAL 0 8 |
| , , , | | | | 6 | 3 | - 1 | Stone 0 3 |
| ** | | - 0 | | •• | ••• | • | Stone 0 3 COAL 0 55 |
| eggar | 0 | 2 | 0 | | | | Black stone 1 7 |
| strong grey metal, | | | | | | | COAL 0 4 |
| with iron balls | | 3 | 0 | | | | — 0 3 3½ |
| strong white post | 0 | 4 | 0 | | | | 5 4 3 |
| rey post | 1 | -2 | 0 | | | | |
| rey metal | 1 | .5 | () | | | | Strong bastard seggar 0 4 3 |
| Three-Quarter Seam | | | | | | | Dark blue metal 1 1 0 |
| COAL | 0 | 2 | 4 | | | | Grey metal, with post |
| | | | | S | 0 | 4 | girdles 2 2 10 |
| | | | | | U | • | Blue metal 2 2 0 |
| eggar thill | 0 | 1 | 0 | | | | Low Main Seam |
| Frey metal, with iron | | | | | | | COAL 0 3 0 |
| girdles | 5 | -4 | - 6 | | | | 7 1 |
| "ive-Quarter Seam — | | | | | | | |
| COAL | 0 | 3 | S | | | | Grey post 0 5 8 |
| | | | | 6 | 3 | -2 | Blue metal 0 1 6 |
| lawran thill | Δ | .) | | | | | COAL 0 0 4 |
| leggar thill | 0 | 2 | 4 | | | | 116 |
| | 1 | l | 10 | | | | Seggar 0 1 2 |
| trong grey metal, | | | | | | | Grey metal 2 5 4 |
| with post girdles | 0 | 4 | () | | | | |
| Dark grey metal | 2 | 3 | 0 | | | | Strong post 0 2 0 |
| lue metal, with iron | | | | | | | Leafy post 1 3 0 |
| girdles | 3 | 1 | 10 | | | | Very strong whin 0 5 0 White post 0 4 8 |
| oft grey metal | | 2 | 4 | | | | The last |
| Main Coal Semm | _ | - | | | | | Leafy post 0 3 4 |
| Ft. In. | | | | | | | Strong white post 1 3 0 |
| COAL 2 1 | | | | | | | Blue metal 1 0 0 |
| Stone 0 3 | | | | | | | Hatton Seam — |
| COAL 3 4 | | | | | | | Ft. In |
| | 0 | 5 | 8 | | | | COAL 3 6 |
| | | • ′ | | 11 | 3 | 0 | |
| | | | | | ., | U | |
| ine seggar | 0 | 2 | G | | | | |
| trong grey metal, | | | | | | | 0.51 |
| with post girdles . | 2 | 5 | 0 | | | | 10 2 7 |
| ine blue metal, with | _ | | - | | | | Seggar 0 2 0 |
| iron girdles | 4 | 1 | 6 | | | | Blue metal, with iron |
| 7 one strong | 4 | , | " | | | | girdles 0 3 6 |
| ery strong post, | | | 0 | | | | Leafy post, with whin |
| with whin | () | 3 | 0 | | | | |
| lue metal, with post | | | | | | | |
| girdles | 0 | 3 | 9 | | | | Blue metal, with post |
| Tandlin Seam- | | | | | | | girdles 0 4 6 |
| Ft. In. | | | | | | | Strong post girdle 0 0 4 |
| COAL 4 6 | | | | | | | Strong blue metal 0 2 0 |
| | | | | | | | Dark grey post 0 2 1 |
| Seggar 0 7 | | | | | | | Leafy post 0 2 6 |
| Seggar 0 7 | | | | | | | |
| Seggar . 0 7 | ō | 5 | 8 | | | | 5 2 (|
| Seggar . 0 7 | Ō | .5 | 8 | o. | 3 | 5 | |
| Seggar 0 7 | 0 | .5 | 8 | 9 | 3 | 5 | ., 2 (|
| Seggar 0 7 COAL 0 7 | 0 | ., | 8 | 9 91 | 3 | 5 | Total 121 2 04 |

No. 2,419.—BIDDICK, NORTH.

TOWNSHIP OF , DURHAM.

Sheet 13 of Ordnauce Map. Lat. , Long.

Approximate surface-level

Account of Strata boved through at North Biddick, to the East of the Engine, November 23th, 1768.

feet above sea (Ordnance datum).

| Sunk to box top | Fs. | | | Fs 2 | Ft. 5 | In. O | Brought forward | Fs. | Ft. | | Fs. 34 | | In |
|--|-----|-----------|------------|---------|----------|----------|--|-----|-----|------------|-----------|-----|----|
| Box Grey metal, with | | | 0 | | | | Grey metal stone, with girdles and | | | | | | |
| girdles Soft black metal, scared with coal | 2 | 4 | 9 | | | | lumps | 1 | 5 | | 1 | 5 | 2 |
| near the bottom | | 3 | 3 11 | | | | Lowered the scaffold | | | | 35 1 | 5 2 | 7 |
| | | | | 5 | 1 | 11 | | | | | | | _ |
| Grey metal Grey metal stone, | 3 | 4 | 0 | | | | White post, with | | | | 34 | 3 | , |
| with water | 2 | 4 | | | | | partings and water | | | | | | |
| COAL | 0 | 1 | 2 | | 9 1 | 10 | and set away the water | 9 | 3 | 0 | | | |
| Suff block anott | | | | b | 3 1 | 10 | Grey metal stone | J | U | U | | | |
| Soft black grey metal | 0 | 0 | 6 | | | | and post girdles | | | 8 | | | |
| Frey metal, with | - | | | | | | Grey and blue metal | | 1 | 0 | | | |
| hard girdles or | | | 0 | | | | COAL 0 6 | | | | | | |
| lumps Black slaty metal | 0 | 9 | - 6 - 6 | | | | Blue metal 0 1 | | | | | | |
| COAL | Õ | $\bar{0}$ | 11 | | | | COAL 1 3 | 0 | 1 | 10 | | | |
| | | | _ | 1 | 0 | 8 | | | | | 11 | 5 | (|
| Grey metal stone, | | | | | | | Grey metal | 0 | 3 | 0 | | | |
| with girdles or cat- heads | 2 | 0 | 0 | | | | Grey metal stone and post girdles | 5 | 2 | a | | | |
| Black metal, with | | | | | | | Blue grey metal | | ĩ | - 6 - 6 | | | |
| sparkles of coal | 0 | 1 | 11 | | | | Black metal, with | | | | | | |
| Grey metal, with sparkles of coal | 0 | 0 | 9 | | | | scares of coal | 0 | 1 | 0 | | | |
| Grey metal and | | | | | | | COAL | 0 | | _9 | 6 | 2 | 1 |
| metal stone White post | 1 | 3 | 6 | | | | Black grey metal | | 0 | 6 | | | |
| Grey metal, with | U | 1 | 6 | | | | Grey metal | 0 | 5 | 3 | | | |
| post girdles | 4 | 2 | 3 | | | | Grey metal stone, with girdles | 3 | 0 | 0 | | | |
| post girdles | 0 | 0 | 6 | 0 | | ~ | Whin | 0 | 0 | | | | |
| | | | | 8 | 4 | 5 | berong wittee possess. | | 4 | | | | |
| Grey metal, mixed with coal | 0 | 0 | 6 | | | | Blue metal stone Black slaty metal, | 2 | 5 | 3 | | | |
| | | - | 9 | | | | mixed with coal | 0 | 0 | 3 | | | |
| Grey metal White post | 0 | 4 | 6 | | | | Ft. In. | | | | | | |
| Grey metal, with | 1 | 3 | 0 | | | | brassy lumps | | - | | | | |
| post girdles White post | 0 | 2 | 0 | | | | or scary | | | | | | |
| Grey metal stone | 0 | .1 | 0 | | | | bands 0 5 | | | | | | |
| Strong white post, | | | | | | | Black metal, with seares | | | | | | |
| with a parting and set away the water | 0 | 3 | 0 | | | | of coal 0 4 | | | | | | |
| Grey metal stone | | 3 | 0 | | | | COAL, hard 2 5 | | | | | | |
| Soft black and grey | 1 | 9 | c. | | | | , | 0 | 3 | 2 | 0 | 1 | |
| metal COAL and black | 1 | 2 | 6 | | | | Strong grey metal | | | | 8 | 1 | |
| stone | 0 | 1 | 4 | | | | Strong grey metal stone, with post | | | | | | |
| | | | _ | 6 | 2 | 7 | girdles , | 5 | 3 | 0 | | | |
| Carried forward | | | | 34 | 0 | 5 | Carried forward | 5 | ٠, | _ | 61 | 1 |] |

No. 2,419.—BIDDICK, NORTH.—CONTINUED.

| Brought forward | | | In. Fx. | | | |
|-----------------------|----|---|---------|---|---|------------------------|
| | | | | | • | |
| COAL | U | | - 6 | | - | Ft. In. |
| | _ | | 0 | 0 | 5 | |
| Black grey metal, | | | | | | Blue metal 0 3 |
| with girdles or cat- | | | | | | COAL 1 4 |
| heads | 3 | 2 | 3 | | | Blue metal 0 4 |
| Mixture whin | | | 9 | | | COAL 1 8 |
| | | - | | | | — 0 5 11 |
| Black grey metal | | 0 | • | | | |
| stone Mixture whin | 1 | 2 | 0 | | | 11 1 0 |
| Mixture whin | 0 | 1 | 0 | | | Grey metal, into 0 0 3 |
| Whin | 0 | 0 | 9 | | | - 0 0 3 |
| Strong grey metal | | | | | | |
| stone, with post | | | | | | Total 78 2 9 |
| stone, with post | 0 | , | 0 | | | 10tal 70 2 3 |
| girdles | | | U | | 1 | |
| Strong grey metal, | | | | | | |
| with girdles or | | | | | | July 11th, 1769.— |
| lumps | 2 | 0 | 0 | | | Rods measured by Mr. |
| lumps Grey metal | 0 | 3 | 0 | | | Brown, to 75 2 8 |
| Soft black metal | 0 | 0 | A | | | and sinking 4 2 2 |
| Out Dieck Indial | | | _ | | | and sinking 9 2 2 |
| Carried forward | 10 | 1 | 1 67 | 1 | 6 | Total 79 4 10 |

No. 2,420.—BILLINGHAM. TOWNSHIP OF BILLINGHAM, DURHAM.

Sheet 51 of Ordnance Map. Lat. 54° 35' 41', Long. 1° 17' 14'.

Account of Strata bored through from the bottom of Old Bore-hole at Billinghom Brewery by W. Coulson & Son. November, 1876.

Approximate surface-level 55 feet above sea (Ordnance datum).

| Depth of well From bottom of well to bottom of bore- | Pa. 10 | Pa. O | In. 0 | Ys. | Ft. | In. | Brought forward Strong red sand- stone, hard girdles, | 9 | Ft. 3 | 16. 10 | Fa. 25 | Ft. 5 | ln 0 |
|--|-----------|----------|----------|-----|-----|-----|---|---|-------|-----------|--------|-------|---------|
| hole | | | | | 5 | 0 | soft partings and water | | 3 | 8 | | | |
| Strong red sandstone, with metal part- | | | | - | | | Soft red metal, with hard girdles | | | | | | |
| ings and water Red shale, with hard | 4 | 5 | 5 | | | | Strong red sand- stone, with thin | • | | Ĭ | | | |
| girdles Hard light red sand- | 1 | 4 | 5 | | | | partings, into | 2 | 2 | 6 | 93 | 1 | , |
| stone | 3 | 0 | 0 | | | | - 10 | | | | 20 | • | |
| Carried forward | 9 | 3 | 10 | 25 | 5 | 0 | Total | | | <u>-</u> | 49 | 0 | ° (|

No. 2,421.—BINCHESTER. TOWNSHIP OF BINCHESTER, DURHAM.

Sheet 34 of Ordnance Map. Lat. 54° 40' 47", Long. 1° 37' 51".

Account of Strata sunk through in No. 1 Pit, Binchester Colliery, on North side of Butterknowle Fault. 1872.

Approximate surface-level 480.70 feet above sea (Ordnance datum).

| Offset Sand | ••• | | 0 | 1 | In Fa 8 6 | . Ft. | | Brought forward Sand and clay | 0 | 3 | In. Fs. Ft. In 2 10 | |
|----------------|--------|-----|---|---|-----------------|-------|---|----------------------------------|---|---|---------------------------|--|
| Carrie | d forw | ard | 0 | 3 | 2 | | * | Carried forward | 1 | 0 | 0 | |

No. 2,421.—BINCHESTER.—CONTINUED.

| Brought forwa | ard | $\frac{1}{2}$ | Ft. 0 | 0 6 | r s. | Ft. | ın. | Brought forward Grey metal | 2 | 2 | 4 | 29 | Ft. 2 | In. 10 |
|-------------------------------|---------|---------------|----------|---------|-------------|-----|-----|-----------------------------------|--------|--------|--------|----|-------|-----------|
| Clay | | 2 | 4 | 6 | 5 | 5 | 0 | Blue metal Grey metal post | 0 | 3 | 4 | | | |
| Soft grey metal | | 1 | 2 | 6 | Ĭ | Ü | Ů | girdle, a fault | 6 | 1 | 0 | | | |
| Black stone Seggar-clay | ••• | 0 | 1 3 | 6 | | | | Grey metal | 3 | 3 | 0 | | | |
| Black stone | | _ | ő | 9 | | | | Black stone | 0 | 3 | 0 | | | |
| Frey metal | | | 2 | 0 | | | | Whin | | 1 | 6 | | | |
| Post girdles | ••• | 0 | 1 | 3 | | | • | COAL | 0 | 0 | 4 5 | | | |
| Grey metal | ••• | 0 | 3 0 | 6 3 | | | | COAL | Ü | U | | 16 | 1 | 0 |
| JOAL | ••• | U | U | U | 3 | 2 | 9 | C | _ | - | - 1 | 10 | 1 | U |
| lomman olam | • | 0 | | 6 | J | ٠ | 9 | Grey post Black stone | 0 | 2 | 0 4 | | | |
| Seggar-elay Black stone | | Ž. | 0 | 3 | | | | COAL | ŏ | ŏ | 6 | | | |
| Blue metal | | ŏ | 3 | 1 | | | | | | _ | | 0 | 2. | 10 |
| Black stone | | 0 | 0 | 11 | | | | Socran-alay | 0 | 1 | 0 | • | -; | |
| Seggar-clay | • • • | | 5 | 4 | | | | Seggar-clay Grey post | 1 | 0 | ő | 41 | | |
| Frey metal | • • • | 2 | 4 | 3 | | | | Blue metal on north | _ | • | , | | | |
| COAL | ••• | 0 | 0 | 5 | | 0 | | side of pit | 3 | 4 | 0 | | | |
| D 4 | - | _ | | _ | 4 | 2 | 9 | White post, with | | | | | | |
| Post COAL | • • • | 0 | 1 | 0 6 | | | | water on south side | 0 | 1 | 0 | | | |
| GOAL | ••• | U | U | U | 0 | 1 | 6 | of pit Black stone and coal | 0 | ō | 9 | | | |
| | | | | _ | U | 1 | O | Seggar-clay | 0 | ĭ | 6 | | | |
| Seggar-clay | • • • | 0 | 1 | 0 6 | | | | Grey metal | ,0 | 3 | 9 | | | |
| COAL | ••• | 0 | 0 | O | | | | Grey metal White post and whin | 4 | 1 | 0 | | | |
| | - | | | _ | 0 | 1 | 6 | Ditte metal | U | 0 1 | 6 | | | |
| Seggar-clay | • • • | 0 | 3 | 6 | | | | COAL | 0 | 1 | Э | 10 | 0 | 0 |
| Soft grey metal Blue metal | • • • | 3 1 | 2 4 | 6 6 | | | | | | | _ | 10 | 2 | 9 |
| COAL | ٠ | ō | ī | 8 | | | | Seggar-clay | 0 | 1 | 0 | | | |
| | | | | | 6 | 0 | 2 | Grey metal White post | 0 6 | 0 | 6 0 | | | |
| Seggar-clay | | 0 | 0 | 9 | | | | Black stone and coal | | 1 | 4 | | | |
| Post girdles | | _ | 1 | 0 | | | | | 1 | 1 | 0 | | | |
| Grey metal | | 0 | 2 | 0 | | | | Grey metal | 1 | 0 | 0 | | | |
| Post girdles | • • • | | 1 | 0 | | | | COAL | 0 | 0 | 4 | | | |
| Grey metal Black stone | | 1 | 3 | 3 10 | | | | | | _ | | 9 | 2 | 2 |
| Seggar-clay | | _ | ő | 9 | | | | Grey metal | 0 | 4 | 6 | | | |
| Post girdles | | _ | 1 | 6 | | | | Whin girdle | 0 | 2 | 6 | | | |
| Grey metal | | 1 | 0 | 0 | | | | Grey metal Black stone | 0 | 3 0 | 0 4 | | | |
| Blue stone | • • • | 0 | 2 | 7 | | | | | ŏ | 5 | ō | | | |
| Black stone Blue metal | | 2 | 0 3 | 4 0 | | | | Dark post | 1 | 0 | 0 | | | |
| Seggar-clay | | | 4 | Ö | | | | White post | 3 | 0 | 0 | | | |
| Grey metal | | 1 | 1 | 4 | | | | Grey post | 1 | 3 | 8 | | | |
| COAL | | 0 | 2 | 10 | | | | Metal Black stone | 0 | 1 | 9 | | | |
| | | | | _ | 9 | 1 | 2 | Brockwell Seam- | J | U | 9 | | | |
| Seggar-clay | | 0 | 5 | 0 | | | | COAL | 0 | 4 | 4 | | | |
| Black stone | | 0 | 1 | 6 | | | | | | | | 9 | 1 | 1 |
| Grey metal Black stone | • • • • | 0 | 4 3 | 6 4 | | | | White post | 1 | 5 | 0 | | | |
| Grey metal | | 0 | 0 | 3 | | | | | Õ | | ŏ | | | |
| | | ŏ | ĭ | 6 | | | | | | | _ | 2 | 3 | 0 |
| Black stone | | | | | | | | | | | | | | |
| Black stone | ••• | _ | | | | | | | | | | | | |

No. 2,422.—BIRTLEY.

TOWNSHIP OF BIRTLEY, DURHAM.

Sheet 13 of Ordnance Map. Lat.

, Long.

Account of Boring in the Second Place at Birtley, near Bishopland Ground, about 150 yards to the North-east from the House. May 16th, 1765.

Approximate surface-level feet above sea (Ordnance datum).

| Soil and stony clay | | | | | | In. | Brought forward 3 3 3 5 2 9 |
|---------------------|---|---|---|---|---|-----|---|
| Soft brown and grey | | | _ | 3 | 1 | b | Grey metal stone 2 1 0 Black metal 0 5 0 |
| metal | 1 | 0 | 0 | | | | Ft. In. |
| COAL, will not cake | _ | • | _ | | | | COAL 1 4 |
| or burn to any | | | | | | | Soft blue metal 0 7 |
| cinder | 0 | 1 | 3 | | _ | _ | COAL, soft |
| | | | _ | 1 | 1 | 3 | |
| Brown and grey | _ | _ | | | | | COAL, with |
| scamy metal stone | | | | | | | water near |
| Black metal | | ő | | | | | the top $\dots \frac{2}{}$ $\frac{4}{}$ $0 + 7$ |
| OOAL | _ | _ | | 1 | 0 | 0 | 7 1 10 |
| Brown and grey | | | | • | • | • | Dunnish grey metal, |
| scamy metal | 3 | 1 | 6 | | | | into 0 0 6 |
| Mixture whin ' | 0 | 1 | 9 | | | | 0 0 6 |
| Carried forward | 3 | 3 | | 5 | 2 | 9 | Total 12 5 1 |

No. 2,423.—BIRTLEY.

TOWNSHIP OF BIRTLEY, DURHAM.

Sheet 13 of Ordnance Map. Lat. 54° 53' 45", Long. 1° 35' 11".

Account of Strata bored through on Land at Birtley for The Birtley Iron Company, Limited. Commenced April 3rd, 1901.

Approximate surface-level 85 feet above sea (Ordnance datum).

| | r. | v. | In | Fs. Ft. In. | Fa. Ft. In. Fa. Ft. Id |
|--|----|----|----|-------------|--|
| Soil | | | | | Brought forward 1 5 9 |
| Yellow sandy clay, with streaks of blue | | | | | Blue loamy clay 0 4 0 |
| clay | 0 | 1 | 8 | | Brown loamy clay, rather soft 1 1 0 |
| Yellow sandy clay Brown sand, with a | 0 | 2 | 0 | | Brown laminated clay 2 2 0 |
| little water | | 1 | 0 | | Strong brown clay, |
| Blue loam, with thin bands of blue clay | 1 | 0 | 3 | | into 2 0 6 |
| Carried forward | 1 | 5 | 9 | | Total 8 2 (|

No. 2,424.—BIRTLEY.

TOWNSHIP OF BIRTLEY, DURHAM.

Sheet 13 of Ordnance Map. Lat. 54° 53' 431", Long. 1° 35' 0".

Account of Strata bored through in No. 3 Bore-hole on Land at Birtley for The Birtley Iron Company, Limited. Commenced April 10th, 1901.

Approximate surface-level 85 feet above sea (Ordnance datum).

| Soil Fs. Ft. In. Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In Brought forward 1 0 4 |
|--|--|
| Yellow loamy clay, | Brown loamy clay 0 4 5 |
| with streaks of blue | Fine grey sand, with |
| clay and a little | a little water 0 0 6 |
| water 0 1 10 | Brown loamy clay 1 3 9 |
| Yellow sandy clay 0 1 6 | Brown laminated |
| Brown sand and coal | clay 4 5 0 |
| $\qquad \qquad \text{wash} \qquad \dots \qquad \dots \qquad 0 0 4$ | ——— 8 2 U |
| Yellow sandy clay, | |
| with a little water 0 1 8 | |
| | |
| Carried forward 1 0 4 | Total 8 2 0 |
| | |

No. 2,425.—BIRTLEY.

TOWNSHIP OF BIRTLEY, DURHAM.

Sheet 13 of Ordnance Map. Lat. 54° 53' $40\frac{1}{2}"$, Long. 1° 35' 2".

Account of Strata bored through in No. 1 Bore-hole at Birtley for Messrs. T.
Blythe & Sons. Commenced April 15th, 1901.

Approximate surface-level 80 feet above sea (Ordnance datum).

| Strong brown clay 3 5 6 Strong brown clay, with occasional small stones 0 3 9 Strong brown clay 0 4 6 | Brought forward 5 1 9 Brown clay, rather soft, into 1 0 9 6 2 6 |
|---|---|
| Carried forward 5 1 9 | Total 6 2 6 |

No. 2,426.—BIRTLEY.

TOWNSHIP OF BIRTLEY, DURHAM.

Sheet 13 of Ordnance Map. Lat. 54° 53′ 39½″, Long. 1° 35′ 4″.

Account of Strata bored through in No. 4 Bore-hole at Birtley for Messrs. T. Blythe & Sons. Commenced April 16th, 1901.

Approximate surface-level 80 feet above sea (Ordnance datum).

| Soil Fs. Ft. In. Fs. Ft. I Yellow sandy clay 0 1 3 Sand and gravel 0 5 0 | Brought forward 1 1 0 Brown laminated clay 2 1 0 3 2 0 |
|--|--|
| Carried forward 1 1 0 | Total 3 2 0 |

No. 2,427.—BIRTLEY.

TOWNSHIP OF BIRTLEY, DURHAM.

Sheet 13 of Ordnance Map. Lat. 54° 53′ 39″, Long. 1° 35′ 1½″.

Account of Strata bored through in No. 14 Bore-hole at Birtley for Messrs. T. Blythe & Sons.

Approximate surface-level 80 feet above sea (Ordnance datum).

| Soil Fs. Ft. In. Fs. Ft. In. Yellow sandy clay, with water 1 0 9 | Brought forward 3 0 6 Brown clay, with thin sand partings, |
|--|--|
| with water 1 0 9 Brown loamy clay, with sand partings 1 5 0 | thin sand partings, into 0 1 6 3 2 0 |
| Carried forward 3 0 6 | Total 3 2 0 |

No. 2,428.—BIRTLEY.

TOWNSHIP OF BIRTLEY, DURHAM.

Sheet 13 of Ordnance Map. Lat. 54° 53' 43", Long. 1° 35' 5".

Account of Strata bored through in No. 1 Bore-hole at Birtley, in the Union Brickworks, for Messrs. Todd, Birleson & Co. Commenced March 20th, 1901.

Approximate surface-level 80 feet above sea (Ordnance datum).

| Forced ground 0 0 9 Yellow sandy clay, | Brought forward 1 2 0 Light brown lamin- |
|--|--|
| with streaks of blue clay 1 0 3 | ated clay 5 0 6 |
| Brown clay, with thin sand partings and a little water 0 1 0 | ated clay 3 3 6 10 0 0 |
| Carried forward 1 2 0 | Total 10 0 0 |

No. 2,429.—BIRTLEY.

TOWNSHIP OF BIRTLEY, DURHAM.

Sheet 13 of Ordnance Map. Lat. 54° 53' 42", Long. 1° 35' $4\frac{1}{2}$ ".

Account of Strata bored through in No. 2 Bore-hole in the Union Brickworks, Birtley, for Messrs. Todd, Birleson & Co. Commenced March 25th, 1901.

Approximate surface-level 80 feet above sea (Ordnance datum).

| · Fs. Ft. In. Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|--|---|
| Dark soil 0 1 0 | Brought forward 2 3 0 |
| Yellow sandy clay 0 1 6 | Strong dark brown |
| Yellow sandy clay. | clay 0 1 6 |
| with streaks of | Light brown lami- |
| blue clay 0 2 0 | nated clay 0 5 6 |
| with streaks of blue clay 0 2 0 Yellow sand, with a | nated clay 0 5 6 Strong brown clay 4 5 0 |
| little water 0 0 6 | Light brown lami- |
| Brown clay with | nated clay 1 3 0 |
| thin sand partings 0 3 0 | 10 0 0 |
| Brown clay, with thin sand partings 0 3 0 Brown laminated clay 1 1 0 | |
| | |
| Carried forward 2 3 0 | Total 10 0 0 |
| | , |

No. 2,430.—BIRTLEY.

TOWNSHIP OF BIRTLEY, DURHAM.

Sheet 13 of Ordnance Map. Lat. 54° 53' 44", Long. 1° 35' 6".

Account of Strata bored through in No. 4 Bore-hole for Messrs. Todd, Birleson & Co., commencing at the bottom of the Clay Pit, Birtley, about 50 feet below the level of the surface. Commenced April 18th, 1901.

Approximate surface-level 80 feet above sea (Ordnance datum).

| Bluish brown clay Reddish brown clay Bluish brown clay | Fs. 0 1 | Ft. 4 | In. 9 3 | Fs. | Ft. | In. | Brought forward 8 5 0 Very fine light grey sand, with streaks |
|--|---------------|-------|---------------|-----|-----|-----|---|
| Bluish brown clay Bluish brown loamy clay, with loam | 5 | 1 | 4 | | | | sand, with streaks of coal wash 1 2 0 Dark grey sand and |
| partings and occa- sionalsmall pebbles Bluish brown clay | 0 | 4 | 8 | | | | streaks of coal wash, with water at 66 ft. 6 in 2 5 0 |
| Bluish brown loamy clay Fine grey loamy | | | | | | | 13 0 0 |
| sand, with clay partings | 0 | 1 | 6 | | | | |
| Carried forward | 8 | 5 | 0 | | | | Total 13 0 0 |

No. 2,431.—BIRTLEY. TOWNSHIP OF BIRTLEY, DURHAM.

Sheet 13 of Ordnance Map. Lat. 54° 53′ 40″, Long, 1° 33′ 45″.

Account of Strata sunk and bored through in the Wash House Pit, East from Birtley and North of Portobello.

Approximate surface-level 323.6 feet above sea (Ordnance datum).

| Outset | | Ft. | | Fs. | Ft. | In. | Brought forward | Fs. | Ft. | | Fs. 13 | Ft. | In |
|-----------------------|---|-----|----|-----|-----|-----|-----------------------|-----|-----|---|-----------|-----|----|
| Soil | | | 10 | | | j | Black thill stone and | | | | 10 | U | ٠ |
| Yellow clay, with | • | | | | | | | 0 | 3 | 0 | | | |
| stones | 0 | 5 | 2 | | | | COAL | | ĭ | 9 | | | |
| Blue clay, with | | | | | | l | | | | | 0 | 4 | 9 |
| stones, a little sand | | | | | | | Seggar | 0 | 2 | 6 | ٠ | - | • |
| and water | 1 | 0 | 0 | | | | | 1 | | ŏ | | | |
| - | | | | 2 | 4 | 0 | Mild grey post, with | - | - | | | | |
| Soft blue metal | 1 | 4 | 0 | | | | whin balls | | 1 | 0 | | | |
| Black shale | | 0 | 6 | | | | | 0 | | Õ | | | |
| COAL | | 1 | 6 | | | | Five-Quarter Seam- | - | - | - | | | |
| | | | | 2 | 0 | 0 | | 0 | 2 | 8 | | | |
| Thill stone | 0 | 2 | 0 | | | | | | | | 7 | 2 | |
| Seggar | ^ | 4 | 0 | | | | Seggar | 0 | 2 | 0 | • | _ | |
| Soft grey metal, | | | | | | | Grey post, very | - | _ | _ | | | |
| with iron boulders | 1 | -3 | 0 | | | | | 2 | 4 | 0 | | | |
| Soft blue metal | 1 | 0 | 0 | | | | Grey metal | 0 | | 0 | | | |
| Soft grey post | 1 | 1 | 0 | | | | | 0 | | 0 | | | |
| White post, very | | | | | | | Grey metal | | 0 | ō | | | |
| jointy | 4 | 1 | 0 | | | | Strong grey post, in- | | | | | | |
| Blue metal | 0 | 0 | 6 | | | | clined to whin | 0 | 2 | 4 | | | |
| GOAL | 0 | 0 | 3 | | | | Blue metal | _ | Ō | Õ | | | |
| | _ | | | - 8 | 5 | 9 | Strong grey metal | | 4 | ŏ | | | |
| | | | | _ | | | | | | | _ | | |
| Carried forward | | | | 13 | 3 | 9 | Carried forward | 9 | 1 | 4 | 21 | 4 | |

No. 2,431.—BIRTLEY.—Continued.

| | | | | | - | | | | | | | | |
|---|-----|-----------|----|-----|-----|---|--|---|----------------------|-----|----------------|--------|----|
| | Fs. | Ft. | | | Ft. | | | | Ft. | | | | |
| Brought forward | 9 | 1 | 4 | 21 | 4 | 8 | Brought forward | | | | 56 | 4 | 3 |
| Blue metal, with | | | | | | | Blue metal | 0 | 4 | 6 | | | |
| iron girdles | 2 | 5 | 0 | | | | Hutton Seam- | | | | | | |
| iron girdles Black stone | 0 | 0 | 4 | | | | Ft. In. | | | | | | |
| Main Coal Seam- | • | - | | | | | COAL 4 6 | | | | | | |
| | 1 | Λ | 0 | | | | COAL, bot- | | | | | | |
| COAL | 1 | 0 | | 10 | | 0 | | | | | | | |
| - | _ | | | 13 | 0 | 8 | tom 0 6 | _ | - | | | | |
| Seggar Dark blue metal, | 0 | 3 | 0 | | | | | 0 | 5 | 0 | | | |
| Dark blue metal, | | | | | | | | | | _ | 5 | 2 | 3 |
| with iron balls | 1 | 0 | 0 | | | | Strong seggar | 0 | 1 | 3 | | | |
| Soft grey metal | ī | ŏ | ŏ | | | | O | ì | $\bar{2}$ | ō | | | |
| | - | ٠ | U | | | | | _ | $\tilde{2}$ | | | | |
| Blue and grey metal, | | | | | | | Strong white post | 0 | ڪ | 0 | | | |
| with post girdles, | | | _ | | | | Black stone, scared | | | _ | | | |
| hitch leader here | - 3 | -3 | 7 | | | | with coal | 0 | 1 | 0 | | | |
| ~~~~ | | | | | | | Seggar, with iron | | | | | | |
| Maudlin Seam- | | | | | | | balls inclined to | | | | | | |
| COAL | 0 | 5 | 1 | | | | grey metal | 0 | 4 | 0 | | | |
| | | | | 42 | - | 0 | | U | -30 | 0 | | | |
| £1, | _ | 62 | _ | 6 | อั | 8 | Strong grey metal, with iron balls and | | | | | | |
| seggar | Ü | 2 | 0 | | | | | | | | | | |
| Grey post | 1 | 0 | 0 | | | | post girdles | 3 | 0 | 3 | | | |
| Seggar Grey post Whin girdle Soft blue metal | 0 | 1 | 0 | | | | Strong white post, | | | | | | |
| Soft blue metal | 1 | 0 | 4 | | | | mixed with whin | 2 | 4 | 0 | | | |
| | 0 | | 8 | | | | Blue and black metal | | 2 | 0 | | | |
| Corta, combe | | | | 2 | .4. | 0 | 0011 | ŏ | ō | 2 | | | |
| Strong comes :- | | | | - | ** | U | GOAL | J | J | - | O | .4 | ų. |
| Strong seggar, in- | _ | | _ | | | | D 1 11 | | | _ | 8 | 4 | Ö |
| clined to post | 0 | 3 | 0 | | | | Dark blue metal | 0 | 3 | 0 | | | |
| Strong grey post, | | | | | | | Strong grey post | 0 | 3 | 0 | | | |
| walling bed here | 0 | 4 | 9 | | | | Dark grey metal, | | | | | | |
| COAL | | 0 | 9 | | | | with post girdles | 1 | 1 | 0 | | | |
| | ٠ | U | U | 1 | 2 | G | | | | | | | |
| C | _ | | c | 1 | - | 6 | COAL | U | 0 | 10 | | 1 | 10 |
| Seggar | | 0 | 6 | | | | | | _ | _ | 2 | 1 | 10 |
| Strong grey post | 0 | 3 | 0 | | | | Strong seggar | 0 | 2 | 6 | | | |
| Grey metal | 0 | 5 | 3 | | | | Light blue metal, | | | | | | |
| Blue metal | 0 | -3 | 6 | | | | with iron girdles | 2 | 4 | 0 | | | |
| Blue metal Grey metal, with | | | | | | | Strong grey post | 0 | 2 | 6 | | | |
| thin next girdles | 1 | 2 | 6 | | | | Plus metal with | v | - | U | | | |
| thin post girdles | 1 | | O | | | | Blue metal, with | | _ | | | | |
| Strong white post, | | | | | | | iron balls | | 0 | 0 | | | |
| Strong white post, with silvery part- | | | | | | | Black metal | 1 | 3 | 5 | | | |
| ings, scared with | | | | | | | COAL | 0 | 0 | 7 | | | |
| coal | 2 | 1 | 3 | | | | | | | | 6 | 1 | 0 |
| Strong grey metal | | $\hat{2}$ | ő | | | | Seggar | 0 | 1 | 0 | - | - | - |
| Hard white post, | | ~ | • | | | | | | 3 | 6 | | | |
| | 0 | 9 | Δ | | | | Grey post | | | - | | | |
| mixed with whin | 0 | 3 | 0 | | | | COAL | U | 0 | 3 | | | |
| Strong grey metal, | | | | | | | _ | | | _ | 0 | 4 | 9 |
| with thin post | | | | | | | Seggar | 0 | 1 | 6 | | | |
| girdles | 0 | 3 | 0 | | | | Grey post | 1 | 1 | 0 | | | |
| Blue metal | 1 | 3 | 2 | | | | Grey post Grey metal | | ī | 6 | | | |
| Low Main Seam- | - | 9 | _ | | | | Hard white nest | ň | $\dot{\overline{2}}$ | 3 | | | |
| COAL | 0 | | 10 | | | 1 | Hard white post | v | | | | | |
| COAL | 0 | 2 | 10 | | _ | _ | Blue metal | | 1 | 4 | | | |
| a | | | _ | 9 | 0 | 0 | COAL | 0 | 0 | 8 | | | |
| Coarse seggar | 0 | 3 | 0 | | | | | | | _ | 2 | 2 | 3 |
| Blue metal | - | 1 | 2 | | | | Seggar | 0 | 1 | 0 | | | |
| | 0 | 0 | 7 | | | | Strong grey metal, | _ | | - | | | |
| | _ | | | 1 | 4 | 9 | with iron girdles | 3 | 2 | 0 | | | |
| Gray metal | 0 | ีด | _ | | | 0 | with iron girdles | | | | | | |
| Grey metal | U | 2 | 9 | | | | GOAL | U | 0 | 2 | | _ | |
| Hard post girdle | Ü | 1 | 3 | | | | | | | | 3 | 3 | 2 |
| Black stone | 0 | 1 | 6 | | | | Seggary post | 0 | 3 | 0 | | | |
| | | 4 | 0 | | | | White post | 1 | 1 | 31 | : | | |
| Hard white post | 0 | 3 | | | | | COAL, coarse | ō | ô | 01 | | | |
| Grey leafy post | | 4 | 3 | | | | | | v | 0 2 | | 4. | 4 |
| J Pobl | | | | | | | | | _ | _ | 1 | 4 | 4 |
| Carried forward | - | 4 | _ | 5.0 | A | | Commission of the second | | | | o - | | |
| Carried forward | 3 | * | 9 | 56 | 4 | 3 | Carried forward | | | | 87 | 4 | 6 |
| | | | | | | | | | | | | | |

No. 2,431.—BIRTLEY.—Continued.

| Brought forward Soft seggar Grey metal Whin girdle Grey and white post Grey metal Towneley Main or Beaumont Seam Ft. In. COAL 0 11 Band 0 1 COAL 1 4 COAL,splint 0 5 Posty seggar COAL | 0 1 0 | 0 3 | In. Fs 87 8. 10 6 9 9 9 7 2 0 0 | | 4 6 | Brought forward Whin Grey and blue metal COAL Seggar Grey and blue metal Post Blue metal and iron girdles COAL Grey metal Grey metal Grey metal Grey metal Hard iron grey post | 0 2 0 0 1 0 | $\frac{3}{1}$ $\frac{1}{1}$ $\frac{1}{1}$ | In. 2 0 7 6 3 0 6 3 8 4 0 5 6 0 | Fs. 116 | 1 | |
|---|-----------------------|------------------|--|-----|-----|--|----------------------------|---|---|---------|-----|---|
| Band 0 1 COAL 1 4 COAL, splint 0 5 Posty seggar COAL Seggar Very dark grey post White sandy post or freestone Seggar and grey metal | 0 0 0 1 8 | 1 | $-\frac{7}{7}$ $\frac{3}{2}$ $\frac{2}{6}$ 0 0 | _ | | Blue metal Grey metal COAL Grey metal Hard iron grey post | 0 0 0 | 2 3 0 | 4 0 5 6 0 0 4 2 4 | | 4 5 | 9 |
| White post | 8 | 5 | 0 - 21 - 113 | 3 | 6 | Grey and blue metal, with iron girdles White post, very hard | 2 1 | 1 2 | 2 | | | |
| Bored further:— Grey and blue metal COAL Seggar Grey post and grey metal | $\frac{2}{0}$ | 3 0 1 2 | $\frac{9}{9}$ 2 | 4 | 6 | Grey metal, with iron girdles Black shale Dirty black sand- | 0 | | 0 2 1 | .1 | 0 | 5 |
| Carried forward | 1 | 3 | 2 116 | 3 1 | 6 | Total | | | . 13 | 5 | 1 | 7 |

No. 2,432.—BIRTLEY. TOWNSHIP OF BIRTLEY, DURHAM.

Sheet 13 of Ordnance Map. Lat. 54° 52′ 45″, Long. 1° 34′ 43″.

Account of Strata bored through in a field near to Mr. Robert Wilson's Brickworks at Birtley for Lady Ann Blunt. Commenced March 1st, 1901.

Approximate surface-level 98 feet above sea (Ordnance datum).

| | Fs. | Ft. | In. Fs. | Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|--------------------|-----|-----|---------|---------|----------------------------|
| Soil | 0 | 1 | 3 | | Brought forward 3 0 6 |
| Yellow sandy soil, | | | | | Brown laminated clay 0 1 9 |
| water at bottom | 0 | 3 | 5 | | Brown loamy clay, |
| Soft yellow sand | 0 | 5 | 4 | | with streaks of |
| Grey loamy clay, | | | | | sand 0 3 0 |
| rather soft, with | | | | | Strong brown clay 6 0 9 |
| thin sand partings | 1 | 2 | 6 | | 10 0 0 |
| | | | | ľ | |
| Carried forward | 3 | 0 | 6 | 1 | Total 10 0 0 |

No. 2,433.—BISHOP AUCKLAND. TOWNSHIP OF BISHOP AUCKLAND, DUBBAM.

Sheet 42 of Ordnance Map. Lat. 54° 39' 50", Long. 1° 41' 14".

Account of Strata bored through in a field near the West Mill Dam Head, Bishop Auckland, about 60 yards from, and nearly on a line with, the Dam, on the South Side of the River, by W. Coulson & Son. Commenced November 23rd, 1874.

Approximate surface-level 240 feet above sea (Ordnance datum).

| Soil | Fs. | Ft. | In. | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. Brought forward 0 0 9 25 4 3 |
|---------------------------------|-----|-----|-----|-----|-----|-----|--|
| Gravel, with water | | 3 | ō | | | | Strong grey metal, |
| Sand and water | i | 3 | ŏ | | | | with post girdles 3 4 10 |
| Gravel | | 2 | 0 | | | | White post mild, the |
| Sand and gravel | | 5 | | | | | water went away |
| Danu and graver | | | | 7 | 5 | 10 | |
| Grev metal | 0 | 2 | 4 | • | | 10 | bed 2 1 0 |
| | • | ~ | | | | | |
| White post, with a little water | 2 | 0 | 2 | | | | COAL 0 0 3 6 0 10 |
| | | 0 | 2 | | | | |
| Grey metal | 1 | 4 | ő | | | | Grey metal 3 0 10 |
| COAL | U | 4 | U | 5 | 1 | 0 | Pt. In. |
| 701 | _ | _ | _ | _ | 1 | 0 | COAL, coarse 0 8 |
| | 0 | 3 | 8 | | | | Dark brown |
| Light grey metal | 0 | 4 | 0 | | | | metal band 0 11 |
| White post and | _ | _ | _ | | | | COAL 0 81 |
| | 0 | 5 | 0 | | | | 0 1 6 |
| Hard white post | 1 | 0 | 6 | | | | 3 2 4 |
| Blue metal | | 5 | 8 | | | | Dark grey metal 0 0 8 |
| Hard post | | 2 | 9 | | | | Grey metal 1 1 6 |
| Dark grey metal | 5 | 2 | 3 | | | | White post 3 4 11 |
| Light grey metal, | | | | | | | Whin girdle 0 0 8 |
| with black bands | 2 | 1 | 2 | | | | White post 1 2 0 |
| Ft. In | | | | | | | Grey metal and post |
| COAL 0 5 | | | | | | | girdles 3 0 2 |
| Grey metal | | | | | | | COAL, with slate |
| band 0 7 | | | | | | | partings 0 0 7 |
| COAL, danty 0 9 | | | | | | | 9 4 6 |
| ours, dans, o e | 0 | 1 | 9 | | | | Dark grey metal 0 0 5 |
| | _ | | _ | 12 | 2 | 9 | |
| Black metal, with | | | | | - | 0 | Grey metal 4 0 7 |
| coal pipes | 0 | 0 | e | | | | Whin stone into 0 0 11 |
| Dark grow metal | 0 | 0 | 3 | | | | |
| Dark grey metal | | | | | | | 5 5 11 |
| Carried forward | 0 | 0 | 9 | 25 | 4 | 3 | Total 50 5 10 |
| | | | | | | | - |

No. 2,434.—BISHOP MIDDLEHAM. TOWNSHIP OF BISHOP MIDDLEHAM, DURHAM.

Sheet 35 of Ordnance Map. Lat. 54° 40' 40", Long. 1° 28' 55".

Boring near Bishop Middleham. 1839.
Approximate surface-level 308 feet above sea (Ordnance datum).

| Limestone Grey metal Brown, white and red | 0 | | | 30 | | In. 2 | | n. Fs. 2 30 | Ft. 5 | In. 2 |
|---|----|---|---|----|---|----------|-----------------|----------------|-------|----------|
| post, with water Metal | 6 | | | | | | COAL 0 3 | | 0 | 2 |
| Carried forward | 10 | 3 | 2 | 30 | 5 | 2 | Carried forward | 41 | 5 | 4 |

No. 2,434.—BISHOP MIDDLEHAM.—CONTINUED.

| Brought forward | Fs. | Ft. | In. F | s. F. 1 5 | In. 4 | Fs. Ft. In. Fs. I Brought forward 7 3 11 65 | | |
|------------------------------|-----|--------|--------|--------------|----------|--|-----|----|
| Grev and black | | | | | | Metal stone post | | |
| metal | 0 | 1 | 2 | | | girdles 2 5 1 | | |
| metal Grey and white post | 6 | 3 | 9 | | | COAL, foul 0 0 4 | | |
| Metal and metal | | | | | | 10 | 3 | 4 |
| stone | 9 | 4 | 4 | | | Grey metal 0 0 10 | | |
| COAL | 0 | 2 | 10 | | | White and grey post 2 3 7 | | |
| | | | 1 | 70 | 1 | | | |
| Metal and metal | | | | | | COAL 0 2 10 | | _ |
| stone | | | | | | 14 | 0 | 7 |
| COAL, foul | | | | | | Grey metal $0 \ 0 \ 3\frac{1}{2}$ | | |
| | | | | 6 1 | 4 | COAL, foul 0 0 $7\frac{1}{2}$ | | |
| Metal and metal | | | | | | _ | 0 1 | 11 |
| stone | 6 | 5 | 11 | | | Grey metal, into 0 2 2 | | _ |
| White post | 0 | 4 | 0 | | | 0 | 2 | 2 |
| | | | | | | | _ | _ |
| Carried forward | 7 | 3 | 116 | 5 0 | 9 | Total 90 | 7 | 9 |
| | | | | | | | | _ |

No. 2,435.—BISHOP MIDDLEHAM. TOWNSHIP OF BISHOP MIDDLEHAM, DURHAM.

Account of Boring in Bishop Middleham Pit. March 11th, 1844.

Approximate surface-level feet above sea (Ordnance datum).

, Long.

Sheet 35 of Ordnance Map. Lat.

| Fs. Ft. In. Fs. I | Ft. In. | | Fs. | Ft. | In. Fs. | Ft. | In. |
|--------------------------|---------|----------------------------------|-----|--------|----------------|-----|-----|
| Sunk to the seaffold | | Brought forward | 6 | 2 | 2.57 | 1 | 10 |
| of the $supposed$ | ŀ | Grey metal, with | | | | | |
| Five-Quarter Seam 47 0 0 | | post girdles Dark metal, with | 1 | 1 | 10 | | |
| Ft. In. | | Dark metal with | | _ | | | |
| GOAL 2 3 | | girdles | 1 | 1 | 5 | | |
| Splint 0 9 | | Grey metal stone, | 1. | .1. | J | | |
| Spirit 0 9 0 3 0 | - 1 | | - | 4 | 0 | | |
| | | with post girdles | 1 | 1 | U | | |
| | 3 0 | White post, mixed | _ | _ | | | |
| Box 4 3 0 | - 1 | with whin | 0 | 2 | 9 | | |
| Grey metal stone, | - 1 | with whin Dark grey metal | 0 | 4 | 8 | | |
| with post girdles 1 1 4 | | Dark metal, mixed | | | | | |
| Grey post 0 2 4 | | with coal | | 0 | 5 | | |
| Soft grey metal 0 1 10 | | Grey metal stone, | | | _ | | |
| COAL 0 1 3 | | with girdles | | 3 | O | | |
| | 3 9 | COAL | | | | | |
| Dark metal, scared | 3 3 | OOAL | | | | - | 0 |
| | | G | | | 13 | 3 | 2 |
| with coal 0 0 10 | 1 | Grey metal stone | U | 4 | 1.1. | | |
| Grey metal stone, | | Dark metal, seared | | | | | |
| with post girdles 2 5 10 | | with coal | 0 | 0 | 6 | | |
| COAL, foul 0 0 5 | | COAL | 0 | 2 | 8 | | |
| 3 | 1 1 | | | | - 1 | 2 | 1 |
| Grey post 0 4 8 | | Grey metal stone, | | | | | |
| Grey metal, with | | with post girdles | | Ω | 0 | | |
| post girdles 0 2 9 | | Whin | ñ | 2 | 4 | | |
| White post, with a | | Grey metal stone, | | 4 | -20 | | |
| strong feeder of | | | | 1 | ~ | | |
| | | with girdles | 9 | 1 | o o | | |
| water and whin in | | White post | 7 | 2 | 6 | | |
| some places 1 1 6 | | Strong grey metal | | | | | |
| Grey metal stone in- | | stone, with girdles | 0 | 3 | 8 | | |
| elining to post, | | Strong white post, | | | | | |
| with strong post | | mixed with whin | | | | | |
| girdles 3 4 9 | | at the top and | | | | | |
| Black metal 0 0 6 | | metal parting | 3 | 5 | 1 | | |
| | | l motal parting | | _ | | | |
| Carried forward 6 2 2 57 | 1 10 | Carried forward | 10 | 2 | 0.79 | 1 | 1 |
| 2 | _ 10 | Carried forward | 10 | J | 0 12 | 1 | 1 |
| | | | | | | | |

No. 2,435.—BISHOP MIDDLEHAM.—CONTINUED.

| Fs. Ft. In. Fs. Ft. In. Brought forward 19 3 0 72 1 1 | Fs. Ft. In. Fs. Ft. In. Brought forward 25 4 3 72 1 1 |
|---|---|
| Whin 1 0 0 | COAL 0 2 0 |
| Strong white post, mixed with whin 3 2 7 | Grey metal 0 3 0 White post 0 2 9 |
| Grey metal 1 2 7 Black stone 0 2 1 | White post 0 2 9 Whin 0 2 1 |
| Diack stone 0 2 1 | 1 1 10 |
| Carried forward 25 4 3 72 1 1 | Total sunk and bored 99 3 2 |

No. 2,436.—BISHOP MIDDLEHAM. TOWNSHIP OF BISHOP MIDDLEHAM, DURHAM.

Sheet 35 of Ordnance Map. Lat. , Long

Account of Strata bored through on Mr. Trotter's Grounds, Bishop Middleham, by W. Coulson. 1839.

Approximate surface-level feet above sea (Ordnance datum)

| Approximate sur | rfac | ee-l | evel | | fe | et above sea (Ordnance datum). |
|-------------------------|------|------|-------|-----|----|---|
| Panto anil 6 | . F | | . Fs. | Ft. | In | Fs. Ft. In. Fs. Ft. In |
| Peaty soil (| , | |) | | | Brought forward 6 5 140 1 |
| Yellow and white clay 0 |) : | 2 (| : | | | Brown and yellowish |
| Sand and clay, with | · · | • | , | | | post, gullety 0 4 7 Dark grey metal, |
| water 3 | 1 | 5 (|) | | | 41 |
| | | | - 4 | 3 | 0 | Red post, with red |
| Marly limestone 3 | 3 (|) (| | | · | metal partings 1 5 0 |
| Strong brown lime- | • | • | | | | Strong grey metal, |
| stone, with water |) { | 5 (|) | | | with ironstone |
| Dark yellow lime- | | | | | | girdles 2 1 8 |
| stone, with water 3 | 3 (|) (|) | | | Black metal 0 0 6 |
| Strong brown lime- | | | | | | Grey metal 1 2 1 |
| stone, with water | 3 | 2 (|) | | | Black metal 1 0 6 |
| Strong white lime- | | | | | | Black stone 0 0 6 |
| stone 12 | 2 : | 5 8 | 5 | | | COAL, foul 0 0 6 |
| Grey metal, with | | | | | | 14 4 10 |
| post girdles (|) (| 9 |) | | | Strong grey metal |
| Strong brown whin, | | | | | | stone, with post |
| with partings near | | | | | | girdles 2 1 7 |
| the bottom 2 | ? (|) 10 |) | | | Grey metal, with |
| Strong grey post, | | | | | • | coal pipes 0 0 10 |
| with metal part- | | | | | | Dark grey metal, |
| ings (|) : | 5 . | 1 | | | mixed with coal 0 1 3 |
| Strong grey post, | | | | | | Dark grey shivery |
| mixed with whin (|) : | l í | 5 | | | post 0 2 8 |
| Soft light blue metal |) | 1 10 | 0 | | | Dark grey and black |
| ~ | _ | | - 35 | 4 | 4 | metal 0 2 3 |
| Soft red metal 2 | 2 | 0 ′ | 7 | | | COAL 0 1 1 |
| Red post, with a | | | | | | 3 3 8 |
| strong feeder of | | | | | | Grey post, mixed |
| water (rose out of | | _ | | | | with metal 3 0 6 |
| the top of the hole) | l . | 5 | 0 | | | COAL 0 2 7 |
| Grey metal stone, | | | | | | 3 3 |
| dark at the bottom, | | | | | | Grey metal 1 0 0 |
| with ironstone | | | _ | | | Grey post, with |
| | l | 1 | Ţ | | | metal partings 1 0 0 |
| Black metal, mixed | | ^ | _ | | | Strong white post, |
| | 9 | | 5 | | | into 1 3 5 |
| Strong grey post | Ţ | | 6 | | | 3 3 |
| Dark grey metal | ע | 1 | 6 | | | |
| Carried forward | c | 5 | 1 40 | 1 | | m . 1 |
| Carried forward | U | J | 1 40 | , 1 | .7 | Total 65 4 |

No. 2,437.—BLACK BOY.

TOWNSHIP OF COUNDON GRANGE, DURHAM.

Sheet 42 of Ordnance Map. Lat. 54° 38′ 59″, Long. 1° 37′ 59″.

Account of Strata sunk through at the Gurney Pit, Black Boy Colliery, from the Main Coal Seam to the Hutton Seam.—Continuation of No. 209.

Approximate surface-level 432 feet above sea (Ordnance datum).

Ft. In. Fs. Ft. In. Fs. Ft. In. 2 5 6 4 11 80 0 5 Fs. Ft. In. Fs. Ft. In. Depth from Surface Brot, forward to Main Coal Seam 2 COAL 1 4 Soft metal thill-stone 0 1 3 0 3 9 COAL, danty, bad 1 10 7.2 0 3 1 0 0 Seggar-clay Black metal stone 6 Grey metal ... 0 ... Soft thill-stone, mixed Whin .. 0 6 with bad coal 2 5 1 1 1 Dark blue metal Strong grey stone, mixed with lead-COAL 0 0 3 4 10 ore and calcareous Seggar-clay ... 1 1 8 spar 1 2 0 0 0 7 COAL trong grey stone, mixed with post Strong 1 2 3 post 0 1 a Seggar-clay girdles Grey metal, with Post ... 0 5 post bands Blue metal ... 0 3 0 . . . 5 1 11 Blue metal ... Post ... 8 0 0 Hutton Seam-Whin ... 0 Ft. In. 2 9 Post ... 1 5 0 COAL Post, with blue part-COAL, splint 0 6 0 2 ings 0 3 3 Black shale ... 0 6 0 7 Low Main Seam 0 COAL Seggar-clay ... 0 2 0 1 20 1 2 Grey metal ... 1 0 2 2 3 0 Black stone ... 0 Strong white post 1 0 10 Seggar-clay ... 0 0 11 Blue metal ... 0 Post ... 0 COAL 0 6 Blue metal ... O 2 0 3 6 1 Seggar-clay ... 0 0 6 \mathbf{Post} ... 0 • • • Strong grey metal, Blue metal ... 6 0 1 . . . with blue partings 0 In. Ft COAL 3 Seggar-clay band Car, forward 2 5 6 4 11 80 Total 103 4

No. 2,438.—BLACKHALLS. TOWNSHIP OF MONK HESLEDEN, DURHAM.

Sheet 29 of Ordnance Map. Lat. 54° 44′ 31″, Long. 1° 16′ 17″.

Section of No. 1 Diamond Bore-hole, at Blackhalls, stopped on November 1st, 1894.

Approximate surface-level 140 feet above sea (Ordnance datum).

| Brown pinnel* | and | Fs. | Ft. | In. F | s. Ft. In. | Brought forward | Fs. 8 | Ft. 2 | In. Fs. | Ft. I | n. |
|---------------|------|-----|-----|-------|------------|------------------------------------|----------|-------|---------|-------|----|
| gravel | | 8 | 2 | 0 | | Brought forward Gravel and cobbles | 0 | 2 | 0 | | |
| Carried forv | ward | 8 | 2 | 0 | | Carried forward | 8 | 4 | 0 | | |

^{*} Boulder clay.

No. 2,438.—BLACKHALLS.—CONTINUED.

| Brought forward | Fs. | Ft. | In. | Fs. 1 | Ft. | In. | Fs. Ft. In. Fs. Ft. In. Brought forward 0 2 6 121 4 0 |
|--|-----|-----------|-----|-------|-----|-----|---|
| Dark brown pinne | ıĭ. | - | ٠ | | | | Grey shale, with |
| and gravel | | 2 | 0 | | | | sandstone girdles 1 5 0 |
| und graver | | | | 10 | 0 | 0 | sandstone girdles 1 5 0 Black shale, with veins of coal 0 0 6 |
| Yellow limestone | 47 | 4 | 0 | 10 | · | ١ | veins of coal 0 0 6 |
| | | 3 | ő | | | ĺ | Grey shale, with |
| Yellow limestone | 7 | 1 | ő | | | | balls of ironstone 0 3 6 |
| Very broken gree | ' | 1 | U | | | - 1 | |
| Very broken grey | ^ | 0 | • | | | - 1 | Grey sandy shale, |
| limestone | 0 | 2 | 0 | | | | with plant fossils 2 4 0 |
| Very broken yellow | | _ | | | | | Grey sandy shale 4 3 6 |
| limestone | 1 | 3 | 0 | | | | White sandstone 1 5 0 |
| Grey limestone | 4 | 3 | 0 | | | 1 | Grey sandy shale 1 0 0 |
| Dark grey limestone | 1 | 2 | 0 | | | | White sandstone 2 1 6 |
| Grey limestone | 5 | 0 | 0 | | | | White sandstone, |
| Broken grey lime- | | | | | | 1 | with ball stones 2 1 6 |
| Broken grey lime- stone and spar | 1 | 3 | 0 | | | l | White sandstone, |
| Light grey limestone | 2 | 4 | 0 | | | | with balls of stone |
| Dark grey limestone | 1 | 1 | 0 | | | | and beds of shale 2 3 6 |
| Grey limestone | 1 | 3 | 0 | | | | Dark grey shale 0 1 3 |
| Very broken dark | | | | | | | White sandstone, |
| grey limestone | 0 | 1 | 6 | | | | with bands of |
| Dark grey limestone | | $\bar{3}$ | 6 | | | | black shale 0 5 0 |
| Broken dark grey | • | 0 | • | | | | White sandstone, |
| limestone | Λ | 3 | 6 | | | | with a few balls of |
| Dork grow limestone | 1 | 3 | | | | | |
| Dark grey limestone | Ţ. | | | | | | |
| Lough hole and spar | | 1 | 6 | | | | COAL 4 5 |
| Dark grey limestone | 4 | 3 | 6 | | | | |
| Very hard and | | | | | | | COAL, foul 0 2 |
| broken dark grey | | _ | _ | | | | COAL 0 4 |
| limestone | 4 | 0 | 6 | | | | 0 4 11 |
| Grey limestone, with | | | | | | | 22 2 10 |
| lough holes and | | | | | | | Dark grey shale 3 0 2 |
| spar | 4 | 5 | 0 | | | | Black shale, with |
| Dark grey limestone | 2 | 3 | 6 | | | | shell fossils 0 4 0 |
| Broken dark grey | | | | | | | Fire-clay 0 0 9 |
| limestone | 0 | 2 | 6 | | | | Fire-clay 0 0 9 COAL, foul 0 0 3 |
| Dark grey limestone, Dark grey limestone, | 0 | 2 | 6 | | | | 3 5 2 |
| Dark grev limestone. | | | | | | | |
| with joints of spar | 1 | 2 | 6 | | | | Black shale, with |
| Dark grey limestone | ī | ī | 6 | | | | coal-veins 0 1 0 Fire-clay 0 1 0 |
| Conglomerate | ñ | ī | 6 | | | | Fire-clay 0 1 0 |
| Congromerate | • | - | | 104 | 5 | 6 | Dark grey shale, |
| Grey shale | 0 | 4 | 6 | LU-I | J | 0 | with beds of sand- |
| Grey shale | U | .4 | U | | | | stone 1 3 0 |
| Red shale, with | 1 | 0 | c | | | | Black shale 0 1 0 Fire-clay 0 1 6 |
| veins of gypsum | 1 | 0 | 6 | | | | Fire-clay 0 1 6 |
| Red shale Grey shale | Ü | 2 | 0 | | | | Dark grey shale 0 2 0 |
| | 3 | 0 | 0 | | | | Black shale 0 0 6 |
| Black shale, with | | - | _ | | | | Fire-clay 0 1 0 |
| veins of foul coal | 0 | 2 | 6 | | | | Dark grey shale 0 2 6 |
| Ft In. | | | | | | | Grey sandstone 1 5 6 |
| COAL 0 3 | | | | | | | Dark grey shale 1 4 6 |
| Fire-clay and | | | | | | | Dark grov shale |
| coal, foul 1 10 | | | | | | | Dark grey shale, |
| COAĹ 3 8 | | | | | | | with bands of iron- |
| | 0 | 5 | 9 | | | | stone 1 1 0 |
| | _ | | | 6 | 3 | 3 | COAL 0 0 9 |
| Fire-clay | 0 | 0 | 11 | - | | _ | 8 1 3 |
| COAL | _ | ŏ | 4 | | | | Fire-clay 0 3 5 |
| | _ | | | 0 | 1 | 3 | 1 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 |
| Dark blue shale | 0 | 2 | 6 | • | - | • | Grey sandy shale 1 4 4 |
| Dura orac share | _ | | _ | | | | |
| Carried forward | 0 | 9 | 6 | 121 | 4 | Λ | Carried forward 3 0 9 156 1 3 |
| Carried forward | v | 4 | U | 141 | - | U | Vallied forward of 0 130 1 0 |

No. 2,438.—BLACKHALLS.—Continued.

| Brought forward | 3 | Ft 0 | . In. 9 | Fs. 156 | Ft. | In. | Brought forward 17 4 11 168 4 0 |
|---|--------|---------------|--------------|------------|-----|-----|--|
| Grey sandstone, with | | 3 | 6 | | | , | White micaceous sandstone 0 0 10 |
| vertical joints Grey sandstone | | 3 | | | | | Grey shale 0 1 0 |
| COAL | ŏ | ő | _ | | | | Black shale 0 1 6 |
| | | | | 4 | 2 | 2 | COAL 0 2 0 |
| Fire-clay | 0 | 1 | 0 | | | | 18 4 3 |
| Dark grev shale, | | _ | | | | | Fire-clay 0 0 9 |
| with plant fossils | 0 | 2 | 6 | | | | Dark grey shale 1 0 3 |
| Black stone, with | | | | | | | Grey sandy shale 0 4 0 |
| $foul \ coal \ \dots \ \dots$ | 0 | 1 | 3 | | | | Grey sandstone 1 0 9 |
| COAL | 0 | 0 | 9 | | | _ | Grey sandy shale 0 1 0 Grey sandstone 0 2 6 |
| | | | | 0 | 5 | 6 | Grey sandstone 0 2 6 Grey sandy shale, |
| Dark grey shale | 0 | 3 | 3 | | | | with girdles of |
| Ft. In. | | | | | | | ironstone 1 2 6 |
| COAL 1 9 | | | | | | | COAL 0 0 6 |
| Blackshale and | | | | | | | 5 0 3 |
| foul coal 0 3 COAL 0 6 | | | | | | | Fire-clay 0 1 6 |
| COAL 0 6 COAL, foul 1 0 | | | | | | | Grey sandy shale 0 1 0 |
| | 0 | 3 | 6 | | | | Dark grey sandy |
| | _ | | | 1 | 0 | 9 | shale 2 0 3 |
| Fire-clay | 0 | D | 10 | | | | COAL 0 0 10 |
| Fire-clay Grey shale Grey shale, with | ő | 1 | 6 | | | | Fire-clay 0 0 1 |
| Grey shale, with | • | _ | - | | | | Fire-clay 0 0 1 Grey sandstone 0 1 0 |
| ball stones | _ | 5 | 0 | | | | Fire-clay, with part- |
| Grey shale | 2 | 2 | 9 | | | | ings of shale 0 2 3 |
| Grey sandy shale | 0 | 4 | | | | | Grey sandy shale, |
| Dark grey shale | 1 | | 11 | | | | with ball stones 0 2 4 |
| | 0 | 0 | 8 | | | | Grey sandy shale 0 1 2 |
| COAL | 0 | 0 | 8 | | ^ | | Grey sandstone 0 1 6 |
| | | | | 6 | 0 | 4 | Grey sandy shale, |
| Black shale or foul | _ | _ | | | | | with bands of sand- |
| | 0 | 0 | 4 | | | | stone 0 2 6 |
| | Ι | 2 | 2 | | | | Grey sandstone 0 0 7 |
| Grey sandstone, with | Λ | 9 | 6 | | | | Grey sandy shale, |
| girdles of shale | | $\frac{2}{2}$ | 6 | | | i | with bands of sand- stone $0 2 2$ |
| White sandstone Dark grey shale | ō | 3 | 0 | | | | COAL 0 2 2 COAL 0 1 8 |
| Dark grey sandy | U | • | ٠ | | | | 0 1 0 2 3 3 |
| shale | 0 | 4 | 0 | | | | Black shale 0 0 3 |
| White sandstone | 0 | 1 | 0 | | | | Grey sandstone, with |
| Dark grey shale | 1 | 1 | 0 | | | | vegetable fossils 0 2 0 |
| Dark grey shale, with bands of | | | | | | | Grey sandstone, with |
| | | | | | | | bands of shale 1 3 10 |
| sandy shale | 3 | | | | | | COAL 0 0 4 |
| Grey shale | 0 | 1 | 0 | | | | —————————————————————————————————————— |
| Grey sandstone | 1 | 1 | 0 | | | | Fire-clay 0 1 6 Grey shale 2 4 8 |
| White sandstone, | 1 | 4 | 0 | | | | Grey shale 2 4 8 Grey sandy shale, |
| slightly micaceous White sandstone | 0 | 0 | 9 | | | | with vegetable |
| White micaceous | J | U | J | | | | matter 0 2 9 |
| sandstone | 2 | 5 | 9 | | | | COAL 0 1 0 |
| Coarse white mica- | - | - | - | | | | 3 3 11 |
| ceous sandstone | 1 | 0 | 6 | | | | Dark grey shale, with |
| Grey sandy shale | 0 | 0 | 2 | | | | vegetable matter 0 3 4 |
| White micaceous | | | | | | - 1 | Fire-clay 0 1 0 |
| sandstone | 1 | 0 | 3 | | | | Grey sandstone, with |
| Grey sandy shale | 0 | 1 | 0 | | | | bands of shale 1 3 9 |
| O | 1/2 | | _ | 100 | | ᆽᅵ | O |
| Carried forward | 11 | 4 | ΤŢ | 100 | 4 | υĮ | Carried forward 2 2 1 203 1 8 |
| | | | | | | | |

No. 2,438.—BLACKHALLS.—Continued.

| T 14.6 | Fs. | Ft. | In. | Fs. F | t. | In. | D L 6 1 | Fs. | Ft. | In. Fs. | Ft. | ln. |
|--------------------------------|-----|--------|--------|-------|------|-----|--|-----|-----------|----------|-----|-----|
| Brought forward | 2 | 2 | 1 | 203 | 1 | 8 | Brought forward | | | | 3 1 | 2 |
| White micaceous | | | | | | | Dark grey shale | U | 0 | 11 | | |
| sandstone, with bands of shale | 1 | 1 | 8 | | | | Dark grey sandy | 0 | 2 | 0 | | |
| COAL | | ō | | | | | shale | 0 | 4 | U | | |
| OOAL | | | | 3 | 4 | 3 | Dark grey sandy shale, with bands | | | | | |
| Black shale and foul | | | | ., | • | ., | of sandstone | 1 | 1 | 6 | | |
| coal | 0 | 0 | 4 | | | | White micaceous | • | • | | | |
| Dark grey shale | _ | 1 | 0 | | | | sandstone, with | | | | | |
| White sandstone | ō | 2 | 1 | | | | bands of shale | 2 | 0 | 2 | | |
| Dark grey shale | 0 | 5 | 4 | | | | Dark grey shale | 1 | 3 | 4 | | |
| White micaceous | | | | | | | Coarse grey sand- | | | | | |
| sandstone | 0 | 1 | 2 | | | | stone | 1 | 3 | 0 | | |
| Dark grey shale | 0 | 2 | 0 | | | | Dark grey shale | 0 | 3 | 6 | | |
| Black stone or coal, | | | | | | | Grey sandy shale | 0 | 1 | 6 | | |
| foul | 0 | 0 | 4 | | | | Dark grey shale | 0 | 4 | 0 | | |
| Grey sandstone | 0 | 1 | 6 | | | | Black stone, broken | 0 | 3 | 0 | | |
| Fire-clay | 0 | 0 | 9 | | - | | Black stone, with 1 | | | | | |
| White micaceous | | | | | | | inch of foul coal | | 1 | 0 | | |
| sandstone, with | | | 10 | | | | Fire-clay | | 0 | 6 | | |
| bands of shale | 1 | 2 | 10 | | | | Grey sandy shale | 0 | | 6 | | |
| Grey sandstone, with | ^ | - | 0 | | | | Dark grey shale | 0 | 1 | 0 | | |
| bands of shale | 0 | 1 | 9 | | | | Grey sandstone, with | ٥ | | 0 | | |
| Black shale | 0 | 2 | | | | | shale bands | 0 | -3 | 0 | | |
| Dark grey shale | | 0 | 6 0 | | | | Grey sandstone | 1 | 4 | 10 | | |
| Grey shale Grey sandy shale | | 3 | | | | | Dark grey shale, with sandstone bands | 1 | 2 | 8 | | |
| COAL | | ő | 5 | | | | Black shale | | 2 | 9 | | |
| OORE | | _ | | 8 | 1 | 9 | | ő | õ | 3 | | |
| Fire-clay | 0 | 0 | 6 | | - | | | _ | | 24 | 0 | 4 |
| Black shale, with | | | | | | | Dark grey sandstone | 0 | 1 | 3 | | |
| coal-veins | 0 | 1 | 4 | | | | Coarse white sand- | | | | | |
| COAL | 0 | 0 | 7 | | | | stone, with mica | | | | | |
| | | | | 0 | 2 | 5 | and thin veins of | | | | | |
| Black shale | | | 10 | | | | coal at top of bed | 3 | 0 | 3 | | |
| Fire-clay | 0 | 1 | 1 | | | | Very coarse white | | | | | |
| Dark grey shale, with | | | | | | | sandstone, with | | | | | |
| vegetable fossils | | | 11 | | | | bands of shale | 1 | 4 | 6 | | |
| COAL | 0 | 2 | 3 | 2 | 3 | 1 | Soft dark fire-clay | | | | | |
| Fire-clay | 0 | 0 | 1 | - | .) | 1 | and black shale, with thin veins of | | | | | |
| Fire-clay Dark grey sandy | v | U | | | | | | 0 | 2 | 6 | | |
| shale, with vege- | | | | | | | Grey sandy shale | | ĩ | Õ | | |
| table fossils | 3 | 0 | 9 | | | | White sandstone | | 1 | ŏ | | |
| White and grey | | • | | | | | Grey sandstone | | 4 | 6 | | |
| micaceous sand- | | | | | | | Grey sandy shale | 0 | $\hat{2}$ | ő | | |
| stone | 4 | 2 | 0 | | | | Dark grey shale | 2 | 1 | Ō | | |
| stone Dark grey mica- | | | | | | | Grey sandstone | | | 6 | | |
| ceous sandstone | 0 | 0 | 4 | | | | White micaceous | | | | | |
| Dark grey shale | 0 | 2 | 5 | | | | · sandstone | | 3 | 0 | | |
| Light grey shale | | 1 | 8 | | | | Dark grey gritty sandstone, with | | | | | |
| White sandstone | 0 | - 3 | | | | | sandstone, with | | | | | |
| Dark grey shale | 0 | 1 | 5 | | | | vertical joints | 0 | | 6 | | |
| White sandstone, | | | | | | | White sandstone | 1 | 4 | | | |
| with bands and | | | _ | | | | | _ | - | 16 | 5 | 6 |
| veins of shale | 0 | 3 | 8 | | | | | | | | | |
| Carried forward | 0 | 2 | 11 | 212 | 1 | - 9 | Total | | | 250 | 1 | |
| variiçu ivrwaru | ., | ., | 11 | 210 | 1 | ئ | Total . | •• | | 259 | _1 | _0 |
| • | | | | | | | | | | | | • |

No. 2,439.—BLACK HILL.

TOWNSHIP OF BENFIELDSIDE, DURHAM.

Sheet 11 of Ordnance Map. Lat. 54° 51′ 19", Long. 1° 49′ 6".

Section of Strata between the Busty and Three-Quarter Seams, in Third South Way, Black Hill Drift, Consett Collieries.

Approximate surface-level of top of bore-hole, 692·15 feet above sea (Ordnance datum).

| Clay | G | . Ft. | | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. Brought forward 2 4 0 1 3 0 |
|---------------|--------|-------|----|-----|-----|-----|---|
| Clay | | | | | | | |
| Clay and iron | · 1 | . 1 | U | _ | _ | | White post 0 1 1 |
| | | | | 1 | 3 | 0 | Blue plate 0 2 5 |
| Dark post | 0 | 1 | 0 | | | | White post 0 0 6 |
| Blue plate | (| 2 | 0 | | | | Blue plate 0 1 8 |
| Iron band | (| 0 | 6 | | | | White post 1 4 10 |
| Dark post | 0 | 1 | 0 | | | | Iron band 0 0 9 . |
| Iron band | 0 | 0 | 3 | | | | White post 0 2 7 |
| Dark plate | 0 | 3 | 0 | | | | Dark plate 0 0 5 |
| White post | (| 0 | 9 | | | | White post 0 0 7 |
| Blue plate | 0 | 2 | 0 | | | | Blue plate 1 1 2 |
| Iron band | (| 0 | 2 | | | | Three-Quarter Seam— |
| Dark plate | 0 | 0 | 10 | | | | COAL 0 1 8 |
| White post | 0 | 2 | 0 | | | | 7 3 8 |
| Blue plate | (| 2 | 6 | | | | |
| Carried for | ward 2 | 2 4 | 0 | 1 | 3 | 0 | Total 9 0 8 |

No. 2,440.—BLACK HILL.

TOWNSHIP OF BENFIELDSIDE, DURHAM.

Sheet 11 of Ordnance Map. Lat. 54° 51′ 42″, Long. 1° 49′ 29″.

Section of Strata bored through between the Busty and Three-Quarter Seams, in Old Lizzie Way, near Stable Dyke, Black Hill Drift, Consett Collieries, August, 1894.

Approximate surface-level of top of bore-hole, 669·15 feet above sea (Ordnance datum).

| | Fs. Ft. | In. Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|---------------|---------|-----------------|-------------------------|
| Blue metal | 1 4 | 0 | Brought forward 4 1 9 |
| Post | 0 1 | 6 | Post 0 1 0 |
| Blue metal | 0 2 | 6 | Blue metal 0 2 6 |
| Post | 0 0 | 5 | Post 0 1 7 |
| Blue metal | 0 5 | 0 | Blue metal 0 4 0 |
| Post | 0 0 | 4 | Post 0 3 6 |
| Blue metal | 0 2 | 0 | Three-Quarter Seam— |
| Post | 0 1 | 0 | COĂL 023 |
| Blue metal | 0 3 | 0 | 6 4 7 |
| | | _ | |
| Carried forwa | rd 4 1 | 9 | Total 6 4 7 |
| | | | |

No. 2,441.—BLANCHLAND.

TOWNSHIP OF SHOTLEY HIGH QUARTER, NORTHUMBERLAND.

Sheet 108 of Ordnance Map. Lat. 54° 51′ 1″, Long. 2° 3′ 20½″.

Account of Strata sunk through at Shildon, 1 Mile West of Blanchland.

Approximate surface-level 850 feet above sea (Ordnance datum).

No. 2,441.—BLANCHLAND.—CONTINUED.

| Hipple | | | | Ft. | In. | Fs. | Ft. | In. | Fs. Ft. In. Fs. F Brought forward 38 0 3 27 | t. In. 3 0 |
|--------------|---------|------|----|-----|----------|-----|-----|-----|--|---------------|
| Hibbie | ••• | ••• | | 0 | <u>,</u> | 7 | 0 | 0 | Plate 4 0 0 | ,, 0 |
| Plate | | | 7 | 0 | 0 | • | • | | Hazle 0 3 0 | |
| | | | | | | | | | Plate 2 1 0 | |
| Plate and | | | 0 | 3 | 3 | | | | Hazle 0 4 0 | |
| | | | | | | 16 | 0 | 9 | Plate 5 2 0 | |
| Plate and | white | sill | 1 | 1 | 9 | | | | Little Limestone 2 1.0 | |
| Plate, coal | and pl | late | 3 | 0 | 6 | | | | Plate and coal 0 5 0 | |
| 1000 | • | | | _ | | 4 | 2 | 3 | 53 | 4 3 |
| Low Grit | | | 11 | 0 | 6 | | | | High Coal Sill 1 1 3 | |
| Plate | ••• | | 1 | 4 | 9 | | | | Plate 2 0 0 | |
| Pebbles | | | 1 | 0 | 0 | | | | COAL, etc 0 3 0 | |
| Plate, limes | | ost | | | | | | | 3 | 4 3 |
| and hazle | е | | 1 | 4 | 0 | | | | Low Coal Sill 1 2 0 | |
| Crag Sill | | | 4 | 2 | 0 | | | | White sill 3 4 0 | |
| Plate | • • • | | 4 | 3 | 6 | | | | Grey beds 0 0 8 | |
| Pattinson's | Sill | | | 4 | 6 | | | | Plate 1 0 0 | |
| White sill | | | 2 | 0 | 0 | | | | tireat Limestone, into | |
| Hazle | • • • • | ••• | 4 | 5 | 0 | | | | . 6 | 0 8 |
| Carrie | d forw | ard | 38 | 0 | 3 : | 27. | 3 | 0 | Total 91 | 0 2 |

No. 2,442.—BLAYDON.

TOWNSHIP OF WINLATON, DURHAM.

Sheet 6 of Ordnance Map. Lat. 54° 57' 20", Long. 1° 42' 48".

Account of Seams met with in sinking the Content Pit, Blaydon Main Colliery.

Approximate surface-level 330 feet above sea (Ordnance datum).

| Strata from surface 30 5 1 Hodge Seam— | Brought forward 0 0 4½ 37 5 9 Five-Quarter Seam— |
|---|---|
| Ft. In. nel 1 2 COAL 0 7 Bands 0 7½ COAL 0 6½ | COAL 0 7½ Band 1 3 COAL 3 4½ |
| 0 2 11 31 2 0 Strata 6 1 3 Stone Coal Seam- | Strata 2 1 10 Three-Quarter Seam— Ft. In. COAL 1 6 Band 0 1 COAL 0 6 |
| COAL 2 6 0 2 6 6 3 9 Band 0 0 44 | |
| Carried forward 0 0 4½ 37 5 9 | Total 48 0 5 |

No. 2,443.—BOWBURN. TOWNSHIP OF QUARRINGTON, DURHAM.

Sheet 35 of Ordnance Map. Lat. 54° 43′ 30″, Long. 1° 30′ 21″.

Account of Strata sunk and bored through at the Bowburn No. 1 Winning, about 200 Yards North-east of the Stockton and Durham Turnpike.

Approximate surface-level 310 feet above sea (Ordnance datum).

| Soil Yellow sandy clay, | 0 | | In. Fs. | Ft. | In. | Brought forward 4 1 0 51 2 2 Hutton Seam, Lower |
|--|---|---|-------------------|-----|-----|--|
| Strong blue clay, | 2 | | | | | Section— COAL, splinty 0 1 4 |
| stony Quicksand, with water | | 0 | 0 | | | Strong grey metal, mixed with post and a strong feeder |
| Strong grey post, with metal girdles | 3 | 3 | — 2 3 0 | 1 | 0 | of water 3 0 0 Strong white and grey post 2 5 0 |
| Strong white post, with water and metal partings and | | | | | | Dark grey metal, mixed with coal 0 2 0 Grey metal, with |
| whin in some places Low Main Seam— COAL | | | | | | scares of coal at top 0 5 0 Strong white post 2 1 4 |
| Grey metal Grey metal stone, | 1 | 1 | 17 | 0 | 4 | COAL, foul 0 0 7 Strong grey metal, |
| with post girdles | | | | 5 | 4 | with thin post girdles and black partings 832 |
| Grey metal, with post girdles COAL | 1 | 2 | 0 6 | | | Strong grey post 3 4 0 Grey whin 0 3 0 Black stone or coal 0 0 3 |
| Grey metal, with | 1 | 3 | - 1 0 | 2 | 6 | Strong grey post 0 5 0 Grey metal 0 4 0 Harvey Seam— |
| Grey metal, with | 0 | 0 | 4 - 1 | 3 | 4 | COAL 0 1 10 Grey metal and metal |
| post girdles and water Hutton Seam, Top | 3 | 0 | 0 | | | stone 2 2 9 Darkish metal, with scares of coal at |
| Section— | 0 | 1 | 8 3 | 1 | 8 | the bottom 1 3 5 Strong grey metal 0 5 2 Strong white post, |
| Strong grey metal Strong post, with water | | | 0 | | | with some metal partings, into 19 1 5 |
| Strong grey metal | | 2 | 0 | | _ | - |
| Carried forward | 4 | 1 | 0 51 | 2 | 2 | Total 103 4 5 |

$No.~2,\!444.{\longleftarrow}BOWDEN$ CLOSE. township of helmington row, durham.

Sheet 34 of Ordnance Map. Lat. 54° 43′ 5″, Long. 1° 42′ 58″.

Account of Strata bored through at Bowden Close Colliery.—Supplementary to No. 256.

Approximate surface-level 520 feet above sea (Ordnance datum).

No. 2,444.—BOWDEN CLOSE.—CONTINUED.

| Outset | | Fs. 1 | . Ft. | ln. | Fe. | Ft. | In. | Brought forward Fs. Ft. In. Fs. Ft. in |
|-------------------------|---|-------|--------|-----|-----|-----|------|--|
| CI | | . ī | 2 | ŏ | | | | Seggar-clay 0 1 8 |
| om, | | | | _ | 3 | 0 | 0 | Grey post 0 1 10 |
| Blue metal | | 1 | 3 | 0 | | | - | Grey stone 2 0 6 |
| | | | 0 | ĭ | | | | Grey whin 1 2 0 |
| OOAL | • | ·· | | | 1 | 3 | 1 | Grey stone 0 1 0 |
| Seggar-clay | | 0 | 3 | 0 | - | • | • | Grey whin 0 1 3 |
| Blue metal | | | ő | 8 | | | | Blue metal 0 0 4 |
| ~ | ••• | | 2 | 6 | | | | Upper Busty or |
| Grey stone | | | 5 | 4 | | | | Ballarat Seam— |
| 00'11 | | | 0 | 6 | | | | COAL 0 1 5 |
| OOAL | ••• | . 0 | U | U | 6 | 0 | 0 | 4 4 (|
| Seggar-clay | | . 0 | 1 | 0 | CI | U | U | |
| | | - | í | 0 | | | | Seggar-clay 0 1 0 |
| | ••• | _ | | - | | | | Post 3 1 0 |
| Grey stone | | | 3 | 0 | | | | Blue metal 0 1 2 |
| | | | 2 | 0 | | | | Bottom Busty or Five- |
| Grey stone | | | 2 | 4 | | | | Quarter Scam— |
| COAL | • | . 0 | 0 | 7 | | | | Ft. In. |
| | | - | _ | | 2 | 3 | 11 | COAL, splint 0 3 |
| Seggar-clay | | | 0 | 4 | | | | COAL 2 2 |
| | • | | 5 | 4 | | | | 0 2 5 |
| | ••• | | 0 | 9 | | | | 3 5 7 |
| Grey stone | | | 1 | 3 | | | | Seggar-clay 0 0 9 |
| Ironstone gi | | | 0 | 6 | | | | |
| Grey stone | | | 0 | 0 | | | | Post 10 2 10 B Scam |
| Ironstone gi | | | 0 | 5 | | | | |
| Grey stone | | | 5 | 1 | | | | COAL 020 |
| COAL | | . 0 | 0 | 6 | _ | _ | _ | 10 5 7 |
| | | | | _ | 5 | 2 | 2 | Grey stone 0 3 2 |
| Seggar-clay | | | 1 | 3 | | | | Post 1 3 0 |
| Grey stone | | . 5 | 1 | 8 | | | | Grey stone 0 0 4 |
| Harvey Sear | m— | | | | | | | Post 0 1 3 |
| COAL | | . 0 | 2 | 6 | | | | Grey stone 0 0 4 |
| | | _ | | _ | 5 | 5 | 5 | Post 1 1 5 |
| Seggar-elay | | . 0 | 1 | 0 | | | | Grey stone 0 0 2 |
| Grey stone | | . 2 | 2 | 0 | | | | Post 0 4 4 |
| COAL | | . 0 | 0 | 3 | | | | Grey stone 0 1 5 |
| | | _ | | _ | 2 | 3 | 3 | Post 0 3 4 |
| Black metal. | | . 0 | 0 | 6 | | | | Grey stone 0 1 9 |
| Seggar-clay | | . 0 | 2 | 0 | | | | Post 0 1 0 |
| | | | 2 | 0 | | | | Blue stone 1 2 0 |
| Grey post Yard Scam- | _ | | | | | | | Main or Brockwell |
| COAL, mi | | lı | | | | | | Seam- |
| 1 1 | | | 3 | 5 | | | | COAL 0 3 6 |
| | ••• | | | _ | 4 | 1 | 11 | 7 3 0 |
| | | | | | | | | |
| Carried | forward | d | | | 31 | 1 | 9 | Total 58 1 11 |
| | | | | | - | - | - | |

No. 2,445.—BOWDEN CLOSE. TOWNSHIP OF HELMINGTON ROW, DURHAM.

Sheet 34 N.W. of Ordnance Map. Lat. 54° 43′ 13", Long. 1° 42′ 52".

Account of Strata bored through in Wilkins Gill, Bowden Close, on the Willington Estate. 1839.

Approximate surface-level 570 feet above sea (Ordnance datum).

No. 2,445.—BOWDEN CLOSE.—Continued.

| Clay | Fs. | Ft. | In. Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. Brought forward 3 3 7 26 3 8 |
|-------------------|------|--------|-----------------|-----|-----|--|
| Sand | | 5 | 9 | | | Ballarat Seam— |
| CHI 1 | . 5 | 1 | 1 | | | COAL 0 1 8 |
| | | | — 9 | 1 | 10 | 3 5 3 |
| Grey metal | . 4 | 0 | 5 | | | Grey thill 0 1 4 |
| Black metal | . 1 | 3 | 9 | | | Grey and white post 1 4 1 |
| Grey metal | | 0 | 4 | | | Blue metal 0 1 0 |
| Grey post girdles | | 2 | 9 | | | Five-Quarter Seam- |
| Grey metal stone | | 5 | 6 | | | COAL, strong 0 2 4 |
| Grey metal | . 0 | 3 | 9 | | _ | · · · · · · · · · · · · · · · · · · · |
| Harvey Seam— | | | _ | | | Soft grey thill 0 1 0 |
| COAL, foul | . 0 | 3 | | | - | White post, set away |
| G . (1.3) | | | 10 | 2 | 1 | the water at $10\frac{1}{2}$ feet 8 5 10 |
| Grey thill | | 1 | 0 | | | feet |
| Grey metal stone | | 2 0 | 6 | | | Blue metal 0 1 2 |
| COAL | . 0 | U | $\frac{6}{-}$ 2 | 4 | 0 | COAL, good 0 2 2 |
| Grey metal stone | - '2 | 9 | | - 4 | U | 9 4 2 |
| Yard Scam— | . ,, | ., | 1.1 | | | Grey metal stone 3 1 0 |
| Ft. Ir | | | | | | Strong white post 1 2 1 |
| | 6 | | | | | Whin girdle 0 2 0 |
| Band 0 | | | | | | White post 2 3 5 |
| | Ô | | | | | Grey metal stone 0 3 7 |
| | - 0 | 3 | 10 | | | Main Coal or Brock- |
| | | | 4 | 1 | 9 | well Seam— |
| Dark metal | . 0 | 3 | 3 | | | COAL 0 3 10 |
| Grey metal stone | . 2 | 1 | 0 | | | 8 3 11 |
| Dark metal | | 5 | 4 | | | Dark grey thill, into 0 1 0 |
| | | | | | _ | |
| Carried forwar | d 3 | 3 | 7 26 | 3 | 8 | Total 51 2 9 |
| | | | | | | |

No. 2,446.—BRADBURY.

TOWNSHIP OF BRADBURY AND THE ISLE, DURHAM.

Sheet 43 of Ordnance Map. Lat. 54° 38′ 20″, Long. 1° 30′ 21″.

Account of Strata bored through at Bradbury, on the West side of the North Eastern Railway, 1,000 yards South of the Station. February, 1874.

Approximate surface-level 263 feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. In. | |
|--|--------------------------------|
| Soil 0 0 8 | Brought forward 27 5 11 |
| Brown elay 0 0 4 | Light brown marl 11 3 6 |
| Brown clay 0 0 4 Blue clay and water 2 0 0 Sand and water 2 3 8 | Hard light limestone, |
| Sand and water 2 3 8 | soft partings and |
| Strong blue elay, | water 3 3 10 |
| stony 10 1 4 | Very hard yellow |
| Soft blue clay 2 0 0 | limestone 2 0 7 |
| stony 10 1 4 Soft blue clay 2 0 0 Soft loamy sand 2 0 0 | Mild yellow limestone |
| Sharp sand and | and hard girdles, |
| water 0 4 0 | with a 4 inches gul- |
| Strong brown clay 3 2 6 | let at 10 feet 4 |
| Loamy sand, with | inches from top 11 3 4 |
| water 0 4 6 | Hard blue limestone 1 2 8 |
| Strong brown clay 3 2 0 | Light grey metal 0 5 8 |
| Yellow limestone 0 0 11 | Grey post 3 1 6 |
| Strong brown clay 0 4 0 | Grey post, with metal |
| 27 5 11 | partings 1 0 6 |
| | F |
| Carried forward 27 5 11 | Carried forward 35 3 7 27 5 11 |

No. 2,446.—BRADBURY.—CONTINUED.

| Brought forward 35 3 7 27 5 11 Hard grey post 0 3 9 Grey metal | forward | 13 | 1°t, | In. | F8. | Ft. | In. |
|--|-----------|----|------|-----|-----|-----|-----|
| Hard grev post 0. 3 9 Grev metal | mired | 10 | · | | | | |
| Hard grey post 0 3 9 Grey metal | mirad | | | _ | O.E | • | U |
| 00 1 4 11 11 | i, mixeu | | | | | | |
| 36 1 4 with post | | 0 | 2 | 2 | | | |
| Red metal ironstone Hard whin | | 0 | 2 | 6 | | | |
| Red metal ironstone balls 2 0 3 with post Hard whin Grey met | al post | | | | | | |
| Dark grey metal 2 2 10 girdles | | 2 | 4 | 5 | | | |
| Grev metal post White post | | 1 | 0 | 1 | | | |
| girdles 0 4 2 Dark grey | y metal | | | | | | |
| Dark grey metal 1 4 0 post gird | les | 2 | 0 | 9 | | | |
| Grey post, mixed Grey post, w | ith metal | | | | | | |
| with whin 1 5 11 partings | | 4 | 4 | 6 | | | |
| Dark grey metal. Grey metal | | 1 | 3 | 9 | | | |
| with post girdles 2 3 0 Millstone g | rit, into | 2 | 0 | 11 | | | |
| with post girdles 2 3 0 Very hard grey post 2 1 6 | | | - | | 28 | 4 | 9 |
| Cominal Francisco 1 12 2 9 64 1 2 | Total | | | | 0.3 | _ | |
| Carried forward 13 3 8 64 1 3 | Total | | | | 00 | | |

No. 2,447.—BRANCEPETH, NORTH. TOWNSHIP OF BRANDON AND BYSHOTTLES, DURHAM.

Sheet 26 of Ordnance Map. Lat. 54° 45′ 38", Long. 1° 36′ 47".

Account of Strata sunk through in the Engineer Shaft, North Brancepeth New Winning, below the Busty Seam.—Continuation of No. 267.

Approximate surface-level 300 feet above sea (Ordnance datum).

| Depth from surface | Fs. | Ft. | In. l | Fs. | Ft. | In. | Brought forward 2 4 4 89 5 1 |
|---------------------|-----|-----|-------|-----|-----|-----|---------------------------------------|
| to Busty Seam | | | 7 | 79 | 2 | 0 | Whin girdle 0 2 7 |
| | | 4 | 9 | | | | Whin girdle 0 2 7 Grey metal and post |
| Post Blue metal | 0 | 3 | 2 | | | | girdles 4 3 2 |
| COAL | 0 | 1 | 2 | | | | Brockwell Seam— |
| | | | 1 | 10 | 3 | 1 | COAL 0 3 2 |
| Seggar-clay | 0 | 3 | 4 | | | | 8 1 3 |
| Grey metal and post | | | | | | | Seggar-clay 0 3 5 |
| girdles | 1 | 2 | 8 | | | | 0 3 5 |
| Dark grey metal | 0 | 4 | 4 | | | | |
| Carried forward | 2 | 4 | 4.8 | 39 | 5 | 1 | Total 98 3 9 |

No. 2,448.—BRANCEPETH.

TOWNSHIP OF BRANDON AND BYSHOTTLES, DURHAM.

Sheet 26 N.E. of Ordnance Map. Lat. 54° 46' 22'', Long. 1° 39' 42''.

Account of Strata sunk through at New Brancepeth Colliery, Messrs. Pease & Partners, No. 3 Pit, 12 feet in diameter.

Approximate surface-level 373 feet above sea (Ordnance datum).

| | Brought forward Grev metal, with | | 1 6 | Ft. In. 0 0 |
|---|-------------------------------------|---|--------|----------------|
| Grey metal 1 0 4 Grey and brown post 5 5 9 | girdles | $\begin{array}{ccc} 2 & 1 \\ 0 & 2 \\ \hline \end{array}$ | 4 9 | 3 9 |
| Carried forward 7 0 1 6 0 | Carried forward | | 15 | 3 9 |

No. 2,448.—BRANCEPETH.—Continued.

| Brought forward Grey metal, with post | Fs. | Fø. | In. | Fs. 15 | Ft. 3 | In. 9 | Brought forward Busty Seam— | | | In. I 0 3 | | | In. 8 |
|---|-----|-----|-----|-----------|----------|----------|---------------------------------|----------|---|--------------|----|---|----------------|
| girdles | | 3 | | | | | Ft. In. | | | | | | |
| CŎAL | 0 | 0 | 4 | 3 | 3 | 4 | COAL 3 0 Band 0 01 | _ | | | | | |
| Grey metal, with post girdles | 3 | 5 | 6 | 5 | U | - | COAL, coarse 0 4 | | 3 | | | 2 | 41 |
| COAL Ft. In. 0 81/2 | | | | | | | Grey metal Dark seggar-clay, | 0 | 0 | 6 | | | - |
| Metal band $0 	 1\frac{1}{2}$ COAL $0 	 10$ | | | | | | | with post girdles | 0 | 4 | 0 | | | |
| COAL 0 10 Band 0 $1\frac{1}{2}$ | | | | | | | Dark metal, with coal | 0 | 1 | 6 | | | ٠. |
| COAL 0 74 | | | | | | | Dark grey metal | 1 | 0 | 0 | | | |
| Black danty | | | | | | | Grey metal stone, | _ | _ | | | | |
| metal 0 4 | | | | | | | with girdles | _ | 5 | | | | |
| COAL 0 4 | | | | | | | Dark metal | _ | 0 | 6 1 | | | |
| | 0 | 3 | 1 | | | _ | COAL | U | 1 | 1 | 6 | Λ | 7 |
| Grey metal | 0 | 4 | 6 | 4 | 2 | 7 | Grey post | 1 | 2 | 0 | Ü | U | • |
| Grey metal Grey post | ŏ | 4 | ő | | | | Metal stone, inclin- | - | , | 0 | | | |
| Grey metal | Ŏ | | 10 | | | | ing to post | 1 | 1 | 0 | | | |
| COAL | 0 | 0 | 4 | | | | Dark metal, with girdles | 0 | 3 | 0 | | | |
| - | | | | 1 | 4 | 8 | Metal stone, inclin- | ٠ | Ü | · | | | |
| Grey metal | 0 | 5 | 5 | | | | ing to post | 3 | 0 | 0 | | | |
| COAL | 0 | 0 | 5 | | | | Grey post | | 5 | 6 | | | |
| · - | | | | 0 | 5 | 10 | | | 2 | 0 | | | |
| Grey metal | n | 1 | 0 | | | | Brockwell Seam- | | | | | | |
| Grey post | ŏ | 4 | | | | | COAL | 0 | 3 | 1 | | | |
| Grey post stone, with | - | _ | _ | | | | | | | | 9 | 4 | 7 |
| post girdles | 3 | 1 | 3 | | | | Dark seggar-clay, | _ | | _ | | | |
| Top Busty Seam— | | | | | | | with post girdles | Ü | 1 | 0 | | | |
| COAL | 0 | 1 | 9 | | | | Strong seggar-clay | | | | | | |
| - | | | | 4 | 2 | 6 | COAL | U | U | ۷٠ | 0 | 5 | 9 |
| Grey metal | n | 0 | 9 | | | | Seggar-clay | <u> </u> | | 10 | U | J | J |
| Grey post | | | | | | | Post girdle and whin | | | 0 | | | |
| Dark metal | ō | | | | | | Tobb girare and with | | | | 0 | 2 | 10 |
| | | | | | | | 1 | | | - | | | |
| Carried forward | 1 | 5 | 0 | 30 | 4 | 8 | Total . | | | 5 | 60 | 2 | $9\frac{1}{2}$ |
| | | | | | | | 1 | | | - | | | |

No. 2,449.—BRANCEPETH, NEW.

TOWNSHIP OF BRANDON AND BYSHOTTLES, DURHAM.

Sheet 26 of Ordnance Map. Lat. 54° 46′ 19", Long. 1° 39′ 24".

Account of Strata sunk through in No. 3 Shaft. Commenced on May 1st, 1893, and finished on October 3rd, 1893. This Shaft is sunk close to the Nos. 1 and 2 Shafts, belonging to Messrs. Cochrane & Company, Limited.

Approximate surface-level 380 feet above sea (Ordnance datum).

| Fe. Ft. In. Fs. Ft. In. | Brought forward 4 1 6 Strong brown clay and stones 1 1 6 Strong loam and stones 1 0 0 |
|-------------------------|---|
| Carried forward 4 1 6 | Carried forward 6 3 0 |

No. 2,449.—BRANCEPETH, NEW.—CONTINUED.

| Brought forward | | | | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. I Brought forward 41 1 |
|-----------------------|----------|---|---------------|-----|-----|-----|---|
| Strong clay and | | | | | | | Blue metal, with |
| stones | 2 | 0 | 6 | | | | iron girdles 1 1 2 |
| Clay, with sand and | | | | | | | COAL 0 0 6 |
| pebbles | 3 | 3 | 6 | | | | 1 1 |
| | | _ | | 12 | 1 | 0 | Grey metal, with |
| Soft leafy post | | 3 | 0 | | | | iron girdles 3 2 1 |
| Grey leafy post | 3 | 3 | 4 | | | | Top Busty Seam— |
| COAL | 0 | 0 | 4 | | | | COAL 0 1 8 |
| | _ | | | 4 | 0 | 8 | 3 3 |
| Fire-clay | 0 | 4 | 4 | | | | Fire-clay 0 0 8 |
| Blue metal, with | | | | | | | Grey post 0 2 10 |
| post girdles | | 3 | 0 | | | | White post 3 0 11 |
| Blue metal | | 3 | 2 | | | | Bottom Busty Seam- |
| Fire-clay | _ | 1 | 4 | | | | COAL 0 3 9 |
| Grey post | | 3 | 7 | | | | 4 2 |
| White post | 2 | 5 | 0 | | | | White post 1 4 0 |
| | 1 | | 10 | | | | Blue metal 0 1 2 |
| White post | | 1 | 9 | | | | White post 4 1 5 |
| Blue metal | 1 | 5 | 4 | | | | Blue metal 1 4 3 |
| Harvey Seam- | _ | _ | | | | | Three-Quarter Seam— |
| COAL | 0 | 2 | | • | | | COAL 0 1 6 |
| | | | | 16 | 0 | 6 | 8 0 |
| Grey metal, with iron | | | | | | | Blue metal 2 5 0 |
| girdles | 2 | 0 | 0 | | | | COAL 0 0 2 |
| Fire-clay, with iron | | | | | | | |
| girdles | | 0 | 0 | | | | Bastard fire-clay 0 3 2 Grey post 0 1 0 |
| COAL | 0 | U | 8 | | | | arcy post iii iii v r |
| 0 | _ | | | 4 | 0 | 8 | Bille methi had poor |
| Grey metal, with | | | | | | | girdles 3 2 5 |
| | 2 0 | 2 | | | | | Brockwell Seam— |
| COAL | U | 4 | 4 | 3 | 0 | 4 | COAL 0 3 0 |
| Dina alam with inon | _ | | | i) | 0 | 4 | |
| Fire-clay, with iron | 0 | 4 | 0 | | | | |
| girdles | 0 | 4 | U | | | | Grey post 1 3 6 Blue metal 0 4 3 |
| Bastard fire-clay, | 1 | | | | | | Blue metal 0 4 3 |
| with iron girdles | 0 | 0 | $\frac{2}{2}$ | | | | |
| GUAL | U | U | ت | 1 | 4 | 4 | |
| | - | | | 1 | | .1 | |
| Carried forward | | | | 41 | 1 | 6 | Total 69 0 |
| Carried for ward | | | | TI | - 1 | U | 10(41, 05 0 |

No. 2,450.—BRANCEPETH, NEW. TOWNSHIP OF BRANDON AND BYSHOTTLES, DURHAM.

Sheet 26 of Ordnance Map. Lat. 54° 46′ 9″, Long. 1° 38′ 25″.

Account of Boring below Brockwell Seam, No. 2 Pit, New Brancepeth Colliery, in Smith's Royalty. Commenced in October, 1896, and finished in November, 1896, by Messrs. Cochrane & Company, Limited.

Approximate surface-level 330 feet above sea (Ordnance datum).

| Brockwell Seam | Fs. | Ft. | In. Fs. Ft. In. | Brought forward 1 1 8 |
|--------------------------|-----|-----|-----------------|-----------------------|
| Seggar-clay Grey post | 0 | 4 | 0 | Post 0 0 8 |
| Grey post | 0 | 2 | 0 | Blue metal 0 3 0 |
| Blue metal | 0 | 1 | 8 | Grey post 0 1 3 |
| | | | | |
| Carried forward | 1 | 1 | 8 | Carried forward 2 0 7 |

No. 2,450.—BRANCEPETH, NEW.—CONTINUED.

| | , | Fs. | Ft. | In. Fs. | Ft. In. | | - | Fs. | Ft. | In.] | Fs. | Ft. | In. |
|-----------------|-----|-----|-----|---------|---------|-----------------|------|-----|----------|-------|-----|-----|-----|
| Brought forwa | ard | 2 | 0 | 7 | | Brought forv | vard | 8 | 4 | 8 | | | |
| | | | | 0 | | White post | | 0 | 0 | 8 | | | ~ |
| Seggar-clay | | 0 | 5 | 0 | | Dark blue metal | | 0 | 3 | 10 | | | |
| Blue metal | | 0 | 1 | 0 | | Victoria Seam- | | | | | | | |
| White post | | 0 | 0 | 6 | | COAL | | 0 | 0 | 3 | | | |
| Blue metal | | | | 0 | | | | | | | 9 | 3 | 5 |
| Post | | 0 | 3 | 6 | | Blue metal | | | 3 | | | | |
| Dark blue metal | | 1 | 4 | 0 | | Post | | 0 | 2 | 3 | | | |
| Grey post | | 0 | 1 | 0 | | Grey post | | 0 | | | | | 1 |
| | | 0 | 1 | 6 | | Blue metal | | 0 | 1 | 3 | | | |
| Post | | 1 | 0 | 3 | | Post i | | 1 | 2 | 6 | | | |
| Grey post | | 0 | 3 | 6 | | White post | | 0 | 3 | 6 | | | |
| Seggar-clay | | 0 | 0 | 10 | | - | | | | _ | 3 | 3 | 9 |
| Carried forwa | ard | 8 | 4 | 8 | | г | otal | | | | 13 | 1 | .2 |

No. 2,451.—BRANCEPETH, NEW.

TOWNSHIP OF BROOM, DURHAM.

Sheet 26 of Ordnance Map. Lat. 54° 46′ 50″, Long. 1° 37′ 59″.

Account of Strata passed through in a Staple sunk below the Brockwell Seam, New Brancepeth Colliery, near Broom Hall, by Messrs. Cochrane & Company, Limited.

Approximate surface-level 450 feet above sea (Ordnance datum).

| Brockwell Seam— | s. Ft | . In. | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. Brought forward 0 0 6 4 3 01 |
|------------------------|-------|-------|-----|-----|----------------|--|
| Ft. In. | | | | | | Blue metal 0 0 9 |
| COAL 0 8 | | | | | | Whin 0 0 3 |
| Band $0 3\frac{1}{2}$ | | | | | | Blue and iron girdles 1 4 6 |
| COAL 2 2 | | | | | | Strong grey post 0 1 0 |
| (|) 3 | 1 | 1 | | | |
| (| , , | 1, | 0 | 3 | 1 : | |
| Communications 6 | | | U | J | $1\frac{1}{2}$ | |
| Seggar-clay (| | | | | | White post 0 1 4 |
| Post 0 | | | | | | Dark blue metal 0 1 8. |
| Blue metal 0 |) 1 | | | | | Strong post 0 1 6 |
| Post 0 | 0 | | | | | Seggar-elay 1 0 10 |
| Blue metal 0 | 0 | | | | | Grey post 0 1 0 |
| Post 0 |) 1 | | | | | Blue metal 0 0 5 |
| Blue metal 0 | 2 | 6 | | | | Grey post 0 2 0 |
| Post 0 |) 1 | 0 | | | | Blue and iron girdles 0 0 6 |
| Blue metal 0 | 1 | 6 | | | | Seggar-clay 0 2 6 |
| Post 0 | 0 | 10 | | | | Dark blue metal 0 0 9 |
| Mixture post and | | | | | | Victoria Seam— |
| metal 1 | . 0 | 6 | | | | COAL 0 1 4 |
| White post 0 | | | | | | - 6 2 1 |
| 101 - / 1 | | | | | | |
| Blue metal 0 | o | · | 3 | = | 11 | Mild seggar-clay 0 0 4 |
| Paned funther in | | | о | Ð | 11 | Strong blue metal 0 1 6 |
| Bored further in | | | | | | 0 1 10 |
| September, 1896:— | | | | | | |
| Post 0 | 0 | 6 | | | | |
| G : 1 : 1 : | | | _ | _ | | m 13 |
| Carried forward 0 | 0 | 6 | 4 | 3 | $0\frac{1}{2}$ | Total 11 0 111 |
| | | | | | | |

${\bf No.~2,452.--BRANDON.}$ township of brandon and byshottles, durham.

Sheet 26 of Ordnance Map. Lat. 54° 45′ 44", Long. 1° 39′ 12".

Account of Strata sunk through in Appleby Pit, Brandon Colliery, and a hole bored from the bottom of the same.

Approximate surface-level 520 feet above sea (Ordnance datum).

| Walling Fs. Ft. In. Fs. F | t. In. | Brought forward | | | In. Fs. 3 21 | | In. 8 |
|-------------------------------|--------|---------------------------------|-----|----|-----------------|---|----------|
| Freestone 4 4 6 | | Strong grey and | | | | | |
| Blue stone 1 2 0 | | brown post, with | | | | | |
| Low Main Seam- | | partings | 1 | 5 | 4 | | |
| COAL 0 2 5 | | Scamy post | ō | | | | |
| 8 1 | 61 | | ŏ | | | | |
| Thill stone and grey | . 01 | | ٠ | | | | |
| | | | | | 11 | 1 | 1 |
| | | Thill | 0 | 0 | 6 | | |
| | | Grey metal | _ | 1 | 9 | | |
| Grey metal 1 0 8 | | Post girdles | 0 | | 3 | | |
| Blue metal 0 5 9 | | Strong grey metal | | - | - | | |
| Brass Thill Seam- | | A | 2 | 0 | 6 | | |
| COAL 0 1 11 | | Grey metal, with | _ | | U | | |
| | 2 6 | | 4) | 5 | 5 | | |
| Thill stone and grey | | ironstone girdles Dark metal | | 5 | _ | | |
| metal 1 1 8 | | | U | 3 | O | | |
| Post 0 2 10 | | Grey metal stone, | 0 | ., | 0 | | |
| Blue stone 2 1 11 | | with post girdles | 0 | .5 | 0 | | |
| Post 0 2 10 | | White post, with | ~ | | i. | | |
| Blue stone 2 3 51 | | whin girdles | 7 | 4 | 8 | | |
| Post 0 1 8 | | | 0 | | | | |
| Grey metal 0 1 4 | | Dark metal | 0 | 0 | 11 | | |
| Hulton Seam- | | Harvey Seam- | | | | | |
| COAL 0 2 11 | | COAL | 0 | 1 | $3\frac{1}{2}$ | | |
| | 74 | | | | — 15 | 0 | 44 |
| | - 2 | gr1, 211 | ^ | | 01 | | • |
| 21 | 4 8 | | U | v | $2\frac{1}{2}$ | | |
| Bored further by Mr. | | Grey metal, with | | - | | | |
| R. R. Maddison: | | post girdles | 2 | | | | |
| Thill 0 1 0 | | COAL, coarse | U | 0 | | | |
| Strong gray noet | | | | | _ 2 | 5 | 111 |
| Strong grey post, | | Grey metal and | | | | | - |
| with metal part- | | | 0 | E | G | | |
| ings 1 3 6 | 100 | Grey and white | | J | U | | |
| Strong grey metal stone 1 2 6 | | | | | 1 | | |
| | | post, with partings | T | 4 | T | | |
| Dark metal, scared | | COAL, foul and | 0 | 0 | 4 | | |
| with coal and | | brassy | 0 | 0 | | | |
| strong ironstone | | | _ | | 2 | 3 | 11 |
| girdles 1 5 0 | | Grey metal | . 0 | 2 | 6 | | |
| Strong grey metal | | | ő | | | | |
| stone, with post | | Grey post , | • | 0 | | | |
| girdles and water | | | | | 1 | 1 | 6 |
| at 8 fathoms .:. 4 0 3 | | | | | | | |
| | | | | | | | |
| Carried forward 9 0 3 21 | 4 8 | Total | | | 54 | 5 | 6 |
| 6 | | 1 | | | | | |

No. 2,453.—BRINKBURN. TOWNSHIP OF BRINKBURN, NORTHUMBERLAND.

Sheet 45 of Ordnance Map. Lat. , Long.

General Section of the Strata sunk through in the Brinkburn and Long Framlington Collieries.

Approximate surface-level feet above sea (Ordnance datum).

No. 2,453.—BRINKBURN.—CONTINUED.

| Freat or Ten Yards | s. I | rt. In | . Fs. | Ft. | Iu. | Brought forward 0 | Ft. | In. | Fs. | Ft. | In |
|------------------------------|-------|--------|-------|-----|------|---|-----|-----|-----|-----|----|
| Limestone | | 4 (| | | | Freestone, 11 fathoms thick in Framling- | - | Ĭ | 00 | - | |
| Blue metal & Kiln Coal Seam— | | | | | | ton 16 Blue metal, with | 0 | 0 | | | |
| COAL 1 6 to 1 8 | | | | | | two bands of iron nodules 5 | 0 | 0 | | | |
| Band 0 3 to 0 8 | | | | | | Six Yards Limestone 3 | | Õ | | | |
| COAL 0 10 to 0 10 | | | | | | COAL 0 | 0 | 3 | | | |
| (|) | 3 2 | 2 | | | | | | 24 | 4 | |
| - | | | - 13 | 1 | 2 | | | 0 | | | |
| reestone 8 Blue metal 10 | | 0 (| | | | Limestone 0 Metal, 5 feet of this | | | | | |
| light Yards Lime- | | | | | | is a good fire-clay 3 | | 0 | | | |
| stone 4 COAL, good 0 | | 0 0 | | | | Hard red sandstone 0 Freestone, with metal | | U | | | |
| — — — | , | | - 22 | 0 | 8 | bands 3 Main Seam— | 0 | 0 | | | |
| ire-elay, makes good | | | | | | COAL 0 | 2 | 8 | | | |
| bricks (| 0 | 4 (|) | | | | | — | 9 | 1 | - |
| | | | 35 | 1 | | Total | | | | | |

No. 2,454.—BROOMHILL.

TOWNSHIP OF EAST CHEVINGTON, NORTHUMBERLAND.

Sheet 55 of Ordnance Map. Lat. 55° 16′ 31″, Long. 1° 35′ 57″.

Account of Strata bored through from the Surface 600 yards South of Whitefield Furmhouse, on the East side of the Main Road leading to Widdrington, . November, 1901, hole stopped on March 4th, 1902.

Approximate surface-level 69 feet above sea (Ordnance datum).

| | Fs. | Ft. | In. Fs. Ft. In. | | Fs. | Ft. | In. | Fs | Ft. | In. |
|---|-----|-----|-----------------|----------------------|-----|-----|-----|----|-----|-----|
| Clay | 2 | 2 | 3 | Brought forward | 22 | 1 | 6 | | | |
| Sand, with water | 0 | 0 | 9 | Loose metals | 0 | 1 | 6 | | | |
| Clav | 0 | -3 | 3 | | | | | 22 | 3 | 0 |
| Sand | 0 | - 1 | 3 | Soft grey and blue | | | | | | |
| Sand and clav | 0 | 4 | 6 | metal | 0 | 4 | 6 | | | |
| Clay and stones | 4 | -3 | 0 | Brown sandstone | 0 | 4 | 0 | | | |
| Clay and stones Soft clay Clay and stones | 1 | -3 | 0 | Loose brown sand- | | | | | | |
| Clay and stones | 4 | 0 | 0 | stone | 0 | 1 | 9 | | | |
| Soft sand | 0 | 2 | 6 | Brown sandstone, | | | | | | |
| Clay and boulders | | | | hard | 0 | 0 | 6 | | | |
| Soft sand | 1 | 0 | 0 | Brown sandstone, | | | | | | |
| Soft sandy clay | | | | softer | 0 | 1 | 6 | | | |
| Clay and stones | 2 | 1 | 0 | COAL | | | | | | |
| Extra hard boulder | 0 | 0 | 6 | | | | | 2 | 1 | 0 |
| Soft sand | | | | Soft fire-clay | 0 | 0 | 8 | - | _ | • |
| Sandy clay and | | - | | Grey metal and sand- | - | - | - | | | |
| stones | 0 | 2 | 6 | stone | 1 | 0 | 9 | | | |
| Clay and stones | 1 | 1 | 6 | Grey metal and sand- | _ | • | • | | | |
| Sandy clay | î | 1 | 6 | stone, hard | Λ | 2 | ٥ | | | |
| Sandy ciny | _ | | | Stone, nara | | _ | | | | |
| Carried forward | 22 | 1 | 6 | Carried forward | 1 | 3 | 5 | 24 | 4 | o |

No. 2,454.—BROOMHILL.—CONTINUED.

| Brought forward Grey metal and fire- | | | In. 1 | | Ft. | | Brought forward 15 0 10 38 1 3 Grey and blue metal 0 1 9 |
|---|----|----------|-------|----|-----|-----|---|
| clay | 0 | 5 | 9 | | | | Ft. In. |
| Hard sandstone | 0 | 1 | 6 | | | | COAL, soft 0 5 |
| Fire-clay and blue | _ | _ | _ | | | | Coaly blue |
| metal | 0 | 4 | 3 | | | | - metal 0 3 |
| Dark blue metal | 0 | 0 | 4 | | | | COAL 1 1 |
| Ft. In. | | • | - | | | | Coaly blue |
| COAL, cannel 0 5 | | | | | | | metal 0 5 |
| COAL 1 1 | | | | | | | COAL, soft 0 3 |
| <u>1 1</u> | 0 | 1 | 6 | | | | Dark blue |
| | | _ | | 3 | 4 | 9 | metal 0 2 |
| Pino alaw | 0 | 2 | 5 | 0 | | | 0041 |
| Fire-clay blue | U | - | J | | | | 0 2 9 |
| | 1 | 0 | 7 | | | | |
| metal | | | | | | | 15 5 |
| irey metal | 0 | 1 | 9 | | | | Fire-clay 0 0 8 |
| andstone | 0 | 2 | 1 | | | | Grey metal and sand- |
| COAL | 0 | 0 | 6 | | | | stone 0 2 10 |
| | | | | 2 | 1 | 4 | Grey and blue metal 0 1 9 |
| Sandstone | 1 | 2 | 4 | | | | Black and blue metal, |
| Soft grey metal | 0 | 1 | 6 | | | | coaly 0 0 8 |
| Sandstone | 1 | 2 | 2 | | | | Grey and blue metal 0 4 2 |
| COAL | 0 | 0 | 4 | | | | COAL 0 1 5 |
| | | | | 3 | U | 4 | 1 5 (|
| Fire-clay | 0 | 1 | 6 | | | | Fire-clay, soft 0 0 6 |
| | 0 | 1 | 8 | | | | Fire-clay and grey |
| Fire-clay and blue | | | | | | | metal 0 3 0 |
| metal | 0 | 4 | 9 | | | | Coaly blue metal 0 0 7 |
| Soft sandstone | Õ | 1 | 0 | | | | COAL, soft 0 0 4 |
| Fire-clay and blue | • | • | ٠ | | | | 0 4 |
| | 0 | 0 | 6 | | | | |
| 2011 | _ | 0 | 7 | | | | |
| COAL | U | U | • | 1 | 4 | U | Grey metal and fire- |
| Dine metal make | | 0 | c | 1 | * | U | elay 0 2 3 |
| Blue metal, coaly | | 0 | 6 | | | | Hard sandstone 0 0 6 |
| Soft fire-clay | | 1 | 9 | | | | Grey metal and sand- |
| Sandstone | 1 | 0 | 0 | | | | stone 1 2 1 |
| Fire-clay and blue | | | | | | | Fire-clay and blue metal 0 1 6 |
| metal | | 2 | 3 | | | | metal 0 1 6 |
| Grey and blue metal | 0 | 4 | 6 | | | | Soft blue metal, coaly 0 0 6 |
| Ft. In. | | | | | | | Fire-clay 0 0 3 |
| COAL 0 11 | | | | | | | COAL 003 |
| Soft blue metal 0 3 | | | | | | | 2 2 |
| COAL 0 4 | | | | | | | Grey and blue metal 0 4 0 |
| Sandstone 0 1 | | | | | | | Grey metal 0 3 3 |
| COAL 0 3 | | | | | | | Soft fire-clay 0 0 9 |
| | 0 | 1 | 10 | | | | Sandstone and grey |
| | | | | 2 | 4 | 10 | metal 1 0 6 |
| Fire-elay | 0 | 1 | 3 | | | | Sandstone 1 5 6 |
| Grey and blue metal | | 0 | 6 | | | | Grey and blue metal 0 3 4 |
| Sandstone | | 0 | 9 | | | | Ft. In. |
| Soft blue metal | - | 0 | 3 | | | | COAL |
| Sandstone | 3 | 4 | | | | | COAL, soft 0 7 |
| | ő | 1 | 4 | | | | |
| | 0 | 1 | T | | | | Fire-elay and blue metal 0 8 |
| Grey metal and fire- | Δ | 5 | 0 | | | | |
| elay | 0 | 5 | | | | | COAL 0 4 |
| Grey metal | | 5 | 9 | | | | 0 1 11 |
| Fire-clay and grey | | | - | | | | 5 1 |
| metal | 0 | 2 | 6 | | | | Fire-clay 0 0 6 |
| Grey metal and sand- | | _ | _ | | | | Grey metal and fire- |
| stone | 1 | 2 | 9 | | | | clay 0 1 6 |
| | - | | | _ | - | | |
| Carried forward | 15 | 0 | 10 | 38 | 1 | . 3 | Carried forward 0 2 0 64 2 |
| | | | | | | | |

No. 2,454.—BROOMHILL.—Continued.

| Duran what formered | | Ft. | | | Ft. 2 | | Brought forward | | | | Fs. 69 | | |
|-----------------------|---|--------|----|----|-------|---|-----------------------|----------|-------------|----|-----------|---|----|
| Brought forward | U | 2 | U | 04 | 4 | 0 | ~ 1 1 | - | | 72 | Oð | 4 | 1 |
| Grey metal and sand- | 4 | - | | | | | | | 5 3 0 | 7 | | | |
| stone | 1 | 1 | 3 | | | | Grey and blue metal | | 3 | 2 | | | |
| Grey metal and fire- | | | - | | | | Fire-clay | | | 7 | | | |
| elay | 0 | 2 | 9 | | | | COAL | 0 | 0 | 5 | | | |
| Grey and blue metal | 1 | 4 | 0 | | | | | | | | 5 | 0 | 1 |
| Blue metal | 0 | 2 | 6 | | | | Blue metal | 0 | 1 | 8 | | | |
| Ft. In. | | | | | | | Sandstone | 3 | 5 | 9 | | | |
| COAL, soft 0 3 | | | | | | | COAL, soft | 0 | 0 | 6 | | | |
| COAL 0 10 | | | | | | | , | | | | 4 | 1 | 11 |
| - | 0 | 1 | 1 | | | | Grey metal and fire- | | | | | | |
| | | | | 4. | 1 | 7 | | 0 | 1 | 3 | | | |
| Soft coaly blue metal | a | O | 3 | ~ | - | • | Sandstone, varying | ٠ | - | 0 | | | |
| Fire-clay and grey | ٠ | 0 | 0 | | | | hard and soft | G | Λ | 7 | | | |
| | 0 | 0 | 6 | | | | | | | | | | |
| metal | U | U | O | | | | Limestone, extra hard | 7 | 1 | 10 | | | |
| Fire-clay and blue | _ | | | | | | | 7 | | 10 | | | |
| metal | | 2 | | | | | Grey and blue metal | | | 2 | | | |
| COAL | 0 | 0 | 7 | | | | Sandstone | | | 0 | | | |
| | | | | 0 | 4 | 3 | | 0 | | 4 | | | |
| Fire-clay | 0 | 1 | 10 | | | | Sandstone | 0 | | 10 | | | |
| Grey metal and sand- | | | | | | | Sandstone, hard | 0 | 5 | 3 | | | |
| stone | 0 | 5 | 9 | | | | Sandstone, soft | 2 | 0 | 8 | | | |
| Fire-clay, coaly and | | | | | | | | | | | 18 | 5 | 0 |
| soft | 0 | 0 | 9 | | | | | | | | | | |
| | _ | | _ | | | | | | | | | | |
| Carried forward | 1 | 2 | 4 | 69 | 2 | 1 | Total | | | | 97 | 3 | 1 |
| Carried forward | - | _ | | 00 | - | - | Total | • • • • | | = | | | = |
| | | | | | | | | | | | | | |

No. 2,455.—BROOMHILL.

TOWNSHIP OF EAST CHEVINGTON, NORTHUMBERLAND.

Sheet 55 of Ordnance Map. Lat. 55° 16′ 21″, Long. 1° 34′ 50″.

Account of Strata in a Bore-hole put down from the Surface 1,540 yards South-east of Whitefield Farmhouse, on the East side of the Main Road leading to Widdrington, and some 35 chains from the sea. Begun on March 22nd, 1902, and stopped on May 17th, 1902.

Approximate surface-level 20 feet above sea (Ordnance datum).

| - | | | | | | - | | | | Nageror. | - |
|-------------------------|------|--------|------------|---------|----------------------|-----|-----|-----|-----|----------|-----|
| F | s. I | Ft. In | Fs. | Ft. In. | | Fs. | Ft. | In. | Fs. | Ft. | In. |
| Clay and stones | 3 | 2 (|) | | Brought forward | | | | 11 | 3 | 6 |
| Sand | | 4 (|) | | Fire-clay and blue | | | | | | |
| | | | | | metal, soft | Λ | 2 | Q | | | |
| Clay Clay and stones | ~ | 9 4 | , | | | v | | U | | | |
| | | | , | | Grey metal and fire- | ^ | - | _ | | | |
| Sand | | | | | clay | U | | | | | |
| Clay and stones | 0 | 4 (| 3 | | Grey metal, loose | 0 | 0 | 8 | | | |
| Gravel and boulders | 0 | 4 (|) | | Grey and blue metal | 1 | 3 | 6 | | | |
| Clay and boulders | 1 | 1 (| 3 | | Dark blue metal | | | 4 | | | |
| Clay and stones | î | 9 6 | Š | | COAL, cannel | | | | | | |
| Clay and stones | Ţ | 9 (| , | | COAL, cannel | U | U | o | 0 | | |
| Sandstone boulders | | | | | | | | _ | 3 | 0 | 6 |
| Clay and stones | 0 | 2 (| 3 | | Blue metal, coaly | 0 | 0 | 6 | | | |
| _ | | | - 10 | 3 6 | COAL, cannel | 0 | 0 | -3 | | | |
| Blue metal, soft | n | 2 9 |) | | , | | | | 0 | 0 | 9 |
| COAL, loose | | | | | Fire-clay and grey | | | | • | • | |
| 30AL, 100SC | • | | | 3 1 | | | 1 | c | | | |
| ~ ~ ~ ~ ~ ~ | | _ | - | 9 I | metal | | | 6 | | | |
| Soft blue metal | U | 2 | 1 . | | Dark blue metal | 0 | 1 | Э | | | |
| COAL, cannel, loose | 0 | 0 ' | 7 | | COAL | 0 | 4 | 0 | | | |
| _ | | | - 0 | 2 11 | 1 | | | | 1 | 0 | 11 |
| | | | _ | | | | | | | | |
| Carried forward | | | 11 | 3 6 | Carried forward | | | | 15 | 5 | -8 |
| Carried forward | | | 11 | 0 0 | Carried forward | | | | 10 | 9 | 0 |

No. 2,455.—BROOMHILL.—CONTINUED.

| Brought forward | 8. | Ft. | | | 7t. 1 | 8 | Brought forward 1 5 5 33 4 2 |
|----------------------|----|-----|----|----|-------|--------------|-----------------------------------|
| | | | | | | | |
| Fire-clay | 0 | 1 | 8 | | 0 | | Sandstone 0 3 9 |
| | U_ | . * | 0 | | | | Fire-clay and blue |
| Grey metal and fire- | 0 | 2 | 6 | | | - 1 | metal 0 1 8 |
| | U | 2 | U | | | | COAL 0 0 8 |
| Grey metal and sand- | 0 | 4 | 6 | | | - | 2 5 6 |
| 20020 | 0 | 2 | 2 | | | | Dine alaw 0 1 9 |
| Dundovone, man | U | ~ | 2 | | | | Grey metal and sand- |
| Fire-clay and blue | 0 | 9 | 10 | | | | stone 0 3 6 |
| | 0 | 4 | 0 | | | | Sandstone 3 2 6 |
| arej men in | U | 4 | U | | | 1 | COAL 0 0 4 |
| Grey metal and fire- | ^ | 2 | 10 | | | | 4 2 0 |
| | 0 | ., | 10 | | | | |
| Grey metal and sand- | ^ | ^ | 10 | | | } | metal 0 2 0 |
| | 0 | U | 10 | | | | Grey metal and sand- |
| Grey metal and sand- | • | ^ | 4 | | | - 1 | 0 5 10 |
| stone | 1 | _ | 4 | | | - 1 | |
| Fire-clay, soft | 0 | 1 | 11 | | | | Fire-clay and grey metal 3 1 2 |
| Ft. In. | | | | | | | Grey metal and sand- |
| COAL 0 9 | | | | | | 1 | |
| COAL, cannel 0 11 | | | | | | - 1 | 71 4 1 0 0 6 |
| Soft blue metal 0 4 | | | | | | | |
| COAL 1 4 | ^ | 2 | | | | | COAL 0 0 9 8 1 5 |
| | 0 | 3 | 4 | | 9 | 1 | |
| TV:1 | ^ | _ | _ | 5 | 0 | \mathbf{n} | |
| Fire-clay | 0 | 0 | 9 | | | | |
| Grey metal and fire- | ^ | 9 | 0 | | | | |
| clay | 0 | 2 | 2 | | | | 0 14 0 7 4 |
| Grey metal : | 1 | 3 | 8 | | | - 1 | |
| Fire-clay | 0 | 0 | 7 | | | | |
| COAL | 0 | 1 | 2 | 2 | 2 | | |
| Titue alam | _ | | _ | 2 | 2 | 4 | |
| Fire-clay | 0 | 1 | 0 | | | | Grey metal and fire- |
| Sandstone and grey | | ^ | 0 | | | | clay 0 1 4 |
| metal | 1 | 0 | 3 | | | | Grey metal and sand- |
| Sandstone, hard | 0 | 2 | 10 | | | | stone 0 4 2 |
| Grey metal and fire- | | | 10 | | | | Sandstone 6 0 6 |
| clay | 1 | | 10 | | | | COAL 003 |
| Grey and blue metal | 1 | 0 | 0 | | | | 7 0 |
| Light coloured fire- | | _ | | | | | Sandstone 0 0 6 |
| clay | 1 | 0 | 9 | | | | Fire-clay 0 0 3 |
| Grey metal | Z | 1 | 9 | | | | Sandstone 0 3 3 |
| Grey metal and fire- | | | | | | | COAL 0 0 4 |
| clay | 1 | 2 | 6 | | | | 0 4 |
| Sandstone | 0 | | 9 | | | | Sandstone, hard 0 0 10 |
| Blue metal | 0 | | 6 | | | | Fire-clay 0 1 7 |
| COAL | 0 | 1 | 1 | | | | Fire-clay and blue |
| 171 1 | _ | _ | _ | 9 | 4 | 3 | metal 0 4 4 |
| Fire-clay | 0 | 0 | 2 | | | | Grey metal and sand- |
| Grey metal and sand- | , | - | | | | | stone 0 5 6 |
| stone | 1 | 5 | 3 | | | | 2 0 |
| Carried forward | 1 | 5 | × | 33 | 4 | 2 | Total 73 0 |
| Carried forward | 1 | . 0 | J | 00 | | 2 | Total 73 0 |

No. 2,456.—BROOMHILL. TOWNSHIP OF EAST CHEVINGTON, NORTHUMBERLAND.

Sheet 46 of Ordnance Map. Lat. 55° 17' 12", Long. 1° 37' 43".

Account of Strata passed through in No. 4 Bore-hole, 440 yards. West by South of Woodside Farm Buildings.

Approximate surface-level 75 feet above sea (Ordnance datum).

No. 2,456.—BROOMHILL.—CONTINUED.

| Clay and stones | Fs. 6 | Ft. | | Fs. | Ft. | In. | Brought forward | Fs. 0 | Ft. 4 | In. Fs. 3 23 | | In. 1 |
|-------------------------------------|----------|------------------------------------|----------------|-----|----------|------|--|------------------------------------|---------------|-----------------|-----|----------|
| Soft sand Clay and stones | $0 \\ 1$ | 4 5 | 0 | | | | Grey metal Grey metal and sand- | 0 | 4 | 3 | ~ | |
| Hard boulders Sand and clay | 0 | $\frac{1}{2}$ | 0 | | | | stone Grey metal and hard | 1 | 4 | 0 | | |
| Sand and boulders | 0 | 2 | 10 | | | | sandstone | 1 | 1 | 0 | | |
| Sand and elay Clay and stones | 0 | 3 3 | 6 6 | | | | Hard sandstone Grey metal and sand- | 0 | 5 | 7 | | b |
| Clay and loose metal | s 0 | _3 | 0 | 13 | 0 | 10 | Grey metal | 0 | 5 3 | 4 6 | | |
| Grey and blue metal Dark blue metal | | 4 0 | 5 2 | | | | Grey metal and fire- | 0 | 1 | 7 | | |
| COAL, good | | 2 | $\tilde{2}$ | 1 | 0 | 0 | Grey metal | 1 | 1 | 2 | | |
| Fire-clay | | 2 | 0 | 1 | 0 | 9 | Grey metal and sand- stone | | 4 | 6 | | |
| Grey and blue metal Sandstone, hard | | $\frac{3}{2}$ | $\frac{0}{4}$ | | | | Sandstone Soft blue metal, coaly | $\frac{1}{0}$ | 5 0 | $\frac{7}{3}$ | | |
| Fire-clay and blue metal | 0 | 3 | 4 | | | | Grey metal and sand- stone | 1 | 0 | 0 | | |
| Blue metal, coaly COAL, good | | 1 1 | 10 8 | | | | Blue metal Ft. In. | 0 | 0 | 1 | | |
| | _ | | $\frac{3}{3}$ | 2 | 2 | 2 | COAL 1 9 Fire-clay and | | | | | |
| Blue metal, coaly Fire-clay | | 0 | 3 | | | | blue metal 0 3 | | | | | |
| Sandstone Grey metal and fire- | 0 | 0 | 9 | | | | COAL, soft 0 3 | | | | | |
| clay | 0 | $egin{array}{c} 0 \ 1 \end{array}$ | $\frac{11}{2}$ | | | | | 0 | 3 | 9 — 12 | 2 | 10 |
| Soft fire-clay | 0 | 2 | 6 | 0 | 3 | 4 | Fire-clay Grey metal and sand- | 0 | 0 | 7 | | |
| Fire-clay and blue metal | | 1 | 0 | | | | stone Sandstone | 0 | 5 3 | 7 6 · | | |
| Sandstone | 2 | 2 | 4 | | | | Grey metal and fire- | 0 | 1 | 2 | | 1 |
| COAL 0 10 | | | | | | | Blue metal, coaly | 0 | 0 | 4 | | |
| Fire-elay 1 2 COAL 0 4 | | _ | | | | | | 0 | 1 | $\frac{5}{2}$ | 0 | 7 |
| | 0 | 2 | 4 | 3 | 2 | $_2$ | Sandstone | $_{1}^{0}$ | 0 5 | 7 6 | | |
| Fire-clay Grey metal and sand- | 0 | 5 | 3 | | | | Limestone Sandstone | $egin{array}{c} 0 \ 4 \end{array}$ | 2 5 | $\frac{1}{7}$ | | |
| stone Grey metal and hard | 0 | 3 | 8 | | | | COAL | 0 | 0 | 4 - 7 | 2 | 1 |
| sandstone Fire-clay and blue | 0 | 2 | 6 | | | | Sandstone Fire-clay | 0 | 0 | 2 | | |
| metal Dark blue metal | 0 | $_0^2$ | 6 | | | | COAL | ŏ | ŏ | 6 0 | 0 | 9 |
| Ft. In. | | U | ,, | | | | Grey metal and sand- | 1 | | - | v | 3 |
| Fire-clay 0 2 | | | | | | | stone Fire-clay and grey | 1 | 2 | 6 | | |
| COAL 1 1 | 0 | 2 | 9 | | | | metal COAL | 0 | $\frac{1}{0}$ | 9 6 | | |
| Coaly blue metal | 0 | 0 | 5 | 2 | 4 | 11 | Blue metal, coaly | 0 | 0 | $\frac{-}{8}$ 1 | 4 | 9 |
| Fire-clay and blue metal | 0 | 1 | 2 | | | | COAL | 0 | Ŏ | 2 - 0 | 0 : | 10 |
| COAL, soft | ŏ | ô | 4 | 0 | 1 | 11 | Grey metal, coaly | 0 | 0 | 5 | 0 . | |
| Fire-clay | 0 | 4 | 3 | U | 1 | 11 | Grey metal and fire- clay | 1 | 1 | 6 | | |
| Carried forward | 0 | 4 | 3 : | 23 | 4 | 1 | Carried forward | 1 | 1 | 11 47 | 3 : | 11 |
| | | | | | | | | | | | | |

No. 2,456.—BROOMHILL.—CONTINUED.

| | Fs | Ft. | In. F | s. M | t. In | | Fe | Ft. | In | E/a | Rt | In |
|--|----|-----|-------|------|-------|------------------------|----|-----|----|-----|----|----|
| Brought forward | 1 | 1 | 11 4 | 7 | 3 11 | Brought forward | 8 | 4 | 3 | 47 | 3 | 11 |
| Grev metal | 1 | 5 | 0 | | | COAL | 0 | 0 | 8 | | | |
| Grey metal Limestone | 0 | 0 | 9 | | | | | | | 8 | 4 | 11 |
| Grey metal, cal- | | | | | | Blue metal | 0 | 0 | 4 | | | |
| careous | 0 | .3 | 8 | | | Grey and blue metal | 1 | 3 | 3 | | | |
| Grey and blue metal | 1 | 5 | 10 | | | Blue metal, coaly | 0 | 0 | 4 | | | |
| Hard grey metal | 0 | 0 | 3 | | | Sandstone | 0 | 0 | 6 | | | |
| Hard grey metal Grey and blue metal | 0 | 2 | 6 | | | Grey metal and sand- | | | | | | |
| Grey metal, cal- | | | | | | stone ' | 0 | 2 | 5 | | | |
| careous | 0 | 3 | 9 | | 0 | Hard grey metal and | | | | | | |
| careous Limestone | 0 | 1 | 0 | | | sandstone | 1 | 0 | 0 | | | |
| Grey metal and sand- | | | | | | Sandstone | 2 | 0 | 7 | | | |
| stone | 1 | 3 | 4 | | | Sandstone Limestone | 0 | 1 | 9 | | | |
| Dark blue metal | 0 | 0 | 3 | | | 1 | | | | 5 | 3 | 2 |
| | | _ | | | | 1 | | | | | | |
| Carried forward | 8 | 4 | 3 4 | 7 3 | 3 11 | Total | | | | 62 | 0 | 0 |
| | | | | | | l . | | | = | | | |

No. 2,457.—BROOMHILL.

TOWNSHIP OF HADSTON, NORTHUMBERLAND.

Sheet 46 of Ordnance Map. Lat. 55° 17' 22", Long. 1° 34' 18".

Account of Strata passed through in a Bore-hole 250 yards East of Linkhouse Farmhouse.

Approximate surface-level 33 feet above sea (Ordnance datum).

| Sand | | Fs. 0 | | | | Ft. | In. | Brought forward | | | In. | | | |
|---------------------|-------|----------|---|----|----|-----|-----|----------------------|---|---|---------------|----|---|---|
| Clay and stones . | | | | | | | | Little Wonder Seam- | | | | | | |
| | | | _ | | 7 | 1 | 9 | COAL | 0 | 1 | 7 | | | |
| Grey metal and sand | ı-E | | | | | | | | | | | 3 | 4 | 7 |
| | | 1 | 0 | 7 | | | | Fire-clay | 0 | 1 | 2 | | | |
| Blue metal | | 0 | 1 | 3 | | | | Fire-clay and balls | 0 | 5 | $\frac{2}{2}$ | | | |
| GOAL | | 0 | 0 | 4 | | | | Grey metal | | 5 | 9 | | | |
| | | | | | 1 | 2 | 2 | | | | | | | |
| Fire-clay : | | 0 | 3 | 0 | | | | | 0 | 3 | G | | | |
| Grey metal and sand | | | | | | | | Grey metal and sand- | | | | | | |
| stone | | 0 | 1 | 3 | | | | | 1 | 1 | 6 | | | |
| Grey metal | | 1 | 1 | 9 | | | | Grey metal | | | | | | |
| Grey metal and sand | | | | | | | | Blue metal and iron- | | | - | | | |
| | | 0 | 4 | 10 | | | | stone | 0 | 1 | 3 | | | |
| | | 9 | | | | | | Grey metal and sand- | • | _ | | | | |
| | | | 0 | 3 | | | | | 0 | 5 | 6 | | | |
| Queen Seam- | • • • | • | • | - | | | | Blue metal, coaly | ñ | ñ | 3 | | | |
| | | 0 | 3 | 0 | | | | Ft. In. | | · | " | | | |
| | • • • | | _ | | 12 | 2 | 1 | | | | | | | |
| Fire-clay | | 0 | n | | | - | • | Soft blue metal 0 2 | | | | | | |
| Grey metal and fir | | ٠ | ۰ | | | | | COAL 0 10 | | | | | | |
| 1" | | O | 3 | 6 | | | | Bluemetal, coaly 0 5 | | | | | | |
| Grey metal and sand | 4- | ٠ | | U | | | | COAL 0 10 | | | | | | |
| | | 0 | 3 | 3 | | | _ | 30AL 0 10 | 0 | 2 | 5 | | | |
| | | 1 | | 10 | | | | | U | 2 | J | 6 | 4 | 6 |
| Grey and blue met | | | | 6 | | | | Fire-elay | 0 | 1 | _ | U | 4 | U |
| Blue metal and bal | | 0 | | 3 | | | | Fire-clay and iron- | J | 1 | U | | | |
| | 13 | - | 0 | 5 | | | | | 0 | 2 | 6 | | | |
| Dide metal | • • • | U | U | Э | | | | stone balls | U | 4 | O | | | |
| Carried forwar | rd | 3 | 3 | 0 | 21 | 0 | 0 | Carried forward | 0 | 3 | 6 | 31 | 3 | 1 |

No. 2,457.—BROOMHILL.—CONTINUED.

| | In. 6 6 6 6 6 8 4 | | | In 1 | Brought forward 3 2 11 37 5 Grey metal and sandstone 0 4 8 Dark blue metal 0 0 6 Main Coal Seam— COAL 0 4 Sandstone 0 8 COAL 1 0 Grey and blue metal 0 9 COAL 2 3 — 0 5 0 Fire-clay 0 1 3 |
|-----------------------|-----------------------|---|-----|-------------|---|
| 2 1 5 0 2 | 6 6 6 0 8 | | | | Grey metal and sand- stone 0 4 8 Dark blue metal 0 0 6 Main Coal Seam— Ft. In. COAL 0 4 Sandstone 0 8 COAL 1 0 Grey and blue metal 0 9 COAL 2 3 Fire-clay 0 1 3 |
| 5 0 2 | 6 6 0 8 | | | | stone 0 4 8 Dark blue metal 0 0 6 Main Coal Seam— Ft. In. COAL 0 4 Sandstone 0 8 COAL 1 0 Grey and blue metal 0 9 COAL 2 3 Fire-clay 0 5 0 1 3 |
| 5 0 2 | 6 6 0 8 | | | | Dark blue metal 0 0 6 Main Coal Seam— COAL 0 4 Sandstone 0 8 COAL 1 0 Grey and blue metal 0 9 COAL 2 3 Fire-clay 0 1 3 |
| 5 0 2 | 6 0 8 | | | | Main Coal Seam— COAL 0 4 Sandstone 0 8 COAL 1 0 Grey and blue metal 0 9 COAL 2 3 |
| 0 2 | 0 8 | | | | GOAL 0 4 Sandstone 0 8 COAL 1 0 Grey and blue metal 0 9 COAL 2 3 Fire-clay 0 1 3 |
| 0 2 | 0 8 | | | | COAL 0 4 Sandstone 0 8 COAL 1 0 Grey and blue metal 0 9 COAL 2 3 Fire-clay 0 1 3 |
| 2 | 8 | | | | Sandstone 0 8 COAL 1 0 Grey and blue metal 0 9 COAL 2 3 |
| 2 | 8 | | | | COAL 1 0 Grey and blue metal 0 9 COAL 2 3 Fire-clay 0 1 3 |
| | | | | | Grey and blue metal 0 9 COAL 2 3 |
| 0 | 4 | | | | blue metal 0 9 COAL 2 3 0 5 0 5 1 Fire-clay 0 1 3 |
| | | | | | COAL 2 3 0 5 0 Fire-clay 0 1 3 |
| | | | | | Fire-clay 050 0 1 3 |
| | | | | | Fire-clay 0 1 3 |
| | | | | | Fire-clay 0 1 3 |
| | | | | | |
| | | | | | |
| | | | | | Grey metal 0 5 8 |
| | | | | | Grey metal and sand- |
| 4 | 0 | | | | |
| | | 6 | 2 | 0 | Sandstone 1 2 9 |
| 0 | 2 | | - | | stone 0 5 0 Sandstone 1 2 9 Grey and blue metal 1 2 7 Sandstone 0 1 3 |
| U | - | | | | Sandstone 0 1 3 |
| 9 | 0 | | | | 0 0 0 |
| 2 | 0 | | | | |
| o Z | v | | | | 2140 1114 510, 1110111 |
| 5 | Ü | | | | |
| Ī | 2 | | | | Bottom Seam— |
| 5 | | | | | COAL 0 1 2 |
| 1 | 10 | | | | 6 2 1 |
| 2 | 11 | 37 | 5 | 1 | |
| | 5 1 — | 2 9 5 0 5 0 1 2 5 0 1 10 | 5 0 | 5 0 1 10 | 5 0 |

No. 2,458.—BROOMPARK.

TOWNSHIP OF BROOM, DURHAM.

Sheet 26 of Ordnance Map. Lat. 54° 46' 5'', Long. 1° 36' 46''.

Account of Strata sunk through from surface to the Victoria Seam, at Broompark Colliery, near Durham. 1870.

Approximate surface-level 300 feet above sea (Ordnance datum).

| | Fs. | | In. Fs. | Ft. | In. | | | | In. F | | |
|------------------------|----------|---|---------|-----|-----|-------------------|---|---|-------|-----|-----|
| Soil | 0 | 1 | 6 | | | Brought forward | | 1 | | 5 1 | . 8 |
| Yellow clay | 0 | 3 | 6 | | | Blue metal | 0 | 4 | 6 | | |
| Sand | 0 | 3 | 0 | | | Post | 0 | 5 | 0 | | |
| Blue clay, with stones | 2 | 3 | 0 | | | Blue metal | 2 | 2 | 0 | | |
| Clay and blue metal | | 0 | 0 | | | Brass Thill Seam- | | | | | |
| | | | _ 4 | 5 | 0 | COAL | 0 | 1 | 0 | - | |
| Freestone, with metal | 0 | 4 | | • | · | , | | | | 5 1 | 6 |
| Freestone on north | ٠ | _ | v | | | Seggar | 0 | 2 | 9 | | |
| side and metal on | | | | | | COAL | ō | 0 | 4 | | |
| south side of shaft | 2 | Λ | 0 | | | 100/LL | | | _ | 0 3 | 1 |
| Brown freestone | | | | | | Sommer | 0 | 3 | | • | - |
| | | | | | | | ő | | | | |
| Grey post | 1 | 4 | О | | | | Õ | | | | |
| Low Main Seam— | _ | | | | | | | | 4 | | |
| COAL | U | 2 | | _ | _ | COAL | 0 | U | 4 | 1 0 | |
| _ | | | — 10 | 2 | 8 | | | | _ | 1 2 | 0 |
| Seggar | 1 | 1 | 0 | | | Blue metal | 1 | 0 | 9 | | |
| | | | | | _ | | | | | | |
| Carried forward | 1 | 1 | 0 15 | 1 | 8 | Carried forward | 1 | 0 | 9 2 | 2 2 | 3 |
| | | | | | | | | | | | |

No. 2,458.—BROOMPARK.—CONTINUED.

| Daniel fermand | Fs. | Ft. | In. | F8. | Ft. | In. | Fs. Ft. In. Fs. Ft. In |
|---------------------|-----|----------|-----|-----|-----|-----|--------------------------------------|
| Brought forward | | | | 22 | 2 | 3 | Brought forward 1 1 0 63 4 9 |
| Post | - | | | | | | COAL 0 0 5 |
| Grey metal | | 0 | 3 | | | | Black metal 1 0 10 |
| Grey metal and post | | | | | | | Strong grey metal 4 2 0 |
| girdles | | | 0 | | | | Grey post 4 1 6 |
| Post | 2 | 5 | 0 | | | | Busty Seam— |
| Hutton Seam- | | | | | | | COAL 0 4 6 |
| COAL | 0 | 3 | 0 | | | | 11 4 3 |
| | _ | | | 7 | 0 | 9 | Seggar 0 5 0 |
| COAL, splint | 0 | 0 | 6 | | | | |
| Seggar | 1 | 1 | 0 | | | | |
| Grey metal | ī | ō | 3 | | | | |
| COAL | ō | ŏ | 3 | | | | Post 2 2 7 |
| | _ | | | 2 | 2 | 0 | Whin 0 3 0 |
| Grey post and metal | | | | | ت | U | Post 0 5 0 |
| | - | 4 | c | | | | Blue metal 0 3 0 |
| girdles | | 4 | 6 | | | | Black metal 0 1 8 |
| COAL | 0 | 0 | 9 | - | _ | | B Seam— |
| Q., | _ | | - | 1 | .5 | 3 | Ft. In. |
| Grey metal | | | 10 | | | | COAL, cannel 0 4 |
| Post | | 4 | 6 | | | | COAL 1 4 |
| COAL | 0 | 0 | 6 | | | | — 0 1 8 |
| _ | | | _ | 8 | 1 | 10 | 9 0 8 |
| Post | 2 | 0 | 6 | | | | Bastard seggar, good 0 5 8 |
| Bastard whin | 0 | 1 | 6 | | | | |
| Post girdles | 0 | 1 | 6 | | | | |
| | 4 | 1 | 6 | | | | 1 0 0 |
| | 0 | 0 | 1 | | | | Bastard seggar 0 3 11 |
| Post | - 0 | | 10 | | | | Grey metal 0 1 4 |
| Blue metal | | 4 | 0 | | | | Post girdle 0 1 6 |
| Harvey Seam, top | | - | ٠ | | | | Blue metal 0 0 6 |
| section- | | | | | | | COAL 0 0 0} |
| | | | | | | | 1 1 3\frac{1}{3} |
| COAL, slaty 0 7 | | | | | | | 1 |
| COAL, good 1 4 | | | | | | | |
| OUAL,good 1 4 | | 1 | 11 | | | | Hard post 4 3 0 Blue metal 1 2 2½ |
| | 0 | 1 | 11 | 14 | | 10 | Blue metal 1 2 2½ |
| Infanian common | _ | - | | 14 | I | 10 | |
| Inferior seggar | _ | 1 | 0 | | | | Ft. In. |
| rey metal | | 2 | 4 | | | | COAL,good 0 8 |
| Black stone' | 0 | | 11 | | | | Band 0 13 |
| Grey post | | 2 | 0 | | | | COAL, good 1 53 |
| Blue metal | 0 | 2 | 0 | | | | Band 0 0½ |
| COAL | 0 | 0 | 3 | | | | COAL,good 0 10 |
| | | | _ | 1 | 3 | 6 | — 0 3 2 |
| Bastard seggar | 1 | 0 | 7 | | | | $654\frac{1}{2}$ |
| COAL | 0 | 0 | 3 | | | | |
| | | | | 1 | 0 | 10 | Seggar, good 0 1 6 |
| Post | 1 | 4 | 3 | | | | Grey post 1 1 0 |
| Grey metal | | 5 | Ö | | | | Grey metal and post |
| Black stone | _ | 5 | 3 | | | | girdles 1 3 0 |
| Post | _ | ő | 4 | | | | Blue metal 0 2 9 |
| Tarvey Seam, bottom | - | v | - | | | | COAL 003 |
| section, Constan- | | | | | | j | 3 2 6 |
| | | | | | | - 1 | |
| tine or Tilley | | | | | | - 1 | Grey metal 0 1 8 |
| Seam- | _ | | - | | | | Hard post 0 2 2 |
| COAL, good | 0 | 1 | 8 | | | _ | Grey metal and leafy |
| 21 1 4 | _ | _ | | 4 | 4 | 6 | |
| Black stone | 0 | 0 | 6 | | | | Grey metal 0 2 1 |
| Bastard seggar and | | | | | | | Blue metal 0 2 0 |
| post mixed | 1 | 0 | 6 | | | | Grey post 0 3 1 |
| | | | _ | _ | | | |
| Carried forward | 1 | 1 | 0 | 63 | 4 | 9 | Carried forward 2 2 2 97 0 10 |
| | _ | | - | | _ | - 1 | |

No. 2,458.—BROOMPARK.—Continued.

| Fs. Ft. In. Fs. Ft. In | Ft. In. Fs. Ft. In. Fs. Ft. In. |
|---------------------------------|------------------------------------|
| Brought forward 2 2 2 97 0 10 | Brot. forward 0 2 6 5 10 97 0 10 |
| Whin 0 1 7 | Black-band |
| Grey metal and leafy | ironstone 0 2 |
| post 3 1 5 Blue metal 0 4 8 | COAL 0 4 |
| Blue metal 0 4 8 | 0 0 8 |
| Black metal 0 2 0 | |
| Victoria Seam— | Bastard seggar 0 1 0 Post 0 2 0 |
| Ft. In. | Post 0 2 0 |
| COAL 0 2 | 0 3 0 |
| Car. forward 0 2 6 5 10 97 0 10 | Total 104 4 4 |

No. 2,459.—BROWNRIDGE.

TOWNSHIP OF LOWICK, NORTHUMBERLAND.

Sheet 11 of Ordnance Map. Lat. , Long.

Account of Strata bored through in a field named the Intake, West of Brownrigg House, and belonging to Mr. J. Jackson, Lowick.

Approximate surface-level

feet above sea (Ordnance datum).

| | Fs | . Ft. | In. | Fs. | Ft. | In. | | Fs. | Ft. | In. | Fs. | Ft. | In. |
|-----------------|-------|-------|-----|-----|-----|-----|-----------------|-----|----------|--------|-----|----------|-----|
| Soil and clay | 0 | 4 | 6 | | | | Brought forward | 3 | 2 | 9 | 5 | 4 | 0 |
| • | | | | 0 | 4 | 6 | Stone, hard | 0 | 4 | 5 | | | |
| Limestone | 0 | 3 | 0 | | | | | 4 | | | | | |
| Tills | 4 | 1 | 6 | | | | Stone, hard | 0 | 1 | 9 | | | |
| COAL | 0 | 1 | 0 | | | | Tills | 0 | 1 | 9 | | | |
| | _ | | | 4 | 5 | 6 | COAL | 0 | 1 | 2 | | | |
| Tills | 2 | 2 | 10 | | | | | | | | 9 | 0 | 1 |
| Freestone, hard | 0 | 4 | 0 | | | | Tills | 0 | 2 | 2 | | | |
| Stone, soft | 0 | 1 | 11 | | | | | | | | 0 | 2 | 2 |
| · | _ | | | | | | | | | | _ | | |
| Carried forw | ard 3 | 2 | 9 | 5 | 4 | 0 | Total | | | | 15 | 0 | 3 |
| | | | | | | | | | | = | _ | _ | |

No. 2,460.—BROWNRIDGE.

TOWNSHIP OF LOWICK, NORTHUMBERLAND.

Sheet 11 of Ordnance Map. Lat.

, Long.

Account of Strata bored through in No. 2 Hole, in the same field, supposed straight rise from the other bore-hole 100 yards, Brownrigg.

Approximate surface-level

feet above sea (Ordnance datum).

| Soil and clay | Fs. | Ft. I | | Ft. | In. | Brough | t fo | rward | | In. 10 | | | |
|----------------------------|--------|-------|-----|-----|-----|------------|------|-------|------|-----------|---|-----|---|
| Freestone | 1 | | - 1 | 0 | 0 | COAL | | | | | 4 | 4 | n |
| Hard stone Milder stone | 2 | 4 1 | 0 | | | Soft metal | | | | | | -10 | Ū |
| Tills | 0 0 | | | | | Freestone | ••• | ••• | | <u> </u> | 0 | 2 | 0 |
| Carried for | ward 4 | 2 1 | 0 1 | 0 | 0 | | | Total | | | 6 | 0 | 0 |

No. 2,461.—BROWNRIDGE.

TOWNSHIP OF LOWICK, NORTHUMBERLAND.

, Long.

Sheet 11 of Ordnance Map.

| Clay and soil | Fs. 2 | Ft. | | Fs. | | In. | feet above sea (Ordnance datum). Fs. Ft. In. Fs. Ft. In Brought forward 2 2 6 2 0 0 |
|---|-----------------------|-------------|------------|-------------|---------------------|----------------|---|
| White freestone Dunfreestone, almosthe colour of clay | t | 4 | - | 2 | 0 | 0 | Freestone |
| Carried forward | 2 | 2 | 6 | 2 | 0 | 0 | Total 10 0 |
| Brownrigg M Coal- | assea oor, seam | l th sid | roi e o | igh f ca | in est r d to | No un be | t. , Long. 1. I Bore-hole, to the North side of Pit on ning across the Moor, to the Lower the Little Howgate Seum. feet above sea (Ordnance datum). |
| Approximate | | 174 | In. | Fs. | Ft. | In. | Ft. In. Fs. Ft. In. Fs. Ft. In. Fs. Ft. In |

No. 2,463.—BROWNRIDGE MOOR. TOWNSHIP OF ETAL, NORTHUMBERLAND.

Sheet 10 of Ordnance Map. Lat. , Long.

Account of Strata passed through in No. 2 Bore-hole, situated on the North side of Pit, Brownrigg Moor.

Approximate surface-level feet above sea (Ordnance datum).

| TIP[/IOAIIII | | | 1100 | • | | ' | ceet above sea (Ordinance datum). |
|----------------------------|-----|----|------|---|-------|-----|---|
| Soil and clay | | 0 | | 6 | | In. | Brought forward 6 5 7 0 4 6 Ft. In. COAL 0 11 |
| Freestone Red freestone | | | | | | | COAL |
| White and red fr | ee- | | | | | | 0 2 10 |
| | | 0 | | | | | Metal 0 0 4 |
| Carried forwa | ard | -6 | 5 | | 4 | -6 | Total 8 1 3 |

No. 2,464.—BROWNRIDGE MOOR.

TOWNSHIP OF ETAL, NORTHUMBERLAND.

Sheet 10 of Ordnance Map. Lat. , Long.

Account of Strata passed through in Bore-hole marked No. 3, but probably No. 4, against the North side of Brownrigg Moor.

Approximate surface-level feet above sea (Ordnance datum).

| | | | | | | | | | | | | | _ | | | |
|--------------------|-------|---|---|-----|-----|-----|-----|------------|-------|-------|-----|-----|-----|-----|-----|----------|
| Call and alon | | | | In. | Fs. | Ft. | In. | Brough | t fo | rward | Fs. | Ft. | In. | Fs. | Ft. | In. 9 |
| Soil and clay | ••• | 1 | 4 | | 1 | 2 | 0 | Tills | | | 0 | 2 | 6 | 0 | J | 9 |
| Soft freestone | | 0 | 5 | 10 | 1 | | ٠ | Hard stone | | | | õ | 6 | | | |
| Hard stone | | | ő | | | | | Tills | | | | ĭ | ŏ | | | |
| Freestone | | | 0 | 2 | | | | Freestone | | | 0 | 0 | 7 | | | |
| Very hard stone | | 0 | 0 | 11 | | | | Tills | | | 0 | 2 | 2 | | | |
| Freestone | | - | 2 | - | | | | COAL | | | 0 | 0 | 5 | | | |
| Red freestone | | | 1 | | | | | Tills | | | 1 | 0 | 2 | | | |
| Very red freestone | э | | | 7 | | | | Freestone | • • • | • • • | 0 | 0 | 2 | | | _ |
| Metal | | | 1 | | | | | | | | | | | 2 | 1 | 6 |
| COAL | • • • | 0 | 0 | 7 | _ | | _ | | | | | | | | | |
| | | | | | 7 | 3 | 9 | | | | | | | | | |
| Carried forwa | ırd | | | | 8 | 5 | 9 | | | Total | | | ٠٠. | 11 | 1 | 3 |

No. 2,465.—BROWNRIDGE MOOR.

TOWNSHIP OF ETAL, NORTHUMBERLAND.

Sheet 10 of Ordnance Map. Lat. , Long.

Account of Strata passed through in a Bore-hole on Brownrigg Moor marked on Plan as No. 4 Hole, but probably No. 3.

Approximate surface-level feet above sea (Ordnance datum).

| Soil and clay | | | | Fs. | Ft. | In. | Fs. Ft. In. Fs. Pt. In Brought forward 4 3 5 1 1 6 | |
|---------------------|---|---|----|-----|-----|-----|---|---|
| | | | | 1 | 1 | 6 | Metal 0 2 0 | |
| White freestone | 1 | 4 | 6 | | | | Dark freestone 0 5 8 | |
| Red freestone | 0 | 3 | 6 | | | | Tills 0 3 6 | |
| Metal | 0 | 1 | 6 | | | | COAL 0 1 1 | |
| White and red free- | | | | | | | 6 3 8 | 3 |
| stone | 1 | 2 | 0 | | | | Metal 0 2 0 | |
| White freestone | 0 | 3 | 11 | | | | 0 2 0 | 0 |
| Carried forward | 4 | 3 | 5 | 1 | 1 | 6 | Total 8 1 2 | 2 |

No. 2,466.—BRUSSELTON.

TOWNSHIP OF ST. HELENS AUCKLAND, DURHAM.

Sheet 42 of Ordnance Map. Lat. 54° 37′ 27″, Long. 1° 42′ 0″.

Account of Strata sunk through at the Brusselton Colliery, near West Auckland. Approximate surface-level 376 feet above sea (Ordnance datum).

| | 0 0 | $\frac{1}{4}$ | $\frac{3}{9}$ | | | | Brought forward 3 3 0 Black shale 0 2 11 COAL 0 0 3 | Fs. 1 | Ft. | In. 0 |
|-----------------|--------|---------------|---------------|---|---|---|---|----------|-----|----------|
| Sandstone | 3 | 3 | 0 | 1 | U | U | | 4 | 0 | 2 |
| Carried forward | 3 | 3 | 0 | 1 | 0 | 0 | Carried forward | 5 | 0 | 2 |

No. 2,466.—BRUSSELTON.—CONTINUED.

| The The | | | | | |
|--|--|--------|-------|--------|---|
| | In. | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
| Brought forward | | 5 | 0 | 2 | Brought forward 46 5 9 |
| | 11 | • | • | ~ | White week 0 0 C |
| Black metal 0 .0 | 11 | | | | White post 0 2 6 |
| Post girdle 0 1 | 6 | | | | Grey metal 0 1 0 |
| | 5 | | | | |
| | J | | | - 1 | COAL 0 1 3 |
| Post girdle 0 0 | 10 | | | - 1 | 0 4 9 |
| | 0 | | | - 1 | Seggar 0 5 0 |
| | | | | 1 | |
| Grey metal 0 3 | 0 | | | | Grey metal 1 3 0 |
| | 6 | | | 1 | Til |
| | | | | - 1 | |
| COAL, coarse splint 0 0 | 9 | | | | Beaumont Seam— |
| | | 3 | 9 | 11 | 0.2.0 |
| 0 0 1 | _ | o | _ | ** | |
| Seggar 0 1 | 9 | | | | 7 4 0 |
| Blue metal 0 0 | 10 | | | - 1 | Seggar 1 5 6 |
| | | | | 1 | 000 |
| Leafy post 1 2 | 0 | | | - 1 | Grey post 0 2 3 |
| D - 1 " 0 0 | 0 | | | - 1 | Blue metal 0 0 3 |
| | | | | - 1 | |
| Leafy post 0 0 | 8 | | | - 1 | Grey post 0 1 6 |
| Blue metal 3 1 | 6 | | | | Black shale 0 3 6 |
| | | | | - 1 | Dt. C |
| Blue metal, soft 0 4 | 0 | | | | Busty Seam— |
| Blue metal 1 4 | 0 | | | | Ft. In. |
| | | | | - 1 | COAL 3 2 |
| Blue metal, soft 1 3 | 0 | | | - 1 | |
| COAL 0 0 | 7 | | | l | Seggar 0 4 |
| | | 9 | 3 | 4 | COAL 1 6 |
| | | IJ | o | ** | |
| Bastard seggar 0 5 | 7 | | | | 0 5 0 |
| 0041 | | | | | 4 0 U |
| COAL 0 0 | 3 | | | | C |
| | | 0 | 5 | 10 | Seggar 0 5 6 |
| Seggar 0 4 | 3 | | | - | Grey post 0 3 0 |
| - 00 | | | | | Diverge and all 1 0 0 |
| Grey metal 1 4 | - 6 | | | | Blue metal 1 0 0 |
| | 6 | | | - | Post girdle 0 0 3 |
| | О | | | | |
| Grey metal, with whin | | | | 1 | Blue metal 1 1 9 |
| | 0 | | | | COAL 0 0 6 |
| girdles 0 3 | U | | | | |
| Grey metal, with post | | | | | 3 5 0 |
| girdles 0 5 | 0 | | | | Seggar 0 1 6 |
| | | | | - 1 | |
| Black shale 0 4 | - 3 | | | - 1 | Grey post 0 2 6 |
| | | | | - 1 | Post, with metal part- |
| White ramble 0 0 | 3 | | | - 1 | |
| | | | | | |
| Harvey Seam- | | | | | ings 0 4 0 |
| Harvey Seam- | | | | | ings 0 4 0 |
| Ft. In. | | | | | ings 0 4 0 Post, hard 0 3 0 |
| COAL 1 6 | | | | | ings 0 4 0 Post, hard 0 3 0 Blue metal 0 0 4 |
| COAL 1 6 | | | | | ings 0 4 0 Post, hard 0 3 0 Blue metal 0 0 4 |
| COAL 1 6 Clay band 0 3 | | | | | ings 0 4 0 Post, hard 0 3 0 Blue metal 0 0 4 Post 0 0 4 |
| COAL 1 6 Clay band 0 3 COAL 3 8 | | | | | ings 0 4 0 Post, hard 0 3 0 Blue metal 0 0 4 Post 0 0 4 Blue metal 3 0 3 |
| COAL 1 6 Clay band 0 3 COAL 3 8 | 5 | | | | ings 0 4 0 Post, hard 0 3 0 Blue metal 0 0 4 Post 0 0 4 Blue metal 3 0 3 |
| COAL 1 6 Clay band 0 3 | 5 | 5 | 4 | ., | ings 0 4 0 Post, hard 0 3 0 Blue metal 0 0 4 Post 0 0 4 Blue metal 3 0 3 COAL 0 0 6 |
| COAL 1 6 Clay band 0 3 COAL 3 8 0 5 | _ | 5 | 4 | 2 | ings 0 4 0 Post, hard 0 3 0 Blue metal 0 0 4 Post 0 0 4 Blue metal 3 0 3 GOAL 0 0 6 |
| COAL 1 6 Clay band 0 3 COAL 3 8 0 5 | 5 -7 | 5 | 4 | 2 | ings 0 4 0 Post, hard 0 3 0 Blue metal 0 0 4 Post 0 0 4 Blue metal 3 0 3 COAL 0 0 6 |
| COAL 1 6 Clay band 0 3 COAL 3 8 0 5 Seggar 0 1 | 7 | 5 | 4 | 2 | ings 0 4 0 Post, hard 0 3 0 Blue metal 0 0 4 Post 0 0 4 Blue metal 3 0 3 COAL 0 0 6 Seggar 1 0 0 |
| COAL 1 6 Clay band 0 3 COAL 3 8 0 5 Seggar 0 1 Grey post 5 2 | 7 0 | 5 | 4 | 2 | ings 0 4 0 Post, hard 0 3 0 Blue metal 0 0 4 Post 0 0 4 Blue metal 3 0 3 COAL 0 0 6 Seggar 1 0 0 Post, with blue metal |
| COAL 1 6 Clay band 0 3 COAL 3 8 0 5 Seggar 0 1 Grey post 5 2 | 7 | 5 | 4 | z | ings 0 4 0 Post, hard 0 3 0 Blue metal 0 0 4 Post 0 0 4 Blue metal 3 0 3 COAL 0 0 6 Seggar 1 0 0 |
| COAL 1 6 Clay band 0 3 COAL 3 8 0 5 Seggar 0 1 Grey post 5 2 Sandy post 2 0 | 7 0 0 | 5 | 4 | 2 | ings 0 4 0 Post, hard 0 3 0 Blue metal 0 0 4 Post 0 0 4 Blue metal 3 0 3 COAL 0 0 6 Seggar 1 0 0 Post, with blue metal partings 1 0 0 |
| COAL 1 6 Clay band 0 3 COAL 3 8 0 5 Seggar 0 1 Grey post 5 2 Sandy post 2 0 Freestone 1 1 | 7 0 0 6 | 5 | 4 | 2 | ings 0 4 0 Post, hard 0 3 0 Blue metal 0 0 4 Post 0 0 4 Blue metal 3 0 3 COAL 0 0 6 Seggar 1 0 0 Post, with blue metal partings 1 0 0 Post 1 0 0 |
| COAL 1 6 Clay band 0 3 COAL 3 8 0 5 Seggar 0 1 Grey post 5 2 Sandy post 2 0 Freestone 1 1 Blue metal 0 0 | 7 0 0 6 6 | 5 | 4 | 2 | ings 0 4 0 Post, hard 0 3 0 Blue metal 0 0 4 Post 0 0 4 Blue metal 3 0 3 COAL 0 0 6 Seggar 1 0 0 Post, with blue metal partings 1 0 0 Post, with metal part- |
| COAL 1 6 Clay band 0 3 COAL 3 8 0 5 Seggar 0 1 Grey post 5 2 Sandy post 2 0 Freestone 1 1 Blue metal 0 0 | 7 0 0 6 6 | 5 | 4 | 2 | ings 0 4 0 Post, hard 0 3 0 Blue metal 0 0 4 Post 0 0 4 Blue metal 3 0 3 COAL 0 0 6 Seggar 1 0 0 Post, with blue metal partings 1 0 0 Post, with metal part- |
| COAL 1 6 Clay band 0 3 COAL 3 8 0 5 Seggar 0 1 Grey post 5 2 Sandy post 2 0 Freestone 1 1 Blue metal 0 0 White post 2 2 | 7 0 0 6 6 0 | 5 | 4 | 2 | ings 0 4 0 Post, hard 0 3 0 Blue metal 0 0 4 Post 0 0 4 Blue metal 3 0 3 COAL 0 0 6 Seggar 1 0 0 Post, with blue metal partings 1 0 0 Post 1 0 0 Post, with metal partings 1 1 0 |
| COAL Ft. In. 1 6 Clay band 0 3 COAL 3 8 | 7 0 0 6 6 0 | 5 | 4 | 2 | ings 0 4 0 Post, hard 0 3 0 Blue metal 0 0 4 Post 0 0 4 Blue metal 3 0 3 COAL 0 0 6 Seggar 1 0 0 Post, with blue metal partings 1 0 0 Post 1 0 0 Post, with metal partings 1 1 0 White post 1 1 0 White post 1 4 0 |
| COAL Ft. In. 1 6 Clay band 0 3 COAL 3 8 | 7 0 0 6 6 0 | 5 | 4 | z | ings 0 4 0 Post, hard 0 3 0 Blue metal 0 0 4 Post 0 0 4 Blue metal 3 0 3 COAL 0 0 6 Seggar 1 0 0 Post, with blue metal partings 1 0 0 Post 1 0 0 Post, with metal partings 1 1 0 White post 1 1 0 White post 1 4 0 |
| COAL 1 6 Clay band 0 3 COAL 3 8 0 5 Seggar 0 1 Grey post 2 0 Freestone 1 1 Blue metal 0 0 White post 2 2 Grey post 2 2 Grey post 1 3 Hard white post 4 0 | 7 0 0 6 6 0 0 | 5 | 4 | 2 | ings 0 4 0 Post, hard 0 3 0 Blue metal 0 0 4 Post 0 0 4 Blue metal 3 0 3 COAL 0 0 6 Seggar 1 0 0 Post, with blue metal partings 1 0 0 Post 1 0 0 Post, with metal partings 1 1 0 0 White post 1 4 0 Leafy post 0 1 6 |
| COAL 1 6 Clay band 0 3 COAL 3 8 | 7 0 0 6 6 0 0 0 | 5 | 4 | ሂ | ings 0 4 0 Post, hard 0 3 0 Blue metal 0 0 4 Post 0 0 4 Blue metal 3 0 3 COAL 0 0 6 Seggar 1 0 0 Post, with blue metal partings 1 0 0 Post, with metal partings 1 1 0 White post 1 1 0 Leafy post 0 1 6 Post, with metal part- |
| COAL 1 6 Clay band 0 3 COAL 3 8 | 7 0 0 6 6 0 0 | 5 | 4 | 2 | ings 0 4 0 Post, hard 0 3 0 Blue metal 0 0 4 Post 0 0 4 Blue metal 3 0 3 COAL 0 0 6 Seggar 1 0 0 Post, with blue metal partings 1 0 0 Post, with metal partings 1 1 0 White post 1 1 0 Leafy post 0 1 6 Post, with metal part- |
| COAL 1 6 Clay band 0 3 COAL 3 8 | 7 0 0 6 6 0 0 0 | 5 | 4 | 2 | ings 0 4 0 Post, hard 0 3 0 Blue metal 0 0 4 Post 0 0 4 Blue metal 3 0 3 COAL 0 0 6 Seggar 1 0 0 Post, with blue metal partings 1 0 0 Post 1 0 0 Post 1 1 0 0 Post 1 1 0 0 Post 1 1 0 0 Post, with metal partings 1 1 0 White post 1 4 0 Leafy post 0 1 6 Post, with metal partings 0 3 0 |
| COAL | 7 0 0 6 6 0 0 0 | 5 | 4 | 2 | ings 0 4 0 Post, hard 0 3 0 Blue metal 0 0 4 Post 0 0 4 Blue metal 3 0 3 COAL 0 0 6 Seggar 1 0 0 Post, with blue metal partings 1 0 0 Post 1 0 0 Post with metal partings 1 1 0 White post 1 1 0 White post 1 4 0 Leafy post 0 1 6 Post, with metal partings 0 1 6 Post, with metal partings 0 3 0 Leaty post 0 3 0 Leaty post 0 3 0 |
| COAL | 7 0 0 6 6 0 0 0 | 5 | 4 | 2 | ings 0 4 0 Post, hard 0 3 0 Blue metal 0 0 4 Post 0 0 4 Blue metal 3 0 3 COAL 0 0 6 Seggar 1 0 0 Post, with blue metal partings 1 0 0 Post 1 0 0 Post with metal partings 1 1 0 White post 1 1 0 White post 1 4 0 Leafy post 0 1 6 Post, with metal partings 0 1 6 Post, with metal partings 0 3 0 Leaty post 0 3 0 Leaty post 0 3 0 |
| COAL 1 6 Clay band 0 3 COAL 3 8 | 7 0 0 6 6 0 0 0 | 5 | 4 | 2 | ings 0 4 0 Post, hard 0 3 0 Blue metal 0 0 4 Post 0 0 4 Blue metal 3 0 3 COAL 0 0 6 Seggar 1 0 0 Post, with blue metal partings 1 0 0 Post 1 0 0 Post 1 0 0 Post, with metal partings 1 1 0 White post 1 4 0 Leafy post 0 1 6 Post, with metal partings 0 1 6 Post, with metal partings 0 3 0 Leafy post 0 3 0 Blue metal 2 1 3 |
| COAL | 7 0 0 6 6 0 0 0 0 0 | | | | ings 0 4 0 Post, hard 0 3 0 Blue metal 0 0 4 Post 0 0 4 Blue metal 3 0 3 COAL 0 0 6 Seggar 1 0 0 Post, with blue metal partings 1 0 0 Post 1 0 0 Post 1 0 0 Post 1 0 0 Post 1 0 0 Post, with metal partings 1 1 0 White post 1 4 0 Leafy post 0 1 6 Post, with metal partings 0 3 0 Leaty post 0 3 0 Blue metal 2 1 3 Brockwell Seam— |
| COAL | 7 0 0 6 6 0 0 0 0 0 | 5 | 4 | 3 | ings 0 4 0 Post, hard 0 3 0 Blue metal 0 0 4 Post 0 0 4 Blue metal 3 0 3 COAL 0 0 6 Seggar 1 0 0 Post, with blue metal partings 1 0 0 Post 1 0 0 Post 1 0 0 Post 1 0 0 Post 1 0 0 Post, with metal partings 1 1 0 White post 1 4 0 Leafy post 0 1 6 Post, with metal partings 0 3 0 Leaty post 0 3 0 Blue metal 2 1 3 Brockwell Seam— |
| COAL | 7 0 6 6 0 0 0 0 0 8 | | | | ings 0 4 0 Post, hard 0 3 0 Blue metal 0 0 4 Post 0 0 4 Blue metal 3 0 3 COAL 0 0 6 Seggar 1 0 0 Post, with blue metal partings 1 0 0 Post 1 0 0 Post 1 0 0 Post 1 1 0 White post 1 4 0 Leafy post 0 1 6 Post, with metal partings 0 1 6 Post, with metal partings 0 3 0 Leaty post 0 3 0 Blue metal 2 1 3 Brockwell Seam— Ft. In. |
| Ft. In. 1 6 6 6 6 6 6 6 6 6 | 7 0 0 6 6 0 0 0 0 0 0 0 8 | | | | ings 0 4 0 Post, hard 0 3 0 Blue metal 0 0 4 Post 0 0 4 Blue metal 3 0 3 COAL 0 0 6 Seggar 1 0 0 Post, with blue metal partings 1 0 0 Post 1 0 0 Post 1 0 0 Post, with metal partings 1 1 0 White post 1 4 0 Leafy post 0 1 6 Post, with metal partings 0 1 6 Post, with metal partings 0 3 0 Leaty post 0 3 0 Blue metal 2 1 3 Brockwell Seam— COAL 4 2 |
| COAL 1 6 Clay band 0 3 COAL 3 8 | 7 0 6 6 0 0 0 0 0 8 | | | | ings 0 4 0 Post, hard 0 3 0 Blue metal 0 0 4 Post 0 0 4 Blue metal 3 0 3 COAL 0 0 6 Seggar 1 0 0 Post, with blue metal partings 1 0 0 Post 1 0 0 Post 1 0 0 Post 1 1 0 White post 1 4 0 Leafy post 0 1 6 Post, with metal partings 0 1 6 Post, with metal partings 0 3 0 Leaty post 0 3 0 Blue metal 2 1 3 Brockwell Seam— Ft. In. |
| COAL 1 6 Clay band 0 3 COAL 3 8 | 7 0 0 0 6 6 0 0 0 0 0 0 8 - 4 0 | | | | ings 0 4 0 Post, hard 0 3 0 Blue metal 0 0 4 Post 0 0 4 Blue metal 3 0 3 COAL 0 0 6 Seggar 1 0 0 Post, with blue metal partings 1 0 0 Post 1 0 0 Post 1 0 0 Post, with metal partings 1 1 0 White post 1 4 0 Leafy post 0 1 6 Post, with metal partings 0 1 6 Post, with metal partings 0 3 0 Leaty post 0 3 0 Blue metal 2 1 3 Brockwell Seam— COAL 4 2 Soft black |
| Ft. In. 1 6 6 6 6 6 6 6 6 6 | 7 0 0 6 6 0 0 0 0 0 0 0 8 | 18 | 3 | 3 | ings 0 4 0 Post, hard 0 3 0 Blue metal 0 0 4 Post 0 0 4 Blue metal 3 0 3 COAL 0 0 6 Seggar 1 0 0 Post, with blue metal partings 1 0 0 Post, with metal partings 1 1 0 0 Post, with metal partings 1 4 0 Leafy post 0 1 6 Post, with metal partings 1 4 0 Leafy post 0 3 0 Blue metal 2 1 3 Brockwell Seam— COAL 4 2 Soft black band 0 3 |
| COAL 1 6 Clay band 0 3 COAL 3 8 | 7 0 0 6 6 0 0 0 0 0 8 | | 3 | | ings 0 4 0 Post, hard 0 3 0 Blue metal 0 0 4 Post 0 0 4 Blue metal 3 0 3 COAL 0 0 6 Seggar 1 0 0 Post, with blue metal partings 1 0 0 Post 1 0 0 Post 1 0 0 Post, with metal partings 1 1 0 White post 1 4 0 Leafy post 0 1 6 Post, with metal partings 0 1 6 Post, with metal partings 0 3 0 Leaty post 0 3 0 Blue metal 2 1 3 Brockwell Seam— COAL 4 2 Soft black |
| COAL 1 6 Clay band 0 3 COAL 3 8 | 7 0 0 6 6 0 0 0 0 0 8 | 18 | 3 | 3 | ings 0 4 0 Post, hard 0 3 0 Blue metal 0 0 4 Post 0 0 4 Blue metal 3 0 3 COAL 0 0 6 Seggar 1 0 0 Post, with blue metal partings 1 0 0 Post 1 0 0 Post 1 1 0 White post 1 4 0 Leafy post 0 1 6 Post, with metal partings 0 1 6 Post, with metal partings 0 3 0 Leaty post 0 3 0 Blue metal 2 1 3 Brockwell Seam— Ft. In. COAL 4 2 Soft black band 0 3 COAL 2 1 |
| Ft. In. 1 6 6 6 6 6 6 6 6 6 | 7 0 0 6 6 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | 18 | 3 | 3 | ings 0 4 0 Post, hard 0 3 0 Blue metal 0 0 4 Post 0 0 0 4 Blue metal 3 0 3 COAL 0 0 6 Seggar 1 0 0 Post, with blue metal partings 1 0 0 Post 1 0 0 Post 1 0 0 Post, with metal partings 1 1 0 White post 1 4 0 Leafy post 0 1 6 Post, with metal partings 0 3 0 Leaty post 0 3 0 Blue metal 2 1 3 Brockwell Seam Ft. In. COAL 4 2 Soft black band 0 3 COAL 2 1 |
| COAL 1 6 Clay band 0 3 COAL 3 8 | 7 0 0 6 6 0 0 0 0 0 8 | 18 | 3 | 3 | ings 0 4 0 Post, hard 0 3 0 Blue metal 0 0 4 Post 0 0 4 Blue metal 3 0 3 COAL 0 0 6 Seggar 1 0 0 Post, with blue metal partings 1 0 0 Post, 1 0 0 Post, with metal partings 1 1 0 White post 1 4 0 Leafy post 0 1 6 Post, with metal partings 0 3 0 Blue metal 2 1 3 Brockwell Seam— Ft. In. COAL 4 2 Soft black band 0 3 COAL 2 1 — 1 0 6 — 10 2 3 |
| Ft. In. 1 6 6 6 6 6 6 6 6 6 | 7 0 0 6 6 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | 18 | 3 | 3 | ings 0 4 0 Post, hard 0 3 0 Blue metal 0 0 4 Post 0 0 4 Blue metal 3 0 3 COAL 0 0 6 Seggar 1 0 0 Post, with blue metal partings 1 0 0 Post 1 0 0 Post 1 0 0 Post, with metal partings 1 1 0 White post 1 4 0 Leafy post 0 1 6 Post, with metal partings 0 1 6 Post, with metal partings 0 3 0 Leafy post 0 3 0 Blue metal 2 1 3 Brockwell Seam— COAL 4 2 Soft black band 0 3 COAL 2 1 1 0 6 10 2 3 |
| Ft. In. 1 6 6 6 6 6 6 6 6 6 | 7 0 0 6 6 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | 18 | 3 | 3 | ings 0 4 0 Post, hard 0 3 0 Blue metal 0 0 4 Post 0 0 0 4 Blue metal 3 0 3 COAL 0 0 6 Seggar 1 0 0 Post, with blue metal partings 1 0 0 Post 1 0 0 Post 1 0 0 Post, with metal partings 1 1 0 White post 1 4 0 Leafy post 0 1 6 Post, with metal partings 0 3 0 Leaty post 0 3 0 Blue metal 2 1 3 Brockwell Seam Ft. In. COAL 4 2 Soft black band 0 3 COAL 2 1 |
| COAL 1 6 Clay band 0 3 COAL 3 8 | 7 0 0 6 6 0 0 0 0 0 8 4 0 6 6 | 18 3 0 | 3 1 2 | 3 10 3 | ings 0 4 0 Post, hard 0 3 0 Blue metal 0 0 4 Post 0 0 0 4 Blue metal 3 0 3 COAL 0 0 0 6 Seggar 1 0 0 Post, with blue metal partings 1 0 0 Post 1 0 0 Post 1 1 0 White post 1 4 0 Leafy post 0 1 6 Post, with metal partings 0 1 6 Post, with metal partings 0 3 0 Leaty post 0 3 0 Blue metal 2 1 3 Brockwell Seam— Ft. In. COAL 4 2 Soft black band 0 3 COAL 2 1 ——————————————————————————————————— |
| Ft. In. 1 6 6 6 6 6 6 6 6 6 | 7 0 0 6 6 0 0 0 0 0 8 4 0 6 6 | 18 | 3 | 3 | ings 0 4 0 Post, hard 0 3 0 Blue metal 0 0 4 Post 0 0 0 4 Blue metal 3 0 3 COAL 0 0 0 6 Seggar 1 0 0 Post, with blue metal partings 1 0 0 Post 1 0 0 Post 1 1 0 White post 1 4 0 Leafy post 0 1 6 Post, with metal partings 0 1 6 Post, with metal partings 0 3 0 Leaty post 0 3 0 Blue metal 2 1 3 Brockwell Seam— Ft. In. COAL 4 2 Soft black band 0 3 COAL 2 1 ——————————————————————————————————— |
| COAL 1 6 Clay band 0 3 COAL 3 8 | 7 0 0 6 6 0 0 0 0 0 8 4 0 6 6 | 18 3 0 | 3 1 2 | 3 10 3 | ings 0 4 0 Post, hard 0 3 0 Blue metal 0 0 4 Post 0 0 0 4 Blue metal 3 0 3 COAL 0 0 0 6 Seggar 1 0 0 Post, with blue metal partings 1 0 0 Post 1 0 0 Post 1 1 0 White post 1 4 0 Leafy post 0 1 6 Post, with metal partings 0 1 6 Post, with metal partings 0 3 0 Leaty post 0 3 0 Blue metal 2 1 3 Brockwell Seam— Ft. In. COAL 4 2 Soft black band 0 3 COAL 2 1 ——————————————————————————————————— |

No. 2,466.—BRUSSELTON.—Continued.

| Brought forward 1 3 0 78 4 2 Grey post 0 2 0 Post 0 2 6 | Brought forward 2 1 6 78 4 2 Blue metal 1 1 6 3 3 0 |
|---|---|
| Carried forward 2 1 6 78 4 2 | Total 82 1 2 |

No. 2,467.—BURNHOPE.

TOWNSHIP OF GREENCROFT (DETACHED NO. 8), DURHAM.

Sheet 19 of Ordnance Map. Lat. 54° 49′ 38″, Long. 1° 42′ 15″.

Account of Strata sunk through in the Annie Pit, Burnhope Colliery, from the Surface to the Bustybank Seam.

Approximate surface-level 800 feet above sea (Ordnance datum).

| Carried forward | 1 3 | 5 | 6 | 47 | 0 | 3 | Carried forward | | | | 90 | 4 | 7 |
|-----------------------------|-------------------------------------|---|----|----|---|---|-----------------------------------|---|--------|--------|----|---|----|
| Blue metal | . 3 | 5 | 6 | | | | | _ | | | 4 | 3 | Ú |
| | _ | | | 24 | 3 | 3 | COAL | Ô | ő | | | | |
| | _ 0 | 3 | 1 | | | | Blue metal | | 3 | | | | |
| | $\overset{\scriptscriptstyle 4}{2}$ | | | | | | White post | | 3 4 | | | | |
| Band 0 | | | | | | | vegetable impres- | - | 9 | 8 | | | |
| Blue stone 0 COAL 0 1 | 5 | | | | | | Black metal, with | | | | | | |
| | 6 | | | | | | Mild seggar-clay | 0 | 4 | 0 | | | |
| Ft. I | n. | | | | | | | | | | 26 | 2 | 10 |
| Maudlin Seam— | . 10 | 9 | J | | | | | 0 | 1 | 11 | | | |
| | . 13 | 0 | 0 | | | | White post Harvey Seam— | 4 | 4 | 4 | | | |
| girdles White post, with | | 1 | 2 | | | | Blue metal White post | | 3 2 | 8 | | | |
| Blue metal and pos | | 4 | 0 | | | | Strong grey metal | 1 | 1 | 4 | | | |
| water | , 0 | 4 | 3 | | | | Black metal | | 0 | | | | |
| White post, with | | | | | | | Strong white post | 9 | 3 | | | | |
| Blue metal | . 0 | 2 | 9 | | | | feeder of water) | 0 | 2 | | | | |
| Grey post | . 0 | 4 | 0 | | | | Blue metal (heavy | _ | , | • | | | |
| ··· ·· | . <u> </u> | | | 4 | 1 | 0 | | ĭ | õ | ő | | | |
| COAL | . 0 | 2 | 6 | | | | strong post girdle | 6 | 2 | 0 | | | |
| Brass Thill Seam— | . о | * | U | | | | (walled up) Blue metal, with | 1 | 3 | Ð | | | |
| Blue metal | . 3 | 4 | -6 | 13 | T | 3 | | 1 | 3 | 5 | | | |
| | - 1 | 0 | 6 | 19 | 1 | 9 | Strong games -1 | | | | 6 | 3 | 5 |
| splint 4 (| | _ | _ | | | | COAL | 0 | 4 | 0 | _ | _ | |
| COAL, coarse | | | | | | | Hutton Seam- | | | | | | |
| of brass 2 | 3 | | | | | | Blue metal | _ | | 10 | | | |
| COAL, full Ft. In | 1. | | | | | | Post | | 2 | 0 | | | |
| Five-Quarter Seam- | | | | | | | Strong white post Blue metal | | 3 1 | | | | |
| | . 12 | 0 | 9 | | | | iron girdles | 1 | 5 | 6 2 | | | |
| 73 | | | _ | 1 | 4 | 6 | Blue metal, with | _ | _ | _ | | | |
| | · 0 | 4 | 6 | | | | White post | 0 | 3 | 6 | | | |
| COAL 1 7 | | | | | | | | | _ | _ | 1 | 5 | 4 |
| COAL 2 7 Band 0 3 | | | | | | | Grey post COAL | 0 | 5 0 | 5 9 | | | |
| Ft. In | | | | | | | Strong grey metal | | | 2 | | | |
| Shield Row Seam- | | | | | | | | | | | 4 | 1 | 9 |
| Grey metal | . 1 | 0 | 0 | 0 | - | 0 | | 0 | 2 | 3 | | | |
| Clay and grey metal | 1 3 | | 3 | 3 | 2 | 3 | Brought forward Low Main Seam— | 3 | 5 | 6 | 47 | 0 | 3 |
| | | | | | | | | | | | 47 | Λ | 9 |

No. 2,467.—BURNHOPE.—Continued.

| Brought forward 50 4 7 Strong seggar-clay 1 2 0 Grey post 1 1 10 Tilley Seam— COAL 0 1 2 | Brought forward 9 4 3 93 3 7 Bustybank Seam— Ft. In. COAL 1 10 Blue metal |
|--|--|
| Seggar-clay 0 3 0 Hard brown post, with blue partings 6 1 4 | and post girdles 6 3 COAL 3 0 COAL,coarse 0 10 |
| Strong blue stone 1 5 6 Strong brown post 1 0 5 | 1 5 11 11 4 2 |
| Carried forward 9 4 3 93 3 7 | Total 105 1 9 |

No. 2,468.—BURNHOPE. TOWNSHIP OF LANGLEY, DURHAM.

Sheet 19 of Ordnance Map. Lat. 54° 49′ 36″, Long. 1° 41′ 46″.

Account of Strata sunk through in the Engine Pit, Burnhope Colliery, to the Bustybank Seam.

Approximate surface-level 730 feet above sea (Ordnance datum).

| From top of quad- | Brought forward 2 0 6 36 4 |
|--|--|
| rant at surface to bottom of walling, | Grey metal 0 4 9 COAL 0 1 0 |
| comprizing clay and blue metal 17 4 6 | Thill stone 0 0 3 |
| Grey metal 2 0 4 | Grey metal, with post girdles 1 0 6 |
| Strong white post, | Post girdles 0 0 11 |
| mixed with whin 12 0 4 | Grey metal 0 0 2 |
| Maudlin Seam- | Post girdles 0 1 4 |
| Ft. In. | Post, mixed with |
| COAL 0 11 | grey metal 1 2 10 |
| Band 0 3 | White post 1 1 9 |
| COAL 0 11 | Grey metal 0 2 9 Hutton Seam— |
| Band 0 2 COAL,coarse 0 7 | COAL 0 4 0 |
| 0 2 10 | 5 2 6 |
| 14 3 6 | |
| Thill stone 0 2 2 | Grey metal, with |
| Post, mixed with | vegetable impres- |
| metal partings 2 0 3 | sions 4 4 0 |
| Grey metal 0 3 0 Blue metal, with | Post, mixed with grey metal, with water 8 1 6 |
| ironstone girdles 1 0 7 | Post, with 700 gal- |
| Low Main Seam— | lons of water per |
| COAL 0 2 0 | minute 7 1 4 |
| 4 2 0 | Grey metal 1 0 0 |
| Strong coarse seggar- | Black metal 2 2 0 |
| clay 0 3 6 | Grey metal 1 3 0 Post girdles 0 1 9 Blue metal 0 2 1 |
| Grey metal 0 1 11 | Post girdles 0 1 9 Blue metal 0 2 1 |
| Post, with grey metal | Blue metal 0 2 1 Grey post 0 5 0 |
| partings 1 1 1 | Grey post 0 5 0 |
| Carried forward 2 0 6 36 4 0 | Carried forward 26 5 8 45 0 9 |

No. 2,468.—BURNHOPE.—Continued.

| Brought forward | | | In. Fs. | | | Fs. Ft. In. Fs. Ft. In. Brought forward 3 3 4 74 3 11 |
|---|----|--------|----------|---|-----|--|
| Harvey Seam- | 20 | J | 0 30 | U | 9 | Tilley Seam— |
| COAL | Λ | 9 | 4 | | | |
| OOAL | U | 4 | | 2 | | COAL 0 1 4 |
| a 1 | | | 27 | 2 | 0 | 3 4 8 |
| Seggar-clay | | 1 | 6 | | | Strong seggar-clay 0 5 4 |
| Post, with blue part- | | | | | | Blue metal, with post |
| ings | 1 | 3 | 0 | | | and iron girdles 5 5 0 |
| ings Blue metal | 0 | 2 | 6 | | | Strong white post 3 2 10 |
| COAL | | | | | | Bustybank Seam— |
| | | | 2 | 1 | 2 | Ft. In. |
| Post girdle | 0 | 3 | 10 | | | COAL 1 8 |
| Post girdle Seggar-clay Post girdle | 0 | 2 | 2 | | | Post 8 9 |
| Post girdle | 0 | 2 | 4 | | | COAL,good 3 0 |
| Strong seggar-clay | Ō | 4 | 6 | | | COAL, coarse 0 10 |
| Post, with iron | • | _ | • | | | 2 2 3 |
| girdles | 1 | 9 | ß | | - 1 | 12' 3 5 |
| girdres | - | 44 | U | | - 1 | 12 0 0 |
| Carried forward | 3 | 3 | 4 74 | 3 | 11 | Total 91 0 0 |
| | | | | | | |

No. 2,469.—BURNHOPE. TOWNSHIP OF LANGLEY, DURHAM.

Sheet 19 of Ordnance Map. Lat. 54° 49′ 43″, Long. 1° 41′ 42″.

Account of Strata passed through in a Bore-hole from the Thill of the Bustybank Seam, near the Main Engine Shaft, Burnhope Colliery.

Approximate surface-level 700 feet above sea (Ordnance datum).

| Fs | Ft | . In. Fs. | Ft. | In. | |
|-------------------------|----|-----------|-----|-----|-------------------------------------|
| Strong grey metal 0 | 5 | 0 | | | Brought forward 0 3 010 0 1 |
| Strong grey post 1 | 5 | 7 | | | White post, 3 1 3 |
| Grey metal and post | | | | | Post, mixed with |
| girdles 0 | 5 | 8 | | | whin 0 1 10 |
| Post girdles 0 | | | | | Blue metal 0 2 1 |
| Grey metal 1 | 1 | 5 | | | White post 0 2 4 Grey post 0 2 3 |
| Three-Quarter Seam- | _ | • | | | Grey post 0 2 3 |
| COAL 0 | 1 | 1 | | | Brockwell Seam— |
| | | 5 | 1 | 9 | Ft. In. |
| Grey metal 0 | 4 | _ | - | U | COAL 2 5 |
| White post, mixed | æ | | | | COAL, splint 0 1 |
| | 4. | 2 | | | — 0 2 6 |
| Blue metal 0 | 1 | | | | 5 3 3 |
| | 4 | 1 | | | Grey post 0 3 0 |
| 731 | 0 | 3 | | | Very black metal 0 2 6 |
| | 3 | | | | COAL 0 0 3 |
| Grey post 0 | 3 | 7 | | | 00 1 0 0 3 |
| White post 0 | 3 | 7 | | | |
| Ft. In. | | | | | |
| COAL 0 3 | | | | | White post 1 2 4 Whin 0 1 2 |
| Grey post 1 2 | | | | | Whin 0 1 2 |
| COAL 0 4 | _ | | | | White post 0 3 6 Whin 0 1 2 |
| 0 | 1 | | | | |
| | | 4 | 4 | 4 | Grey post 0 0 2 |
| Grey post, mixed with | | | | | 2 3 5 |
| whin and $coal$ ripes 0 | 3 | 0 | | | |
| | | —— | | | |
| Carried forward 0 | 3 | 0 10 | ŋ | 1 | Total 19 0 6 |
| | | | | , | |

No. 2,470.—BURNHOPE.

TOWNSHIP OF BURNHOPE AND HAMSTEELS, DURHAM.

Sheet 19 of Ordnance Map. Lat. 54° 49′ 2″, Long. 1° 42′ 24″.

Account of Boring in Burnhope Royalty from the Surface, at the Outcrop of the Hutton Seam at the Day Drift, 50 chains South and then 36\frac{1}{2} chains West of Annie Pit, by Mr. G. R. Stott. November, 1864.

Approximate surface-level 650 feet above sea (Ordnance datum).

| | | | Fs. | Ft. | In. | Fs. | Ft. | In. | Ft. In. Fs. Ft. In. Fs. Ft. I |
|------------|------|---------|-----|-----|-----|-----|-----|-----|-------------------------------|
| Clay | | | 3 | 0 | 0 | | | | Brot. forward 1 11 8 3 6 23 0 |
| Sand | | | 0 | 3 | 0 | | | | COAL 0 6 |
| Clay | | | 1 | 3 | 0 | | | | —— 0 2 5 |
| • | | | | | | 5 | 0 | 0 | 8 5 1 |
| Brown post | | | 3 | 0 | 0 | | | | Dark metal 0 0 6 |
| Metal | | | 1 | 0 | 0 | | | | Grey metal and post |
| Post | | • • • • | 1 | 0 | 0 | | | | girdles 2 2 0 |
| Metal : | | | 0 | 4 | 0 | | | | CÖAL 0 0 6 |
| Post | | • • • • | 4 | 2 | 0 | | | | 2 3 |
| Metal | | | 1 | 2 | Ó | | | | Grey metal 0 5 0 |
| Post | | | 0 | 4 | 0 | | | | Hard girdle 0 0 2 |
| Metal | ••• | | Ó | 4 | Ô | | | | COAL 0 1 0 |
| Brown post | | | 5 | ō | Õ | | | | 1 0 |
| Harvey Sea | | | | | | | | | Grey metal 4 0 4 |
| COAL | | | 0 | 2 | 4 | | | | COAL 0 1 6 |
| | | | | | | 18 | 0 | 4 | 4 1 1 |
| Grey metal | | ••• | 3 | 0 | 0 | | | | Metal 0 4 0 |
| Grey post | | ••• | _ | 5 | 0 | | | | Grey post 3 3 0 |
| Grey metal | | | ō | 2 | Ö | | | | Metal 0 0 1 |
| Dark meta | | | - | _ | - | | | | Bustybank Seam- |
| with coal | -, - | | 0 | 2 | 6 | | | | Ft. In. |
| Grey metal | | | • | ō | Õ | | | | COAL 4 10 |
| drey metal | | Ft. In. | | • | • | | | | COAL, coarse 0 4 |
| COAL | | 1 9 | | | | | | | 0 5 2 |
| Band | | 0 2 | | | | | | | 5 0 |
| | ••• | | _ | | | | | | |
| Car. forwa | ırd | 1 11 | 8 | 3 | 6 | 23 | 0 | 4 | Total 44 5 |

No. 2,471.—BURNHOPE. TOWNSHIP OF LANGLEY, DURHAM.

Sheet 19 of Orduance Map. Lat. 54° 49' 45'', Long. 1° 41' 22''.

Account of Boring in Burnhope Royalty, by the side of the Cong Burn, by Mr. G. R. Stott. 1849.

Approximate surface-level 600 feet above sea (Ordnance datum).

| | Fs. | Ft. | In. l | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
|----------------------|-----|-----|-------|-----|-----|-----|---|
| Clay | 6 | 0 | 0 | | | | Brought forward 19 3 0 6 0 0 |
| • | | | _ | 6 | 0 | U | Maudlin Seam- |
| Metal | 0 | 1 | 0 | | | | Ft. In. |
| Brown and grey post, | | | | | | | COAL, coarse 2 2 |
| with water | 1 | 0 | 0 | | | | COAL, foul, |
| Grey post | 3 | 1 | 0 | | | | with brass 0 8 |
| Grey metal, mixed | | | | | | | —— 0 2 10 |
| with coal | 1 | 0 | 0 | | | | 19 5 10 |
| White post | | | | | | | Grey metal 0 1 2 |
| Grey post | 3 | 0 | 0 | | | | Grey post 2 3 0 |
| White post | 10 | 0 | 0 | | | | Grey post 2 3 0 Grey metal stone 1 2 0 |
| <u>-</u> | | | | | | ! | |
| Carried forward | 19 | 3 | 0 | 6 | 0 | 0 | Carried forward 4 0 225 510 |
| | | | | | | | |

No. 2,471.—BURNHOPE.—Continued.

| Dark metal stone 0 2 7 7 7 7 7 7 7 7 7 | Brought forward | | Ft. | | Fs. 25 | | In. 10 | Brought forward 24 5 7 38 2 | In. 11 |
|--|------------------|----|-----|--------|-----------|---|-----------|-----------------------------|-----------|
| COAL 0 2 7 Grey metal stone 0 3 0 Grey post 0 4 0 White post 1 3 0 Dark metal 0 0 3 COAL 0 0 3 Grey post 1 0 0 Grey post 0 5 0 White post 0 5 0 White post 0 3 0 Grey post 1 3 2 Dark metal stone 0 0 1 4 4 4 4 4 4 4 4 4 4 4 <td></td> <td>_</td> <td>v</td> <td>~</td> <td></td> <td>Ü</td> <td></td> <td></td> <td>11</td> | | _ | v | ~ | | Ü | | | 11 |
| Grey metal stone 0 3 0 0 Grey post 0 4 0 White post 1 3 0 0 Dark metal 0 0 0 3 Grey post 1 0 0 Grey post 0 5 0 White post 1 3 2 Dark metal stone 0 3 0 Grey post 1 3 2 Dark metal stone 0 0 10 Hutton Seam— Ft. In. COAL, tender 3 0 COAL, tender 3 0 GCOAL 0 0 0 4 Grey metal stone 0 0 0 4 Grey metal stone 0 3 0 GOAL, tender 3 0 GCOAL 0 0 0 3 Grey metal 0 0 4 Grey metal stone 0 0 0 4 Grey metal 0 0 0 4 Grey metal stone 0 0 0 4 Grey metal 0 0 3 0 Grey metal 0 0 4 Grey metal 0 0 0 4 Grey post 1 3 2 Black metal 0 1 1 6 Grey metal 0 0 1 4 Grey post 1 1 0 6 Grey metal 0 0 1 6 Fr. In. GOAL 2 2 Band 3 0 GOAL 0 0 2 6 Fr. In. GOAL 2 2 Band 3 0 GOAL 0 0 3 Grey metal 0 1 3 0 Grey metal 0 1 3 0 Grey post 1 3 3 0 Grey po | | 0 | 2 | 7 | | | | | |
| Grey metal stone 0 3 0 Grey post 1 3 0 O Dark metal 0 0 0 3 O Grey post 1 0 0 O Grey post 1 0 0 O Grey post 1 3 0 O Dark metal stone 0 3 0 O Grey post 1 3 2 O Dark metal stone 0 0 0 10 Hutton Seam— COAL, tender 3 0 GCOAL, coarse 1 1 | | | | _ | 4 | 2 | 9 | | |
| Grey post 0 4 0 White post 1 3 0 Dark metal 0 0 3 GOAL 0 0 9 Dark metal 0 0 3 Grey post 1 0 0 3 Grey post 0 5 0 8 Black metal 0 2 8 White post 0 3 0 6 Grey post 0 1 4 Grey post 0 1 4 Grey post 0 0 9 Grey post 1 0 6 Grey post 1 0 6 Grey post 1 0 6 Grey metal 0 0 9 Grey metal 0 0 0 0 0 0 | ev metal stone | 0 | 3 | 0 | _ | _ | | | |
| White post 1 3 0 0 0 3 3 COAL 0 0 0 3 3 0 Post 1 1 1 6 Grey metal 0 0 3 0 Black metal 0 3 0 0 Grey post 1 3 2 Dark metal stone 0 0 3 0 Grey post 1 3 2 Dark metal stone 0 0 10 Hutton Seam— Dark metal stone 0 0 10 4 Grey metal 0 0 0 3 0 Grey post 1 3 2 Dark metal stone 0 0 10 Hutton Seam— Dark metal 0 0 4 1 St. In. COAL 0 0 0 3 0 Grey metal stone 0 0 1 6 Post 1 0 6 COAL 0 0 0 3 0 Grey metal stone 0 0 1 6 Post 1 0 6 COAL 0 0 0 3 0 Grey metal stone 0 0 1 6 Post 1 0 6 COAL 0 0 1 6 Post 6 1 3 Bustybank Seam— Dark metal 0 0 4 1 Sustybank Seam— Dark metal stone 0 3 0 Grey metal 0 1 6 Post 6 1 3 Bustybank Seam— Grey metal stone 21 3 3 Grey metal 3 0 COAL 4 0 Dark metal 0 5 0 | | 0 | 4 | 0 | | | | | |
| Dark metal 0 0 3 COAL 0 0 3 Dark metal 0 0 3 0 Grey post 1 0 0 3 0 Grey post 0 5 0 White post 0 1 4 Grey post 1 3 2 2 6 6 6 6 6 7 6 6 6 6 6 6 6 6 6 6 6 7 6 7 8 8 8 8 | | 1 | 3 | | | | | | 4 |
| Dark metal 0 0 3 0 Grey post 1 0 0 0 Grey post 0 3 0 Grey post 1 3 2 Dark metal stone 0 0 10 Hutton Seam— Ft. In. COAL,tender 3 0 COAL,coarse 1 1 —————————————————————————————————— | | 0 | 0 | 3 | | | | Post 1 1 6 | |
| Dark metal 0 0 3 0 | DAL | 0 | 0 | 9 | | | | Grey metal 1 1 0 | |
| Grey post 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 4 0 0 1 4 0 0 1 4 0 0 1 4 0 0 1 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | | | | _ | 2 | 5 | 0 | | |
| Grey post 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 4 0 0 1 4 0 0 1 4 0 0 1 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | rk metal | 0 | 0 | 3 | | | | Post, mixed with | |
| Grey metal stone 0 3 0 Grey post 0 5 0 White post 0 3 0 Grey post 1 3 0 Grey post 1 0 0 9 Dark metal stone 0 0 10 0 2 6 Hutton Seam— Ft. In. COAL 0 2 6 Post 0 0 3 0 COAL, tender 3 0 0 0 3 0 0 3 0 COAL, coarse 1 1 0 4 4 6 | ey post | 1 | 0 | 0 | | | | | |
| White post 0 3 0 Grey post 1 3 2 Dark metal stone 0 0 10 Hutton Seam— Ft. In. COAL, tender 3 0 COAL, coarse 1 1 ————————————————————————————————— | ey metal stone | 0 | | 0 | | | | Black metal 0 1 4 | |
| White post 0 3 0 0 Grey post 1 3 2 Dark metal stone 0 0 10 Hutton Seam— Ft. In. COAL, tender 3 0 COAL COAL | ey post | 0 | 5 | 0 | | | | Grey post 1 0 6 | |
| Grey post 1 3 2 Dark metal stone 0 0 10 Hutton Seam— Ft. In. COAL, tender 3 0 COAL, coarse 1 1 Dark metal 0 0 4 Grey metal stone 0 3 0 Grey metal stone 0 3 0 Grey metal stone 0 3 0 Grey metal 1 0 0 Grey metal 0 5 0 Grey metal 1 3 2 Grey metal 0 1 6 Post 0 1 6 Post 0 1 6 Post 0 1 6 Post 6 1 3 Bustybank Seam— Ft. In. COAL 2 2 Band 3 0 COAL 4 0 COAL 4 0 Dark metal 0 5 0 | | 0 | 3 | | | | | COAL 0 0 9 | |
| Hutton Seam— Ft. In. COAL, tender 3 0 COAL, coarse 1 1 — 0 4 1 Dark metal 0 0 0 4 Grey metal stone 0 3 0 White post 21 3 3 Grey metal 1 0 0 Dark metal 0 3 0 COAL 2 2 Band COAL COAL 1 3 2 | | 1 | 3 | 2 | | | | 4 4 | 9 |
| COAL, tender 3 0 COAL | rk metal stone | 0 | 0 | 10 | | | | Grey metal 0 2 6 | |
| COAL, tender 3 0 COAL, coarse 1 1 | utton Seam— | | | | | | | Post 4 4 6 | |
| GOAL, coarse 1 1 — 0 4 1 — 0 0 4 Dark metal 0 0 4 Grey metal stone 0 3 0 White post 2 2 Band 3 0 Grey metal 1 0 0 Dark metal 0 5 0 | | | | | | | | COAL 0 0 3 | |
| Post 6 1 3 | | | | | | | | 5 1 | 3 |
| Dark metal 0 0 4 Grey metal stone 0 3 0 White post 21 3 3 Grey metal 1 0 0 Dark metal 0 5 0 Bustybank Seam— Ft. In. COAL 2 2 Band 3 0 COAL 4 0 4 0 | COAL, coarse 1 1 | | | | | | | | |
| Dark metal 0 0 4 Ft. In. Grey metal stone 0 3 0 COAL 2 2 White post 21 3 3 3 0 GOAL 4 0 Grey metal 1 0 5 0 COAL 4 0 Dark metal 0 5 0 1 3 2 | | 0 | 4 | 1 | | | | Post 6 1 3 | |
| Grey metal stone 0 3 0 0 2 2 White post 21 3 3 0 | - | | | _ | 5 | 1 | 4 | Bustybank Seam— | |
| White post 21 3 3 Grey metal 1 0 0 Dark metal 0 5 0 Band 3 0 COAL 4 0 | | 0 | | | | | | | |
| Grey metal 1 0 0 Dark metal 0 5 0 COAL 4 0 | | | | | | | j | | |
| Dark metal 0 5 0 —— 1 3 2 | | 21 | | | | | Ì | | |
| | | 1 | | | | | l | | |
| Black metal 1 0 0 ——— 7 5 | | 0 | 5 | | | | | | |
| | ack metal | 1 | 0 | 0 | | | | 7 5 | 11 |
| Carried forward 24 5 7 38 2 11 Total 84 0 | Carried forward | 24 | 5 | 7 | 38 | 2 | 11 | Total 84 0 | 2 |

No. 2,472.—BURNHOPE. TOWNSHIP OF LANGLEY, DURHAM.

Sheet 19 of Ordnance Map. Lat. 54° 49′ 43″, Long. 1° 41′ 38″.

Account of Strata bored through from the Busty Seam at the Fell Pit, Burnhope Colliery. Commenced July 11th, 1893.

Approximate surface-level 700 feet above sea (Ordnance datum).

| Depth from surface | Fs. | Ft. | In. Fs. | Ft. | In. | Brought forward Fs. Ft. In. Fs. Ft. In. Brought forward 109 2 6 |
|-----------------------|-----|-----|---------|-----|-----|---|
| to Busty Seam | | | 100 | | | Strong grey metal, |
| about | | | 100 | U | U | |
| | | | | _ | _ | Black shale 0 0 8 |
| Seggar Grey post | 0 | 0 | 6 | | | Grey shale 0 2 1 |
| Grey post | 5 | 0 | 6 | | | Grey post, with hard |
| Dark shale, with a | | | | | | girdles and water 3 3 0 |
| little gas | 0 | 0 | 6 | | | girdles and water 3 3 0 Grey shale 0 0 7 |
| Grey shale, with post | | | | | | Brockwell Seam— |
| girdles | 1 | 2 | 1 | | | Ft. In. |
| White post, with a | • | - | - | | | COAL 1 1 |
| little water | ٥ | 4 | 0 | | | Black band 0 0½ |
| | U | 4 | 4 | | | |
| Grey shale, with | | | | | | COAL 0 5½ |
| strong post girdles | | _ | | | | COAL (like |
| and water | 2 | 0 | 3 | | | cannel) $0 	 6\frac{1}{2}$ |
| COAL, with a little | | | | | | $ 0 2 1\frac{1}{2}$ |
| black stone and | | | | | | $5 0 9\frac{1}{2}$ |
| water | 0 | 0 | 6 | | | Grey post 0 2 9 |
| | | | | 2 | 6 | J 1 |
| | | | | | _ | |
| Carried forward | | | 109 | 2 | 6 | Total 115 0 01 |
| Callied loi ward | | | 100 | _ | | 10001 |

No. 2,473.—BURNHOPE.

TOWNSHIP OF LANGLEY, DURHAM.

Sheet 19 of Ordnance Map. Lat. 54° 49' 31', Long. 1° 40' 39'.

Account of Strata bored through in No. 2, an up-over Bore-hole, immediately over No. 1 Hole (No. 2,474), above Busty Seam, Burnhope Colliery.

Commenced on August 23rd, 1900.

Approximate surface-level 700 feet above sea (Ordnance datum).

| | Fs. | Ft. | In. | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
|--|-----|-----|-----|-----|-----|-----|---------------------------------------|
| Grey shale | 0 | 1 | 3 | | | | Brought forward 6 0 7 0 3 0 |
| Harvey Seam- | | | | | | | COAL 0 0 10 |
| COĂL | 0 | 1 | 9 | | | | 6 1 5 |
| | | | | 0 | 3 | 0 | Black stone, with coal |
| Seggar, with coal | | | | | | | pipes 0 0 3 |
| partings Seggar Grey shale Hard grey post Grey shale Hard white post Light shale | 0 | 0 | 1 | | | | pipes 0 0 3 Grey shale, with post |
| Seggar | 0 | 0 | 11 | | | | girdles 5 0 1 |
| Grev shale | 2 | 0 | 8 | | | | girdles 5 0 1 Hard grey post 7 1 6 |
| Hard grey post | 0 | 3 | 2 | | | | Space shot out for |
| Grev shale | 0 | 1 | 0 | | | | boring at Busty |
| Hard white post | 1 | 2 | 7 | | | | Seam 0 5 1 |
| Light shale | 0 | 4 | 5 | | | | 13 0 11 |
| Grey shale, with post | | | | | | | |
| girdles | 0 | 5 | 9 | | | | |
| Carried forward | 6 | 0 | 7 | 0 | 3 | 0 | Total 19 5 4 |

No. 2,474.—BURNHOPE. TOWNSHIP OF LANGLEY, DURHAM.

Sheet 19 of Ordnance Map. Lat. 54° 49' 31', Long. 1° 40' 39'.

Account of Strata bored through at Burnhope Colliery, in No. 1 Hole, below the Busty Seam in the South Crosscut, about 1 mile from Shaft. Commenced July 3rd, 1900.

Approximate surface-level 700 feet above sea (Ordnance datum).

| | Fs. | Ft. | In. Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
|---|-----|-----|-----------------|-----|----------------|---|
| Dark seggar | 0 | 2 | 6 | | | Brought forward 5 5 41 5 0 71 |
| Strong grev post | 3 | 0 | 0 | | | Blue shale 0 4 0 |
| Grev shale, with post | | | | | | Strong grey post 0 1 6 |
| Dark seggar Strong grey post Grey shale, with post girdles | 1 | 3 | 3 | | | Grey post, with shale |
| COAL | 0 | 0 | 101 | | | partings 3 0 6 |
| | _ | | | n | 71 | Grev shale 1 3 1 |
| Grey shale, with post | | | • | ٠ | • 2 | partings 3 0 6 Grey shale 1 3 1 Brockwell Seam— |
| girdles | | | 81 | | | COAL 0 2 0 |
| Strong grow nost | U | | 04 | | | 11 4 51 |
| Strong grey post, | | | | | | |
| with shale part- | 4 | | | | | Seggar 0 3 0 |
| ings | T | 2 | U | | | Grey shale, with coal |
| ings Hard white post | 0 | 4 | 8 | | | pipes 0 1 0 |
| Shale | 0 | 1 | 6 | | | Grey shale, with post |
| Strong grey post | 1 | 4 | 0 | | | Grey shale, with post girdles 0 1 1 |
| Blue shale | 0 | 4 | 6 | | | 0 5 1 |
| Grey shale, with post | | | | | | • |
| girdles | O | 5 | 0 | | | |
| .ь | _ | | | | | |
| Carried forward | 5 | 5 | $4\frac{1}{2}5$ | 0 | $7\frac{1}{2}$ | Total 17 4 2 |

No. 2,475.—BURNHOPE.

TOWNSHIP OF LANGLEY, DURHAM.

Sheet 19 of Ordnance Map. Lat. 54° 49′ 22″, Long. 1° 40′ 50″.

Account of Strata bored through on Taylor's Hill for the Owners of Burnhope Colliery. August, 1903.

Approximate surface-level 770 feet above sea (Ordnance datum).

| | | | In. I | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
|--------------------------------------|---|---------------|----------|-----|--------|-----------------|--|
| Soil, | 0 | 1 | 0 | | | | Brought forward 7 3 5 10 2 2 . Dark grey shale 0 3 6 |
| Loamy clay | 0 | 4 | 6 | Δ. | 5 | 6 | Dark grey shale 0 3 6 Five-Quarter Seam |
| 37 31 6 | 1 | = | 10 | 0 | Э | ю | |
| Yellow freestone | | | 0 | | | | COAL 2 6 |
| Grey shale | 0 | 0 | | | | | Splint 0 3 |
| | | 0 | | | | | Black stone |
| Light grey shale Shield Row Seam— | Э | U | TT | | | | and coal |
| | | | | | | | pipes 0 10 |
| COAL Ft. In. 2 2 | | | | | | | Seggar 0 7 |
| Band 0 3 | | | | | | | Black stone |
| COAL 0 7 | | | | | | | and coal 1 6 |
| COAL, good 2 0 | | | | | | | Seggar 0 6 |
| COAL, soft 0 5 | | | | | | | COAL, coarse |
| | 0 | 5 | 5 | | | | with threads |
| | | | | 7 | 5 | 2 | of stone 0 11 |
| Grey shale | 1 | 0 | 6 | | | | Black stone |
| COAL | 0 | 0 | 2 | | | | and coal 0 2 |
| | | | - | 1 | 0 | 8 | 1 1 3 |
| Grey shale | 0 | 2 | 5 | | | | 9 2 2 |
| COAL | 0 | 0 | 5 | | | | Grey post, with shale . |
| | | | _ | 0 | 2 | 10 | partings 6 0 8 |
| Grey shale and post | | | | | | | Main Coal or Brass |
| girdles | 0 | | | | | | Thill Seam— |
| Black stone and coal | | 0 | | | | | Ft. In. |
| Grey shale | 0 | 2 | 0 | | | | COAL 0 7 |
| Dark shale and coal | | | _ | | | | Band 0 2 |
| pipes | 0 | 1 | 8 | | | | COAL 0 9½ |
| Grey shale and post | _ | - | | | | | COAL, coarse 0 6½ |
| girdles | 0 | 5 | 4 | | | | 0 2 1 |
| Yellow freestone and | | , | 1 | | | | 0 1 6 2 9 |
| post partings | 4 | | 1 | | | | Grey post, soft 0 1 6 |
| Grey post | | $\frac{5}{2}$ | 0 | | | | White post, into 0 1 0 |
| Grey shale | 0 | Z | U | | | | 0 2 6 |
| Carried forward | 7 | 3 | | 10 | 2 | $\overline{}_2$ | Total 26 3 7 |
| Callled forward | ' | Э | o | TO | ú | 4 | 10141 20 3 1 |
| | | | | | | | |

No. 2,476.—BUTTERKNOWLE.

TOWNSHIP OF BARONY, DURHAM.

Sheet 41 of Ordnance Map. Lat. 54° 39' 17", Long. 1° 47' 26".

Account of Strata passed through in No. 1 Bore-hole, put down by the side of Railey Burn, between Toft Hill and Hamsterley, 430 links up the Burn from the Fence, to find the Victoria Seam, for the Butterknowle Colliery Company, Limited. April and May, 1904.

Approximate surface-level 543.85 feet above sea (Ordnance datum).

No. 2,476.—BUTTERKNOWLE.—Continued.

| Alluvium | 1 | 4 | 9 | Fs. | | |
|--|------|-----|----|-----|---------|----|
| Post,* graduating from yellow to white, into | 7 | 1 | 7 | 1 | - | |
| | | | _ | 7 | 1 —— | 7 |
| Total | | ••• | _ | 9 | 0 | _4 |
| *This post underlies the Victoria | a So | an | 1. | | | |

No. 2,477.—BUTTERKNOWLE.

TOWNSHIP OF BARONY, DURHAM.

Sheet 41 of Ordnance Map. Lat. 54° 39′ 143″, Long. 1° 47′ 314″.

Account of Strata passed through in No. 2 Bore-hole, put down by the side of Railey Burn, between Toft Hill and Hamsterley, 589 links up the Burn from No. 1
Bore-hole, to find the Victoria Seum, for the Butterknowle Colliery Company, Limited. April and May, 1904.

Approximate surface-level 566.55 feet above sea (Ordnance datum).

| Alluvium | | | ••• | | | Fs. 2 | Ft. 2 | In. 6 | Fg. | Ft. | In. |
|----------------------|-----|-----|-----|-----|-----|-------|--------|-------------|-----|-----|-----|
| Metal Post,* into | ••• | ••• | | ••• | ••• | 0 | 1 2 | 6 0 — | 0 | 3 | 6 |
| | Tot | al | | | | | | _ | 3 | 0 | 0 |

^{*} This post underlies the Victoria Scam.

No. 2,478.—BUTTERKNOWLE.

TOWNSHIP OF BARONY, DURHAM.

Sheet 41 of Ordnance Map. Lat. 54° 39′ 141″, Long. 1° 47′ 35″.

Account of Strata passed through in No. 3 Bore-hole, put down by the side of Railey Burn, between Toft Hill and Hamsterley, about 320 links up the Burn from No. 2 Bore-hole and close to Cross Fence, to find the Victoria Seam, for the Butterknowle Colliery Company, Limited. April and May, 1904.

Approximate surface-level 578:37 feet above sea (Ordnance datum).

| Alluvium | | | | | | Fs. Ft. I 5 2 | 3 | | |
|-------------|-----|----|-----|-----|-----|------------------|-----|---|---|
| Post,* into | ••• | | | | | 0 1 | 3 | _ | 3 |
| | Tot | al | ••• | ••• | ••• | | _ 5 | 3 | 6 |

^{*}This post underlies the Victoria Seam.

No. 2,479.—BUTTERKNOWLE.

TOWNSHIP OF BARONY, DURHAM.

Sheet 41 of Ordnance Map. Lat. 54° 39′ 9½″, Long. 1° 47′ 46½″.

Account of Strata passed through in No. 4 Bore-hole, put down in Field No. 311 by the side of Railey Burn, 23 links from East Fence and 120 links from line of South Fence of Field No. 284, for the Butter-knowle Colliery Company, Limited.

Approximate surface-level 615.3 feet above sea (Ordnance datum).

| Alluvium | | | | Fs. Ft. Ir 6 5 0 |) | 0 | |
|-------------|------|----|------|----------------------|---|---|---|
| Post,* into | | | | 0 3 0 | | | |
| | Tota | ıl | | ••• | 7 | 2 | 0 |

*This post underlies the Victoria Seam.

No. 2,480.—BUTTERKNOWLE.

TOWNSHIP OF BARONY, DURHAM.

Sheet 41 of Ordnance Map. Lat. 54° 39′ 7¼″, Long. 1° 47′ 51¾″.

Account of Strata passed through in No. 5 Bore-hole, put down in Field No. 311, 317 links from West Fence and 642 links from North Fence, for the Butterknowle Colliery Company, Limited.

Approximate surface-level 642.9 feet above sea (Ordnance datum).

| Alluvium | ^{Fs.} 3 | Ft. I | 8 | | In. 8 | Brought forward 2 4 4 3 0 8 |
|---|------------------|-------------|------------------|---|----------|--------------------------------------|
| Metal Iron band Metal Seggar-clay Metal | 1 0 0 0 | 0 1 4 | 1 3 0 3 | | | COAL 0 1 3 2 5 7 Seggar-clay 0 3 3 3 |
| Carried for | ward 2 | 4 | 4 3 | 0 | 8 | Total 6 3 6 |

No. 2,481.—BUTTERKNOWLE.

TOWNSHIP OF HAMSTERLEY, DURHAM.

Sheet 33 of Ordnance Map. Lat. 54° 40' 16'', Long. 1° 48' 32''.

Account of Strata passed through in a Bore-hole put down on Hollin Hill Farm, Hamsterley, near Witton-le-Wear, for Messrs. Wilkinson of Twinsburn, Heighington. 1900.

Approximate surface-level 530 feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. In. water at 3 feet 6 inches 1 2 0 Sand and water 0 1 3 | Brought forward Freestone ramble, lost water at 2 fathoms 5 feet 1 4 3 |
|--|--|
| Carried forward 1 3 3 | Carried forward 1 4 3 1 3 3 |

No. 2,481.—BUTTERKNOWLE.—CONTINUED.

| | T. | T4 | * | 77. | 734 | T | Fs. Ft. In. Fs. Ft. In. |
|------------------------|----|----|-------|-----|-----|----|--|
| Brought forward | | | In. 3 | | | | Brought forward 13 3 8 3 4 3 |
| Freestone girdle | | | | - | • | | Seggar-clay 0 2 6 |
| Marshall Green Seam | | | · | | | | Dark grey metal 0 1 0 |
| COAL | | 1 | 1 | | | | Strong leafy post 0 2 5 |
| JOAL | _ | | | 2 | 1 | 0 | Very hard whin 0 0 11 |
| Seggar-clay | 0 | 1 | 8 | _ | _ | - | Strong light grev |
| Yellow freestone, | ٠ | - | • | | | | metal and leafy |
| with hard grey | | | | | | | nost 0 4 10 |
| panels from 1 inch | | | | | | | post 0 4 10 Whin 0 3 2 |
| to 2 feet 4 inches | | | | | | | Strong white post, |
| thick | 2 | 3 | 0 | | | | lost water at 26 |
| Dark grey metal, with | - | • | Ť | | | | fathoms 5 feet 1 |
| post girdles | 4 | 1 | 0 | | | | inch 9 2 0 |
| Iron girdle | õ | ō | | | | | Strong dark grey |
| Leafy post, mixed | ٠ | ٠ | · | | | | metal, with post |
| with metal | 0 | 1 | 9 | | | | and whin girdles 1 4 7 |
| Very hard white | ٠ | • | · | | | | Whin 0 1 3 |
| post, mixed with | | | | | | | Strong grey post 0 4 1 |
| freestone | 0 | 3 | 8 | | | | Seggar-clay 0 2 10 |
| Strong grey leafy | | • | 0 | | | | Leafy post 0 0 11 |
| post | | 3 | 3 | | | | Strong grey metal 1 3 5 |
| Mild light grey | ٠ | | • | | | | Dark shale, mixed |
| metal, with post | | | | | | | with fire-clay 0 1 5 |
| girdles | 1 | n | 1 | | | | Strong grey and |
| Strong grey post, | - | ۰ | • | | | | white post, with |
| with water | 0 | 3 | 1 | | | | metal partings, lost |
| Yellow freestone, lost | ٠ | • | - | | | | water at 34 fat homs |
| water at 14 fathoms | | | | | | | 5 feet 1 0 5 |
| 1 foot 5 inches | 1 | n | 3 | | | | Hard white post 13 1 10 |
| Hard white and grey | • | ۰ | | | | | Dark grey metal, with |
| post, with metal | | | | | | | post girdles 5 3 8 |
| partings | 1 | Λ | 11 | | | | Black stone and |
| Strong dark grey | • | ۰ | | | | | seggar-clay, mixed |
| metal, with post | | | | | | | with coal 0 0 11* |
| girdles | | 5 | 3 | | | | Hard white post 0 3 11 |
| Light grey metal | ŏ | 3 | 1 | | | | —————————————————————————————————————— |
| night grey metal | _ | | | | | | 01 1 0 |
| Carried forward | 13 | 3 | . 8 | 3 | 4 | 3 | Total 55 0 0 |
| Carried Tormand | , | | - | ., | - | ., | |

^{*} This point is approximately 4221 feet below horizon of Brockwell Seam.

No. 2,482.—BUTTERKNOWLE. TOWNSHIP OF HAMSTERLEY, DURHAM.

Sheet 41 of Ordnance Map. Lat. 54° 38' 59½", Long. 1° 49' 12¾".

Account of Strata passed through in a Staple put down at the South-west Corner of Knavesmire Farm to prove the Victoria Seam, for the Butterknowle Colliery Company, Limited. 1902.

Approximate surface-level 751.8 feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|-----------------------------|------------------------------------|
| Clay and gravel 1 0 5 | Brought forward 0 0 6 1 5 5 |
| Brockwell or Main | Iron girdle 0 0 7 |
| Coal Seam_* | Seggary metal 0 0 8 |
| Clay and gravel 0 5 0 | Post, vellowish-white |
| 1 5 5 | and hard 1 3 3 |
| Seggar-clay 0 0 6 | and hard 1 3 3 Blue metal 0 0 7 |
| | |
| Carried forward 0 0 6 1 5 5 | Carried forward 1 5 7 1 5 5 |

^{*} Horizon of Brockwell Seam.

No. 2,482.—BUTTERKNOWLE.—Continued.

| | | | | | | | | _ |
|-----------------------------|----------|----------|--------|---|-----|---------|---|----|
| | | | | | Ft. | | Fs. Ft. In. Fs. Ft. I | |
| Brought forward | 1 | 5 | 7 | 1 | 5 | 5 | Brought forward 10 1 6 9 2 | U |
| White post, with | | | | | | | Dark metal 0 5 11 | |
| yellow and hard | | | | | | | COAL 0 0 1 | |
| greyish beds | 2 | 5 3 | 2 | | | | 11 1 | 6 |
| Black metal | 2 | 3 | 4 | | | | Seggar-clay 0 5 11 | |
| Six Inches Seam— | | | | | | | COAL 0 0 6 | |
| COAL | 0 | 0 | 6 | | | | 1 0 | 5 |
| | | | | 7 | 2 | 7 | Posty seggar 0 0.9 | |
| Seggar-clay | 0 | 2 | 5 | | | | Blue metal and grey | |
| Soft black seggary | | | | | | | beds 0 2 2 | |
| metal and coal- | | | | | | | Shelly post and grey | |
| threads | 0 | 1 | 7 | | | | beds 0 5 9 | |
| Blue metal | ŏ | 5 | 9 | | | | Soft chalky blue . | |
| Darker blue metalt | - | 4 | 9 | | | | stone, with sigil- | |
| Hard grey - blue | U | - | U | | | | laria 0 2 0 | |
| 1 11 | 0 | 3 | 4 | | | | Hard grey beds 0 0 10 | |
| | _ | | 11 | | | | Very hard post | |
| | _ | ő | 3 | | | | 1 | |
| Post girdlet Blue metalt | 0 | 1 | 5 | | | | girdle 0 0 $2\frac{1}{2}$ Marshall Green Seam— | |
| | 0 | 0 | 6 | | | | | |
| Post girdlet | v | 2 | 1 | | | | COAL 1 8 | |
| Blue metalt | 0 | 2 | 3 | | | | | |
| Post girdle† | 0 | U | 3 | | | | Brat 0 $1\frac{1}{2}$ | |
| Blue metal, lower | | | | | | | $ 0 1 9\frac{1}{2}$ | |
| part mixed with | _ | _ | _ | | | | | 6 |
| _post† | 2 | 5 | 7 | | | | Gannister post, into 0 1 6 | |
| Victoria Seam—‡ | | | | | | | 0 1 | 6 |
| Hard white post, with | | | | | | | | |
| brown girdles and | | | | | | | | |
| water | 2 | 2 | 8 | | | | | |
| Carried forward | 10 | 1 | 6 | 9 | 2 | 0 | Total 24 0 | 11 |
| 4. 77 27. | | | | | | | Garage Comp | = |
| † Fossils. | | | | | | 1 H | [orizon of the Victoria Seam. | |

No. 2,483.—BUTTERKNOWLE.

TOWNSHIP OF LYNESACK AND SOFTLEY, DURHAM.

Sheet 41 of Ordnance Map. Lat. 54° 37′ 44″, Long. 1° 49′ 54″.

Account of Strata sunk and bored through near the South End of West Row of Coke-orens, Butterknowle Colliery, 1868, to prove the 2 feet 7 inches Seam of Coal shewn in No. 378. Commenced about 3 feet above horizon of Six Inches Seam which lies about 6 fathoms below the Brockwell Seam.

Approximate surface-level 600 feet above sea (Ordnance datum).

| Sinking:— | Fs. | Ft. | In. | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. Brought forward 7 0 5 1 1 0 |
|----------------|-----|-----|-----|-----|-----|-----|---|
| | 1 | 1 | 0 | | | | Blue metal 0 1 5 |
| • | | | | 1 | 1 | 0 | Post girdle 0 1 0 |
| | 2 | 1 | 3 | | | | Metal parting 0 0 8 |
| | 0 | 0 | 9 | | | | Post girdle 0 1 1 |
| | 2 | | | | | | Metal parting 0 0 4 |
| | 1 | 5 | 8 | | | | Post girdle 0 0 10 |
| | 0 | 0 | 9 | | | | Metal parting 0 0 3 |
| | 0 | 1 | 8 | | | | White post, very |
| Post girdle | 0 | 0 | 10 | | | | hard 0 1 3 |
| | _ | | | | | | |
| Carried forwar | d 7 | 0 | 5 | 1 | 1 | 0 | Carried forward 8 1 3 1 1 0 |

No. 2,483.—BUTTERKNOWLE.—CONTINUED.

| | Fa. | Ft. | In. | | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
|------------------|-----|-----|-----|----|-----|-----|-----------------------------|
| Brought forward | 8 | 1 | 3 | 1 | 1 | 0 | Brought forward 8 5 812 5 6 |
| Metal parting | 0. | 0 | 2 | | | | Post girdle 0 0 10 |
| White post, very | | | | | | | Dark metal 0 3 11 |
| hard | 0 | 2 | 7 | | | | White post 0 2 0 |
| | | _ | | 8 | 4 | 0 | Light metal 0 1 8 |
| Bored further:— | | | | | | | Grey post 0 0 1 |
| White post, very | | | | | | | Light blue metal 0 4 6 |
| hard | 0 | 2 | 0 | | | | Grey post 0 0 5 |
| White post, mild | 1 | 0 | 6 | | | | Light metal 0 3 0 |
| Metal parting | 0 | 0 | 4 | | | | Grey post 0 0 4 |
| White post | 1 | 0 | 8 | | | | Blue metal 0 2 0 |
| Blue metal | 0 | 2 | 6 | | | | Grey post 0 0 4 |
| COAL* | 0 | 0 | 6 | | | | Blue metal 0 2 10 |
| | | _ | | 3 | 0 | 6 | Grey post 0 0 4 |
| Seggar-clay | 0 | 2 | 1 | | | | Blue metal 0 0 6 |
| Light metal | 0 | 2 | 11 | | | | Dark metal 0 0 4 |
| Blue metal | 0 | 3 | 10 | | | | COAL 0 0 11 |
| White post, very | | | | | | | 12 5 8 |
| hard | 0 | 5 | 6 | | | | Iron thill, very hard 0 2 0 |
| Blue metal | 1 | 0 | 4 | | | | Grey post 0 0 4 |
| White post | 0 | 2 | 2 | | | 1 | Blue metal 0 0 10 |
| Blue metal | 0 | 3 | 6 | | | | Grey post 0 0 4 |
| Post girdle | 0 | 0 | 8 | | | | Blue metal 0 1 0 |
| Blue metal | 0 | 3 | 8 | | | | Grey post 0 0 4 |
| White post | 2 | 2 | 3 | | | | Blue metal 0 1 11 |
| Whin | 0 | 1 | 0 | | | | White post 0 5 0 |
| White post | 0 | 3 | 3 | | | | Metal and post 0 5 2 |
| Blue metal | 0 | 4 | 6 | | | | 2 4 11 |
| Carried forward | 8 | 5 | 8 | 12 | 5 | 6 | Total 28 4 1 |

*This is the 2 feet 7 inches scam of No. 378.

No. 2,484.—BUTTERKNOWLE.

TOWNSHIP OF LYNESACK AND SOFTLEY, DURHAM.

Sheet 41 of Ordnance Map. Lat. 54° 37' 383", Long. 1° 49' 49".

Account of Strata passed through in a Bore-hole put down in Coke-ovens Valley about 60 yards North of the Butterknowle Fault. Commenced about 4½ fathoms below the horizon of the Brochwell Seam.

Approximate surface-level 578 feet above sea (Ordnance datum).

| Soil and gravel | Fs. 0 | | In. F | 8. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. Brought forward 3 0 9 1 3 4 |
|------------------|----------|----------|----------------|----|-----|-----|---|
| son and graver | _ | - | | 0 | 4 | 4 | |
| Black plate | 0 | 1 | 9 | • | _ | _ | 3 1 0 |
| Grey metal | 0 | 2 | 9 | | | | Seggar-clay 0 2 1 |
| Six Inches Seam— | | | | | | | Grey post 1 0 0 |
| COAL | 0 | 0 | 6 | | | | Post, with metal |
| | _ | | | 0 | 5 | 0 | partings 1 0 7 |
| | 1 | | | | | | White post, strong 0 1 1 |
| | 0 | | | | | | White post, mild $0 	 1 	 1\frac{1}{2}$ |
| Grey post | | | | | | | White post, strong 0 0 101 |
| Grey beds | | | | | | | Light metal 0 2 8 |
| | 0 | 4 | 6 | | | | Grey post, hard 0 1 10} |
| Post, mixed with | | | | | | | Grey post, mild 0 5 8 |
| seggar-clay | 0 | 2 | 1 | | | | <u> 4 3 11½</u> |
| Light metal | 0 | 0 | 7 | | | | |
| Carried forward | 3 | 0 | $9\frac{1}{2}$ | 1 | 3 | 4 | Total 9 2 31 |
| | | | | | | | |

7

No. 2,485.—BUTTERKNOWLE.

TOWNSHIP OF LYNESACK AND SOFTLEY, DURHAM.

Sheet 41 of Ordnance Map. Lat. 54° 37' 401", Long. 1° 49' 51".

Account of Strata passed through in a Bore-hole put down 80 yards North of No. 2,484. Commenced $3\frac{1}{4}$ fathoms below the horizon of the Brockwell Seam.

Approximate surface-level 594 feet above sea (Ordnance datum).

| Soil and gravel Fs. Ft. In. Fe | s. Ft. 1 | In. | Fs. Ft. In. Fs. Ft. In. Brought forward 2 4 2½ 2 3 8 |
|--------------------------------------|----------|-----|--|
| | 0 4 | 4 | Soft parting 0 0 6 |
| Black plate 0 3 7 | | | Grey post, strong 0 5 3 |
| Dark grey metal 1 1 3 | | | Soft parting 0 0 11 |
| Six Inches Seam— | | | Grey post, strong 0 5 61 |
| COAL 0 0 6 | | | Soft parting 0 0 2 |
| : | 15 | 4 | Soft parting 0 0 2 Grey post 0 1 7 |
| Seggar-clay 0 3 10 | | | Soft parting 0 0 2 |
| Brown metal 1 0 3 | | | Grey metal, with post 0 1 1 |
| Grey metal, strong 0 0 9 | | | COAL 0 0 10 |
| Grey beds 0 0 3 | | | $515\frac{1}{2}$ |
| Grey post, strong 0 3 $1\frac{1}{2}$ | | | Dark metal, into |
| Metal, strong 0 2 0 | | | |
| | | | |
| Carried forward 2 4 21 2 | 2 3 | 8 | Total 7 5 11 |
| _ | | , | |

No. 2,486.—BUTTERKNOWLE.

TOWNSHIP OF LYNESACK AND SOFTLEY, DURHAM.

Sheet 41 of Ordnance Map. Lat. 54° 37′ 33¼″, Long. 1° 50′ 51¼″.

Account of Strata sunk through at the Quarry West Pit, Butterknowle Colliery, 1876. Approximate surface-level 702.01 feet above sea (Ordnance datum).

| Rouldon alon with | Fs. | Ft. | In. | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. Brought forward 1 1 10 4 1 4 |
|----------------------------------|----------|-----|-----|-----|-----|----------|---|
| Boulder clay, with iron nodules | 2 | 0 | 4 | • | • | | Blue metal 0 2 9 |
| Seggar-clay, with | | | | 2 | 0 | 4 | Grey post 0 1 0 Sandy parting 0 0 4 |
| iron nodules COAL | 0 | | | | | | White post 0 5 0 Blue metal, with |
| | | | | 0 | 1 | 2 | iron girdles 1 4 10 |
| Short metal or plate- clay | | | 6 | | | | Seggar-clay 0 0 2 Ft. In. |
| COAL, splinty and | | | | | | | COAL 0 3 |
| rusty | 0 | 3 | 0 | 0 | 4 | 6 | Seggar-clay 0 5 COAL 0 6 |
| Black splinty metal | 0 | 1 | 2 | - | | _ | 0 1 2 |
| Grey metal Strong metal, with | 0 | 1 | 7 | | | | 4 5 1 |
| iron girdles | 0 | 1 | 6 | | - | | Dark metal, with iron |
| coal, splinty and | | ٥ | 6 | | | | $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| 1 usty | | _ | | 0 | 4 | 9 | |
| Jointy grey post | 0 | 1 | 10 | | | | Jointy white post 1 3 4 |
| COAL, rusty | | | | | | _ | |
| DI (1 | _ | | | 0 | 2 | 7 | |
| Blue metal Strong grey post | | | | | | | Bastard whin 0 1 1 Blue metal 3 3 0 |
| Carried forward | 1 | 1 | 10 | 4 | 1 | 4 | Carried forward 8 0 11 9 0 5 |

No. 2,486.—BUTTERKNOWLE.—CONTINUED.

| Brought forward | | | | | | In. | |
|--------------------------------------|---|---------------|----|----|---|-----|---|
| Hutton or Four-feet | | | | | | | Grey metal 1 0 0 |
| Seam- | | | | | | | Post, mixed with |
| COAL | 0 | 3 | 10 | _ | | | whin 3 3 0 |
| Q | | _ | | 8 | 4 | 9 | Blue metal 1 3 0 |
| Seggar-clay | 0 | $\frac{2}{3}$ | 6 | | | | Harvey Seam— COAL 0 2 2 |
| Grey metal | 0 | 3 | Ö | | | | COAL 0 2 2 6 4 8 |
| Post Grey metal | Ö | 2 | 0 | | | | 9 9 9 |
| Post | ŏ | ĩ | 6 | | | | Grey metal, with iron |
| Post, mixed with | · | - | • | | | | girdles 5 1 0 |
| whin | 0 | 4 | 6 | | | | Grey metal, with |
| Blue metal | 1 | 2 | 6 | | | | strong post girdles 6 2 0 |
| Jubilee Seam— | | | | | | | Post, like millstone |
| COAL | 0 | 2 | 8 | | | | grit 1 0 0 |
| • | _ | _ | _ | 4 | 3 | 8 | Ft. In. |
| Seggar-clay | 0 | 3 | 0 | | | | COAL 0 8 |
| Post, mixed with | | • | _ | | | | Band 0 3 COAL 0 7 |
| whin Post | 1 | 0 | 0 | | | | COAL 0 7 0 1 6 |
| Blue metal | 0 | 1 | - | | | | |
| Post | 1 | 4 | 0 | | | | Seggar-clay 0 2 6 |
| Seggar-clay | ō | 1 | 9 | | | | Grey metal, with post |
| Post | Õ | 3 | 0 | | | | partings—Butter- |
| Blue metal | 0 | 5 | 0 | | | | knowle fault 3 5 0 |
| COAL | 0 | 0 | 3 | | , | | Grey metal 2 3 0* |
| | | | | 5 | 4 | 10 | COAL 0 0 4 |
| Blue metal | 0 | 2 | 0 | | | | 6 4 10 |
| Post | 0 | 2 | 0 | | | | Seggar-clay 0 2 8 |
| Blue metal | 1 | 0 | 3 | | | | Grey metal, with post |
| Blue metal, with | ò | 5 | 0 | | | | Blue metal 1 3 0 |
| grey post partings Ironstone band | 0 | 0 | 9 | | | | Blue metal 1 0 0 Grey metal, with post |
| Blue metal, with | U | U | 9 | | | | girdles 1 0 0 |
| iron girdles | 6 | 1 | 5 | | | | Blue metal, with post |
| COAL | Õ | ô | 3 | | | | girdles 0 4 3 |
| | _ | _ | _ | 8 | 5 | 8 | 4 3 11 |
| Seggar-clay | 0 | 2 | 6 | | | | |
| - | _ | - | - | _ | _ | | |
| Carried forward | 0 | 2 | 6 | 37 | 1 | 4 | Total 68 4 3 |

^{*} Approximately 69 fathoms below the position of the Brockwell Seam, and on the north side of the Butterknowle fault.

No. 2,487.—BUTTERKNOWLE.

TOWNSHIP OF LYNESACK AND SOFTLEY, DURHAM.

Sheet 41 of Ordnance Map. Lat. 54° 37′ 24¼″, Long. 1° 49′ 35″.

Account of Strata sunk through at the Gordon Pit, Butterknowle Colliery, 1885.

Approximate surface-level 559:42 feet above sea (Ordnance datum).

| Clay and soil Fs. Ft. In. Fs. Ft. In. 0 5 3 | Brought forward 1 3 0 0 5 3 COAL 0 0 6 |
|---|--|
| Post, with metal | Seggar-elay 0 3 0 |
| Carried forward 1 3 0 0 5 3 | |

No. 2,487.—BUTTERKNOWLE.—CONTINUED.

| Brought forward 1 | | | | | In. 9 | Brought forward | Fs. | Ft. | In.] | Fs. F | | In. |
|-----------------------|---|---|----|---|----------|-----------------------|-----|-----|-------|-------|-----|-----|
| Strong grey metal 0 | | | 2 | 2 | 3 | Strong grey metal | 1 | 4 | | 20 | .1. | U |
| Dark blue metal 0 | | | | | | Stone and grey metal | _ | _ | ٠ | | | |
| COAL 0 | | | | | | mixed | 0 | n | 7 | | | |
| OOAL • | | _ | 1 | 5 | 11 | mixed Seggar-clay | ŏ | 4 | 5 | | | |
| Seggar-clay 0 | 2 | 0 | - | Ŭ | | White post, mixed | • | _ | • | | | |
| Seggar, mixed with | _ | • | | | | with metal part- | | | | | | |
| post and iron | | | | | | ings | 0 | 5 | 0 | | | |
| nodules 0 | 3 | 0 | | | | Black stone | | | Õ | | | |
| Strong grey post 1 | | ŏ | | | | Confused strata, near | ٠ | | • | | | |
| Soft blue metal 4 | ĭ | 2 | | | | a rise hitch | 4 | 1 | 6 | | | |
| Black stone 0 | ī | ō | | | | Brockwell Seam— | _ | | | | | |
| COAL 0 | 0 | 6 | | | | COAL, east side | | | , | | | |
| | | _ | 6 | 4 | 8 | of rise hitch | 0 | 5 | 9 | | | |
| Strong grey post 0 | 1 | 6 | - | _ | _ i | Seggar-clay | ĭ | 2 | 0 | | | |
| White post stone 5 | 5 | 2 | | | | Brockwell Seam— | | | | | | |
| Strong grey post 0 | | 0 | | | | COAL, west side | | | | | | |
| Blue metal 0 | 5 | 0 | | | | of rise hitch | 0 | 5 | 9 | | | |
| Whin stone 1 | ī | 6 | | | | | | | 1 | 1 | 2 | 0 |
| Busty or Five-Quarter | | | | | | Seggar-clay | 1 | 2 | 0 | | _ | |
| Seam— | | | | | | Post | | | | | | |
| COAL* 0 | 2 | 6 | | | | | | | _ | 1 | 5 | 0 |
| | | _ | 8 | 5 | 8 | | | | | | | |
| Carried forward | | - | 20 | 1 | _ | Total | | | - | 33 | 2 | 0 |

^{*} The seam is burnt owing to the proximity of the Cockfield Whin Dyke.

No. 2,488.—BUTTERKNOWLE.

TOWNSHIP OF LYNESACK AND SOFTLEY, DURHAM.

Sheet 41 of Ordnance Map. Lat. 54° 38′ 13″, Long. 1° 50′ 16½″.

Account of Strata passed through in a Bore-hole, put down in the North Corner of the Little Field behind the High Stables on the Loop Farm, for the Butterknowle Colliery Company, Limited, 1891. The surface-level is 70 feet 6 inches below the level of the outcrop of the Brockwell Seam at Marsfield.

Approximate surface-level 734.82 feet above sea (Ordnance datum).

| Blue clay | Fs. Ft. In. Fs. Ft. In 1 1 0 1 1 0 | Brought forward 2 2 0 2 0 10 Blue metal 0 2 0 |
|---------------|------------------------------------|---|
| Girdle | 0 0 4 | Grey bed 0 2 0 |
| Metal | 0 5 0 | Black metal 0 3 4 |
| COAL | 0 0 6 | Grey post ' 0 5 6 |
| | 0 5 10 | Black metal 2 2 3 |
| Iron girdle | 0 0 6 | COAL 0 0 10 |
| Seggar-clay | 0 3 6 | 6 5 11 |
| Metal | 0 2 6 | Seggar-clay 1 0 9 |
| Grey bed | 0 1 0 | Post 1 3 0 |
| Black metal | 0 1 9 | Freestone 1 1 0 |
| Grey bed | 0 1 0 | Black metal 1 2 3 |
| Freestone | 0 3 9 | 5 1 0 |
| Carried forwa | ard 2 2 0 2 0 10 | Total 14 1 9 |

No. 2,489.—BUTTERKNOWLE.

TOWNSHIP OF LYNESACK AND SOFTLEY, DURHAM.

Sheet 41 of Ordnance Map. Lat. 54° 38' 111, Long. 1° 50' 28, Long. 1° 50'

Account of Strata passed through in No. 1 Bore-hole, belonging to a line of Bore-holes, put down 25 yards below the High Stile in the Old Field on the Loop Farm, to prove whether the Main Drift Brockwell Seam continued westward between two dip Faults, for the Butterknowle Colliery Company, Limited, 1898.

Approximate surface-level 738.57 feet above sea (Ordnance datum).

| Blue clay | | Fs. 4 | | | | Ft. | Ιa. | Brought forward Fs. Ft. In. Fs. Ft. In. 6 4 7 |
|---|-----|-------|---|----|---|-----|-----|---|
| • | | | | | 4 | 1 | 0 | Seggar-clay 0 4 9 |
| Grey beds Soft parting Dark metal | | 0 | 5 | 3 | | | | Post 0 1 8 |
| Soft parting | | 0 | 0 | 3 | | | | Soft post 0 0 4 |
| Dark metal | | 1 | 3 | 3 | | | | Hard post 0 2 8 |
| Six Inches Seam- | _ | | | | | | | 1 3 5 |
| COAL | | 0 | 0 | 10 | | | | · |
| | | | | | 2 | 3 | 7 | |
| 0 110 | | | | | _ | | | m / 1 |
| Carried forw | ard | | | | 6 | 4 | 7 | Total 8 2 0 |

No. 2,490.—BUTTERKNOWLE.

TOWNSHIP OF LYNESACK AND SOFTLEY, DURHAM.

Sheet 41 of Ordnance Map. Lat. 54° 38' 81, Long. 1° 50' 273".

Account of Strata passed through in No. 2 Bore-hole, belonging to a line of Bore-holes, put down 384 links from South Fence and 249 links from East Fence in the Old Field on the Loop Farm, to prove whether the Main Drift Brockwell Seam continued westward between two dip Faults, for the Butter-knowle Colliery Company, Limited, 1898.

Approximate surface-level 720.82 feet above sea (Ordnance datum).

| Blue clay . | | 2 | 5 | 6 | | | | Fs. Ft. In. Fs. Ft. In. Brought forward 0 4 6 2 5 6 Whin, chisel broken |
|------------------------------|---------|---|--------|--------|---|---|---|---|
| Seggar-clay Post Plate | | 0 | 0 1 | 6 0 | | | | in hole 0 0 3 0 4 9 |
| Carried | forward | 0 | 4 | 6 | 2 | 5 | 6 | Total 3 4 3 |

No. 2,491.—BUTTERKNOWLE.

TOWNSHIP OF LYNESACK AND SOFTLEY, DURHAM.

Sheet 41 of Ordnance Map. Lat. 54° 38′ 5″, Long. 1° 50′ 27½″.

Account of Strata passed through in No. 3 Bore-hole, belonging to a line of Bore-holes, put down in the North-east Corner of a Ploughed Field on the Loop Farm, to prove whether the Main Drift Brockwell Seam continued westward between two dip Faults, for the Butterknowle Colliery Company, Limited, 1898.

Approximate surface-level 701.82 feet above sea (Ordnance datum).

| Blue clay Seggar-clay Iron girdle | 1 | 5 | 0 | 1 | | 0 | Brought forward 0 3 4 1 5 0 . Blue metal 0 1 3 Post 0 2 0 |
|---|---|---|---|---|---|---|--|
| Carried forward | 0 | 3 | 4 | 1 | 5 | 0 | Total 2 5 7 |

No. 2,492.—BUTTERKNOWLE.

TOWNSHIP OF LYNESACK AND SOFTLEY, DURHAM.

Sheet 41 of Ordnance Map. Lat. 54° 38′ 2¼″, Long. 1° 50′ 28″.

Account of Strata passed through in No. 4 Bore-hole, belonging to a line of Bore-holes, put down 30½ yards from the West Fence and 54 yards from the South Fence in the new-laid Field on the Loop Farm, to prove whether the Main Drift Brockwell Seam continued westward between two dip Faults, for the Butterknowle Colliery Company, Limited, 1898.

Approximate surface-level 696.57 feet above sea (Ordnance datum).

| Blue clay Fs. Ft. In. Fs. Ft. In. Seggar-clay 0 3 3 | Brought forward 0 3 3 1 0 0 Post 0 1 0 |
|--|--|
| Carried forward 0 3 3 1 0 0 | Total 1 4 3 |

No. 2,493.—BUTTERKNOWLE. TOWNSHIP OF LYNESACK AND SOFTLEY, DURHAM.

Sheet 41 of Ordnance Map. Lat. 54° 37′ 33¾", Long. 1° 49′ 39½".

Account of Strata sunk and bored through at the Diamond Pit, Butterknowle Colliery, from a Stone-drift, driven from the Busty or Five-Quarter Seem through the Butterknowle or Eighty-fathoms Trouble, and situate North 30 degrees East (1900) and about 55 yards from the Yard or Old Engine Shaft, July, 1900. This Hole was put down to prove whether there really existed a 3 feet to 4 feet Coal-seam, which it was alleged was found when putting through the Trouble from the Brockwell Seam, lying 103 fathoms below the Five-Quarter Seam.

Approximate surface-level of drift 238.55 feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|---------------------------|--|
| C. 1. | Brought forward 1 5 5 |
| Hard grey post 0 4 0 | Grey metal 0 5 11 |
| Grey metal, mixed | Very hard blue metal, like whin 0 1 3 |
| with post \dots 1 0 7 | metal, like whin 0 1 3 |
| Iron band 0 0 10 | Soft white post 0 3 2 |
| | · |
| Carried forward 1 5 5 | Carried forward 3 3 9 |

No. 2,493.—BUTTERKNOWLE.—CONTINUED.

| Brought forward Black metal Soft white post Soft black metal Bored further:— Hard white post: at a depth of 3 fath- oms 4 feet 3 inches in this post, a feeder of 32½ gal- lons per minute of mineral water was tapped, at a pres- sure of 80 pounds | 3 0 0 0 0 | 3 1 1 1 1 | 9 5 2 4 — | Fs. 4 | Ft. 1 | | Brought forward 4 3 7 4 1 8 White post 1 1 2 Grey post 0 3 0 White post 0 1 0 Hard white post* 2 2 2 2 Grey post 0 2 6 Dark blue clay 0 0 6 White post 0 4 2 Dark blue clay 0 0 5 Grey post 0 3 4 Hard white post† 1 2 6 |
|---|-----------|-----------|-----------------------|-------|-------|----|--|
| per square inch Carried forward | | | _ | 4 | 1 | -8 | Total <u>16 2 0</u> |

^{*} The seam sought, if existing, should have been found at a depth of 1 fathom 1 foot 7 inches in this post.

† This bed lies approximately 447 feet below the Brockwell Seam.

No. 2,494.—BUTTERKNOWLE.

TOWNSHIP OF LYNESACK AND SOFTLEY, DURHAM.

Sheet 41 of Ordnance Map. Lat. 54° 38' 22", Long. 1° 49' $45\frac{1}{2}"$.

Account of Strata sunk and bored through at the High Bank, Butterknowle, on the North Side of the Road and in the Sluck, for the Butterknowle Colliery Company, Limited, 1900. The Top of the Pit is 35 feet 11 inches below the level of the Brockwell Seum Water-level in the Scroggs.

Approximate surface-level 744.1 feet above sea (Ordnance datum).

| | | | | | | _ 1 | |
|--------------------------------------|--------|-----|-----|-----|-----|-----|---|
| Sinking: - | Fs. | Ft. | In. | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. Brought forward 0 1 0 6 1 7 |
| | ۵ | | c | | | | |
| Dark slaty metal Six Inches Seam— | U | 4 | 6 | | | | 731 |
| | | | | | | | |
| COAL | . 0 | U | 6 | _ | - | | Hard post 0 4 0 |
| 0 | | | _ | 0 | 5 | 0 | Grey beds 0 0 9 |
| Seggar-clay | | 5 | | | | | Hard post 0 1 1 |
| | . 2 | 2 | 0 | | | | Grey beds 0 1 3 |
| Post girdle | | | 10 | | | | Hard post 0 0 6 |
| Black metal | . 0 | 5 | 0 | | | | Grey beds 0 0 10 |
| Post girdle | . 0 | 0 | 11 | | | | Post 0 1 4 |
| Black metal | . 0 | 2 | 0 | | | | Soft yellow sandstone 0 1 9 |
| Post girdle | . 0 | 1 | 8 | | | | Hard post 0 2 7 |
| Black metal | . 0 | 1 | 9 | | | | Soft grey beds 0 0 7 |
| Post girdle | _ | 0 | 6 | | | | Hard post 1 0 10 |
| Black metal | _ | 0 | 11 | | | | Freestone 1 2 7 |
| | | | | 5 | 2 | 7 | Black metal* 0 2 6 |
| | | | | | | | 6 1 5 |
| | | | | 6 | 1 | 7 | Seggar-clay 0 2 5 |
| Bored further:- | | | | 0 | • | • | Grey heds, with white |
| Black metal: pipe | | | | | | | |
| wodged in this bea | י ו | 1 | ۸ | | | | |
| wedged in this bec | ı U | 1 | 0 | | | | Dark metal 0 0 7 |
| Commind former | , | ٠, | | | 1 | | Carried forward 1 2 0 12 3 0 |
| Carried forward | ıU | 1 | 0 | 6 | 1 | 7 | Carried forward 1 2 0 12 3 0 |

^{*} Probably coal (a few inches), as in Knavesmire sinking, No. 2,482.

No. 2,494.—BUTTERKNOWLE.—Continued.

| | | | | Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|-----------------|----------|--------|---------|---------|------------------------------|
| Brought forward | 1 | 2 | 0.12 | 3 0 | Brought forward 2 3 6 12 3 0 |
| Grey beds | 0 | 1 | 1 | | Metal 0 2 9 |
| Post | 0 | 1 | 0 | | Marshall Green Seam— |
| Blue metal | 0 | 0 | 7 | | COAL 0 1 1† |
| Post | 0 | 0 | 4 | | 3 1 4 |
| Metal | 0 | 0 | 5 | | Seggar-clay 0 3 10 |
| Post | 0 | 4 | 1 | | 0 3 10 |
| | _ | | | | |
| Carried forward | 2 | 3 | $6\ 12$ | 3 0 | Total 16 2 2 |
| | | | | | |
| | | + | 640.0 | feet ab | nava cas laval |

† 649.9 feet above sea-level.

No. 2,495.—BUTTERKNOWLE.

TOWNSHIP OF HAMSTERLEY, DURHAM.

Sheet 41 of Ordnance Map. Lat. 54° 39′ 18″, Long. 1° 48′ 43½″.

Account of Strata passed through in a Bore-hole, put down from the Thill of the Victoria Seam at the Face of the West Going-bord in Moorhill Loves Drift, to prove the Marshall Green Seam as found in the Sinking, No. 2,482, at the Southwest Corner of the Knavesmire Farm, 840 yards to South-west, for the Butterknowle Colliery Company, Limited, March, 1904. The Thill of the Victoria Seam is 606 feet above sea-level.

Approximate surface-level 606 feet above sea (Ordnance datum).

| | Fs | Ft | In Fs. | Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|------------------|-----|----|----------|---------|-------------------------|
| Iron band | | | | | Brought forward 9 0 4 |
| Grey posty scgga | | | | | Dark sandy post 0 3 6 |
| clay | | 1 | 1 | | Light sandy post 0 1 2 |
| Post | 4 | 3 | 5 | | Blue metal 0 0 4 |
| Blue metal | 1 | 5 | 0 | | Light sandy post 0 4 2 |
| Iron girdle | 0 | 0 | 3 | | Marshall Green Seam— |
| Blue metal | 0 | 5 | 6 | | COAL 0 2 1 |
| Iron girdle | 0 | 0 | 1 | | 10 5 7 |
| | 0 | 2 | 10 | | Soft brat 0 0 2 |
| Iron girdle | 0 | 0 | 2 | | Post, into 0 0 8 |
| Blue metal | 0 | 5 | 8 | | 0 0 10 |
| | | | | | |
| Carried forwar | d 9 | 0 | 4 | | Total 11 0 5 |
| | | | | | |

No. 2,496.—BUTTERKNOWLE.

TOWNSHIP OF BARONY, DURHAM.

Sheet 41 of Ordnance Map. Lat. 54° 39' 25", Long. 1° 48' 0".

Account of Strata passed through in No. 1 Bore-hole of a line of Bore-holes put down in Wetheral's Pasture (Field No. 274), Moorhill, May, 1904, to find the outcrop of the Victoria Seam.

Approximate surface-level 622.7 feet above sea (Ordnance datum).

| Alluvium | . 0 | | 0 | | | | Brought forward 1 3 (| D. |
|-----------------------------|-----|---|--------|---|---|---|--|----|
| Black metal Brockwell Seam— | . 0 | 2 | 6 | U | 1 | U | Seggar-clay 0 5 10 Post, into 0 0 6 | 4 |
| COAL | 0 | 5 | 6 — | | 2 | 0 | | |
| Carried forward | l | | | 1 | 3 | 0 | Total 2 3 4 | 1 |

No. 2,497.—BUTTERKNOWLE. TOWNSHIP OF BARONY, DURHAM.

Sheet 41 of Ordnance Map. Lat. 54° 39' 253", Long. 1° 47' 573".

Account of Strata passed through in No. 2 Bore-hole.

Approximate surface-level 625:4 feet above sea (Ordnance datum).

| Alluvium | | | | Fs. 0 | Ft. | In. 9 | Fs. | Ft. | In. | |
|------------------------------|---------------------|--------------|------|-----------|--------|----------|-----|-----|-----|--|
| Seggar-clay, u Post, into | nderlying <i>Br</i> | ockicell | Seam | | 1 3 | 9 | 0 | 4 | 9 | |
| | Total | | | | | - | 1 | 2 | 6 | |

No. 2,498.—BUTTERKNOWLE. TOWNSHIP OF BARONY, DURHAM.

Sheet 41 of Ordnance Map. Lat. 54° 39' 254", Long. 1° 47' 544".

Account of Strata passed through in No. 3 Bore-hole.

Approximate surface-level 623 feet above sea (Ordnance datum).

| Total | | | | _ | 0 | 4 | 6 |
|---------------------------------------|-----|-----|-----|-----|-----|-----|-----|
| Post, underlying Brockwell Seam, into | ••• | 0 | 3 | 0 | 0 | 3 | 0 |
| | ••• | _ | | _ | 0 | 1 | 6 |
| Alluvium | | Fs. | Ft. | In. | Fs. | Ft. | In. |

No. 2,499.—BUTTERKNOWLE. TOWNSHIP OF BARONY, DURHAM.

Sheet 41 of Ordnance Map. Lat. 54° 39' 261, Long. 1° 47' 521".

Account of Strata passed through in No. 4 Bore-hole.

Approximate surface-level 622.1 feet above sea (Ordnance datum).

| Alluvium | | | | 0 | 2 | | | | In. |
|------------------|-------------|-------|------|-------|---|---|---|---|-----|
| Post, underlying | g Brockwell | Seam, | into | 0 | 5 | 3 | • | _ | 3 |
| | Total | | | | | | 1 | 1 | 6 |

No. 2,500.—BUTTERKNOWLE.

TOWNSHIP OF BARONY, DURHAM.

Sheet 41 of Ordnance Map. Lat. 54° 39′ 268″, Long. 1° 47′ 493″.

Account of Strata passed through in No. 5 Bore-hole.

Approximate surface-level 619.2 feet above sea (Ordnance datum).

| Alluvium | 0 | 5 | In. 6 | | | In. 6 | Brought forward 5 0 0 0 5 6 |
|---------------------------------|---|---|----------|---|---|-------|---------------------------------------|
| Post, underlying Brockwell Seam | | | | Ü | J | Ü | Victoria Seam—* |
| Brockwell Seam Grey beds | | | | | | | COAL 0 1 3 |
| Metal | 0 | 4 | Ó | | | | Seggar-elay 0 1 6 Post, into 0 0 9 |
| Light seggar-clay Iron band | 0 | 0 | 3 | | | | 0 2 3 |
| Carried forward | 5 | 0 | 0 | 0 | 5 | 6 | Total 6 5 3 |

*This seam in workings 130 yards to west of No. 1 Bore-hole is 2 feet 4 inches thick.

No. 2,501.—BUTTERKNOWLE.

TOWNSHIP OF BARONY, DURHAM.

Sheet 41 of Ordnance Map. Lat. 54° 39' 27", Long. 1° 47' 47½".

Account of Strata passed through in No. 6 Bore-hole.

Approximate surface-level 606 4 feet above sea (Ordnance datum).

| Alluvium | | 0 | 3 | 6 | | Ft. | | Brought forward | | | | Ft. 0 | In. 0 |
|---------------------------------|---------|---|---|---|---|----------|---|-------------------------------|--------------|---|---|----------|----------|
| Metal | | | | | U | 3 | б | Seggar-clay Coarse post, into |) ()) () | 3 | | | |
| | | | | | | | | Coarse post, into | | 0 | Λ | ۸ | 6 |
| Light seggar-clay Blue metal | • • • • | ń | 4 | 3 | | | | _ | | | U | U | U |
| Victoria Seam— | ••• | ٠ | _ | 0 | | | | | | | | | |
| COAL | | 0 | 1 | 0 | | | | | | | | | |
| | | | | | 2 | 2 | 6 | | | | | | |
| | | | | | | | | | | | | | |
| Carried forwa | ard | | | | 3 | 0 | 0 | Total | | | 3 | 0 | 6 |
| | | | | | | | | | | = | | | _ |

No. 2,502.—BUTTERKNOWLE.

TOWNSHIP OF BARONY, DURHAM.

Sheet 41 of Ordnance Map. Lat. 54° 39' 271", Long. 1° 47' 441".

Account of Strata passed through in No. 7 Bore-hole. Approximate surface-level 594.5 feet above sea (Ordnance datum).

| Alluvium 1 | Ft. In 1 3 | Fs. | Ft. | In. |
|---|---------------|-----|-----|-----|
| | | 1 | 1 | 3 |
| Seggar-clay, probably alluvium 0 Coarse post, underlying the Victoria Seam, into 0 | 2 9 | | | |
| | | 0 | 3 | 6 |
| Total | | 1 | 4 | 9 |

No. 2,503.—BUTTERKNOWLE. TOWNSHIP OF BARONY, DURHAM.

Sheet 41 of Ordnance Map. Lat. 54° 39' 273", Long. 1° 47' 423".

Account of Strata passed through in No. 8 Bore-hole.

Approximate surface-level 587:3 feet above sea (Ordnance datum).

| Alluvium | | | ••• | Fs. 0 | Ft. 4 | In. 6 | Fa. | Ft. | |
|-----------------------------|----------|------|--------|----------|----------|----------|-----|-----|---|
| Coarse post, underlying the | Victoria | seam | , into | 3 | 3 | 0 | 3 | - | 0 |
| Total | | | | | ••• | ä | 4 | 1 | 6 |

No. 2,504.—BUTTERKNOWLE.

TOWNSHIP OF LYNESACK AND SOFTLEY, DURHAM.

Sheet 41 of Ordnance Map. Lat. 54° 37' 22", Long. 1° 49' 49".

Account of Strata sunk through in a Staple situated 48 feet to North Northeast of the William Pit, February, 1906, to prove the Harvey or Yard Seam shewn as 8 feet from the surface in the account of the William Pit Sinking, No. 379.

Approximate surface-level 632.3 feet above sea (Ordnance datum).

| Old pit rubbish 0 2 Boulder-clay 1 4 | 2 Band 1 10 |
|---|---------------------|
| Post, hard 0 1 Metal 0 2 | |
| Post* 0 2 | |
| Metal 0 4 | 3 4 1 7 |
| COAL 0 10 | Metal 0 2 10 0 2 10 |
| Car. forward 0 10 3 3 | 11 Total 4 4 5 |

*The Harvey Scam, allowing for dip of the strata, should have been found here.

No. 2,505.—BYER MOOR. TOWNSHIP OF WHICKHAM, DURHAM.

Sheet 6 of Ordnance Map. Lat. 54° 54′ 32″, Long. 1° 42′ 25″.

Account of Strata sunk through in the Byer Moor Pit, Byer Moor Colliery.

Approximate surface-level 600 feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. In. | |
|---|---|
| Depth from settle | Brought forward 1 3 2 21 3 10 |
| boards to thill of | Blue metal, with post |
| Hutton Seam 19 0 0 | girdles 1 3 3 |
| Grey metal stone 0 5 3 | Hard white post 3 3 0 |
| Blue metal, with post | girdles 1 3 3 Hard white post 3 3 0 Main Coal Seam— |
| Grey metal stone 0 5 3 Blue metal, with post girdles 1 3 3 GOAL 0 1 4 | COAL 0 4 0 |
| CŎAL 0 1 4 | 7 1 5 |
| | Black slate 0 0 5 |
| Grey metal stone 1 3 2 | |
| | |
| Carried forward 1 3 221 3 10 | Carried forward 0 0 5 28 5 3 |

No. 2,505.—BYER MOOR.—CONTINUED.

| Brought forward COAL | 0 | 0 | 5 3 — | Fs. 28 | Ft. 5 | In. 3 | Brought forward Fs. Ft. In. Fs. Ft. In. Seggar-clay 2 0 0 Hard white post 0 3 0 |
|--------------------------------------|---------------|---------------|---------------|-----------|----------|----------|---|
| Seggar-clay Blue metal stone | | $\frac{2}{2}$ | $\frac{0}{2}$ | | | | Grey metal 3 0 0 |
| Hard bastard post | 0 1 | | 11 | | | | Three-Quarter Seam— |
| Grey metal, with post | | U | 11 | | | | COAL 2 0 |
| girdles | 1 | 5 | 0 | | | | Blue metal 1 0 |
| Hard white post | 4 | 4 | 0 | | | | COAL 0 4 |
| COAL | Ô | ī | 5 | | | | —— 0 3 4 |
| | | | _ | 8 | 3 | 6 | 6 0 4 |
| Grey metal stone | 0 | 3 | -3 | | | | Seggar-clay 0 3 6 |
| White post and whin | 0 | 3 | 6 | | | | Post girdles and grey |
| Blue metal, with post | | | | | | | metal 050 |
| girdles | 1 | 1 | 10 | | | | Grey metal 3 0 0 |
| Blue metal, with iron- | | _ | _ | | | | Grey metal, with post |
| stone girdles | 3 | 0 | 0 | | | | girdles 0 3 8 |
| Grey metal stone | 1 | 1 | 0 | | | | Brockwell Seam— |
| Strong white post | 5 1 | 5 | 0 | | | | COAL 0 4 |
| Blue metal stone Grey metal stone | 1 | 3 3 | 0 | | | | COAL 0 4 Blue metal 0 6 |
| White post and whin | $\frac{1}{2}$ | 5 | 0 | | | | COAL 1 3 |
| COAL | 0 | 0 | 5 | | | | Band 0 2 |
| OOAL | _ | | _ | 18 | 2 | 0 | COAL 2 2 |
| Grey metal stone White post, with | 2 | 0 | 7 | 10 | ~ | | 0 4 5 |
| metal partings | 1 | 5 | 0 | | | | Seggar-clay 0 2 6 |
| COAL | 0 | 2 | 3 | | | | COAL 0 0 4 |
| | | | | 4 | 1 | 10 | 0 2 10 |
| Seggar-clay | 0 | 2 | 0 | | | | Seggar-clay 0 2 3 |
| Strong white post | 0 | 4 | 9 | | | | Post, with metal part- |
| Grey metal stone | 1 | 1 | 0 | | | | ings 2 0 0 |
| White post | 4 | 3 | 0 | | | | Blue metal 1 4 0 |
| Blue metal, with post | 0 | | ^ | | | | Hard white post 0 3 2 |
| girdles | 0 | 4 | 0 | | | | Grey metal 0 2 0 Post 0 1 8 |
| Blue metal stone | 0 | 1 | U | | | | 0 1 0 |
| Busty Seam— | | | | | | | Post 0 1 4 |
| COAL 2 10 | | | | | | | Blue metal 0 4 9 |
| Grey metal 0 4 | | | | | | | COAL 0 1 6 |
| COAL 0 4 | | | | | | | 6 3 8 |
| Black metal 0 1 | | | | | | | Post, into 0 3 0 |
| COAL, ten- | | | | | | | 0 3 0 |
| der 2 0 | | | | | | | |
| | 0 | 5 | 7 | | | | |
| | | | | 8 | 3 | 4 | |
| | | | | | | _ | |
| Carried forward | | | | 68 | 4 | 7 | Total 88 1 0 |
| | | | | | | | |

No. 2,506.—CALLERTON.

TOWNSHIP OF BLACK CALLERTON, NORTHUMBERLAND.

Sheet 88 of Ordnance Map. Lat. 55° 1' 23", Long. 1° 42' 3".

Account of Strata sunk through in a Pit at Callerton. February 28th, 1828.

Approximate surface-level 237 fect above sea (Ordnance datum).

| Soil and clay Fs. Ft. In. Fs. Ft. In. Gravel, with water 2 0 0 | Brought forward 2 5 6 Stony blue clay 1 0 0 |
|--|---|
| Carried forward 2 5 6 | Carried forward 3 5 6 |

No. 2,506.—CALLERTON.—CONTINUED.

| Brought forward 3 5 6 Sand, with water 0 5 0 | t. In. | Brought forward Grey metal | | Ft. In | 5 8 | Ft. | |
|--|--------|--|--------|--|------------|-----|---|
| Strong blue clay, with large lime- | | | ŏ — | | | 5 | 8 |
| stones 12 0 0 Gravel, with water 1 0 0 | | Grey metal COAL, with water | | | | | _ |
| White post 0 1 0 Blue metal 3 0 0 | 4 6 | Grey metal, with post girdles and water | 2 | 1 9 | 2 | 0 | 5 |
| Post, with water 0 5 6 Blue metal 3 3 6 | | Blue metal, with post girdles and water | 1 | 5 8 | | | |
| Post, commonly called "green post" 1 4 3 Soft grey metal 1 0 0 | | | 0 | | 4 | 2 | 5 |
| Soft grey metal 1 0 0 Black metal 0 3 3 COAL, splint, with | | Thill Mild post Post, with whin and | 0 | 1 0 4 0 | | | |
| | 1 0 | COAL, coarse, with | | | | | |
| Grey metal 1 5 0 Grove Seam— COAL, with water 0 5 11 | | Water Blue metal | 0 | | 14 | 5 | 0 |
| Thill 0 3 0 | 4 11 | COAL, with water | 0 | 1 6 | 1 | 2 | 6 |
| (M) 111 | 3 11 | Blue metal | 1 | | | | |
| Post, with water 0 4 0 Blue metal, with | | Thill | _ | 0 10 | 2 | 3 | 5 |
| water 1 0 0 Blue metal 2 2 2 Back with mater | | Black metal Post | 0 0 | $\begin{array}{cc} 1 & 0 \\ 3 & 9 \end{array}$ | | | |
| Post, with water 0 4 5 COAL, with water 0 0 7 | 2 0 | Grey metal, with post girdles and water Blue metal | 1 | 0 10 3 1 | | | |
| Grey post, with water 0 3 0 Soft blue metal 4 2 0 | | Black metal, with small threads of | _ | | | | |
| Strong white post, with water 2 5 4 Blue metal 0 2 10 | | Grey metal, with water | 0 | 4 11 1 0 | | | |
| COAL, with water 0 1 11 8 | 3 1 | Strong white post Grey post, with water | 5 0 | $\begin{array}{ccc}2&7\\2&0\end{array}$ | | | |
| Grey metal 2 1 3 Grey metal, with post girdles 1 4 1 | | Black metal Strong white post Blue metal | 0 | 1 10 4 1 1 4 | | | |
| girdles 1 4 1 Mild grey post 4 3 9 Grey metal 2 3 6 | | COAL, with water | | 0 10 | 11 | 4 | 1 |
| COAL, with water 0 4 11 11 8 | 5 6 | | | | | | |
| Carried forward 58 | 0 11 | Total . | | ·· <u>·</u> | 96 | 0 | 5 |

No. 2,507.—CALLERTON.

TOWNSHIP OF BLACK CALLERTON, NORTHUMBERLAND.

Sheet 88 of Ordnance Map. Lat. 55° 1' 29", Long. 1° 42' 15".

Account of Strata passed through in a Bore-hole 17 feet from top of North Hedge and 70 feet from top of East Hedge of the West Whin Field, Luddick Farm, Callerton, Northumberland. Commenced September 2nd, 1902.

Approximate surface-level 250 feet above sea (Ordnance datum).

No. 2,507.—CALLERTON.—Continued.

| Soil | Fs. 0 | Ft. | In. 8 | Fg. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. Brought forward 3 4 8 45 1 6 |
|--|----------|--------|----------|-----|-----|-----|--|
| Boulder-clay | 8 | 0 | 4 | | | | Grey shale, with post |
| Strong blue clay and | | | | | | | girdles 1 4 5 |
| pebbles | 2 | 2 | 8 | | | | Black stone and coal 0 0 4 |
| Loamy sand | 1 | 0 | 6 | | | | Grey post 8 1 2 |
| Strong blue clay and | | | | | | | Black stone and coal 0 1 4 |
| pebbles | 11 | 0 | 3 | | | | Dark grey shale 0 5 7 |
| | | | | 22 | 5 | 5 | Grey shale, with post |
| There neet | 0 | 0 | 6 | | | | partings 2 3 0 |
| drey post | U | · | 0 | | | | Dark grey shale 0 5 0 |
| Frey shale, with coal partings | 0 | 3 | 2 | | | | COAL, coarse 0 0 3 |
| partings Frey post | ŏ | | 11 | | | | $\phantom{00000000000000000000000000000000000$ |
| rey post, with shale | | | | | | | Grey seggar-clay 0 0 10 |
| partings | 2 | 3 | 1 | | | | Grey post 0 2 0 |
| Dark grey shale | • | 2 | 0 | | | | Grey post, with shale partings 0 4 0 |
| drey post | - | 3 | 6 | | | | The state of the s |
| Grey post Dark grey shale | | 1 | 4 | | | | Grey shale, with post girdles 1 0 2 |
| COAL | 0 | 0 | 2 | | | | |
| | | | | 7 | 3 | 8 | 0.04 |
| luor abala | 1 | 2 | 10 | | | | 3 1 5 |
| rey shale | 2 | 3 | 5 | | | | |
| Oark grey shale Frey shale, with post | | U | , | | | | Grey seggar-clay 0 3 0 Grey shale, with post |
| | | 1 | 11 | | | | |
| partings Ft. In | | _ | | | | | girdles 1 1 7 Grey post 6 5 4 |
| OAL 0 7 | | | | | | | Ft. In. |
| and 1 1 | | | | | | | COAL 1 4 |
| OAL 1 0 | | | | | | | Band 0 4 |
| OAL and | | | | | | | COAL 0 6 |
| band 0 5 | 1 | | | | | | 0 2 2 |
| OAL 1 1 | | | | | | | <u> </u> |
| | 0 | 4 | 3 | | _ | | Grey shale, with post |
| | | _ | | 12 | 0 | 5 | girdles 0 2 6 |
| rey seggar-clay | 0 | 2 | 9 | | | | Grey post, with shale |
| ark grey shale | 0 | 1 | 4 | | | | partings 2 1 7 |
| Ft, In | | | | | | | Grey shale, with post |
| COAL, coarse 1 4 | | | | | | | girdles 1 1 5 |
| rey shale 1 8 | | | | | | | Grey shale, with iron- |
| OAL, coarse 0 4 | | | | | | | stone bands 2 1 8 |
| Black stone | | | | | | | Grey shale, with post |
| and coal 0 5 | | | | | | | girdles 0 5 10 |
| COAL, coarse 0 3 | i | | | | | | Grey shale 0 5 5 GOAL 0 0 8 |
| | 0 | 4 | 0 | | | | COAL 0 0 8 8 1 1 |
| | | | | . 1 | 2 | 1 | Grey seggar-clay, with |
| rey shale | 0 | 2 | 11 | | | | ironstone balls 0 2 10 |
| rey seggar-clay | _ | | 0 | | | | Grey shale 1 0 9 |
| Oark grey shale | | 1 | | | | | COAL 0 0 6 |
| Ft. In | | _ | ٢ | | | | 1 4 1 |
| COAL, coarse 1 6 | | | | | | • | Grey shale, with post |
| Black stone | | | | | | | girdles 1 5 6 |
| and coal 0 3 | i | | | | | | Grey post 3 1 8 |
| | . 0 | 1 | 9 | | | | COAL 0 3 5 |
| • | | | | . 1 | 1 | 11 | 5 4 7 |
| 1 -1 147-1 | | | | . т | 1 | rr | |
| frey shale, with iron- | - | | | | | | |
| stone bands | _ | | 4 | | | | |
| rey post | | 4 | 2 | | | | GOAL 0 0 3 1 8 |
| rey shale, with iron- | - | 1 | ถ | , | | | |
| stone bands | 1 | 1 | _ 2 | _ | | | Grey seggar-clay 0 1 9 |
| Carried forward | 3 | 4 | | 45 | 1 | 6 | Carried forward 0 1 9 94 4 2 |
| | • | _ | - | | _ | ٠ | |
| , | | | | | | | |

No. 2,507.—CALLERTON.—CONTINUED.

| Down what formered | | | | | Ft. | _ | |
|-----------------------|---|----------|---|-----|-----|----|-------------------------------|
| Brought forward | | 1 | 9 | 94 | 4 | 2 | Brought forward 6 1 3 102 2 4 |
| Grey shale, with post | | _ | _ | | | | Coarse white post 1 1 1 |
| girdles | 3 | 2 | 9 | | | | COAL 0 0 9 |
| Ft. In. | | | | | | | 7 3 1 |
| COAL 1 3 | | | | | | | Grey post 4 4 9 |
| Band 0 7 | | | | | | | Grey shale, with post |
| COAL 1 9 | | | | | | | girdles 0 5 2 |
| | 0 | 3 | 7 | | | | COAL 0 1 2 |
| | _ | | | 4 | 2 | 1 | 5 5 1 |
| Grey seggar-clay | 0 | 1 | 8 | | | | Grey seggar-clay 1 0 10 |
| Grey shale | _ | 1 | - | | | | Grey shale, with iron- |
| Grey post | | 5 | 5 | | | | stone girdles 1 2 9 |
| COAL | _ | 0 | 3 | | | | Grey shale, with post |
| 30AL | _ | | | 1 | 3 | 1 | |
| Grey shale | 0 | 1 | 5 | • | ., | • | Grey post 3 1 3 |
| r) 1 1 1 | _ | | 10 | | | | |
| | | 1 | 10 | | | | |
| Grey shale, with post | | ^ | 0 | | | | Grey shale, with iron- |
| girdles | | 0 | $\frac{2}{7}$ | | | | stone balls 0 1 9 |
| COAL | 0 | 1 | 7 | - | _ | | COAL 006 |
| | _ | | | 1 | 5 | 0 | 8 1 1 |
| Grey seggar-clay | | 3 | 8 | | | | Grey seggar-clay 0 1 0 |
| Frey post, with shale | | | | | | | Grey post, with shale |
| partings | 1 | 2 | 3 | | | | partings 0 4 0 |
| drey shale, with post | | | | | | | Grey shale, with iron- |
| girdles | 1 | 4 | 3 | | | | stone balls, into 0 1 6 |
| | 2 | 3 | 1 | | | | 1 0 (|
| Carried forward | 6 | 1 | | 102 | • | | Total 125 0 1 |
| Carried forward | U | 1 | • | 102 | ت | ** | 10:41 120 U 1 |

No. 2,508.—CARR EDGE.

TOWNSHIP OF NEWBROUGH, NORTHUMBERLAND.

Sheet 84 of Ordnance Map. Lat. 55° 1' 20", Long. 2° 11' 15".

Account of Strata sunk through in the East Shaft, Carr Edge Mine, in the second field East of Meg's House.

Approximate surface-level 520 feet above sea (Ordnance datum).

| Hazle COAL | Fs. Ft. In. Fs. H 7 0 0 0 1 0 | | Brought forward 2 3 0 7 1 0 Fire-clay 0 5 0 |
|-------------------------------------|---|-----|---|
| Clay and plate Scar Limestone Plate | $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | | Hazle 1 1 10 Grey beds 3 2 0 Hazle 1 3 2 ——————————————————————————————————— |
| Carried forw | rd 2 3 0 7 | 1 0 | Total 16 4 0 |

No. 2,509.—CARRYCOATS.

TOWNSHIP OF CARRYCOATS, NORTHUMBERLAND.

, Long.

, Long.

Sheet 69 of Ordnance Map. Lat.

| Brown stony clay Sand and gravel . | | | | | Fs. Ft. 1 1 0 1 1 | | | In. 0 | | |
|---|------------------------------|---|----------------|------------------------------|-------------------------|-------|------------------------------|--------------|-------|---|
| • | Total | | | | ••• | 2 | 1 | 0 | | |
| No | . 2,510 | .—C | ARRY | COA | TS. | | | | | |
| TOWNSHI | P OF CAL | RYCC | ATS, NO | RTHUM | BERLAI | ND. | | | | |
| | | | , | | | | | | | |
| Sheet 69 of Ordn | ance Ma | .p. I | | | , Lo | ng. | | | | |
| | d throug | $h = \frac{1}{in}$ | Lat. | | | | eside | , ab | out | 4 |
| | d throug yards u | h in | No. 2 He Burn. | 1760. | le at | White | | | out | 4 |
| Account of Strata passed | d through yards we accelevel | h in the | No. 2 He Burn. | 1760. e sea (ought | le at Ordna | White | latu Ft. I 5 | m). n. Fs | . Ft. | _ |
| Account of Strata passed Approximate surfa Brown stony clay 1 Brown and grey metal 0 | d through yards we accelevel | h in in the free free free free free free free fr | No. 2 He Burn. | e sea (ought brown netal . | COrdna forwar a post. | White | Iatu Ft. I 5 2 5 | m). | . Ft. | I |

| | No. 3 Bore-hole at Whiteside, upon the k. 1760. |
|---------------------------|---|
| Annroximate surface-level | feet ahove see (Ordnance datum) |

No. 2,511.—CARRYCOATS.
TOWNSHIP OF CARRYCOATS, NORTHUMBERLAND.

Sheet 69 of Ordnance Map. Lat.

| Yellow clay Strong stony clay | Fs. 1 | Ft. 3 4 | In. 0 0 | Fs | Ft. | | Brought forward 0 3 6 COAL 0 0 6 | 6 | 1 | 0 |
|----------------------------------|-------|---------------|---------------|----|-----|---|----------------------------------|---|---|---|
| Grey metal, with whin lumps | 0 | 3 | 6 | 6 | 1 | U | Brown post 0 0 9 | 0 | 0 | 9 |
| Carried forward | 0 | 3 | 6 | 6 | 1 | | | | | 9 |

No. 2,512.—CARRYCOATS.

TOWNSHIP OF CARRYCOATS, NORTHUMBERLAND.

Sheet 69 of Ordnance Map. Lat.

, Long.

Account of Strata passed through in No. 4 Bore-hole at Whiteside, up the Burn. 1760.

Approximate surface-level feet above sea (Ordnance datum). Fs. Ft. In. Fs. Ft. In. Clay and mixture of sand 2 6 Brown metal Blue metal ... 3 0 Soft cashey parting, with much water ... 0

Carried forward 1 4

Brought forward 2 Brown post ... Grey post ... Soft grey metal 0 post, Brown with water

Total ...

0

No. 2,513.—CARRYCOATS.

TOWNSHIP OF CARRYCOATS, NORTHUMBERLAND.

Sheet 69 of Ordnance Map. Lat.

Account of Strata passed through in No. 5 Bore-hole at Whiteside. 1760. Approximate surface-level feet above sea (Ordnance datum).

| | Fs. | Ft. | In. | Fs. | Ft. | In. |
|----------------------|-----|-----|-----|-----|-----|-----|
| Soil and sand | 0 | - 3 | 0 | | | |
| Gravel, with water | 0 | 2 | 6 | | | |
| | | | | 0 | 5 | 6 |
| Grey metal, with | | | | | | |
| hard lumps | 1 | 3 | 6 | | | |
| Soft parting, with | h | | | | | |
| water | 0 | | | | | |
| Strong brown post | 0 | 3 | 0 | | | |
| Brown metal | 0 | 2 | 0 | | | |
| Brown and grey part- | | | | | | |
| ings, with water | 0 | 3 | 0 | | | |
| Carried forward | 3 | 0 | _0 | 0 | 5 | 6 |

| | | Ft. | | | | |
|------------------|------|--------|---|----|---|-----|
| Brought forwar | rd 3 | 0 | 0 | 0 | 5 | - 6 |
| Whin | | 2 | 6 | | | |
| Strong white pos | t, | - 1 | | | | |
| mixed with wh | in | | | | | |
| and water . | 2 | 0 | 0 | | | |
| Whin | 0 | 2 | 9 | | | |
| Strong white pos | t, | | | | | |
| mixed with whi | in 2 | 0 | 0 | | | |
| Brown metal . | 0 | 1 | 6 | | | |
| Grey post | 1 | 0 | 0 | | | |
| | | | | 9 | 0 | 9 |
| T. 4 | al | | | 10 | | |

No. 2,514.—CARRYCOATS.

TOWNSHIP OF CARRYCOATS, NORTHUMBERLAND.

Sheet 69 of Ordnance Map. Lat.

, Long.

Account of Strata passed through in No. 6 Bore-hole at David Burn, Whiteside. Approximate surface-level feet above sea (Ordnance datum).

| Yellow clay Brown stony clay | 0 | 3 | 0 | | Ft. | In. |
|--|---|---|---|---|-----|-----|
| Soft brown metal Blue metal Grey metal | 0 | 2 | 0 | | J | |
| Carried forward | 1 | 0 | | 3 | 3 | 0 |

| Brought forward | Fs. 1 | Ft. | In. | F8. | Ft. | In. |
|-------------------|----------|-----|-----|-----|-----|-----|
| Whin girdle | | | | | | - |
| Blue metal | 3 | 3 | 0 | | | |
| Grey post Whin | 0 | 2 | 0 | | | |
| Whin | 0 | 0 | 5 | | | |
| | | | | 5 | 0 | 0 |
| | | | | | | |

Total ...

No. 2,515.—CARTERTHORNE.

TOWNSHIP OF BARONY, DURHAM.

Sheet 41 of Ordnance Map. Lat. 54° 39' 22", Long. 1° 46' 19".

Account of Strata sunk through below the Brockwell Seam at the South Pit, Carterthorne Colliery, during 1903 and 1904.

Approximate surface-level 560 feet below sea (Ordnance datum).

| | E\a | Rt. | In | $\mathbf{F}_{\mathbf{S}}$ | Ft. | In | Fs. Ft. In. Fs. Ft. | (n |
|-------------------------------------|-----|--------|---------------|---------------------------|-----|-----|---|-----|
| Seggar-clay | | 0 | 0 | X 154 | 10. | | Brought forward 11 3 0 8 1 | |
| Dark grey post | | | 0 | | | | COAL 0 0 2 | ٠ |
| | | | 3 | | | | 11 3 | 2 |
| | | | 0 | | | | Seggar-clay 0 1 10 | 4 |
| | | 3 | 3 | | | | Grey post, with blue | |
| | ő | 0 | 8 | | | | metal partings 0 2 4 | |
| | | 1 | | | | | metal partings 0 2 4 | |
| | - | | | | | | Black shale, with coal | |
| COAL | 0 | U | 6 | _ | - | | partings 0 0 8 | |
| | | | | 8 | 1 | 6 | Seggar-clay 0 2 5 Blue metal 0 2 1 | |
| Dark brown shale, | | | | | | | | |
| strong | 0 | 2 | 6 | | | | Grey post 0 3 3 | |
| Black bands, with | | | | | | | Grey metal, with post | |
| coal partings Coarse seggar-clay | 0 | 1 | $\frac{2}{4}$ | | | | partings 0 3 9 | |
| Coarse seggar-clay | 0 | 1 | 4 | | | | Blue metal, strong 1 2 5 Blue metal, mild 0 2 1 | |
| Dark grey metal, | | | | | | | Blue metal, mild 0 2 1 | |
| strong | 0 | 1 | 8 | | | | Ft. In. Ft. In. | |
| Dark grey metal, | | | | | | - 1 | COAL 0 8 to 1 0 | |
| mild | 0 | 2 | 10 | | | | Band 0 3 to 0 6 | |
| White post, strong | | | 3 | | | - 1 | COAL 0 3 to 0 4 | |
| Dark blue metal | | | 9 | | | | 0 1 6 | |
| | ŏ | 2 | 2 | | | | - 4 4 | 1. |
| | U | _ | 2 | | | | Cooper under class 0 1 C | -20 |
| Blue metal, with post | Λ | 0 | 10 | | | ĺ | Coarse under-clay 0 1 6 | |
| partings | U | U | 10 | | | | Post, with blue metal | |
| White post, with open | | | | | | - 1 | partings 1 3 0 | |
| fissures and water | 4 | U | 3 | | | | 1 4 | 6 |
| White post, very | | | | | | | | |
| $\operatorname{strong} \dots \dots$ | 4 | 1 | 3 | | | | | |
| | | | — . | | | | | |
| Carried forward 1 | .1 | 3 | 0 | 8 | 1 | 6 | Total 26 1 | 6 |
| | | | | | | | - | = |
| | | | | | | | | |

No. 2,516.—CARTS BOG.

TOWNSHIP OF DEANRAW, NORTHUMBERLAND.

Sheet 93 of Ordnance Map. Lat. 54° 56′ 29″, Long. 2° 17′ 23″.

Account of Strata bored through at Carts Bog Colliery, near Staward, from below the Stone Coal Seam.—Continuation of No. 402.

Approximate surface-level 765 feet above sea (Ordnance datum).

| | Fs. | Ft. | In. I | īs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
|---------------------------|-----|-----|-------|-----|-----|-----|-------------------------------|
| Depth from surface | | | | | | | Brought forward 4 1 11 25 0 8 |
| to thill of Stone | | | | | | | Post girdles 0 2 2 |
| $Coal\ Seam \qquad \dots$ | | | 2 | 25 | 0 | 8 | |
| Blue metal | 1 | 0 | 4 | | | | Girdles 0 1 1 |
| Plate | 0 | -3 | 11 | | | | Plate 0 5 2 |
| Post | 0 | 3 | 11 | | | | Black-stone 0 0 9 |
| Plate | 0 | 1 | 1 | | | | Post girdles 0 5 11 |
| Post | 0 | 4 | 0 | | | | Plate 2 5 0 |
| Plate | 1 | 0 | 8 | | | | 10 4 2 |
| | | | | | | | |
| Carried forward | 4 | 1 | 11 2 | 25 | 0 | 8 | Total 35 4 10 |

No. 2,517.—CASSOP.

TOWNSHIP OF CASSOP, DURHAM.

Sheet 27 of Ordnance Map. Lat. 54° 44′ 42″, Long. 1° 29′ 2″.

Account of Strata sunk through below the Five-Quarter Seam in the Vale Pit, Cassop Colliery, 1853.

Approximate surface-level 400 feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. In. | |
|--|--------------------------------|
| Depth from surface | Brought forward 12 4 11 37 3 1 |
| to thill of Five- | Main Coal Seam— |
| Quarter Seam 34 3 0 | COAL 0 3 7 |
| Grey metal stone 2 5 0 | 13 2 6 |
| Black metal stone 0 0 10 | Black metal 0 1 6 |
| COAL 0 0 3 | Grey metal 0 1 10 |
| 3 0 1 | Grey metal 0 1 10 COAL 0 0 1 |
| Black metal 1 0 0 | 0 3 5 |
| Grev metal stone 3 1 6 | Grey metal 0 1 8 |
| Grey metal stone 3 1 6 Black metal 0 2 7 | Grey metal 0 1 8 COAL 0 0 3 |
| Grey metal stone, | 0 1 11 |
| with post girdles 4 1 6 | Grey metal stone 1 2 0 |
| White post 3 2 0 | 1 2 0 |
| White post 3 2 0 Blue metal 0 3 4 | |
| Carried forward 12 4 11 37 3 1 | Total 53 0 11 |

N.B.—This boring is continued in No. 406.

No. 2,518.—CASSOP MOOR.

TOWNSHIP OF CASSOP, DURHAM.

Shect 27 of Ordnance Map. Lat. 54° 44′ 50″, Long. 1° 30′ 23″.

Account of Strata sunk and bored through in the Cassop Moor Pit, June 14th, 1840.

Approximate surface-level 339 feet above sea (Ordnance datum).

| | | | - | | | | D D I D | - | - |
|---------------------|-----|-----|-----|-----|-------|----|----------------------------|---|----|
| G: 1: | Fs. | Ft. | In. | F8. | Ft. I | n. | Brought forward 0 1 0 29 | | |
| Sinking:— | ~ | | ^ | | | | | U | 11 |
| Clay | | U | 0 | | | | Main Coal Seam- | | |
| Gravel bed, with | | _ | | | | | COAL 0 4 1 | _ | _ |
| water | 0 | 2 | 0 | | | | 0 | 5 | 1 |
| | _ | | | 7 | 2 | 0 | Bored further:— | | |
| Dord stone | 0 | | ^ | • | | • | Box 1 3 0 | | |
| Post stone | | U | U | | | | Grey metal 0 2 0 | | |
| Three-Quarter Seam- | | | | | | | Grey post 1 4 4 | | |
| COAL and stone | | | | | | | Grey metal stone 2 3 5 | | |
| mixed | . 1 | 0 | 10 | | | | Grey post 1 0 0 | | |
| | _ | | | 9 | 0 | 10 | COAL, foul 0 1 0 | | |
| 77: 0 0 | | | | - | | - | OOAL, 1001 0 1 0 | 1 | 9 |
| Five-Quarter Seam- | | _ | _ | | | | 6 13 1 | T | 9 |
| COAL | U | 3 | 2 | | | | Grey metal stone, | | |
| | | | | 0 | 3 | 2 | with post girdles 3 0 6 | | |
| Cram motal | 0 | 4. | G | | | | White post, with | | |
| Grey metal | 8 | 9 | 5 | | | | metal partings and | | |
| Post, water upon it | , z | 4 | 0 | | | | water 2 1 0 | | |
| Blue stone | · U | Э | 0 | | | | Red post, with water 0 2 0 | | |
| COAL, coarse | 0 | 0 | 6 | | | | White post 0 5 0 | | |
| | _ | | | 12 | 0 | 11 | Red and white post 5 5 9 | | |
| Diani, stanc | ^ | 1 | 0 | | | | Strong white post 1 0 0 | | |
| Black stone | 0 | | U | | | | Butong white post I o o | | |
| 0 1 1 6 1 | _ | - | _ | 90 | | _ | Carried forward 13 2 3 37 | 1 | -0 |
| Carried forward | U | 1 | Ų | 29 | 0 | тŢ | Carried forward 13 2 3 37 | T | 9 |

No. 2,518.—CASSOP MOOR.—Continued.

| GOAL 2 6 COAL, foul 0 4 0 2 10 13 5 : Grey metal 0 4 0 5 : Strong white post, with water 3 4 0 Grey metal 0 3 7 Blue metal 1 3 0 COAL 0 0 7 | Blue metal 0 1 0 Hutton Seam— Ft. In. COAL, very strong 2 11 Grey metal 0 6 COAL 0 4 COAL, foul 0 3 ——————————————————————————————————— |
|---|--|
| Grey metal 0 4 0 Strong white post, with water 3 4 0 Grey metal 0 3 7 Blue metal 1 3 0 | COAL, very strong 2 11 Grey metal 0 6 COAL 0 4 COAL, foul 0 3 |
| Grey metal 0 4 0 Strong white post, with water 3 4 0 Grey metal 0 3 7 Blue metal 1 3 0 | COAL, very strong 2 11 Grey metal 0 6 COAL 0 4 COAL, foul 0 3 |
| Grey metal 0 4 0 Strong white post, with water 3 4 0 Grey metal 0 3 7 Blue metal 1 3 0 | strong 2 11 Grey metal 0 6 COAL 0 4 COAL, foul 0 3 |
| Grey metal 0 4 0 Strong white post, with water 3 4 0 Grey metal 0 3 7 Blue metal 1 3 0 | Grey metal 0 6 COAL 0 4 COAL, foul 0 3 |
| Strong white with water post, with water 3 4 0 Grey metal 0 3 7 Blue metal 1 3 0 | COAL 0 4 COAL, foul 0 3 |
| with water 3 4 0 Grey metal 0 3 7 Blue metal 1 3 0 | COAL, foul 0 3 |
| Grey metal 0 3 7 Blue metal 1 3 0 | |
| Blue metal 1 3 0 | |
| COAL 0 0 7 | 4 1 9 |
| COAL 0 0 7 | Grey metal 0 0 2 |
| 6 3 2 | |
| Grey metal, with hard | with whin 0 5 0 |
| post girdles 2 3 0 | White post 2 3 4 |
| COAL 0 0 3 | COAL, soft with |
| 2 3 3 | |
| Grey metal, with | 3 4 2 |
| girdles 0 2 9 | _ |
| Carried forward 0 2 9 60 1 | Total 68 1 2 |

No. 2,519.—CASTLE EDEN. TOWNSHIP OF CASTLE EDEN, DURHAM.

Sheet 28 of Ordnance Map. Lat. 54° 44′ 21″, Long. 1° 22′ 2″.

Account of Strata sunk through near Wellfield Junction Station.

Approximate surface-level 400 feet above sea (Ordnance datum).

| Blue clay | Fs. Ft. In. Fs. Ft. In. 8 3 0 | Brought forward 25 3 0 |
|-----------------------------------|-------------------------------|------------------------|
| Limestone marl Blue leafy clay | 0 5 0 | Strong elay 4 2 0 |
| Loamy sand | 5 3 6 | Limestone 52 4 0 |
| Clay Loamy sand | | Sand, into 6 1 0 |
| · | vard 25 3 0 | Total 88 4 0 |

No. 2,520.—CHESTER SOUTH MOOR.

TOWNSHIP OF CHESTER-LE-STREET, DURHAM.

Sheet 20 of Ordnance Map. Lat. 54° 50′ 18″, Long. 1° 34′ 53″.

Account of Strata sunk through in the Chester South Moor Pit below the Hutton Seam.—Continuation of Nos. 419 and 2,113.

Approximate surface-level 160 feet above sea (Ordnance datum).

| Depth from surface to Hutton Seam Strong seggar-clay Strong white post | 0 | 3 | 0 | | | Brought forward 1 1 9 40 5 6 Leafy post, with partings 0 0 4 | |
|--|---|---|------|---|---|---|---|
| Carried forward | 1 | 1 | 9 40 | 5 | 0 | Carried forward 1 2 140 5 (| 5 |

No. 2,520.—CHESTER SOUTH MOOR.—CONTINUED.

| | | _ | | | | | |
|------------------------|---|--------|----|----------|----------|---|--|
| Brought forward | | | | | Ft. 5 | | Fs. Ft. In. Fs. Ft. In. Brought forward 2 5 0 64 3 7 |
| Drought forward | 1 | | - | 40 | J | v | Harvey Seam— |
| Strong post, mixed | ^ | = | c | | | | |
| with iron balls | 0 | 5 | 6 | | | | COAL, good 0 2 0 |
| Soft black stone, with | _ | _ | | | | | 3 1 0 |
| a little water | 0 | 0 | 2 | | | | Strong seggar-clay 0 2 0 |
| Blue metal, mild | 3 | 1 | 3 | | | | Soft blue metal 1 0 6 |
| Grey metal, mixed | | | | | | | COAL 0 0 2 |
| with post girdles | 3 | 1 | 4 | | | | 1 2 8 |
| Coarse strong post | 0 | 4 | 5 | | | | Strong white post, |
| Mild grey metal, with | | | | | | | with a little water 3 2 0 |
| water | 0 | 2 | 7 | | | | COAL 0 0 9 |
| Grey post, with part- | • | _ | • | | | | 3 2 9 |
| | 1 | 0 | 0 | | | | 0 1 0 |
| ngs | 1 | U | U | | | | |
| Bastard post, mixed | • | | 0 | | | | Grey metal, with post |
| with iron balls | 1 | 2 | 8 | | | | girdles 0 2 6 |
| Grey post, strong | U | 3 | 5 | | | | Soft blue metal 0 3 10 |
| Bastard post, mixed | | | | | | | Ft. In. |
| with iron balls | 0 | 4 | 9 | | | | COAL 0 10 |
| Strong grey post | 1 | 0 | 0 | | | | Band 0 1 |
| COAL, with a little | | | | | | | COAL 1 1 |
| water | 0 | 0 | 10 | | | | 0 2 0 |
| | _ | | | 14 | 5 | 0 | 1 4 1 |
| Dry soft seggar-clay | Λ | 3 | 0 | | • | • | Seggar-clay, mild 0 3 0 |
| | ٠ | • | ٠ | | | | Grey metal, with |
| Mild white post, with | ^ | - | e | | | | |
| a little water | _ | 5 | 6 | | | | strong post girdles 0 3 0 |
| Shale | 0 | 1 | 6 | | | | COAL 0 0 1 |
| Dark grey post, mild | 1 | 1 | 6 | | | | 1 0 1 |
| Soft blue metal | | 5 | 6 | | | | Seggar-clay and grey |
| Strong post girdle | 0 | 2 | 6 | | | | metal, mixed 0 4 0 |
| Soft blue metal | 2 | 1 | 6 | | | | Strong white post 8 4 2 |
| COAL | _ | 0 | 1 | | | | Dark grey post 0 3 4 |
| | | | | 6 | 3 | 1 | Bustybank Seam— |
| Seggar-elay | 0 | 3 | Ü | | | | Ft. In. |
| Grey and brown | • | _ | • | | | | COAL, good 1 10 |
| | 1 | 4 | 4 | | | | Brown stone 0 2 |
| post, mixed | | 0 | | | | | |
| Blue metal | | | 9 | | | | COAL, coarse 0 3 |
| COAL | 0 | 0 | 5 | | | | Stone 0 2 |
| | _ | | | 2 | 2 | 6 | COAL, good 2 0 |
| | 0 | 1 | 6 | | | | 0 4 5 |
| Grey post | 0 | 3 | 6 | | | | 10 3 11 |
| Hard brown post | 0 | 2 | 0 | | | | Brown post 0 2 0 |
| Grey metal, with post | | | | | | | White post 1 1 0 |
| girdles | 0 | 5 | 6 | | | | 1 3 0 |
| Blue metal | ŏ | 4 | 6 | | | | |
| Dido metai | _ | * | _ | _ | | _ | |
| Carried forward | 9 | 5 | 0 | 64 | 3 | 7 | Total 87 3 1 |
| Carried forward | 4 | J | J | 74 | J | • | 10tal 01 0 1 |
| | | | | | | | |

No. 2,521.—CHEVINGTON (EAST). TOWNSHIP OF EAST CHEVINGTON, NORTHUMBERLAND.

Sheet 46 of Ordnance Map. Lat. 55° 17' 0", Long. 1° 34' 52½".

Account of Strata bored through on East Chevington Estate, 40 chains Southeast of East Chevington Farm, 1884.

Approximate surface-level 40 feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. In. Sand and water Fs. Ft. In. Fs. Ft. In. Sand and water Fs. Ft. In. Fs. Ft | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
|--|--|
| Carried forward 2 5 2 | Carried forward 8 5 2 |

No. 2,521.—CHEVINGTON (EAST).—CONTINUED.

| | _ | _ | _ | | | _ | | _ | _ | | | |
|-------------------------------|----|----------|--------|-----|-----|-----|------------------|---|-----------|----------------|---|-----------------|
| Brought forward | | Ft. | In. | Fs. | Ft. | In. | Brought forward | | | In. 1 | | Ft. In. 3 6 |
| Sand and clay | | 5 | ō | | | | Dark metal | | 4 | 6 | - | |
| Sand and water | | 1 | 2 | | | | White post | | | 11 | | |
| Hard tumblers | ŏ | ī | 6 | | | | Dark metal | _ | ĭ | 1 | | |
| Clay | Õ | ī | Õ | | | | White post | | ī | $\tilde{3}$ | | |
| omy | | | | 16 | 1 | 10 | Dark metal | | õ | 8 | | |
| Plue shale | 0 | 9 | 1 | | _ | | Light grey post | ^ | | 10 | | |
| Blue shale | _ | 3 0 | | | | | Hard metal | | 2 | 3 | | |
| COAL | 0 | U | 6 | 0 | 3 | 7 | White post | ō | $\bar{2}$ | 3 | | |
| 81 1 1 7 | | | | U | J | • | Dark metal | Õ | ō | 6 | | |
| Shale and coal | 0 | 0 | 6 | | | | COAL | 0 | 0 | 3 | | |
| COAL | 0 | 1 | 5 | • | - | | | | | | 2 | 3 10 |
| | | • | _ | 0 | 1 | 11 | White fire-clay | 0 | 4 | 0 | | |
| Fire-clay | 0 | 4 | 9 | | | | Grey post | ^ | 0 | 6 | | |
| Blue metal | 0 | 1 | 0 | | | | White post | 0 | 1 | 0 | | |
| COAL | 0 | 0 | 6 | | | | Hard girdle | 0 | 1 | 10 | | |
| | | | | 1 | 0 | 3 | White post | 0 | 1 | 1 | | |
| Fire-clay | 0 | 2 | 2 | | | | Light grey metal | 1 | 0 | 1 | | |
| Blue metal | _ | 1 | 2 | | | | Grey post | 0 | 2 | 5 | | |
| Hard grey post | _ | 0 | 10 | | | | Post girdle | 0 | 0 | 5 | | |
| Grey metal | 0 | 0 | 10 | | | | Grey metal | 0 | 4 | 5 | | |
| Grey post | | 2 | 2 | | | | Very hard girdle | 0 | 0 | 9 | | |
| Grey metal | ^ | 1 | 6 | | | | Grey metal | 1 | 0 | 10 | | |
| Grey post | 0 | 2 | 1 | | | | Metal girdle | 0 | 0 | $2\frac{1}{2}$ | | |
| Grey post | 0 | 0 | 11 | | | | Grey metal | | 2 | 10 | | |
| Blue post | 0 | 1 | 2 | | | | Blue metal | | 4 | 3 | | |
| Grey metal | 0 | 0 | 10 | | | | Grey metal | 0 | 1 | 6 | | |
| Dark grey post | | 2 | 0 | | | | Grey post | 0 | 3 | 0 | | |
| Light blue metal | | 3 | 0 | | | | COĂĹ | 0 | 0 | 5 | | |
| Hard girdle | | 0 | 2 | | | | _ | | | | 6 | $56\frac{1}{2}$ |
| Blue metal | 0 | 2 | 10 | | | | Black metal | 0 | 2 | 1 | | |
| Hard grey post | 0 | 0 | 11 | | | | White post | 0 | 4 | 11 | | |
| Blue metal | 0 | 2 | 8 | | | | Grey post | 0 | 3 | 0 | | |
| Hard girdle | 0 | 0 | 11 | | | | Whin | 0 | 1 | 4 | | |
| Blue metal and | | | | | | | White post | 0 | 1 | 0 | | |
| girdles | 0 | 3 | 8 | | | | Dark metal | 0 | 0 | 3 | | |
| mgnomeoar | 1 | l | 2 | | | | White post | 0 | 2 | 10 | | |
| Leafy grey post | 0 | 2 | 6 | | | | Grey metal, with | | | _ | | |
| Light metal | U | 1 | 0 | | | | girdles | 0 | 3 | 5 | | |
| Hard girdle | | 0 | 6 | | | | White post, with | _ | | | | |
| Light metal | 0 | 2 | 0 | | | | girdles | 0 | 0 | 11 | | |
| Leafy grey post Grey metal | 0 | 1 | 0 | | | | Grey metal, with | | | | | , |
| Grey metal | 0 | 0 | 6 | | | | girdles | 0 | | 11 | | • |
| Dark metal | 0 | 2 | 8 | | | | White post | 0 | 2 | 3 | | |
| Grey metal, with | | | | | | | Grey metal, with | _ | | | | |
| _girdles | 0 | 4 | 4 | | | | girdles | 0 | 1 | 4 | | |
| Hard metal, with | | | | | | | Blue metal | 0 | 1 | 8 | | |
| girdles | 0 | 4 | 6 | | | | Grey post | • | 0 | 6 | | |
| Grey metal, with | ,. | _ | | | | | Blue metal | | 2 | 7 | | |
| girdles | | 1 | 9 | | | | Grey post | | 1 | 8 | | |
| Very hard girdle | 0 | 0 | 9 | | | | Blue metal | | | 10 | | |
| Grey metal | 0 | 0 | 2 | | | | Grey post | • | | 11 | | |
| Dark metal, with | _ | _ | | | | | White post | ^ | 2 | 2 | | |
| girdles | | 0 | 4 | | | | Grey post | ^ | 3 | 6 | | |
| Grey post | | 1 | 0 | | | | Grey metal | | 1 | 2 | | |
| White post | | 2 | 0 | | | | J I | 0 | 1 | 7 | | |
| Dark metal | 0 | 5 | 1 | | | | Whin | 0 | | 10 | | |
| COAL | 0 | U | 10 | 10 | | 4 - | Soft whin | 0 | 1 | 5 | | |
| T2' 1 | | _ | | 13 | 1 | 11 | Hard whin | 0 | - | 10 | | |
| Fire-clay | 0 | 0 | 4 | | | | Grey metal | 0 | 1 | 8 | | |
| O | _ | | | 91 | 9 | | Camiad farmand | 0 | 9 | 7 1 | 1 | 0.101 |
| Carried forward | U | 0 | 4 | 31 | 3 | 6 | Carried forward | 0 | 4 | . 4 | T | 0 103 |

No. 2,521.—CHEVINGTON (EAST).—CONTINUED.

| Fs. Ft. In. Fs. Ft. In | Fs. Ft. In. Fs. Ft. In. |
|---|---|
| Brought forward 8 2 741 010 | |
| Blue metal 0 0 6 | Hard white post 1 3 3 |
| Grey metal, with | Hard white post 1 3 3 Blue metal 0 1 0 |
| girdles 2 2 7 | Grey metal 1 3 7½ |
| Dark grey metal. | Soft post 0 3 4 |
| with girdles 1 2 3 | Soft post 0 3 4 Grey metal, with |
| with girdles 1 2 3 Light metal 0 2 5½ Black metal 0 0 5½ COAL pipe 0 0 1½ | girdles 0 5 4 |
| Black metal 0 0 54 | Freestone and post 0 0 9 |
| COAL pipe 0 0 11 | Grev metal, with |
| 12 4 113 | |
| Risck metal 0 1 2 | Grey post 0 1 7 |
| Girdles 0 0 4 | Grey metal 0 1 4 |
| Black metal 0 0 3 Grey metal 0 5 7 White post | Hard grey post 0 2 2 |
| Grev metal 0 5 7 | 9 3 24 |
| White post 1 2 11 | |
| <u> </u> | |
| Carried forward 2 4 353 5 10 | Total 63 3 01 |
| 1 | |
| • | |

No. 2,522.—CHILTON.

TOWNSHIP OF CHILTON, DURHAM.

Sheet 35 of Ordnance Map. Lat. 54° 40′ 39", Long. 1° 31′ 52".

Account of Strata sunk and bored through at Little Chilton, August, 1852.

Approximate surface-level 290 feet above sea (Ordnance datum).

| Sinking: — Fs. | Ft. In. Fs. | Ft | In. | Brought forward | Fa. | Ft. | | Fs. | Ft. | In. |
|------------------------------------|-------------|----|-----|---------------------------------|-----|-----|-----|-----|-----|-----|
| | | | | Grey metal, with post | | | | 00 | -38 | ~ |
| Depth from surface to top of Five- | | | | girdles | | 0 | 0 | | | |
| | 1 0 | | | Dark metal, mixed | - | U | U | | | |
| Quarter Seam 40 | 1 0 | | | with soul | ^ | 1 | | | | |
| Five-Quarter Seam— | 0 0 | | | with coal | U | T | U | | | |
| COAL, good 0 | | | | Grey metal stone, | | | | | | |
| | 40 | 4 | 6 | | T | 4 | 9 | | | |
| Strata 9 | 0 7 | | | White post, with | | | | | | |
| Main Coal Seam— | | | | whin and metal | | _ | | | | |
| Ft. In. | | | | partings Metal and soft coal | 5 | 5 | 3 | | | |
| COAL 1 4 | | | | Metal and soft coal | 0 | 1 | 0 | | | |
| Stone, soft 0 10 | | | | Grey and white metal | 7 | 2 | 6 | | | |
| COAL 3 3 | | | | White post, mixed | | | | | | |
| 0 | 5 5 | | | with whin and | | | | | | |
| | 10 | 0 | 0 | | 2 | 3 | 0 | | | |
| | | | | Grey metal | 0 | 1 | 4 | | | |
| | 50 | 4 | 6 | COAL, coarse | 0 | 1 | _ | 00 | | _ |
| Bored further: | | | | White post | 0 | 1 | | 20 | 2 | U |
| | 1 0 | | | Grey metal, with | • | - | | | | |
| OAL 0 | | | | stone girdles | 1 | 4 | 11 | | | |
| JOAL 0 | 0 | 1 | 10 | COAL, foul | | | | | | |
| trong gray nictal 0 | | | 10 | COAL, Ioui | U | v | | 2 | 0 1 | ^ |
| strong grey metal 0 | 3 2 | | | Dark grow metal | | | _ | 4 | U I | ·U |
| rey metal stone, | 0 0 | | | Dark grey metal | | | | | | |
| with post girdles 11 | 3 6 | | | stone, inclining to | | | | | | |
| Low Main Seam- | | | | post | 4 | 3 | b | | | |
| COAL, soft foul 0 | | _ | | Dark grey metal, with | _ | _ | _ | | | |
| | 12 | 3 | 10 | ironstone girdles | 0 | 2 | 0 | | | |
| Carried forward | 63 | 4 | 2 | · Carried forward | 4 | 5 | 6 5 | 26 | 1 | _ |

No. 2,522.—CHILTON.—CONTINUED.

| | | | In. | | | | Fs. Ft. In. Fs. Ft. In. |
|-------------------------|--------|----|-----|-----|---|---|---------------------------------------|
| Brought forward | | | 6 | 86 | 1 | 0 | Brought forward 1 3 6 108 2 3 |
| COAL | 0 | 2 | 0 | | | | Grey metal stone, |
| | | | — | 5 | 1 | 6 | |
| Grey metal | 0 | 5 | 0 | | | | White post 1 4 6 |
| Strong grey metal | | | | | | | Grey metal 0 2 0 |
| stone, with post | | | | | | | Grey metal 0 2 0 White post 2 4 4 |
| girdles | 2 | 5 | 0 | | | | Grey metal, with thin |
| Whin or ironstone | 0 | 1 | 3 | | | | |
| Strong metal stone | 1 | 0 | 4 | | | | girdles 2 3 4 Dark metal 0 4 8 |
| COAL | | | | | | | COAL 0 0 4 |
| | | | | 5 | 1 | 5 | 12 1 8 |
| Grey metal stone, | | | | | | | Grey metal 0 2 6 |
| with post girdles | | 5 | 0 | | | | |
| White post | | | | | | | White post 0 1 6 White post 8 2 9 |
| Strong metal stone | ñ | 5 | 6 | | | | Grey metal 1 4 4 |
| Strong white post, | • | • | | | | | Ironstone girdle 0 0 2 |
| mixed with whin | 3 | 3 | 6 | | | | Black metal 0 0 2 |
| Grey metal stone | | | 6 | | | | |
| White post | 9 | 1 | ñ | | | | Harvey Seam— |
| White post Mild post | 1 | 9 | 4 | | | | COAL, the last 10 |
| COAL foul | 7 | 1 | 0 | | | | |
| COAL, foul | U | 1 | - | 11 | | | inches tender $0 	 3 	 7$ |
| Course such 1 | _ | -1 | | ГŢ | 4 | 4 | |
| Grey metal | U | 1 | ь | | | | Strong metal stone, |
| White post, mixed | | _ | | | | | into 0 1 2 |
| with whin | T | 2 | U | | | | 0 1 2 |
| | | | | | | - | m . 1 |
| Carried forward | 1 | 3 | 61 | .08 | 2 | 3 | Total <u>132 2 5</u> |
| i | | | | | | | |

No. 2,523.—CHILTON.

TOWNSHIP OF CHILTON, DURHAM.

Sheet 43 of Ordnance Map. Lat. 54° 39′ 41″, Long. 1° 33′ 29″.

Account of Strata sunk and bored through at Great Chilton Colliery, belonging to Mr. Christopher Mason.

Approximate surface-level 355 feet above sea (Ordnance datum).

| Sinking:— Outset Yellow and blue clay | 1 | 3 | 0 | | Ft. | | Brought forward Blue metal stone Blue metal, with post | 2 | 0 | 0 | | |
|--|---|-----|------------|-----------|-----|---|--|---|---|-----------------|---|----|
| Blue limestone Yellow and flaggy limestone | | 4 3 | 0 5 | _ | J | U | girdles Blue metal stone COAL | 0 | 1 | $\frac{8}{-11}$ | 1 | 2 |
| Black stone White metal stone Grey metal, with | | | 9 | 28 | 1 | 5 | Blue metal stone Five-Quarter Seam— COAL | | | | 4 | 10 |
| partings Blue metal stone Blue metal, with red | 0 | 2 | 0 | | | | | | | 48 | 5 | |
| clay partings COAL, black, seamy | | | | 3 | 1 | 4 | Box Grey metal stone, | | | | | |
| Grey metal stone, with ironstone balls | 4 | 0 | 0 | | | _ | with post girdles Black stone, with scares of coal | | | | | |
| Carried forward | 4 | 0 | 0 | 35 | 5 | 9 | Carried forward | 4 | 1 | 3 48 | 5 | 9 |

No. 2,523.—CHILTON.—CONTINUED.

| Fs. Ft. In. Fs. Ft. In. Brought forward 4 1 3 48 5 9 | Fs. Ft. In. Fs. Ft. In. Brought forward 60 4 6 |
|--|---|
| Grey metal 0 1 0 | Black metal 0 0 9 |
| Mild grey post, with | Grey metal 0 0 4 |
| metal partings 6 0 0 | COAL 0 0 9 |
| | 0 1 10 |
| Grey metal, with post | Black metal, mixed |
| girdles 0 5 4 | |
| Grey metal, scared | with coal 0 0 9 |
| with coal 0 1 0 | COAL 0 0 8 |
| Ft. In. | 0 1 5 |
| COAL 1 5 | Black stone 0 0 2 |
| COAL, foul, | 0 0 2 |
| mixed with | Grey metal, into |
| metal 0 9 | |
| 0 2 2 | |
| 11 4 9 | |
| | |
| Carried forward 60 4 6 | Total 61 1 11 |
| · | *************************************** |

No. 2,524.—CHILTON.

TOWNSHIP OF CHILTON, DURHAM.

Sheet 35 of Ordnance Map. Lat. 54° 40′ 12″, Long. 1° 34′ 10″.

Account of Strata sunk through from the surface to the Brockwell Seam, at Chilton Colliery.—Continuation of No. 444.

Approximate surface-level 427 feet above sea (Ordnance datum).

| Soil 0 Clay and gravel, | 1 0 | s, Ft. Iu. | Fs Ft. In, Fs. Ft. In, Brought forward 37 2 11 21 . 3 4 Three-Quarter Seam— |
|---|-------------------------|------------|---|
| mixed 1 | 0 4 | 1 1 4 | Ft. In. COAL 1 0 |
| Limestone 8 | 5 0 | | Stone 0 1 |
| Yellow sand 11 | $\frac{3}{}\frac{0}{2}$ | 0 2 0 | COAL 0 5 Stone 0 1 |
| Dark red sandstone, with metal part- | | | COAL, with thin bands |
| ings and post girdles 3 | 5 0 | | of stone 2 4 — 0 3 11 |
| Hard grey post, with metal partings 4 | 0 3 | | Dark metal 0 2 8 |
| Strong white post, with metal partings 8 | 4 0 | | Black stone 0 3 10 Grey metal, with post |
| Dark brown post, with whin 7 | | | girdles 2 2 1 Jet or ramble 0 0 5 |
| Grey post, with coal pipes and whin 2 | 3 0 | | Five-Quarter Seam— Ft. In. |
| Grey mottled post, with pebbles 0 | 5 0 | | COAL 3 3 COAL, splint 1 2 |
| Strong grey post, with ironstone 6 | | | 0 4 5 4 1 5 |
| White and grey post 0 Grey metal stone 1 | 3 6 5 0 | | Fire-clay, good 0 2 0 Grey metal stone, |
| Black metal stone 0 | 2 2 | | with post girdles 3 0 0 |
| Grey metal 1 Black metal 0 | 0 5 | | Black stone 0 0 4 Grey metal 0 0 3 |
| Ramble 0 | 0 2 | | Black stone 0 0 4 |
| Carried forward 37 | 2 11 2 | 1 3 4 | Carried forward 3 2 11 63 5 7 |

No. 2,524.—CHILTON.—Continued.

| Fs. Ft. In. Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|--|---------------------------------|
| Brought forward 3 2 11 63 5 7 | Brought forward 3 4 0 119 4 6 |
| Strong grey metal 2 3 1 | Ironstone 0 1 3 |
| | |
| | Strong grey metal 1 0 4 |
| Blue metal, with iron- | COAL 0 1 0 |
| stone bands 2 5 8 | 5 0 7 |
| Main Coal Seam— | Fire-clay 2 5 0 |
| | White post 0 1 6 |
| COAL 1 1 | White post 0 1 6 |
| | Grey metal 1 5 6 |
| Band 5 6 | Grey post 4 4 6 |
| COAL 3 3 | White post 3 5 0 |
| <u> </u> | Grey metal, with iron- |
| 12 0 10 | stone girdles 0 4 8 |
| | 0041 |
| | |
| 0 3 10 | 14 2 4 |
| | Strong fire-elay 0 0 6 |
| Total sunk in No. 1 shaft 76 4 3 | |
| TOTAL STILL IN TOOL 2 SHAPEN TO 2 9 | |
| Ot 1: | Strong white post, |
| Sinking continued in | with whin 2 3 0 |
| No. 2 shaft from | Dark grey metal 1 4 8 |
| Main Coal Seam to | Blue metal 2 3 0 |
| Harrey Seam in | |
| 1070 - 1 1070 | |
| 1878 and 1879:— | Grey metal, with iron- |
| Strong grey metal, | stone girdles 2 4 3 |
| with post girdles 13 1 2 | Whin 0 2 0 |
| Ft. In. | |
| COAL, in- | |
| | Post girdle 0 1 10 |
| ferior $2 	 2\frac{1}{2}$ | Grey metal 0 5 9 |
| Black stone $0 	 9\frac{1}{2}$ | Post girdle 0 2 6 |
| COAL $0 \ 10\frac{1}{2}$ | Blue metal 0 3 6 |
| Black stone $0 	 6\frac{1}{2}$ | |
| | |
| COAL 0 8 | COAL 0 0 3 |
| 0 5 1 | 15 1 10 |
| ——— 14 0 3 | Fire-clay 0 0 8 |
| Grey metal 2 0 0 | Harvey Seam— |
| | Thur vey iseum— |
| COAL, good 0 1 0 2 1 0 | Ft. In. |
| | COAL 1 0 |
| Grey metal, with post | Stone 0 5 |
| girdles 1 4 6 | COAL 3 4 |
| White post, with | 0 4 9 |
| metal partings 5 1 0 | |
| | 0 5 5 |
| Metal and soft coal 0 1 0 | _ |
| Fire-clay 0 2 6 | 155 2 8 |
| Grey and white post 4 2 6 | Sinking continued in |
| Grey post 0 4 5 | |
| | the 10 feet staple, |
| Strong post, with | situated 24 yards |
| whin 6 3 5 | south-west from |
| COAL, good 0 2 0 | No. 2 shaft, 1882:— |
| 19 3 4 | |
| and the second s | |
| Grey metal 0 5 1 | Grey metal 1 1 6 |
| COAL, good 0 0 9 | White post 0 0 9 |
| 0 5 10 | COAL 0 0 4 |
| | 2 5 7 |
| Grey metal | |
| White post 2 2 3 | Grey post, with whin 3 5 0 |
| Grey and white post 2 4 6 | Grey metal 2 0 0 |
| | Grey post 1 0 6 |
| of stone 0 2 6 | |
| | |
| 6 1 10 | |
| Fire-clay 0 5 0 | l with water 2 2 6 |
| Take can j | Strong grey post, |
| Strong grey metal, with whin 2 5 0 | with metal partings 1 0 10 |
| with white 2 9 0 | with metal partings 1 0 10 |
| | 0 1 1 4 1 10 0 10 10 0 0 |
| Carried forward 3 4 0 119 4 6 | Carried forward 10 3 10 158 2 3 |
| | |
| | |

No. 2,524.—CHILTON.—Continued.

| Brought forward I Upper Busty Seam— | | | In. Fs. 1 10 158 | | | Brought forward 0 4 2 187 2 3 White post 0 4 2 |
|--|-----|-----|---------------------|---|---|--|
| COAL 0 6 Band 0 9 COAL 1 3 | | 2 | 6 | | | Grey metal, with post girdles 0 3 6 White post 0 2 0 Grey metal 1 3 0 COAL 0 0 2 |
| Dark grey post | 0.0 | 2 4 | — 11 0 0 | 0 | 4 | Fire-clay 0 2 0 Strong grey metal, |
| Dark metal Lower Busty Seam— Ft. In. | 6 | 4 | 0 | | | with post girdles 0 4 0 Strong grey post 0 5 0 Dark grey metal, |
| COAL 1 2 Band 2 7 COAL 2 3 | 1 | 0 | 0 | | | with ironstone girdles 1 3 8 COAL 0 0 4 3 3 0 |
| Fire-clay Grey post | | 1 4 | - 8 6 6 | 4 | 0 | Fire-clay 0 3 6 Strong grey post, with metal partings 3 0 2 |
| White post, with 50 gallons feeder of | | 2 | 0 | | | Strong white post 0 2 0 Grey metal 0 1 1 |
| Strong brown post, with beds of whin | 5 | 4 | 0 | | | Strong white post 0 1 4 Dark grey metal 0 0 10 Blackstone or ramble 0 0 3 |
| Whin White post | 1 | 3 0 | 3 0 7 | | | Brockwell Seam— Ft. In. COAL 0 8 |
| Grey metal | | 0 | | 1 | 8 | Band 0 3 COAL 4 1 — 0 5 0 |
| Grey metal | 0 | 2 | 0 | | _ | 5 2 2 |
| Carried forward | 0 | 4 | 2 187 | 2 | 3 | Total 200 0 5 |

No. 2,525.—CHIRDON.

TOWNSHIP OF CHIRDON, NORTHUMBERLAND.

Sheet 67 of Ordnance Map. Lat. 55° 7′ 25½", Long. 2° 24′ 0½".

Account of Strata exposed in Crummel's Sike and Jerry's Linn, near Allery Bank, Chirdon Burn, North Tynedale.

Approximate surface-level 700 feet above sea (Ordnance datum).

| Calagraphia anit | F | | Ft. | | Fs. | Ft. | In. | Brought | · form | a nd | | | | | Ft. | |
|---------------------------------|-----|---|------|---|-----|-----|-----|-----------|--------|---------|---|---|---|-----------|-----|---|
| Calcareous grit Coarse shale | | | | | | | | | | | | | | O | 0 | U |
| COAL | | | | 6 | | | | COAL | • • • | • • • • | U | U | J | 4 | 3 | 9 |
| OOAL | | | | | 6 | 3 | 6 | Shale | | | 1 | 4 | _ | '± | J | J |
| Obscure interval | | 1 | 1 | 0 | Ü | | 0 | Sandstone | | | ō | | _ | | | |
| (21 1 111 | me | • | • | • | | | | COAL | | | ŏ | | | | | |
| nodules | | 1 | 0 | 0 | | | | 00 | ••• | • • • • | | | _ | 2 | 2 | 9 |
| Sandstone .:. | | | | | - | | | Shale | | | 1 | 2 | 0 | | _ | |
| Shale | | 1 | 2 | 0 | | | | Sandstone | (Jer | ry's | | | | | | |
| Sandstone | | 0 | 5 | 0 | | | | Linn) | | | 4 | 4 | 0 | | | |
| | | | | | | | | · · | | | | | | 6 | 0 | 0 |
| | - | | _ | _ | _ | | | | | | | | | | | |
| Carried forwa | ard | 4 | 3 | 0 | 6 | 3 | 6 | | Te | otal | | | | 19 | 4 | 0 |

No. 2,526.—CHIRM.

TOWNSHIP OF BIGGE'S QUARTER, NORTHUMBERLAND.

Sheet 54 of Ordnance Map. Lat. 55° 16′ 43″, Long. 1° 47′ 12″.

Account of Strata passed through in a Bore-hole near the foot of Linden Dean at Coquet side, Chirm Colliery.

Approximate surface-level 190 feet above sea (Ordnance datum).

| Stony freestone COAL, with water | | | Fs. Ft. I 13 4 0 2 | 0 | | | |
|----------------------------------|----|------|------------------------------|----|---|---|--|
| Tota | al | | | 14 | 0 | 0 | |

No. 2,527.—CHIRM.

TOWNSHIP OF WINGATES, NORTHUMBERLAND.

Sheet 54 of Ordnance Map. Lat. 55° 15′ 57″, Long. 1° 50′ 25″.

Account of Strata bored through at Wester Heugh, Chirm Colliery.

Approximate surface-level 485 feet above sea (Ordnance datum).

| Strata COAL | | | | Fs. Ft. 14 0 0 2 | 0 | | Ft. | |
|----------------|------|----|---------|----------------------|---|----|-----|---|
| | Tota | al | ••• | | | 14 | 2 | 0 |

No. 2,528.—CHIRM.

TOWNSHIP OF WINGATES, NORTHUMBERLAND.

Sheet 54 of Ordnance Map. Lat. 55° 15' 29", Long. 1° 51' 10".

Account of Strata sunk through in the Success Pit, Chirm Colliery.

Approximate surface-level 520 feet above sea (Ordnance datum).

| Clay | | 4 | 0 | 0 | | Ft. | | Brought forward 8 2 0 4 0 0 Grey beddy freestone 2 3 0 |
|-------------------------|-----|---|-------------|-------------|---|-----|---|--|
| | | $\begin{matrix} 1 \\ 2 \\ 0 \end{matrix}$ | 3 0 4 | 0 | | Ū | | Blue metal 3 0 0 Grey whin 0 2 0 Blue metal 1 1 0 COAL 0 2 0 |
| Blue metal Grey whin | ••• | 2 0 | 0 4 | 0 0 — | | | _ | 15 4 0 |
| Carried forwa | ard | 8 | 2 | 0 | 4 | 0 | 0 | Total <u>19 4 0</u> |

No. 2,529.—CHIRM.

TOWNSHIP OF WINGATES, NORTHUMBERLAND.

Sheet 54 of Ordnance Map. Lat. , Long.

Account of Strata sunk through in the Plough Pit, Chirm Colliery.

Approximate surface-level feet above sea (Ordnance datum).

| Clay and soil Freestone | 14 | 0 | 0 14 | | | Brought forward 0 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | 14 | 0 | 0 |
|-------------------------|----|---|------|---|---|---|----|---|---|
| Carried forward | _ | | | 0 | 0 | | _ | | _ |

No. 2,530.—CHOLLERTON.

TOWNSHIP OF CHOLLERTON, NORTHUMBERLAND.

Sheet 85 of Ordnance Map. Lat. 55° 2' 42", Long. 2° 6' 42".

Account of Strata passed through in a Well situated in Field No. 32 on the Parish Ordnance Map published in 1896, and about 40 yards from the North British Railway.

Approximate surface-level 275 feet above sea (Ordnance datum).

| Soil, thin Yellow clay and | 0 | Pt. | In. O | Fs. | Ft. | In, | Brought forward 2 4 0 Blue sill, a species of |
|---------------------------------------|----|-----|----------|-----|-----|-----|---|
| gravel, mixed Hard blue clay, with | 0 | | | | | | shale, into 0 5 0 0 5 0 |
| whinstone boulders | 1, | 5 | | 2 | 4 | 0 | |
| Carried forward | | | | 2 | 4 | 0 | Total 3 3 0 |

N.B.—Got water at a depth of 16 feet.

No. 2,531.—CHOPWELL. TOWNSHIP OF CHOPWELL, DURHAM.

Sheet 5 of Ordnance Map. Lat. 54° 55' 25'', Long. 1° 49' 5''.

Account of Strata bored through on Bolam's Farm, Chopwell Royalty, over the 20 Fathoms Dyke. Commenced November 8th, 1886.

Approximate surface-level 650 feet above sea (Ordnance datum).

| | Fs. | Ft. | In. | Fs. | Ft. | In. | | | Ft. | | | | |
|---------------------|-----|-----|-----|-----|-----|-----|---------------------|---|-----|---|---|---|---|
| Soil and clay | 0 | - 3 | 0 | | | | Brought forward | 3 | 0 | 0 | 3 | 0 | 0 |
| Rubble and mixed | | | | | | | Gannister and sandy | | | | | | |
| gannister or rough | | | | | | | mixture | 1 | 5 | 0 | | | |
| sandstone | 2 | 3 | 0 | | | | Strong blue clay | 0 | 3 | 0 | | | |
| | | | | 3 | 0 | 0 | COAL, good | 1 | 0 | 0 | | | |
| Framey gannister | | | | | | | | | | | 6 | 2 | 0 |
| stone, very gullety | 2 | 0 | 0 | | | | Fire-clay, clean | 0 | 4 | 0 | | | |
| Gannister, mixed | | | | | | | Blue metal | 3 | 2 | 0 | | | |
| with elay partings | 1 | 0. | 0 | | | | White post | 0 | 3 | 0 | | | |
| | | | | | | | | | | | | | |
| Carried forward | 3 | 0 | 0 | 3 | 0 | 0 | Carried forward | 4 | 3 | 0 | 9 | 2 | 0 |

No. 2,531.—CHOPWELL.—Continued.

| Brought forward 4 3 0 | | Brought forward | Fs. I | t. In | n. Fs. | Ft. | In. |
|--|-------|-----------------------------------|-------|-------|--------|-----|-----|
| Blue metal, mixed | | Black shelly stone | | | | ~ | ٠ |
| | | COAL | ň | 1 | e e | | |
| with whin girdles 0 3 0 Black slaty stone 0 1 0 | | | | | - 11 | 2 | 0 |
| Blue metal, mixed | | | | | | 4 | U |
| | | Dark fire-clay Dark grey metal | 0 | 4 | 0 | | |
| with grey girdles 0 5 0 | | Dark grey metal | 4 | 0 ' | U | | |
| Blue metal and iron, | | Blue metal, with post | | | | | |
| mixed 1 0 0 | | girdles | 1 | 0 (| י | | |
| Blue metal, with iron | } | Grey metal, mixed | | | | | |
| girdles 1 0 0 | | with post | 1 | 0 (| 0 | | |
| Grey whin 0 1 0 | | GOAL | 0 : | 2 9 | 9 | | |
| Grey whin 0 1 0 Blue metal 0 3 0 | ļ | - | | | - 5 | U | 9 |
| Blue metal, mixed | | Strong grey metal | 1 | 0 (|) | | |
| with iron 0 2 0 | | Extra strong grey | | | | | |
| Dark blue metal, | | metal, mixed with | | | | | |
| mixed with iron 1 0 0 | | post girdles | 1 | 5 (|) | | |
| Grey and blue mixed | | Post girates in | | | 2 | 5 | Λ |
| metal 1 0 0 | | _ | | | | U | v |
| I 0 0 | | | | | | | 0 |
| Camiad farmand 11 0 0 | 0 9 0 | Watel | | | 00 | 2 | _ |
| Carried forward 11 0 0 | 9 2 0 | Total . | •• | • • • | . 40 | 9 | 9. |
| | | | | | | | |

No. 2,532.—CHOPWELL.

TOWNSHIP OF CHOPWELL, DURHAM.

Sheet 5 of Ordnance Map. Lat. 54° 54′ 41″, Long. 1° 46′ 33″.

Account of Strata passed through in a Diamond Bore-hole near Lintz Ford, Chopwell Woods, River Derwent, 1897. This Section commences 30 fathoms below the Brockwell Seam.

Approximate surface-level 200 feet above sea (Ordnance datum).

| Clay, sand and soil 6 4 | In. Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In. Brought forward 3 0 3 12 2 1 |
|---|-----------------|---|
| Boulder clay 2 0 | | Dark grey shale 0 3 10 |
| · | 2 4 6 | Strong grey post 1 0 2 |
| Broken freestone 0 0 | 8 | Strong grey post 1 0 2 Dark grey shale 1 5 0 |
| Very dark grey shale ,0 1 | | Strong grey post, |
| COAL, very coarse 0 0 | | laminated 10 1 7 |
| | 0 2 6 | |
| Dark grey shale 0 2 | | Very strong grey |
| Grey sandstone 3 0 | 0 | post 2 4 0 Seggar-clay 0 0 9 |
| Grey sandstone, with | _ | Seggar-clay 0 0 9 |
| shale partings 1 2 | 6 | Soft grey shale 0 1 6 Light grey post 1 4 0 Dark grey shale 1 1 0 |
| Very dark grey shale 0 0 | 10 | Light grey post : 1 4 0 |
| Soft grey shale, with post girdles 0 4 | 0 | Dark grey shale 1 1 0 |
| post girdles 0 4 | 6 | Very strong grey |
| Dark grey shale 0 3 | 8 | post 0 5 2 Dark grey shale 3 0 2 |
| Dark grey shale 0 3 Strong grey post 0 2 Soft dark grey shale 2 3 | 1 | |
| Soft dark grey shale 2 3 | 5 | Light grey post, |
| COAL 0 0 | 1 | with coal threads 0 2 0 |
| ~ 1 <u>0 8</u> | _ 9 1 1 | Seggar-clay 0 2 4 Dark shale 0 4 1 Grey post 0 1 0 |
| Seggar-clay 0 2 | 6 | Dark snale 0 4 1 |
| Dark grey shale 0 4 Strong grey post 1 5 | 9 | Grey post 0 1 0 Dark grey shale 1 0 2 |
| Strong grey post 1 5 | U | Dark grey shale 1 0 2 |
| Carried forward 3 0 | 3 12 2 1 | Carried forward 32 4 6 12 2 1 |

No. 2,532.—CHOPWELL.—CONTINUED.

| | | | | | | | | | | _ |
|---|-----------|--|-------|---------|--|-----------|-----------|------------------|-----|------|
| Brought forward 3 | 8. 1 2 | Ft. In. 1 4 6 1 | Fs. 1 | Ft. In. | Brought forward | Fs. 11 | Ft. | In. Fs. 8 113 | Ft. | In. |
| Grey shale, with post | | | | | Grey post, with shale | | - | 0 110 | ~ | |
| | 0 | 3 9 | | | partings | 0 | 5 | 8 | | |
| Grey post, metal | | | | | Strong grey post | | | 10 | | |
| | 4. | 0 6 | | | Strong grey post, | _ | | | | |
| | | 2 6 | | | with shale partings | 8 | 0 | 2 | | |
| | | 1 11 | | | Grey shale and iron- | • | ۰ | ~ | | |
| Coarse grey seggar- | • | | | | stone balls | 3 | 1 | 3 | | |
| elay | 0 | 2 2 | | | Blue limestone, with | ., | • | ٠, | | |
| Grey post, with shale | • | | | | | 1 | 1 | $\dot{2}$ | | |
| nartings | 1 | 2 1 | | | Grey post | 2 | | 11 | | |
| | | $\tilde{2}$ | | | | ĩ | 2 | 4 | • | |
| Coarse seggar-clay | | ĩŏ | | | Grey post and shale Dark grey shale | ō | 3 | 5 | | |
| Coarse seggar-clay | • | | | | Gray post with shala | U | J | J | | |
| Grey post, with threads of shale | 2 | 0 7 | | | Grey post, with shale | 0 | 5 | 2 | | |
| | | 5 1 | | | partings | | 5 | 7 | | |
| | | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | | | Soft dark grey shale | | 1 | 3 | | |
| 0 0 | | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | | | Strong grey post | | 3 | 10 | | |
| | U | <u> </u> | | | Grey shale | 1 | - | 10 | | |
| Grey post, with | = | 2 0 | | | Grey post, with shale | | 1 | c | | |
| | 5 | 3 0 | | | partings | 4 | 1 | 6 | | |
| Dark grey shale, with post girdles | 1 | 4 9 | | | Grey shale | | 4 | 6 | | |
| | | $egin{array}{ccc} 4 & 2 \\ 1 & 1 \end{array}$ | | | Grey post | | 2 | 0 | | |
| | 1 | 1 1 | | | Dark shale | 2 | 0 | 6 | | |
| Dark grey shale, | | . 1 | | | Grey post, with shale | | | 0 | | |
| - | 1 | 0 1 | | | partings | 1 | 3 | 9 | | |
| Grey post, very coarse | _ | 0 11 | | | Dark grey shale and | | | | | |
| | 5 | 2 11 | | | iron pyrites | 3 | | 11 | | |
| Grey shale, with post | _ | - 0 | | | Blue limestone | 2 | 0 | 2 | | |
| | 3 | 5 3 | | | Grey post, with shale | _ | _ | _ | | |
| Limestone, with shale | _ | . 10 | | | partings | 0 | 5 | 5 | | |
| | | 0 10 | | | Grey shale, with post | | _ | | | |
| Grey post Dark grey shale | 3 | 0 1 | | | girdles | 2 | 5 | 8 | | |
| Dark grey shale | 1 | 0 3 | | | Hard grey post, with | | | _ | | |
| Grey post | 2 | 0 5 | | | shale partings | 3 | 2 | 2 | | |
| Grey shale | U | 2 8 | | | COAL | 0 | 0 | 4 | | |
| Grey shale (Dark grey post (Dark grey shale, with | 0 | 14 | | | | | _ | 62 | 1 | 2 |
| | | | | | Grey post | 0 | 1 | 3 | | |
| | | 3 0 | | | Grey shale, with | | | | | |
| Grey siliceous post | | 1 8 | | | pyrites | 3 | 4 | 3 | | |
| | | $2^{\circ}8$ | | | pyrites Blue limestone | 1 | 0 | 10 | | |
| Coarse grey post | 8 | 2 11 | | | Dark grev shale | 2 | 1 | 6 | | |
| Grey post, with | | | | | Blue limestone Dark grey post Grey shale, with | 8 | 2 | 2 | | |
| coal threads | | 5 5 | | | Dark grey post | 0 | 1 | 4 | | |
| | 0 | 5 1 | | | Grey shale, with | | | | | |
| | 2 | 3 8 | | | pyrites | 0 | 1 | 1 | | |
| Grey post, with shale | | | | | Gannister | | 1 | 0 | | |
| | 3 | 1 3 | | | Grey post, with silica | | 4 | 7 | | |
| Grey shale, with post | | | | | COAL, coarse | | 0 | 2 | | |
| | 1 | 4 11 | | | | | _ | 22 | 0 | 2 |
| | | 3 9 | | | Dark grey post | 0 | 2 | 7 | | |
| COAL, coarse | 0 | 0 1 | | | Very coarse strong | | | | | |
| | | 1 | 01 | 0 10 | post, with coal | | | | | |
| Dark grey post, with | | | | | threads | 9 | 0 | 3 | | |
| | 3 | 5 6 | | | Dark grey shale | | | 2 | | |
| | _ | 1 4 | | | Blue limestone | | $\hat{2}$ | $\bar{2}$ | | |
| Strong grey post and | | _ | | | Grey post | 2 | 2 | 7 | | |
| | 0 | 1 4 | | | - J I | | _ | 21 | 5 | 9 |
| | | | | | | | | | - | - |
| 8 8 1 L | 4. | 56 | | | | | | | | |
| | 4 | 5 6 —— – | | 2 11 | | | | 219 | | _ |

No. 2,533.—CHOPWELL. TOWNSHIP OF CHOPWELL, DURHAM.

Sheet 5 of Ordnance Map. Lat. 54° 55' 28", Long. 1° 47' 50".

Account of Strata sunk through in the Furnace Pit at Heavy Gate, Garesfield Colliery, from the Stone Coal Seam to the Brockwell Seam, 1869.

Approximate surface-level 650 feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. In. Depth from surface | Fs. Ft. In. Fs. Ft. In Brought forward 35 4 8 |
|--|---|
| to top of Towneley | Strata 4 0 0 |
| Seam 17 5 1 | Three-Quarter Seam— |
| Towneley Seam— | Ft. In. |
| Ft. In. | COAL, good 2 6 |
| Splint 0 7½ | Danty band 0 04 |
| COAL, coarse 0 1 | COAL 0 4 |
| COAL, good 1 4½ | Clay band 0 04 |
| Black band 0 0½ COAL 0 6 | COAL, good 0 2½ |
| COAL, coarse 0 11 | 0 3 1 |
| 0 2 9 | Strata 3 5 6 |
| 18 1 10 | |
| Strata 13 2 0 | Ft. In. |
| Stone Coal Seam- | COAL 0 53 |
| COAL 0 2 10 | Clay band 0 9 |
| 13 4 10 | |
| Strata 3 0 11 | Black band 0 33 |
| Five-Quarter Seam— | COAL $2 	ext{ } 0\frac{1}{2}$ |
| COAL 0 3 1 | Splint 0 4 |
| 3 4 0 | — 0 4 3 |
| | 4 3 9 |
| Carried forward 35 4 8 | Total 44 5 6 |

No. 2,534.—CHRISTON BANK. TOWNSHIP OF EMBLETON, NORTHUMBERLAND.

Sheet 27 of Ordnance Map. Lat. , Long.

Account of Strata bored through at Christon Bank by R. Young.

Approximate surface-level feet above sea (Ordnance datum).

| | Fs. | Ft. | In. | Fs. | Ft. | In. | | Fs. | Ft. | In. I | Fs | Ft. | In. |
|-----|--------|-------------------------------------|---|--|--|--|---|--|---|---|------------------------|--------------------|----------------------------|
| | 0 | 3 | 0 | | | | Brought forward | 14 | 4 | 9 | 0 | 5 | 6 |
| | 0 | 2 | 6 | | | | | 2 | 5 | 3 | | | |
| | | | | 0 | 5 | 6 | | 0 | 0 | | | | |
| | 0 | | 8 | | | | Mixed metals | 0 | | | | | |
| | 2 | | 0 | | | | Post panel | 1 | | | | | |
| | 0 | | | | | | Limestone | 0 | | | | | |
| | 0 | | | | | | Grey post | 0 | | | | | |
| | 1 | _ | - | | | | Limestone | 0 | | | | | |
| | 0 | | | | | | Grey post | 7 | | | | | |
| | 0 | 1 | _ | | | | Blue metal | 1 | 1 | 9 | | | |
| | 0 | 0 | 4 | | | | COAL | 0 | 1 | 10 | | | |
| | 0 | 0 | 9 | | | | | | | 3 | 30 | 5 | 6 |
| | 0 | 0 | 11 | | | | Fire-clay | 0 | 2 | 6 | | | |
| | 1 | 5 | 3 | | | | Grey metal | 0 | | 6 | | | |
| | 0 | 5 | 9 | | | | Grey post | 0 | 2 | 6 | | | |
| | 0 | 1 | 6 | | | | Grey metal | 0 | 3 | 9 | | | |
| | 0 | 3 | 6 | | | | Grey post | 0 | 2 | 11 | | | |
| | 1 | 4 | 0 | | | | | 1 | 1 | 4 | | | |
| | 3 | 1 | 0 | | | | Blue metal | 0 | 1 | 3 | | | |
| ••• | 0 | 4 | 3 | | | | | | | | 3 | 3 | 9 |
| .3 | 14 | 4 | _ | _ | | <u>_</u> | m-4-1 | | | - | - | | _ |
| u | 14 | 4 | 9 | U | Э | 0 | Total | • • • | | 3 | 50_ | Z | 9 |
| | | 0 0 0 0 0 1 0 0 0 0 0 0 0 0 1 0 1 0 | 0 3 0 2 0 5 2 3 0 1 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 3 1 4 3 1 0 4 | 0 3 0 0 2 6 0 5 8 2 3 0 0 1 6 0 0 4 0 1 9 0 0 9 0 0 11 1 5 3 0 5 9 0 1 6 0 3 6 1 4 0 0 3 6 1 4 0 0 4 3 | 0 3 0 0 2 6 0 5 8 2 3 0 0 1 6 0 0 3 1 1 0 0 0 4 0 1 9 0 0 9 0 0 11 1 5 3 0 5 9 0 1 6 0 3 6 1 4 0 0 3 6 1 4 0 0 4 3 | $\begin{array}{c} \dots & 0 & 3 & 0 \\ \dots & 0 & 2 & 6 \\ \dots & 0 & 5 & 8 \\ \dots & 2 & 3 & 0 \\ \dots & 0 & 1 & 6 \\ \dots & 0 & 0 & 3 \\ \dots & 1 & 1 & 0 \\ \dots & 0 & 0 & 4 \\ \dots & 0 & 1 & 9 \\ \dots & 0 & 0 & 9 \\ \dots & 0 & 0 & 11 \\ \dots & 1 & 5 & 3 \\ \dots & 0 & 5 & 9 \\ \dots & 0 & 1 & 6 \\ \dots & 0 & 3 & 6 \\ \dots & 1 & 4 & 0 \\ \dots & 0 & 4 & 3 \\ \end{array}$ | $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | Brought forward Mixed metals M | Brought forward 14 Mixed metals 2 Grey post girdles 0 0 0 0 0 0 0 0 0 | Brought forward 14 4 Mixed metals 2 5 Grey post girdles 0 0 0 | Brought forward 14 4 9 | Brought forward 14 | Brought forward 14 4 9 0 5 |

No. 2,535.—CLARA VALE. TOWNSHIP OF CRAWCROOK, DURHAM.

Sheet 1 of Ordnance Map. Lat. 54° 58' 40", Long. 1° 47' 40".

Account of Strata sunk through at Clara Vale Colliery, 1893. Approximate surface-level 66.32 feet above sea (Ordnance datum).

| •• | Fa. | Ft. In | . Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In |
|-------------------------------------|-----|---|-------|------|-----|---|
| Soil | | 1 6 | 3 | | | Brought forward 39 4 |
| Loamy sand | _ | 0 (| . 2 | 1 | 6 | Bastard seggar-clay 1 0 7 Blue metal, with post |
| Shivery freestone | 2 | 4 0 | | | | girdles 1 1 9 |
| Freestone | 2 | 5 6 | | | | Hand Coal Seam— |
| Blue metal Blue metal, with post | 0 | 5 6 |) | | | COAL 0 0 3 |
| girdles | 2 | 4 0 |) | | | 0 |
| Blue metal | | | | | | Grey post 0 3 2 |
| Grey metal | | 4 6 | | | | White post 1 3 9 |
| Grey post Ruler Seam— | 1 | 3 0 | ' | | | Grey freestone 0 5 4 |
| Ft. In. | | | | | | Blue metal 0 3 0 Stone Coal Seam— |
| COAL 0 73 | | | | | | Ft. In. |
| Band 0 01 | | | | | | COAL 2 6 |
| COAL 2 0 Band 0 103 | | | | | | Band 0 1 |
| Band 0 103 COAL 0 3 | | | | | | COAL 0 7 |
| | 0 | 3 9 |) | | | 032 |
| | | | - 15 | 3 | 9 | Seggar-clay 0 2 0 |
| Bastard seggar-clay | | 4 0 | | | | Post girdle 0 1 1 |
| Grey post | 5 | 4 6 | | | | Blue metal 1 3 10 |
| Blue metal Ft. In. | 1 | * (| , | | | Five-Quarter Seam- |
| COAL 0 6 | | | | | | Ft. In. |
| Clay 1 1 | | | | | | COAL 0 3 Band 0 04 |
| COAL 0 8 | ^ | 0 0 | | | | GOAL 0 0½ |
| | 0 | 2 3 | . 8 | 3 | 0 | Band 0 0 |
| Seggar-clay | 0 | 5 0 | | ., | · | COAL 3 11 |
| Grey metal, with post | | | | | | |
| girdles | 1 | 1 9 | | | | Seggar-elay 0 0 0 |
| COAL | 0 | 1 0 | . 2 | , | 0 | Blue metal, with post |
| Grey post | 2 | 5 2 | | 1 | 9 | girdles 0 2 4 |
| Blue metal | õ | 5 10 | | | | COAL 002 |
| Towneley Seam— | | | | | | 0 3 |
| Sulint Ft. In. | | | | | | Blue metal 3 1 9 |
| Splint 0 74 COAL, coarse 0 34 | | | | | | Blue metal, with post girdles 0 4 0 |
| Band 0 14 | | | | | | Three-Quarter Seam- |
| COAL, good 3 24 | | | | | | Ft. In. |
| | 0 | 4 3 | | | | COAL 1 6 |
| Soggar-olaw | 0 | 2 0 | 4 | 3 | 3 | Band 0 3 COAL 0 7 |
| Seggar-clay Bastard seggar-clay | 0 | 3 8 | | | | COAL 0 7 0 2 4 |
| Hodge Seam- | Ŭ | ,, , | | | | 4 2 |
| CÖAL | 0 | 0 9 | | | | Seggar-clay 0 2 6 |
| nı | _ | | . 1 | 1 | 5 | Grey post and whin 2 2 1 |
| Blue metal | 1 | $\frac{3}{2}$ | | | | Seggar-clay 0 4 11 |
| Grey post* Tilley Seam— | 3 | 2 2 | • | | | Bastard seggar-clay 0 3 9 |
| | 0 | 2 3 | 3 | | | Blue metal 0 2 10 Blue metal, with post |
| | | | - 5 | 1 | 11 | girdles 1 0 7 |
| Carried forward | | | 39 | 4 | 7 | |
| partied tot water | | <u>, </u> | | | | Carried forward 5 4 854 3 6 |
| | | * Ì | Ieav | vy f | eed | lers of water. |

No. 2,535.—CLARA VALE.—CONTINUED.

| | Ft. In | | | | Fs. Ft. In. Fs. Ft. In. |
|--|--------|------|----------|----|---|
| Brought forward 5 | | | 3 | 6 | |
| White post 2 | 3 | 3 | | | Blue metal 0 1 0 |
| Blue metal, with post | | | | | COAL 0 0 8 |
| girdles 2 | 5 | 7 | | | 1 1 7 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 0 | 8 | | | Seggar-clay 0 0 10 |
| Brockwell Seam— | | | | | Grey post 0 2 6 |
| Ft. In. | | | | | White post, with |
| COAL, splint 0 51 | | | | | metal partings 1 0 10 |
| COAL 2 $1\frac{1}{2}$ | | | | | Rine metal 1 1 11 |
| COAL, splint 0 $2\frac{1}{4}$ | | | | | Grey post 1 1 0 |
| 0 | 2 | 9 | | | White post 1 0 0 |
| | | - 11 | 4 | 11 | Grey post 1 1 0 White post 1 0 0 Blue metal 0 1 6 |
| Seggar-clay 0 | 2 1 | 1 | | | COAL 0 0 3 |
| Seggar-clay 0 White post 0 | 3 | 0 | | | 5 2 10 |
| <u> </u> | | | | | |
| Carried forward 0 | 5 1 | 1 66 | 2 | 5 | Total 73 0 10 |
| | | | | | |

No. 2,536.—CLARENCE. TOWNSHIP OF BILLINGHAM, DURHAM.

Sheet 51 of Ordnance Map. Lat. 54° 35′ 39″, Long. 1° 12′ 31″.

Account of Strata passed through in No. 1 Boring put down at Port Clarence for Messrs. Bell Brothers, Limited, 1890.

Approximate surface-level 10 feet above sea (Ordnance datum).

| | Fs | . Ft. | In. Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In |
|-------------------|-------|--------|-------------|--------|-----|--------------------------------|
| Sandy clay | | | | | | Brought forward 104 2 0 15 2 0 |
| Sand | | | | | | Sandy marl 6 3 0 |
| Sand and gravel | | | | | | Marl 28 4 0 |
| Sand | 0 | 1 | 0 | | | 139 3 0 |
| Gravel | 0 | 5 | 0 | | | Hard white stone 0 5 0 |
| Sand and gravel | 0 | 3 | 0 | | | Marl 5 4 0 |
| Gravel and pinnel | 4 | 1 | 0 | | | Marl and gypsum 18 5 0 |
| • | | | | 2 | 0 | 25 2 0 |
| Red sandstone | 76 | 2 | 0 | | | White stone 2 4 0 |
| Sandy marl | 10 | | | | | Marl, containing salt 2 3 0 |
| Red sandstone | 2 | | | | | Salt 14 4 0 |
| Sandy marl | 0 | | | | | Salt and marl 1 5 8 |
| Red sandstone | 2 | 4 | 0 | | | Blue shale and |
| Sandy marl | 4 | 2 | 0 | | | anhydrite 1 4 0 |
| Sandstone | 7 | 4 | 0 | | | 23 2 8 |
| | | | | | _ | |
| Carried forwa | rd 10 | 4 2 | 0 15 | 2 | 0 | Total 203 3 8 |

No. 2,537.—CLARENCE. TOWNSHIP OF BILLINGHAM, DURHAM.

Sheet 51 of Ordnance Map. Lat. 54° 35′ 38″, Long. 1° 12′ 2″.

Account of Strata passed through in No. 3 Boring put down at Port Clarence for Messrs. Bell Brothers, Limited, 1890.

Approximate surface-level 20 feet above sea (Ordnance datum).

| | | 1 | |
|-----------------|-------------------------|--------------------------------|-----------------|
| | Fs. Ft. In. Fs. Ft. In. | Fs. Ft. | In. Fs. Ft. In. |
| Surface | $\dots 14 5 0$ | Brought forward 9 2 | 0 14 5 0 |
| | 14 5 0 | Sandstone, with marl | |
| Marl | | | 0 |
| | 0 4 0 | Deus 10 3 | U |
| Sand and gravel | 0 4 0 | beds 16 3 Red sandstone 5 0 | 0 |
| 8 | | | |
| Carried forw | ard 9 2 014 5 0 | Carried forward 30 5 | 0 14 5 0 |

No. 2,537.—CLARENCE.—CONTINUED.

| Fs. Ft. In. Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|--------------------------------|--------------------------------|
| Brought forward 30 5 0 14 5 0 | Brought forward 10 4 0 162 3 0 |
| Sandy marl 2 1 0 | Marl, with a little |
| Sandstone 13 4 0 | gypsum 1 5 0 |
| Marl and sandstone 17 2 0 | Marl 1 3 0 |
| Sandy marl 5 1 0 | Marl and gypsnm 4 4 0 |
| Sandstone 4 0 0 | Marl 5 5 0 |
| Sandy marl 4 3 0 | Muddy marl 1 2 0 |
| Marl 5 5 0 | Marl 3 5 0 |
| Marl and sandstone 13 1 0 | Marl and gypsum 2 0 0 |
| Marl 3 4 0 | 31 4 0 |
| Sandstone and marl 3 3 0 | White stone 1 1 0 |
| Marl 2 1 0 | White stone and |
| Sandy marl 8 3 0 | marl 1 2 0 |
| Marl 33 1 0 | Marl 2 3 0 |
| 147 4 0 | Salt 15 3 0 |
| Limestone 1 2 0 | Salt and bluish |
| Marl 6 0 0 | marl 0 3 0 |
| Very soft marl 1 3 0 | Anhydrite and marl 1 4 0 |
| Marl 1 5 0 | 22 4 0 |
| | |
| Carried forward 10 4 0 162 3 0 | Total 216 5 0 |
| | |
| | |

No. 2,538.—CLARENCE.

TOWNSHIP OF BILLINGHAM, DURHAM.

Sheet 51 of Ordnance Map. Lat. 54° 35′ 41", Long. 1° 12′ 13".

Account of Strata passed through in No. 5 Boring put down at Port Clarence for Messrs. Bell Brothers, Limited, 1892.

Approximate surface-level 15 feet above sea (Ordnance datum).

| | | In.] | Fs. | Ft. | In. | |
|----------------------|----|-------|-----|-----|-----|--------------------------------|
| Surface 23 | 0 | 0 | | | | Brought forward 135 4 0 23 0 0 |
| _ | | : | 23 | 0 | 0 | Red marl 2 0 0 |
| Red sandy marl 7 | 0 | 0 | | | | 137 4 0 |
| Red sandstone and | | | | | | Red marl, with |
| a little marl 15 | 0 | 0 | | | | veins of gypsnm 12 3 0 |
| Red sandstone 38 | 4 | 0 | | | | Red marl 5 1 0 |
| Red sandstone and | | | | | | Red marl, with veins |
| red marl 11 | 2 | 0 | | | | of gypsum 3 2 0 |
| Red marl 2 | 1 | 0 | | | | Red marl and much |
| Red sandstone, with | | | | | | gypsum 4 3 0 |
| streaks of marl 5 | 4 | 0 | | | | Red marl 1 0 0 |
| Red marl, with small | | | | | | 26 3 0 |
| streaks of sand- | | | | | | White stone 1 5 0 |
| stone 5 | 0 | 0 | | | | Red marl 0 3 0 |
| Red marl 4 | | | | | | Broken marl 2 3 0 |
| Red marl, with | ., | • | | | | Broken marl, with |
| streaks of sand- | | | | | | $salt \dots \dots 0 4 0$ |
| stone 4 | 4 | 0 | | | | $Salt \dots \dots 15 0 0$ |
| Red marl 17 | | ŏ | | | | Anhvdrite 0 5 0 |
| Red sandstone 3 | | ŏ | | | | Anhydrite 0 5 0 Salt 2 0 0 |
| Red marl 17 | _ | ŏ | | | | Anhydrite 0 2 0 |
| Red marl, with a | | ٠ | | | | 23 4 0 |
| little sandstone 3 | 4 | 0 | | | - 1 | |
| iitute sairustone o | | | | | _ [| |
| Carried forward 135 | 4 | 0.2 | 23 | 0 | 0 | Total 210 5 0 |
| Califed forward 100 | | - | | 3 | - 1 | |

No. 2,539.—CLARENCE HETTON.

TOWNSHIP OF CORNFORTH, DURHAM.

Sheet 35 of Ordnance Map. Lat. 54° 43′ 4″, Long. 1° 30′ 46″.

Account of Strata passed through at Clarence Hetton Colliery in 1838, in No. 4 Bore-hole on West Side of Turnpike, about 600 yards West of the Bell Pit, Coxhoe.

Approximate surface-level 295 feet above sea (Ordnance datum).

| Yellow soil 6 1 | 6 | Ft. | In. | Brought forward 37 2 6 |
|----------------------------------|----|-----|-----|---------------------------------------|
| Strong clay 14 0 | | _ | | Grey metal, with |
| ~ | 14 | 2 | 3 | |
| Grey metal 0 5 | 5 | | - 1 | White post 2 0 10 |
| Black metal stone 1 4 | 0 | | | White post 2 0 10 Dark metal 0 4 7 |
| Blue metal stone 0 5 | 5 | | | COAL 0 1 10 |
| Low main post 10 0 | 5 | | | 5 0 3 |
| Low Main Seam- | | | | Grev metal stone, |
| COAL 0 2 | 6 | | | with post girdles 3 5 5 |
| | 13 | 5 | 9 | |
| | | _ | | 4 1 8 |
| Grey metal 1 2 White post 0 5 | 5 | | | Grey metal, with |
| Grey metal stone 6 4 | 7 | | | girdles 0 5 3 |
| COAL 0 0 | | | | 0 5 3 |
| | | 0 | 6 | |
| | _ | | | |
| Carried forward | 37 | 2 | 6 | Total 47 3 8 |

No. 2,540.—CLARENCE HETTON.

TOWNSHIP OF COXHOE, DURHAM.

Sheet 35 of Ordnance Map. Lat. 54° 43' 12", Long. 1° 30' 8".

Account of Strata sunk through at Clarence Hetton Colliery. Commenced June, 1839.

Approximate surface-level 309 feet above sea (Ordnance datum).

| Strong brown clay 3 0 0 0 Sand 0 3 0 0 Strong blue clay 5 0 0 Quicksand 2 3 0 Strong blue clay 1 3 0 | Brought forward 2 4 4 12 3 0 Ft. In. COAL, good 1 5 Grey metal 0 7 COAL good 3 7 |
|--|--|
| Brown post, with metal partings 2 4 0 Black stone 0 0 4 | 0 5 7 0 5 7 3 3 11 |
| Carried forward 2 4 4 12 3 0 | Total <u>. 16 0 11</u> |

No. 2,541.—COANWOOD.

TOWNSHIP OF FEATHERSTONE, NORTHUMBERLAND.

Sheet 100 of Ordnance Map. Lat.

, Long.

Account of Strata passed through in No. 1 Borc-hole, Coanwood Colliery, near the Southern Edge of the Coal-field, and 38 chains S. 56 E. from Herdley Bank Pit.

Approximate surface-level

feet above sea (Ordnance datum).

| g.:1 | | | | Fg. | Ft. | In. | |
|---|-----|---|-----|-----|-----|-----|---|
| Soil | U | U | 9 | _ | | | Brought forward 15 3 6 0 0 9 |
| | _ | | | 0 | 0 | -9 | Blue limestone 0 2 9 |
| Loose sandstone | | | | | | | Strong dark grey |
| blocks | 1 | 5 | 0 | | | | shale 4 2 0 |
| Black shale, with | | | | | | | |
| mica | | 0 | 0 | | | | Grey sandstone 4 5 6 White sandstone 0 2 6 |
| Brown sandstone, | | | | | | | Dark slaty shale 1 0 0 |
| very jointy | | 5 | 0 | | | | Sandstone 3 2 0 |
| White sandstone | 4 | 1 | Õ | | | | Blue shale 0 4 0 |
| Dark grey shale, with | • | • | ٠ | | | | Sandstone 1 4 0 |
| sandstone bands | | | | | | | |
| | | 1 | c | | | | Light shaly sand- |
| and sulphur balls | - 2 | 1 | U | | | | stone 1 0 0 |
| Sandstone | U | 1 | - 6 | | | | Shale 0 3 0 |
| Dark grey shale | 1 | 1 | 6 | | | | |
| Sandstone Dark grey shale Fine grey shale | 1 | 0 | 0 | | | | 33 5 3 |
| Carried forward | 15 | 3 | 6 | 0 | 0 | 9 | Total 34 0 0 |

No. 2,542.—COANWOOD.

TOWNSHIP OF FEATHERSTONE, NORTHUMBERLAND.

Sheet 100 of Ordnance Map. Lat.

, Long.

Account of Strata passed through in No. 2 Bore-hole, Coanwood Colliery, 88 yards South of No. 1 Bore-hole.

Approximate surface-level feet above sea (Ordnance datum).

| Soil | | | 9 | | | In. | Brought forward 5 | 3 | | |
|--------------------|----------|---|---|---|---|-----|-------------------|---|------|------|
| - | _ | | | 0 | 0 | 9 | | | | |
| Sandstone boulders | 2 | 0 | 0 | | | | Sandstone 2 | 1 | 0 | |
| Light yellow sand- | | | | | | | Dark shale 1 | 3 | 0 | |
| stone | 3 | 3 | 0 | | | | Hard sandstone 0 | | | |
| COAL, foul | 0 | 0 | 4 | | | | Dark shale 2 | 3 | 2 | |
| - | | | | 5 | 3 | 4 | Limestone 0 | 2 | 0 | |
| Dark shale | 1 | 0 | 0 | | | | Dark shale 2 | 0 | 0 | |
| Sandstone | 4 | 3 | 6 | | | | | | — 14 | 2 11 |
| Carried forward | 5 | 3 | 6 | 5 | 4 | 1 | Total | | 20 | 1 0 |

No. 2,543.—COANWOOD.

TOWNSHIP OF FEATHERSTONE, NORTHUMBERLAND.

Sheet 100 of Ordnance Map. Lat.

, Long.

Account of Strata passed through in No. 3 Bore-hole, Coanwood Colliery, 262 yards South of Herdley Bank Pit.

Approximate surface-level

feet above sea (Ordnance datum).

| Soil Fs. Ft. In. Fs. Ft. In. Soil 0 0 8 | Fs. Ft. In. Fs. Ft. I Brought forward 8 2 10 6 3 8 |
|---|---|
| Clay, with boulders 6 3 0 | Strong dark grey |
| Dark shale 1 3 0 Yellow sandstone 1 1 6 Grey sandstone 5 4 4 | Whin 5 0 4 18 5 8 |
| Carried forward 8 2 10 6 3 | Total 25 3 4 |

No. 2,544.—COANWOOD.

TOWNSHIP OF FEATHERSTONE, NORTHUMBERLAND.

Sheet 100 of Ordnance Map. Lat.

, Long.

Account of Strata sunk through in the Engine Pit, East Coanwood Colliery, 1869, by William Fryar.

| Anı | nravim | ate s | urface | - level |
|-----|--------|-------|--------|---------|
| | | | | |

feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. In. Soil 0 2 6 Clay, mixed with | Brought forward 3 0 11 9 0 |
|---|--|
| | |
| | Soft sandstone 0 4 3 |
| stones 1 4 6 | Grey post 0 2 10 |
| 2 1 0 | Grey beds 1 5 4 |
| | |
| | |
| | Dark coarse seggar- |
| Blue metal 0 4 0 | clay 1 5 0 |
| Soft post 0 1 6 | COAL 006 |
| Grey metal 0 4 3 | 8 4 10 |
| Soft white post 0 2 3 | Seggar-clay, with iron |
| Grey metal 0 2 0 | balls 1 0 0 |
| Soft white post 0 3 0 | Grey beds 1 1 1 |
| Blue metal 0 1 0 | Grey metal 0 5 2 COAL 0 1 4 |
| Bad dark seggar-clay 1 0 0 | COAL 0 1 4 |
| White post 0 3 6 | 3 1 7 |
| Soft white post, with | Dark seggar-clay and |
| partings 0 3 6 | iron balls 0 0 8 |
| Grey metal 0 4 0 | Grey metal 3 0 6 |
| Black shale 0 1 0 | Black shale, mixed |
| COAL 0 0 7 | with coal 0 1 0 |
| 6 5 1 | COAL 0 0 3 |
| Dark seggar-clay 0 3 0 | 3 2 5 |
| Post band and seggar- | |
| | |
| | Grey metal 0 5 2 Strong grey post 0 2 2 |
| | |
| Grey beds 1 1 6 | Grey metal 0 4 0 |
| | |

No. 2,544.—COANWOOD.—CONTINUED.

| | | | _ | | | | |
|-------------------------------|-----|------------|--------|--------|---|----------|--|
| Brought forward | | Ft. | | Fs. 24 | | In 11 | Fs. Ft. In. Fs. Ft. In. Brought forward 0 3 0 52 5 0 |
| Five-Quarter Seam— | | | | | | | Post 0 3 5 |
| Ft. In. | | | | | | | Grey metal 0 2 7 |
| COAL 0 4 | | | | | | | White post 1 2 0 |
| Band 0 1. | | | | | | | Grey beds 0 4 4 |
| COAL 0 8 | | | | | | | Black plate 4 3 10 |
| Band 0 2 | | | | | | | COAL 0 1 0 |
| COAL, good 3 6 | | | | | | | 8 2 2 |
| Band 0 2 | | | | | | | Dark coarse seggar- |
| COAL 0 8 | | | | | | | 0 1 6 |
| Band 0 3 | | | | | | | Post girdles, with |
| COAL 0 4 | | | | | | | metal partings or |
| | 1 | 0 | 2 | | | | grey beds 7 1 0 |
| | | | | 3 | 0 | 4 | Seven-Quarter or Slag |
| Seggar-clay, with iron | | | | | | | Seam- |
| balls | | 5 | 9 | | | | Ft. Iu. |
| Yard Seam- | | | | | | | COAL 3 31 |
| COAL | 0 | 2 | 7 | | | | Slag 0 1 |
| | | | | 1 | 2 | 4 | COAL 1 93 |
| Seggar-clay, with iron- | | | | - | _ | • | - 0 5 2 |
| stone and splint | | 1 | 1 | | | | 8 1 8 |
| | 2 | | 11 | | | | Dark coarse seggar- |
| irey beds Blue metal, with | | • | | | | | |
| ironstone bands | 1 | 3 | 10 | | | | Grey metal 0 1 4 |
| | • | 0 | 10 | | | | Grey post 0 2 0 |
| of band | 0 | 2 | 1 | | | | 1 0 10 |
| of band | v | ت | 1 | 4 | 9 | 11 | |
| | | | _ | | - | 1, | Brown post and grey beds 244 |
| eggar-clay | | 4 | 0 | | | | |
| rey post | | 2 | 8 | | | | |
| rey and blue metal | 0 | 5 | 1 | | | | 5 1 4 |
| COAL | 0 | 1 | 9 | | | | Dark seggar-clay 0 1 0 |
| | | | | 3 | 1 | 6 | |
| Dark seggar-clay | 0 | 4 | 8 | | | | Grey post 1 0 0 Grey beds 0 2 6 |
| rey metal | 1 | 5 | 2 | | | | Grey metal 0 2 7 |
| COAL, with 3 inches | | | | | | | White post 1 2 0 |
| of band | 0 | 1 | 9 | | | | Grey beds 0 4 4 |
| | | _ | | 2 | 5 | 7 | Black plate 0 3 4 |
| velo-remma dref | 0 | 1 | 3 | | | | Ironstone band 0 0 3 |
| Dark seggar-clay | | | 2 | | | | Black plate 1 1 6 |
| rey beds Vhite post | | 4 5 | 8 | | | | Light slippery plate 2 0 0 |
| | _ | 2 | 9 | | | | Black plate 0 5 0 |
| rey beds | 0 | 0 | 3 | | | | COAL 0 1 0 |
| OAL | · · | | | 2 | 2 | 1 | 8 5 6 |
| ark seggar-clay | 0 | 4 | 5 | 4 | - | 1 | Dark coarse seggar- |
| | | 2 | 7 | | | | 0 1 6 |
| rey beds | 2 | 4 | ó | | | | |
| | 1 | 2 | 2 | | | | Course Bres Iveet III |
| Vhite post | _ | 5 | 2 | | | | |
| drey beds | 2 | 1 | 0 | | | | the state of the s |
| Joom | 4 | 1 | U | | | | |
| Coom-roof Seam- | | | | | | | |
| Ft. In. | | | | | | | |
| COAL 2 9 | | | | | | | |
| Band 0 4 | | | | | | | |
| COAL 0 11 | 0 | | 0 | | | | Strong brown post, |
| | 0 | 4 | 0 | 10 | - | | mixed with metal |
| | | _ | | 10 | 5 | 4 | partings 0 3 7 |
| eggar-clay | 0 | 0 | 6 | | | | 3 2 0 |
| Frey metal | 0 | 2 | 6 | | | | |
| 0 | | | | | | _ | metal oe r o |
| Carried forward | U | 3 | O | 52 | 5 | 0 | Total 86 5 8 |
| | | | | | | | |

No. 2,545.—COANWOOD.

TOWNSHIP OF FEATHERSTONE, NORTHUMBERLAND.

Sheet 100 of Ordnance Map. Lat. 54° 55′ 29″, Long. 2° 30′ 1½″.

Account of Strata sunk through in the Herdley Bank Shaft, West Coanwood Colliery.

Approximate surface-level 620 feet above sea (Ordnance datum).

| | 771 | | | - | | 1 |
|------------------------|-----|------------|-----|-----|-----|--|
| Clay 12 | | . In. 0 | F'S | Ft. | In. | Brought forward S9 3 10 |
| | | _ | 12 | 4 | 0 | Fire-clay 0 4 0 |
| Freestone 1 | 0 | 0 | | | | Ft. In. |
| Greygirdles and post 1 | _ | 2 | | | | COAL 0 9 |
| Black plate, mixed | | | | | | Band 0 4 |
| with coal 0 | 0 | 10 | | | | COAL 0 8 |
| COAL 0 | 1 | 0 | | | | — 0 1 9 |
| | | | 2 | 2 | 0 | 0 5 9 |
| Fire-clay, with iron | | | | | | - |
| balls | 5 | 0 | | | | |
| Grey freestone 1 | 1 | 0 | | | | |
| Black plate, mixed | | | | | | 1 4 3 |
| with coal 0 | 4 | 6 | | | | Plate 0 1 0 |
| Strong blue plate, | | | | | | Fire-clay 1 0 6 |
| with freestone band 1 | 3 | 10 | | | | Freestone 7 1 0 |
| Five-Quarter Seam- | | | | | | Coom 1 5 8 |
| Ft. In. | | | | | | Coom-roof Seam— |
| COAL 0 4 | | | | | | COAL 0 4 0 |
| Band \dots 0 4 | | | | | | 11 0 2 |
| COAL 3 0 | | | | | | |
| 0 | 3 | 8 | | | | 1 = 1 - 1 - 1 |
| - | | | 5 | 0 | 0 | Light plate 1 4 6 |
| Fire-clay 0 | 3 | 0 | | | | Black slippery plate 0 5 6 Coom 1 3 0 |
| Coaly plate 0 | 0 | 10 | | | | |
| Fire-clay, with small | | | | | | |
| iron balls 0 | 0 | 10 | | | | 8 2 0 |
| Coaly plate 0 | 0 | 10 | | | | Blue plate, mixed |
| Fire-clay, with small | | | | | | with ironstone beds |
| iron balls 0 | 2 | 6 | | | | and balls 1 1 7 |
| White freestone 12 | 1 | 0 | | | | Freestone 7 5 0 |
| COAL 0 | 1 | 0 | | | | Seven-Quarter or Slag . |
| - | | | 13 | 4 | 0 | Seam— |
| Fire-clay 0 | 1 | 3 | | | | Ft. In. |
| Freestone 1 | 0 | 0 | | | | COAL 3 4 |
| Grey beds 0 | 4 | 0 | | | | Band 0 1 |
| COAL 0 | 0 | 7 | | | | COAL 2 0 |
| | | | 1 | 5 | 10 | 0 5 5 |
| Fire-clay, coarse 1 | 1 | 0 | | | | 10 0 0 |
| Freestone 1 | 5 | 6 | | | | |
| Blue plate 0 | 3 | 0 | | | | Freestone 1 3 0 |
| Yard Seam- | | | | | | Grey beds 0 3 0 |
| COAL 0 | 2 | 6 | | | | 2 0 0 |
| | | | 4 | 0 | 0 | |
| | | | | | | |
| Carried forward | | : | 39 | 3 | 10 | Total 73 4 0 |
| | | | | | J | |

No. 2,546.—COASTLEY.

TOWNSHIP OF WEST QUARTER, NORTHUMBERLAND.

Sheet 94 of Ordnance Map. Lat.

, Long.

Account of Strata bored through at Coastley.

| Approximate | surface-level | f |
|-------------|---------------|---|

feet above sea (Ordnance datum).

| | Fs. | Ft. | In. F | s. Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
|-----------------|-------|-------------|---------------|--------|-----|--|
| Soil | 1 | 1 | 0 | | | Brought forward 2 4 071 0 5 |
| • | | | — : | 1 1 | 0 | Shale 0 3 9 |
| White and bro | wn | | | | | Grey beds 1 3 0 |
| hard sandstone | 18 | 5 | 6 | | | Shale 4 0 0 |
| Shale | 0 | 2 | 0 | | | Sandstone 2 0 0 |
| Sandstone | 0 | 1 | 0 | | | Shale 1 2 9 |
| Iron band | 0 | 0 | 3 | | | Sandstone 1 1 6 |
| Sandy shale | 0 | 1 | 3 | | | Shale 0 5 9 |
| Sandstone | 0 | 1 | 0 | | | Sandstone 7 4 0 |
| Dark shale | 1 | 2 | 0 | | | Limestone 0 2 0 |
| Limestone | 0 | 5 | 0 | | | Sandstone 0 4 6 |
| Light sandstone | 0 | 1 | Õ | | | Shale 0 2 0 |
| Dark shale | 0 | 5 | Õ | | | Limestone 0 1 6 |
| Limestone | 0 | ĭ | Õ | | | Sandstone 1 4 0 |
| Shale | 1 | 4 | Õ | | | Limestone and shale. |
| Sandstone | 3 | Ó | Õ | | | mixed 2 0 0 |
| Shale | 0 | 2 | 6 | | | Shale 4 3 0 |
| Sandstone | 0 | 4 | Õ | | | Limestone 0 1 6 |
| Shale | 1 | î | Õ | | | Sandstone 0 3 6 |
| Sandstone | 0 | 5 | 0 | | | Shale 0 3 0 |
| Shale | 3 | ŏ | ŏ | | | Shale and limestone 3 2 0 |
| Sandstone | 1 | ĭ | ŏ | | | Shale 1 4 0 |
| Fire-clay | 0 | $\tilde{2}$ | ŏ | | | Limestone 0 1 6 |
| COAL | 0 | ō | 6 | | | Shale 4 2 0 |
| | | | 3 | 5 3 | 0 | Little Limestone 2 3 0 |
| Fire-clay | 0 | 1 | 3 | | • | COAL and shale, |
| Sandstone | 0 | 3 | Õ | | | mixed 0 1 3 |
| Shale | 0 | ĩ | 6 | | | 45 3 6 |
| Sandstone | 1 | ō | 3 | | | Sandstone 1 0 0 |
| Shale | 0 | 5 | Õ | | | Sandy shale 3 2 6 |
| Sandstone | 5 | 5 | Õ | | | Sandstone 0 5 6 |
| Shale | 0 | 5 | 6 | | | Shale 0 5 0 |
| Sandstone | 6 | 5 | Õ | | | Little Limestone Seam— |
| Shale | 1 | ĭ | 6 | | | Ft. In. |
| Sandstone | ī | 4 | ŏ | | | COAL 2 10 |
| Shale | 0 | _ | 6 | | | Sandstone 0 2 |
| Sandstone | 6 | 3 | ŏ | | | COAL 0 9 |
| Shale | 0 | ĩ | 6 | | | Shale 0 1 |
| Grey beds | 1 | 4 | ŏ | | | COAL 0 2 |
| Shale | 4 | 4 | 6 | | | Shale 0 4 |
| Limestone | 0 | $\tilde{2}$ | ő | | | COAL 0 3 |
| Sandstone | 1 | ō | ŏ | | | 0 3 9 |
| COAL | 0 | ŏ | 11 | | | |
| · · · · | | | 3 | 4 2 | 5 | Fire-clay 0 1 0 |
| Sandstone | 0 | 5 | 0 | | , | Shale 0 2 0 |
| Grey beds | 0 | 5 | ŏ | | | Sandstone, into 0 3 0 |
| Sandstone | 1 | ŏ | ŏ | | | —————————————————————————————————————— |
| | | | | | | |
| Carried forw | ard 2 | 4 | 07 | 1 0 | 5 | Total 124 2 8 |
| | _ | - | | _ • | _ | |

No. 2,547.—COATYARDS.

TOWNSHIP OF COATYARDS, NORTHUMBERLAND.

Sheet 53 of Ordnance Map. Lat. 55° 14' 27½", Long. 1° 52' 9".

Account of Strata passed through in a Bore-hole put down near Coatyards Farm on the North Side of the Road leading to it and due South of the Pits, 1903.

Approximate surface-level 730 feet above sea (Ordnance datum).

| (1 | | In. Fs. | Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|-------------------|-------------|----------|---------|---------------------------------------|
| Clay | 0 4 | 0 | | Brought forward 13 2 10 |
| • | | 0 | 4 0 | Seggar-clay 0 4 0 Blue shale and post |
| Freestone | | 0 | | Blue shale and post |
| Grey shale | 10 0 | 0 | | panels 10 4 0 |
| Blue shale | 0 1 | 6 | | Whin 0 0 10 |
| Black shale | | 2 | | Blue shale 1 3 0 |
| Netherwitton Bott | lom | | | Whin 0 4 0 |
| Seam— | | | | Post 3 2 0 |
| COAL | \dots 0 2 | 2 | | 16 5 10 |
| | | 12 | 4 10 | |
| | | | | |
| Carried forv | vard | 13 | 2 10 | Total 30 2 8 |
| | | | | |

No. 2,548.—COATYARDS.

TOWNSHIP OF COATYARDS, NORTHUMBERLAND.

Sheet 53 of Ordnance Map. Lat. 55° 14′ 29″, Long. 1° 52′ 11½″.

Account of Strata sunk through in the North Pit, Coatyards Colliery, 1903.

Approximate surface-level 730 feet above sea (Ordnance datum).

| Sandy clay | Fs. Ft. In. Fs. Ft. In 1 0 0 1 0 0 | Brought forward 12 0 8 1 0 0 Netherwitton Bottom |
|--|--|--|
| Frecstone Grey shale Blue shale Black shale | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | Seam— COAL 0 1 10 ———————————————————————————————— |
| Carried forv | vard 12 0 8 1 0 0 | Total 13 2 6 |

No. 2,549.—COATYARDS.

TOWNSHIP OF COATYARDS, NORTHUMBERLAND.

Sheet 53 of Ordnance Map. Lat. 55° 14' 28", Long. 1° 52' 11".

Account of Strata sunk through in the South or Water Pit, Coatyards Colliery,
1903.

Approximate surface-level 730 feet above sea (Ordnance datum).

| Sandy clay | 0 | 5 0 | | | | Brought forward 12 2 6 0 5 0 Black shale 0 1 2 |
|---|--------|-----|---|---|---|--|
| Freestone Grey shale | 1 | 4 0 | | | | Netherwitton Bottom Seam— |
| Grey shale Blue shale, with a pipes | | | | | | COAL 0 2 0 |
| Carried forw | ard 12 | 2 6 | 0 | 5 | 0 | Total 13 4 8 |

No. 2,550.—COCKEN.

TOWNSHIP OF COCKEN, DURHAM.

Sheet 20 of Ordnance Map. Lat. 54° 49′ 16", Long. 1° 32′ 11".

Account of Strata sunk through at Cocken Colliery, in an Upcast Shaft close to Old Cocken Pit, 1869.

Approximate surface-level 188 feet above sea (Ordnance datum).

| | | | | | - | | |
|--------------------------|----|-----|-------|------|-----|-----|---|
| | | Ft. | In. F | ъ. І | Ft. | Iu. | Fs. Ft. In. Fs. Ft. In |
| Rubbish above natura | ıl | | | | | | Brought forward 18 4 10 |
| surface | 1 | 3 | 0 | | | | Thill stone 0 2 8 |
| Yellow clay | 1 | 0 | 4 | | | | Thill stone 0 2 8 Grey leafy post 2 1 3 |
| Saud | 0 | 0 | 9 | | | | Willia U I 6 |
| Sand Blue clay | 2 | 0 | 0 | | | | Post 0 2 0 |
| Gravel | 0 | 0 | 3 | | | | Post girdles, with |
| Strong blue clay, | | | | | | | metal partings 1 1 6 |
| | 3 | 2 | 0 | | | | Blue metal 0 4 0 |
| | | | | 8 | 0 | 4 | |
| Grey metal | 0 | 3 | 3 | | | | Grey metal 2 0 0 |
| Post, with metal part- | | | | | | | Post, with metal part- |
| | 4 | 0 | 6 | | | | ings 1 3 3 |
| Blue metal | 1 | 2 | 3 | | | | Grey metal 1 0 6 Post 0 1 0 |
| Black stone | 0 | 3 | 6 | | | | Post 0 1 0 |
| Thill stone | ŏ | ĭ | Õ | | | | Blue metal 0 6 6 |
| Grey metal | 1 | ō | 6 | | | | Low Main Seam- |
| Grey metal Blue metal | 2 | 3 | ŏ | | | | COAL 0 2 9 |
| Maudlin Scam- | ~ | U | | | | | OOAL 0 2 0 |
| | 0 | 9 | 43 | | | | |
| OOAL | U | - | | 0 | 4 | 6 | 12 0 1 |
| | | | | 0 | * | U | 12 0 1 |
| Carried forward | | | 1 | 8 | 4 | 10 | Total 30 5 9 |
| Carried forward | | | 1 | O | 9 | 10 | 10:81 30 3 2 |
| | | | | | | | |

No. 2,551.—COCKERTON.

TOWNSHIP OF COCKERTON, DURHAM.

Sheet 55 of Ordnance Map. Lat. 54° 32' 51", Long. 1° 34' 32".

Account of Strata bored through near Mr. Backhouse's House at Favordale, near Cockerton, Darlington. Commenced August 1st, 1898.

Approximate surface-level 220 feet above sea (Ordnance datum).

| Soil | | | | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. Brought forward 2 3 0 7 5 0 |
|----------------------|---|---|---|-----|-----|-----|---|
| Hard stony clay | 1 | 1 | 6 | | | | Hard limestone, with |
| Sand, with water | 0 | 4 | 9 | | | | water 1 4 0 |
| Hard stony clay | 5 | 4 | 0 | | | | Marl 3 5 0 |
| | | | _ | 7 | 5 | 0 | Hard limestone, with |
| Hard limestone, with | | | | | | | water 2 1 0 |
| marl partings | 2 | 3 | 0 | | | | 10 1 0 |
| 0 | _ | _ | _ | | _ | _ | m-4-1 19 0 0 |
| Carried forward | 2 | 3 | 0 | 7 | Б | U | Total <u>. 18 0 0</u> |

No. 2,552.—COCKFIELD. TOWNSHIP OF COCKFIELD, DURHAM.

- CONTINUE, DOMESTIC.

Sheet 41 of Ordnauce Map. Lat. , Long.

Account of Strata bored through South of the Wigglesworth Fault, New Copley Colliery, 1866.

Approximate surface-level feet above sea (Ordnance datum).

| P P | | | | | | | |
|---------------------------------------|---|--------|-----|-----|-----|-----|---|
| Soil, clay and gravel | | | | Fs. | Ft. | In. | Brought forward 1 0 6 14 0 4 Strong grey shale 0 2 10 |
| Broken brown sand- | | • | • | - | Ī | | Strong sandstone |
| stone | 2 | 1 | 0 | | | | girdle 0 0 7 |
| Sand | U | 1 | О | | | | Strong grey shale 1 1 0 Mild blue shale 0 0 6 |
| Strong brown sand- stone | 4 | 1 | 6 | | | | Strong grey shale 0 2 4 |
| $Five	ext{-}Quarter 	ext{ or } Busty$ | | 1 | U | | | | Strong white sand- |
| Seam— | | | | | | | stone 0 4 10 |
| Ft. In | | | | | | | Brass band or a ball 0 0 4 |
| COAL 4 4 | • | | | | | | Strong white sand- |
| Clay band 0 6 | | | | | | | stone 1 0 5 |
| COAL 0 2 Clay band 0 5 | | | | | | | Mild blue shale 2 4 0 |
| Clay band 0 5 | | | | | | | Sandstone girdles 0 2 0 |
| COAL 1 7 | | | | | | | Mild blue shale 0 5 5 |
| | 1 | 1 | 0 | | | | Ironstone 0 0 2 |
| | | | | 7 | 5 | 0 | Blue shale 0 1 3 |
| Strong white sand- | | | | | | | Ironstone 0 0 2 |
| stone, with part- | | _ | _ | | | | Mild blue shale 0 2 0 |
| ings | 3 | 0 | 3 | | | | Mild coal shale 0 0 2 |
| strong blue shale | Т | 3 | 0 | | | | Brockwell Seam— |
| White sandstone | | ^ | | | | | Ft. In. |
| | | 0 1 | | | | | COAL, can- |
| COAL | | | | | | | nel 1 7 COAL 4 6 |
| OOAL | U | U | -18 | 4 | 5 | 4 | Band 0 0½ |
| Fire-clay | 0 | 1 | 10 | -32 | J | ** | COAL 1 $3\frac{1}{2}$ |
| | | | 4 | | | | 1 1 5 |
| | 0 | | | | | | 10 5 1 |
| | | | 6 | | | | Total 25 0 |

No. 2,553.—COCKFIELD.

TOWNSHIP OF LANGLEYDALE WITH SHOTTON, DURHAM.

Sheet 47 of Ordnance Map. Lat. 54° 36' 32", Long. 1° 51' 361".

Account of Strata passed through in No. 6 Bore-hole, situated 176 yards
South-east of High Wood Farm House, New Copley Colliery, 1900.

Approximate surface-level 750 feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|-------------------------------|------------------------------|
| Clay and cobbles 3 1 0 | Brought forward 4 5 6 3 4 11 |
| Millstone grit, boulder 0 2 1 | Ft. In. |
| Gravel and clay 0 1 10 | COAL 1 2 |
| 3 4 11 | Dark blue shale 0 3 |
| Blue shale 4 4 9 | COAL 0 3 |
| Dark blue shale 0 0 9 | 0 1 8 |
| | 5 1 2 |
| | |
| Carried forward 4 5 6 3 4 11 | Carried forward 9 0 1 |

No. 2,553.—COCKFIELD.—CONTINUED.

| Fs. Ft. In. Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|--|-------------------------------|
| Brought forward 9 0 1 | Brought forward 10 3 6 11 2 3 |
| Dark blue shale 0 1 0 | Soft grey sandstone 1 0 6 |
| Grey sandy shale 1 0 6 | Soft blue shale 1 4 1 |
| Hard grey sand- | COAL 0 1 2 |
| stone 0 1 3 | 13 3 3 |
| Grey sandy shale 0 1 6 | Soft fire-clay 0 3 2 |
| COAL 0 3 11 | Soft grey sandstone 1 2 6 |
| 2 2 2 2 | |
| | COAL 0 0 7 |
| Soft fire-clay 0 2 5 Black shale 0 0 10 | 4 3 1 |
| Dark blue shale 1 4 10 | Fire-clay 0 1 6 |
| Grey sandy shale 1 4 3 | Grey sandy shale 4 3 10 |
| Hard grey sandstone 1 4 9 | Rods not drawn on |
| | account of hole |
| Soft grey sandstone 0 5 3 | |
| Grey sandy shale 3 1 0 | running 0 1 3 |
| Hard grey sandstone 0 3 2 | 5 0 7 |
| Blue shale 0 1 0 | |
| | |
| Carried forward 10 3 6 11 2 3 | Total 34 3 2 |
| | 1 |

No. 2,554.—COCKFIELD. TOWNSHIP OF COCKFIELD, DURHAM.

, Sheet 41 of Ordnance Map. Lat. 54° 36′ 47¼", Long. 1° 50′ 3½".

Account of Strata passed through in No. 23 Bore-hole, situated 44 yards South-west of Peth Row (West) Farm House, New Copley Colliery.

Approximate surface-level 720 feet above sea (Ordnance datum).

| Soil and gravel I | 8. F | t. In. | Fs. | Ft. | In. | Brought forward Fs. Ft. In. Fs. Ft. In. 8 3 10 |
|-------------------|------|--------|-----|---------------|-----|--|
| Sandstone | | | 1 | 1 | 0 | Fire-clay 0 5 7 |
| Hard white sand- | Ji |) i | | | | Hard white sand- stone 4 0 8 |
| stone Slue shale | | | | | | COAL 0 2 0 5 2 3 |
| COAL | | | | | | Fire-clay 1 0 0 |
| - | | | 7 | $\frac{2}{2}$ | 10 | 1 0 0 |
| Carried forward | | | 8 | 3 | 10 | Total 15 0 1 |

No. 2,555.—COCKFIELD. TOWNSHIP OF COCKFIELD, DURHAM.

Sheet 41 of Ordnance Map. Lat. 54° 37′ 4″, Long. 1° 49′ 41¼″.

Account of Strata passed through in No. 24 Bore-hole, situated 220 yards
South-west of Cockfield Station, New Copley Colliery.

Approximate surface-level 700 feet above sea (Ordnance datum).

| Gravel | 0 | 2 | 6 | n | | | Brought forward 6 1 2 0 2 6 COAL 0 0 4 |
|---|---|---|---|---|---|---|--|
| Grey shale and grey sandstone Black shale | 4 | 5 | 6 | | | | Grey shale 0 3 0 6 1 6 0 3 0 |
| Carried forward | 6 | 1 | 2 | 0 | 2 | 6 | Total 7 1 0 |

No. 2,556.—COCKFIELD.

TOWNSHIP OF COCKFIELD, DURHAM.

Sheet 41 of Ordnance Map. Lat. 54° 36′ 51¼", Long. 1° 49′ 49".

Account of Strata passed through in No. 25 Bore-hole, situated 242 yards
West of Wigglesworth Farm House, New Copley Colliery.

Approximate surface-level 710 feet above sea (Ordnance datum).

| Clay and gravel | | | | Fs. | Ft. | In. | Brought forward 1 2 9 15 2 9 Grey sandstone and |
|-----------------------|---|----------|----|-----|----------|-----|---|
| Blue and grey shale | 2 | 2 | | 2 | 1 | U | shale 1 3 7 |
| Dark grey sandstone | ī | | | | | | Dark grey sandstone 0 2 8 |
| Dark shale | ī | 1 | 2 | | | | Blue grey shale 1 1 6 |
| Dark strong sand- | _ | _ | _ | | | | Dark shale 0 0 10 |
| stone | 0 | 2 | 9 | | | | COAL 0 1 4 |
| Blue shale | | 2 | 9 | | | | 5 0 8 |
| Sandstone girdle | | 0 | 4 | | | | Fire-clay 0 1 4 |
| Blue shale | 0 | 3 | 6 | | | | Grey shale, mixed |
| Grey sandstone | 1 | 0 | 0 | | | | with sandstone 0 5 11 |
| Blue grey shale | 3 | 3 | 0 | | | | Light blue shale 1 3 11 |
| Sandstone girdle | | 0 | 6 | | | | CÖAL 0 1 2 |
| Grey shale | | 2 | 4 | | | | 3 0 4 |
| Sandstone girdle | 0 | 0 | 4 | | | | Grey shale 0 1 8 |
| Black shale and sand- | | | | | | | Blue grey shale 0 5 0 |
| stone | 1 | 3 | 10 | | | | Sandstone girdle 0 0 6 |
| COAL | 0 | 0 | 3 | | | | Grey shale 0 2 6 |
| - | | | | 13 | 1 | 9 | Sandstone girdle 0 0 8 |
| Grey shale | 1 | 1 | 4 | | | | Grey shale 0 1 11 |
| Hard white sand- | | | | | | | 2 0 3 |
| stone | 0 | 1 | 5 | | | | |
| _ | | | _ | | | | |
| Carried forward | 1 | 2 | 9 | 15 | 2 | 9 | Total 25 4 0 |
| | | | | | | | |

No. 2,557.—COCKFIELD.

TOWNSHIP OF COCKFIELD, DURHAM.

Sheet 41 of Ordnance Map. Lat. 54° 36′ 38″, Long. 1° 49′ 20″.

Account of Strata sunk through in the John Pit, New Copley Colliery, 1868. No. 537 is another section of this pit.

Approximate surface-level 735 feet above sea (Ordnance datum).

| Boulder clay . | Fs | | In. O | | Ft. | In. | Brought forward 4 2 3 6 0 0 |
|-------------------------|-----|----------|----------|---|-----|-----|---|
| Sandstone | 0 | 2 | | 4 | J | U | COAL 0 11 |
| Blue shale | ž | | | | | | Band 0 1 |
| Hutton Seam- | | _ | • | | | | COAL 1 4 |
| COAL | 0 | 4 | 0 | | | | —— 0 2 4 ° |
| | | | | 3 | 1 | 0 | 4 4 7 |
| Fire-clay Blue shale | 0 | 2 | 8 | | | | Fire-clay 0 0 7 Grey sandstone 0 1 6 |
| Blue shale | 1 | 4 | 2 | | | | Grey sandstone 0 1 6 |
| Grey sandstone . | 0 | - 3 | 0 | | | | Strong white sand- |
| Strong white sand | d- | | | | | | stone 1 0 1 |
| stone | 1 | 2 | 1 | | | | Blue shale 0 1 1 |
| Grey sandstone . | 0 | 0 | 10 | | | | COAL 0 0 4 |
| Blue shale | 0 | 1 | 6 | | | | 1 3 7 |
| | _ | | _ | | | | |
| Carried forwar | d 4 | 2 | 3 | 6 | 0 | 0 | Carried forward 12 2 2 |

No. 2,557.—COCKFIELD.—CONTINUED.

| | | | | | | | | | _ |
|--------------------------------|---------|-----|-----|----------|-----------|-----|-----|---|----------|
| Brought forwa | | Fs. | Ft. | In. | Fs. 12 | Ft. | In. | Brought forward 0 2 8 37 4 | lu. 9 |
| Fire-clay | | 0 | 0 | 8 | | _ | _ | COAL 0 0 4 | |
| Strong white san | ıd- | | | | | | | 0 3 | 0 |
| stone | | 0 | 2 | 11 | | | | Fire-clay 0 4 10 | |
| | • • • | 0 | .2 | 6 | | | | Blue shale 4 5 4 | |
| White sandstone | | 0 | 3 | 2 | | | | Sandstone 0 5 6 | |
| | ••• | | 1 | 10 | | | | COAL, splint 0 1 0 | 0 |
| Blue shale | ••• | 0 | 0 | | | | | Fire-clay 0 3 2 | 8 |
| | | | ő | 7 | | | | White sandstone 1 4 7 | |
| | • • • • | - | 4 | 2 | | | | Strong white sand- | |
| | | | ō | 5 | | | | stone 6 4 4 | |
| Blue shale | | 0 | 3 | 1 | | | | | |
| COAL | | 0 | 0 | 4 | | | | Grey sandstone 0 0 10 Sandstone 0 2 11 | |
| | - | | | _ | 3 | 2 | 6 | Grey sandstone 0 1 10 | |
| Sandstone | • • • | | 0 | 5 | | | | Busty Seam— | |
| Blue shale | • • • | 0 | 1 | 3 | | | | COAL 4 4 | |
| Black shale White sandstone | | - | | 10 10 | | | | Band 0 6 | |
| | | - | | 11 | | | | COAL 0 2 | |
| | | _ | 3 | 6 | | | | Band 0 5 | |
| Black shale | | _ | 2 | 1 | | | | COAL 1 7 | |
| COAL, cannel | • • • | 0 | 0 | 6 | | | | 1 1 0 | |
| | - | - | | _ | 7 | 5 | 4 | 11 0 | 8 |
| Fire-clay | • • • | 0 | 1 | 3 | | | | Strong white sand- | |
| Sandstone | • • • | ~ | 2 | 6 | | | | stone 2 4 9 Blue shale 1 2 4 | |
| | ••• | | 0 | 0 3 | | | | Blue shale 1 2 4 White sandstone | |
| | | - | 2 | 0 | | | | girdles 0 0 3 | |
| Blue shale | | | ĩ | 7 | | | | Mild blue shale 0 1 4 | |
| Grey sandstone | | ō | | 6 | | | | COAL 0 0 4 | |
| Blue shale | | 0 | 4 | 7 | | | | | 0 |
| Grey sandstone Blue shale | | 0 | 4 | 7 | | | | Fire-clay 0 1 8 | |
| | • • • | | 0 | 1 | | | | Mild grey shale 0 4 0 | |
| | ••• | 0 | 0 | 8 | | | | Ironstone girdle 0 0 4 | |
| Harvey Seam— | | | | | | | | Strong grey shale 0 2 7 Strong sandstone | |
| COAL Ft. | In. | | | | | | | girdle 0 0 7 | |
| Band 0 | 4 | | | | | | | Strong grey shale 1 0 5 | |
| Fire-clay 1 | 4 | | | | | | | Mild blue shale 0 0 6 | |
| COAL 0 | 9 | | | | | | | Strong grey shale 0 2 1 | |
| _ | — | 1 | 0 | 5 | | | | White sandstone 0 4 5 | |
| *** 1 | - | _ | | _ | 5 | 3 | 5 | Brass band 0 0 4 | |
| Fire-clay | • • • | 0 | 3 | 0 | | | | Strong white sand- | |
| COAL and band | • • • | 0 | 1 | 4 | 0 | 4 | 4 | stone 0 5 11 Mild blue shale 2 2 8 | |
| Fire-clay | | 0 | 3 | -3 | U | ** | 4 | Mild blue shale and | |
| Blue shale | ••• | ŏ | 2 | 3 | | | | sandstone girdles 1 0 10 | |
| White sandstone | | ō | 1 | 4 | | | | Ironstone 0 0 2 | |
| Blue shale | ••• | 1 | | 10 | | | | Mild blue shale 0 1 2 | |
| White sandstone | | 0 | 1 | 8 | | | | Iroustone 0 0 2 | |
| Blue shale | • • • | | 3 | 9 | | | | Mild blue shale 0 1 10 | |
| Sandstone | • • • | 0 | 3 | 11 | | | | Mild coal shale 0 0 2 | |
| Blue shale | ••• | 0 | 3 | 7 | | | | Brockwell Seam— | |
| Sandstone | ••• | 1 | 4 | 6 5 | | | | COAL, can- | |
| COAL | | _ | 1 | U | 6 | 2 | 6 | nel 0 7 | |
| Fire-clay | | 0 | 2 | 6 | | 4 | U | COAL 4 14 | |
| Sandstone | | ŏ | 5 | ŏ | | | | Band 0 0½ | |
| COAL | | Ö | 1 | Ō | | | | COAL 1 21/2 | |
| | _ | | | _ | 1 | 2 | 6 | 0 5 11 | |
| Fire-clay | | 0 | 2 | 8 | | | | 9 5 | 9 |
| Comm's 1 C. | - د | _ | 0 | _ | 97 | | | m.4-1 70 0 1 | _ |
| Carried forwa | ra | U | 2 | 8 | 37 | 4 | 9 | Total <u>70 3 1</u> | 10 |
| | | | | | | | | | |

No. 2,558.—COCKFIELD.

TOWNSHIP OF LYNESACK AND SOFTLEY, DURHAM.

Sheet 41 of Ordnance Map. Lat. 54° 39′ 2½″, Long. 1° 52′ 30″.

Account of Strata passed through in No. 19 Bore-hole, situated 132 yards West of Pool Tree Farm House, Crake Scar Collicry, 1873.

Approximate surface-level 890 feet above sea (Ordnance datum).

| Boulder clay 1 | | In. 1 | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. Brought forward 15 1 6 |
|------------------------------------|--------|--------|-----|-----|-----|---|
| Bottluct clay 1 | | | 1 | 2 | 1 | Fire-clay 0 0 7 |
| Sandstone 1 | 4 | 6 | | | | Grey sandstone 0 0 8 |
| COAL, soft 0 Light blue shale 0 | 1 | 2 | | | | Leafy sandstone 0 5 11 |
| Light blue shale 0 | 2 | 7 | | | | Blue shale 1 4 10 |
| Clay and soft blue | | | | | | Brown sandstone 0 1 2 |
| šhale 1 | 4 | 10 | | | | Blue shale 0 1 0 |
| Brown sandstone 5 | 1 | | | | | COAL and shale 0 3 5 |
| Grey sandstone 0 | 4 | | | | | 3 5 7 |
| Blue shale 3 | 1 | 10 | | | | Blue shale 1 5 7 |
| Ft. In. | | | | | | Coal shale 0 4 3 |
| COAL 1 5 Band 0 5 | | | | | | Blue shale 0 2 6 |
| Band 0 5 | | | | | | Ironstone girdle 0 0 4 |
| COAL 0 8 | | | | | | Blue shale 1 2 2 |
| 0 | 2 | | | | | 4 2 10 |
| | | | 13 | 5 | 5 | |
| | | • | | | | |
| Carried forward | | | 15 | 1 | 6 | Total <u>23 3 11</u> |

No. 2,559.—COCKFIELD.

TOWNSHIP OF LYNESACK AND SOFTLEY, DURHAM.

Sheet 41 of Ordnance Map. Lat. 54° 38' 55", Long. 1° 52' 20".

Account of Strata passed through in No. 20 Bore-hole, situated 341 yards South of Pool Tree Farm House, Crake Scar Colliery, 1893.

Approximate surface-level 900 feet above sea (Ordnance datum).

| Boulder | | | In. Fs. 9 — 1 | Ft. | In. | Fs. Ft. In. Fs. Ft. In. Brought forward 10 5 4 1 0 9 Brown sandstone 1 0 11 |
|--------------------|----|---|---------------------|-----|-----|---|
| Sandstone | 2 | 5 | 2 | - | - | Gullet 0 0 3 |
| Strong white sand- | _ | _ | _ | | | Brown sandstone 4 1 6 |
| stone | 0 | 2 | 2 | | | Blue shale 2 5 6 |
| Leafy sandstone | 0 | 2 | 2 | | | Ft. In. |
| Blue shale | 1 | 3 | 0 | | - 1 | COAL 0 6 |
| Light shale | 3 | 0 | 6 | | | Band 0 2 |
| Grey sandstone | 0 | 3 | 0 | | | COAL 0 3 |
| Coal shale ' | 0 | 0 | 9 | | | 0 0 11 |
| | 0 | 1 | 0 | | | <u> </u> |
| Blue shale | 1 | 5 | 7 | | | Fire-clay 0 1 0 |
| | | | | | | 0 1 0 |
| | | | | | | |
| Carried forward | 10 | 5 | 4 1 | . 0 | 9 | Total <u>. 20 4 2</u> |
| | | | | | | |

No. 2,560.—COCKFIELD. TOWNSHIP OF HAMSTERLY, DURHAM.

TOWNSHIP OF HAMSTERLY, DURHAM.

Sheet 41 of Ordnance Map. Lat. 54° 39' 14", Long. 1° 52' 41".

Account of Strata passed through in No. 21 Bore-hole, situated 462 yards North-west of Pool Tree Farm House, Crake Scar Colliery, 1893.

Approximate surface-level 810 feet above sea (Ordnance datum).

| Boulder clay Sand Blue shale, loose Blue shale | | 2 0 1 | 1 5 3 | 6 0 - | | | | Brought forward 4 0 6 3 Ironstone band 0 0 4 Blue shale 5 1 2 9 | 0 (|
|---|------|-------------|-------------|-------------|---|---|---|---|-----|
| Carried forw | ard | 4 | 0 | 6 | 3 | 0 | 6 | Total 12 | 2 (|

No. 2,561.—COCKFIELD.

TOWNSHIP OF LYNESACK AND SOFTLEY, DURHAM.

Sheet 41 of Ordnance Map. Lat. 54° 38′ 19", Long. 1° 51′ 24½".

Account of Strata passed through in No. 34 Bore-hole, situated 268 yards North of Softley Farm House, Crake Scar Colliery, 1872.

Approximate surface-level 910 feet above sea (Ordnance datum).

| Boulder clay | Fs. | Ft. | In. 0 | Fs. 0 | Ft. | | Brought forward 14 3 7 0 5 0 |
|-----------------|--------|-----|----------|----------|-----|-----|------------------------------|
| Sandstone | 1 | 1 | | U | J | ٠ | 14 4 3 |
| Blue shale | 2 | | ŏ | | | | Leafy sandstone 1 0 11 |
| | | | | | | | |
| Coal shale | 0 | | | | | | Blue shale 0 2 0 |
| Fire-clay | 0 | 4 | 4 | | | | COAL 0 0 6 |
| Blue shale | 2 | 5 | 5 | | | | 1 3 5 |
| Grey sandstone | 5 | | | | | | Coal shale 1 2 0 |
| Blue shale | 0 | 1 | 9 | | | | Blue shale 0 0 11 |
| Leafy sandstone | 1 | 0 | 4 | | | | White saudstone 0 3 1 |
| Blue shale | 0 | 2 | 8 | | | | 2 0 0 |
| | | | _ | | | _ | |
| Carried forw | ard 14 | 3 | 7 | 0 | 5 | 0 | Total 19 0 8 |
| | | | | - | - | - 1 | |
| | | | | | | | |

No. 2,562.—COCKFIELD.

TOWNSHIP OF LYNESACK AND SOFTLEY, DURHAM.

Sheet 41 of Ordnance Map. Lat. 54° 38′ 36″, Long. 1° 52′ 35″.

Account of Strata sunk and bored through in the Pioneer Shaft, Crake Scar Colliery, 1893.

Approximate surface-level 1,090 feet above sea (Ordnance datum).

| | Fs. | Ft. | In. | Fs. | Ft. | In. | | | | Fs. | Ft. | In | Fs | Ft. | In. |
|---------------------------------|-----|-----|-----|-----|-----|-----|------------------------|-----|--------|-----|-----|----|----|-----|-----|
| Sinking:— | | | | | | | Brough | t f | orward | | | | 4 | ž | 0 |
| Sinking:— Clay and sandstone | 3 | 2 | 0 | | | | Fire-clay | | | 2 | 1 | 6 | | | |
| Brockwell Seam- | | | | | | | Sandstone | | | 2 | 0 | 0 | | | |
| COAL | 1 | 0 | 0 | | | | Sandstone Grey beds | | | ī | 3 | ŏ | | | |
| | | | | 4 | 2 | 0 | | | | | _ | _ | | | |
| | | | | | | _ | | | | | | | | | |
| Carried forward | | | | 4 | 2 | 0 | Carried | l f | orward | 5 | 4 | 6 | 4 | 2 | 0 |

No. 2,562.—COCKFIELD.—CONTINUED.

| | | | In. F | | | | Fs. Ft. In. Fs. Ft. In. |
|-----------------------------|--------|----------|-------|---|---|-----|--|
| Brought forward | | | - | 4 | Z | 0 | Brought forward 1 1 6 20 0 2 |
| Blue shale | | 4 | 4 | | | | Sandstone 2 4 10 |
| COAL | 0 | 0 | 6 | | | | COAL 0 0 11 |
| - | | | | 7 | 3 | 4 | 4 1 3 |
| Fire-clay Hard fire-clay | 0 | 3 | 6 | | | | Blue shale 1 2 6 |
| Hard fire-clay | 2 | 1 | 0 | | | | Sandstone 5 4 6 |
| | | 3 | 0 | | | | Bored further:— |
| Ft. In. | | | | | | | Blue shale 0 1 10 |
| COAL 0 2 | | | | | | | Sandstone 2 5 9 |
| Ironstone band 0 2 | | | | | | | White sandstone 1 5 0 |
| COAL 0 6 | | | | | | | Blue shale, mixed |
| | 0 | 0 | 10 | | | | with hard white |
| - | | | _ : | 3 | 2 | 4 | sandstone 2 4 6 |
| Fire-clay | 0 | 3 | 0 | | | | Black shale 3 1 0 |
| Grey beds | | 3 | 9 | | | - 1 | Light fire-clay 0 2 0 |
| | 0 | 2 | | | | | Blue shale 2 2 0 |
| Blue shale | ĭ | ī | 4 | | | - 1 | Light fire-clay 0 2 0 Blue shale 2 2 0 Sandstone 3 2 0 |
| | ō | ō | 2 | | | ı | |
| OOAL | U | U | _ | 4 | 4 | c | |
| TT 1 1 4 | - | _ | | 4 | 4 | 6 | 2 12 0 02mj |
| Hard grey sandstone | 1 | 1 | б | | | | ———— 25 4 3 |
| Carried forward | 1 | 1 | 6 20 | 0 | 0 | 2 | Total 49 5 8 |
| | | | | | | | |

No. 2,563.—COLDRIFE.

TOWNSHIP OF RITTON COLTPARK, NORTHUMBERLAND.

Sheet 53 of Ordnance Map. Lat.

, Long.

Account of Strata bored through at Coldrife, 1869.

Approximate surface-level

feet above sea (Ordnance datum).

| Yellow clay Wet sand Blue clay White freestone Brown freestone | Fs. Ft. In 0 4 6 1 1 0 1 3 0 2 0 0 3 0 0 | 3 2 6 | Brought forward 18 5 9 3 2 6 COAL 0 1 4 Seggar-clay 0 1 0 Red freestone 1 0 0 Brown freestone 0 3 8 |
|--|--|-------|---|
| Red freestone Blue clay Metal stone | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | | Red freestone 1 0 0 Black metal 0 2 6 Ft. In. |
| Red freestone Black metal Red freestone | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | | COAL, coarse 1 6 Black metal and coal 1 1 |
| Brown freestone Black freestone Red freestone | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |) | $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| Black metal Grey post Black metal | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |) | White freestone 1 1 0 Red freestone 0 3 0 Grey metal 1 3 0 |
| Red freestone Black metal | 1 1 0 | | Blue metal, into 1 3 2 5 5 2 |
| Carried forw | rd 18 5 9 | 3 2 6 | Total 32 0 6 |

No. 2,564.—COLEPIKE HALL.

TOWNSHIP OF LANCHESTER, DURHAM.

Sheet 18 of Ordnance Map. Lat. 54° 48' 36", Long. 1° 46' 16".

Account of Strata passed through in No. 1 Bore-hole, Colepike Hall. Commenced on April 21st, 1897.

Approximate surface-level 700 feet above sea (Ordnance datum).

| | | Ft 1 | | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. I Brought forward 10 4 1 3 5 | ľ'n. |
|---------------------------------------|----|---------|---|-----|-----|-----|---|------|
| | Ö | | | | | | Hard white post, | a |
| Stony clay | ŏ | 2 | G | | | | mith martines 1 0 0 | |
| Stony clay | U | 0 | O | 1 | 1 | 0 | with partings 1 2 9 Broken stone 0 2 5 | |
| 0 1 -1 | _ | | _ | 1 | 1 | О | Broken stone 0 2 5 | |
| Grey shale | ī | Ü | Ü | | | | Hard white post 0 2 6 | |
| Grey post | 1 | 2 | 3 | | | | Grey shale 0 0 11 | |
| Grey shale Grey post Loamy sand | 0 | 1 | 8 | | | | COAL 0 1 3 | |
| | | | _ | 2 | 3 | 11 | | 11 |
| Grey post Yellow freestone | 0 | 2 | 1 | | | | Grey shale, very soft 0 2 0 | |
| Yellow freestone | 2 | 4 | 0 | | | | Grey post 0 4 6 | |
| Broken stone | | 4 | 0 | | | | Soft freestone 0 2 6 | |
| Yellow freestone, | | | | | | | Grey shale, with | |
| with water | | 2 | 6 | | | | post girdles 2 0 0 | |
| Dark grey shale, | | - | | | | | Grey post, with shale | |
| with nost girdles | 3 | 9 | 4 | | | | narting 2 3 0 | |
| with post girdles Grey post | 0 | 2 | 9 | | | | partings 2 3 9 COAL 0 3 4 | |
| Grey post | Ų | 4 | 0 | | | | COAL 034 | |
| Dark grey shale Grey post | Ţ | 1 | 9 | | | | 6 4 | 1 |
| Grey post | 0 | 2 | 9 | | | | | |
| Carried forward | 10 | 4 | 1 | 3 | 5 | 5 | Total 23 5 | 5 |

No. 2,565.—COLEPIKE HALL.

TOWNSHIP OF LANCHESTER, DURHAM.

Sheet 18 of Ordnance Map. Lat. 54° 48' 24", Long. 1° 46' 20".

Account of Strata passed through in No. 2 Bore-hole, Colepike Hall.

Approximate surface-level 650 feet above sea (Ordnance datum).

| Q _n (1 | | | | | Ft. | In. | Fs. Ft. In. Fs. Ft. In Brought forward 6 3 8 2 2 9 | |
|-------------------|---|-----|-----|---|-----|-----|---|--|
| Soil | ŏ | 1 | 0 | | | | | |
| | U | 2 | U | | | | White post 1 0 8 | |
| Stony clay, with | _ | _ | _ | | | | Soft partings, water | |
| water at bottom | T | b | 3 | _ | _ | | went away 0 0 5 | |
| | _ | - | _ | 2 | 2 | 9 | White post 0 1 2 | |
| Grey shale | 1 | 3 | 6 | | | | White post 0 1 2 Soft dark shale 0 1 6 | |
| Grev post | 0 | - 3 | - 3 | | | | COAL 0 1 2 | |
| Grey shale | 1 | 0 | 6 | | | | 8 2 7 | |
| Light grey post | 1 | 3 | 6 | | | | Grey post, with shale | |
| | | 1 | | | | | partings 1 3 6 | |
| | | ī | | | | | Grey shale, with post | |
| | | 2 | | | | | girdles 3 5 7 | |
| | | 3 | | | | | COAL 0 3 4 | |
| | | 1 | | | | | 6 0 5 | |
| Dioken stone | Ň | Ţ | ٥ | | | | | |
| | | 0 | | | | | Grey shale, into 0 2 0 | |
| Loamy sand | 0 | 0 | 8 | | | | 0 2 0 | |
| | | | _ | ÷ | | - | | |
| Carried forward | 6 | 3 | 8 | 2 | 2 | 9 | Total 17 1 9 | |
| | | | | | | | | |

No. 2,566.—COLEPIKE HALL.

Sheet 18 of Ordnance Map. Lat. 54° 48′ 30″, Long. 1° 46′ 25″.

Account of Strata passed through in No. 3 Bore-hole, Colepike Hall, near the South-west corner of House.

Approximate surface-level 695 feet above sea (Ordnance datum).

| Forced ground Clay | 0 | 4 | 0 | Fs. | Ft. : | | Brought forward 3 0 5 1 4 0 Soft freestone 0 1 10 COAL 0 1 9 |
|-----------------------|--------|---|---|-----|-------|---|--|
| Grey post | 0 | | | | | - | 3 4 0 |
| Soft freestone | 2 | 3 | 0 | | | | Grey shale, into 2 4 0 |
| Broken stone | 0 | 1 | 5 | | | | 2 4 0 |
| Carried for | ward 3 | 0 | 5 | 1 | 4 | 0 | Total 8 0 0 |

No. 2,567.—COLEPIKE HALL. TOWNSHIP OF LANCHESTER, DURHAM.

Sheet 18 of Ordnance Map. Lat. 54° 48′ 31″, Long. 1° 46′ 27″.

Account of Strata sunk through on the West Side of Colepike Hall, February, 1898.

Approximate surface-level 700 feet above sea (Ordnance datum).

| Stony clay Sand Loamy sand | | 0 | 1 | 0 | Fs. : | Ft. | In. O | Brought forward 1 4 4 1 0 0 Soft grey post 0 0 3 Grey sandstone 1 2 3 Soft grey post 0 0 5 |
|--|-----|-------------|-------------|-------------|-------|-----|----------|--|
| Grey sandstone Soft grey post Grey sandstone Soft grey post Grey sandstone | | 0 0 0 | 0 1 0 | 6 0 6 | | | | Grey sandstone 0 1 9 Soft grey post 0 0 3 Grey sandstone 0 5 3 COAL 0 1 6 |
| Carried forw | ard | 1 | 4 | 4 | 1 | 0 | 0 | Total 5 4 0 |

No. 2,568.—COLT CRAG.

TOWNSHIP OF GREAT SWINBURN AND COLWELL, NORTHUMBERLAND.

Sheet 77 of Ordnance Map. Lat. 55° 6′ 17", Long. 2° 5′ 26".

Account of Strata passed through in Trial Bore-hole A, Colt Crag Reservoir.

Approximate surface-level 662.8 feet above sea (Ordnance datum).

| Soil Yellow clay Boulder clay, | | | | from | 0 | Ft. 1 4 | 6 | Fs. | Ft. | In. | |
|--------------------------------------|-------|-----|------|----------|-------|---------------|---|-----|-----|-----|--|
| boulders | | | | | 1 | 2 | 6 | 2 | 2 | 0 | |
| COAL | ••• | ••• | ••• | | 0 | 0 | 6 | 0 | 0 | 6 | |
| Freestone shale | е | ٠ | ••• | | 0 | 2 | 0 | 0 | 2 | 0 | |
| | Total | | | | | | _ | 2 | 4 | 6 | |

No. 2,569.—COLT CRAG.

TOWNSHIP OF GREAT SWINBURN AND COLWELL, NORTHUMBERLAND.

Sheet 77 of Ordnance Map. Lat. 55° 6' 25", Long. 2° 5' 29".

Account of Strata passed through in Trial Bore-hole B1, Colt Crag Reservoir.

Approximate surface-level 662.8 feet above sea (Ordnance datum).

| | Total | | ••• | ••• | | | ••• | = | 3 | 0 | 6 |
|------------------|-------|-----|-----|-----|---|----------|-----|----------|-----|-----|-----|
| | | | | | | | | | 3 | 0 | 6 |
| Freestone shale, | into | ••• | ••• | | | 1 | 0 | 0 | | | |
| Freestone, with | | | ••• | ••• | | 0 | 3 | 6 | | | |
| Boulder clay | ••• | ••• | | | | 0 | 3 | 0 | | | |
| Soil | ••• | | ••• | ••• | ١ | Fs. 1 | | In. 0 | Fs. | Ft. | In. |

No. 2,570.—COLT CRAG.

TOWNSHIP OF GREAT SWINBURN AND COLWELL, NORTHUMBERLAND.

Sheet 77 of Ordnance Map. Lat. 55° 6' 22", Long. 2° 5' 24".

Account of Strata passed through in Trial Bore-hole B2, Colt Crag Reservoir.

Approximate surface-level 656-6 feet above sea (Ordnance datum).

| Soil Yellow sandy clay Earth and stones, with water | 0 | 3 | 0 | | Ft. | In- | Brought forward 1 1 0 1 1 0 Broken freestone 0 1 0 Broken freestone 0 4 0 Sandy material 0 1 0 Broken freestone 0 3 0 |
|--|---|---|--------|---|-----|-----|---|
| Shale Fire-clay Carried forward | 0 | 4 | -6 | _ | 1 | | Total 3 5 0 |

No. 2,571.—COLT CRAG.

TOWNSHIP OF GREAT SWINBURN AND COLWELL, NORTHUMBERLAND.

Sheet 77 of Ordnance Map. Lat. 55° 5′ 59″, Long. 2° 6′ 37″.

Account of Strata passed through in Trial Bore-hole E1, Colt Crag Reservoir.

Approximate surface-level 662.8 feet above sea (Ordnance datum).

| Soil Yellow sandy clay Boulder clay, into | y | ••• | ••• | Fs. Ft. In 0 1 0 1 0 6 3 0 6 | | Ft. | In. |
|--|-------|-------------|-----|---------------------------------------|---|-----|-----|
| | Total | | ••• | | 4 | 2 | 0 |

No. 2,572.—COLT CRAG.

TOWNSHIP OF GREAT SWINBURN AND COLWELL, NORTHUMBERLAND.

Sheet 77 of Ordnance Map. Lat. 55° 6′ 18″, Long. 2° 5′ 29″.

Account of Strata passed through in Bore-hole A, Colt Crag Reservoir,
June, 1902.

Approximate surface-level 662.8 feet above sea (Ordnance datum).

| Soil Clay | 0 1 6 Brought forward 3 | 2 | 0 | Fs. 1 | Ft. 0 | In. 6 |
|-------------------------------|-------------------------|---|----|----------|----------|----------|
| Broken freestone Fire-clay | 1 3 6 Shale 0 | | | 5 | 0 | 6 |
| Carried forwa | rd 3 4 0 1 0 6 Total | | == | 6 | 1 | 0 |

No. 2,573.—COLT CRAG.

TOWNSHIP OF GREAT SWINBURN AND COLWELL, NORTHUMBERLAND.

Sheet 77 of Ordnance Map. Lat. 55° 6' 26", Long. 2° 5' 30".

Account of Strata passed through in Bore-hole A1, Colt Crag Reservoir.

Approximate surface-level 662-8 feet above sea (Ordnance datum).

| Soil Fs. Ft. In. Fs. Ft. In. 0 1 0 | Brought forward 3 4 9 |
|--|-----------------------|
| Boulder clay 2 5 0 Hard freestone 0 2 0 | Sandy clay 0 1 0 |
| Sandy clay 0 2 0 Limestone boulders 0 0 9 | Shale 0 2 6 0 2 6 |
| Carried forward 3 4 9 | Total 4 2 3 |

No. 2,574.—COLT CRAG.

TOWNSHIP OF GREAT SWINBURN AND COLWELL, NORTHUMBERLAND.

Sheet 77 of Ordnance Map. Lat. 55° 6′ 6″, Long. 2° 5′ 43″.

Account of Strata passed through in Bore-hole C, Colt Crag Reservoir, June, 1902.

Approximate surface-level 662 feet above sea (Ordnance datum).

| Soil Clay | | . 0 2 3 |
|--|--------------------------------|---------|
| Broken freestone . Fire-clay Sandy material . Fire-clay | . 0 2 0 Broken freestone Shale | . 0 2 0 |
| Carried forwar | Tota | 1 5 5 9 |

No. 2,575.—COLT CRAG.

TOWNSHIP OF GREAT SWINBURN AND COLWELL, NORTHUMBERLAND.

Sheet 77 of Ordnance Map. Lat. 55° 6′ 3″, Long. 2° 5′ 57″.

Account of Strata passed through in Bore-hole D, Colt Crag Reservoir, June, 1902.

Approximate surface-level 662.8 feet above sea (Ordnance datum).

| Soil | | ••• | | | 0 | 1 | 6 | Fs. | Ft. | In. |
|-----------------|-------|---------|---------|-----|-------|---|--------|-----|-----|-----|
| Clay | ••• | ••• | ••• | ••• | 0 | 4 | 6 — | 1 | Λ | 0 |
| Broken freeston | | | | | 1 | l | 0 | • | Ü | v |
| Fire-clay | ••• | | ••• | | 0 | | 0 | | | |
| Blue clay, with | bould | ers and | l water | ••• | 3 | 2 | 0 | | | |
| | | | | | | | _ | 5 | 2 | 0 |
| | Tota | 1 | | | | | | 6 | 2 | 0 |

No. 2,576.—COLT CRAG.

TOWNSHIP OF GREAT SWINBURN AND COLWELL, NORTHUMBERLAND.

Sheet 77 of Ordnance Map. Lat. 55° 6' 0", Long. 2° 6' 24".

Account of Strata passed through in Bore-hole E, Colt Cray Reservoir, June, 1902.

Approximate surface-level 662.8 feet above sea (Ordnance datum).

| | | | | | | - | |
|---|---|---------------|---|---|---|---|--|
| Soil Clay | 0 | $\frac{1}{2}$ | 6 | | | | Brought forward 3 0 0 0 4 0 Hard freestone 0 2 0 |
| | | | _ | 0 | 4 | 0 | Fire-clay 1 0 0 |
| Broken freestone, with water Boulder clay | 1 | -2 | 0 | | | | Fire-clay 1 0 0 |
| Carried forward | 3 | 0 | 0 | 0 | 4 | 0 | Total 5 3 6 |

No. 2,577.—COLT CRAG.

TOWNSHIP OF GREAT SWINBURN AND COLWELL, NORTHUMBERLAND.

Sheet 77 of Ordnance Map. Lat. 55° 6′ 4″, Long. 2° 5′ 41″.

Account of Strata passed through in Bore-hole F, Colt Crag Reservoir.

Approximate surface-level 649.4 feet above sea (Ordnance datum).

| | Total | | | | | | ••• | | 5 | 3 | 0 |
|------------------|-------|---------|-----|-----|-----|-----|----------|-----|-----|-----|-----|
| | | | | | | _ | | | 2 | 5 | 0 |
| Shale, into | ••• | | ••• | | | ī | 2 | 0 | | | |
| Broken freestone | 2 | | | | | 1 | 3 | 0 | ~ | * | v |
| Doubter clay | ••• | • • • • | ••• | ••• | ••• | | | _ | 2 | 4 | 0 |
| Boulder clay | | | | | | 1 | 4 | 0 | | | |
| Soil | | | | | | Fs. | Ft. 0 | In. | Fs. | Ft. | In. |
| | | | | | | - | т. | • | T7 | T1. | |

No. 2,578.—COLT CRAG.

TOWNSHIP OF GREAT SWINBURN AND COLWELL, NORTHUMBERLAND.

Sheet 77 of Ordnance Map. Lat. 55° 6' 3", Long. 2° 5' 43".

Account of Strata passed through in Bore-hole G, Colt Crag Reservoir.

Approximate surface-level 649.5 feet above sea (Ordnance datum).

| Boulder clay | | 1 1 0 | 0 5 1 | 0 0 0 | Fs. | Ft. | | Brought forward Fs. Ft. In. Fs. Ft. In. Broken freestone 1 1 0 Shale 1 4 0 Fire-clay 0 1 0 |
|---------------|----|-------------|-------------|-------------|-----|-----|---|--|
| | - | | | _ | 4 | 0 | 0 | 3 0 0 |
| Carried forwa | rd | | | • | 4 | 0 | 0 | Total 7 0 0 |

No. 2,579.—COLT CRAG.

TOWNSHIP OF GREAT SWINBURN AND COLWELL, NORTHUMBERLAND.

Sheet 77 of Ordnance Map. Lat. 55° 6′ 13″, Long. 2° 5′ 19″.

Account of Strata passed through in No. 7 Bore-hole, Colt Crag Reservoir, April, 1902.

Approximate surface-level 665 feet above sea (Ordnance datum).

| Broken freestone Close freestone Parting Close freestone Sandy material | 6 | 2 5 2 4 0 0 0 5 | 0 0 6 6 | . Ft. In. | Brought forward 6 5 0 Shale 1 2 0 Sandy material 0 2 0 |
|---|-------|--------------------------|------------------|-----------|--|
| Carried forward | ard 6 | 6 5 | 0 | | Total 8 3 0 |

Note: Water stood in hole from top of close freestone to sandy material. It was then heard escaping.

No. 2,580.—COLT CRAG.

TOWNSHIP OF GREAT SWINBURN AND COLWELL, NORTHUMBERLAND.

Sheet 77 of Ordnance Map. Lat. 55° 6′ 5″, Long. 2° 5′ 28″.

Account of Strata passed through in No. 13 Bore-hole, Colt Crag Reservoir.

Approximate surface-level 664.7 feet above sea (Ordnance datum).

| | Total | ••• | ••• | | ••• | | 8 | 2 | 0 | |
|-----------------|-------|---------|-----|--------------|----------|-----------------------------|-----|-----|-----|--|
| | | | | | | _ | 3 | 2 | 0 | |
| Shale | ••• | | | 2 | 0 | 0 | | | | |
| Very hard free | stone | | ••• | 1 | 2 | 0 | | | | |
| | | | | | | | 5 | 0 | 0 | |
| Soil and stones | · | ••• | | Fs. 5 | Ft. 0 | $\overset{\mathbf{In.}}{0}$ | Fs. | Ft. | In. | |
| | | | | | | | | | | |

No. 2,581.—CONISCLIFFE.

TOWNSHIP OF LOW CONISCLIFFE (DETACHED), DURHAM.

Sheet 54 of Ordnance Map. Lat. , Long.

Account of Strata passed through in a Bore-hole at Thornton Hall, High Coniscliffe.

Approximate surface-level feet above sea (Ordnance datum).

| Approximate surface-rever | rece above sea (Ordnance datum). |
|------------------------------------|---|
| Soil Fs. Ft. In. Fs. Ft. I | |
| | Brought forward 37 5 6 23 1 1 Limestone 0 0 4 |
| Clay 0 3 0 | |
| Sand 0 5 0 | Grey shale 0 2 0 |
| Loam 1 5 6 | Dark grey sandstone 0 0 8 |
| Sand 1 0 0 | Grey shale 1 2 0 |
| 4 4 | 6 Iron band 0 0 4 |
| Marl 0 4 0 | Grey shale 0 2 3 |
| Magnesian limestone 17 4 7 | Iron band 0 0 3 |
| 18 2 | 7 Grey shale 0 4 0 |
| Brown shale 0 4 0 | Sandstone, with shale |
| White sandstone 0 3 5 | bands 2 4 2 |
| Red and white shale 0 3 6 | Black shale 0 0 3 |
| Iron band 0 0 4 | COAL 0 0 10 |
| Red and white shale 2 2 2 | 43 4 7 |
| Red sandstone 5 1 3 | Grey sandstone 0 1 10 |
| Grey shale 4 5 7 | Grey shale 0 0 2 |
| Soft black shale 2 4 9 | Grey sandstone 0 3 6 |
| Black shale 0 2 3 | Sandstone and shale 0 1 1 |
| Iron band 0 0 1 | Grey sandstone 3 0 0 |
| Black shale 0 2 4 | Strong grey shale 1 2 7 |
| Iron band 0 0 1 | Dark grey shale 3 0 5 |
| Black shale 0 3 4 | Grey shale 1 2 6 |
| Iron band 0 0 1 | Grey sandstone 0 1 0 |
| 70 1 | Grey shale 1 0 0 |
| Fine white sandstone 1 4 6 | Dark grey sandstone 0 0 8 |
| | Black shale 1 4 0 |
| | Dark grey limestone 1 0 5 |
| Grey shale, with bands of sand- | |
| | 3 3 3 |
| stone 1 4 6 | |
| Strong grey sand- | |
| stone 0 0 6 | Grey shale 1 0 11 |
| Grey shale, with | Black shale 0 0 9 |
| bands of sandstone 8 1 9 | Strong grey limestone 1 0 0 |
| Grey shale 5 3 2 | Limestone 2 3 3 |
| Limestone 0 0 4 | 20 5 1 |
| Grey shale 0 2 0 | |
| Carried forward 37 5 6 23 1 | Total 87 4 9 |
| | |
| | 1 |

No. 2,582.—COPY CROOKS.

TOWNSHIP OF SAINT ANDREWS, BISHOP AUCKLAND, DURHAM.

Sheet 42 of Ordnance Map. Lat. 54° 37' 52", Long. 1° 40' 27".

Account of Strata sunk through in the No. 1 Copy Crooks Pit, West Durham Wallsend Colliery. Finished May, 1895.

Approximate surface-level 380 feet above sea (Ordnance datum).

| Soil Clay | | | | Fs. 0 0 | Ft. 1 4 | In. Fs. 0 6 | Ft, In. | Brought Sand | forward | Fs. 0 0 | Ft. I 5 0 1 | n. Fs. 1 6 0 | Ft. In | ı. |
|--------------|---------|-------|----|---------------|---------------|-------------------|---------|-----------------|---------|---------------|-------------------|--------------------|--------|----|
| | Carried | forwa | rd | 0 | 5 | 6 | | Carried | forward | 1 | 0 | 4 | | |

No. 2,582.—COPY CROOKS.—CONTINUED.

| 1.0 | | | In. | Fs. | Ft. | In. | |
|----------------------|------|---------------|-----|-----|-----|-----|-------------------------------|
| Brought forwar | - | 0 | 4 | | | | Brought forward 6 1 0 19 2 11 |
| | 1 | 5 | 8 | | | | Black stone 0 3 4 |
| COAL | 0 | 3 | 4 | | | | Blue metal 1 2 0 |
| ~ 1 | | | | 3 | 3 | 4 | Black metal 1 0 0 |
| Seggar-clay | 0 | 1 | 0 | | | | White post 0 3 0 |
| | 1 | 4 | 0 | | | | Strong post 0 5 6 |
| | 0 | 5 | 6 | | | | Grey post 2 0 0 |
| | 0 | 4 | 6 | | | | Strong blue metal 5 0 1 |
| | 2 | 0 | 0 | | | | Main Coal Seam- |
| | 1 | 0 | 0 | | | | Ft. In. |
| | 0 | 2 | 0 | | | | COAL, good 5 6 |
| COAL | 0 | 0 | 10 | | | | COAL, splint 1 8 |
| | _ | | _ | 6 | 5 | 10 | 1 1 2 |
| Dark metal | 0 | 4 | 6 | | | | 18 4 1 |
| Blue metal | 0 | 3 | 0 | | | | Seggar-clay band 0 1 6 |
| Grey post | 0 | 3 | 6 | | | | Maudlin Seam- |
| Blue metal, with ire | on | | | | | | COAL 0 3 4 |
| girdles | 4 | 4 | 0 | | | | 0 4 10 |
| 73.0 | 0 | 4 | 6 | | | | |
| Three-Quarter Sean | n— | | | | | | Seggar-clay and post 1 0 0 |
| COAL | 0 | 3 | 3 | | | | COAL 0 1 2 |
| 307.12 | | | _ | 7 | 4. | 9 | 1 1 2 |
| Band | 0 | 1 | 6 | - | _ | | Seggar-elay 1 0 0 |
| Five-Quarter Seam | | _ | · | | | | Grey metal, with post |
| ~ ~ ~ . | 0 | 5 | 6 | | | | girdles 5 1 0 |
| OOAL | | | _ | 1 | 1 | 0 | White post 0 3 0 |
| Seggar-clay, wit | h | | | - | • | ٠ | Grey metal 1 2 0 |
| 00 | 1 | 3 | 4 | | | | Post 0 2 0 |
| | = | $\frac{3}{2}$ | 6 | | | | Greymetal, with post |
| | | 0 | 2 | | | | girdles and water 2 3 0 |
| | | 3 | 6 | | | | 10 5 0 |
| | | 3 | O | | | | 10 5 0 |
| Blue metal, with po | | | c | | | | |
| girdles | 1 | 3 | 6 | | | | |
| a : 1 c | 1 0 | - | | 10 | _ | 17 | 77.1 |
| Carried forwar | ra 6 | 1 | 0 | 19 | 2 | 11 | Total 51 0 0 |
| | | | | | | | |

No. 2,583.—COQUET ISLAND. TOWNSHIP OF COQUETDALE (DETACHED).

Sheet 47 of Ordnance Map. Lat. 55° 20' 0", Long. 1° 32' 13".

Account of Strata passed through in a Bore-hole put down on Coquet Island, 1903.

Approximate surface-level 38 feet above sea (Ordnance datum).

| Soil | | | | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. Brought forward 3 5 4 4 3 6 |
|---------------------------|---|---|---|-----|-----|-----|---|
| | | | | 0 | 3 | 0 | Sandstone 0 4 9 |
| Loose metals | 0 | 2 | 0 | | | | COAL 0 0 2 |
| Loose metals Sandstone | 2 | 3 | 6 | | | | 4 4 3 |
| Light fire-clay | | | | | | | Fire-clay and blue |
| Grey and blue metal | 0 | 4 | 8 | | | | metal 0 1 10 |
| COAL, soft | 0 | 0 | 6 | | | | Ft. In. |
| | | | | 4 | 0 | 6 | COAL 2 2 |
| Grey metal and sand- | | | | | | | COAL, coarse 0 8 |
| stone | 2 | 5 | 3 | | | | 0 2 10 |
| Sandstone | 0 | 3 | 4 | | | | 0 4 8 |
| Grey metal and sand- | | | | | | | Fire-clav 0 1 5 |
| stone | | 2 | 9 | | | | Fire-clay 0 1 5 Hard balls 0 0 9 |
| Carried forward | 3 | 5 | 4 | 4 | 3 | 6 | Carried forward 0 2 2 10 0 5 |

No. 2,583.—COQUET ISLAND.—CONTINUED.

| Fire-clay and blue metal 0 0 0 6 Grey metal and sand-stone 0 0 0 3 Grey metal and sand-stone 0 0 1 1 1 | | | | | _ | | | | | | | | | |
|--|----------------------|-----|-----|-----|-----|-----|-----|----------------------|-----|-----|-----|-----|-----|-----|
| Sandstone 0 3 5 6 7 8 8 8 8 8 9 8 9 8 9 8 9 8 9 8 9 8 9 8 | Desught forward | Fs. | Ft. | In. | F8. | Ft. | In. | Brought forward | Fs. | Ft. | In. | Fs. | Ft. | In. |
| Sandstone | Drought forward | ň | 2 | 5 | 10 | U | U | | U | • | U | ٥. | - | 4 |
| Mark and stone 0 0 0 0 0 0 0 0 0 | sandstone | × | 1 | 9 | | | | | ^ | - 4 | Λ | | | |
| Mark and stone 0 0 0 0 0 0 0 0 0 | rey metal | v | 1 | ย | | | | Stone | ň | | | | | |
| Mark and stone 0 0 0 0 0 0 0 0 0 | sandstone | | Z | U | | | | Sandstone | ú | | | | | |
| Martial | Fire-clay and blue | 3 | | _ | | | | | 0 | 0 | 3 | | | |
| Marcial | metal | . 0 | 0 | 9 | | | | Grey metal and sand- | | | | | | |
| Marcial | Hard sandstone | . 0 | 1 | 11 | | | | stone | 0 | 3 | 4 | | | |
| Marcial | Hard limy grey metal | 0 | 1 | 1 | | | | Sandstone | | 4 | 10 | | | |
| Metal | Fire-clay and blue | | | | | | | Hard limy grey metal | | 0 | 10 | | | |
| Sandstone | metal | O | 4 | 8 | | | | | | _ | | | | |
| Sandstone | Rive metal | ň | ň | | | | | | 0 | 9 | 3 | | | |
| Fire-clay metal 0 1 1 0 metal 0 1 0 0 0 5 6 GOAL 0 0 1 0 0 0 5 6 GOAL 0 0 0 3 0 0 0 0 0 0 0 0 0 0 0 0 | OOA! | , v | 1 | | | | | Sandatana | ~ | | | | | |
| Fire-clay | | · U | 1 | 4 | 0 | - | - | Cara makel | ŭ | | | | | |
| Tire-clay CoAL Co | | _ | _ | _ | 3 | T | 1 | Grey metal | U | Э | О | | | |
| Fire-clay 0 1 2 3 drey metal 1 5 4 drey metal and sandstone 0 0 0 3 drey metal 0 2 3 drey metal and sandstone 0 1 1 8 drey metal and sandstone 0 1 1 8 drey metal and fire-clay 0 1 1 8 drey metal and sandstone 1 0 5 drey metal and sandstone 1 0 5 drey metal and sandstone 1 1 1 3 drey metal 0 2 8 drey metal 1 1 1 3 drey metal 0 2 8 drey metal 0 2 0 drey metal and sandstone 0 2 0 drey metal and fire-clay 0 1 1 2 drey metal and sandstone 0 2 0 drey metal and sandstone 0 2 0 drey metal and sandstone 0 2 0 drey metal and sandstone 0 1 1 2 drey metal 0 2 1 drey metal 0 2 2 drey metal 0 0 0 2 drey metal 0 0 0 1 drey metal 0 0 0 2 drey metal 0 0 0 1 drey metal 0 0 0 | Fire-clay | . 0 | 1 | 10 | | | | Fire-clay and blue | _ | _ | _ | | | |
| Fire-clay 0 1 2 3 drey metal 1 5 4 drey metal and sandstone 0 0 0 3 drey metal 0 2 3 drey metal and sandstone 0 1 1 8 drey metal and sandstone 0 1 1 8 drey metal and fire-clay 0 1 1 8 drey metal and sandstone 1 0 5 drey metal and sandstone 1 0 5 drey metal and sandstone 1 1 1 3 drey metal 0 2 8 drey metal 1 1 1 3 drey metal 0 2 8 drey metal 0 2 0 drey metal and sandstone 0 2 0 drey metal and fire-clay 0 1 1 2 drey metal and sandstone 0 2 0 drey metal and sandstone 0 2 0 drey metal and sandstone 0 2 0 drey metal and sandstone 0 1 1 2 drey metal 0 2 1 drey metal 0 2 2 drey metal 0 0 0 2 drey metal 0 0 0 1 drey metal 0 0 0 2 drey metal 0 0 0 1 drey metal 0 0 0 | GOAL | 0 | 0 | 3 | | | | metal | 0 | 1 | 0 | | | |
| Fire-clay metal 1 5 4 5 6 Grey metal and sandatone | | _ | | _ | n | 2 | 1 | COAL | 0 | 0 | 5 | | | |
| COAL | D: 1 | _ | | | • | _ | - | | | | | 4 | 5 | 4 |
| COAL | rire-clay | Ū | | | | | | Blue metal | 0 | 0 | 6 | | | |
| COAL | irey metal | . 1 | 5 | 4 | | | | Grey and blue metal | | | - | | | |
| Soft fire-clay and blue metal | Grey metal and sand- | | | | | | | | | | | | | |
| Fire-clay and blue metal | stone | . 0 | 3 | 0 | | | | OOAL | U | | - | Λ | 4 | 1 |
| Fire-clay and blue metal 0 2 3 5 Grey metal and sandstone 0 1 8 Sandstone 0 3 6 Fire-clay and blue metal 0 2 8 Grey metal and sandstone 0 3 6 Fire-clay and blue metal 0 2 8 Grey metal 0 4 8 Grey metal and fire-clay 0 2 8 Grey metal and sandstone 0 2 0 6 Grey metal 0 2 0 6 Grey metal and sandstone 0 2 2 4 Grey metal and fire-clay 0 2 4 Grey metal and sandstone 0 2 2 4 Grey metal and sandstone 0 2 2 4 Grey metal and sandstone 0 2 2 4 Grey metal and fire-clay 0 1 2 Grey metal and fire-clay 0 1 2 Grey metal and sandstone 0 2 2 4 Grey metal and fire-clay 0 1 2 Grey metal and fire-clay 0 1 2 Grey metal and fire-clay 0 1 2 Grey metal and fire-clay 0 2 1 Grey metal and sandstone 0 2 2 4 Grey metal and fire-clay 0 1 2 Grey metal and fire-clay 0 1 2 Grey metal and fire-clay 0 2 1 Grey metal and sandstone 0 | COAL | . 0 | 0 | 3 | | | | G & & | _ | _ | _ | U | 4 | 1 |
| Fire-clay and blue metal 0 2 3 | | _ | | | 2 | 3 | 9 | Soft hre-clay | Ü | | | | | |
| metal | D | | | | _ | • | _ | Grey and blue metal | 0 | 5 | 7 | | | |
| Grey metal and sandstone | rire-clay and blue | | | _ | | | | Fire-clay and blue | | | | | | |
| Grey metal and sandstone . | | | 2 | 3 | | | | metal | 0 | 4 | 0 | | | |
| stone 0 4 4 Grey metal and fire- elay 0 1 8 Sandstone 1 0 5 Grey metal and sand- stone 0 3 6 Fire-clay and blue metal 0 2 8 Grey metal 0 2 8 Grey metal 0 2 8 Grey metal and fire- clay 0 4 8 Grey metal and sand- stone 0 2 8 Grey metal and sand- stone 0 2 4 Grey metal and sand- stone 0 2 4 Grey metal and sand- stone 0 4 3 Grey metal and sand- stone 0 4 3 Grey metal and sand- stone 0 4 3 Grey metal and sand- stone 0 2 4 Grey metal and fire- clay 0 2 4 Grey metal and fire- clay 0 2 4 Grey metal and fire- clay 0 < | Grey metal and sand- | | | | | | | Grey metal and sand- | | | | | | |
| COAL | stone | . 0 | 4 | 4 | | | | | | 4 | 7 | | | |
| Sandstone | Grev metal and fire- | | | | | | | COAL | ō | - | | | | |
| Grey metal and sandstand stone | clay | 0 | 1 | 8 | | | | OOAL | . " | . • | - | 9 | 2 | 6 |
| Grey metal and sandstand stone | Sandstone | 1 | - | | | | | Pine alam | _ | ., | 1 | - | 0 | ٠ |
| Fire-clay and blue metal | Gray motal and sand | • | U | 0 | | | | rire-clay | ň | 2 | | | | |
| Fire-clay and blue metal | | | 0 | c | | | | Grey metal | 0 | 5 | | | | |
| Fire-clay and blue metal | Rtone | · U | J | O | | | | Sandstone | 0 | 4 | 3 | | | |
| Metal | Fire-clay and blue | , | | _ | | | | Fire-clay and blue | | | | | | |
| Coaly blue metal 0 0 0 0 9 Grey metal and fireclay 0 0 4 8 Grey metal and sandstone 0 0 2 8 Grey and blue metal 0 2 7 COAL 0 0 2 0 Fire-clay 0 0 3 3 Grey metal 1 2 0 Grey metal and sandstone 0 4 3 stone 0 4 3 Sandstone 0 5 5 Grey metal and sandstone 0 2 2 Grey metal and sandstone 0 2 2 Grey metal and sandstone 0 2 2 Grey metal and sandstone 0 2 4 Grey metal and sandstone 0 1 1 Grey metal and sandstone 0 2 4 Grey metal and sandstone 0 1 1 Grey metal and sandstone 0 1 1 Grey metal and sandstone 0 1 1 Grey metal and sandstone 0 1 <t< td=""><td>metal</td><td>. 0</td><td></td><td></td><td></td><td></td><td></td><td>metal</td><td>0</td><td>4</td><td>9</td><td></td><td></td><td></td></t<> | metal | . 0 | | | | | | metal | 0 | 4 | 9 | | | |
| Fire-clay metal and fire-clay and blue metal 0 2 6 | Grey metal | . 1 | 1 | 3 | | | | Grev and blue metal | 0 | 4 | 0 | | | |
| Metal and fire-clay Metal and fire-clay | Coaly blue metal | . 0 | 0 | 9 | | | | | | | | | | |
| Grey metal and sandstone 0 2 8 6 4 9 | | | | | | | | metal | 0 | 2 | 6 | | | |
| Clay metal and sand-stone | | | 4 | 8 | | | | | | _ | ٠ | | | |
| Grey and blue metal 0 2 7 7 7 7 7 7 7 7 7 | Grey metal and sand- | | _ | • | | | | Grey metal and me- | Δ | = | c | | | |
| Grey and blue metal 0 2 7 COAL 0 2 0 Fire-clay 0 3 3 Grey metal 1 2 0 Grey metal and sand-stone 5 5 4 Grey metal and sand-stone 0 2 4 Sandstone 0 2 4 Sandstone 0 2 2 4 Sandstone 0 1 1 0 2 4 Sandstone 0 1 10 9 Fire-clay 0 1 10 9 Grey metal and sand-stone 0 1 10 9 Grey metal and sand-stone | etono | Λ | 9 | Q | | | | clay | ŭ | | | | | |
| Grey metal and sand- stone | Coop and blue metal | | | | | | | Grey metal | Ū | | | | | |
| Fire-clay 0 3 3 3 Grey metal 1 2 0 Grey metal and sandstone 0 4 3 Sandstone 0 4 3 Sandstone 0 1 8 Grey metal and sandstone 0 2 4 Stone 0 1 8 Grey metal and fire-clay 0 1 10 Grey metal and fire-clay 0 1 2 Grey metal and fire-clay 0 3 8 Grey metal and fire-clay 0 2 4 Grey metal and fire-clay 0 3 8 Grey metal and fire-clay 0 1 5 Grey metal and fire-stone 2 1 7 Grey metal and sandstone 2 1 7 Grey metal and sandstone 0 2 9 COAL 0 0 0 10 Coaly blue metal 0 0 6 | | | | | | | | Whin ash | 1 | 2 | 3 | | | |
| Fire-clay 0 3 3 3 | COAL | . 0 | 2 | U | | | _ | Grey metal and sand- | | | | | | |
| Sandstone | | _ | | | 6 | 4 | 9 | stone | 0 | 5 | 6 | | | |
| Grey metal 1 2 0 Grey metal and sandstone 0 2 4 Sandstone 0 2 4 Stone 0 2 4 Stone 0 2 4 Grey metal and fireclay 0 2 4 Grey metal and fireclay 0 2 4 Grey metal and fireclay 0 3 9 Sandstone 1 5 7 Extra hard limestone 0 1 5 5 5 5 5 5 5 6 5 6 6 | Fire-clay | . 0 | 3 | 3 | | | | Sandstone | 5 | 5 | 4 | | | |
| Clay | Grev metal | 1 | | | | | | Grev metal and fire- | | | | | | |
| Sandstone 0 4 3 5 5 5 5 5 5 5 5 5 | Gray metal and sand- | | - | • | | | | olow | ٥ | 2 | 4 | | | |
| Stone 2 | | | 4 | 2 | | | | Candatana | | - | _ | | | |
| Stone 2 0 2 2 2 3 4 3 4 5 5 6 6 6 6 6 6 6 6 | stone | | | | | | | Sandstone | v | | | | | |
| Stone 2 0 2 2 2 3 4 3 4 5 5 6 6 6 6 6 6 6 6 | sandstone | . 8 | 2 | a | | | | Fire-clay | U | 1 | 10 | | | |
| Grey metal and fire- clay 0 2 4 Grey metal and fire- clay 0 1 2 Grey metal and fire- clay 0 3 8 COAL 0 0 2 Coaly blue metal 0 0 6 Grey metal and sand- stone 0 3 9 Sandstone 1 5 7 Extra hard lime- stone 0 1 5 Sandstone 2 1 7 Grey metal and sand- stone 0 2 9 COAL 0 0 10 COAL 0 0 10 | | | | | | | | Fire-clay and grey | _ | _ | _ | | | |
| Grey metal and fire- clay 0 2 4 Grey metal and fire- clay 0 1 2 Grey metal and fire- clay 0 3 8 COAL 0 0 2 Coaly blue metal 0 0 6 Grey metal and sand- stone 0 3 9 Sandstone 1 5 7 Extra hard lime- stone 0 1 5 Sandstone 2 1 7 Grey metal and sand- stone 0 2 9 COAL 0 0 10 COAL 0 0 10 | stone | . 2 | 0 | 2 | | | | metal | 1 | 0 | 9 | | | |
| Grey metal and fire- clay 0 1 2 Grey metal and fire- clay 0 2 4 Grey metal and fire- clay 0 3 8 GOAL 0 0 0 2 Coaly blue metal 0 0 6 | COAL | . 0 | 2 | 4 | | | | Grey metal and sand- | | | | | | |
| Sandstone | | _ | | | 13 | 2 | 9 | | | 3 | 9 | | | |
| Clay | Grev metal and fire | | | | | | | Sandstone | | | 7 | | | |
| Stone Ston | clay | . 0 | 1 | 2 | | | | Extra hard lime- | _ | | | | | |
| Sandstone | Grav metal | , | 9 | | | | | etone | n | 1 | 5 | | | |
| COAL 0 3 8 stone 0 2 9 COAL 0 0 10 0 0 10 | Crow motol and C- | . 0 | 2 | -9 | | | | Candetone | 9 | | | | | |
| Coaly blue metal 0 0 6 2 1 1 1 4 COAL 0 2 9 0 0 10 0 10 2 0 0 0 10 | | | | _ | | | | Sandstone | 4 | 1 | - | | | |
| Coaly blue metal 0 0 6 2 1 1 1 4 COAL 0 2 9 0 0 10 0 10 2 0 0 0 10 | clay | . 0 | | | | | | Grey metal and sand- | _ | - | _ | | | |
| Coaly blue metal 0 0 6 1 1 4 COAL 0 0 10 21 0 1 | COAL | . 0 | 0 | 2 | | | | stone | 0 | 2 | | | | |
| Coaly blue metal 0 0 6 | | _ | | _ | 1 | 1 | 4 | COAL | 0 | 0 | | | | _ |
| | Coaly blue metal | . 0 | 0 | 6 | | | | | | | | | 0 | 11 |
| Coming forward 0 0 6 27 4 9 Coming forward 67 0 | | _ | | | | | | | | | | | | |
| Carrier inchard U U DA/ 4 Z Carrier inchard D/ U | Carried forward | 1 0 | 0 | ß | 37 | 4 | 2 | Carried forward | | | | 67 | 0 | 0 |

No. 2,583.—COQUET ISLAND.—CONTINUED.

| Brought forward | 5. In. Fs. Ft. In. 67 0 0 | |
|---------------------------------|------------------------------|--------------------------------------|
| Fire-clay 0 0 Grey metal 0 1 | 3 | Grey metal and fire- |
| Grey metal 0 1 | . 9 | clay 0 2 10 |
| Fire-clay and blue | | Grey and blue metal 0 4 8 |
| metal 0 1 | . 3 | Grey metal and sand- |
| Grey metal and sand- | | stone 0 3 0 |
| stone 1 3 | 3 | Grey metal and fire- |
| Grey metal and fire- | | clay 0 1 6 |
| clav 0 4 | 8 | clay 0 1 6 COAL 0 1 5 |
| clay 0 4 Dark blue metal 0 0 | 4 | Soft fire-clay 0 0 7 Sandstone 2 4 1 |
| COAL 0 0 |) 3 | Soft fire-clay 0 0 7 |
| | 2 5 9 | Sandstone 2 4 1 |
| Dark blue metal 0 0 | 8 | 2 4 8 |
| | | |
| Carried forward 0 0 | 8 69 5 9 | Total 75 0 6 |
| | | |

No. 2,584.—CORNFORTH.

TOWNSHIP OF CORNFORTH, DURHAM.

Sheet 35 of Ordnance Map. About Lat. 54° 42′ 11″, Long. 1° 29′ 35″.

Account of Strata passed through in the 10th Bore-hole in the Cornforth Estate, South of Simonside Farm House, June, 1843.—Continuation of No. 566.

Approximate surface-level 400 feet above sea (Ordnance datum).

| T 1.0 1 | | Ft. | | | Ft. | | |
|--------------------|---|--------|--------|----|-----|----------|---|
| Bored formerly | | | | | 4 | 6 | Brought forward 96 3 2 |
| Grey metal stone | 1 | 2 | 2 | | | | Grey metal stone, |
| Grey post, mixed | | | | | | | with post girdles 4 0 0 |
| with whin | 0 | 4 | 5 | | | | with post girdles 4 0 0 Dark grey metal 0 3 2 |
| Grey metal stone, | | | | | | | Black metal 0 1 4 |
| with post girdles | | 4 | 5 | | | i | Ft. In. |
| White post, mixed | | | | | | | COAL, coarse |
| with whin | | 0 | 7 | | | | and rather |
| Grey metal stone, | | • | • | | | | |
| with post girdles | | 3 | Q | | | | slaty 0 3 COAL, good 1 6 |
| Strong white post, | 9 | o | J | | | | Brownish grey |
| mixed with whin | 2 | 1 | Λ | | | | metal 0 3 |
| Grey metal stone, | | 1 | U | | | | COAL 0 8 |
| | | 1 | ^ | | | | COAL 0 6 |
| with post girdles | | | | | | | 0 2 8 |
| Strong white post | | U | 6 | | | | $\frac{}{}$ |
| Ft. In. | | | | | | | Grey metal 0 4 3 |
| COAL 0 8 | | | | | | | 0 4 3 |
| Dark metal 2 11 | | | | | | | |
| COAL 1 3 | | | | | | | |
| | 0 | 4 | 10 | | | | |
| | _ | | | 17 | 4 | 8 | |
| | | | | | | | |
| Carried forward | | | | 96 | 3 | 2 | Total 102 2 7 |
| | | | | | | | |

No. 2,585.—CORNSAY. TOWNSHIP OF CORNSAY, DURHAM.

Sheet 18 of Ordnance Map. Lat. 54° 47′ 2″, Long. 1° 44′ 56″.

Account of Strata bored through in the Old Furnace Shaft, Cornsay Colliery, from the Main Coal or Brockwell Seam, May, 1878.

Approximate surface-level 600 feet above sea (Ordnance datum).

| α 1 | | | In. | | Ft. | In. | |
|----------------------|---|---|-----|---|-----|-----|------------------------|
| Seggar-clay | | | | | | | Brought forward 8 4 |
| Brown post | 0 | 4 | 0 | | | | Seggar-clay 0 3 8 |
| Greymetal, with post | | | | | | | COAL 0 0 6 |
| girdles | | 0 | 6 | | | | COAL 0 0 6 |
| CÖAL | | | | | | | Seggar-clay 0 0 6 |
| | | | | | 1 | 8 | White post 4 4 7 |
| Grey post | 0 | 4 | 8 | _ | | | Dark grey metal 0 1 2 |
| Brown post, with | ٠ | - | _ | | | | Grey post 2 1 0 |
| partings | 1 | 1 | Q | | | | Grey posty metal 1 1 8 |
| Gran posts metal | • | 1 | 0 | | | | COAL 0 0 2 |
| Grey posty metal, | 9 | 4 | 1 | | | | 8 3 |
| with iron | - | * | 6 | | | | |
| Black plate metal | U | 4 | О | | | | Seggar-clay 0 2 0 |
| Light grey metal | _ | | _ | | | | Grey posty metal 0 4 0 |
| and clay | 0 | 4 | 6 | | | | 1 0 |
| COAL | 0 | 1 | 4 | | | | |
| | | | _ | 6 | 3 | 1 | |
| | | | | _ | | | |
| Carried forward | | | | 8 | 4 | 9 | Total 19 0 |

No. 2,586.—CORNSAY. TOWNSHIP OF CORNSAY, DUBHAM.

Sheet of Ordnance Map. Lat. , Long

Account of Strata sunk through in the Victoria Pit, Cornsay Fell, 1853.

Approximate surface-level feet above sea (Ordnance datum).

| Soil | | Ft. 0 | | Fs. 1 | Ft. 1 | In. | Brought forward 1 5 8 7 0 7 |
|---|--------|---------------|-------------|-------|-------|-----|---|
| Blue clay, with tumbling stones Yellow loamy clay | 2 | 2 | 0 | | | | Blue metal, with iron- stone girdles 0 3 2 Five-Quarter Seam— |
| renow toating cray | _ | | _ | 2 | 5 | 6 | COAL 0 3 4 |
| Brown metal White post Brown metal | 0 | $\frac{2}{3}$ | 0 0 6 | ۰ | | | White seggar-clay, with ironstone balls 0 2 0 |
| Brown metal Brown post Blue metal Strong brown post | | $\frac{0}{2}$ | 6 0 | | | | Dark seggar-clay, with ironstone balls 0 3 0 Grey metal, with |
| girdle Dark shivery post Ballarat Seam— | $_2^0$ | $\frac{2}{0}$ | 0 1 | | | | ironstone balls 0 2 0 Strong white post 0 3 6 Very strong white |
| COAL, with water | 0 | 2 | 0 | 4 | 1 | 1 | post 0 1 8 Strong brown post 0 3 8 Soft brown post, with |
| White seggar-clay Dark grey post Strong white post, | 0 | $\frac{2}{1}$ | 8 | | | | girdles 1 0 3 Strong grey post 0 3 9 White and brown |
| with water | 1 | 2 | 0 | | | | post, with girdles 3 1 8 |
| Carried forward | 1 | 5 | 8 | 7 | 0 | 7 | Carried forward 7 3 6 10 0 9 |

No. 2,586.—CORNSAY.—Continued.

| Fs. Ft. In. Fs. Ft. In. Brought forward 7 3 6 10 0 9 | Fs. Ft. In. Fs. Ft. In. Brought forward 2 5 0 17 5 11 |
|---|---|
| COAL, splint 0 6 Black iron- | Top Coal Seam— COAL 0 1 0 |
| stone band 0 6 COAL, splint 0 8 | Grey metal, with post girdles 3 3 9 |
| $0 	 1 	 8$ $$ $7 	 5 	 2$ | post girdles 3 3 9 Blue metal 0 2 10 Main Coal Seam— |
| Dark brown post 1 5 11 Dark shivery post 0 1 3 | COAL 0 3 8 |
| Dark shivery post 0 1 3 White post girdles 0 1 5 Black metal 0 0 11 | Fire-clay 0 0 4 Strong white post 2 5 0 |
| White seggar-clay, with ironstone balls 0 1 6 | 2 5 4 |
| Carried forward 2 5 0 17 5 11 | Total 28 3 6 |
| | |

No. 2,587.—CORSENSIDE. TOWNSHIP OF BROOMHOPE, NORTHUMBERLAND.

Sheet 69 of Ordnance Map. Lat. 55° 8' 10", Long. 2° 10' 0".

Account of Strata sunk through on Steel, near to Ridsdale Ironworks.

Approximate surface-level 690 feet above sea (Ordnance datum).

| Bituminous blue lime- | Fs. | Ft. | In. Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. Brought forward 0 2 0 12 3 | |
|---|-------------|-------------|-------------|-----|-----|--|----|
| stone Sill and plate | 1 0 | 3 5 | 0 | | | COAL 0 1 0 | |
| COAL | 0 | 3 | 0 2 | 5 | 0 | Sandstone 1 2 6 COAL 0 1 7 | |
| Fourlaws hazel dyke COAL | | 3 | 6 0 | 0 | 6 | Platy sandstone sill 1 4 6 COAL 0 1 5 | |
| Sandstone plate COAL | 1 | 3 | 0 0 | 0 | 0 | Platy sandstone 1 4 0 COAL 0 3 0 | 11 |
| Plate Hazel | 1 0 | 0 5 | 6 0 | | Ů | Plate 0 3 0 COAL 0 1 0 0 4 | 0 |
| seam in Steel Burn (Swine Gill) | 0 | 1 | 0 2 | 0 | 6 | Plate 0 3 6 Grey hazel dyke 2 0 0 Blue limestone 1 4 6 | |
| Delves Cow Lairs Seam— | 0 | 5 | 0 | Ü | Ĭ | Strong sandstone 4 2 0 Bituminous limestone 2 3 6 | |
| COAL | 0 | 3 | 0 1 | 2 | 0 | Ironstone 0 1 0 Clay ironstone 5 2 0 White hazel sand- | |
| Slaty sandstone Blue limestone Peat (?) | 0 0 1 | 3 2 0 | 8 0 0 | | | stone 6 4 6 COAL 0 2 6 | 6 |
| COAL | 0 | 1 | 8 2 | 1 | 4 | Plate 0 2 0 COAL 0 1 6 | Ŭ |
| Sill | 0 | 2 | <u> </u> | | | 0 3 | 6 |
| Carried forward | 0 | 2 | 0 12 | 3 | 4 | Carried forward 44 0 | 4 |

No. 2,587.—CORSENSIDE.—Continued.

| | Fs. | Ft | | | | In. | Fs. Ft. In. Fs. Ft. 1 | |
|----------------------|-----|----|---|----|---|-----|------------------------------|----|
| Brought forward | | | | 44 | 0 | 4 | Brought forward 0 4 0 45 3 1 | 10 |
| Grey hazel sand- | | | | | | | Shale 0 2 0 | |
| stone | | 3 | 0 | | | | COAL 0 0 9 | |
| Limestone | 0 | 3 | 0 | | | | 1 0 | 9 |
| Ironstone and shells | 0 | 2 | 0 | | | | Plate 0 2 0 | |
| COAL | 0 | 1 | 6 | | | | Yellow sandstone 5 5 6 | |
| | | | | | 3 | 6 | Sill 0 2 0 | |
| Platy hazel sand- | | | | | | | COAL | |
| stone | 0 | 4 | 0 | | | | 6 3 | 6 |
| Carried forward | 0 | 4 | 0 | 45 | 3 | 10 | Total 53 2 | 1 |

No. 2,588.—CORSENSIDE.

TOWNSHIP OF CHESTERHOPE, NORTHUMBERLAND.

Sheet 69 of Ordnance Map. Lat. 55° 8' 57", Long. 2° 7' 29".

Account of Strata passed through in a Boring put down between Aid Foal and Aid Crag.

Approximate surface-level 1,000 feet above sea (Ordnance datum).

| Moss | | | - | | In. 0 | | Ft. | In. | Brought forward 9 5 6 1 4 0 |
|-----------|-------|---------|---|---|----------|---|-----|-----|-----------------------------|
| CIR | ••• | • • • • | ĭ | | ŏ | | | | Iron band 0 0 6 |
| Clay | ••• | ••• | _ | _ | _ | 1 | 4 | 0 | Plate 11 0 3 |
| Freestone | | | 0 | 5 | 0 | | | | Girdle bed 0 0 4 |
| Plate | | | 1 | 1 | 6 | | | | Plate 2 0 0 |
| Freestone | | | 0 | 3 | 9 | | | | Freestone girdle 0 0 4 |
| Plate | ••• | | 5 | 0 | 3 | | | | Plate 0 1 0 |
| Freestone | | | 0 | 1 | 0 | | | | COAL 0 2 4 |
| Plate | ••• | ••• | 2 | 0 | 0 | | | | 23 4 3 |
| Carried | forwa | rd | 9 | 5 | 6 | 1 | 4 | 0 | Total 25 2 3 |

No. 2,589.—CORSENSIDE.

TOWNSHIP OF CHESTERHOPE, NORTHUMBERLAND.

Sheet 69 of Ordnance Map. Lat. 55° 9' 38", Long. 2° 9' 31".

Account of Strata sunk through at Brick Flat, Chesterhope.

Approximate surface-level 590 feet above sea (Ordnance datum).

| Plate | | ••• | | | | Fs. 2 | Ft. | 0 | Fs. | Ft. | In. | |
|-----------------|-----|-------|-----|---------|-----|-------|-----|--------|-----|-----|-----|--|
| Limestone | ••• | | | • • • | | 1 | 5 | 0 | | | | |
| White freestone | | • • • | ••• | • • • • | | 0 | 3 | 6 8 | | | | |
| Seggar-clay | ••• | ••• | ••• | •• | ••• | _ | | _ | 5 | 1 | 2 | |
| | Tot | a.l | | | | | | | 5 | 1 | 2 | |

No. 2,590.—CORSENSIDE.

TOWNSHIP OF CHESTERHOPE, NORTHUMBERLAND.

Sheet 69 of Ordnance Map. Lat. 55° 9' 16", Long. 2° 7' 35".

Account of Strata passed through in No. 1 Bore-hole on Broadgate Fell.

Approximate surface-level 950 feet above sea (Ordnance datum).

| Clay | | Fs. 1 | | | Fs. | Ft. | | Brought Plate | for | ward | 4 | Ft. 3 | 6 | Fs. 1 | Ft. O | In. 0 |
|--|------|----------|-------------|-------------|-----|-----|---|------------------------|-----|-------|---|---------------|-------------|----------|----------|----------|
| Freestone Grey beds Freestone Plate | | 0 | 3 0 1 | 6 6 0 | - | Ū | Ĭ | Freestone Grey beds | | | 0 | $\frac{1}{3}$ | 2 5 | 7 | 0 | 1 |
| Freestone Carried | | 4 | | | 1 | 0 | 0 | | | Total | | | ·· <u>-</u> | 8 | 0 | 1 |

No. 2,591.—CORSENSIDE.

TOWNSHIP OF CHESTERHOPE, NORTHUMBERLAND.

Sheet 69 of Ordnance Map. Lat. 55° 9' 11", Long. 2° 7' 30".

Account of Strata passed through in No. 2 Bore-hole on Broadgate Fell.

Approximate surface-level 950 feet above sea (Ordnance datum).

| | | Fs. | Ft. | In. | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
|-------------------|---------|-----|-----|-----------------|----------|-----|-----|-----------------------------|
| Moss | | ĩ | 2 | 0 | | | | Brought forward 6 4 1 2 0 0 |
| Clay | | 0 | 4 | 0 | | | | Very hard freestone 0 3 4 |
| | | | | | 2 | 0 | 0 | Bastard freestone 0 1 6 |
| Plate | | 0 | 2 | 2 | | | | Very white freestone 0 3 0 |
| Black freestone | | Õ | | $1\overline{1}$ | | | | Brown freestone 0 4 0 |
| White freestone | | Õ | _ | 1 | | | | Hard freestone 0 3 9 |
| Grey beds | | ŏ | ī | 10 | | | | Grey beds 0 4 0 |
| Plate | | ŏ | ō | 2 | | | | Freestone 0 0 6 |
| Freestone | | ñ | 3 | õ | | | | Plate 0 1 0 |
| Grev beds | | ő | ő | 6 | | | | Freestone girdle 0 0 2 |
| Freestone | | ő | ĭ | 3 | | | | Plate girdle 0 0 2 |
| 0 . 1 1 | • • • • | 1 | _ | 10 | | | | E . 1 . 11 |
| D1.4. | • • • • | Ô | 1 | 0 | | | | |
| T | • • • | 0 | 0 | 1 | | | | 771 |
| D1-4- | • • • | 1 | | 11 | | | | |
| | • • • | Ţ | _ | | | | | 1 0.10, 0000 |
| Ironstone | • • • | 0 | | 9 | | | | Freestone 0 1 10 |
| Hard freestone | • • • | 0 | | 11 | | | | Grey beds 0 3 0 |
| Shivery freestone | • • • | 0 | 1 | 6 | | | | COAL 024 |
| Plate | | 0 | 1 | 2 | | | | 13 4 0 |
| | | | | _ | | | _ | |
| Carried forwa | ard | 6 | 4 | 1 | 2 | 0 | 0 | Total 15 4 0 |
| | | | | | | | | |

No. 2,592.—CORSENSIDE.

TOWNSHIP OF CHESTERHOPE, NORTHUMBERLAND.

Sheet 69 of Ordnance Map. Lat. 55° 9' 1", Long. 2° 7' 32".

Account of Strata sunk through in the Engine Pit, Ridsdale Colliery.

Approximate surface-level 970 feet above sea (Ordnance datum).

| | | | | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
|---------------------|----|-----------|---------------|-----|-----|-----|-------------------------|
| Moss | 0 | 2 | 0 | | | | Brought forward 9 5 8 |
| Gravel | 0 | 3 | 6 | | | | Plate, with iron |
| | | | | 0 | 5 | 6 | nodules 1 3 2 |
| White sandstone | 0 | 2 | 0 | | | | Fire-clay 0 3 11 |
| Shattered freestone | 0 | 1 | 6 | | | | White freestone 0 3 1 |
| Freestone | 1 | 2 | 3 | | | | Grey beds 0 1 0 |
| Grey beds | 0 | -3 | 0 | | | | White freestone 2 3 6 |
| Fire-clay | 0 | 3 | 0 | | | | Grey beds 1 0 0 |
| Plate | 0 | 5 | 0 | | | | COAL 0 0 1 |
| Ironstone band | 0 | 0 | 2 | | | | 6 2 9 |
| Plate | 0 | 5 | 0 | | | | Freestone 0 3 1 |
| COAL | 0 | 0 | 8 | | | | Grey beds 0 2 6 |
| | | | | 4 | 4 | 7 | Freestone 0 4 6 |
| Freestone | 1 | 3 | 7 | | | | Grey beds 0 1 0 |
| Grey beds | 0 | 0 | 7 | | | | Freestone 0 3 6 |
| Freestone | 0 | 1 | 8 | | | | Grey beds 0 3 0 |
| Grey beds | ō | $\bar{3}$ | 2 | | | | Thirty Inches Seam- |
| Plate | ŏ | 3 | 6 | | | | Ft. In. |
| Ironstone band | .ŏ | ő | 4 | | | | COAL 2 3 |
| Plate | ő | ő | 3 | | | | Freestone 1 0 |
| Limestone | ŏ | ő | 6 | | | | COAL 0 8 |
| 12: | 0 | 2 | 4 | | | | 0 3 11 |
| COAL | 0 | õ | 3 | | | | 3 3 6 |
| COAL | U | U | • • • | 3 | 4 | 2 | D' 1. 0 0 0 |
| Fire clar | 0 | 3 | 3 | .) | | 2 | 73 4 |
| Fire-clay COAL | 0 | 0 | $\frac{3}{2}$ | | | | Freestone 0 3 4 |
| COAL | U | U | ú | 0 | 0 | - | 1 0 4 |
| | | | | 0 | 3 | 5 | |
| Commiss formers | | | | _ | E | | Tratal 91 0 9 |
| Carried forward | | | | 9 | 5 | 8 | Total 21 0 3 |

No. 2,593.—CORSENSIDE.

TOWNSHIP OF CHESTERHOPE, NORTHUMBERLAND.

Sheet 69 of Ordnance Map. Lat. 55° 9' 0", Long. 2° 7' 50".

Account of Strata sunk through in the Foaly (Folly) Coal Pit, Ridsdale.

Approximate surface-level 1,005 feet above sea (Ordnance datum).

| Blue clay | | | | | | Fs. | Ft. | In. | Brought fo | rward | | Ft. 1 | | | | |
|-----------|------|------|---|----------|---|-----|-----|-----|------------|-------|---|-------|---|---|---|---|
| • | | | | | | 1 | 0 | 0 | Plate | | | | | | | |
| Freestone | | | 1 | 2 | 0 | | | | Freestone | | | 1 | | | | |
| Grey beds | | | 1 | 3 | 6 | | | | Grey beds | | | | | | | |
| Freestone | | | | 0 | | | | | | | | | | | | |
| Plate | | | 0 | 1 | 0 | | | | | | _ | | _ | 7 | 0 | 1 |
| Freestone | | | 1 | 2 | 6 | | | | | | | | | | | |
| | | | | | _ | _ | | _ | | | | | | | | |
| Carried | forv | vard | 4 | 3 | 6 | 1 | 0 | 0 | | Total | | | | 8 | 0 | 1 |

Note: The Old Pit (No. 2,596) sunk by the first Ridsdale Company to the west of the Ironworks was sunk 68 fathoms and then bored further 30 fathoms. A seam of coal, 16 inches thick, was found about 10 fathoms below the surface. This pit is situated on Slassor's Fell, beside the footpath.

No. 2,594.—CORSENSIDE.

TOWNSHIP OF CHESTERHOPE, NORTHUMBERLAND.

Sheet 69 of Ordnance Map. Lat. 55° 8' 55", Long. 2° 7' 4".

Account of Strata sunk through at the New Winning, 500 yards South-east of the present working Coal Pit, at Aid Crag on Fourlaws Fell, July, 1847.

Approximate surface-level 990 feet above sea (Ordnance datum).

| Moss | | | | Fs. | Ft. | In. | Brought | for | rward | Fs. 4 | Ft. 5 | In. 0 | Fs. 2 | Ft. 2 | In. 6 |
|---------------------|---|---|---|----------|--------|-----|-----------|-----|-------|----------|----------|----------|-------|-------|----------|
| Sand and gravel | 2 | 1 | 6 | | | | Plate | | | | | | | | |
| • | | | | 2 | 2 | 6 | Fire-clay | | | 0 | 4 | 10 | | | |
| Plate | | | | | | | COAL | | | 0 | 0 | 2 | | | |
| Little Limestone | | | 0 | | | | | | | | | | 6 | 1 | 0 |
| Plate, with nodules | | | | | | | Fire-clay | | | | | | | | |
| of ironstone | 3 | 0 | 9 | | | | Freestone | | | 3 | 3 | 0 | | | |
| Iron band | 0 | 0 | 3 | | | | | | | | | _ | 4 | 5 | 0 |
| | | | | | | _ | | | | | | | | | — |
| Carried forward | 4 | 5 | 0 | 2 | 2 | 6 | | | Total | | | | 13 | 2 | 6 |

No. 2,595.—CORSENSIDE.

TOWNSHIP OF CHESTERHOPE, NORTHUMBERLAND.

Sheet 69 of Ordnance Map. Lat. 55° 9' 14", Long. 2° 8' 7".

Account of Strata sunk through in the Little Black Band Pit.
Approximate surface-level 920 feet above sea (Ordnance datum).

| Clay Limestone Grey beds | | $\begin{array}{c} 0 \\ \hline 0 \\ 0 \end{array}$ | $\frac{5}{2}$ | 0 0 4 | | | Brought forward 2 1 0 0 5 0 Black band 0 0 11 COAL 0 0 2 2 2 2 1 |
|--------------------------------|------|---|---------------|-------------|---|---|---|
| Plate Carried | | | | | 0 | 5 | Total 3 1 1 |

No. 2,596.—CORSENSIDE.

TOWNSHIP OF CHESTERHOPE, NORTHUMBERLAND.

Sheet 69 of Ordnance Map. Lat. 55° 9' 10", Long. 2° 8' 56".

Account of Strata sunk through in the Seventy Fathoms Pit, Ridsdale Ironworks, about 20 chains West of Armstrong's Gun Inn at Ridsdale, on Footpath leading to the Steel.

Approximate surface-level 900 feet above sea (Ordnance datum).

| | - | - | 20 200 | | | | |
|-------------------------|----|-------|--------|------|-----|--|--|
| Clay Fs. 4 | | In. F | s. F | 't I | ľn. | Fs. Ft In. Fs. Ft. In. Brought forward 1 3 0 4 0 0 | |
| | | | 4 | 0 | 0 | Upper Hall Seam— | |
| Grey beds 0 | 4 | 0 | | | | COAL • 0 1 0 | |
| Fire-clay 0 | 3 | 0 | | | | 1 4 0 | |
| Plate, with ironstone 0 | | | | | | Ironstone 0 0 9 | |
| Carried forward 1 | 2 | | 1 | ^ | _ | Carried forward 0 0 9 5 4 0 | |
| Carried forward T | O, | | r ' | v | 0 1 | Carried forward 0 0 9 9 4 0 | |

No. 2,596.—CORSENSIDE.—CONTINUED.

| | | | - | | | | _ | í | | | | | | | _ |
|-----------------|---------|----------|----------|-----|----|---|-----|------------------|---------|-----|-------------|-----|----|-----|--------|
| D 1.4 f. | | Fs. | | In. | | | | D | | Fs. | | In. | | Ft. | In. |
| Brought fo | | 0 | 0 | 9 | 5 | 4 | 0 | Brought for | | | 2 | 3 | 25 | 5 | 1 |
| Freestone | | 0 | 5 | 0 | | | | Plate, with iron | stone | ! | | | | | |
| Grey beds | | 2 | 2 | 0 | | | | balls | | 0 | 5 | 8 | | | |
| Ironstone | | 0 | 0 | 7 | | | | Hazle | | 1 | 0 | 0 | | | |
| Plate | | Ò | 1 | 3 | | | | Grey beds | | _ | 2 | 0 | | | |
| Ironstone | | Õ | î | 8 | | | | 0011 | ••• | | _ | | | | |
| | | - | | | | | | COAL | | 0 | 0 | 3 | | | _ |
| Plate | | 1 | 5 | 0 | | | | | | | | _ | 14 | 4 | 2 |
| Furnace Seam | _ | | | | | | | Plate | | 0 | 1 | 2 | | | |
| COAL | | 0 | 1 | 4 | | | | COAL (No. 4 | 9 in | • | • | _ | | | |
| | | | | | 5 | 5 | 7 | Bellingham Box | ~ 110 | _ | -1 | 0 | | | |
| T | | | _ | | U | | • | Beatingman Bo | ringj | 0 | 1 | 2 | | _ | |
| Limestone | | 0 | 2 | 0 | | | | | | | | _ | 0 | 2 | 4 |
| Plate and coal | | 0 | 0 | 6 | | | | Plate | | 0 | 4 | 0 | | | |
| | | | | | 0 | 2 | 6 | COAL | | ō | ō | 4 | | | |
| | | | | | U | | U | | • • • • | · | U | 4 | 0 | | |
| Freestone | | 0 | 1 | 8 | | | | | | | | | 0 | 4 | 4 |
| Plate | | 0 | 3 | 8 | | | | Fire-clay | | 0 | 1 | 10 | | | |
| Fire-clay, with | halls | 1 | 1 | 0 | | | | Sandstone | | 0 | 2 | 0 | | | |
| | | ô | 4 | 6 | | | | Fire-clay | | ĭ | õ | ŏ | | | |
| Limestone | | | | | | | | TT - 1. | • • • | ō | 2 | 8 | | | |
| Grey beds | • • • • | 0 | 2 | 0 | | | | 731 | • • • | - | | _ | | | |
| Ironstone | | 0 | 0 | 4 | | | | Fire-clay | • • • | 0 | 3 | 0 | | | |
| Grey beds | | 0 | 4 | 2 | | | | White limestone | | 0 | 2 | 0 | | | |
| Freestone | | 1 | 3 | 6 | | | | Plate | | 0 | 1 | 0 | | | |
| Grey beds | | õ | 3 | Ö | | | | COAL | | 0 | 1 | 0 | | | |
| | | 0 | ĭ | 10 | | | | | • • • | ٠ | - | • | _ | _ | _ |
| Hard plate | • • • | - | | | | | | | | | | | 3 | 1 | 6 |
| Grey beds | | 0 | 4 | 4 | | | | Fire-clay | | 0 | 2 | 0 | | | |
| Freestone | | 0 | 5 | 0 | | | | Sandstone | | ŏ | $\tilde{4}$ | ŏ | | | |
| Grey beds | | 0 | 0 | 4 | | | | | | _ | _ | | | | |
| COAL | | 0 | 0 | 4 | | | | Fire-clay | • • • • | 1 | 3 | 0 | | | |
| | ••• | • | ٠ | - | _ | _ | _ | Black limestone | | 0 | 2 | 0 | | | |
| | | | | | 7 | 5 | 8 | COAL | | 0 | 0 | 9 | | | |
| Freestone | | 2 | 1 | 6 | | | | | | | | | 2 | 5 | 9 |
| COAL | | ō | 0 | 5 | | | | | | - | | | 2 | Ð | 9 |
| | • • • • | 0 | U | U | _ | _ | | Fire-clay | | 0 | 5 | 10 | | | |
| | | | | _ | 2 | 1 | 11 | Limestone | | 0 | 0 | 7 | | | |
| Freestone | | 1 | 0 | 0 | | | | Plate | | 1 | 1 | 0 | | | |
| C 1 1 | | î | Õ | ŏ | | | | TT1- | | ô | î | ŏ | | | |
| | • • • • | | | | | | | COAL | • • • | _ | | | | | |
| Ironstone | • • • | 0 | 0 | 10 | | | | COAL | • • • | 0 | 0 | 4 | | | |
| Grey beds | | 1 | 0 | 0 | | | | | | | | _ | 2 | 2 | -9 |
| Freestone | | 0 | 2 | 0 | | | | Hazle | | 0 | 3 | 6 | | | |
| COAL | | 0 | 0 | 7 | | | | | • • • | | | | | | |
| | | _ | • | • | | | | Plate | • • • | 1 | 1 | G | | | |
| | | | | _ | 3 | 3 | 5 | Freestone | | 12 | 1 | 0 | | | |
| Freestone | | 4 | 0 | 0 | | | | Plate | | 0 | 0 | 7 | | | |
| Grey beds | | ō | 5 | Õ | | | | Freestone | | 0 | 1 | 8 | | | |
| Plate, with iro | | • | U | U | | | ì | 717 / | | ŏ | î | Õ | | | |
| 1 11 | | | | _ | | | | | • • • | | _ | | | | |
| _balls | | 2 | 4 | 0 | | | | Hazle | | 0 | 0 | 8 | | | |
| Limestone | | 0 | 5 | 9 | | | | Hard plate | | 0 | 4 | 6 | | | |
| Plate | | 0 | 1 | -8 | | | | Black limestone | | . 0 | 1 | 5 | | | |
| Hazle | | ŏ | ī | Õ | | | | Plate | | 1 | 0 | 5 | | | |
| D1-4. | | 0 | 1 | 0 | | | | Hazle | | Ô | 2 | 3 | | | |
| TT1- | • • • • | _ | | | | | | | | | | | | | |
| Hazle | | 0 | 3 | 6 | | | | Plate | • • • | 0 | 5 | 0 | | _ | _ |
| Grey beds | | 1 | 2 | 0 | | | - 1 | | | | | | 17 | 5 | 6 |
| Freestone | | 0 | 1 | 0 | | | | | | | | - | | | |
| Plate | | 0 | 4 | 0 | | | | | | | | | 68 | 1 | 5 |
| Ironstone | | ő | 0 | 8 | | | | | | | | , | UG | T | J |
| | ••• | | | | | | | 7) 7 4 .7 | , | | | | | | |
| Fire-clay | • • • | 0 | 1 | 2 | | | - | Bored further, | but | | | | | | |
| Hazle | | 0 | 1 | 6 | | | | found no coal | | | | : | 30 | 0 | 0 |
| | | | | | | | | • | | | | | | | |
| Commis 1 c | | 10 | | | 35 | - | - 1 | | | | | | | | |
| Carried fo | rward | 12 | 2 | 3 : | 25 | 5 | 1 | T | 'otal | | | 9 | 98 | 1 | 5 |
| | | | | | | | - 1 | | | | | _ | | - | |
| | | | | | | | | | | | | | | | |

No. 2,597.—CORSENSIDE.

TOWNSHIP OF CHESTERHOPE, NORTHUMBERLAND.

Sheet 69 of Ordnance Map. Lat. 55° 9' 1", Long. 2° 9' 32".

Account of Strata sunk through in No. 5 Ironstone Pit on Woods Fell.

Approximate surface-level 940 feet above sea (Ordnance datum).

| Moss | | | | | | | | Brought | fo | rward | Fs. 8 | Ft. | In. F | s. F | t. : | In. 9 |
|--------------------|-----|---|----------|-----|---|---|---|-----------|----|-------|----------|-----|----------|------|------|----------|
| | | | | | 0 | 0 | 9 | Limestone | | | 2 | 5 | 0 | | | |
| Shivery freestone | | 1 | 5 | - 3 | | | | Freestone | | | 1 | 5 | 6 | | | |
| Grev beds | | 0 | 4 | 0 | | | | Plate | | | 5 | 2 | 0 | | | |
| Grey beds Plate | | 6 | 2 | 6 | | | | | | | _ | | <u> </u> | 9 | 0 | 3 |
| Carried forwa | ard | 8 | 5 | 9 | 0 | 0 | 9 | | | Total | | | 1 | 9 | 1 | 0 |

No. 2,598.—CORSENSIDE.

TOWNSHIP OF LISLESBURN, NORTHUMBERLAND.

Sheet 69 of Ordnance Map. Lat. 55° 9' 35", Long. 2° 7' 37".

Account of Strata passed through in No. 1 Bore-hole put down on Mr. Dodd's Fell, Stiddle Hill Colliery, August, 1885.

Approximate surface-level 860 feet above sea (Ordnance datum).

| | | 0 | 5 | 6 | | | - 1 | Brought forward 0 3 3 0 5 6 Blue metal 1 3 11 |
|--------------------------------------|-----|---|---|---|---|---|-----|--|
| Freestone Blue metal Freestone | | 0 | 1 | 0 | | | | Whin 2 1 2 |
| Carried forw | ard | 0 | 3 | 3 | 0 | 5 | 6 | Total 3 0 8 |

No. 2,599.—CORSENSIDE.

TOWNSHIP OF LISLESBURN, NORTHUMBERLAND.

Sheet 69 of Ordnance Map. Lat. 55° 9' 30", Long. 2° 7' 32".

Account of Strata passed through in No. 2 Bore-hole put down on Mr. Dodd's Fell, Stiddle Hill Colliery, 200 yards South of No. 1 Bore-hole, August, 1885.

Approximate surface-level 900 feet above sea (Ordnance datum).

| Soil and clay | Fs. Ft. In. Fs. Ft 0 5 10 | | Brought forward 3 0 Blue metal and grey | 1. 6 |
|---------------------|---------------------------|---|---|---------|
| Soft freestone COAL | 2 0 6 0 0 2 | | beds | 6 |
| Carried forwa | rd 3 0 | 6 | Total 7 0 | 0 |

No. 2,600.—CORSENSIDE.

TOWNSHIP OF LISLESBURN, NORTHUMBERLAND.

Sheet 69 of Ordnance Map. Lat. 55° 9' 30", Long. 2° 7' 34".

Account of Strata sunk through in a Pit on Mr. Dodd's Fell, Heppleheugh, Stiddle Hill Colliery, December, 1885.

Approximate surface-level 900 feet above sea, (Ordnance datum).

| | | | | | _ | _ | | |
|-------------------------------------|---------|----------|---|---|----|-----|-----|---|
| Soil and clay | | Fs. 0 | | | | Ft. | In. | Fs. Ft. In. Fs. Ft. In. Brought forward 1 3 7 2 0 2 |
| • | | _ | | | 0 | 2 | 0 | Very hard white |
| Hard plate and g | rev | | | | | | | freestone 2 0 3 |
| beds | | 1 | 3 | 1 | | | | Blue metal 0 0 10 |
| | | | | | | | | Ft. In. |
| Freestone girdle Soft white clay | | 0 | 0 | 3 | | | | COAL, good 0 7 |
| Little Seam- | | • | • | _ | | | | Band 0 4 |
| COAL | | 0 | 0 | 2 | | | | COAL, good 2 3 |
| | • • • • | | | | | 4 | 2 | 0 3 2 |
| Blue metal | | 0 | 9 | | | - | ~ | 4 1 10 |
| Grev beds | ••• | ĭ | ĩ | 1 | | | | |
| droy beas | ••• | - | - | - | | | | |
| Carried forwa | · rd | 1 | 2 | 7 | -9 | 0 | 2 | Total 6 2 0 |
| Carried 101wa | u | 1 | J | • | 4 | U | 2 | 10ta1 0 2 0 |
| | | | | | | | | |

No. 2,601.—CORSENSIDE.

TOWNSHIP OF LISLESBURN, NORTHUMBERLAND.

Sheet 69 of Ordnance Map. Lat. 55° 9' 26", Long. 2° 6' 41".

Account of Strata passed through in a Bore-hole put down at Heppleheugh, in the Freestone Quarry on the East Side of the Road, October, 1885.

Approximate surface-level 900 feet above sea (Ordnance datum).

| Freestone | ••• | | | | ••• | 0 | 2 | 0 | FB. | Ft. | In. |
|-----------|-----|----|-----|-----|-----|---|---|---|-----|-----|-----|
| Grey beds | | | | | | 3 | 2 | 0 | | | |
| Plate | | | | | | 0 | 3 | 0 | | | |
| Grey beds | | | | | | 2 | 5 | 0 | | | |
| | | | | | | | | | 7 | 0 | 0 |
| | Tot | al | ••• | ••• | | | | | 7 | 0 | 0 |

No. 2,602.—CORSENSIDE.

TOWNSHIP OF LISLESBURN, NORTHUMBERLAND.

Sheet 69 of Ordnance Map. Lat. 55° 9′ 22″, Long. 2° 6′ 52″.

Account of Strata bored through at Heppleheugh.

Approximate surface-level 995 feet above sea (Ordnance datum).

| Clay | | | ••• | | | Fs. Ft. In. 0 5 0 | | | | |
|-----------|-----|-------|-----|-----|-----|--------------------------|---|---|---|--|
| Plate | ••• | | | | | 5 0 0 | | | | |
| Limestone | | ••• | | | ••• | | 5 | 0 | 0 | |
| | | Total | | ••• | ••• | | 5 | 5 | 0 | |

No. 2,603.—CORSENSIDE.

TOWNSHIP OF LISLESBURN, NORTHUMBERLAND.

Sheet 61 of Ordnance Map. Lat. 55° 9' 53", Long. 2° 8' 19".

Account of Strata passed through in No. 1 Bore-hole, High Shaw Fell, 180 yards South of Shepherd's House, September, 1883.

Approximate surface-level 720 feet above sea (Ordnance datum).

| Soil and clay | | ••• | ••• | Fs. Ft. Ir 2 0 0 | | | |
|---------------|-------|-----|---------|---------------------|----|---|---|
| | Total | ••• | ••• | | _2 | 0 | 0 |

Boring discontinued owing to strata being in a troubled state.

No. 2,604.—CORSENSIDE.

TOWNSHIP OF LISLESBURN, NORTHUMBERLAND.

Sheet 61 of Ordnance Map. Lat. 55° 9' 51", Long. 2° 8' 21".

Account of Strata passed through in No. 2 Bore-hole, High Shaw Fell.

Approximate surface-level 730 feet above sea (Ordnance datum).

| Clay | 0 | | 0 | Fs. 1 | | | Brought forward 2 2 0 0 Black stone 0 1 2 | Ft. 4 | In. 0 |
|-----------------|---|---|---|-------|---|---|---|----------|----------|
| Grey beds | | | | · | • | | White fire-clay 0 9 0 | | |
| Freestone | 0 | 2 | 0 | | | | Blue metal 0 6 0 | • | |
| Grey beds, with | | | | | | | Freestone 0 4 4 | | |
| trace of coal | 0 | 3 | 9 | | | | 5 | 4 | 6 |
| Freestone | | | | | | | | | |
| Carried forward | 2 | 2 | 0 | 0 | 4 | 0 | Total <u>. 6</u> | 2 | _6 |

No. 2,605.—CORSENSIDE.

TOWNSHIP OF LISLESBURN, NORTHUMBERLAND.

Sheet 69 of Ordnance Map. Lat. 55° 9′ 45″, Long. 2° 8′, 17″.

Account of Strata passed through in No. 3 Bore-hole, High Shaw Fell, 400 yards South of Shepherd's House, February, 1884.

Approximate surface-level 800 feet above sea (Ordnance datum).

| Soil and clay | Fв. 0 | | | | Ft. | In. | Fs. Ft. In. Fs. Ft. In. Brought forward 1 2 9 7 1 5 |
|---------------------|----------|----------|---|---|-----|-----|---|
| • | | | | 0 | 3 | 6 | COAL 0 0 3 |
| Freestone | 1 | 0 | 6 | | | | 1 3 0 |
| Grey beds | | | 6 | | | | Soft stone or grey |
| Freestone | 0 | 5 | 0 | | | | beds 1 5 6 |
| Plate or blue metal | 0 | 3 | 6 | | | | Post 0 5 4 |
| Grey beds | 0 | 2 | 8 | | | | Blue metal 0 2 1 |
| White post | 2 | 2 | 8 | | | | Post 0 3 4 |
| Grey beds | 0 | 1 | 0 | | | | Hard white post 2 0 9 |
| COAL | 0 | 0 | 1 | | | | Grey beds 1 0 7 |
| | | | | 6 | 3 | 11 | 6 5 7 |
| Blue metal | 1 | 2 | 9 | | | | |
| Carried forward | 1 | 2 | 9 | 7 | 1 | 5 | Total 15 4 0 |

No. 2,606.—CORSENSIDE.

TOWNSHIP OF LISLESBURN, NORTHUMBERLAND.

Sheet 61 of Ordnance Map. Lat. 55° 10' 50", Long. 2° 9' 10".

Account of Strata sunk through at Rede Bridge, near East Woodburn, Ridsdale.

Approximate surface-level 480 feet above sea (Ordnance datum).

| Shale, wi | | n limeston | e limestone ne bands | | | 0 | | 0 | Fs. | Ft. | In. |
|-----------|-----|------------|-------------------------|-----|-----|---|---|---|-----|-----|-----|
| COAL | ••• | | | ••• | ••• | | 1 | 6 | 2 | 3 | 0 |
| | | Total | | | | | | | 2 | 3 | 0 |

No. 2,607.—CORSENSIDE.

TOWNSHIP OF LISLESBURN, NORTHUMBERLAND.

Sheet 69 of Ordnauce Map. Lat. 55° 9' 441", Long. 2° 7' 3".

Account of Strata passed through in Shanks' Kiln Pit (near Awarded Quarry), 1847.

Approximate surface-level 820 feet above sea (Ordnance datum).

| Limestone | | | | Ft. In 2 1 | | Ft. In. | Fs. Ft. In. Fs. Ft. In. Brought forward 10 5 6 |
|-----------|--------|--------|----|---------------|---|---------|--|
| Freestone | | | 0 | 5 | 3 | | Ft. In. |
| Grey beds | | | | 3 | | | COAL, good 0 10 COAL, coarse 0 2 |
| Plate | | | 3 | 0 | 1 | | COAL, coarse 0 2 |
| Iron band | | | 0 | 0 | 4 | | Slaty band 0 5 |
| Plate | | | 5 | 0 | 0 | | COAL, good 0 4 |
| | | | | | | | 0 1 9 |
| | | | | | | | 11 1 3 |
| Carried | l forv | vard 1 | 10 | 5 | 6 | | Total 11 1 3 |

No. 2,608.—CORSENSIDE.

TOWNSHIP OF LISLESBURN, NORTHUMBERLAND.

Sheet 69 of Ordnance Map. Lat. 55° 9' 431", Long. 2° 7' 36".

Account of Strata sunk through at Stiddle Hill Pit, Ridsdale Mines, December, 1874.

Approximate surface-level 800 feet above sea (Ordnance datum).

| Soil, clay ar | ad gravel | | | | | Ft. | | Brought forward 8 1 4 6 0 2 |
|--|-----------|--------------------------------------|--------------------------------------|----------------------------|---|-----|---|--|
| Freestone COAL | | 3 0 | 4 0 | 2 | 3 | 2 | 0 | Blue metal 0 0 2 Blue metal 1 0 5 Freestone 1 5 0 |
| Blue metal Whin Freestone Blue metal Whin Freestone Blue metal Freestone | | 1 0 1 2 0 1 0 1 | 0 1 0 2 4 1 1 4 | 0 4 0 0 0 0 | | | | Blue metal 0 0 10 COAL 0 6 Band 0 8 COAL 1 11 |
| Carried | forward | 8 | 1 | 4 | 6 | υ | 2 | Total 17 5 0 |

No. 2,609.—COWPEN.

TOWNSHIP OF COWPEN, NORTHUMBERLAND.

Sheet 73 of Ordnance Map. Lat. 55° 7′ 10″, Long. 1° 31′ 48″.

Account of Strata sunk through in the Isabella Pit, Cowpen Colliery, between the Low Main and the Brockwell Seams.—Continuation of No. 590.

Approximate surface-level 45 feet above sea (Ordnance datum).

| Depth from surface Grey post | | Ft 2 | . In. Fi 114 | | . In. | Brought forward 3 3 4 142 4 7 COAL 0 0 5 |
|---|-----------------------|-----------------------|-----------------------|-----|-------|---|
| Whin girdle Grey metal Plessey Seam— COAL | ^ | 1 4 4 | 6 7 0 | i 0 | 5 | Seggar-clay |
| Seggar-clay Dark metal Post, open COAL | 0 1 1 0 | 0 0 4 0 | 9 4 0 10 | | | Blue metal, with post girdles 0 1 8 Black stone 0 0 2 Top Busty Seam— |
| Seggar-clay Grey metal Post Post, with whin | 0 1 0 | 2 0 3 | 3 0 0 | i 5 | 11 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| girdles Blue metal Black metal | 7 0 1 | $\frac{3}{2}$ | 2 0 0 | | | Black stone 0 0 6 Seggar-clay 0 3 6 |
| White seggar-clay COAL | 0 | 2 0 | 10 8 11 | . 2 | 11 | Grey metal 1 0 8 Post 2 5 2 COAL 0 0 7 |
| Seggar-clay Grey metal Grey post Grey metal Post | 0 0 1 3 0 | 2 3 0 0 3 | 9 0 9 2 4 | | | Seggar-clay 0 2 3 Black metal 0 2 11 Grey metal 0 2 7 Post girdles 0 0 6 |
| Blue metal Beaumont Seam— Ft. In. COAL 0 6 Splint 0 4 | 1 | 0 | 6 | | | Blue metal 0 1 2 Post girdles 0 1 8 Black metal 0 1 4 Bottom Busty Seam— COAL 0 2 0 |
| Splint 0 4 COAL 0 9 Band 0 2 COAL 1 6 | | | | | | Grey metal 0 2 0 2 2 5 COAL 0 0 2 |
| Sunk further in a | | 3 | 7 | 1 | 9 | Grey metal 0 2 9 Post girdles 0 0 7 |
| Staple near Shaf Seggar-clay Post girdles Grey metal COAL | 0 0 0 0 | 2 | 3 10 9 11 | | | Grey metal 0 3 6 Grey metal, with post girdles 0 3 11 COAL 0 0 1 |
| Seggar-clay Post Seggar-clay | 0 1 0 | 1 0 1 | 10 6 4 | . 2 | 9 | Black metal 0 0 8 Seggar-clay 1 0 1 Grey metal 0 2 11 Post girdles 1 3 0 |
| Grey metal Black stone Seggar-clay Post | 0 0 0 | 4 1 1 4 | 7 0 9 4 | | | Blue metal 0 4 7 COAL 0 1 3 4 0 6 Grey metal 0 1 3 |
| Carried forward | 3 | 3 | 4 14 | 2 4 | 7 | Carried forward 0 1 3 164 0 11 |

No. 2,609.—COWPEN.—CONTINUED.

| | | | | | Fs. | | | |
|---------------|---------|---|---|----|-----|---|----|-------------------------------|
| Brought i | forward | 0 | 1 | 3 | 164 | 0 | 11 | Brought forward 0 4 5 164 4 6 |
| Grey post . | | 0 | 0 | 7 | | | | Grey metal 0 1 7 |
| Grey metal . | | 0 | 0 | 6 | | | | Post 3 3 0 |
| Post | | 0 | 0 | 1 | | | | Blue metal 0 0 9 |
| Blue metal . | | 0 | 0 | 7 | | | | Post 0 3 1 |
| Grey post . | | 0 | 0 | 2 | | | | Blue metal 0 0 7 |
| COAL . | | 0 | | 5 | | | E | Post 2 2 4 |
| | | | | | 0 | 3 | 7 | Black stone 0 0 4 |
| Seggar-clay . | | 0 | 0 | 2 | | | | Brockwell Seam- |
| Blue metal . | | 0 | 0 | 11 | | | | COAL 0 2 0 |
| Grey metal . | | 0 | | | | | | 8 0 1 |
| Post girdles. | | 0 | | 1 | | | | |
| Carried | forward | 0 | 4 | 5 | 164 | 4 | 6 | Total 172 4 7 |

No. 2,610.—COWPEN.

TOWNSHIP OF NEWSHAM AND SOUTH BLYTH, NORTHUMBERLAND.

Sheet 73 of Ordnance Map. Lat. 55° 7' 22", Long. 1° 30' 13".

Account of Strata sunk and bored through in the Mill Pit, Blyth. Commenced January 26th, 1885.

Approximate surface-level 14 feet above sea (Ordnance datum).

| 0: 1: | Fs. | Ft. | In. | Fs. | Ft. | In. | Property former | Fs. | Ft. | In. | Fs. | Ft. | In. |
|-------------------------|-----|-----|-----|-----|-----|-----|--------------------------------------|-----|-----|-----|-----|-----|-----|
| Sinking:- | | ^ | 0 | | | | Brought forward | 8 | 1 | 11 | 3 | 5 | 1 |
| Soil | 0 | 0 | 6 | | | | Grey metal | Ô | 2 | Ü | | | |
| Yellow sandy clay | 0 | 2 | 4 | | | | COAL | U | 1 | | | _ | _ |
| Brown loamy clay | Ô | 1 | 4 | | | | () | _ | - | | 8 | 5 | 1 |
| Light sand | | 0 | 2 | | | | Grey metal and post | 0 | 2 | 0 | | | |
| Brown clay | 0 | 4 | 4 | | | | Post girdles, with | | | | | | |
| Brown clay, with | _ | _ | | | | | metal partings | 2 | 5 | 0 | | | |
| tumbling stones | 0 | 5 | 6 | _ | | | Grey metal | 0 | 3 | 8 | | | |
| | _ | | | 2 | 3 | 2 | Blue metal | 0 | 2 | 8 | | | |
| Black metal, with | | | | | | | Black stone | 1 | 3 | 2 | | | |
| ironstone girdles | 0 | 5 | 2 | | | | COAL | 0 | 1 | 3 | | | |
| Light blue metal | 0 | 1 | | | | | | | | | 5 | 5 | 9 |
| Black metal | | 0 | 3 | | | | Thill | 0 | 2 | 11 | | | |
| Ft. In. | | | | | | | Grey metal | 0 | 2 | 0 | | | |
| COAL, coarse, | | | | | | | Grey post | | 3 | 2 | | | |
| with danty | | | | | | | Strong bastard post | | | | | | |
| partings 1 9 | | | | | | | girdles | 0 | 0 | 10 | | | |
| COAL, splinty 0 9 | | | | | | | Mild post, with water | 1 | 4 | 4 | | | |
| | 0 | 2 | 6 | | | | Mild post, with coal | _ | _ | _ | | | |
| | | | | 1 | 2 | 11 | | 2 | 1 | 8 | | | |
| Light coloured thill | 0 | 5 | 0 | | | | Mild post, with part- | _ | - | _ | | | |
| Mild grey post | | 2 | | | | | ings | 4 | 3 | 6 | | | |
| Dark thill and metal | | _ | • | | | | Grey post | ñ | 0 | 6 | | | |
| mixed, very soft | 0 | 3 | 10 | | | | Mild white post | | ő | 0 | | | |
| Light coloured thill | | | 6 | | | | Post, with metal | 4 | U | U | | | |
| Mild light post | | | 10 | | | | halla | Ω | 4 | 6 | | | |
| Grey metal and post | | | 8 | | | | | | 5 | 4 | | | |
| Strong post and whin | ň | 5 | | | | | Light grey metal Dark metal, with | U | J | ** | | | |
| Mild post, with water | | 2 | 4 | | | | blook nowtings | 1 | 0 | | | | |
| | | ت | 4 | | | | black partings | | | 9 | | | |
| Mild post, very coarse, | | 0 | c | | | | Black stone | | 0 | 3 | | | |
| with water | | 2 | 6 | | | | Light thill | 0 | 2 | 4 | | | |
| Dark mild post | U | 4 | 3 | | | | Black stone | 0 | 0 | 2 | | | |
| Carried forward | 8 | 1 | 11 | 3 | 5 | 1 | Carried forward | 15 | 5 | 3 | 18 | 3 | 11 |

No. 2,610.—COWPEN.—Continued.

| | Fs. | Ft. | In. | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. I | n. |
|-------------------------|-----|--------|----------|-----|-----|-----|--------------------------------------|----|
| Brought forward | 15 | 5 | 3 | 18 | 3 | 11 | Brought forward 5 2 951 5 | 1 |
| Thill | | 0 | 5 | | | | Yard Seam— | |
| Black stone and coal | 0 | 0 | 3 | | | | COAL 0 2 10 | |
| | _ | 4 | 4 | | | | 5 5 | 7 |
| | U | -3 | -3 | | | | | ' |
| Dark thill and metal, | _ | | | | | | Seggar-clay 0 2 5 | |
| mixed | 0 | 4 | 10 | | | | Grey metal, mixed | |
| COAL | 0 | 0 | 4 | | | | with post 1 2 4 | |
| | | | | 17 | 3 | 5 | Mild white post. | |
| Dark 'thill, black | | | | | • | • | Mild white post, with rough part- | |
| | | | | | | | in me autin 1-11- | |
| stone and coal, | | | | | | | ings, whin balls | |
| mixed | | | 10 | | | | and water 7 1 0 | |
| Light thill | 0 | 0 | 11 | | | | Mild post, with coal | |
| Black stone, with | | | | | | | pipes 1 0 9 | |
| coal pipes | 0 | 4 | 0 | | | | Soft grey metal 0 2 0 | |
| | 0 | 1 | 4 | | | | Bensham Seam- | |
| COAL | U | - | -30 | 1 | 4 | 1 | | |
| T 1 1 4 43 133 | | - | _ | 1 | 4 | 1 | COAL 0 2 4 | _ |
| Light thill | 0 | 1 | 4 | | | | 10 4 1 | .0 |
| Dark thill, mixed | | | | | | | Thill stone, with iron | |
| with coal | 0 | -3 | 8 | | | | balls 1 0 1 | |
| Light thill | 0 | 3 | 7 | | | | Stone Coal Seam— | |
| Light grey metal, | - | _ | | | | | COAL 0 1 8 | |
| | 2 | 2 | 6 | | | | | 0 |
| with ironstone balls | | 21 | U | | | | | 9 |
| Dark grey metal, with | | _ | | | | | Thill stone, with iron- | |
| ironstone girdles | 1 | 0 | 4 | | | | stone balls 0 2 8 | |
| Black stone and coal | 0 | 0 | 8 | | | | Strong grev metal. | |
| Thill stone | 0 | 0 | 3 | | | | with ironstone | |
| Black stone and coal | | Õ | 4 | | | | balls 2 4 4 | |
| | | ŏ | 4 | | | | | |
| Thill stone | 0 | | | | | | Grey post, with metal | |
| Black stone and thill | 0 | 1 | 3 | | | | partings and whin | |
| Black stone | 0 | 0 | 8 | | | | balls 6 0 0 | |
| Strong grey post | 0 | 2 | 10 | | | | Black stone 0 0 11 | |
| Grey Seam— | | | | | | | Grey metal 0 0 7 | |
| COAL | Λ | 1 | 8 | | | | 101.11 4 | |
| COAL | U | - | O | G | 1 | = | | |
| T 1 11 111 | | | | 6 | 1 | 5 | COAL 013 | _ |
| Dark thill | 0 | T | 10 | | | | | 3 |
| Dark grey metal, with | | | | | | | Thill stone 0 1 1 | |
| ironstone | 1 | 1 | 2 | | | | Post girdles 0 0 5 | |
| Dark grey metal, with | | | | | | ٠ | Thill stone 0 1 9 | |
| | 1 | 5 | 0 | | | | | |
| post girdles | | | | | | | COAL 0 3 | |
| Light grey metal | 1 | 0 | 8 | | | | | |
| Light grey metal, with | | _ | | | | | Soft black band 0 2 | |
| post girdles | 1 | 2 | 4 | | | | COAL: 0 7 | |
| Dark grey metal | 1 | 0 | 2 | | | | <u> </u> | |
| Black stone, with iron- | | | | | | | | 3 |
| | | 3 | 3 | | | | Strong thill 0 1 0 | |
| | _ | | | | | | | |
| Ironstone girdles | 0 | 0 | 6 | | | | Post girdles, with | |
| Dark metal | 0 | 1 | 0 | | | | metal partings 0 4 10 | |
| COAL | 0 | 0 | 4 | | | | Grey metal, with iron- | |
| | | | | 7 | 4 | 3 | stone 1 0 4 | |
| Thill | 0 | 2 | 10 | • | | | Mussel bed 0 0 6 | |
| | • | ~ | 10 | | | | Grey metal, with iron- | |
| Strong ironstone and | • | 4 | n | | | | | |
| grey metal | | 4 | 2 | | | | stone girdles 0 4 2 | |
| Blue metal | 0 | 2 | 0 | | | | Bastard post girdles 0 0 7 | |
| Light grey post | 1 | 4 | 0 | | | | Grey metal, with iron- | |
| Dark grey post | 0 | 1 | 3 | | | | stone 0 5 10 | |
| | - | _ | - | | | | COAL 0 0 10 | |
| Light post, with | 1 | Λ | 2 | | | | | n |
| parting | 1 | 0 | | | | | | 9 |
| | 0 | 3 | 0 | | | | Thill stone 0 1 10 | |
| Grey post girdles | 0 | 2 | 4 | | | 1 | Grey metal, with post | |
| Blue metal | 0 | 1 | 0 | | | | girdles 2 3 4 | |
| - | | | | | | | | - |
| Carried forward | 5 | 2 | 9 | 51 | 5 | 1 | Carried forward 2 5 284 2 | 6 |
| | | | | | | , | | |

No. 2,610.—COWPEN.—CONTINUED.

| Brought forward Grey post Light grey metal | 2 3 0 | Ft. 5 5 2 0 | In. 2 6 2 5 | | | In. 6 | Brot. forward 2 0 5 1 10 94 3 COAL, good 1 6 0 3 6 5 | |
|--|-------------|-------------|-------------------------|----|---|----------|--|-----|
| Black stone Low Main Seam— | U | U | J | | | | | |
| COAL, grey 0 2 | | | | | | | Bored further:— | 2 4 |
| COAL, good 4 8 | | | | | | | Coal and metal 0 1 2 | |
| - COA2, 6000 1 0 | 0 | 4 | 10 | | | | Metal and coal 0 0 5 | |
| _ | _ | | | 8 | 0 | 1 | | |
| Stone | 0. | 0 | 2 | | | | | 3 |
| | Ō | 0 | 5 | | | | Grey metal stone 1 0 6 | |
| - | _ | | _ | 0 | 0 | 7 | Grey post 0 4 0 | |
| Coal and stone, mixed | 0 | 1 | 1 | | | | Dark metal 0 1 6 | |
| Thill stone, mixed | | | | | | | COAL 0 0 9 | |
| | C | 2 | 0 | | | | |) ! |
| Dark grey metal, | | | | | | | Grey metal stone 2 2 9 | |
| mixed with post | 1 | 2 | 8 | | | | White post, with | |
| COAL | | 0 | 1 | | | | water 4 1 0 | |
| _ | | | | 1 | 5 | 10 | Whin 0 0 6 | |
| Thill | 0 | 3 | 6 | | | | Grey post 1 4 6 | |
| | 0 | 2 | 6 | | | | Dark metal 1 2 0 | |
| Strong post girdles | 0 | 2 | 3 | | | | Black metal 0 3 0 | |
| Dark grey metal | 1 | 2 | 0 | | | | Grey post 0 3 0 | |
| Light grey metal | 1 | 0 | 8 | | | | Grey metal stone 1 5 6 | |
| Black stone | 0 | 3 | 4 | | | | COAL 0 0 6 | |
| Light grey metal | 0 | 3 | 8 | | | | 12 | 1 5 |
| Dark grey metal and | | | | | | | Grey metal stone 2 5 0 | |
| black stone, with | | | | | | | Grey metal 0 2 0 | |
| ironstone | 0 | 1 | 11 | | | | Grey metal, scared | |
| Plessey Seam- | | | | | | | with coal 0 1 6 | |
| Ft. In. | | | | | | | Grey post, with metal | |
| COAL, good 0 5 | | | | | | | partings 1 3 0 | |
| COAL, with | | | | | | | Dark metal 0 1 0 | |
| grey coal | | | | | | | Beaumont Seam- | |
| bands 1 1½ | | | | | • | | COAL 0 3 3 | |
| Band, coarse | | | | | | | 5 | 3 |
| coal and | | | | | | | | |
| stone 0 5½ | | | | | | | | |
| | _ | _ | | _ | _ | - | | _ |
| Car. forward 2 0 | 5 | 1 | 10 | 94 | 3 | 0 | Total 121 | 2 8 |

No. 2,611.—COWPON MARSH.

TOWNSHIP OF BILLINGHAM, DURHAM.

Sheet 51 of Ordnanee Map. Lat. 54° 36′ 24″, Long. 1° 12′ 39″.

Account of Strata passed through in No. 1 Diamond Bore-hole put down on Cowpon Marsh by Mr. John Vivian for the Newcastle Chemical Works Company, Limited, 1885.

Approximate surface-level 10 feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. In. Blue clay 0 4 0 | Brought forward 7 2 4 Sand and gravel 1 1 0 Rough sand 1 0 0 Clay 0 0 6 |
|---|---|
| Carried forward 7 2 4 | Carried forward 9 3 10 |

No. 2,611.—COWPON MARSH.—CONTINUED.

| Fs. Ft. In. Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|--------------------------------|---|
| Brought forward 9 3 10 | Brought forward 113 0 0 14 3 0 |
| Gravel 0 0 8 | Red sandstone 1 3 0 |
| Red pinnel* 0 3 0 | Marly sandstone 1 1 0 |
| Brown elay and | 115 4 0 |
| eobbles \dots 2 3 6 | Lower Gypseous Marls: |
| Brown pinnel and | Marly sandstone, with |
| cobbles 1 2 0 | veins of gypsum 3 2 0 |
| Hard bound gravel 0 2 0 | Marly sandstone 2 4 0 Red marl 3 5 0 |
| 14 3 0 | |
| Red Sandstones and | Red marly sandstone 7 4 0 |
| Marls: | Red marl, with veins |
| Soft red sandstone 1 0 0 | of gypsum 1 4 0 |
| Red sandstone 0 1 4 | $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| Soft red sandstone 6 4 9 | Marly sandstone, with |
| Red sandstone 37 1 3 | veins of gypsum 1 5 0 |
| Soft marl 0 0 8 | Red marl, with veins |
| Red sandstone 5 0 0 | of gypsum 22 2 0 |
| Red sandstone, with | 46 3 0 |
| marl beds 4 3 4 | Saliferous Beds: |
| Red sandstone 34 3 11 | Anhydrite 1 3 0 |
| Red marl 0 3 9 | Red marl, containing |
| Red marl, with grey | a little salt 3 1 6 |
| stripes 3 0 1 | Red marl 0 2 6 |
| Red sandstone 2 1 0 | Rock salt 16 0 0 |
| | 210021 0000 111 |
| | $egin{array}{cccccccccccccccccccccccccccccccccccc$ |
| | White stone 0 3 9 |
| | 11 242 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 |
| | Anhydrite 0 2 6 25 4 0 |
| Red sandstone, broken 3 2 6 | 25 4 0 |
| Red marl 2 3 0 | |
| C 1 1 4 1 1 1 0 0 0 1 1 0 0 | Total 202 2 0 |
| Carried forward 113 0 0 14 3 0 | Total 202 2 0 |
| | , |

^{*} Pinnel is coarse clayey gravel.

No. 2,612.—COWPON MARSH.

TOWNSHIP OF BILLINGHAM, DURHAM.

Sheet 51 of Ordnance Map. Lat. 54° 36′ 26″, Long. 1° 12′ 45″.

Account of Strata passed through in No. 2 Diamond Bore-hole put down on Cowpon Marsh by Mr. John Vivian for the Newcastle Chemical Works Company, Limited, 1885.

Approximate surface-level 12 feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. I | n. Fs. Ft. In. Fs. Ft. In. |
|-------------------------------|-------------------------------|
| Brown soil 0 1 0 | Brought forward 11 2 0 |
| Blue clay 0 1 6 | Sandy pinnel 0 2 0 |
| Sand 0 2 6 | Gravelly pinnel and |
| Blue clay 0 4 0 | cobbles 1 1 9 |
| Blue sandy clay 5 5 0 | 12 5 9 |
| Sand 1 4 0 | Red Sandstones and |
| Bound gravel 0 2 0 | Marls: |
| Sand and gravel 0 4 0 | Grey sandstone 0 2 2 |
| Brown elay and | Red sandstone 66 4 1 |
| eobbles 0 5 0 | Red sandstone, with |
| Pinnel and large | marl beds 2 5 0 |
| pinnel cobbles* \dots 0 3 0 | Red marl 0 2 0 |
| | |
| Carried forward 11 2 0 | Carried forward 70 1 3 12 5 9 |

No. 2,612.—COWPON MARSH.—CONTINUED.

| Fs. Ft. In. Fs. Ft. In | |
|--|-----------------------|
| Dioughe to the distance of the | |
| Red sandstone 11 4 0 | Lower Gypseous Marls: |
| Red sandstone 1 5 0 | Red sandy marl, with |
| Red marl 0 5 0 | veins of gypsum 1 5 0 |
| Red sandstone 4 3 0 | Red sandy marl 1 3 0 |
| Red marl 4 4 0 | Red marl, with veins |
| Red sandstone 2 4 0 | of gypsum 7 0 4 |
| Red sandstone, with | Red marl 2 1 8 |
| marl beds 1 3 0 | Red marl, with veins |
| Red sandstone 0 3 0 | of gypsum 2 3 0 |
| Broken red marl 0 5 0 | Red marl 0 3 0 |
| Broken red sand- | Red marl, with veins |
| stone 0 5 0 | of gypsum 19 2 0 |
| Red sandstone 2 0 0 | Red marl 2 1 0 |
| Broken red marl 1 4 0 | 37 1 0 |
| Broken red sand- | Saliferous Beds: |
| stone 2 2 0 | Anhydrite 1 3 0 |
| Broken red marl 1 2 6 | Dark marl 2 4 2 |
| Red marl 1 1 0 | Red marl, containing |
| Red sandstone 3 4 0 | salt 1 0 4 |
| Red marl 1 0 6 | Rock salt 19 1 4 |
| Red sandstone 0 3 0 | White stone 1 1 11 |
| Red marly sandstone 2 5 0 | Anhydrite 0 1 3 |
| Red marl 4 4 0 | 26 0 0 |
| Red sandy marl 4 3 0 | 20 0 0 |
| —————————————————————————————————————— | 3 |
| | |
| Carried forward 138 5 | 0 Total 202 0 0 |
| * D' | 1 |
| * Pinnel is coa | irse clayey gravel. |

No. 2,613.—COWPON MARSH. TOWNSHIP OF BILLINGHAM, DURHAM.

Sheet 51 of Ordnance Map. Lat. 54° 36′ 25″, Long. 1° 12′ 50″.

Account of Strata passed through in No. 3 Diamond Bore-hole put down on Cowpon Marsh by Mr. John Vivian for the Newcastle Chemical Works Company, Limited, 1885.

Approximate surface-level 12 feet above sea (Ordnance datum).

| | | | In. Fs. | Ft. | In. | Fs. Ft. In. Fs Ft. In. |
|----------------------|----|---|---------|-----|-----|--------------------------------|
| Soil | | 1 | | | | Brought forward 10 3 0 12 3 0 |
| Blue clay | 0 | 1 | 6 | | | Grey sandstone 0 4 6 |
| Sand | 0 | 2 | 6 | | | Red sandstone 24 4 6 |
| Blue clay | | 2 | 0 | | | Broken red marl 0 3 0 |
| Sand | | | 0 | | | Red sandstone 33 3 0 |
| Sand and gravel | | 4 | Õ | | | Red marl 0 4 0 |
| Brown sandy pinnel, | • | • | • | | | D 1 |
| with pinnel cobbles* | Λ | 1 | 0 | | | 7. 7 |
| | | ī | | | | 111 0 0 |
| Red clay and cobbles | U | 5 | U | | | Red sandstone 7 1 0 |
| Brown sandy clay, | | | | | | Red marl 0 3 0 |
| with cobbles | 2 | 0 | 0 | | | Red sandstone 0 5 0 |
| Red sandy pinnel | | 1 | 0 | | | Red marl 0 4 0 |
| | | | 12 | 3 | 0 | Red sandstone 5 1 6 |
| Red Sandstones and | | | ~- | ., | • | D 1 |
| | | | | | | |
| Marls: | | | | | | Red sandstone, very |
| Soft red sandstone | 0 | 3 | 6 | | | much broken 9 4 6 |
| Red sandstone | 9 | 5 | 6 | | | Red sandstone 3 0 6 |
| - | | | | | | |
| Carried forward | 10 | 3 | 0 12 | 3 | 0 | Carried forward 106 0 6 12 3 0 |

No. 2,613.—COWPON MARSH.—Continued.

| | | · · | | |
|------------------------------|-------|------------------------------|-------|-----|
| Fs. Ft. In. Fs. Ft. | | | | |
| Brought forward 106 0 6 12 3 | 0 | Brought forward | 176 | 2 (|
| Red marl 2 1 0 | | Saliferous Beds: | | |
| Red sandstone 3 5 6 | | Anhydrite 1 3 | 9 | |
| Red marl 1 3 0 | | Broken red marl, | | |
| Red sandstone 2 0 0 | - 1 | very salty 1 2 | 0 | |
| Red marl 4 0 0 | | Red marl, containing | ŭ | |
| Marly sandstone 3 2 0 | | | 0 | |
| | - 1 | salt 2 1 | 9 | |
| | _ | Rock salt 16 5 | 6 | |
| | 0 | Rock salt 16 5 Gypsum 0 1 | 6 | |
| | | Anhydrite 0 1 | 0 | |
| Lower Gypseous $Marls$: | - 1 | Gypsum, containing | | |
| Red marl, with veins | | salt 1 3 | 6 | |
| of gypsum 37 4 0 | | Anhydrite 0 2 | | |
| | | Annyarite 0 2 | | |
| 37 4 | 0 | | _ 24 | 3 (|
| | | | | |
| Carried forward 176 2 | 0 | Total | . 200 | 5 (|
| | | | | |
| * Pinnol is a | 00 10 | former words on | | |

* Pinnel is coarse clayey gravel.

No. 2,614.—COWPON MARSH.

TOWNSHIP OF BILLINGHAM, DURHAM.

Sheet 51 of Ordnance Map. Lat. 54° 36′ 23″, Long. 1° 12′ 45″.

Account of Strata passed through in No. 4 Diamond Bore-hole put down on Cowpon Marsh by Mr. John Vivian for the Newcastle Chemical Works Company, Limited, 1885.

Approximate surface-level 12 feet above sea (Ordnance datum).

| | | - | | | |
|---------------------|------|------|---------------|--------|--------------------------------|
| Soil | | Ft. | In. Fs. | Ft. In | |
| | 0 | _ | 0 | | Brought forward 83 5 10 13 0 8 |
| Brown sandy clay | 0 | 1 | 6 | | Red marly sandstone 0 1 6 |
| Sand | 0 | 2 | 9 | | Red marl 0 4 0 |
| Blue clay | | 0 | 9 | | Red sandstone 3 4 6 |
| Brown clay | 0 | 4 | 0 | | Red marly sandstone 0 2 0 |
| Sand | 1 | 3 | 2 | | Red sandstone 1 3 0 |
| Sand and gravel | 0 | 0 | 4 | | Red marly sandstone 1 4 6 |
| Brown pinnel* | 3 | 0 | 6 | | Red marl 0 1 6 |
| Brown pinnel, with | | | | | Red marly sandstone 6 2 0 |
| cobbles | 1 | 4 | 8 | | Marl 0 3 0 |
| | _ | | 13 | 0 | 8 Red sandstone 3 0 0 |
| Red Sandstones and | | | | • | Red marly sandstone 1 0 6 |
| Marls: | | | | | Red sandy marl 1 1 10 |
| Soft red sandstone | 1 | 2 | 4 | | Red sandstone 1 1 0 |
| Red sandstone | 8 | 2 | 0 | | Red marl 1 0 0 |
| | 0 | 4 | 0 | | Red sandstone, with |
| Grey sandstone | | | | | |
| Red sandstone | | 1 | 0 | | 20 1 1 |
| Red sandstone | | 1 | 6 | | Red marl 1 1 0 |
| Red marl | 0 | 1 | 0 | | Red sandstone and |
| Red sandstone | 1 | 2 | 3 | | marl 3 3 6 |
| Red sandstone, with | | | | | Red sandy marl 5 2 6 |
| beds of marl | 3 | 3 | 9 | | Red marl 5 0 0 |
| Red marly sandstone | 0 | 3 | 6 | | 126 5 10 |
| Red sandstone | 4 | 3 | 0 | | Lower Gypseous Marls: |
| Red marly sandstone | 4 | 1 | 0 | | Red marl, with veins |
| Red sandstone | | 4 | 6 | | of gypsum 10 1 6 |
| nea sanastone | - AF | æ | | | 51 BJ P5444 |
| Carried forward | 83 | .5 | 10 1 3 | 0 8 | Carried forward 10 1 6 140 0 6 |

No. 2,614.—COWPON MARSH.—CONTINUED.

| | | | 1. Fs. | | | Fs. Ft. In. Fs. Ft. 1 | |
|----------------------|-----|-----|--------|---|---|----------------------------|---|
| Brought forward 10 |) : | 1 6 | 3 140 | 0 | 6 | Brought forward 0 0 6176 5 | 0 |
| Red marl | 3 | 0 | 8 | | | Hard white stone 1 2 6 | |
| Red marl " | 7 | 4 ' | 7 | | | Broken red marl, | |
| Red marl ? | 3 | 0 : | 3 | | | containing salt 1 0 4 | |
| Red marl, with veins | | | | | | Red marl, containing | |
| | 2 | 3 (| n | | | salt 2 0 6 | |
| of gypsum Red marl | 1 | 3 | ň | | | Decayed brown marl 0 1 0 | |
| Red marl, with ver- | - | | • | | | Decayed brown marl | |
| tical joints of gyp- | | | | | | and rock salt 2 0 2 | |
| sum, } in. thick | ١. | 1 | 9 | | | Rock salt 15 0 6 | |
| Ded man | , . | - | 9 | | | | |
| Red marl | ٠. | 0 | 0 | | | Gypsum and salt 0 5 6 | |
| Red marl, with veins | | | _ | | | Gypsum and salt 0 4 0 | |
| of gypsum | z . | 3 (| U | | | Gypsum and salt 1 1 0 | |
| Red marl, with gyp- | _ | | | | | Gypsum, containing | |
| sum | 2 | 3 (| 0 | | | a little salt 0 3 0 | |
| _ | | | - 36 | 4 | 6 | Anhydrite 0 2 0 | |
| Saliferous Beds: | | | | | | | 0 |
| White stone | 0 | 0 | 6 | | | | |
| | - | | | | _ | | _ |
| Carried forward 0 |) (| 0 6 | 3176 | 5 | 0 | Total 202 2 | 0 |

^{*} Pinnel is coarse clayey gravel.

No. 2,615.—COXHOE.

TOWNSHIP OF COXHOE, DURHAM.

Sheet 35 of Ordnance Map. Lat. 54° 43' 25", Long. 1° 29' 22".

Account of Strata sunk through in the Bore-hole Pit, Coxhoe Colliery, in Mr. Isaac Hopper's Grounds, 1827-1830.—Continuation of No. 603.

Approximate surface-level 470 feet above sea (Ordnance datum).

| Depth from surface | Fs. | Ft. | In. | Fa. 78 | Ft. | In. 8 | Brought forward 2 0 4 82 3 | in. |
|----------------------|-----|-----|-----|-----------|-----|----------|---|-----|
| White post | 0 | 3 | 3 | | | | COAL 0 0 3 | J |
| Whin and post girdle | 0 | 1 | 0 | | | | 2 0 | 7 |
| Strong white post | 0 | 3 | 0 | | | | Strong grey metal, | • |
| Grey metal, with | • | | • | | | | with girdles 0 4 7 | |
| girdles | 9 | Λ | G | | | | White next with | |
| Whin | | | 9 | | | | White post, with | |
| Grey metal, with | U | U | 3 | | | | grates 0 0 6 | |
| | • | 0 | | | | | girdles 0 0 6 Grey metal 0 1 6 COAL 0 0 2 | |
| hard girdles | U | 2 | 3 | | | | COAL 0 0 2 | |
| Supposed Harvey | | | | | | | 1 0 | 9 |
| . Seam— | | | | | | | Strong grey metal 2 5 6 | |
| Ft. In. | | | | | | | Whin and grey post 0 1 1 | |
| COAL, good 1 9 | | | | | | | Strong metal, with | |
| COAL, foul 0 3 | | | | | | | girdles 1 1 0 | |
| | 0 | 2 | 0 | | | | Whin and white | |
| | | | | 4 | 0 | 9 | girdles 2 1 10 | |
| 04 | _ | _ | _ | .4 | U | 9 | Strong white post 1 3 11 | |
| Strong grey post | 1 | 2 | 4 | | | | Whin into | |
| Grey metal | 0 | 4 | 0 | | | | Whin, into 0 0 3 | _ |
| _ | | | | | | | 8 1 | 7 |
| Carried forward | 2 | 0 | 4 | 82 | 3 | 5 | Total 94 0 | _ |
| | | | | | • | • | 10tar 54 U | |

No. 2,616.—COXHOE.

TOWNSHIP OF COXHOE, DURHAM.

| Sheet | \mathbf{of} | Ordnance | Map. | Lat. | , Long. |
|-------|---------------|----------|------|------|---------|
|-------|---------------|----------|------|------|---------|

Account of Strata passed through in a Bore-hole in the Elizabeth Pit from the Main Coal Seam.

Approximate surface-level feet above sea (Ordnance datum). Fs. Ft. In. Fs. Ft. In. Brought forward 2 1 0 35 2 10 Grey metal ... 3 3 6 2 0 White post, with 5 White post ... Strong grey metal... 3 3 0 metal partings ... COAL, coarse, with black stone ... Supposed Hutton 3 0 Seam-- 13 0 1 Ft. In. 2 1 COAL Grey metal, with iron balls 1 0 Stone 0 10 White post, COAL 0 11 with water 0 3 10 Strong grey stone ... -10 1 10 1 5 0 Supposed Low Main Strong post. with Seamlarge metal part-COAL, good ings ... 14 6 2 COAL, bad 1 6 0 1 2 - 14 2 2 Seggar-clay ... 3 Strong grey metal, with post girdles 9 Seggar-clay ... 6 2 Strong white post, 1 with coal pipes ... 10 Supposed Brass Thill Seam-Black stone ... Supposed Harvey COAL Seam-0 10 ... 0 3 8 COAL Stone 0 11 - 11 COAL 0 2 11 Black stone, inclining 1 3 to splint ... 10 0 0 10 Grey metal ... 1 ... 72 8 Carried forward 2 1 0 35 Total ...

No. 2,617.—COXHOE.

TOWNSHIP OF COXHOE, DURHAM.

Sheet 35 of Ordnance Map. Lat. , Long.

Account of Strata passed through in a Bore-hole in the Coxhoe Pit from the Main Coal Seam.

Approximate surface-level feet above sea (Ordnance datum).

| Metal pipe Fs. Ft. In. Fs. Ft. In. 2 1 6 | Fs. Ft. In. Fs. Ft. In. Brought forward 25 2 6 |
|--|--|
| Grey metal stone, | White post, mixed |
| with post girdles 15 3 0 | with whin 3 2 0 |
| White post 6 1 0 | Low Main Seam— |
| Metal 0 2 0 | COAL, strong 0 2 1 |
| White post 0 3 0 | 29 0 7 |
| Grev metal stone. | Grey metal 0 4 0 |
| with post girdles 0 4 0 | Grey metal 0 4 0 White post 0 5 6 |
| | |
| Carried forward 25 2 6 | Carried forward 1 3 629 0 7 |

No. 2,617.—COXHOE.—CONTINUED.

| Brought forward 1 3 6 29 0 7 Grey metal stone 4 4 6 6 6 6 6 6 6 6 | | Fs. | Ft. | In. | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
|--|---------------------|-----|-----|-----|------------|--------|-----|-----------------------------|
| COAL 0 0 6 2 6 5 6 6 5 6 5 6 5 6 5 6 7 <td></td> <td></td> <td>3</td> <td>6</td> <td>29</td> <td>0</td> <td>7</td> <td>Brought forward 0 2 051 0 2</td> | | | 3 | 6 | 29 | 0 | 7 | Brought forward 0 2 051 0 2 |
| Grey metal | | 4 | 4 | 6 | | | | Grey metal, with whin |
| Grey metal 2 4 0 6 COAL 0 0 6 COAL 0 0 6 COAL 0 0 8 COAL 0 0 8 COAL 0 0 0 0 8 6 5 6 6 6 6 6 6 6 6 6 5 6 6 5 6 5 6 5 6 6 5 6 6 5 6 5 6 5 6 5 6 5 6 5 6 5 6 5 6 6 5 6 5 6 6 5 6 6 6 6 5 6 6 6 7 6 5 6 6 6 7 8 8 8 8 8 8 8 8 9 8 | COAL | 0 | 0 | 6 | | | | |
| COAL | | | | | 6 | 2 | 6 | White post 4 3 4 |
| Grey metal 0 0 6 5 Grey metal 0 2 1 6 5 Grey metal 0 2 1 6 5 Dark metal, scared with coal 0 2 6 6 5 Grey metal, withironstone girdles 1 5 0 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 7 6 5 6 6 7 6 5 6 6 6 6 6 6 6 6 7 7 7 7 7 7 7 8 7 7 8 8 8 8 9 8 9 9 9 6 9 9 9 6 6 9 9 9 6 6 9 9 9 6 | Grey metal | 2 | 4 | 0 | | | | Grey metal 0 0 6 |
| Grey metal 0 2 1 1 1 0 Grey metal 0 0 0 1 Grey metal stone 1 1 10 Whin 0 3 8 White post, mixed with whin 1 0 0 Grey metal, with ironstone girdles 1 5 0 Grey metal, with post girdles 0 2 5 Grey metal, with post girdles 4 1 7 Grey metal stone 0 5 10 Grey metal, with post girdles 4 1 7 Grey metal stone 0 5 6 Grey metal stone 0 1 6 Grey metal stone 0 2 6 Grey metal stone 0 1 6 Grey metal stone 0 3 8 Grey metal 0 3 8 Grey metal 0 3 0 Grey metal 0 3 3 6 Grey metal 0 3 3 6 Grey metal 0 3 0 3 0 | Black metal | 0 | 0 | 6 | | | | COAL 0 0 8 |
| Grey metal 0 2 1 Ironstone 0 0 7 Dark metal, scared with coal 0 2 6 Grey metal, with ironstone girdles 1 5 0 White post, mixed with whin 1 0 0 3 8 White and grey post 1 0 0 6 | COAL | 0 | 0 | 6 | | | | 656 |
| Grey metal 0 0 2 1 Ironstone 0 0 0 7 Dark metal, scared with coal 0 2 6 Grey metal, withironstone girdles 1 5 0 White and grey post 1 0 0 5 Grey metal 0 0 5 0 Grey metal, with post girdles 0 0 0 6 Grey metal, with post girdles 0 0 6 6 Grey metal stone, with post girdles 0 0 5 6 Grey metal stone, with post girdles 0 0 5 6 Grey metal stone, with post girdles 0 0 5 6 Grey metal stone, with post girdles 0 0 2 6 Grey metal stone, with post girdles 0 0 2 6 Grey metal stone, with post girdles 0 0 2 6 Grey metal stone, with post girdles 0 0 2 6 Grey metal stone, with post 0 0 2 6 Grey metal stone, with post 0 0 2 <td< td=""><td></td><td></td><td></td><td></td><td>2</td><td>5</td><td>0</td><td>Grev metal 0 0 1</td></td<> | | | | | 2 | 5 | 0 | Grev metal 0 0 1 |
| Grey metal stone 1 1 10 10 10 10 10 10 | Grev metal | 0 | 2 | 1 | | | - | |
| Dark metal, scared with coal | T 1 | | | | | | | |
| with coal 0 2 6 Grey metal, withironstone girdles 1 5 0 White and grey post 1 0 0 Grey metal 0 5 10 Goal 0 2 5 Grey metal, with post girdles 0 0 6 Grey metal, with post girdles 0 5 6 Grey metal with post girdles 0 5 6 Grey metal stone 0 1 | | • | _ | • | | | | |
| Grey metal, with ironstone girdles 1 5 0 White and grey post 1 0 0 Grey metal, with ironstone girdles 2 0 6 Grey metal, with post girdles 0 2 5 0 5 6 7 9 8 | | 0 | 2 | 6 | | | | |
| Stone girdles | | | _ | • | | | | |
| White and grey post 1 0 0 0 6 Whin 0 0 0 6 COAL 0 2 5 0 5 0 5 6 6 Whin 0 0 0 0 6 0 | | | 5 | 0 | | | | |
| Grey metal 0 5 10 GOAL 0 2 5 0 5 Grey metal, with post girdles 3 2 0 Black metal 0 5 6 Grey metal stone, with post girdles 1 0 0 Whin 0 1 6 Grey metal 0 1 6 7 6 6 7 9 9 8 6 6 6 6 6 7 9 9 8 6 6 6 7 9 9 9 8 6 6 6 6 9 9 9 9 9 8 <td< td=""><td></td><td></td><td></td><td>_</td><td></td><td></td><td></td><td></td></td<> | | | | _ | | | | |
| COAL 0 2 5 0 5 6 Grey metal, with post girdles 3 2 0 Black metal 3 2 0 Black metal 0 5 6 Grey metal stone. with post girdles 0 5 6 Grey metal stone. with post girdles 1 0 0 0 1 6 Grey metal stone. 0 1 6 Grey metal stone. 0 2 6 Grey metal stone 0 1 6 6 Grey metal stone. 0 2 6 Grey metal stone 0 1 6 <td< td=""><td></td><td>ñ</td><td></td><td></td><td></td><td></td><td></td><td></td></td<> | | ñ | | | | | | |
| Grey metal, with post girdles 3 2 0 Black metal 0 5 6 Grey metal stone, with post girdles 1 0 0 Whin 0 1 6 Grey metal stone, with post girdles 1 0 0 Whin 0 1 6 Grey metal stone, with post girdles 2 5 6 Grey metal stone with ironstone girdles 2 5 6 White post 0 1 6 Grey metal stone 0 1 6 Grey metal stone 0 3 8 COAL 0 3 8 Grey metal 0 3 0 | | | | | | | | Grammatal mith next |
| Grey metal, with post girdles 4 1 7 COAL, with water 2 8 COAL, coarse 0 2 | OOAL | U | | J | = | Λ | = | mindles 2 2 0 |
| girdles 4 1 Grey metal stone, with post girdles 1 0 0 0 0 1 6 6 6 6 6 7 6 7 8 7 8 8 8 9 | Commental with most | | | | Э | U | Э | |
| Ft. In. COAL, with water 2 8 COAL, coarse 0 2 | | | -1 | - | | | | |
| COAL, with water 2 8 Whin 0 1 6 COAL, coarse 0 2 O 2 10 | | 4 | T | 1 | | | | |
| Water 2 8 COAL, coarse 0 2 — 0 2 10 Grey metal stone, with ironstone girdles 2 5 ironstone girdles 2 5 6 Grey metal stone, with ironstone girdles 2 5 6 Grey metal stone 0 1 6 Grey metal stone 0 3 4 COAL 0 3 8 Grey metal stone 0 3 8 Grey metal stone 0 3 3 Grey metal stone <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>with post girdles 1 0 0</td> | | | | | | | | with post girdles 1 0 0 |
| COAL, coarse 0 2 — 0 2 Grey metal stone 0 2 Grey metal stone girdles 2 5 Grey metal stone 0 1 Grey metal stone 0 3 Grey m | | | | | | | | |
| Grey metal stone 0 2 10 Orey metal stone 0 1 0 COAL 0 0 3 Grey metal stone 0 1 0 Grey metal stone 0 3 4 COAL 0 0 3 Grey metal stone 0 3 8 Grey metal 0 3 0 | | | | | | | | orej metal ili o = o |
| Grey metal stone 2 4 0 White post 0 1 6 Grey metal stone 0 1 0 Grey metal stone 0 3 4 COAL 0 0 3 8 Grey metal 0 0 3 0 Grey metal 0 3 0 | COAL, coarse 0 2 | _ | ~ | | | | | |
| Grey metal stone 2 4 0 Dark metal 0 1 0 COAL 0 3 8 COAL 0 3 8 Grey metal 0 3 0 | | 0 | 2 | 10 | | | | ironstone girdles 2 5 6 |
| Dark metal 0 1 0 COAL 0 3 8 COAL 0 3 3 6 3 6 15 4 | | | | | 4 | 4 | 5 | White post 0 1 6 |
| GOAL 0 0 3 2 5 3 Grey metal 0 3 0 | | 2 | 4 | 0 | | | | Grey metal stone 0 3 4 |
| 2 5 3 Grey metal 0 3 0 | Dark metal | 0 | 1 | 0 | | | | COAL 0 3 8 |
| ore, metal in the o | COAL | 0 | 0 | - 3 | | | | 15 4 1 |
| | | | | | 2 | 5 | 3 | Grev metal 0 3 0 |
| | Grey metal | 0 | 2 | 0 | | | | |
| Consid forward 0 2 051 0 2 | Commind formers | | 6 | _ | <i>E</i> 1 | | | W-4-1 74 0 0 |
| Carried forward 0 2 0 51 0 2 Total 74 0 | Carried forward | U | 2 | U | ĐΙ | υ | - 2 | Total 74 U 9 |

No. 2,618.—COXHOE.

TOWNSHIP OF COXHOE, DURHAM.

Sheet 35 of Ordnance Map. Lat. 54° 43′ 32″, Long. 1° 29′ 50″.

Account of Strata bored through in the West Way at Coxhoe Colliery, below the Harvey Seam, by Messes. William Coulson and Son, December, 1876.

Approximate surface-level 395 feet above sea (Ordnance datum).

| Soft seggar-clay Fs. Ft. In. Fs. Ft. In. Strong grey metal 1 3 4 | Brought forward 2 4 8 2 0 3 |
|---|---|
| COAL 0 4 COAL, splint 0 2 | Strong grey metal, with post girdles 0 5 10 Strong grey post, with ironstone balls and |
| | metal partings 6 1 8 Grey post, with metal |
| Strong grey shale, with hard girdles 2 2 8 Soft grey metal, mixed with coal, | partings 0 5 10 Soft grey metal 0 0 6 COAL, hard and coarse, with shale |
| with water in the leader of a trouble 0 2 0 | and dant partings 0 1 0 11 1 6 |
| Carried forward 2 4 8 2 0 3 | Carried forward 13 1 9 |

No. 2,618.—COXHOE.—CONTINUED.

| Fs. Ft. In. Fs. Ft. In | Fs. Ft. In. Fs. Ft. In. |
|---|------------------------------|
| Brought forward 13 1 | Brought forward 3 4 9 13 1 9 |
| Soft grey metal 0 1 6 | Busty Seam— |
| Strong grey metal 1 5 6 Soft dark grey metal 1 1 7 | CÖAL, rather hard 0 2 8 |
| Soft dark grey metal 1 1 7 | 4 1 5 |
| Strong black metal 0 0 10 | Dark grey metal, with |
| Black shale, with | scares of coal 0 1 7 |
| scares of coal 0 0 7 | Strong grey metal |
| Black shale, with | stone 1 0 0 |
| $coal$ $oldsymbol{0}$ $oldsymbol{0}$ $oldsymbol{0}$ | Black metal, with a |
| COAL, with layers | little coal 0 1 2 |
| of shale 0 0 3 | Grey metal, with post |
| Very dark shale, with | girdles 0 5 6 |
| scares of coal 0 0 3 | 2 2 3 |
| | - |
| Carried forward 3 4 9 13 1 | Total 19 5 5 |
| | |
| | |

No. 2,619.—COXHOE.

TOWNSHIP OF COXHOE, DURHAM.

Sheet 35 of Ordnance Map. Lat. , Long.

Account of Strata sunk through in the New Winning at Coxhoe Colliery from the Main Coal Seam.—Continuation of No. 606.

Approximate surface-level feet above sea (Ordnance datum).

| Grey metal Fs. Ft. In. Fs. Ft. In. 1 3 0 | Fs. Ft. In. Fs. Ft. In. Brought forward 35 0 11 |
|--|--|
| Grey metal, with post | Seggar-clay 0 3 0 |
| girdles 9 3 0 | Grey and white post 2 1 0 |
| CÖAL 0 0 7 | Black metal 0 1 5 |
| 11 0 7 | |
| Strong grey metal 2 2 3 | 2 5 11 |
| Black metal 0 1 10 | Black metal 0 3 9 |
| Thill stone 0 2 6 | COAL 0 0 5 |
| Strong grey metal 1 3 8 | 0 4 2 |
| Strong white post 6 0 0 | Black metal 0 3 0 |
| Strong grey metal 0 2 0 | Grey metal, with iron- |
| Strong white post 0 2 6 | stone girdles 1 5 5 |
| Grey metal 0 0 6 | White and grey post 0 5 0 |
| Strong white post 0 3 0 | Dark grey metal 1 0 3 |
| Grey metal 0 0 6 | Ft. In. |
| Strong white post, | COAL 1 6 |
| with whinstone 5 0 8 | Blackstone band 0 1 |
| Low Main Seam— | COAL 0 11 |
| COAL 0 2 0 | 0 2 6 |
| | |
| Seggar-clay 0 1 4 | Strong thill 0 0 6 |
| Black metal 0 0 4 | Strong grey metal, |
| Grey metal 0 1 9 | with ironstone balls 4 0 10 |
| Black metal 0 0 8 | Dark metal 0 0 10 |
| Grey metal 0 0 11 | Hutton Seam— |
| White post 0 5 0 | COAL 0 2 9 |
| Strong grey metal, | 4 4 11 |
| with post girdles 4 0 0 | Black metal 0 0 2 |
| Dark metal 0 4 4 | Strong thill 0 0 10 |
| COAL 0 0 7 | Strong grey post 1 0 0 |
| 6 2 11 | |
| | de la company de |
| Carried forward 35 0 11 | Carried forward 2 0 948 2 1 |

No. 2,619.—COXHOE.—CONTINUED.

| | | _ | ** | | | | | |
|---|---|---|--|---|---|-----------------------------|--|--|
| | | | | | | | | |
| | | | | - | • | | 02 | . 1. |
| | | | | | | | | |
| | | | | | | | | |
| • | • | | 9 | 5 | G | | | |
| | | | 4 | J | U | COAL 0 0 2 | | |
| _ | | _ | | | | | 5 | 4 5 |
| U | 5 | 6 | | | | Strong grey metal, | | |
| c | | _ | | | | | | |
| | | | | | | Strong white post, | | |
| U | 1 | ت | 7 | ٥ | 0 | mixed with whin 0 4 6 | | |
| _ | _ | _ | • | U | 0 | Strong grey metal, | | |
| 0 | 2 | U | | | | with post girdles 3 2 6 | | |
| | | | | | | | | |
| 1 | U | υ | | | | COAL 0 3 8 | | |
| 1 | ۸ | ۸ | | | | 71 1 11 | G | 0 8 |
| | | | | | | | | |
| | | | | | | | | |
| _ | - | | | | | COAL 0 0 9 | 0 | 4 1 |
| | | _ | | 5 | 8 | C4 | U | 4 1 |
| | | | O | | O | | | |
| | | | | | | strong write post, | | |
| 1 | 1 | 0 | | | | with water 3 4 1 | 4 | 4 |
| | | | _ | | | | -z | T . |
| 1 | 1 | 0 | 62 | 1 | 11 | Total | 79 | 3 5 |
| | | | | | | | | |
| | 0 0 0 0 0 0 1 1 0 0 0 | 2 0 0 3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | 2 0 9 0 3 6 0 0 9 0 0 6 0 5 6 6 0 0 0 1 2 0 2 0 1 0 0 0 5 10 0 0 5 10 0 0 6 | 2 0 9 48 0 3 6 0 0 9 0 0 6 2 0 5 6 6 0 0 0 1 2 7 1 0 0 1 0 0 0 5 10 0 3 4 0 0 6 3 4 1 1 0 | 2 0 9 48 2 0 3 6 0 0 9 0 0 6 2 5 0 5 6 6 0 0 0 1 2 0 2 0 1 0 0 1 0 0 0 5 10 0 3 4 0 0 6 3 5 1 1 0 | 0 3 6 0 0 9 0 0 6 | 2 0 9 48 2 1 Brought forward 1 1 1 0 0 0 0 9 1 1 1 0 1 1 0 0 1 1 0 0 0 2 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 <td>2 0 9 48 2 1 Brought forward 1 1 0 62 Black metal, with ironstone balls 2 2 0 Dark grey metal, with post girdles 2 1 0 COAL 0 0 2 Strong grey metal, with post girdles 1 0 0 Strong white post, mixed with whin 0 4 6 Strong grey metal, with post girdles 3 2 6 Dark metal 0 2 0 COAL 0 3 8 Black metal 0 2 0 COAL 0 3 8 Black metal 0 0 0 2 Strong grey metal, with post girdles 3 2 6 Dark metal 0 2 0 COAL 0 3 8 Black metal 0 0 0 2 Strong thill 0 4 0 COAL 0 0 9 Strong thill 1 0 0 Strong white post, with water 3 4 1</td> | 2 0 9 48 2 1 Brought forward 1 1 0 62 Black metal, with ironstone balls 2 2 0 Dark grey metal, with post girdles 2 1 0 COAL 0 0 2 Strong grey metal, with post girdles 1 0 0 Strong white post, mixed with whin 0 4 6 Strong grey metal, with post girdles 3 2 6 Dark metal 0 2 0 COAL 0 3 8 Black metal 0 2 0 COAL 0 3 8 Black metal 0 0 0 2 Strong grey metal, with post girdles 3 2 6 Dark metal 0 2 0 COAL 0 3 8 Black metal 0 0 0 2 Strong thill 0 4 0 COAL 0 0 9 Strong thill 1 0 0 Strong white post, with water 3 4 1 |

No. 2,620.—CRAMLINGTON.

TOWNSHIP OF CRAMLINGTON, NORTHUMBERLAND.

Sheet 81 of Ordnance Map. Lat. 55° 4' 51", Long. 1° 33' 47".

Account of Strata sunk and bored through in the Betsy Pit, Cramlington Colliery.

Approximate surface-level 210 feet above sea (Ordnaneo datum).

| | Fs. | Ft. | In. Fs. | Ft. | In. | |
|-----------------------|------|-----|---------|-----|-----|---------------------------------------|
| Sinking:- | | | | | | Brought forward 0 4 0 17 4 4 |
| Soil | 0 | 0 | 6 | | | High Main Seam- |
| Brown and yellow | | | | | | Ft. In. |
| clay | 0 | 2 | 0 | | | COAL 0 4 |
| Sand | ň | ĩ | ñ | | 1 | Brown metal 0 2 |
| Blue stony clay, with | U | - | U | | | COAL 2 10 |
| whin tumblers 1 | 1 | 1 | c | | | Grey metal 0 7 |
| with tumbiers I | . 1. | 1 | 0 11 | ~ | | COAL 1 0 |
| ~ | _ | | — 11 | 5 | 0 | |
| Grey metal, with post | | | | | | 0 4 11 |
| girdles | 3 | 0 | 0 | | | 1 2 11 |
| Dark grey and black | | | | | | Dark grey metal 2 4 9 |
| metal, with hard | | | | | | White post, with |
| lumps | 2 | 4 | 0 | | | metal partings 4 0 0 |
| COAL | | | | | | Strong white post, |
| | _ | | | 5 | 4 | with water 1 3 0 |
| Grey metal, with | | | | • | | Whin 0 2 0 |
| scares of coal | | 4 | 0 | | | White post 0 3 0 |
| scares or cout | v | ** | U | | | " " " " " " " " " " " " " " " " " " " |
| Carried forward | Λ | 1 | 0 17 | 4 | 4 | Carried forward 9 0 9 19 1 3 |
| Carried forward | U | 4 | 0 17 | * | | Carried forward 5 0 5 15 1 5 |

No. 2,620.—CRAMLINGTON.—CONTINUED.

| Fs. Ft. | In. Fs. I | | a. | | Fs. | Ft. | In. | Fs. 1 | Ft. I | ĺn. |
|---|----------------------|----|-----|------------------------|-----|--------|-----|-------|-------|-----|
| Brought forward 9 0 | $9\ 19$ | 1 | 3 | Brought forward | | | ŧ | 52 | 5 | 6 |
| Grey metal stone, | | | | Grey metal, mixed | | | | | | |
| with post girdles 1 3 White post, with | 0 | | | with post | 5 | 3 | 6 | | | |
| White post, with | | | | Whin | 0 | 0 | 6 | | | |
| water 2 0 | 0 | | | Grey metal, with post | | | | | | |
| Grey metal 0 0 | 5 | | | girdles | 0 | 4 | 3 | | | |
| COAL 0 0 | $\overset{\circ}{2}$ | | | Strong post, with | U | -30 | 0 | | | |
| OOAL 0 0 | - 12 | 4 | 4 | nontings, with | 9 | 2 | 0 | | | |
| C | 0 12 | ·r | * | partings Grey metal | 3 | 3 | 0 | | | |
| Grey seared post 0 2 Grey metal stone, | U | | | Grey metal | 0 | 2 | 4 | | | |
| Grey metal stone, | _ | | | Black stone, mixed | | | | | | |
| with girdles 3 1 | 5 | | | with coal | 0 | | 10 | | | |
| White post, with | | | | Grey metal | 3 | 2 | 5 | | | |
| metal partings 2 1 | 0 | | - | COAL | 0 | 2 | 2 | | | |
| Grey metal and metal | | | | | | | _ : | 1.4 | 1 | 0 |
| stone, with girdles 0 5 | 6 | | - 1 | | | | | T.# | 1 | U |
| Grey or Main Coal | J | | - 1 | Grey metal, with whin | | | | | | |
| | | | | girdles | 0 | 5 | 2 | | | |
| Seam— | | | | Strong post, mixed | | | | | | |
| Ft. In. | | | | with whin | 1 | 1 | 6 | | | |
| COAL 2 9 | | | - 1 | TITE ! | ō | ī | ŏ | | | |
| COAL, rather | | | | | ŏ | 3 | 4 | | | |
| foul and | | | | Grey metal | _ | | | | | |
| brassy 0 7 | | | - 1 | Whin | 0 | 0 | 5 | | | |
| COAL, with | | | | Strong post | 0 | 1 | 9 | | | |
| sulphurnear | | | - 1 | Grey metal, with whin | | | | | | |
| bottom 2 8 | | | ĺ | girdles | 1 | 3 | 8 | | | |
| COAL, foul 0 6 | | | ĺ | Post | 0 | 2 | 1 | | | |
| | G | | | Grey metal | 0 | 3 | 2 | | | |
| 1 0 | 6 7 | 4 | ا ء | Ft. In. | | • | _ | | | |
| | / | 4 | 5 | 0041 | | | | | | |
| Grey metal stone, | _ | | - 1 | | | | | | | |
| with post girdles 4 1 | 6 | | - 1 | | | | | | | |
| Black metal, with | | | | COAL, hard | | | | | | |
| whin girdles 0 Z | 0 | | | foul 0 7 | | | | | | |
| Ft. In. | | | - 1 | | 0 | 3 | 7 | | | |
| COAL 0 5 | | | - } | | | | _ | 6 | 1 | 8 |
| Hard band 0 2 | | | 1 | 5 1 11 111 1 | | | | U | • | • |
| COAL, foul | | | - 1 | Dark thill and grey | | | _ | | | |
| and mixed | | | - 1 | metal | 0 | 4 | 7 | | | |
| | | | - 1 | COAL | 0 | 0 | 8 | | | |
| with metal | | | - 1 | | | | | 0 | 5 | 3 |
| near the bot- | | | - 1 | | | | | U | U | o |
| tom 08 | | | - [| White thill | 0 | 1 | 0 | | | |
| COAL 0 3 | | | | Dark metal, mixed | | | | | | |
| 0 1 | 6 | | - 1 | with $coal$ | 0 | 0 | 8 | | | |
| · | 4 | 5 | 0 | Grey metal, mixed | | | | | | |
| Grey metal 0 0 | 2 | | | with post | 0 | 3 | 0 | | | |
| Grey metal stone 0 0 | . — | | - 1 | Strong white post | ŏ | 2 | ŏ | | | |
| | 0 | | - 1 | | Ö | ī | 7 | | | |
| The post in | | | | Grey metal | | | | | | |
| Grey metal 0 4 | 0 | | | Whin | 0 | | 10 | | | |
| Strong white post 0 4 | 2 | | | Post | 0 | 3 | 8 | | | |
| Whin 0 4 | 4 | | Ì | Dark metal | 0 | 0 | 10 | | | |
| Strong white post, with thin whin | | | | Grey metal, with iron- | | | | | | |
| with thin whin | | | | stone girdles | 1 | 5 | 7 | | | |
| girdles 2 1 | 7 | | | Black stone, mixed | | | | | | |
| Strong white post 1 3 | 6 | | ļ | with coal | 0 | 1 | 7 | | | |
| Grow motal stone | J | | - 1 | | - | | • | | | |
| Grey metal stone, with post girdles 1 1 | 0 | | | Grey metal, with iron- | | 1 | 7 | | | |
| with post girdles 1 1 Yard Seam— | U | | | stone girdles | 2 | 1 | - | | | |
| 1 ard Seam— | | | | Low Main Seam— | | | | | | |
| rt. m. | | | | Ft. In | | | | | | |
| COAL 2 8 | | | | COAL,cannel 0 2 | | | | | | |
| Black metal | | | | COAL, elean 5 5 | | | | | | |
| band 0 2 | | | | | 0 | 5 | 7 | | | |
| COAL 0 1 | | | | ļ | | | | 7 | 2 | 11 |
| | 11 | | | | | | | ' | 3 | 11 |
| | 8 | 2 | 6 | Thill stone | 0 | 4 | 0 | | | |
| | | | _ | | | | | _ | | _ |
| Carried forward | 52 | 5 | 6 | Carried forward | 0 | 4 | 0 | 81 | 5 | 4 |
| 0 | | | | | | | | | | |
| | | | | | | | | | | |

No. 2,620.—CRAMLINGTON.—CONTINUED.

| Fs. Ft. In. Fs. Ft. In | Fs. Ft. In. Fs. Ft. In. |
|-------------------------------------|--|
| Brought forward 0 4 0 81 5 | |
| Blue stone, with iron | Blue metal 0 5 0 Post 0 1 6 |
| girdles 1 3 0 | |
| COAL, splint 0 0 4 | |
| | 1 0 |
| Blue stone, with iron girdles 0 5 0 | |
| Whin girdle 0 1 1 | Black stone |
| Post 0 0 6 | 4 2 3 |
| Blue stone 0 1 0 | |
| Post girdle 0 1 2 | The state of the s |
| Blue stone, with iron | |
| girdles 0 5 0 | The state of the s |
| Plessey Seam- | Blue metal 0 2 0 Brockwell Scam— |
| COAL 0 1 2 | 0041 |
| 2 2 11 | GOAL 0 2 9 15 1 6 |
| Thill stone 0 4 0 | 10 1 0 |
| Grey metal 2 0 4 | 149 2 5 |
| Post 9 1 5 | Bored further:- |
| Blue metal 0 2 0 | Dark metal 0 1 6 |
| Post and whin 1 2 0 | Dark grey post 5 0 6 |
| Post 3 1 0 | Ft. In. |
| Grey metal 0 3 0 | COAL 0 11 |
| Post, with water 5 5 4 | Band 0 6½ |
| Whin girdle 0 0 8 | COAL 0 5½ |
| Post, with water 0 4 0 | 0 1 11 |
| Whin 1 0 0 | 5 3 11 |
| Post, with water 1 2 0 | Metal 0 0 6 |
| Blue metal 0 3 0 | Grey post 2 1 6 |
| Post 0 3 0 | COAL 0 0 4 |
| Beaumont Seam— COAL 0 3 2 | 2 2 4 |
| COAL 0 3 2 | Grey metal 0 0 7 |
| 0 11 0 10 | Light grey metal 0 0 7 |
| | Dark grey metal, |
| COAL 1 1 8 | with post girdles 4 3 2 |
| - 1 3 4 | 1 |
| Post 1 3 5 | water 1 0 10 |
| Blue metal 0 4 6 | Grey metal 0 1 11 |
| Whin stone 0 1 6 | COAL 0 0 10 |
| Blue metal, with post | 6 4 4 |
| girdles 0 2 6 | Grey post, with metal |
| CÖAL 0 0 5 | partings 2 5 1 |
| 3 0 4 | |
| Thill stone 0 1 3 | White post 5 1 0 |
| Post 1 2 7 | Grey post 0 3 0 Dark metal 0 3 6 |
| Blue metal 1 0 4 | |
| Ft. In. | COAL 0 0 10 9 2 7 |
| COAL 1 5 | |
| Blue stone 0 5 | Grey metal 0 2 0 |
| COAL 0 11 | White post 2 4 0 |
| 0 2 9 | Hard girdle 0 0 4 |
| Grey metal 0 2 3 | I am I |
| TT 1 | Ft. In. |
| | Grev metal 1 4 |
| COAL 3 4 4 | Grey metal 1 4 |
| 7 3 7 | black stone 0 9 |
| Thill stone 0 1 2 | — 0 2 9 |
| Post 2 0 0 | 7 2 8 |
| | |
| Carried forward 2 1 2 129 4 8 | Carried forward 181 0 3 |
| | 101 0 0 |

No. 2,620.—CRAMLINGTON.—CONTINUED.

| Descript forward | Fs. | Ft. | In. Fs. 1 | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
|--|-----|-----|-----------|--------|-----|--|
| Brought forward | | | 101 | U | о | |
| Dark grey metal, with | | | | | | Grey metal 0 5 6 |
| post girdles | 3 | 3 | 9 | | | Grey post, with metal |
| Grey post, with metal | | | | | | partings 2 3 9 |
| partings | 4 | 5 | 0 | | | partings 2 3 9 COAL 0 0 8 |
| partings Hard grey post | 5 | 2 | 11 | | | 7 1 4 |
| Grey metal | 1 | 5 | 0 | | | Light grey metal 1 0 8 |
| Grey metal White post | 1 | 2 | 3 | | | Soft grey post 4 0 7 |
| Grey metal, with post | | | | | | Grey metal, with post |
| girdles | 0 | 5 | 0 | | | girdles 1 5 7 |
| White post Grey metal | 2 | 4 | 2 | | | Grey post, with metal |
| Grey metal | 0 | 3 | 2 | | | |
| COAL | 0 | 0 | 10 | | | partings 0 4 6 Hard grey post 0 1 6 |
| | | | 21 | 2 | 1 | Grey post, with metal |
| Grey post Grey metal Grey post | 0 | 2 | 5 | | | partings, into 0 2 6 |
| Grev metal | 1 | 2 | 0 | | | 8 3 4 |
| Grev post | ī | 5 | Õ | | | |
| The state of the s | | | | | _ | |
| Carried forward | 3 | 3 | 5 202 | 2 | 4 | Total 218 1 0 |
| | _ | _ | | _ | - | |

No. 2,621.—CRAMLINGTON.

TOWNSHIP OF CRAMLINGTON, NORTHUMBERLAND.

Sheet 81 of Ordnance Map. Lat. 55° 4' 39", Long. 1° 33' 1".

Account of Strata sunk through in the Lamb Pit, Cramlington Colliery.

Approximate surface-level 154 feet above sea (Ordnance datum).

| Strong blue clay Fs. Ft. In. Fs. Ft. In. | Brought forward 0 4 2 43 1 0 Grey metal, with post |
|---|---|
| Grey metal, with post girdles 13 1 6 White post and whin 4 4 10 Main Coal Seam— | girdles 4 0 0 0 White post 1 0 6 Blue metal 2 1 6 White post 0 5 0 Grey metal, with |
| COAL 3 9 Band 0 2 COAL 2 9 | strong post girdles 3 0 0 Blue metal stone 0 5 4 Yard Seam— |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | Grey metal stone 0 3 0 13 1 6 |
| Carried forward 0 4 2 43 1 0 | Total 61 1 0 |

No. 2,622.—CRAMLINGTON.

TOWNSHIP OF CRAMLINGTON, NORTHUMBERLAND.

Sheet 80 of Ordnance Map. Lat.

, Long.

Account of Strata passed through in a Bore-hole in East Cramlington Lane.— Continuation of No. 643.

Approximate surface-level feet above sea (Ordnance datum).

| Depth from surface Fs. | Ft. | In. | Fs. 15 | Ft. | In. 0 | Fs. Ft. In. Fs. Ft. In. Brought forward 10 2 6 15 3 8 |
|--|-----|-----|-----------|-----|-------|---|
| High Main Seam- | | | | | | Scamy post 0 3 8 |
| COAL 0 6 Stone 0 2 COAL 3 0 | | | | | | Scamy post, with metal partings 1 1 0 Strong post, with |
| COAL 3 0 | 2 | ٥ | | | | water 0 3 0 Grey metal, with post |
| | | _ | | 3 | 8 | girdles 1 4 5 |
| Strong grey metal | 5 | 0 | | | | Strong post, with water 0 0 8 |
| Post, with metal partings 1 Whin girdles 0 | 5 | 0 | | | | Whin girdles, with water 0 1 4 |
| Mild post, with part- | | | | | | Grey metal, with post girdles 0 2 8 |
| ings 0 Strong post 0 | 4 | 0 | | | | Strong post 0 4 4 15 5 7 |
| Carried forward 10 | 2 | 6 | 15 | 3 | 8 | Total 31 3 3 |

No. 2,623.—CROOK.

TOWNSHIP OF CROOK AND BILLY ROW, DURHAM.

Sheet

of Ordnance Map. Lat.

, Long.

Account of Strata passed through in No. 2 Bore-hole upon Mr. Wilkinson's Estate, close to the Bishop Auckland and Weardale Railway, near to Hope's New House at Crook.

Approximate surface-level feet above sea (Ordnance datum).

| Soil Fs. Ft. In. Fs. F 0 1 0 Yellow clay 0 3 0 | t. In. | Brought forward 5 0 9 Dark grey metal, with |
|--|--------|---|
| Strong blue clay 2 1 8 | 5 8 | scares of coal 0 1 1 Grey metal, with post |
| Grey metal, with water 1 1 10 | | girdles and water 1 0 0 Strong white post, |
| COAL, with Ft. In. | | with water 2 0 0 COAL, with water 0 2 1 |
| water 3 5 Band 0 4 COAL 1 6 | | Grey metal, into 0 2 0 |
| 1 6 | 1 1 | 0 2 0 |
| Carried forward 5 | 0 9 | Total 8 5 11 |

No. 2,624.—CROOK.

TOWNSHIP OF CROOK AND BILLY ROW, DURHAM.

Sheet 25 of Ordnanee Map. Lat. 54° 43′ 53″, Long. 1° 45′ 57″.

Account of Strata passed through in a Bore-hole put down from the Brockwell Seam at the Arthur Pit, Peases' West Collieries, Crook. Commenced June 3rd, 1887.

Approximate surface-level 700 feet above sea (Ordnance datum).

| | | | | | | | | | | | | _ |
|--------------------------|----------|-----|-------|--------|-----|-----------------------|----|---|-----|----------|----------|-----|
| Ed mound | | | In. F | s. Ft. | In. | | | | | F8. | | In. |
| Forced ground Grey metal | Ų | 4 | ь | | | Brought forward | U | 2 | 1 | 26 | U | 0 |
| Grey metal | 1 | U | U | | | Grey post, with hard | | _ | | | | |
| Grey post, with water | | | _ | | | girdles Grey shale | 4 | 3 | 4 | | | |
| at bottom | | 5 | 6 | | | Grey shale | 0 | 4 | . 3 | | | |
| Hard white post, | | | | | | Grey post, with hard | | | | | | |
| with water | 0 | 3 | 0 | | | girdles | 1 | 3 | 11 | | | |
| Grey post | 5 | | 0 | | | Whinstone | | 0 | 8 | | | |
| Dark grey metal | 0 | 5 | 0 | | | Grey metal, with post | | | | | | |
| Light grey metal | 2 | 0 | 0 | | | girdles | 2 | 2 | 1 | | | |
| Grey post | 3 | 0 | 0 | | | COAL, mixed with | | | | | | |
| Grey metal, with post | | | | | | black stone | 0 | 0 | 9 | | | |
| girdles | 4 | 4 | 6 | | | _ | | | | 9 | 5 | 1 |
| Dark grey or black | | | | | | Grey shale | 1 | 3 | 1 | | | |
| metal, mixed with | | | | | | Hard white post | 1 | 0 | 9 | | | |
| coal | 0 | 1 | 0 | | | Grey shale | 1 | 1 | 3 | | | |
| Grey metal, with post | - | _ | • | | | Hard white post | 7 | 0 | 11 | | | |
| girdles | n | 2 | n | | | Grey shale | 'n | 1 | 2 | | | |
| Hard white post, | | ~ | Ü | | | White post | ĭ | 3 | 3 | | | |
| with thin partings | | 1. | 6 | | | Hard post, mixed | - | • | ٠ | | | |
| Grey post | 2 | 1. | 11 | | | with whin | 1 | 1 | Q | | | |
| Grey metal | ñ | a a | 10 | | | Grey metal, with post | - | - | U | | | |
| COAL | 0 | 0 | 10 | | | | | 9 | 3 | | | |
| COAL | U | U | | | ^ | girdles | 0 | 0 | 6 | | | |
| C | _ | 0 | _ 26 | 5 0 | 0 | Whinstone | U | U | - | 10 | 9 | 11 |
| Grey metal | U | Z | T | | | - | | | _ | 16 | 3 | 11 |
| C1 | _ | - | 7 00 | | _ | m-4-1 | | | | <u> </u> | <u> </u> | _ |
| Carried forward | U | z | 120 | 6 0 | 0 | Total . | •• | | ••• | 52 | <u> </u> | |
| | | | | | | | | | _ | | | _ |

No. 2,625.—CROOK BANK. TOWNSHIP OF TANFIELD, DURHAM.

Sheet 6 of Ordnance Map. Lat

, Long.

Account of Strata passed through in No. 4 Bore-hole at Crook Bank Colliery.

Approximate surface-level feet above sea (Ordnance datum).

| | Fs. | Ft. | In. | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
|--------------------------------|-----|----------|-----|-----|-----|-----|-----------------------------|
| Soil | 0 | 1 | 8 | | | | Brought forward 1 2 1 1 4 9 |
| Sand and gravel, | | | | | | | Grey post 0 1 6 |
| with water | | | | | | | Black metal 0 0 6 |
| | | | | 1 | 4 | 9 | Grey metal 0 0 6 |
| Grev post | 0 | | | | | | Black metal 0 5 2 |
| Grey post Black metal, with | | | | | | | Grey post, with water 0 4 1 |
| post girdles | | | | | | | Dark blue metal 0 3 2 |
| Brown post | 0 | 1 | 8 | | | | Grey metal 0 2 7 |
| F | | | | | | | |
| Carried forward | 1 | 2 | 1 | 1 | 4 | 9 | Carried forward 4 1 7 1 4 9 |

No. 2,625.—CROOK BANK.—Continued.

| | | | | | Ft. | | Fs. Ft. In. Fs. Ft. In. |
|-----------------------|---|---|----|---|-----|----|------------------------------|
| Brought forward | 4 | 1 | 7 | 1 | 4 | 9 | Brought forward 1 2 2 7 3 10 |
| Black metal | | | | | | | Grev metal 1 4 1 |
| Grey metal, with post | | | | | | | Dark blue metal 0 1 0 |
| girdles | 0 | 3 | 11 | | | | White post 14 4 2 |
| Light metal, with | | | | | | | HuttonSeam-wrought 0 1 6 |
| post girdles | 0 | 3 | 6 | | | | 18 0 11 |
| post girdles | 0 | 1 | 1 | | | | White post from the |
| - | _ | | | 5 | 5 | 1 | roof 0 2 3 |
| Grey metal | 0 | 0 | 2 | | | | Grey metal, with iron- |
| White post, with | • | | | | | | stone girdles 0 2 3 |
| metal partings | 1 | 2 | 0 | | | | 0 4 6 |
| - | | | | _ | | | |
| Carried forward | 1 | 2 | 2 | 7 | 3 | 10 | Total 26 3 3 |
| | | | | | | - | |

No. 2,626.—CROWTREES.

TOWNSHIP OF QUARRINGTON, DURHAM.

Sheet 27 of Ordnance Map. Lat. 54° 43' 45", Long. 1° 31' 35".

Account of Strata passed through in a Bore-hole, from the bottom of the Main Coal Seam, in the Vale Pit at Crowtrees. Commenced January 7th, 1850.

Approximate surface-level 300 feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|-------------------------|--|
| Thill 0 1 3 | Brought forward 13 5 7 |
| Metal pipe 3 2 0 | Greymetalstone, with |
| Grey metal stone, | post girdles 6 1 5 |
| with post girdles 3 2 0 | post girdles 6 1 5 White post 5 5 3 |
| White post, with a | Grey post, mixed |
| little water near | with coal 0 0 6 |
| the bottom 4 4 0 | Low Main Seam- |
| Grey metalstone, with | COAL, very coarse 0 2 6 |
| ironstone girdles 2 0 0 | 26 3 3 |
| Dark metal, mixed | Grey metal, into 0 0 4 |
| with coal 0 2 4 | 0 0 4 |
| | |
| Carried forward 13 5 7 | Total 26 3 7 |
| | 1 |

No. 2,627.—CROXDALE.

TOWNSHIP OF SUNDERLAND BRIDGE, DURHAM.

Sheet 27 of Ordnance Map. Lat. 54° 43' 35", Long. 1° 35' 9".

Account of Strata sunk through in the Thornton Pit, Croxdale Colliery.

Approximate surface-level 272 feet above sea (Ordnance datum).

| Gravel, with water 0 5 0 | Brought forward 4 5 0 Blue metal 0 4 6 Grey post 0 2 4 Blue metal 1 3 2 |
|--------------------------|--|
| Carried forward 4 5 0 | Carried forward 2 4 0 4 5 0 |

No. 2,627.—CROXDALE.—Continued.

| Brough | t forv | vord | Fs. | Ft. | In. 0 | Fs. | Ft. | In. 0 | Fs. Ft. In. Fs. Ft. In Brought forward 6 3 1 30 2 10 |
|--------------|---------|----------------|----------|----------|----------|-----|-----|----------|---|
| Drough | | | | -1 | U | | J | U | Brought forward 6 3 1 30 2 10 Black stone 0 2 8 |
| COAL | | t. In. 0 2 | | | | | | | |
| | | | | | | | | | Seggar-clay 0 3 0 |
| Splint | ••• | 0 10 | ^ | 1 | | | | | Broken post 5 3 5 |
| | | | 0 | 1 | 0 | | - | _ | Grey metal 1 2 5 |
| α 1 | | | | | _ | 2 | 5 | 0 | Hutton Seam- |
| Seggar-clay | | ••• | 0 | 0 | 2 | | | | COAL 0 1 6 |
| Post | • • • | | 0 | U | 10 | | | | 14 4 1 |
| Seggar-clay | | vith | | _ | _ | | | | Seggar-clay 0 3 5 |
| post gird | | | 0 | 2 | 7 | | | | Blue metal 1 1 5 |
| Band | • • • | | 0 | 0 | 2 | | | | Black stone 0 0 4 |
| COAL, coa | | | 0 | 0 | 11 | | | | Seggar-clay 0 3 4 |
| • | | | | | | 0 | 4 | 8 | Grey metal 0 2 0 |
| Seggar-clay | , , | vith | | | | | | | White post 1 2 7 |
| iron girdl | | | 0 | 4 | 6 | | | | COAL 0 0 2 |
| COAL | • • • • | | ō | ō | 2 | | | | 4 1 3 |
| OOAL | • • • • | ••• | | | | 0 | 4 | 8 | C |
| Soggar olay | | | 0 | 1 | 0 | ٠ | - | · | |
| Seggar-clay | | • • • | | | 0 | | | | Grey metal, with post |
| Post | ••• | •• | C | 5 | | | | | girdles 3 3 0 |
| Grey metal | | •• | 0 | 2 | 5 | | | | Ft. In. |
| Post | | ••• | 0 | 4 | 8 | | | | COAL 0 4 |
| Grey metal, | | | _ | _ | _ | | | | Seggar-clay 0 8 |
| girdles | • • • | • • • | 1 | 2 | 7 | | | | COAL 1 0 |
| Black stone | e | | 0 | 0 | 7 | | | | Slate 0 1 |
| COAL | • • • | ••• | 0 | 1 | 8 | | | | COAL 0 6 |
| | | | | | | 3 | 5 | 11 | 0 2 7 |
| Coarse segga | ar-cla | у | 0 | 5 | 6 | | | | 4 4 7 |
| Broken post | | • | 4 | 4 | 0 | | | | Posty seggar-clay 0 5 0 |
| Blue metala | | | | | | | | | Grey metal 0 2 6 |
| of ironsto | | | 0 | 2 | 6 | | | | Black stone 0 1 0 |
| OI HOMSTO | | t. In . | • | _ | • | | | | COAL 0 0 4 |
| COAL | 1 | | | | | | | | 1 2 10 |
| | | | | | | | | | |
| Black band | , | _ | | | | | | | 1 = |
| COAL | | | | | | | | | Post 0 3 8 |
| COAL, spli | int (| 6 | • | | 0 | | | | Grey metal 2 1 3 |
| | - | | 0 | 2 | 9 | | 0 | ام | Harvey Seam— |
| | | | _ | | | 6 | 2 | 9 | COAL 0 2 2 |
| Dark seggai | r-clay | • • • | 0 | 4 | 9 | | | | 4 0 10 |
| Grey metal, | with p | $_{ m ost}$ | | | | | | - 1 | Posty seggar-clay 0 5 0 |
| girdles | | | 2 | 2 | 0 | | | - 1 | White post 15 4 0 |
| CÖAL | | | 0 | 0 | 9 | | | | Blue metal 1 0 0 |
| | | - | | | | 3 | 1 | 6 | Busty Seam— |
| Soft seggar- | clav | | 0 | 0 | 10 | | | - 1 | Ft. In. |
| Blue metal | | | 3 | 2 | 0 | | | | COAL 0 4 |
| | | | ŏ | ō | 4 | | | | Band 0 1½ |
| OOAL | ••• | | | | _ | 3 | 3 | 2 | $COAL 1 6\frac{1}{2}$ |
| Donk coccar | olaw | | 0 | 1 | 6 | _ | _ | - | 0 2 0 |
| Dark seggar | | | J | - | J | | | i | 17 5 0 |
| Post and wh | | | 9 | 4 | 0 | | | | |
| water and | _ | | 3 | - | | | | | |
| COAL | • • • | • • • | 0 | 0 | 8 | | 0 | 6 | Blue stone 0 2 6 |
| | | - | | | | 4 | 0 | 2 | Black stone 0 1 0 |
| Seggar-clay | | | 0 | 0 | 8 | | | | Strong seggar-clay 0 2 3 |
| Post, with v | vater | | 1 | 2 | 7 | | | - 1 | COAL 0 0 1 |
| Grey metal, | | | | | | | | | 1 4 1 |
| girdles an | | | 1 | 4 | 0 | | | | Seggar-clay 0 1 4 |
| 732 | | | ī | 3 | 9 | | | - 1 | Grey metal 2 1 8 |
| | ••• | ••• | ō | 0 | 6 | | | | Post 1 5 0 |
| Black stone | | ••• | | | | | | - 1 | |
| Seggar-clay | • • • | • • • | 0 | 0 | 1 | | | | |
| Blue stone | • • • | • • • | 1 | 3 | 6 | | | | Badger 0 0 3 |
| ~ • - | | | _ | _ | | - | _ | - | Commission formers C 0 0 70 1 C |
| Carried | forw | ard | 6 | 3 | 1 3 | 30 | 2 | 10 | Carried forward 6 0 979 1 6 |

No. 2,627.—CROXDALE.—CONTINUED.

| | | | In. | | | | |
|-----------------------|---|-----|-----|----|-----|-----|-------------------------------|
| Brought forward | 6 | 0 | 9 | 79 | - 1 | - 6 | Brought forward 6 4 5 85 5 10 |
| Brockwell Seam— | | | | | | | Grey metal, with post |
| COAL | 0 | - 3 | 7 | | | | girdles 2 4 7 |
| | | | | 6 | 4 | 4 | Blue metal 1 1 10 |
| Seggar-clay | 0 | 1 | 6 | | | | Black stone 0 1 2 |
| Post | | | | | | | Victoria Seam— |
| Blue stone | 0 | 5 | 6 | | | | COAL 0 2 6 |
| Grey metal, with post | | | | | | | 11 2 6 |
| girdles | 3 | 5 | 5 | | | | Post, into 2 0 0 |
| | 0 | | | | | | 2 0 0 |
| Carried forward | 6 | 4 | 5 | 85 | 5 | 10 | Total 99 2 4 |

No. 2,628.—CROXDALE.

TOWNSHIP OF SUNDERLAND BRIDGE, DURHAM.

Sheet 27 of Ordnance Map. Lat. 54° 44′ 33″, Long. 1° 34′ 20″.

Account of Strata bored through in No. 2 Bore-hole on The Island, 100 yards from the Water and 200 yards from the Gate, by Messrs. William Coulson and Son. Commenced January 7th, 1881.

Approximate surface-level 150 feet above sea (Ordnance datum).

| | | | | $\mathbf{F}s.$ | Ft. | In. | | řt. | In |
|-----------------------|-----|-----|-----|----------------|-----|-----|-------------------------------------|-----|----|
| Soil | | 2 | 0 | | | | Brot.forward 1 8 3 0 8 22 | 1 | 7 |
| Sand, with a little | | | | | | | Dark metal | | |
| water | 2 | 1 | 0 | | | | band 0 3 | | |
| Gravel | 1 | 0 | 0 | | | | COAL, coarse, | | |
| Clay, with thin sand | | | | | | | with shale | | |
| | 7 | 0 | 0 | | | | partings and | | |
| | 2 | - 5 | | | | | brass 0 8 | | |
| seeing energy to | _ | | _ | 13 | 2 | 0 | 0 2 7 | | |
| Freestone | - 1 | 3 | | -0 | _ | • | 3 | 3 | : |
| Grey shale | | 4 | 6 | | | | Grey shale 1 0 9 | 0 | • |
| Dark grey shale | | 2 | | | | | Grey post, with shale | | |
| | 0 | õ | - 5 | | | | partings 2 0 0 | | |
| 50AL | U | U | J | 3 | 5 | 1 | Black shale 0 0 6 | | |
| I war abala with post | | | | 0 | J | | | | |
| Grey shale, with post | | - ' | 10 | | | | Grey shale, with post | | |
| girdles | 0 | 3 | | | | | girdles 3 1 6 Dark grev shale 1 3 6 | | |
| COAL | U | U | O | 0 | | | 9-1 | | |
| | _ | | | 0 | 4 | 4 | White post, with | | |
| Grey shale, with post | | _ | | | | | water 4 1 0 | | |
| girdles | | Э | 0 | | | | Whin 2 5 7 | | |
| Grey post, with shale | | | | | | | Shale, with post 2 0 8 | | |
| partings | 3 | 1 | 11 | | | | Very soft dark grey | | |
| COAL, with brass | | | | | | | shale 3 3 0 | | |
| near the bottom | 0 | 1 | -3 | | | | Strong grey post, | | |
| | | | | 4 | 2 | 2 | with shale part- | | |
| Grey shale | 0 | -3 | 6 | | | | ings and water 6 1 4 | | |
| White post | 2 | - 3 | 2 | | | | Dark grey shale 0 0 2 | | |
| Ft. In | le. | | | | | | COAL 0 0 11 | | |
| COAL, coarse, | | | | | | | 27 | 0 | 11 |
| near the bot- | | | | | | | Strong light grey | | |
| tom 1 8 | | | | | | | shale 0 2 11 | | |
| | | | | | | | | _ | _ |
| Car. forward 1 8 | - 3 | 0 | 8 | 22 | 1 | 7 | Carried forward 0 2 11 52 | 5 | 9 |
| | - | | | | | | | _ | ` |

No. 2,628.—CROXDALE.—Continued.

| Brought forward | | | | | Ft. | In. 9 | Fs. Ft. In. Fs. Ft. In Brought forward 18 2 9 75 4 |
|-----------------------|-----|--------|--------|-----|-----|----------|---|
| Grey shale, with post | | _ | | - | • | | |
| | | n | 6 | | | | COAL, coarse, |
| girdles | 1 | 0 | | | | | |
| Very soft grey shale | | 2 | 8 | | | | with much |
| Grey and white post | 1 | 2 | 1 | | | | shale 0 10 |
| Grey shale, with post | , | | | | | | COAL, coarse 0 5 |
| girdles | 7 | 0 | 0 | | | | Very dark shale 0 1 |
| Hard white post | | 4 | 5 | | | | COAL 0 1 |
| Grey post, with shale | | | | | | | COAL and |
| | | 4 | 6 | | | | shale mixed 0 4 |
| | _ | | | | | | |
| Black shale | _ | 0 | 4 | | | | COAL, coarse, |
| COAL, coarse | 0 | 0 | - | | _ | | with much |
| | | | | 16 | 0 | 0 | dant 0 7 |
| Grey shale | . 0 | 2 | 2 | | | | Dark shale, |
| Grey post, with shale | | | | | | | with much |
| partings | - | 4 | 0 | | | | coal 0 8 |
| Hard white post, | | _ | - | | | | COAL, coarse, |
| with thin shale | | | | | | | with shale |
| | 4 | n | 7 | | | | |
| partings | | 2 | • | | | | anddant part- |
| COAL, with beds of | | _ | _ | | | | ings 0 5 |
| shale | . 0 | 1 | 6 | | | | COAL, tender, |
| | | | | - 6 | 4 | 3 | with much |
| Light shale | 0 | 0 | 9 | | | | dant and a |
| White post | | 3 | 0 | | | | little shale |
| Very hard bastard | | • | • | | | | near the top 1 6 |
| | ^ | 4 | 6 | | | | Strong black |
| post | | | | | | | |
| Hard white post | | 2 | 9 | | | | stone, with |
| Grey shale, with post | | | | | | | scares of coal |
| girdles | . 0 | 4 | 0 | | | | and white |
| Black shale, with | Ĺ | | | | | | spar 0 2 |
| thin layers of coal | | | | | | | 0 5 1 |
| 1 to 3 inch thick | | 1 | 0 | | | | 19 1 1 |
| | | | 10 | | | | Grey shale 0 0 6 |
| Light grey shale | | -12 | 10 | | | | |
| Grey post, with shale | , | | | | | | Grey post, with shale |
| partings | . 2 | 2 | 2 | | | | partings 1 5 10 |
| Black shale, with | į. | | | | | | Soft dark grey shale, |
| scares of coal | . 0 | 1 | 6 | , | | | with thin post |
| Grey post, with shale | | | | | | | girdles and a 3 |
| partings | | 0 | 8 | 1 | | | inch gullet, 6 |
| | | • | | | | | inches from the top, |
| Dark grey shale, | | | | | | | |
| with thin post | | - | _ | | | | |
| | . 2 | - 1 | - 7 | | | | 4 3 |
| girdles | | | | | | | |
| | _ | | | 75 | 4 | | 'Total 99 3 |

No. 2,629.—CROXDALE.

TOWNSHIP OF SUNDERLAND BRIDGE, DURHAM.

Sheet 27 of Ordnance Map. Lat. 54° 44' 25", Long. 1° 33' 58".

Account of Strata passed through in No. 1 Bore-hole situated 5 yards from the East Fence and 15 yards from the South Fence in Woodhouse Field, Croxdale Estate. Commenced May 11th, 1904.

Approximate surface-level 303 feet above sea (Ordnance datum).

| Soil Yellow clay | | 0 | 1 | 0 | . Ft. In. | Brought forward 0 3 6 Stony clay 2 0 0 |
|---------------------|---------|---|---|---|-----------|---|
| | | | | | | · |
| Carried | forward | 0 | 3 | 6 | | Carried forward 2 3 6 |

No. 2,629.—CROXDALE.—CONTINUED.

| Fs. Ft. In. Fs. Ft. In. Brought forward 2 3 6 Brought forward 5 5 6 49 | |
|---|--------|
| | Ft. In |
| Loamy clay and sand, Hutton Seam— | |
| with water 0 2 0 | |
| Laminated clay, with COAL 1 53 | |
| stones 3 0 0 Black stone, | |
| Red clay, with sand with coal threads 0 41 | |
| Sand, with a little COAL, coarse 0 3 | |
| water 3 2 3 — 0 2 1 | |
| Strong brown and | 1 7 |
| loamy clay 5 0 9 Seggar-clay 0 3 2 | |
| Sand 0 1 6 Grey and white post 1 2 9 | |
| Laminated clay, with sandy partings 8 4 6 Grey post 0 4 4 Grey post 1 2 6 | |
| sandy partings 8 4 6 Grey post 1 2 6 Dry sand 1 4 6 Grey shale, with hard | |
| COAL 0 0 6 post girdles 5 0 6 Dry sand 0 5 3 White post, withwater 3 1 3 | |
| Dry sand 0 5 3 White post, with water 3 1 3 | |
| Sand with a little Whin 2 1 10 | |
| water 0 2 7 White post 0 0 3 | |
| Sand and clay mixed 0 3 2 Dark grey shale, with | |
| | |
| stony clay, with sand Grey post, with white post pannels 0 4 9 | |
| Sand 0 1 0 White post, with very | |
| Broken freestone and hard pannels 1 1 6 | |
| gravel, with water 2 0 2 Grey shale 1 2 7 | |
| Stony clay 0 5 10 White post 0 3 0 | |
| Sand 0 2 4 Grey shale 1 5 0 Grey post 0 5 3 | |
| Stony clay 0 1 5 Grey post 0 5 3 Very hard white post 0 3 3 | |
| Soft freestone 0 2 7 Hard grey post, with | |
| Freestone, with grey white post pannels | |
| and white post and water 4 2 0 | |
| girdles and water 2 1 6 White post, with | |
| Hard white post, with water 1 0 10 | |
| grey post girdles 3 1 5 COAL, hard at the Very dark shale 0 1 5 Ft. In. | |
| bottom 0 1 6 COAL, with | |
| 6 1 0 water 0 1 | |
| Grey shale, with post Band 0 1 | |
| girdles 0 3 8 Grey post 0 5 0 | |
| Grey post 0 5 0 —— 0 1 1 | |
| Grey shale, with post 28 | 3 3 (|
| girdles 4 3 3 Seggar-clay 0 0 9 Dark grey shale 1 0 9 Grey shale, with post | |
| Grey post, with white girdles 2 1 4 | |
| post girdles 0 5 9 White post, with grey | |
| Grey post, with shale post partings 2 0 4 | |
| partings 1 0 0 Black stone, with | |
| Hard grey post 0 5 2 coal threads 0 1 0 Grey shale, with post | |
| | |
| | |
| 10 1 0 Grev post 0 4 10 | |
| | |
| Seggar-clay 0 3 1 Grey post 0 4 10 Grey post, with shale partings 1 0 3 | |
| Seggar-clay 0 3 1 Grey post 0 4 10 Grey post, with shale partings 1 0 3 Grey post, with hard Grey post, with white | |
| Seggar-elay 0 3 1 Hard white post 0 4 3 Grey post, with shale partings 1 0 3 Grey post, with white post girdles 0 4 7 Grey post, with white post partings 1 5 3 | |
| Seggar-clay 0 3 1 Hard white post 0 4 3 Grey post, with shale partings 1 0 3 Grey post, with hard white post girdles 0 4 7 White post, with | |
| Seggar-elay 0 3 1 Hard white post 0 4 3 Grey post, with shale partings 1 0 3 Grey post, with white post girdles 0 4 7 Grey post, with white post partings 1 5 3 | |

No. 2,629.—CROXDALE.—CONTINUED.

| Fs. Ft. In. Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|--|-------------------------------|
| Brought forward 11 1 783 5 10 | Brought forward 2 1 3 100 4 9 |
| COAL 0 0 3 | Grey post, with shale |
| 11 1 10 | partings 1 2 3 |
| Hard white post, with | White post, with |
| a trace of coal at | trace of coal 1 0 1 |
| | Black shale and coal 0 0 5 |
| the bottom 5 1 2 | |
| Ironstone 0 0 11 | Grey post, with white |
| Dark grey shale 0 0 3 | post pannels and |
| Dark grey shale 0 0 3 COAL 0 0 9 | trace of coal 0 3 4 |
| 5 3 1 | White post 3 2 5 |
| Seggar-clay 0 3 1 Grey shale, with post | White post, with thin |
| Grev shale, with post | dark shale partings 0 3 4 |
| girdles 0 4 8 | White post, into 1 2 11 |
| girdles 0 4 8 Grey post 0 5 6 | 10 4 0 |
| | |
| Carried forward 2 1 3 100 4 9 | Total 111 2 9 |
| | |

No. 2,630.—CULLERCOATS.

TOWNSHIP OF WHITLEY, NORTHUMBERLAND.

Sheet 89 of Ordnance Map. Lat. , Long.

Account of Strata bored through in the Duke of Northumberland's Grounds, 40 yards from Cullercoats Old Lane up the Letch, by Mr. Ralph Brown. Finished October 30th, 1816.

Approximate surface-level feet above sea (Ordnance datum).

| Cail and alon | Fs. | | In. Fs | . Ft. | In. | Fs. Ft. In. Fs Ft. In. Brought forward 2 3 4½ 16 5 2½ |
|---|-----|----------|----------------|-------|----------------|--|
| Soil and clay | . 0 | J | | 5 | 0 | |
| ~ | | | | Ü | 0 | White post, with |
| Grey metal | . 1 | Ū | 10 | | | partings and whin |
| Blue metal | . 0 | 1 | 0 | | | girdle and water 13 4 4 |
| Broken post | . 2 | 2 | 0 | | | COAL 0 0 8 |
| Blue metal | . 2 | 2 | 4 | | | $16 2 4\frac{1}{2}$ |
| COAL | . 0 | 2 | 10 | | | White post, with |
| | | | 4 | 3 | 0 | water 0 5 7 |
| White thill | . 0 | 1 | 10 | | | Grey metal, with post |
| | . 2 | 1 | 0 | | | girdles 1 4 0 |
| Black stone | ī | ō | 2 | | | Blue metal 0 2 6 |
| White post, with | | • | - | | | Black stone, with |
| whin girdles and | | | | | | spar and ironstone |
| | . 7 | Λ | Λ | | | girdles 0 1 8 |
| | | | 6 | | | |
| Blue metal | | | | | | Grey metal, with post |
| COAL | . 0 | 2 | | _ | | girdles 1 5 8 |
| | _ | | 11 | U | 1 | Black stone 0 0 10 |
| | | 2 | 4 | | | Splint stone and coal 0 0 9 |
| COAL | 0 | 0 | $1\frac{1}{2}$ | | | Low Main Seam— |
| | | | — 0 | 2 | $5\frac{1}{2}$ | |
| Blue metal | 0 | 5 | $3\frac{1}{2}$ | | | 5 3 9 |
| Grey metal | - | 4 | 1 | | | |
| | | | | | | |
| Carried forward | 1 2 | 3 | 41.1 | 6 5 | 21 | Total 38 5 4 |
| VIII - 01 11 11 11 11 11 11 11 11 11 11 11 11 | | - | | | - 4 | |

No. 2,631.—DARLINGTON. TOWNSHIP OF DARLINGTON, DURHAM.

Sheet 55 of Ordnance Map. Lat.

, Long.

Account of Strata bored through at the Victoria Brewery, Darlington, for Mr. H. Warwick. Commenced September 4th, 1890.

Approximate surface-level

feet above sea (Ordnance datum).

| | | | In. Fs. F | t. In. | | | | In. Fs. | Ft. | In. |
|---|--------|-----|-----------|--------|----------------------|-------|---|---------|-----|-----|
| Well | 2 | 3 | 0 | | Brought forward | 22 | 2 | 4 | | |
| Running sand, with | | | | | Light brown clay, | | | | | |
| water | 1 | 4 | 6 | | mixed with lime- | | | | | |
| Dark stony clay | 1 | 1 | 0 | | stone | 0 | 3 | 0 | | |
| Brown stony clay | 2 | 3 | 0 | | Soft limestone marl, | | | | | |
| Dark stony clay Brown stony clay Gravel, with water | 0 | 2 | 9 | | with water | 1 | 4 | 2 | | |
| Running sand, with | | | | | Limestone marl, with | | | | | |
| water | | 4 | 0 | | hard girdles | | 2 | 6 | | |
| Clay | | | | | Hard brown lime- | | | | | |
| Sand with water | 2 | - 5 | 0 | | stone, with gullets | | | | | |
| Dark stony clay Sand, with water | 3 | 0 | 0 | | and water | | 0 | 6 | | |
| Sand, with water | 0 | 2 | 0 | | | | | — 27 | 0 | 6 |
| Hard boulder-clay | 1 | 4 | 3 | | | | | | | |
| Soft brown clay, with | | | | | | | | | | |
| pockets of sand and | | | | | | | | | | |
| water | | 0 | 2 | | | | | | | |
| | | _ | | | | | | | | |
| Carried forward | 99 | 2 | 4 | | Total | | | 27 | 0 | 6 |
| Carried Totward | تدسد | 2 | | i | 1 otar | • • • | | | | |

No. 2,632.—DAWDON. TOWNSHIP OF DAWDON, DURHAM.

Sheet 21 of Ordnance Map. Lat. 54° 49′ 24″, Long. 1° 19′ 16″.

Account of Strata sunk through in the Castlereagh Pit, Dawdon Colliery.

Approximate surface-level 110 feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. In | |
|-----------------------------|------------------------------|
| Soil 0 1 0 | Brought forward 54 2 3 1 5 0 |
| Clay 0 5 6 | Hard grey limestone |
| Gravel 0 4 6 | in panels 5 0 71 |
| 1 5 (| |
| Strong marl, with | Ft. In. |
| limestone girdles 8 2 10 | Soft shale 0 11 |
| Limestone, with | Hard shale 1 113 |
| strong marl part- | 0 2 1 |
| ings 5 2 7 | Fish bed 0 1 01 |
| Marl, with gullets 14 0 7 | Blue-grey sand 12 3 0 |
| Hard grey limestone 5 4 6 | Brown-grey sand 2 5 4 |
| Yellow limestone, | 75 2 4 |
| with red marl 2 1 2 | Very hard post girdle 0 1 0 |
| Hard grey limestone 10 5 7 | Dark grey shale, with |
| Grey and yellow | red shale bands 3 3 0 |
| limestone 2 5 6 | COAL 0 0 3 |
| Yellow limestone 3 4 0 | Grey shale 0 2 5 |
| Hard grey limestone 0 5 6 | COAL 0 4 41 |
| and good and a | 4 5 01 |
| | |
| Carried forward 54 2 3 1 5 | Carried forward 82 0 41 |
| varied for with or 2 of 1 o | of carried formate 62 0 45 |

No. 2,632.—DAWDON.—Continued.

| | | Ft. | In. Fa. | | | Fs. Ft. In. Fs. Ft. In. |
|-----------------------|----|-----|--------------------------|----------|----------------|--|
| Brought forward | | _ | 82 | U | $4\frac{1}{2}$ | Brought forward 8 3 7 115 1 11 |
| Grey post | | 2 | $\frac{2\frac{1}{2}}{2}$ | | | Grey post, in beds 12 3 0 |
| Seggar-clay | | | 8 | | | Grey post, with |
| COÁT | 0 | 0 | 10 | _ | ٠. | patches of grey |
| | _ | | 2 | 2 | $8\frac{1}{2}$ | shale 0 3 0 |
| Grey shale | 0 | | 9 | | | Grey post 3 5 1 |
| Dark grey shale | 0 | 2 | 10 | | | COAL 004 |
| COAL | 0 | 0 | $1\frac{3}{4}$ | | | <u> </u> |
| Dark grey shale | 0 | 0 | $10\frac{1}{4}$ | | | Seggar-clay 0 2 4 |
| Grey post, with shale | | | | | | Grey post, in beds 0 4 10 |
| partings | 1 | 3 | 9 | | | Grey shale : 0 4 10½ |
| Very hard grey post | 0 | 1 | 1 | | | COAL 0 0 31 |
| Grey post, with shale | | | | | | Seggar-clay 0 5 6 |
| partings | 2 | 0 | 0 | | | Grey shale, with |
| Dark grey shale | 0 | 0 | 9 | | | panels of post 2 1 0 |
| Grey shale | 0 | 0 | 4 | | | COAL 0 0 6 |
| Post girdle | | Õ | $\tilde{2}$ | | | 5 1 4 |
| Grey shale | ŏ | Õ | 3 | | | Seggar-clay 0 0 11 |
| Ft. In. | · | ٠ | • | | | Grey post 2 2 1 |
| COAL 1 5 | | | | | | Grey post 2 2 1 Grey shale 4 5 7 |
| 3) 1 | t. | | | | | |
| COAL 1 10 | | | | | | |
| OOAL 1 10, | 0 | 3 | 5 | | | G |
| | U | 0 | 6 | 1 | . 4 | |
| Compan alors | | 4 | 0 5 | - | . 12 | |
| Seggar-clay | | | | | | |
| Grey shale | 0 | 3 | $\frac{3}{7}$ | | | |
| COAL | 0 | 0 | | 2 | 3 | Three-Quarter Seam— |
| G | | 4 | $\frac{1}{10}$ 1 | 2 | 3 | COAL 0 2 6 |
| Seggar-clay | | | 10 | | | —————————————————————————————————————— |
| Grey shale | 0 | 5 | 6 | | | Grey post, with shale |
| Grey shale, with | | _ | | | | partings 0 3 1 |
| patches of post | 3 | 0 | 0 | | | Grey post 0 4 11 |
| Grey shale, with post | _ | _ | _ | | | Grey shale 0 5 2 |
| _girdles | 1 | 0 | 5 | | | COAL 0 1 1 |
| Grey post | 0 | | 10 | | | 2 2 3 |
| orey share | 1 | 1 | 0 | | | Seggar-clay 1 1 0 |
| Grey shale, with | | | | | | Grey shale 1 3 10 |
| patches of post | 6 | 5 | 0 | | | Grey shale, with post |
| Grey shale, with post | | | | | | girdles 0 5 0 |
| girdles | 0 | 4 | 0 | | | Grey post 2 2 0 |
| Grey shale, with | | | | | | Grey shale, with post |
| patches of post | 0 | 3 | 0 | | | girdles 1 3 0 |
| Grey shale | 2 | 0 | 8 | | | Grey shale 2 4 6 |
| Grey shale, with post | | | | | | COAL 0 0 11 |
| girdles | 1 | 4 | 10 | | | 10 2 3 |
| CÖAL | | 0 | | | | Seggar-clay 0 0 6 |
| | _ | | 20 | 1 | . 8 | Grey post 1 3 1 |
| Dark seggar-clay | 0 | 1 | 10 | _ | | Grey shale 0 5 4 |
| Dark grey shale | | 4 | 1 | | | COAL, splinty 0 0 8 |
| Grey post | | 4 | 5 | | | |
| | _ | 1 | 0 | | | |
| Bastard post | _ | 5 | 5 | | | Grey post, with shale partings 2 1 10 |
| Grey post | 0 | | 10 | | | |
| COAL | U | U | | = | | |
| Common alam | | ٠, | 2 | 5 | 7 | Grey post 0 4 0 |
| Seggar-clay | | 1 | 7 | | | COAL, splinty 0 0 4 |
| Grey shale | 2 | 3 | 9 | | | Seggar-clay 0 1 8 |
| Grey shale, with post | _ | | | | | Grey shale 1 1 4 |
| girdles | | 4 | 4 | | | COAL, splinty 0 0 8 |
| Seggar-clay | 1 | 2 | | | | 10 0 7 |
| Grey shale | 2 | 3 | 3 | | | Seggar-elay 0 0 6 |
| 0 | | | | | | |
| Carried forward | 8 | 3 | 7 11 | 5 | 1 11 | Carried forward 0 0 6 185 3 4 |
| | | | | | | |

13

No. 2,632.—DAWDON.—CONTINUED.

| 110. ~ | ,00 | ~1 | - | • • • | DON.—CONTINUED. |
|-----------------------------|--|-------------------|-----|-------|--|
| | | In. Fs. | | | Fs. Ft. In. Fs. Ft. In. |
| Brought forward Grev post 3 | | 6 185 6 | 0 0 | 4 | Brought forward 233 4 10 Seggar-clay 0 5 6 |
| Grey shale, with post | , , | U | | | Grey shale, with post |
| girdles | 2 | 0 | | | girdles 1 1 8 |
| Grey shale 3 | 3 0 | 0 | | | Brass Thill Seam- |
| Grev post 1 | 0 | 0 | | | Ft. In. |
| Grey shale | 5 | 5 | | - | COAL 0 7 |
| Five-Quarter Seam- | | | | | Band 0 3 |
| COAL 0 8 | • | | | | COAL, good 1 2 |
| Grey band 0 3 | | | | | brass 0 9 |
| COAL 2 3 | | | | | 0 2 9 |
| Grev band 0 04 | | | | | 2 3 11 |
| COAL 2 3 | | | | | Seggar-clay 1 0 0 |
| Grey band 0 2 | | | | | Grey shalo 1 0 0 |
| COAL 0 84 | 0 1 | 4 | | | Greyshale, with iron- |
| | | 11 | 5 | 9 | stone girdles and post panel 3 5 5 |
| Seggar-clay 1 | | 1 | | | post panel 3 5 5 Low Main Seam— |
| Strong grey post 3 | 3 5 | 1 | | | COAL 0 4 21 |
| COAL (|) U | | | | <u> </u> |
| Seggar-clay |) 2 | | | | Seggar-clay 0 3 111 |
| Grey shale COAL | 1 | | | | Grey shale, with iron- |
| | | 8 | 1 | 9 | stone girdles 6 1 4 |
| Seggar-clay (| 2 | 6 | | | only 0 1 7 |
| Grev shale | 4 | | | | only 0 1 7 7 0 101 |
| Grey post | 3 | | | | Seggar-clay 0 4 0 |
| Grey shale 1 | 1 0 | 3 | | | Grey shale, with post |
| COAL 3 7 | | | | | girdles 0 5 6 |
| COAL, splinty 1 1 | | | | | Grey shale 0 1 3 |
| (|) 4 | | | | Grev shale 0 0 4 |
| D1 1 1 1 | | _ 7 | 3 | 2 | |
| | $egin{smallmatrix} 3 \\ 1 & 2 \end{bmatrix}$ | | | | COAL 0 0 51 Grey shalo 0 3 31 |
| Grey shale I Grey post I | | 8 | | | Grey shale, with post |
| Grey shale | 3 4 | 7 | | | girdles 0 4 4 |
| Main Coal Seam- | | | | | Grey post 4 3 10 |
| COAL |) 4 | 10 | | , | Hard grey post 2 0 2 Hutton Seam— |
| Sammer alone | 2 | $\frac{\ }{\ }$ 7 | 4 | 1 | Ft. In. |
| _ 00. | 2 | | | | COAL, top 0 24 |
| Grey post | | | | | COAL, top 0 2½ Band 0 0¾ |
| Grey shale, with post | | | | | GOAL, good 4 6 Band 0 5 |
| girdles | 4 | | | | Band 0 5 COAL, bot- |
| CICY BRAID | E () | | | | tom 1 0 |
| Hard grey post Grey post | 2 0 | | | | 1 0 24 |
| Grey post, with shale | | | | | 12 0 01 |
| partings (| 5 | | | | Seggar-clay 1 5 0 |
| Grow noct | 1 7 | | | | Grey post 0 5 23 |
| Grey shale | 0 3 | 0 | | | Grey shale 1 4 4 Black shale 0 2 0 |
| Maudlin Seam— | | | | | Black shale 0 2 0 Grey shale 1 3 0 Black shale 0 0 6 |
| COAL 1 0 | | | | | Black shale 0 0 6 |
| Band 0 4 | | | | | Ironstone girdle 0 1 0 |
| COAL 2 8 | | | | | Seggar-clay 1 0 6 |
| |) 4 | | 4 | 0 | Hard grey post 2 1 0 Leafy post 1 0 0 |
| _ | | 12 | 4 | 9 | Leafy post 1 0 0 |
| Carried forward | | 233 | 4 | 10 | Carried forward 10 4 6 4 262 1 3 4 |

No. 2,632.—DAWDON.—CONTINUED.

| Brought forward 10 4 Grey post 1 0 | 1 | Brought forward Seggar-clay 0 | 3 1 |
|---------------------------------------|---------|-----------------------------------|---|
| Black shale 0 0 COAL 0 0 | | Grey post 0 Grey shale, into 1 | $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| Carried forward | 274 1 1 | Total | 276 3 4 |

No. 2,633.—DEAF HILL.

TOWNSHIP OF WINGATE, DURHAM.

Sheet 36 of Ordnance Map. Lat. 54° 43′ 23″, Long. 1° 24′ 28″.

Account of Strata sunk through in the No. 3 Pit, Deaf Hill Colliery, for the Trimdon Coal Company, 1891-1892.

Approximate surface-level 480 feet above sea (Ordnance datum).

| 11 | | | | | |
|--------------------------|--------|-----------------|-----|------|-------------------------------|
| | Ft. | In. Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
| Strong clay and gravel 9 | 0 | 0 | | | Brought forward 21 0 6 58 3 4 |
| Strong clay and beds | | | | | Three-Quarter Seam- |
| of marl 2 | 3 | 2 | | | COAL, mixed with |
| | | 11 | 3 | 2 | black stone 0 3 5 |
| Marl and limestone 12 | 1 | 2 | _ | | Five-Quarter Seam- |
| Limestone and marl | - | - | | | |
| 1 | 0 | 0 | | | |
| NO C410 | U | U | | | ${}$ 22 1 6 |
| Strong honey-combed | | | | | Seggar-clay 0 4 6 |
| yellow limestone 14 | 0 | 0 | | | Grey metal 4 3 7 |
| Honey-combed lime- | | | | | Grey post 5 0 0 |
| stone 7 | 2 | 9 | | | White post 5 3 7 |
| Blue and yellow lime- | | | | | Main Coal Seam— |
| stone 5 | 2 | 5 | | | Ft. In. |
| Marl slate (fish bed) 0 | 4 | 5 | | | COAL 0 4 |
| Blue sand 0 | 1 | ğ | | | Band 0 4 |
| | 4 | 8 | | | COAL, good 3 0 |
| | 1 | 0 | | | COAL scores 0 6 |
| Blue sand 0 | Т | | | | COAL, coarse 0 6 |
| ~ | | 4 7 | 0 | 2 | 0 4 2 |
| Soft blue metal 0 | 3 | 6 | | | 16 3 10 |
| Blue and red metal 4 | 0 | 7 | | | Seggar-clay 0 3 0 |
| Red and grey post 2 | 0 | 4 | | | COAL, coarse 0 1 3 |
| Red seggar-clay 0 | 2 | 7 | | | 0 4 3 |
| Strong red and grey | | | | | Grey metal 0 3 0 |
| metal 3 | 1 | 0 | | | Grey post 3 0 0 |
| Grey metal, with | | | | | Grey metal 3 2 0 |
| black partings 1 | 0 | 11 | | | COAL 0 1 0 |
| Blue metal, with balls | ٠ | | | | 7 0 0 |
| | 0 | 7 | | | Seggar-clay 0 3 0 |
| | | ó | | | |
| 0.1-0 | 1 | U | | | |
| Strong grey metal, | | | | | Bitto metal iii |
| with balls of iron- | | _ | | | Low Main Seam— |
| | | 6 | | | COAL 036 |
| Red and grey post 3 | 5 | | | | 13 5 10 |
| Ironstone girdle 0 | 0 | 2 | | | White post 3 0 7 |
| Red and grey post 2 | 1 | 10 | | | Black stone 0 1 0 |
| Grey metal 0 | 2 | 6 | | | COAL 0 0 2 |
| 5.20 <i>y</i> | | | | | |
| Carried forward 21 | 0 | 6 58 | 3 | 4 | Carried forward 3 1 9 119 0 9 |
| Juilled 101 Hald 21 | ~ | | • | _ | |
| | | | | | |

No. 2,633.—DEAF HILL.—CONTINUED.

| Brought forward | | | In. Fs. 9 119 | | Fs. Ft. In. Fs. Ft. In. Brought forward 9 2 0 146 4 5 |
|------------------------|---------------|----|------------------|------|---|
| ~ 0, | 2 | Ô | 0 | 0 0 | Grey metal 1 3 0 |
| | | | 5 | | J |
| | 0 | 0 | | | Ft. In. |
| Grey metal | 1 | | 10 | | COAL 0 1 |
| COAL | 0 | 0 | 5 | | Black shale 0 9 |
| Strong grey metal, | | | | | COAL 0 6 |
| with post girdles | 1 | 4 | 0 | | Shale 1 3 |
| Strong white post | 0 | 4 | 7 | | COAL 0 3 |
| Dark metal | 0 | 4 | 6 | | 0 2 10 |
| COAL | 0. | 0 | 2 | | 11 1 10 |
| Strong grey post | 2 | 0 | 0 | | Grey metal 0 5 7 |
| Dark metal | | 0 | 0 | | Grey post 1 3 0 |
| Grey metal | ī | Õ | ŏ | | Black stone 0 1 0 |
| Brass Thill Seam- | • | ٠ | • | | COAL 0 0 2 |
| COAL | 0 | 1 | 6 | | 70 1 1 |
| OOAL | U | | 14 | 0 2 | |
| G | _ | _ | | 0 2 | Harvey Seam- |
| Seggar-clay | 0 | 0 | 8 | | COAL 0 3 1 |
| Blue metal, with iron- | _ | | _ | | 3 1 0 |
| stone balls | 5 | 0 | 1 | | Strong metal stone 0 4 6 |
| Hutton Seam- | | | | | Strong post 0 0 9 |
| Ft. In. | | | | | Blue stone 0 1 3 |
| COAL 2 5 | | | | | Blue stone, mixed |
| Cannel stone 0 8 | | | | | with pipes 0 1 0 |
| | 0 | 3 | 1 | | Post, with iron balls 0 0 8 |
| | | | 5 | 3 10 | Blue stone 0 2 10 |
| Grey post | 2 | 3 | 0 | | Post 0 0 6 |
| COAL | õ | 0 | 6 | | Blue stone 0 0 6 |
| Grey post, with metal | ٠ | v | U | | Blue metal 3 0 0 |
| | 5 | 0 | 0 | | Trice motern in |
| partings | 0 | | | | 2 000 111 |
| Black stone | | 1 | 0 | | Busty Seam— |
| COAL | 0 | 1 | 2 _ | | Ft. In. |
| <u> </u> | | | — 7 | 5 8 | COAL 2 7 |
| Grey post | 0 | 4 | 4 | | Band 0 $2\frac{1}{4}$ |
| Grey post, with metal | | | | | COAL 0 9 |
| partings | 2 | 0 | 0 | | Band 0 31 |
| Grey metal | 1 | 1 | 6 | | COAL 0 11 |
| COAL | 0 | ō | 6 | | Band 0 7 |
| Grey metal | õ | 4 | 6 | | COAL 0 7 |
| Grey post | 2 | 0 | ő | | 0 5 113 |
| Black stone | $\frac{2}{2}$ | 3 | 2 | | 6 1 5 |
| Diack Stolle | 4 | J | 2 | | 0 1 3 ₁ |
| Carried forward | a | 6) | 0.146 | 4 5 | TP. 4 a 1 107 9 91 |
| Carried forward | IJ | ک | 0 140 | 4 5 | Total 167 2 8½ |
| | | | | | |

No. 2,634.—DELVES. TOWNSHIP OF CONSETT, DURHAM.

Sheet 11 of Ordnance Map. Lat. 54° 50' 50", Long. 1° 49' 27".

Account of Strata sunk through in the Delves Pit.

Approximate surface-level 870 feet above sca (Ordnance datum).

| Walling Post Plate Post | | F | $egin{pmatrix} 6 & 4 \\ 0 & 1 \\ 0 & 0 \end{bmatrix}$ | 3) 10 | Broug Plate Post Plate | ward 8 0 | $\frac{2}{0}$ | 5 8 |
|----------------------------------|---------|---|---|-----------|---------------------------------|-----------------|---------------|--------|
| | ed forw | _ | | | | 0 ward 11 | | |

No. 2,634.—DELVES.—Continued.

| Fs. Ft. In. Fs. Ft. In. | Fs. Ft. In. Fs. Ft In. |
|---|-------------------------------|
| Brought forward 11 1 10 | Brought forward 5 2 11 19 5 2 |
| Post 0 5 3 | Post 3 0 4 |
| Blue metal and post 0 2 9 Post 0 5 5 | Three-Quarter Seam— |
| Post 0 5 5 | COAL 0 1 3 |
| Blue metal and post 0 1 5 | 8 4 6 |
| Post 0 1 6 | Black stone 0 0 10 |
| Walling 0 4 4 | COAL 0 0 2 |
| Plate 0 1 9 | Good clay 0 2 0 |
| Blue metal 0 3 0 | Hard clay, with iron |
| Soft blue metal 0 0 7 | balls 0 1 8 |
| Sold Sittle Income | |
| | |
| | |
| | |
| Post 1 2 1 | 2 000 111 111 111 |
| Soft blue metal 0 3 2 | Blue metal, mixed |
| Busty Seam— | with post 0 1 11 |
| Ft. In. | Black stone 0 1 0 |
| COAL 1 9 | COAL 0 1 1 |
| Band 0 3 | 5 4 11 |
| COAL 2 0 | Black stone 0 0 6 |
| 0 4 0 | Post 0 5 3 |
| | Blue metal 0 2 6 |
| Seggar-clay 0 4 9 | Blue metal, mixed |
| Blue metal 0 2 9 | with post 0 1 0 |
| D4 0 1 7 | 731 / 4 |
| | Bitte Brone iii iii v |
| T I | Brockwell Seam— |
| | COAL 0 2 0 |
| Black stone 0 0 9 | 2 3 3 |
| Carried forward 5 2 11 19 5 2 | Total 36 5 10 |
| | 10.01 00 0 10 |
| | |

No. 2,635.—DENTON FELL.

TOWNSHIP OF NETHER DENTON, CUMBERLAND.

Sheet 19 of Ordnance Map. Lat. 54° 56′ 36″, Long. 2° 34′ 36″.

Account of Strata passed through in a Bore-hole on Denton Fell, 1886.

Approximate surface-level 750 feet above sea (Ordnance datum).

| | Ft. | | Fs. | Ft. | In. | | Fs. | Ft. | In. | Fs. | Ft. | In. |
|-------------------------------|-----|--------|-----|-----|-----|---|-----|-----|-----|-----|-----|-----|
| Brown soil 0 | 1 | 0 | | | | Brought forward | 7 | 1 | 9 | 0 | 3 | 6 |
| Brown soil 0 Yellow clay 0 | 2 | 6 | | | | Hard grey millstone | | | | | | |
| | | | 0 | 3 | 6 | grit | 0 | 1 | 3 | | | |
| Strong grey sandy | | | | | | Grey sandstone | 0 | 4 | 0 | | | |
| shale 0 | 1 | 0 | | | | Darkgrev sandy shale | 2 | 1 | 6 | | | |
| Dark broken lime- | | | | | | Grey sandstone Darkgrey sandyshale Hard white millstone | | | | | | |
| stone 3 | 3 | 6 | | | | grit | | | | | | |
| Grey sandy shale 0 | | | | | | Dark shale, with iron- | | | | | | |
| Hard grey millstone | | | | | | stone balls | 1 | 3 | 6 | | | |
| grit 0 | 3 | 2 | | | | Yellow limestone, with | | | | | | |
| Dark shale 0 | 2 | 4 | | | | mussel shells | 0 | 1 | 2 | | | |
| Grey sandstone, with | | | | | | Dark grey sandy | | | _ | | | |
| black joints 0 | 3 | 6 | | | | shale, with mussel | | | | | | |
| Dark grey sandy shale 1 | ő | 9 | | | | beds | 2 | 4. | 4 | | | |
| | | | | | | | | | | | | |
| Carried forward 7 | 1 | 9 | 0 | 3 | 6 | Carried forward | 16 | 4 | 6 | 0 | 3 | 6 |

No. 2,635.—DENTON FELL.—CONTINUED.

| 110. ≈,0 | 99 | • | -IJ. | DIL | 1, | 01 | TEDD.—CONTINUED. |
|---|----|-----|------|-----|-----|-----|-------------------------------------|
| | | | In. | | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
| Brought forward | 16 | 4 | 6 | U | 3 | 6 | Brought forward 6 2 5 40 4 6 |
| Hard white millstone | | _ | _ | | | | Dark grey sandstone, |
| grit | 1 | 5 | 6 | | | | with vertical joints 2 1 6 |
| Hard grey millstone grit, with sulphur | | | | | | | Dark sandy shale 2 0 0 |
| grit, with sulphur | 0 | 2 | 6 | | | | Blue shale 0 3 4 |
| Hard white millstone | | | | | | | Dark grey whinstone, |
| grit | 1 | 4 | 6 | | | | with spar 0 0 3 |
| Hard grey sand- | | | | | | | Blue shale 0 0 4 |
| stone, with mica | 0 | 3 | 6 | | | | Dark grey whinstone, |
| Dark grey sandy shale | | 1 | 6 | | | | with spar 0 1 10 |
| Hard white millstone | - | - | ŭ | | | | Whinstone and shale, |
| | 0 | 3 | 0 | | | | mixed 0 2 0 |
| Grandatana with | ٠ | U | ٠ | | | | |
| Grey sandstone, with | 0 | 9 | 10 | | | | |
| shale joints | | 3 | | | | | |
| Dark grey sandy shale | | 0 | 0 | | | | Grey sandstone, with |
| Dark shale, with coal | | 0 | 6 | | | | shalo joints 1 1 0 Blue shale 0 3 0 |
| COAL | 0 | 1 | 3 | | | | Blue shale 0 3 0 |
| | | _ | 1 | 25 | 0 | 7 | Grey sandstone, with |
| Grit and shale, mixed | 0 | 0 | 2 | | | | dark joints 0 1 6 |
| Dark shale | ŏ | ŏ | 2 | | | | Broken grey sand- |
| Hard grey millstone | • | J | _ | | | | stone 0 3 6 |
| grit, with sulphur | 0 | 1 | 4 | | | | |
| Dark shale | ŏ | ô | 8 | | | | White sandstone 5 2 9 |
| Dark shale | v | U | O | | | | Hard brown millstone |
| Hard grey millstone | 0 | 2 | 8 | | | | grit 0 1 3 |
| grit | 0 | 3 | | | | | White sandstone 0 4 6 |
| Dark grey sandstone | 1 | | 0 | | | | White sandstone, |
| Light shale | 1 | 0 | 6 | | | | with coal spots 1 5 6 |
| Dark shale and lime- | | | - | | | | Blue sandy shale 1 0 6 |
| stone, mixed | | 3 | 5 | | | | Hard grey sandstone 1 1 6 |
| Dark grey limestone | | 5 | 9 | | | | Sandstone and shale, |
| Grey sandstone | 0 | 1 | 9 | | | | mixed 0 4 0 |
| Dark grey sandy shale Grey sandstone | 0 | 3 | | | | | Blue sandy shale 1 2 6 |
| Grey sandstone | 0 | 2 | 0 | | | | Sandstone and shale, |
| White sandstone | 1 | 3 | 3 | | | | 0.00 |
| Grey sandstone, with | | | | | | | Hard white millstone |
| dark joints | 1 | 0 | 0 | | | | |
| Dark greysandy shale | 1 | 5 | 0 | | | | . 0 |
| | 1 | 1 | 6 | | | | Sandstone and shale, |
| Dark grey limestone, | | | | | | | mixed 0 2 5 |
| with spar | 0 | 1 | 8 | | | | White millstone grit 0 4 7 |
| Blue shale | 0 | 1 | 6 | | | | Blue shale 0 2 10 |
| Dark limestone and | | | | | | | COAL 0 1 7 |
| shale, mixed | 0 | 5 | 5 | | | | 32 4 10 |
| Hard grey millstone | | | | | | | Grey shaly sandstone 1 3 9 |
| grit | 0 | 4 | 11 | | | | White sandstone 2 4 4 |
| Blue shale | 0 | 1 | 7 | | | | Blue sandy shale 2 2 0 |
| Grev sandstone | ň | - | 10 | | | | Blue shale, with iron |
| Grey sandstone Blue shale | 0 | 2 | 7 | | | | balls 2 2 1 |
| COAL | ŏ | ő | 6 | | | | Blue shales 0 5 0 |
| COAL | J | U | | 1 | | _ | Dark grey whinstone 0 2 6 |
| | | | — | 15 | 0 | 5 | Dark grey sandstone, |
| Dark grey sandstone, | | | | | | | with coal joints 0 4 6 |
| with coal joints | 1 | 5 | 0 | | | | Blue shale 0 4 6 |
| Grey sandstone, with | | | | | | | White sandstone 4 5 6 |
| spots of coal | 0 | 4 | 11 | | | | Blue shale 0 1 3 |
| Dark grey sandy shale | - | Ô | 0 | | | | Dark sandstone 0 2 0 |
| Blue shale | | 1 | 4 | | | | Grey millstone grit 0 2 9 |
| Grey sandstone, with | ŭ | • | • | | | | Grey sandstone 0 2 0 |
| coal joints | 0 | 5 | 2 | | | | Grey sandstone, full |
| | 1 | 4 | | | | | of mica 6 0 0 |
| Grey sandstone | 1 | -18 | | | | | or mica o o o |
| Carried forward | G | 2 | E | 40 | 4 | -6 | Carried forward 24 0 2 73 3 4 |
| Carried forward | O | 4 | 0 | 40 | 4 | O | Carried forward 24 0 2 73 3 4 |

No. 2,635.—DENTON FELL.—CONTINUED.

| Fs. Fo Brought forward 24 | | Ft. In. | Fs. Ft. In. Fs. Ft. In. Brought forward 51 2 873 3 4 |
|--|------|------------|--|
| White sandstone, | | | Blue shale, with iron |
| with coal joints 1 2 | 0 | | balls 1 1 6 |
| Grev shalv sandstone 1 2 | 6 | | Blue shale, with |
| Grey shaly sandstone 1 2 Blue sandy shale 0 3 | 6 | | mussel fossils 1 1 6 |
| Blue shale, with iron- | | | Dark grey limestone 2 2 1 |
| stone balls 3 2 | 0 | | COAL 0 0 8 |
| Hard grey sandstone 1 | | | 56 2 5 |
| | Ö | | Blue shale 0 5 0 |
| Blue sandy shale 1 | 6 | | Grey shaly sandstone 2 4 11 |
| | 6 | | Blue shale 0 0 7 |
| | 0 | | White sandstone 0 4 3 |
| Dark grey sandstone 0 3 | 0 | | |
| Grey shaly sandstone 0 | 6 | | Blue shale 0 0 5 |
| Blue shale 1 | | | |
| | 8 | | Grey sandstone 0 4 6 |
| Blue shale 3 3 | | | Little Limestone Seam— |
| Hard grey whinstone 0 2 | 0 | | COAL 035 |
| Blue shale, with iron- | | | 7 2 8 |
| stone balls 0 0 | 9 | | Blue shale 0 1 0 |
| White millstone grit 1 5 | 6 | | Grey sandstone 0 4 11 |
| Grey shaly sandstone 2 3 | 3 | | 0 5 11 |
| Blue shale 3 4 | 6 | | |
| | | | |
| Carried forward 51 2 | 8 73 | 3 4 | Total <u>138 2 4</u> |

No. 2,636.—DERWENT.

TOWNSHIP OF MEDOMSLEY, DURHAM.

Sheet 11 of Ordnance Map. Lat. 54° 53' 0", Long. 1° 47' 4".

Account of Strata sunk through in the Pont Staple, from the Surface on the North Side of the Pont Burn, near Walton's Wicket, to the Top Busty Seam, Derwent Colliery.

Approximate surface-level 402 feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. In. Soil and gravel 2 0 0 | Fs. Ft. In. Fs. Ft. In. Brought forward 6 1 2 |
|---|---|
| | Strata 5 4 10 |
| | COAL 0 0 3 |
| | Band 0 0 4 |
| Ft. In. | Top Busty Seam— |
| COAL 0 8 | COAL 0 2 11 |
| Band 0 1 | 6 2 4 |
| COAL 0 5 | |
| 0 1 2 | |
| 4 1 2 | |
| | |
| Carried forward 6 1 2 | Total 12 3 6 |
| • | |

No. 2,637.—DERWENT. TOWNSHIP OF MEDOMSLEY, DURHAM.

Sheet 11 of Ordnance Map. Lat. 54° 53′ 9″, Long. 1° 48′ 32″.

Account of Strata bored through in the Staple at the William Pit, Derwent Colliery, about 45 yards South-west of the Winding Shaft from the Three-Quarter or Pasture Drift Seam to the Brockwell Seam.

Approximate surface-level 754 feet above sea (Ordnance datum).

| | Fs. | Ft. | In. Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
|--------------------|-----|-------------|---------|-----|-----|--|
| Depth from surface | | | | | | Brought forward 5 2 4 66 4 3 |
| to Three-Quarter | | | | | _ | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| Seam | | | 66 | 4 | 3 | Grey metal 0 1 2 |
| Metal, with post | | | | | | Post, with metal 0 3 3 |
| girdles | 0 | 2 | 11 | | | Dark metal 0 1 8 |
| Post, with metal | | | | | | Light post, with |
| partings | 0 | 4 | 0 | | | metal partings 0 4 3 |
| Strong grey metal | | | | | | Blue metal 1 0 9 |
| Strong brown post | | | | | | Dark metal 0 0 9 |
| Grey metal | | | | | | Brockwell Seam— |
| Strong grey post | ñ | $\tilde{2}$ | | | | COAL 0 2 9 |
| Dark metal | | | Ô | | | 9 0 1 |
| | U | -1 | U | | | |
| Brown post, with | ^ | | | | | Light seggar-clay 0 2 0 |
| metal partings | | | | | | Dark metal 0 2 0 |
| Dark metal | U | Ţ | 8 | | | COAL 0 0 4 |
| Whin girdle | 0 | 0 | 5 | | | 0 4 4 |
| Strong grey post | 0 | 2 | 1 | | | Seggar-clay 0 0 6 |
| Grey metal | 0 | 3 | 0 | | | 0 0 6 |
| Carried forward | 5 | 2 | 4 66 | 4 | 3 | Total 76 3 2 |

No. 2,638.—DERWENT CROOK.

TOWNSHIP OF GATESHEAD, SOUTH WARD, DURHAM.

Sheet 6 of Ordnance Map. Lat. 54° 55′ 49″, Long. 1° 36′ 16″.

Account of Strata passed through in a Bore-hole from the Thill of the Tyne Low Main Seam in the George Pit, Derwent Crook Colliery.— Continuation of No. 717.

Approximate surface-level 105 feet above sea (Ordnance datum).

| | | Ft. | In. Fs. | Ft. | In. | | Fs. | Ft. | In. Fs. | Ft. | In. |
|-----------------------|---|-----|---------|-----|-----|--------------------------|-----|----------|------------|-----|-----|
| Sunk and bored for- | | | | | | Brought forward | 1 | 2 | 4 86 | 2 | 5 |
| merly | | | 77 | 5 | 2 | | | | | | |
| Grey metalstone, with | | | | | | | | _ | _ 1 | 3 | 1 |
| girdles | 0 | 2 | 7 | | | Grey metal and metal | | | | | |
| Strong greyish white | | | | | | stone COAL, with sulphur | | 5 | 3 | | |
| post | 2 | 0 | 0 | | | COAL, with sulphur | 0 | 1 | 3 | | |
| Strong white post | | | | | | Strong grey metal | | | | | |
| and whin | 1 | 5 | 6 | | | stone | 0 | 3 | 5 | | |
| Strong white and | | | | | | COAL, with sulphur | 0 | 2 | 0 | | |
| grey post | 3 | 2 | 9 | | | | | | — 2 | 5 | 11 |
| Strong metal stone | 0 | 2 | 6 | | | Grey metal | 0 | 4 | 0 | | |
| COAL, with sulphur, | | | | | | Strong white post | 5 | 1 | 11 | | |
| tender | 0 | 1 | 11 | | | Whin and white post | | | | | |
| | | | 8 | 3 | 3 | | | | | | |
| Dark shivery grey | | | | | | with whin girdles | | 5 | 0 | | |
| metal, with sulphur | | | | | | Grey metal stone, | | - | • | | |
| girdles near the | | | | | | with post girdles | | 1 | 6 | | |
| bottom | 1 | 2 | 4 | | | White and grey post | 2 | õ | Õ | | |
| | _ | | | | | li arte and grey post | | | | | |
| Carried forward | 1 | 2 | 4.86 | 2 | 5 | Carried forward | -9 | 1 | 8 90 | 5 | -5 |
| | - | _ | - 00 | - | • | , carred forward | | - | 000 | | |

No. 2,638.—DERWENT CROOK.—CONTINUED.

| Fs. Ft. In. Fs. Ft. In. Brought forward 9 1 8 90 5 5 5 5 5 5 5 5 5 | Strong white post 0 2 6 Strong white post, with whin girdles 2 0 8 COAL 0 0 9 Grey metal 1 1 0 Strong white post 0 1 6 Grey metal stone 1 0 0 |
|---|--|
| partings 0 2 6 Strong white post 3 5 7 Strong white post and whin 0 3 4 Carried forward 17 3 11 90 5 5 | Thin white post girdles, with metal partings 0 5 10 3 2 4 Total 114 3 7 |

No. 2,639.—DERWENTHAUGH.

TOWNSHIP OF WHICKHAM, DURHAM.

Sheet 2 of Ordnance Map. Lat. 54° 57' 44", Long. 1° 39' 56".

Account of Strata passed through in the No. 1 Bore-hole at Derwenthaugh for The Consett Iron Company, Limited. Commenced August 28th, 1900. Approximate surface-level 10 feet above sea (Ordnance datum).

| _ |
|-----|
| In. |
| |
| |
| |
| |
| 6 |
| |
| |
| |
| 6 |
| |
| 0 |
| = |
| |

No. 2,640.—DERWENTHAUGH.

TOWNSHIP OF WHICKHAM, DURHAM.

Sheet 2 of Ordnance Map. Lat. 54° 57' 38", Long. 1° 39' 58".

Account of Strata passed through in the No. 4 Bore-hole at Derwenthaugh for The Consett Iron Company, Limited. Commenced January 18th, 1900.

Approximate surface-level 10 feet above sea (Ordnance datum).

| | Fe | Trt. | In. Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|------------------|-----|--------|-----------------|-------------------------|
| Soil | | | | Brought forward 7 2 11 |
| Yellow clay | | | | Brown clay, with |
| Mossy peat, with | | | | sand partings 9 2 1 |
| water | . 0 | 1 | 9 | Boulder-clay 2 3 0 |
| River mud | 5 | 2 | 0 | 10 2 0 |
| Gravel and sand, | | | | Grey shale 0 3 0 |
| with water | 1 | 0 | 11 | Grey shale 0 3 0 0 3 0 |
| | | | | |
| Carried forward | . 7 | 2 | 11 | Total 19 5 0 |
| | | | | |

This hole was dry after the water in the gravel was shut off.

No. 2,641.—DERWENTHAUGH. TOWNSHIP OF WHICKHAM, DURHAM.

Sheet 2 of Ordnance Map. Lat. 54° 57' 43", Long. 1° 39' 50".

Account of Strata passed through in the No. 5 Bore-hole at Derwenthaugh for The Consett Iron Company, Limited. Commenced March 2nd, 1901.

Approximate surface-level 10 feet above sea (Ordnance datum).

| ** ** ** ** ** ** | |
|--|-------------------------|
| Fs. Ft. In. Fs. Ft. In | Fs. Ft. In. Fs. Ft. In. |
| Soil 0 3 6 | Brought forward 21 2 0 |
| Soil 0 3 6 Yellow clay 0 3 6 River mud 4 5 0 | Boulder-clay 1 2 0 |
| River mud 4 5 0 | 22 4 0 |
| Gravel and sand, | Grey shale 0 2 6 0 2 6 |
| with water 1 5 0 | 0 2 6 |
| Brown clay, with sand partings 13 3 0 | |
| sand partings 13 3 0 | |
| | |
| Carried forward 21 2 0 | Total <u>. 23 0 6</u> |

No water below the gravel.

No. 2,642.—DERWENTHAUGH.

TOWNSHIP OF WHICKHAM, DURHAM.

Sheet 2 of Ordnance Map. Lat. 54° 57' 38", Long. 1° 39' 51".

Account of Strata passed through in the No. 7 Bore-hole at Derwenthaugh for The Consett Ivon Company, Limited. Commenced December 27th, 1900.

Approximate surface-level 10 feet above sea (Ordnance datum).

| | Fs. | Ft. | In. Fs. | Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|------------------|-----|-----|---------|---------|-------------------------|
| Soil | | | | | Brought forward 7 3 4 |
| Yellow clay | 0 | 4 | 6 | | Brown clay, with |
| Mossy peat, with | | | | | sand partings and |
| water | 0 | 4 | 0 | | water 10 0 8 |
| River mud | 3 | 4 | 0 | | Boulder-clay 3 5 0 |
| Loamy sand | 0 | 3 | 0 | | 21 3 0 |
| Sand and gravel. | | | | | Grey shale 0 3 6 |
| with water | 1 | 4 | 4 | | 0 3 6 |
| | | | | | |
| Carried forward | 7 | 3 | 4 | | Total 22 0 6 |
| | | | | | 1 |

The water stood at 126 feet from the surface after being shut off in the gravel.

No. 2,643.—DERWENTHAUGH. TOWNSHIP OF WHICKHAM, DURHAM.

Sheet 2 of Ordnance Map. Lat. 54° 57′ 36″, Long. 1° 39′ 47″.

Account of Strata passed through in the No. 12 Bore-hole at Derwenthaugh for The Consett Iron Company, Limited. Commenced February 5th, 1901.

Approximate surface-level 10 feet above sea (Ordnance datum).

| Soil Fs. Ft. In. Fs. Ft. Ir. Yellow clay 0 2 0 Yellow clay 0 1 3 | Brought forward 0 3 3 Mossy peat, with water 1 0 9 |
|---|--|
| Carried forward 0 3 3 | Carried forward 1 4 0 |

No. 2,643.—DERWENTHAUGH.—CONTINUED.

| Fs. Ft. In. Fs. Ft. In. Brought forward 1 4 0 | Fs. Ft. In. Fs. Ft. In Brought forward 18 2 0 |
|---|--|
| River mud 6 0 0 | Boulder-clay 0 4 1 |
| Gravel, with water 0 2 4 Brown clay, with | Grev nost 0 1 1 |
| sand partings 9 1 4 | Grey post 0 1 1 Grey shale 0 2 0 |
| Boulder-clay 0 5 10 Open space 0 0 6 | 0 3 I |
| | |
| Carried forward 18 2 0 | Total 19 3 3 |

No water below the gravel.

No. 2,644.—DINNINGTON.

TOWNSHIP OF DINNINGTON, NORTHUMBERLAND.

Sheet 88 of Ordnance Map. Lat. about 55° 2' 32", Long. 1° 38' 50".

Account of Strata passed through in a Bore-hole on Morley Hill Farm, South of Dinnington.

Approximate surface-level 250 feet above sea (Ordnance datum).

| Soil and clay | | Ft. 0 | In. 1 | Fs. | | , | Fs. Ft. In. Fs. Ft. In. Brought forward 9 5 10 34 2 2 |
|-----------------------|----------|----------|--------|----------|----|----------|---|
| | — | | | 1 | 0 | 0 | High Main Seam— |
| | 1 3 | 1 0 | 0 6 | | | | COAL 0 2 |
| COAL, bad | _ | | 0 | | | c | Grey band 0 6 COAL 5 6 |
| Grey and white post | 4 | 1 | | 4 | 4 | 6 | $\frac{1 \ 0 \ 2}{11 \ 0 \ 0}$ |
| Grey metal | | î | | | | | Grey metal, with post |
| Black metal and coal | 0 | 1 | | | | | girdles 2 0 0 |
| Dark grey metal | 3 | 0 | 0 | | | | Grey post 3 3 10 |
| Grey metal and coal | 2 | 2 | 0 | | | | Grey metal 1 0 0 |
| COAL | 0 | 2 | 1 | | | | Grey post 1 0 0 |
| | _ | | —: | 12 | 1 | 7 | |
| Grey metal, with post | | | | | | | Grey post, with metal |
| girdles | - 3 | | | | | | partings 5 0 0 |
| Grey and white post | 2 | 2 | 0 | | | | Grey Seam— |
| Black metal and coal | _ | Õ | 6 | | | | COAL 0 4 2 |
| Seggar-clay | | 5 | 0 | | | | 15 3 0 |
| Grey metal | | 4 | 6 | | | | Grey metal 1 4 0 Grey post 1 0 0 |
| Black metal | | 1 | 0 | | | | Grey post 1 0 0 |
| Dark grey metal | | 2 | 5 5 | | | | Metal, with post girdles 3 3 0 |
| COAL | U | U | - | | _ | _ | |
| | _ | | — : | 14 | 0 | 5 | 6 1 4 |
| Grey post, with water | 0 | 4 | 0 | | | | Grey metal, with post |
| Dark grey metal | 1 | 3 | 0 | | | | girdles 2 3 0 |
| COAL | 0 | 0 | 8 | | | | Grey metal 2 1 6 |
| | | | | 2 | 1 | 8 | Yard Seam— |
| Dark grey metal | 0 | 4 | 0 | | | | COAL 0 3 4 |
| Whin | 0 | 0 | | | | | 5 1 10 |
| Dark grey metal | 3 | | | | | | Thill 0 0 6 |
| Grey metal and post | 5 | 2 | 0 | | | | 006 |
| | _ | | | _ | | | |
| Carried forward | 9 | 5 | 10 3 | 34 | -2 | 2 | Total <u>. 72 2 10</u> |
| | | | | | | | |

No. 2,645.—DINNINGTON.

TOWNSHIP OF DINNINGTON, NORTHUMBERLAND.

Sheet 88 of Ordnance Map. Lat. 55° 2/ 40", Long. 1° 40' 13".

Account of Strata passed through in a Bore-hole on Havannah Farm, September, 1903.

Approximate surface-level 235 feet above sea (Ordnance datum).

| C 1 | | | | | In. | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. Brought forward 17 0 1 5 3 6 |
|-------------|---------|---------|----|---|-----|-----|-----|-----|--|
| Clay | | • • • | 3 | | 4 | | | | |
| Sand | | | 0 | | 10 | | | | Whin 0 4 1 |
| Clay | | | 2 | 1 | 4 | | | | Blue metal 0 2 4 |
| | | | | | | 5 | 3 | 6 | COAL 0 0 2 |
| Seggar-clay | | | 0 | 3 | 10 | - | | | 18 0 8 |
| Blue metal | | | 2 | 4 | 8 | | | | Post 0 2 10 |
| Grey metal | | | 1 | - | | | | | Grey metal 1 1 6 |
| Blue metal | | | õ | 3 | 8 | | | | Post 1 1 6 |
| Iron panel | | | ő | 0 | 4 | | | | Grey metal 2 2 0 |
| Blue metal | | | 1 | 4 | 1 | | | | Grey metal 2 2 0 Grey post 0 5 5 |
| | | • • • | | 3 | 6 | | | | |
| Seggar-clay | | • • • | 0 | | | | | | arej meetal iii iii |
| Grey metal | | | 1 | 0 | 9 | | | | High Main Seam— |
| Post | | | 0 | 0 | 9 | | | | COAL 0 5 1 |
| Grev metal | | | 3 | 1 | 10 | | | | 7 2 3 |
| Post | | | 0 | 1 | 0 | | | | Seggar-clay 0 1 1 |
| Blue metal | | | Ō | | 10 | | | | 0 1 1 |
| | | ••• | 4 | _ | 10 | | | | |
| Post | ••• | • • • • | -3 | 4 | 10 | | | | |
| Carrie | d forwa | ard | 17 | 0 | 1 | 5 | 3 | 6 | Total 31 1 6 |

No. 2,646.—DINNINGTON.

TOWNSHIP OF MASON, NORTHUMBERLAND.

Sheet 88 of Ordnance Map. Lat. 55° 2' 45", Long. 1° 38' 32".

Account of Strata sunk through in the West Pit, Dinnington Colliery, about 70 yards South-west of the Augusta Pit, 1901-1902.

Approximate surface-level 245 feet above sea (Ordnance datum).

| Strong brown clay | | | | Fs. | Ft. | In. | Brought forward | | | In. Fs. 3 11 | |
|---|---|---|---|-----|-----|-----|-------------------------|---|--------|-----------------|------|
| belong stown only in | _ | | | 5 | 0 | 6 | Grey metal, with post | | | | |
| Grey leafy post | 1 | 0 | 0 | • | • | - | | | 5 | 6 | |
| Soft bluish-grey shale | 0 | 5 | 0 | | | | girdles Post girdles | 0 | 4 | 0 | |
| Strong white post | 0 | 2 | 6 | | | | Strong post girdles, | | | | |
| Strong white post Soft bluish-grey shale | 0 | 0 | 6 | | | | with grey metal | | | | |
| White post | 2 | 4 | 9 | | | | partings | 1 | 1 | 0 | |
| White post Blue metal | 0 | 4 | 6 | | | | Strong white post, | | | | |
| COAL | 0 | 1 | 6 | | | | with whin boulders | 1 | 0 | 6 | |
| | | | | 6 | 0 | 9 | White post | 1 | 1 | 6 | |
| Seggar-clay | 0 | 3 | 6 | | | | Brown whin | 0 | 2 | 0 | |
| Seggar-clay | 0 | 0 | 2 | | | | Grey metal, with post | | | | |
| | | | | 0 | 3 | 8 | girdles | 1 | 1 | 6 | |
| Seggar-clay | 0 | 2 | 3 | | | | Black stone | 0 | 4 | 1 | |
| Carried forward | 0 | 2 | 3 | 11 | 4 | 11 | Carried forward | 7 | 4 | 4 11 | 4 11 |

No. 2,646.—DINNINGTON.—CONTINUED.

| | | | | | | | - CONTIN | 0111 | ٠. | | | | |
|---|----|---------------|-----------------|-----|---|-----------|-----------------------------------|-----------|---------------|----------|------------|-----|------|
| Brought forward | 7 | 4 | . In. 4 0 | | | In. 11 | Brought forward Grey Seam— | Fs. 15 | Ft. | In. 1 | Fs. 36 | Ft. | In. |
| | | | | 7 | 5 | 4 | Ft. In | ١. | | | | | |
| Seggar-elay: very | | | | | | | COAL 1 10 | | | | | | |
| good | 1 | 0 | 6 | | | | Band 0 4 | | | | | | |
| Seggar-clay, with | _ | · | - | | | | GOAL 2 8 | | | | | | |
| ironstone nodules | 0 | 3 | 5 | | | | | 0 | 4 | 10 | | | |
| Grey metal | Õ | 4 | | | | | | | | | 15 | 4 | 11 |
| White post, with | - | _ | • | | | | Strong grey thill | 0 | 3 | 5 | | | |
| whin boulders | 0 | 3 | 0 | | | | Black stone | 0 | 0 | 6 | | | |
| Grey metal | 1 | 0 | 6 | | | | Strong grey post | 0 | 4 | 0 | | | |
| Strong white post | 1 | 1 | 0 | | | | Grey post, with white | | | | | | |
| Black stone | 0 | 0 | 8 | | | | post girdles | 2 | 0 | 2 | | | |
| Grey metal, with post | | | | | | | Strong white post | | 2 | 9 | | | |
| girdles | 1 | 2 | 0 | | | | Grey post | 0 | 5 | 6 | | | |
| Dark grey metal | 1 | 2 | 10 | | | | Leary post, with | _ | _ | _ | | | |
| COAL | 0 | 1 | 3 | | | | white post girdles | | 5 | 1 | | | |
| | | | | 8 | 1 | 2 | COAL | 0 | 1 | 0 | _ | | _ |
| Grow thill | 0 | 0 | 6 | | | | | | | | 5 | 4 | 5 |
| Grey thill Strong white post | 0 | 4 | 0 | | | | Black stone | 0 | 0 | 3 | | | |
| Grey post | 0 | 2 | ő | | | | Blue metal, with | | | | | | |
| Grey metal, with post | • | - | · | | | | ironstone girdles | | 2 | 9 | | | |
| girdles | 1 | 1 | 0 | | | | COAL | 0 | 0 | 2 | | _ | _ |
| Bluish-grey metal, | ~ | _ | Ū | | | | 701 | | ~ | | 0 | 3 | 2 |
| with ironstone | | | | | | | Blue metal, with | _ | | | | | |
| girdles | 1 | 3 | 6 | | | | ironstone girdles | | | 10 | | | |
| Dark bluish-grey | _ | | | | | | COAL | 0 | 0 | 3 | | | |
| metal | 1 | 1 | 6 | | | | | | | - | 0 | 4 | 1 |
| COAL | 0 | 1 | 1 | | | | Seggar-clay | 0 | 1 | 8 | | | |
| | | | | 5 | 1 | 7 | Grey post | 0 | 3 | 4 | | | |
| Dl | _ | 4 | 0 | 0 | - | • | GOAL | 0 | 0 | 4 | | | |
| Dark grey thill stone | | 4 | $\frac{2}{1}$ | | | | | | | | 0 | 5 | 4 |
| Grey post Dark bluish-grey | 0 | 1 | 1 | | | | Someon alors | 0 | 0 | 4 | • | • | - |
| Dark billsh-grey | | | | | | | Seggar-clay | 0 | 0 | 4 | | | |
| metal, with iron- | 1 | 2 | 3 | | | | Grey post, with post girdles | 0 | 4 | 0 | | | |
| stone nodules | 1 | 4 | • | | | | | | 1 | 8 | | | |
| High Main Seam— | | | | | | | Strong white post Whin | 0 | 2 | 0 | | | |
| COAL 0 3 | | | | | | | White post, with blue | U | 4 | U | | | |
| Hard stone | | | | | | | | Λ | 4 | 2 | | | |
| band 0 2 | | | | | | | metal girdles Grey metal, with | ٠٠ | 10 | | | | |
| COAL 4 9 | | | | | | | ironstone girdles | 0 | 4 | 6 | | | |
| | 0 | 5 | 2 | | | | White post, with | Ü | - | 0 | | | |
| | Ü | Ü | _ | 3 | Λ | 8 | metal girdles | 0 | 5 | 9 | | | |
| ~ . | | | | Ð | 0 | 0 | Yard Seam- | Ü | • | | | | |
| Seggar-clay | 0 | . 4 | 0 | | | | COAL | 0 | 2 | 11 | | | |
| Strong grey post | 1 | 4 | 0 | | | | | | | | 4 | 1 | 4 |
| Grey post, with metal | - | | | | | | - I | | | | * | _ | -181 |
| partings | 1 | | - 6 | | | | Seggar-clay | 0 | 3 | 0 | | | |
| Grey leafy post | 1 | 1 | 5 | | | | Strong grey stone | 0 | 5 | 7 | | | |
| Grey post, with white | 7 | - | 7 | | | | Grey metal, with | | | | | | |
| post girdles | 1 | 5 | 1 | | | | ironstone balls and | G | 9 | 0 | | | |
| Dark grey post White post, with whin | 0 | $\frac{2}{2}$ | 6 | | | | post threads | 6 | $\frac{2}{2}$ | | | | |
| Strong grow nost | 2 | 3 0 | 1 0 | | | | Grey post | 0 | 4 | 0 | | | |
| Strong grey post | Δ | U | U | | | | Strong white post, | | | | | | |
| Strong white post, with whin | 3 | 4 | 0 | | | | with whin and | 3 | 1 | 3 | | | |
| T01 1 | 0 | 0 | 8 | | | | metal partings | J | 1 | J | | | |
| Blue metal | 1 | | 10 | | | | Strong white post, with whin | 4 | 3 | 9 | | | |
| Dine metal | | U | 10 | | | | WILL WHILL | -30 | 0 | | | | |
| | | | | 2.5 | | _ | ~ | | _ | | | _ | |
| Carried forward | 15 | 0 | 1 | 36 | 1 | 8 | Carried forward | 15 | 5 | 7 (| j 4 | 0 | 11 |
| | | | | | | | | | | | | | |

No. 2,646.—DINNINGTON.—CONTINUED.

| | | | | | Ft. | | Fs. Ft. In. Fs. Ft. In. |
|-------------------------------------|----|--------|---------------|-----|-----|---|----------------------------------|
| Brought forward | 15 | Э | 7 | 04 | 0 . | H | Brought forward 3 4 3 102 3 1 |
| Strong white post, | | | | | | | COAL 0 0 1 |
| mixed with whin | | | | | | | 3 4 4 |
| and coal pipes | 3 | 1 | 0 | | | | Grey metal 2 1 6 |
| Strong grey post, with brassy and | | | | | | | Black stone 0 3 0 |
| | _ | | | | | | COAL 0 0 11 |
| grey threads | | 3 | 0 | | | | |
| COAL | 0 | 0 | 5 | | | | |
| | | - | : | 27 | 4 | 0 | Blue metal 1 1 0 |
| Dark seggar-clay | 0 | 2 | 4 | | | | Black stone 0 1 0 |
| Grey metal | 0 | 2 | 1 | | | | Grey metal, with iron |
| Strong white post | | | | | | | panels 1 5 5 |
| girdles Grey metal | 0 | 0 | 6 | | | | Grey post 0 1 3 |
| Grey metal | 0 | 0 | 8 | | | | COAL 0 0 2 |
| Strong white post, | | | | | | | White post 1 0 5 |
| mixed with whin | | | | | | | Blue metal 0 2 6 |
| and metal partings | 0 | 2 | 10 | | | | COAL 0 1 3 |
| Grey metal | 0 | 1 | 1 | | | | 5 1 0 |
| Strong white post | | | | | | | |
| girdles | 0 | 0 | 7 | | | | Seggar-clay 0 0 11 |
| Blue metal, with iron- | | | | | | | White post, with |
| stone girdles | 0 | 2 | 2 | | | | partings 8 0 0 |
| Grey metal, grey post, and brown | | | | | | | Black stone 1 4 0 |
| post, and brown | | | | | | | Seggar-clay 0 4 6 |
| whin, mixed | 2 | 0 | 5 | | | | Post panels 0 1 8 |
| Grey metal, with | | | | | | | COAL 0 0 5 |
| ironstone girdles | 1 | 4 | 4 | | | | 10 5 6 |
| Shell bed and black | _ | | | | | | Seggar-clay 0 2 0 |
| stone | 0 | 1 | 11 | | | | White post 3 4 0 |
| Grey metal, with | • | _ | | | | | COAL 0 0 1 |
| post and ironstone | | | | | | | Seggar-clay 0 0 8 |
| girdles | 0 | 3 | 2 | | | | Leafy post 1 0 0 |
| Low Main Seam- | • | | ~ | | | | |
| | | | | | | | Grey metal, with post |
| COAL 0 5½ | | | | | | | 0 40 0 |
| Black stone 0 1 | | | | | | | 1 - 1 |
| * 1 | | | | | | | 01 |
| metal band 0 5 | | | | | | | Blue metal 0 3 0 Beaumont Scam— |
| COAL 3 0 | | | | | | | |
| OOAL 5 0 | 0 | 4 | 0 | | | | COAL 3 3 |
| | U | ·F | | 7 | 2 | 1 | |
| Davle blue metal | 0 | 1 | 6 | , | - | 1 | Band 0 3 COAL 1 0 |
| COAL | o | ō | 2 | | | | |
| | v | U | - | | | | |
| Grey post, with white | Λ | 5 | 4 | | | | 8 2 9 |
| post girdles | | 2 | 6 | | | | Strong seggar-clay 0 1 3 |
| Seggar-clay | 0 | | | | | | White post, with |
| COAL | | 0 | $\frac{2}{6}$ | | | | partings 5 0 0 |
| Leafy post | 1 | 3 | | | | | COAL 0 0 10 |
| COAL | 0 | U | 11 | 0 | 0 | 1 | 5 2 1 |
| G | | -0 | <u>e</u> | 3 | 2 | 1 | |
| Seggar-clay | | 2 | 6 | | | | Seggar-clay 0 0 5 |
| Grey metal | | 1 | 6 | | | | Strong white post 3 0 0 |
| Post panels | 0 | 0 | 6 | | | | Whin 0 3 0 |
| Grey metal, with iron | | | | | | | White post, with |
| girdles | 0 | 4 | 6 | | | | partings 0 5 1 |
| Black stone, with iron | _ | _ | _ | | | | COAL 0 1 5 |
| panels | 2 | 1 | 3 | | | | 4 3 11 |
| | | | | • • | | _ | m 4 1 |
| Carried forward | 3 | 4 | 3 | 10. | 2 3 | 1 | Total 143 4 1 |
| | | | | | | | |

No. 2,647.—DINNINGTON.

TOWNSHIP OF DINNINGTON, NORTHUMBERLAND.

Sheet 88 of Ordnance Map. Lat. 55° 2' 44", Long. 1° 38' 32".

Account of Strata sunk through in the Hester Pit, near the West Pit, Dinnington Colliery, from the Beaumont Seam, October, 1904.

Approximate surface-level 245 feet above sea (Ordnance datum).

| Depth from surface Beaumont Seam— | | Ft. | | Fs. 133 | | | Brought forward White post | $\frac{3}{2}$ | 2 4 | | | | In. 7 |
|---|----------------|---------------|--------------|------------|---|---|--|---------------|---------------|-------------------------------------|----|---------------|----------|
| COAL 3 2 Band 0 1 | • | | | | | | | 0 | | 8 10 | 7 | 2 | 5 |
| COAL 1 0 | 0 | 4 | 3 | 0 | | | Seggar-clay Dark grey post, with | 0 | 4 | 0 | | | |
| White post, with partings | 2 | 4 | 0 | 0 | 4 | 3 | whin Dark grey post Dark grey post, with | 0 | 3 5 | 6 0 | | | |
| COAL | 0 | 1 | 6 | 2 | 5 | 6 | | 0 | 5 0 | 6 6 | | | |
| Grey post | 0 | $\frac{2}{4}$ | 6 0 | | | | COAL Seggar-clay | 0 | 0 | $\frac{2\frac{1}{2}}{4\frac{1}{2}}$ | | | |
| White post, with partings | 5 | 1 | 8 | | | | COAL | 0 | 0 | | 3 | 5 | 3 |
| COAL | 0 | 1 | 6 | 6 | 3 | 8 | Seggar-clay Dark grey post, with | 0 | 1 | 0 | | | |
| Dark grey metal Strong grey metal White post | 1 0 0 | 3 2 | 10 0 0 | | | | whin Blue metal COAL | 0 | 4 3 0 | 0 0 2 | | | |
| COAL Seggar-clay | 0 | 0 5 | 4 2 | | | | Seggar-clay Grey post | 0 | | 10 6 | | | |
| Top Busty Seam— COAL | 0 | 2 | 0 | | | | COAL Seggar-clay | 0 | $_{1}^{0}$ | $\frac{2}{6}$ | | | |
| Seggar - clay, with | | | _ | 3 | 5 | 4 | Grey post Seggar-clay, with iron | 0 | 3 | 4 | | | |
| iron balls Grey post Blue metal | 0 1 0 | $\frac{2}{4}$ | 6 6 9 | | | | balls Brockwell Seam— COAL | 0 | 3 1 | 2 4 | | | |
| COAL Seggar-clay | 0 | 0 2 | 3 6 | | | | Strong seggar-clay | 0 | 2 | -0 | 4 | 5 | 0 |
| COAL Seggar-clay | 0 | 0 5 | 3 1 | | | | White post Blue metal | 0 | 5 1 | 0 | | | |
| Bottom Busty Seam— Ft. In. | | | | | | | White post Leafy post | 0 | 3 | 9 0 | | | |
| COAL 2 0 Band 0 3 | 0 | 2 | 3 | | | | Grey metal, with post panels Blue metal | 0 | 3 2 | 0 10 | | | |
| Seggar-clay | - 0 | $\frac{2}{2}$ | 5 | 5 | 3 | 1 | COAL | 0 | ő | 8 | 3 | 3 | 3 |
| Grey post Grey post, with whin | 0 | 4 | 0 | | | | Seggar-clay Grey post | 0 | $\frac{1}{2}$ | 6 0 | | | |
| White post White post, with | 0 | 4 | 0 | | | | Black stone COAL | 0 0 | $\frac{2}{0}$ | $\frac{2}{4}$ | , | • | 0 |
| whin Carried forward | 0 | 4 | <u></u> | 152 | 1 | 7 | Total | | | <u>1</u> ′ | 73 | $\frac{0}{2}$ | 0 6 |
| Carried forward | U | 4 | J | 104 | * | • | Total | • | • | = | | | ≚ |

No. 2,648.—DIPTON.

TOWNSHIP OF COLLIERLEY, DURHAM.

Sheet 11 of Ordnance Map. Lat. 54° 53' 8", Long. 1° 45' 31".

Account of Strata sunk through in the No. 2 or Surtees Shaft, Dipton Colliery, February, 1883.

Approximate surface-level 530 feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|--|---|
| Marl 1 3 8 Blue metal 1 0 0 | Brought forward 7 2 6 37 0 3 COAL 0 0 2 |
| 7777 14 4 14 1 0 | 0 0 2 |
| Hatton Soam conf | Grey metal 1 1 1 |
| Grey metal 7 4 2 | COAL 0 0 1 |
| Main Coal Seam- | Grey metal 0 1 1 |
| COAL 0 2 10 | COAL 0 0 2 |
| 24 5 8 | 1 2 5 |
| Seggar-clay 0 1 0 | Grey post, mixed with |
| Blue metal 8 3 5 | coal 0 0 3 |
| White post 0 0 8 | Grey post 0 4 7 |
| Grey metal 0 0 5 | White post 0 3 8 |
| White post 0 1 5 | Grey metal 0 0 4 |
| Grey metal 0 0 4 | White post 0 1 2 |
| White post 0 1 2 | Grey metal 0 0 2 |
| Blue metal, mixed | Very hard white post 1 2 6 |
| with post 0 1 6 | Blue metal 0 0 1 |
| White post 0 4 0 | White post 0 1 10 |
| Grey post, with blue metal and iron balls 0 2 5 | Blue and grey metal 1 3 7 |
| | Post girdle 0 0 6 Blue metal 0 0 4 |
| White post 0 2 10 White post, with blue | D / ' 11 |
| metal and iron balls 0 2 2 | 0 1 1 |
| Blue metal 0 0 5 | White post 2 0 8 |
| Ft. In. | Blue metal 0 0 3 |
| COAL 0 5 | Post girdle 0 0 5 |
| Band 0 2 | COAL 0 0 3 |
| COAL 0 4 | Grey metal 0 5 2 |
| Grey metal | Grey post 1 4 3 |
| band 0 10 | Blue metal 0 2 0 |
| COAL, with | White post, with grey |
| grey band 1 1 | post partings 3 0 7 |
| — 0 2 10 | COAL 0 1 10 |
| —————————————————————————————————————— | 14 0 4 |
| Grey and blue metal, | Grey metal 0 2 6 |
| mixed 0 2 0 Post girdle, with blue | COAL 0 0 5 |
| 7 1 | Blue and grey metal, mixed 2 0 10 |
| metal 0 1 3 Grey metal 0 1 5 | mixed 2 0 10 Post girdle, with blue |
| White post 0 3 10 | 7 1 |
| Blue metal 0 0 1 | Top Busty Seam— |
| White post 1 1 2 | Ft, In, |
| Grey post, with | COAL 0 4 |
| threads of blue | Band 0 1 |
| metal 0 1 1 | COAL 2 0 |
| White post 0 0 11 | —— 0 2 5 |
| Blue metal 1 3 0 | 3 1 7 |
| Grey metal 0 2 0 | Blue metal 2 4 5 |
| Blue metal 0 1 6 | Bottom Busty Seam— |
| Post girdle 0 0 5 | COAL 0 2 10 |
| Blue metal 2 1 10 | 3 1 3 |
| Carried forward 7 2 6 37 0 3 | Total 66 2 6 |
| Carried for mark 1 & 001 0 0 | Total 66 2 6 |
| | |

No. 2,649.—DUNSTON.

TOWNSHIP OF WHICKHAM, DURHAM.

Sheet 6 of Ordnance Map. Lat. 54° 57′ 26″, Long. 1° 38′ 33″.

Account of Strata sunk through at Dunston Colliery, 1875. Approximate surface-level 20 feet above sea (Ordnance datum).

| Strong clay and sand | | | | Fs. | Ft. | In. | |
|-----------------------|-----|-----------|----|-----|-----|-----|---|
| ottong ciay and sand | 9.1 | | | 31 | 2 | 10 | Brought forward 6 4 6 44 2 6 COAL 0 0 10 |
| White post | 1 | 2 | 0 | | _ | | 6 5 4 |
| Blue metal | | $\bar{2}$ | 0 | | | | Fire-clay 0 2 0 |
| COAL | Õ | ō | 8 | | | | Blue metal 1 2 0 |
| | | | | 1 | 4 | 8 | White post 1 1 0 |
| Fire-clay | 0 | 2 | 2 | _ | _ | _ | Grey whin 0 2 2 |
| Blue metal | | 2 | 8 | | | | Post 2 0 11 |
| Beaumont Seam— | o | _ | O | | | | Grey whin 0 2 0 |
| Ft. In | | | | | | | Post 0 4 0 |
| COAL 2 2 | • | | | | | | COAL 0 0 3 |
| Band 0 7 | | | | | | | Fire-clay 0 2 0 |
| COAL 1 0 | | | | | | | Five-Quarter Seam— |
| | 0 | 3 | 9 | | | | Ft. In. |
| | | | | 4 | 2 | 7 | COAL 0 2 |
| Fire-clay | 0 | 2 | 0 | | | | Band 0 6 |
| White post | _ | õ | 4 | | | | COAL 2 2 |
| Fire-clay | ō | 2 | 8 | | | | 0 2 10 |
| White post | _ | 2 5 | ő | | | | 1_ |
| COAL | ŏ | ő | 3 | | | | |
| Fire-clay | ŏ | 3 | ő | | | | 1 1 1 |
| White post, with blue | Ť | • | • | | | | Blue metal 1 0 0 Three-Quarter Seam— |
| metal girdles | 2 | 0 | 2 | | | | |
| Blue metal | ī | ĭ | ō | | | | COAL 0 2 0 4 4 2 |
| Stone Coal Seam- | | | | | | | Et 1 0 0 0 |
| COAL | 0 | 2 | 0 | | | | Coarse fire-clay 1 2 10 |
| | _ | | | 6 | 4 | 5 | Blue metal 5 2 7 |
| Baud | 0 | 0 | 2 | | | | Brockwell Seam- |
| Fire-clay | ŏ | 1 | 6 | | | | COAL 0 3 6 |
| Post, mixed with blue | ٠ | - | U | | | | 7 4 11 |
| metal | 0 | 4 | 10 | | | | Fire-clay 0 2 0 |
| Blue metal | | 3 | 0 | | | | White post 4 4 0 |
| White post | | 1 | ŏ | | | | 5 0 0 |
| | | | | | | | |
| Carried forward | 6 | 4 | 6 | 44 | 2 | 6 | Total 76 0 1 |
| | - | _ | - | | _ | _ | |
| | | | | | | | |

No. 2,650.—DURHAM.

TOWNSHIP OF CROSSGATE, DURHAM.

Sheet 26 of Ordnance Map. Lat. 54° 46′ 55″, Long. 1° 35′ 51″.

Account of Strata bored through in a field near Croften Holme, Crossgate Moor, for the Owners of Elvet Colliery. Commenced March 13th, 1901.

Approximate surface-level 300 feet above sea (Ordnance datum).

| Soil Brown clay Blue clay | ••• | 0 | $\frac{2}{2}$ | 0 3 | Ft. In. | Brought forward Grey sand Brown stony clay | 1 0 | $egin{array}{c} 2 \\ 1 \end{array}$ | 3 0 | Fs. | Ft. | In. |
|---------------------------------|-----|---|---------------|--------|---------|--|--------|-------------------------------------|--------|-----|-----|-----|
| Carried forw | ard | 1 | 2 | 3 | | Carried forward | 2 | 5 | 0 | | | |

No. 2.650.—DURHAM.—CONTINUED.

| Fs. Ft. In. Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|--|--|
| Brought forward 2 5 0 | Brought forward 20 0 0 |
| Grey sand 0 3 8 | Dark grey sand 2 1 6 |
| Grey sand 0 3 8 Sandstone 0 0 6 | Brown sand, with |
| Grey sand 1 0 10 | water 3 0 6 |
| Yellow sand, with | Dark grey sand, with |
| water 0 5 0 Dark sand 0 3 0 Laminated clay 0 1 7 Sandstone ramble 0 2 5 | clay partings 0 5 0 Grey clay 0 3 0 Brown clay 0 3 6 |
| Dark sand 0 3 0 | Grey clay 0 3 0 |
| Laminated clay 0 1 7 | Brown clay 0 3 6 |
| Sandstone ramble 0 2 5 | Coarse sand, with |
| Dark grey ramble, | water 0 5 0 |
| with black dant 0 5 4 | Dark grey sand, with |
| Grey sandstone ramble, | stony partings 2 1 0 |
| with coarse sand 2 0 8 | Grey clay, with sand |
| Black dant, with coarse | |
| sand partings 1 2 6 | partings 1 5 0 Brown clay, into 1 2 6 |
| Brown sand, with thin | 33 3 0 |
| dant partings 8 5 6 | |
| | |
| Carried forward 20 0 0 | Total 33 3 0 |
| | |

No. 2,651.—DURHAM.

TOWNSHIP OF CROSSGATE, DURHAM.

Sheet 27 of Ordnance Map. Lat. 54° 46' 42½", Long. 1° 35' 37".

Account of Strata passed through in the No. 2 Bore-hole near Crossgate Moor, Durham, for the Owners of Elvet Colliery. Commenced September 13th, 1901.

Approximate surface-level 300 feet above sea (Ordnance datum).

| | | | | . Ft. In. | | Fs. | Ft. | In. | Fs. | Ft. | In. |
|--|---|---|---|-----------|-----------------------|-------|-----|-----|-----|-----|----------|
| Soil | 0 | 1 | 0 | | Brought forward | 8 | 4 | 0 | | | |
| Yellow clay, with | | | | | Brown sand | 3 | 3 | 6 | | | |
| sand partings Stony clay | 0 | 2 | 6 | | Loamy sand | 0 | 2 | 0 | | | |
| Stony clay | 2 | 2 | 6 | | Fine brown sand, | | | | | | |
| Stony clay, with sand | _ | _ | • | | with water at | | | | | | |
| nantings | 1 | 2 | 0 | | 121 feet 6 inches | | 9 | G | | | |
| partings Sand and gravel Hard stony clay | | 0 | 0 | | | | ~ | U | | | |
| Sand and gravel | v | Ŭ | 9 | | Grey sand, with | | _ | | | | |
| | 0 | 2 | 9 | | water | | 0 | 0 | | | |
| Grey clay, with sand | | | | | Brown clay, with | | | | | | |
| partings | 1 | 1 | 0 | | sand partings | 1 | 2 | 0 | | | |
| partings Sand, with water | 0 | 3 | 6 | | Dark stony clay, with | | | | | | |
| Grey clay, with sand | | | | | sand partings | 2 | 3 | ٥ | | | |
| nartings | Λ | 2 | 0 | | Dark grey sand, with | | • | • | | | |
| partings Sand Boulder stones | Ä | ว | 0 | | | | = | c | | | |
| Sand | Ü | 4 | 0 | | water | U | Ð | U | | | |
| Boulder stones | U | 4 | 0 | | Brown sand, with | _ | _ | _ | | | |
| Black dant and coal | 0 | 0 | 5 | | water, into | 1 | 0 | | | | |
| Boulder stones | 0 | 1 | 9 | | | | | - : | 33 | 5 | 0 |
| Black dant parting | 0 | 0 | 2 | | | | | | | | |
| | | | | | | | | | | | |
| Carried forward | 8 | 4 | 0 | | Total | | | : | 33 | 5 | 0 |
| Curron for ward | _ | - | - | | 2000 | • • • | | = | | | <u> </u> |
| | | | | | | | | | 1 | 4 | |
| | | | | | | | | | 1 | * | |

No. 2,652.—DURHAM.

TOWNSHIP OF CROSSGATE, DURHAM.

Sheet 27 of Ordnance Map. Lat. , Long.

Account of Strata passed through in an old Shaft near the Grammar School, Durham.

Approximate surface-level

feet above sea (Ordnance datum).

| | | | In. | Fs. | Ft. | In. | |
|-------------------|---|---|-----|-----|-----|-----|-----------------------------|
| Soil | 0 | 1 | 0 | | | | Brought forward 0 1 614 5 (|
| Sand | 4 | 0 | 0 | | | | Grey metal, with post |
| Wet sand | 0 | 5 | 0 | | | | girdles 2 2 6 |
| Clay and sand | 0 | 4 | 6 | | | | Greypost, with metal |
| • | | | | 5 | 4 | 6 | partings 2 5 6 |
| Broken freestone, | | | | Ü | • | Ů | COAL 0 0 10 |
| mixed with clay | 1 | 5 | 6 | | | | 5 4 4 |
| Soft freestone | | | | | | | Strong grey metal 1 0 0 |
| Strong freestone | 5 | 1 | 0 | | | | COAL 0 0 8 |
| Soft post | | | | | | | 1 0 8 |
| Low Main Seam- | | | | | | | Grey post, with metal |
| COAL | 0 | 2 | 6 | | | | partings and whin |
| | - | | | 9 | 0 | 6 | near the top 5 4 3 |
| | | | _ | J | U | U | Hutton Seam— |
| Black stone | | | 6 | | | | COAL 0 2 11 |
| Seggar-clay | 0 | 1 | 0 | | | | 6 1 2 |
| | | | | | | _ | |
| Carried forward | 0 | 1 | 6 | 14 | 5 | 0 | Total 27 5 2 |

No. 2,653.—DURHAM. TOWNSHIP OF ELVET, DURHAM.

Sheet 27 of Ordnance Map. Lat.

, Long.

Account of Strata bored through near the City of Durham Waterworks by Mr. William Coulson. Commenced January 19th, 1874.

Approximate surface-level

feet above sea (Ordnance datum).

| Coil | | | | | Fs. | Ft. In. | Fs. Ft. Iu. Fs. Ft. In Brought forward 7 1 1 8 4 10 |
|----------------------|-------|---|--------|----|-----|---------|--|
| | | 0 | | | | | |
| Sand | | | | 0 | | | Strong grey metal, |
| Sand and gravel | | 1 | 4 | 6 | | | with post girdles 1 1 6 |
| Sand | | 1 | 5 | 6 | | | Mild post 1 5 6 |
| Sandy clay | | 0 | 2 | 6 | | | Blue metal, with post |
| Sand | | 0 | 1 | 10 | | | girdles 3 3 0 |
| Gravel | | 0 | 5 | 6 | | | COAL 0 2 2 |
| Gravel, with water | | 1 | 0 | 6 | | | 14 1 3 |
| Sand and gravel | | 0 | 2 | 6 | | | Grey metal 1 3 4 |
| 8 | | | | | 8 | 4 10 | |
| Freestone girdle | | 0 | 1 | 0 | | | post, with water 1 5 10 |
| Very coarse post | | | | | | | Blue metal 0 1 11 |
| Soft grey metal | | | | | | | COAL 0 0 5 |
| Soft freestone | | 0 | 2 | 1 | | | 3 5 6 |
| Soft grey metal, wit | | | | | | | Grey metal, with post |
| post girdles | | | 5 | 6 | | | girdles 3 1 0 |
| Black metal | • • • | ō | 5 | 6 | | | Strong blue metal 0 5 0 |
| Dittell Mettern | ٠٠٠ | | | _ | | | Strong state metal 0 0 0 |
| Carried forwar | d | 7 | 1 | 1 | 8 | 4 10 | Carried forward 4 0 026 5 7 |

No. 2,653.—DURHAM.—CONTINUED.

| | | | Iu. I | | | | |
|-----------------------|---|---|-------|---------|---|---|-----------------------------|
| Brought forward | 4 | 0 | 0 2 | 26 | 5 | 7 | Brought forward 0 4 640 5 1 |
| Hard white post | 0 | 3 | 0 | | | | Hard white post 0 1 0 |
| Strong blue metal | | | | | | | Strong grey metal 2 5 0 |
| Hard white post | 3 | 1 | 9 | | | | Mild white post 0 5 6 |
| COAL | 0 | 0 | 9 | | | | Blue metal 0 2 9 |
| | | | | 8 | 1 | 0 | COAL 0 1 3 |
| Blue metal, with post | | | | | | | 5 2 0 |
| girdles | 5 | 4 | 0 | | | | Strong grey metal 1 0 0 |
| CÖAL | 0 | 0 | 6 | | | | Soft blue metal 0 1 0 |
| | _ | _ | | 5 | 4 | 6 | Soft grey metal 2 0 6 |
| Grey metal | 0 | 4 | 6 | | | | 3 1 6 |
| · · | | | | _ | | _ | |
| Carried forward | 0 | 4 | 6 4 | 40 | 5 | 1 | Total 49 2 7 |
| | | | | | | | |

No. 2,654.—DURHAM.

TOWNSHIP OF FRAMWELLGATE, DURHAM.

Sheet 27 of Ordnance Map. Lat. 54° 46′ 58″, Long. 1° 34′ 39″.

Account of Strata passed through in No. 9 Bore-hole at Crook Hall, between the Carr House Engine and Crook Hall, about 300 yards West of Crook Hall, by Mr. William Coulson, January, 1838.

Approximate surface-level 200 feet above sea (Ordnance datum).

| | | | | | | | set asove sea (oranance antimy) |
|------------------------------------|--------|--------|----------|-----|-----|----|---|
| Soil and clay | | | In. 0 | Fs. | Ft. | | Brought forward 5 0 6 16 3 |
| Brown and white post, | _ | | | 0 | 4 | 0 | COAL 0 1 0 5 1 6 |
| with metal partings | | 1 | 0 | | | | Grey metal band 0 0 3 |
| and water Dark grey metal | | | 10 | | | | COAL, mixed with dark metal 0 1 3 |
| COAL 2 2 | | | | | | | Grey metal, with post girdles 2 2 2 |
| Grey metal 2 1 COAL 1 11 | | | | | | | CÖAL 0 1 11 2 5 7 |
| | 1 | 0 | 2 | | | | Grey metal, with post |
| Brown and white post, | _ | | | 6 | 2 | 8 | girdles 1 2 0 COAL 0 0 3 |
| with water | 0 | 3 | | | | | Dark grey post 1 1 0 . |
| COAL | 0 | 4 | 3 | 1 | 1 | 10 | Grey post, mixed with whin and water 4 4 0 |
| Grey metal | 0 | 3 | 0 | • | • | 10 | Dark metal, with thin |
| Strong white post, | | | | | | | girdles 0 4 0 Grey metal 0 5 10 |
| with metal partings and water | | 4 | 7 | | | | Grey metal 0 5 10 COAL 0 0 8 |
| White post, with a mixture of whin | 9 | 1 | 2 | | | | 8 5 9 |
| | 1 | 2 | 6 | | | | Strong grev metal, inclining to post 1 1 0 |
| COAL | | 1 | 4 | 8 | 0 | 7 | Strong white post, |
| Grey metal band | 0 | 0 | 4 | 0 | U | ' | with metal, whin girdles and water 5 5 7 |
| COAL, mixed with | 0 | 0 | 0 | | | | Black metal 0 0 4 |
| grey metal Grey metal | | 0 5 | 8 0 | | | | Dark metal, mixed with $coal$ 0 2 7 |
| Strong white post, | | | | | | | Grey and white post, |
| with water | _2 | 0 | 6 | | | | with metal partings 4 0 5 |
| Carried forward | 5 | 0 | 6 | 16 | 3 | 1 | Carried forward 11 3 11 33 3 1 |

No. 2,654.—DURHAM.—CONTINUED.

| Brought forward | | | | | Ft. | | Brought forward | | | In. F | | |
|-------------------------|---|---|----|----|-----|----|---------------------------------|---|----|-------|-----|---|
| Dark grey metal, with | | | | 00 | Ü | | Strong grey post, | ٠ | ٠ | 0.0 | | U |
| water | 2 | 3 | Ω | | | | with open partings | | | | | |
| Strong white post, | | | · | | | | and water | Λ | 4. | 1. | | |
| mixed with whin | | | | | | | Grey metal | | | | | |
| and water | 1 | 1 | Λ | | | | Strong white post, | 1 | U | U | | |
| Grov motal | ň | ī | 6 | | | | with metal part- | | | | | |
| Grey metal Grey post | ň | 3 | 5 | | | | | 9 | 9 | 5 | | |
| Grey whin | 9 | 9 | 6 | | | | ings and water | 4 | 4 | 5 | | |
| Grey metal, with post | 4 | 0 | O | | | | Strong grey metal, | 0 | ^ | 1 | | |
| | ຄ | 1 | 7 | | | | with post girdles Black whin | ð | 1 | 1 | | |
| girdles and water | | | | | | | | | Т | 7 | | |
| COAL, tender | U | 1 | U | | | | Grey metal, with post | | | 10 | | |
| | | | | 21 | 0 | 11 | girdles | 2 | 3 | 10 | | |
| Dark grey metal, with | | | | | | | Strong white post, | | | | | |
| scares of coal | 0 | 4 | 0 | | | | with metal part- | _ | _ | _ | | |
| Grey and white post, | | | | | | | ings and water | 3 | 5 | 5 | | |
| with whin girdles | | | | | | | Grey whin, with | | _ | | | |
| and metal partings | 7 | 1 | 4. | | | | water | 0 | 3 | 0 | | |
| Strong grey metal, | • | - | - | | | | Strong white post, | | | | | |
| with post girdles | | | | | | | with metal part- | | | | | |
| and water | 1 | 9 | 11 | | | | ings and water | 1 | 3 | 8 | | |
| COAL | | | 8 | | | | Strong grey metal, | | | | | |
| COAL | U | U | G | _ | _ | | with post girdles | 4 | 1 | 9 | | |
| | | | | 9 | 2 | 11 | Strong white post | | | | | |
| Brown metal | 0 | 0 | 8 | | | | | | | 2 | L O | 7 |
| | | | _ | | | | | | | | | |
| Carried forward | 0 | 0 | 8 | 64 | 1 | 9 | Total | | | 8 | 5 2 | 4 |
| | | | | | | | • | | | _ | | |

No. 2,655.—DURHAM.

TOWNSHIP OF NICHOLAS WARD, DURHAM.

Sheet 27 of Ordnance Map. Lat. 54° 46′ 32″, Long. 1° 34′ 30″.

Account of Strata passed through in a Bore-hole situated 17 feet from the centre of the Crypt Doorway and 25 feet from the centre of the Chapel Doorway, opposite the Lodge Gates, Castle Yard, Durham, by Mr. Frank Coulson. Commenced May 19th, 1904.

Approximate surface-level 210 feet above sea (Ordnance datum).

| Fs | . Ft | In. | | \mathbf{Ft} . | In. | Fs. Ft. In. Fs. Ft. In |
|------------------------|------|-----|---|-----------------|-----|-----------------------------|
| Forced ground 2 | 0 | 0 | | | | Brought forward 2 5 6 5 4 4 |
| Dry loamy sand 1 | | | | | | Light grey shale 0 2 4 |
| | | | | | | COAL 0 1 9 |
| COAL 0 | | U | • | 5 | 6 | |
| | | | 3 | Ð | U | 3 3 7 |
| Broken freestone 1 | 4 | 4 | | | | Seggar-clay 0 2 7 |
| COAL 0 | 0 | 6 | | | | Dark grey shale 0 2 10 · |
| _ | | | 1 | 4 | 10 | COAL, 0 0 9 |
| Dark brown freestone 0 | 5 | 6 | | | | 1 0 2 |
| | | 2 | | | | |
| Grey freestone 0 | | _ | | | | |
| Yellow freestone 1 | 2 | 0 | | | | Grey post, into 0 1 5 |
| Broken freestone, with | | | | | | 0 3 11 |
| water which rose | | | | | | |
| to a level of 47 feet | | | | | | |
| | | | | | | |
| 10 inches from the | | | | | | |
| surface 0 | 1 | 10 | | | | |
| | | | | | | |
| Carried forward 2 | 5 | 6 | 5 | 4 | 4 | Total 11 0 0 |
| Carried for ward 2 | | • | • | | - | 10001 11 0 0 |
| | | | | | | |

No. 2,656.—DURHAM.

TOWNSHIP OF NORTH WARD, DURHAM.

Account of Strata bored through in the Yard of the Londonderry Inn, Gilesgate, Durham, for Mr. Henry William Taylor, September 4th, 1900.

, Long.

feet above sea (Ordnance datum).

Total ...

... 11 5

Sheet 27 of Ordnance Map. Lat.

Approximate surface-level

Carried forward 10 2 0

| Forced ground 0 .1 6 Brown sandy clay 1 0 6 Freestone clay and stones, dry 0 2 6 | Brought forward 1 4 6 Sand, with water, into 1 5 6 3 4 0 | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|
| Carried forward 1 4 6 | Total 3 4 0 | | | | | | | | | | |
| | | | | | | | | | | | |
| No. 2,657.— | -DURHAM. | | | | | | | | | | |
| TOWNSHIP OF ST. NICHOLAS, DURHAM. | | | | | | | | | | | |
| Sheet 27 of Ordnance Map. Lat. , Long. | | | | | | | | | | | |
| Brothers' Garden, Claypath, Durho house, for Mr. Henry Willic | the No. 1 Bore-hole in Messrs, Hopper am, opposite the Seven Stars Public- am Taylor, March 10th, 1902. eet above sea (Ordnance datum). | | | | | | | | | | |
| Fa. Ft. In. Fs. Ft. In. Soil 0 5 0 | Brought forward 9 0 3 Loamy clay, with sandy parting 1 1 0 Sand, with water 0 3 9 Stonyclay, with water 0 1 6 | | | | | | | | | | |
| Carried forward 9 0 3 | Total 11 0 6 | | | | | | | | | | |
| No. 2,658.—DURHAM. TOWNSHIP OF ST. NICHOLAS, DURHAM. Sheet 27 of Ordnance Map. Lat. , Long. | | | | | | | | | | | |
| Seven Stars Public-house, Cla | the No. 2 Borr-hole in the Yard of the ypath, Durham, March, 1902. • eet above sea (Ordnance datum). | | | | | | | | | | |
| Fs. Ft. In. Fs. Ft. In. Forced ground 1 5 3 Sand and gravel, dry 5 2 3 Sand and silt, with water 1 4 0 Hard stony clay 1 2 6 | Brought forward 10 2 0 Sand and silt, with water 1 2 0 Hardstony clay, with water 0 1 6 | | | | | | | | | | |

No. 2,659.—DURHAM.

TOWNSHIP OF ST. NICHOLAS, DURHAM.

Sheet 27 of Ordnance Map. Lat.

, Long.

Account of Strata passed through in the No. 4 Bore-hole in Messrs. Hopper Brothers' Garden, Claypath, Durham, about 50 yards to the North-west of No. 1 Bore-hole, March, 1902.

Approximate surface-level

feet above sea (Ordnance datum).

| Soil Dry sand and gravel Sandy clay, damp | 0 | 1 5 | 6 6 | Ft. In. | Brought forward Stony clay Loamy clay and saud. | 3 0 | 2 5 | 0 | s. | Ft. | In. |
|--|---|--------|--------|---------|---|--------|--------|-------------|----|-----|-----|
| Sandy clay, damp Sand and gravel, with water | 1 | 2 | 6 | | with water, into | 0 | 4 | 6 | 5 | 0 | 0 |
| Carried forward | 3 | 2 | 6 | 1 | Total | | | ·· <u>-</u> | 5 | 0 | 0 |

Water standing 16 feet from surface.

No. 2,660.—DURHAM.

TOWNSHIP OF FRAMWELLGATE, DURHAM.

Sheet 27 of Ordnance Map. Lat. 54° 46′ 39″, Long. 1° 34′ 51″.

Account of Strata bored through at Mr. Robson's Flour-mill, North Road, Durham, by Messrs. William Coulson and Son.

Approximate surface-level 170 feet above sea (Ordnance datum).

| Forced ground 1 0 0 Gravel 0 1 9 Black sand, with a little water 0 2 9 Gravel 0 0 6 | Brought forward 1 5 0 Black sand, with more water 0 1 9 Loamy clay, into 0 5 9 |
|---|--|
| Carried forward 1 5 0 | Total 3 0 6 |

No. 2,661.—DURHAM MAIN.

TOWNSHIP OF FRAMWELLGATE, DURHAM.

Sheet 20 of Ordnance Map. Lat. 54° 47′ 7″, Long. 1° 34′ 25″.

Account of Strata sunk through at Durham Main Colliery.
Approximate surface-level 200 feet above sea (Ordnance datum).

| | _ | _ | Fs. | Ft. | In. Fs. | Ft. | In. | | | | Fs. | Ft. | In. Fs. | Ft. In. |
|------------|---------|------|-----|-----|---------|-----|-----|-----------------|--------|------|-----|-----|---------|---------|
| Depth from | m sur | face | | | | | | Brough | t forv | vard | 3 | 1 | 9 17 | 5 11 |
| to thill | of Hu | tton | | | | | | Post | | | 1 | 3 | 0 | |
| Seam | | | | | 17 | 5 | 11 | Post Walling | | | 0 | 4 | 0 | |
| Walling | | | 3 | 1 | 9 | | | Post | | | | | | |
| | | | | | | | | | | | | | | |
| Carrie | d forv | vard | 3 | 1 | 9 17 | 5 | 11 | Carried | forv | vard | 11 | 5 | 9 17 | 5 11 |

No. 2,661.—DURHAM MAIN.—CONTINUED.

| | F'a | Ft. | In | Fe | Ft | In | Fs. Ft. In. Fs. Ft. In. |
|-----------------------|-----|-----|----|------|----|----|-------------------------|
| Brought forward | | 5 | | 17 | | 11 | |
| Walling | 7 | 1 | 6 | | | | COAL 0 0 3 |
| Sump | 1 | 0 | 0 | | | | 1 2 9 |
| 1 | | | | 20 | 1 | 3 | Seggar-elay 0 3 6 |
| Hard grey metal, | | | | | | | Hard grey metal 0 3 0 |
| with iron girdles | 1 | 0 | 0 | | | | White post, with metal |
| Dark grey metal, with | | | | | | | partings 0 2 0 |
| post and water | 1 | 0 | 6 | | | | Dark metal 0 1 0 |
| Soft grey stone | 0 | 0 | 6 | | | | White post 1 0 0 |
| COAL | 0 | 0 | 2 | | | | Black stone 0 0 6 |
| | | | | 2 | 1 | 2 | COAL 0 1 2 |
| Seggar-clay | 0 | 1 | 0 | | | | 2 5 2 |
| Dark grey post | 1 | 1 | 0 | | | | Seggar-clay 0 1 0 |
| Grey metal | 0 | 4 | 0 | | | | Hard grey metal, with |
| Black stone | 0 | 0 | 9 | | | | post girdles 3 5 0 |
| Harvey Seam- | | | | | | | Hard white post 0 3 3 |
| COĂL | 0 | 1 | 9 | | | | Grey metal 0 1 1 |
| | | | | 2 | 2 | 6 | Busty Seam- |
| Seggar-clay | 0 | 2 | 4 | | | | Ft. In. |
| Grey metal | 1 | 1 | 8 | | | | COAL 1 10 |
| Grey post, with metal | | | | | | | Band 1 1 |
| partings | 0 | 5 | 0 | | | | COAL 0 4 |
| CÒAL | 0 | 0 | 2 | | | | Band 1 1 |
| | | | _ | 2 | 3 | 2 | COAL 1 10 |
| Seggar-clay | 0 | 3 | 0 | | | | 1 0 2 |
| Grey metal | 0 | 3 | 6 | | | | 5 4 6 |
| Hard grey post | 0 | 3 | 0 | | | | Hard seggar-clay, |
| Grey metal | 0 | 5 | 2 | | | | with iron balls 0 4 0 |
| Hard grey metal, with | | | | | | | COAL 0 0 8 |
| post girdles | 4 | 5 | 6 | | | | 0 4 8 |
| Black stone | 0 | 0 | 4 | | | | Hard seggar-clay 0 1 0 |
| COAL | 0 | 0 | 2 | | | | Hard post girdles, with |
| | | | _ | 7 | 2 | 8 | metal partings 1 1 5 |
| Grey metal | 0 | 1 | 6 | | | | 1 2 5 |
| Hard white post | 1 | 1 | 0 | | | | |
| 0 110 | - | | | F.03 | - | _ | m . 1 |
| Carried forward | 1 | 2 | 6 | 52 | 4 | 8 | Total 65 0 2 |
| | | | | | | | |

No. 2,662.—EASINGTON. TOWNSHIP OF EASINGTON, DURHAM.

Sheet 21 of Ordnance Map. Lat.

, Long.

Account of Strata sunk through in the North Pit, Easington Colliery.

Approximate surface-level 196.58 feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. In. | |
|---|------------------------|
| Strong clay $2 3 0\frac{1}{2}$ | Brought forward 6 0 3 |
| Strong clay 2 3 0½ Clay, with streaks of | Stony clay 0 4 9 |
| sand and boulders 0 2 0 | Gravelly sand 0 3 9 |
| Yellow sand 0 0 21 | Clay, with pockets of |
| Clay, with pockets of | gravel 2 2 3 |
| loamy sand 2 1 3 | Conglomerate sand |
| Clay, mixed with | and limestone 2 4 7 |
| gravel 0 5 9 | 12 3 7 |
| | |
| Carried forward 6 0 3 | Carried forward 12 3 7 |

No. 2,662.—EASINGTON.—CONTINUED.

| 2101 10,00101 | | | | | | | _ |
|---|------------------------|--|--------|---------|-------|-----|-----|
| Brought forward Fs. Ft. In. | Fs. Ft. In. | Drought forward | Fs. | Ft. In | . Fs. | Ft. | In. |
| Brought forward Limestone and marl 17 1 5 | 12 0 1 | Brought forward | U | |) | 2 | 4 |
| Broken limestone, | | | | | - 8 | 2 | 9 |
| with marl 14 0 6 | | Soggar elay | 1 | 0 | 0 | _ | Ĭ |
| Soft yellow lime- | | Seggar-clay Grey post Leafy post Dark grey metal, | ň | 5 |) | | |
| stone, with thin | | Leafy nost | 1 | 1 | ó | | |
| marl partings and | | Dark grey metal | • | • | , | | |
| heavy feeders of | | with post girdles | 4. | 2 | 3 | | |
| water 7 3 9 Soft yellow lime- | | Grey post, with hard | - | _ | | | |
| Soft yellow lime- | | blue post partings | 2 | 1 : | 3 | | |
| stone, lighter in | - 30 | Grey metal | | | 3 | | |
| colour, closer and | | | 0 | 1 4 | 1 | | |
| more stratified 6 5 10 | | | | | - 10 | 2 | 1 |
| Soft yellow lime- | | Dark gray saggar- | | | | _ | _ |
| stone in irregular | | Dark grey seggar- | Λ | 3 8 | 3 | | |
| broken beds 5 1 0 | | clay | 0 | 0 (| , | | |
| Yellow limestone, | | clay | n | 2 10 | 1 | | |
| with partings of dark grey lime- | | Grev metal, with | • | | | | |
| stone in places 13 3 $11\frac{1}{2}$ | | post girdles | 4 | 3 1 | l | | |
| Dark grey limestone 0 1 0 | | clay Clay clay metal, with post girdles Black shale COAL | ō | 4 | | | |
| Marl slates 0 2 8 | | Black shale | 0 | 2 4 | Į. | | |
| Yellow sand 5 3 $1\frac{1}{2}$ | | COAL | 0 | 1 10 |) | | |
| Grey sand 0 4 2 | | | | | - 7 | 0 | 10 |
| Yellow sand 1 2 2 | | Dark seggar-clay | 1 | 0 : | 1 | | |
| Blue sand 4 1 3 | | Grev metal | Ô | 2 | _ | | |
| Yellow sand 1 1 9 | | Grey metal Leafy post | 1 | 5 10 | | | |
| Brown sand 0 2 9 | | Grey metal, with red | - | ٠ | | | |
| Grey sand 3 5 4 | | looms | 0 | 1 8 | 3 | | |
| | $82 \ 4 \ 8$ | White post | 2 | 4 | | | |
| Hard blue post 1 0 11 | | Red post White post | 0 | 2 8 | 3 | | |
| COAL | | White post | 1 | 0 2 | | | |
| | 1 0 11 $\frac{1}{2}$ | Red post | 0 | 3 8 | | | |
| Grey metal and | | Micaceous post | 0 | 0 1 | | | |
| seggar-clay 0 2 $5\frac{1}{2}$ | | Red post | 0 | 3 3 | | | |
| Hard grey post, with | | White post | | 5 9 | | | |
| red patches in | | COAL | 0 | 2 (| | | |
| places 0 2 3 | | | | | - 10 | 3 | 1 |
| Leafy post, with red | | Dark seggar-clay | 0 | 3 (|) | | |
| patches in places 0 2 7 | | Post | | 0 6 | | | |
| Grey metal and post panels 0 4 3 | | Grey metal | | 2 9 | | | |
| T | | COAL | 0 | 2 (|) | | |
| COAL 0 0 11 | $2 \ 0 \ 5\frac{1}{2}$ | | | | - 2 | 2 | 3 |
| g 1 0 0 | 2 0 02 | Seggar-clay | 0 | 1 1: | L | | |
| Seggar-clay 1 0 6 Grey metal 1 2 3 | | Light grey metal | 1 | 0 2 | | | |
| Grey metal 1 2 3 Seggar-clav 0 1 4 | | Dark grey metal | | 0 8 | | | |
| Seggar-clay 0 1 4 COAL 0 0 7 | | Dark shale | 0 | 0 7 | | | |
| OOAL 0 0 1 | 2 4 8 | COAL | 0 | 0 2 | 2 | | |
| Seggar-clay 0 2 2 | | | | | - 4 | 3 | 1 |
| | | Seggar-clay | 0 | 0 8 | 5 | | |
| Black shale 0 0 9 Grey metal, with | | Leafy post | | 3 8 | | | |
| ironstone bands 2 2 5 | | Grey metal | 0 | 4 | | | |
| Black shale 0 2 4 | | COAL | 0 | 0 4 | | | |
| Seggar-clay, mixed | | | | | - 2 | 2 | 7 |
| with coal pikes 1 0 10 | | Seggar-clay | 0 | 0 8 | 3. | | |
| Grey post 1 1 2 | | Grey metal, into | 1 | 5 (| | | |
| Grey metal 2 4 1 | | • | | | - 1 | 5 | 8 |
| | | m . 1 | | | 140 | | _ |
| Carried forward 8 1 91 | 01 2 4 | Total | • | • • • • | 149 | 0 | 8 |
| Nomn | Cinleina (| till in progress | | | | | _ |

Note: Sinking still in progress.

No. 2,663.—EASINGTON.

TOWNSHIP OF EASINGTON, DURHAM.

Sheet 21 of Ordnance Map. Lat. 54° 47′ 26″, Long. 1° 19′ 7″.

Account of Strata sunk through in the South Pit, Easington Colliery.

Approximate surface-level 200 feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. In. | |
|---|-----------------------------|
| Soil 0 1 0 | Brought forward 2 4 198 3 7 |
| Clay and stones 2 0 0 | COAL 0 0 9 |
| Boulder-clay 2 3 0 | 2 4 10 |
| Sand 1 4 2 | Seggar-elay 0 3 5 |
| Boulder-clay 2 2 0 | Leafy post 0 5 6 |
| Sand, gravel and | Grey shale, with post |
| limestone 0 4 4 | panels 1 3 0 |
| 9 2 6 | Black shale 0 1 0 |
| Limestone and marl 12 3 6 | Seggar-clay |
| Marl 3 2 0 | Leafy post 0 3 1 |
| Marl and broken | Grey metal 2 0 9 |
| limestone 11 5 0 | Black shale 0 1 11 |
| Broken limestone, | Grey metal and post |
| with marl 4 0 8 | panels 1 0 0 |
| Broken limestone 5 4 10 | COAL 0 1 3 |
| Flaggy limestone 1 0 11 | 8 2 4 |
| Soft yellow lime- | Seggar-clay 0 4 2 |
| stone, with thin | Grey post 2 3 4 |
| | Grey metal, with post |
| | |
| Soft yellow lime- | |
| stone, with light brown limestone | |
| | |
| panels 8 2 0 | |
| Marl slates 0 2 8 | |
| Yellow sand 0 2 9 Blue sand 2 2 4 | 10 2 7 |
| | Dark seggar-clay 0 5 0 |
| Blue sand, the top 6 | Grey metal 0 5 6 |
| feet being mixed | Grey post, with dark |
| with yellow sand 6 5 1 | panels 0 2 0 |
| Brown sand 6 3 9 | Grey metal 0 5 0 |
| | 1 110 1 1030 0 2 3 |
| Hard grey metal 0 0 4 | Metal 0 4 9 |
| Grey metal 1 2 2 | Post 2 2 9 |
| Grey post 0 1 6 | Dark shale 0 0 6 |
| Grey metal, with red | COAL 0 1 9 |
| post and metal | 7 0 0 |
| panels 1 1 8 | Seggar-clay 1 1 5 |
| panels 1 1 8 COAL 0 0 11 | Grey metal 1 2 11 |
| 3 0 7 | Red leafy post 0 4 4 |
| | White post, into 2 0 0 |
| Seggar-clay 2 3 2 Black shale 0 0 11 | |
| Dinck Shale U U II | 5 2 8 |
| 0-116 104 100 0 | m . 1 |
| Carried forward 2 4 198 3 7 | Total 132 4 0 |
| 37 01 1 1 | |

Note: Sinking still in progress.

No. 2,664.—EDEN.

TOWNSHIP OF GREENCROFT, DURHAM.

Sheet 11 of Ordnance Map. Lat. 54° 51′ 30″, Long. 1° 46′ 15″.

Account of Strata sunk through in the Eden Air Shaft, Consett Collieries.

Approximate surface-level 650 feet above sea (Ordnance datum).

| Gravel and clay | | Ft. | | | _ | | Brought forward 0 3 4 19 4 5 |
|------------------------------------|---|----------------------|--------|----|--------|----|-----------------------------------|
| Soft shivery stone | | 4 | 5 | 1 | 1 | 6 | Little Coal Seam |
| Black stone, mixed with iron balls | | 0 | 3 | | | | White post 0 2 6 |
| Grey post | _ | 1 | 3 | | | | Blue panel 0 2 1 |
| Blue stone | _ | $\dot{\overline{2}}$ | 4 | | | | Iron stone 0 0 8 |
| Grey post | _ | 3 | 4 | | | | Post, mixed with blue |
| Black stone | | ő | 7 | | | | metal 1 1 8 |
| White post | | 0 | 4 | | | | Grey post 0 1 6 |
| Grey post | 6 | 4 | 8 | | | | Blue stone 0 2 0 |
| Iron girdle | 0 | 0 | 7 | | | | Post, mixed with blue |
| White post | 1 | 4 | 2 | | | | metal 0 4 2 |
| Grey post | 1 | 1 | 8 | | | | White post 0 3 9 Blue stone 0 1 1 |
| Blue stone | 2 | 0 | 10 | | | | Blue stone 0 1 1 |
| Hutton Seam— | | | | | | | Grey post 0 1 3 |
| Ft. In | | | | | | | Post, mixed with blue |
| COAL 2 10 | | | | | | | metal 0 3 6 |
| Band 0 8 | | | | | | | White post 0 1 0 |
| COAL 3 8 | | | | | | | Blue stone and post 0 1 2 |
| Black stone 0 2 | | | | | | | Iron stone 0 0 9 |
| COAL 1 2 | | | | | | | Blue stone 0 0 8 |
| | 1 | 2 | 6 | | | | Main Coal Seam— |
| | | | | 18 | 2 | 11 | COAL 0 4 2 |
| Black stone, mixed | | | | | | | 6 1 11. |
| with post " | 0 | 3 | 4 | | | | |
| Carried forward | 0 | 3 | 4 | 19 | 4 | 5 | Total 26 5 10 |

No. 2,665.—EDEN.

TOWNSHIP OF BILLINGSIDE, DURHAM.

Sheet 11 of Ordnance Map. Lat. 54° 51′ 47″, Long. 1° 47′ 35″.

Account of Strata sunk through in the Eden Pit.

Approximate surface-level 828 feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. In. Sand, clay and strong | Brought forward 17 1 1 |
|---|--------------------------------------|
| freestone $16 0 4$ $ 16 0 4$ | Seggar-clay, mixed |
| Hutton Seam— | with coal 0 2 0 Blue metal 0 2 0 |
| COAL 3 10 | Little Coal Seam— COAL 0 1 5 |
| Band 0 8 | 0 5 5 |
| COAL 2 3 1 0 9 | White post 4 0 0 Grey metal 0 2 0 |
| 1 0 9 | arey moves in the contract of |
| Carried forward $\overline{17 \ 1 \ 1}$ | Carried forward 4 2 018 0 6 |

No. 2,665.—EDEN.—CONTINUED.

| Brought forward | Fs. 4 | Ft 2 | . In. | Fs. 18 | Ft. | In. 6 | |
|-----------------------------|-------|------|-------------|-----------|-----|----------|------------------------------|
| Main Coal Seam— | | | | | | | Grey metal 0 2 1 |
| Ft. In | | | | | | | Metal, with post |
| COAL 3 5 | | | | | | | girdles 0 2 0 |
| COAL, coarse 0 8 | | | | | | | Post, with whin 2 2 2 |
| | 0 | 4 | 1 | _ | _ | _ | Tilley Seam— |
| 701 7 1 113 1 | _ | | | 5 | 0 | 1 | Ft. In. |
| Black stone, with coal | | | | | | | COAL 1 1 |
| partings | 0 | 2 | 0 | | | | Band 0 1 |
| Posty seggar-clay | 2 | 1 | 0 | | | | COAL 0 5 |
| Strong seggar-clay | | 3 | 0 | | | | 0 1 7 |
| Strong white post | | 3 | 0 | | | | 8 4 |
| COAL | 0 | 0 | 1 | | | | Seggar-clay 0 3 .2 |
| Dark grey metal | 0 | 4 | 0 | | | | Dark metal 0 0 5 |
| Strong white post, | | | | | | | COAL 0 0 6 |
| with water | 13 | -3 | 9 | | | | Metal 0 1 4 |
| Dark grey metal | 1 | 5 | 0 | | | | Whin girdle 0 0 9 |
| COAL | 0 | 0 | 7 | | | | Dark metal, with iron |
| | | | _ | 20 | 4 | 5 | balls 0 3 9 |
| Strong seggar-clay | 0 | 4 | 6 | | | | Hand Coal Seam— |
| Whitepost, with whin | 0 | 3 | 9 | | | | Ft. In. |
| Dark metal | 0 | 3 | 1 | | | | COAL 0 4 |
| COAL | ŏ | ő | $\tilde{3}$ | | | | Band 0 3 |
| Metal | Õ | 1 | 7 | | | | COAL 0 11 |
| COAL | ő | ô | 3 | | | | 0 1 6 |
| Dark metal | ő | ő | 4 | | | | 1 5 |
| 0041 | 0 | ő | 4 | | | | (III) 111 d |
| G 1 | ő | 2 | 6 | | | | D - 1 1 1 0 0 1 |
| | 0 | 3 | 6 | | | | 1111 ' |
| Strong post | U | O | U | | | | |
| Dark metal, with iron balls | 0 | 3 | ٥ | | | | Strong post, with |
| No. 1 Seam— | 0 | 9 | 8 | | | | whin 4 2 10 |
| 0041 | | 0 | 2 | | | | Busty Seam— |
| COAL | 0 | 2 | 2 | 4 | - | 11 | Ft. In. |
| G | _ | 2 | 1 | 4 | T | 11 | COAL 1 11 |
| Seggar-clay | 0 | 3 | 1 | | | | Band 0 7 |
| Grey metal | | 1 | 0 | | | | . COAL 2 5 |
| COAL | 0 | 0 | 1 | | | | 0 4 11 |
| Mild post, with whin | 0 | 5 | 11 | | | | 6 1 |
| Metal, with post | | | | | | | Soft black slaty stone 0 1 2 |
| girdles | 0 | 2 | 0 | | | | Bastard stone 0 4 2 |
| Light post | 0 | 2 | 1 | | | | Grey metal, with whin |
| Strong grey metal | 1 | 1 | 1 | | | | balls 0 4 6 |
| Metal, with post | | | | | | | Dark metal 0 1 2 |
| girdles | 0 | 5 | 0 | | | | Post, with partings 1 1 8 |
| Whin girdle | 0 | 0 | 5 | | | | 3 0 |
| | | _ | | | _ | | |
| Carried forward | 5 | 2 | 8 | 48 | 0 | 11 | Total 68 1 |
| | | | | | | 1 | |

No. 2,666.—EDEN. TOWNSHIP OF SHOTTON, DURHAM.

Sheet 28 of Ordnance Map. Lat. 54° 45′ 38", Long. 1° 18′ 53".

Account of Strata passed through in the Diamond Bore-hole at Eden.

Approximate surface-level 238 feet above sea (Ordnance datum).

| Surface Pinnel and cobbles* | 3 | 0 | 3 | s. Ft. In. | Brought forward 10 4 3 Gravel 0 5 0 |
|--------------------------------|----|---|---|------------|-------------------------------------|
| Carried forward | 10 | 4 | 3 | | Carried forward 11 3 3 |

No. 2,666.—EDEN.—CONTINUED.

| No. 2,000.—EDI | EN.—CONTINUED. |
|---|--|
| Fs. Ft. In. Fs. Ft. In. Brought forward 11 3 3 | Fs. Ft. In. Fs. Ft. Brought forward 19 2 6 112 0 10 |
| | Five-Quarter Seam— |
| Sand 3 0 0 Sand and gravel 2 5 0 Dark brown pinnel* 1 0 0 | Ft. In. |
| Dark brown pinnel* 1 0 0 | COAL 1 8 |
| 18 2 3 | Fire-clay, with |
| Yellow limestone 52 4 0 | bands of |
| Grey limestone 16 1 0 | foul coal 0 6 COAL 3 4 |
| Dark limestone, with | COAL 3 4 0 5 6 |
| fire-clay joint at bottom 1 1 0 | 20 2 0 |
| Grey sand 1 4 0 | Fire-clay 0 0 8 |
| 71 4 0 | Dark shale, with small |
| White sandstone 13 1 0 | $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| Fire-clay 1 1 0 | Soft fire-clay 1 1 2 Grey sandy shale 0 5 5 |
| Purple shale 1 1 0 | Fire-clay with small |
| Grey sandstone 0 1 0 | Fire-clay, with small veins of coal 0 0 3 |
| COAL 0 1 0 | Grev sandy shale 0 1 4 |
| 15 5 0 | Fire-clay, with small veins of coal 0 1 0 |
| Black shale 0 0 6 | |
| Grey sandy shale, | Black shale |
| with balls of iron- stone 0 2 0 | 2 5 9 |
| Grey sandy shale 1 2 11 | Fire-clay 0 3 3 |
| Grey sandy shale, | Fire-clay, with hard |
| with black streaks 1 2 6 | ironstone balls 1 0 9 Fire-clay 1 2 0 |
| Grey shale, with soft | Fire-clay 1 2 0 Grey limestone, with |
| joints 1 3 0 Grev shale 1 2 4 | spar joints 0 0 10 |
| Grey shale 1 2 4 COAL 0 0 4 | spar joints 0 0 10 Fire-clay 0 1 9 |
| ——— 6 1 7 | Grey sandy shale 2 1 5 |
| Dark blue shale 0 1 0 | Dark grey sandstone 2 1 9 Dark grey sandy shale 0 2 0 |
| Dark blue shale, with | Dark grey sandy shale 0 2 0 Main Coal Seam- |
| sandstone girdles 0 3 10 | COAL 0 3 4 |
| White sandstone 0 1 3 | 8 5 1 |
| Dark blue shale, with | Fire-clay 0 0 1 |
| sandstone girdles 0 1 6 Dark blue shale 0 3 10 | Greysandyshale, with ironstone balls 5 5 5 |
| 0.0.11 | Grey sandstone 5 5 5 |
| Fire-clay $0 \ 0 \ \frac{1}{2}$ | Grey shale 0 0 6 |
| Dark grey sandy shale 3 0 4 | Grey sandstone 1 5 6 |
| Grey sandstone 0 0 7 | COAL 0 1 0 |
| Dark blue shale, with fossils 0 1 6 | Black shale and bas- |
| fossils 0 1 6 White sandstone 1 0 0 | tard coal 0 0 3 |
| Dark blue shale 4 4 4 | |
| Fire-clay, with joints | Fire-clay, with balls |
| of coal and balls of | of ironstone 0 0 7 |
| ironstone 0 4 0 Dark grev sandy shale 2 2 4 | Dark grey shale 0 3 7 |
| Dark grey sandy shale 2 2 4 Grey shale 0 4 7 | Grey sandstone, with black shale girdles 0 1 6 |
| Dark blue shale 0 1 0 | White sandstone 2 2 4 |
| Grey shale 0 0 3 | White sandstone, with |
| Dark blue shale 0 2 8 | veins of coal 0 3 4 |
| Grey sandy shale 2 4 1 Dark blue shale 0 1 7 | COAL 0 0 7 |
| Grey shale 0 1 7 | Fire-clay, with balls |
| COAL $0 \ 0 \ 0\frac{1}{2}$ | of ironstone 0 3 0 |
| Grey shale, with | Grey sandy shale 6 3 2 |
| fossils $0 	 3 	 3\frac{1}{2}$ | Dark grey sandy shale 3 2 7 |
| Carried forward 19 2 6 112 0 10 | Carried forward 10 2 9 158 1 2 |

No. 2,666.—EDEN.—Continued.

| Fs. Ft. In. Fs. Ft. In. | Ft. In. Fs. Ft. In. Fs. Ft. In. |
|--|---------------------------------------|
| Fs. Ft. In. Fs. Ft. In. Brought forward 10 2 9 158 1 2 | Brot. forward 1 7 7 4 1 188 2 4 |
| Dark grey shale 0 2 0 | Fire-clay 1 9 |
| Grey shale 0 1 7 | COAL 3 10 |
| Fire clay with voing | 1 1 2 |
| Fire-clay, with veins of coal 0 0 2 | |
| | |
| Grey sandy shale 0 2 3 | Fire-clay, with iron- |
| Dark grey sandy shale 1 4 1 | stone balls 1 1 6 |
| Grey sandstone 1 3 0 | Fire-clay 0 2 5 |
| White micaceous sand- | Grey shale 0 1 6 |
| stone, with small | Fire-clay 0 0 4 |
| veins of coal 1 3 9 | COAL 0 0 4 |
| White micaceous sand- | 2 0 1 |
| stone 1 3 10 | mat a |
| | |
| Grey micaecous sand- | Grey shale 2 0 3 |
| stone 1 4 3 | White sandstone 0 2 6 |
| White sandstone 2 0 1 | Grey sandy shale 0 1 0 |
| White sandstone, with | White sandstone 0 1 5 |
| small stones 0 0 2 | Grey sandy shale 0 0 6 |
| Low Main Seam- | White sandstone 0 4 5 |
| COAL 0 2 11 | Grey sandy shale 0 1 4 |
| 22 0 10 | Grey shale 0 5 7 |
| | COAL, foul 0 0 3 |
| Fire-clay 0 0 6 | |
| Dark grey shale 0 0 6 | 5 0 4 |
| Dark sandy shale 0 0 11 | Fire-clay 0 0 6 |
| COAL 0 0 3 | Fire-clay 0 0 6 Fire-clay, with iron- |
| 0 2 2 | stone bans U Z U |
| | Grey shale 0 4 11 |
| Dark fire-clay, with | White sandstone 0 0 9 |
| ironstone balls 0 2 1 | Grey shale 0 0 4 |
| Dark grey shale 0 3 10 | |
| Grey micaceous sand- | |
| stone 0 1 6 | Grey shale 0 2 0 |
| Dark grey shale 2 3 2 | Black shale 0 0 10 |
| Fire-clay 0 1 6 | Dark grey shale 2 4 9 |
| | Black shale 0 3 10 |
| | Fire-clay 0 1 3 |
| Black shale, with | Grey sandy shale 2 2 3 |
| fossils 0 4 0 | White sandstone 2 2 5 |
| COAL 0 0 10 | White sandstone, with |
| 4 5 6 | |
| Dark grey shale 2 4 0 | hard stone balls 0 0 6 |
| Black shale, with | Greyshale, with hard |
| | stone balls 0 2 4 |
| fossils 0 0 3 | White sandstone, with |
| COAL 0 0 5 | coal partings 0 4 8 |
| 2 4 8 | White sandstone 0 1 3 |
| Fire-clay 0 0 4 | Grey sandy shale 0 5 0 |
| Dark grey shale 0 3 4 | Fire-clay 0 0 3 |
| Dark grey sandy shale 0 1 1 | |
| | |
| Greyshale, with sand- | 12 5 |
| stone girdles 1 2 1 | Fire-clay, with iron- |
| Grey sandy shale, with | stone balls 0 1 9 |
| sandstone girdles 1 2 6 | Grey sandy shale 2 2 5 |
| Dark grey shale 1 3 5 | Grey shale 0 1 9 |
| Grey shale, with sand- | White sandstone 0 0 9 |
| stone girdles 0 3 9 | Grey shale 0 4 6 |
| White sandstone 1 2 6 | D' 1 0 1 0 |
| | Grev sandy shale 1 2 9 |
| | |
| Hutton Seam— | Grey sandy shale, with |
| Ft. In. | balls of hard stone 0 1 4 |
| COAL 1 5 | Grey sandy shale 1 4 10 |
| COAL, cannel 0 2 | Grey sandstone 1 1 6 |
| | |
| Car. forward 1 7 7 4 1 188 2 4 | Carried forward 8 5 1 217 1 1 |

No. 2,666.—EDEN.—Continued.

| Brought forward 8 5 | In. Fs. Ft. In. 1 217 1 1 | Brought forwar | Fs. | Ft. I | n. Fs. 9 217 | Ft. 1 | In. |
|---|------------------------------|-----------------|-----|-------|-----------------|------------|-----|
| White sandstone 1 5 | 5 | White sandstone | . 0 | ō | 9 | ~ | - |
| Grey sandstone 1 5 | 5 | Fire-clay | . 0 | Ō | 9 | | |
| Grey sandstone 1 5 White sandstone 1 4 | 7 | Grey shale | . 0 | 1 | 6 | | |
| White sandstone, with | | Dark fire-clay | | | | | |
| balls of hard stone 1 5 | 2 | Grey shale | . 0 | 0 | 9 | | |
| White sandstone 5 3 | 5 | Dark grey shale | . 1 | 2 | 6 | | |
| White sandstone, with | | Not drawn | . 0 | 4 | 6 | | |
| balls of hard stone 3 3 | 8 | | | | - 28 | 4 | 0 |
| | | | | | | | |
| Carried forward 25 2 | $9\ 217\ 1\ 1$ | Total | | | 245 | 5 | 1 |
| * Pi | nnel is coars | e clavey gravel | | | | ********** | = |

Pinnel is coarse clayey gravel.

No. 2,667.—EDMONDSLEY.

TOWNSHIP OF EDMONDSLEY, DURHAM.

Sheet 19 of Ordnance Map. Lat. , Long.

Account of Strata passed through in a Bore-hole to the North of the Pit at East Edmondsley Colliery, February, 1840.

In.

9 3 0

Approximate surface-level feet above sea (Ordnance datum).

| | | | | | _ | | |
|--|---|--------|---|-----|-----|-----|------------------------------------|
| Brown soil | | | | Fs. | Ft. | In. | Brought forward 7 3 6 5 3 |
| Brown stony clay, | | • | U | | | | Main Coal Seam— |
| | | ^ | ^ | | | | |
| with water | | | | | | | Ft. In. |
| Blue stony clay | 4 | 2 | 0 | | | | COAL 3 2 |
| | | | | 5 | 3 | 0 | COAL, hard |
| Grey metal and metal | | | | | | | flinty 0 4 |
| stone, with post | | | | | | | COAL, good 2 0 |
| girdles | 3 | 4 | 0 | | | | COAL, good 2 0 COAL, splint 0 9 |
| Grev and white nost. | | | | | | | 1 0 3 |
| Grey and white post, with brown scares | | | | | | | 8 3 |
| and water | 2 | n | Λ | | | | Grey metal 3 2 3 |
| | | | | | | | orey metter o 2 o |
| Grey metal stone | 1 | Э | b | | | | 3 Z |
| | | | | | | | |
| Carried forward | 7 | 3 | 6 | 5 | 3 | 0 | Total 17 3 |
| | | | | | | | |

No. 2,668.—EDMONDSLEY.

TOWNSHIP OF EDMONDSLEY, DURHAM.

Sheet 19 of Ordnance Map. Lat. 54° 50′ 7″, Long. 1° 39′ 18″.

Account of Strata passed through at East Edmondsley Colliery in a Bore-hole from the bottom of the Hutton Seam.

Approximate surface-level feet above sea (Ordnance datum).

| Grev post Fs. Ft. In. Fs. Ft. In. 1 1 0 | Fs. Ft. In. Fs. Ft. In. Brought forward 2 4 0 |
|---|---|
| Grey post 1 1 0 Black metal, with post | Grey post 0 5 6 |
| girdles 0 3 3 | Grey post 0 5 6 Grey metal stone 2 2 10 |
| | Black metal, mixed |
| stone girdles 0 5 9 | with $coal$ 0 0 5 |
| | |
| Carried forward 2 4 0 | Carried forward 6 0 9 |

No. 2,668.—EDMONDSLEY.—Continued.

| T _a | E14 | In. Fs. | E'e | To | Fs. Ft. In. Fs. Ft. In. |
|---|-----|----------------|-----|------|---|
| Brought forward 6 | | | rt. | 111. | Brought forward 30 3 0 |
| Grev metal stone, with | | | | | Grey metal 0 3 6 |
| post girdles 0 Grey post 0 | 3 | 0 | | | Grey metal 0 3 6 Grey whin 0 0 9 |
| Grey post 0 | 4 | 0 | | | Grey metal stone 2 0 10 |
| White post, mixed with | | | | | Grey post, mixed with |
| whin 2 | 4 | 5 | | | whin · 0 1 0 |
| COAL, brownish and | | | | | Grey metal stone 0 4 6 |
| tender 0 | 1 | | | | Grey metal stone 0 4 6 Strong white post 0 4 0 |
| _ | | 10 | 1 | 10 | Grey metal 0 2 0 COAL, tender 0 1 2 |
| Grey metal, with post | | | | | COAL, tender 0 1 2 |
| girdles 2 | 5 | 6 | | | 4 5 9 |
| White gulletty post, | _ | _ | | | Grey metal 0 0 4 |
| set away the water 13 Grey metal stone 3 | 2 | 1 | | | Grey metal and white |
| Grey metal stone 3 | 2 | 4 | | | post 0 1 6 |
| Ft. In. | | | | | Dark grey metal, with |
| COAL, strong, | | | | | ironstone girdles 4 0 0 |
| coarse and | | | | | COAL, rather tender |
| burns white 2 7 | | | | | the last 6 inches 0 3 8 |
| COAL, foul 0 8 | 9 | 9 | | | —————————————————————————————————————— |
| 0 | 3 | | 1 | 2 | Grey metal, into 0 2 6 |
| | | 20 | 1 | 2 | 0 2 G |
| Carried forward | | 30 | 3 | 0 | Total 40 4 9 |
| Carried forward | | 130 | 0 | U | 10tal 40 4 3 |

No. 2,669.—EDMONDSLEY.

TOWNSHIP OF EDMONDSLEY, DURHAM.

Sheet 19 of Ordnance Map. Lat. 54° 50' 23", Long. 1° 38' 59".

Account of Strata sunk through in a Staple from the Maudlin Seam to the Low Main Seam, at Edmondsley Colliery, 1903.

Approximate surface-level feet above sea (Ordnance datum).

| | Fs. | Ft. | In. | Fs. | Ft. | In. | Fr. Ft. In. Fs. Ft. In. |
|-----------------------|-----|-----|-----|-----|-----|-----|-----------------------------|
| Maudlin Seam— | | | | | | | Brought forward 3 1 5 0 3 6 |
| COAL, good | . 0 | - 3 | - 6 | | | | Blue metal 0 1 5 |
| , 0 | | | | 0 | 3 | 6 | |
| Black slate | . 0 | 0 | 4 | | | | Blue metal, with |
| Seggar-elay, with pos | t | | | | | | girdles 0 4 9 |
| bands | | 2 | 11 | | | | Low Main Seam- |
| | . 0 | | | | | | Ft. In. |
| | . 0 | 1 | 1 | | | | COAL, good 3 0 |
| White post | . 0 | 0 | 6 | | | | COAL, infe- |
| Blue metal | . 1 | | | | | | rior 0 6 |
| Iron girdles | . 0 | 0 | 5 | | | | 0 3 6 |
| Blue metal | . 0 | 2 | 4 | | | | |
| Iron girdles | . 0 | 0 | 3 | | | | |
| | _ | | | | | _ | |
| Carried forward | 1 3 | 1 | 5 | 0 | - 3 | 6 | Total 5 2 9 |
| | | | | | | | |

No. 2,670.—EDMONDSLEY.

TOWNSHIP OF EDMONDSLEY, DURHAM.

Sheet 19 of Ordnance Map. Lat. 54° 50' 19", Long. 1° 39' 1".

Account of Strata sunk through in a Staple from the Low Main Seam to the Hutton Seam, at Edmondsley Colliery, about 1870.

Approximate surface-level

feet above sea (Ordnance datum).

| T 37 : 0 | | Ft. | In. F | 's. : | Ft. | In. | |
|----------------|--------|----------|-------|-------|-----|-----|------------------------------|
| Low Main Seam— | - | | | | | | Brought forward 0 3 3 1 3 3 |
| Ft. | In. | | | | | | Post 2 1 3 |
| COAL 3 | 0 | | | | | | Blue metal, with iron |
| COAL, splint 0 | G | | | | | | bands 1 0 2 |
| - - | 0 | 3 | 6 | | | | Iron girdles 0 0 4 |
| | | | | 0 | 3 | 6 | Very hard post girdles 0 0 8 |
| Black slate | 0 | 0 | 4 | | | | Blue metal 0 1 7 |
| White post | 0 | 2 | 7 | | | | Hutton Seam— |
| Blue metal | 0 | 0 | 6 | | | | Ft. In. |
| Post | 0 | 1 | 9 | | | | COAL, good 2 10 |
| COAL | 0 | 0 | 7 | | | | COAL, infe- |
| | | | | 0 | 5 | 9 | rior 0 5 |
| Seggar-clay | 0 | 1 | 3 | | | | 0 3 3 |
| Blue metal | 0 0 | 2 | 0 | | | | 4 4 6 |
| | | | | | | | |
| Carried forwa | ard 0 | 3 | 3 | 1 | 3 | 3 | Total 6 1 9 |
| | | | | | | | |

No. 2,671.—EDMONDSLEY.

TOWNSHIP OF EDMONDSLEY, DURHAM.

Sheet 19 of Ordnance Map. Lat. 54° 50′ 12″, Long. 1° 38′ 31″.

Account of Strata sunk through in a Staple from the Busty Seam to the Brockwell Seam, at Edmondsley Colliery, 300 yards West of the Shaft.

Approximate surface-level 465 feet above sea (Ordnance datum).

| Common alam | | Fs. | Ft. 2 | In. | Fs. | Ft. | In. | |
|------------------|-----|-----|-------|-----|-----|-----|----------|-------------------------|
| Seggar-clay | | | | | | | | Brought forward 10 2 8 |
| Strong post | | 5 | 5 | 3 | | | | Seggar-clay 1 0 0 |
| Blue metal | | 0 | 4 | 9 | | | | Blue metal 0 1 6 |
| COAL | | 0 | 1 | 0 | | | | Grey post 0 1 3 |
| | | | | | 7 | 1 | 6 | Blue metal 0 4 6 |
| Seggar-clay | | 0 | 5 | 0 | | | | Post 0 0 9 |
| Strong post | | 1 | 1 | 4 | | | | Blue metal 0 1 6 |
| Blue metal | | 0 | 1 | 0 | | | | Grey post 0 0 10 |
| Seggar-clay | | 0 | 1 | 6 | | | | Strong blue metal 2 2 5 |
| Strong grey post | | 0 | 4 | 0 | | | | Brockwell Seam- |
| | and | | | | | | | COAL 0 1 7 |
| bad | | 0 | 0 | 4 | | | | 5 2 4 |
| | | | | _ | 3 | 1 | 2 | |
| | | | | | | | | |
| Carried forw | ard | | | | 10 | 2 | 8 | Total 15 5 0 |
| | | | | | | | | |

No. 2,672.—ELDON. TOWNSHIP OF ELDON, DURHAM.

Sheet 42 of Ordnance Map. Lat. 54° 39' 6", Long. 1° 37' 18".

Account of Strata sunk through in the John Henry Pit, South Durham Colliery, Eldon, from the Main Coal Seam to the Hutton Seam, 1898.—

Continuation of No. 770.

Approximate surface-level 400 feet above sea (Ordnance datum).

| Depth from surface Main Coal Seam— | Ft. In. Fs. 52 | | Brought forward Seggar-clay | 0 | 2 | 6.90 | Ft. In. 5 11 |
|--|---|------|---|---|---|---------------|-----------------|
| COAL, good 5 8 | | | Post, with blue part- ings | 1 | 0 | 3 | |
| COAL, splint 1 6 | 1 2 | | COAL | | 1 | 1 — 1 | 5 10 |
| Seggar-clay 0 | $\frac{}{5}$ 0 | 1 2 | Blue metal, with post girdles | | 0 | 0 | |
| Grev metal, with iron- stone girdles 2 | 1 0 | | COAL | | | | 0 9 |
| COAL and black shale 0 | 1 4 | | | 0 | | 0 | |
| | 5 0 0 | | Seggar-elay | | | ő | |
| Grey metal 7 | 0 0 0 | | Grey metal, with iron- stone girdles | 6 | 0 | 0 | |
| Strong white post 10 Blue metal, with iron- | - | | Hutton Seam— | 0 | 3 | | 0.10 |
| stone girdles 0 Low Main Seam— | | | | | 0 | | 3 10 |
| COAL 0 | 2 7 28 | 0 11 | Hard white post COAL | | | $\frac{0}{6}$ | |
| Hard post 1. Strong grey metal, | 0 0 | | Blue metal, with iron- | | | 3 | 3 6 |
| with iron girdles 7 COAL 0 | $\begin{array}{ccc} 3 & 0 \\ 2 & 6 \end{array}$ | | stone girdles Hard post, with metal | 2 | 0 | 0 | |
| Seggar-clay 0 | 8 | 5 6 | | 0 | 3 | 0 — 2 | 3 0 |
| COAL 0 | 0 6 | | | | | | ., 0 |
| Carried forward 0 | 2 6 90 | 5 11 | Total | | | 10 | 9 4 10 |

No. 2,673.—ELSDON.

TOWNSHIP OF ELSDON, NORTHUMBERLAND.

Sheet 52 of Ordnance Map. Lat. 55° 14′ 0″, Long. 2° 6′ 18″.

Account of Strata sunk through in the No. 1 Shaft at Elsdon Colliery, Redesdale.

Approximate surface-level 536 feet above sea (Ordnance datum).

| Soil Fs. Ft. In. Fs. Ft. In. Yellow stony clay 1 2 0 | Brought forward 5 3 6 2 3 6 COAL 0 0 3 |
|---|--|
| Blue stony clay 0 5 0 | Strong blue shale 0 3 0 |
| Freestone 0 1 6 Blue plate, fossil- | Elsdon and Fourlaws Seam— |
| iferous 4 0 0 | COAL 0 4 0 |
| Very dark soft shale Hard blue shale Very dark grey stone | 1 1 0 |
| Carried forward 5 3 6 2 3 6 | Total 9 2 3 |
| | 15 |

No. 2,674.—ELSDON.

TOWNSHIP OF ELSDON, NORTHUMBERLAND.

Sheet 52 of Ordnance Map. Lat. 55° 14' 5", Long. 2° 7' 6".

Account of Strata sunk through in an Old Pit at Soppit Colliery, near Elsdon, Redesdale.

Approximate surface-level 610 feet above sea (Ordnance datum).

| Clay | Fs. Ft. In. Fs. Ft. In 9 5 0 | Fs. Ft. In. Fs. Ft. In. Brought forward 0 3 014 1 8 |
|----------------|------------------------------|---|
| oraj III III | 9 5 0 | |
| Limestone | 0 2 0 | Strong grey shale 0 3 9 |
| Grev shale | 2 0 6 | White freestone 0 4 0 |
| Hard freestone | 1 2 0 | White coloured shale 0 5 6 |
| Grey shale | 0 4 0 | Elsdon and Fourlaws |
| COAL | \dots 0 0 2 | Seam— |
| | 4 2 8 | COAL 0 3 10 |
| Grey shale | 0 3 0 | 5 5 1 |
| · · | | |
| Carried forw | ward 0 3 014 1 8 | Total 20 0 9 |
| | | , |

No. 2,675.—ELSTOB.

TOWNSHIP OF ELSTOB, DURHAM.

Sheet 49 of Ordnance Map. Lat. 54° 36′ 31″, Long. 1° 28′ 16″.

Account of Strata passed through in No. 1 Diamond Bore-hole on the Elstob Estate, for the Earl of Eldon. Commenced May 29th, 1873, and stopped March 4th, 1874.

Approximate surface-level 220 feet above sea (Ordnance datum).

| | | ** | r 10 | F): | | 1 | | | | | _ |
|--|------------|--------|------|--------|-----|-----------------------|----|---------------|-------------|---|---|
| Lime and sand | Fs. 0 | | | s. Ft. | In. | | | | In. Fs. | | |
| | | | | | | Brought forward | | | | 4 | U |
| Sand, clay and gravel | . 9 | 1 | 0 | | | Shaly limestone | | | 0 | | |
| | 4 | Э | U | | | Hard limestone | 3 | 1 | | _ | |
| Boulder-clay and | | _ | _ | | | | | | — 32 | 3 | 6 |
| stones | | 0 | 0 | | | Red sandstone | 0 | 5 | 0 | | |
| Sand | . 0 | 2 | 0 | | | Red sandstone and | | | | | |
| Quicksand | . 1 | 0 | 0 | | | shale | 0 | 5 | 0 | | |
| Boulder-elay | . 0 | 2 | 0 | | | White sandstone | 1 | 2 | 0 | | |
| Sandy clay | . 0 | 4 | 0 | | | Soft dark shale | | 0 | 0 | | |
| Quicksand | . 1 | 2 | 0 | | | Sandstone, with spar | | | Ö | | |
| Boulder-clay | . 7 | 1 | 6 | | | Soft dark shale | | 2 | 4 | | |
| manufacture of the state of the | _ | | | 4 2 | 6 | | | 2 | 8 | | |
| Permian Limestone | ·- | _ | _ | - | • | Soft dark shale | | $\frac{2}{1}$ | 0 | | |
| Soft magnesian lime | | | | | | Fire-clay | | 1 | Õ | | |
| | . 22 | 2 | 6 | | | Hard limestone | | 1 4 | 0 | | |
| | . 3 | | | | | Strong dark shale | | 5 | 0 | | |
| Sandstone and lime | | | U | | | | | | | | |
| a contract of the contract of | _ | | 0 | | | Sandstone and shale | | | 0 | | |
| stone | | | 0 | | | Hard sandstone | | | 0 | | |
| Grey limestone | . 0 | 5 | 0 | | | Hard shale, with spar | | 2 | 0 | | |
| Fire-clay | . 0 . 0 | 2 | 0 | | | Strong dark shale | | 5 | 0 | | |
| Grey limestone | . 0 | 1 | 0 | | | Strong dark shale, | | | | | |
| Light blue limestone | 9 0 | 3 | 0 | | | full of spar | 1 | 1 | 0 | | |
| Red shaly limestone | 9 1 | 1 | 0 | | | Strong shale | 1 | 2 | 0 | | |
| - | | | | | | | | | | | |
| Carried forward | 29 | 1 | 62 | 4 2 | 6 | Carried forward | 15 | 1 | 0 57 | 0 | 9 |
| | | | | | | • | | | | | |

No. 2,675.—ELSTOB.—Continued.

| Fs. Ft. In. Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|--|-------------------------------|
| Brought forward 15 1 0 57 0 0 | Brought forward 16 2 0 77 2 0 |
| Soft shale and fire- | Sandstone, with bands |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | of shale 17 0 0 |
| Hard red sandstone 1 0 0 | Dark shale, with spar 7 0 0 |
| Soft dark shale and | Light blue limestone 2 4 0 |
| sandstone 2 0 0 | White sandstone 4 1 0 |
| Soft dark shale 0 1 0 | Soft dark shale 0 2 0 |
| Strong sandstone 0 3 0 | COAL, soft 0 0 3 |
| Hard purple sand- | 47 3 3 |
| stone 1 1 0 | Sandstone, with bands |
| 20 2 0 | of shale 23 1 9 |
| Mountain Limestone:— | Light blue limestone 0 1 0 |
| Soft sandstone, with | Hard limestone 0 2 10 |
| shale bands 9 0 0 | 23 5 7 |
| Hard blue limestone 7 2 0 | |
| | |
| Carried forward 16 2 0 77 2 0 | Total 148 4 10 |
| , | |

For Report on this Bore-hole, see Trans. Inst. M.E., 1890, vol. i., page 368.

No. 2,676.—ELTRINGHAM.

TOWNSHIP OF OVINGTON, NORTHUMBERLAND.

Sheet 95 of Ordnance Map. Lat. , Long.

Account of Strata passed through in a Bore-hole on the North side of the River Tyne, about 300 yards above the Village of Ovingham, for the Eltringham Coal Company, by Messrs. William Coulson and Son. Commenced October 23rd, 1877, and stopped December 8th, 1877.

Approximate surface-level feet above sea (Ordnance datum).

| - PF | | | | | oet assit ben (oranize datam). |
|-----------------------|---|-----|---------|---------|--------------------------------|
| | | Ft. | In. Fs. | Ft. In. | Brought forward 4 3 1 15 3 3 |
| | U | - | U | | Brought forward 4 3 1 15 3 31 |
| Rough gravel, with | _ | _ | | | COAL 0 0 8 |
| water | | | 0 | | 4 3 9 |
| Sand, with water | 1 | 2 | 0 | | Soft grey metal 0 1 7 |
| Freestone gravel | 0 | 2 | 6 | | Hard white and grey |
| | | | 10 | 5 6 | post, with thin |
| Very hard bastard | | | | | metal partings and |
| post stone | Λ | Λ | 0 | | |
| Vallen forestone and | U | U | O | | water 2 4 7½ |
| Yellow freestone and | | | | | Very hard white post, |
| grey post, with a | | | | | with whin balls 2 4 0 |
| little grey metal | 0 | 3 | 6 | | Hard white post, with |
| Hard grey post | 0 | 4 | 6 | | a 6 inches gullet |
| Soft grey post, with | | | | | near top and water 1 0 1 |
| hard girdles and | | | | | Strong grey metal, |
| water | ٥ | 5 | 9 | | with thin post |
| | U | J | Ð | | |
| Light grey metal, | _ | _ | _ | | girdles 1 4 9 |
| with post girdles | 2 | 0 | 1 | | COAL, soft 0 0 4 |
| COAL, cannel, with | | | | | 8 3 4 <u>3</u> |
| water | 0 | 1 | 91 | | Black stone 0 0 3 |
| _ | | | _ 4 | 3 91 | Light grey metal 0 2 7 |
| Seggar-clay | 0 | 4 | 6 | 2 | Hard white post, with |
| Soft grey metal | ň | 1 | 10 | | water, into 0 2 4 |
| Strong grey metal | 0 | | 10 | | |
| Strong grey post | U | 2 | 4 | | 0 5 2 |
| Hard white post, with | | | | | |
| thin partings and | | | | | |
| water | 3 | 0 | 5 | | |
| Carried forward | 4 | 3 | 1 15 | 3 31 | Total 29 3 7 |
| | - | | | 2 | |

No. 2.677.—ELTRINGHAM.

TOWNSHIP OF ELTRINGHAM, NORTHUMBERLAND.

Sheet 95 of Ordnance Map. Lat. , Long.

Account of Strata bored through from near the bottom of the Shaft at Eltringham Colliery, by Messes. William Coulson and Son. Commenced December 15th, 1877.

feet above sea (Ordnance datum). Approximate surface-level Fs. Ft. In. Fs. Ft. In. Fs. Ft. In. Fs. Ft. In. Brought forward 0 1 7 7 4 9 trong dark grey metal, with iron-stone balls ... Strong White and grey post, with metal part-Light grey metal ... 4 11 ings and water ... 2 1 Strong grey metal, with hard balls ... Hard white post, with 2 whin balls COAL 0 4 Mild grey post 5 0 0 6 Dark grey metal 5 1 ... 2 3 9 Black metal ... 1 Seggar-clay ... 0 COAL, cannel, with Strong grey metal, with post girdles... 1 water 0 3 8 COAL, tender 0 3 1 1 10 2 Seggar-clay ... 3 7 7 1 10 0 1 0 Seggar-clay ... 3 14 Carried forward 0 Total ...

No. 2,678.—ELTRINGHAM.

TOWNSHIP OF OVINGTON, NORTHUMBERLAND.

Sheet 95 of Ordnance Map. Lat. 54° 57' 51", Long. 1° 52' 15".

Account of Strata passed through in a Bore-hole in Colonel Bigge's Royalty, in the Nouth-east corner of Field on the North side of the River Tyne, and about opposite the East end of Eltringham Colliery Sidings.

Approximate surface-level 50 feet above sea (Ordnance datum).

| G '1 | | | In. Fs. | Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|--------------------------------------|--------|--------|---------|--------------------|-------------------------------|
| Soil | | 1 | U | | Brought forward 4 3 1 15 3 21 |
| Rough gravel, with | | | | | COAL 0 0 8 |
| water | 9 | 0 | 0 | | 4 3 9 |
| Sand, with water | 1 | 2 | 0 | | Soft grey metal 0 1 7 |
| Freestone gravel | 0 | 2 | 6 | | Hard white post, with |
| _ | | | — 10 | 5 6 | metal and water 2 4 71 |
| Hard bastard post | 0 | 0 | 8 | | Hard white post, with |
| Yellow freestone and | _ | • | | | whin balls 2 4 0 |
| grey post | Λ | 3 | ß | | Hard white post, with |
| Hard grey post | ň | 4 | G | | |
| naru grey post | U | -35 | U | | a 6 inches gullet at |
| Soft grey post, with | | | | | top and water 1 0 1 |
| hard girdles and | _ | _ | | | Strong grey metal, |
| water | | 5 | 3 | | with post girdles 1 4 9 |
| Light grey metal, | | | | | COAL, soft 0 0 4 |
| with post girdles | 2 | 0 | 0 | | 8 3 41 |
| COAL, cannel | | | | | |
| ··-, · · · · · · · · · · · · · · · · | | | 4 | 3 81 | |
| Seggar-clay | 0 | 4. | _ | 2 | Hard white post, with |
| Soft grey metal | 0 | 1 | 10 | | water, into 0 2 4 |
| Strong grey post | ŏ | 2 | 4 | | water, into 0 2 4 0 5 2 |
| | U | - | -1 | | 0 5 2 |
| Hard white post, with | | | | | |
| thin partings and | | _ | _ | | |
| water | 3 | 0 | 5 | | |
| 0 | _ | | 1 17 | 0.61 | m / 1 |
| Carried forward | 4 | 3 | 1 15 | $3 \ 2\frac{1}{2}$ | Total 29 3 6 |
| | | | | | |

No. 2,679.—ELTRINGHAM.

TOWNSHIP OF ELTRINGHAM, NORTHUMBERLAND.

Sheet 95 of Ordnance Map. Lat. 54° 57′ 43″, Long. 1° 52′ 18″.

Account of Strata sunk and bored through at Eltringham Colliery, 1884 and 1885.

Approximate surface-level 100 feet above sea (Ordnance datum).

| | Ft. | In. | Fs. | Ft. | In. | Describt formers | | | In. 1 | | | |
|------------------------------------|--------|--------|-----|-----|-----|---|---------------|----|-------|-----|----|----------|
| Towneley Seam out- | | | | | | Brought forward | | | | 40. | 4 | 3 |
| crops about level of | | | | | - 1 | Splint | _ | 0 | 0 | | | |
| pit. Soil 0 | 1 | 0 | | | | Seggar-clay | 0 | 1 | U | | | |
| Loamy elay 0 | 1 | 0 | | | - | Grey metal, with iron- stone girdles | 1 | 1) | 11 | | | |
| Blue clay 0 | | 10 | | | | Blue metal | | | 0 | | | |
| Stony blue clay 2 | 1 | 0 | | | | Seggar-clay | | õ | 9 | | | |
| stony state thay in 2 | _ | | 3 | 4 | 10 | Yard Seam- | • | • | - | | | |
| Blue metal 1 | 4 | 4 | | | - | Ft. In. | | | | | | |
| White post, with | | | | | | COAL 1 10 | | | | | | |
| metal partings 1 | 0 | 6 | | | - 1 | Metal band 0 2 | | | | | | |
| Grey metal 0 | 0 | 4 | | | - 1 | COAL, with | | | | | | |
| Supposed Tilley Scam- | | | | | - 1 | water 0 5 | | | | | | |
| COAL 0 | 2 | 1 | | | | | 0 | 2 | 5 | | | . |
| | | | 3 | 1 | 3 | | | | _ | 3 | 0 | 10 |
| Seggar-clay 0 | 4 | 9 | | | | Seggar-clay | 0 | 2 | 9 | | | |
| White post girdle 0 | 0 | 8 | | | - 1 | Hard post girdle | 0 | 1 | 0 | | | |
| Grey post 0 | 0 | 9 | | | | Grey post | 0 | 4 | 3 | | | |
| COAL 0 | U | 11 | 1 | 1 | , | Grey metal, with post | 1 | 1 | 0 | | | |
| Samara alam | 1 | | 1 | 1 | 1 | girdles | $\frac{1}{2}$ | 0 | 7 | | | |
| Seggar-clay 0 | 1 5 | 8 | | | | Dark grey metal COAL, with water | õ | 1 | | | | |
| White and grey post 1 Blue metal 0 | 0 | 6 | | | | COAL, with water | _ | | | . 1 | .1 | 7 |
| 0041 | 0 | 4 | | | | Seggar-clay, with | | | | | | • |
| Blue metal 0 | 1 | 8 | | | - 1 | ironstone balls | 1 | 0 | 3 | | | |
| Five-Quarter Seam- | • | 0 | | | | Strong grey metal | ô | 3 | 7 | | | |
| Ft. In. | | | | | | Grey post | 0 | | 2 | | | |
| COAL, splint 0 6 | | | | | | Hard white post | 1 | 0 | 1 | | | |
| COAL, good 2 9 | | | | | | Grey post | 0 | 3 | 2 | | | |
| 0 | 3 | 3 | | | | Dark grey metal | 0 | -3 | 11 | | | |
| | | | 3 | 0 | 5 | Ironstone girdle | 0 | 0 | 9 | | | |
| Seggar-clay, with | | | | | | Brockwell Seam— | | | | | | |
| ironstone balls 0 | 4 | 6 | | | | Ft. In. | | | | | | |
| Grey metal 2 | 4 | 1 | | | | COAL 2 0 | | | | | | |
| White post girdle 0 | 0 | 4 | | | | COAL, splint 0 6 | 0 | | 0 | | | |
| Grey metal 2 | 4 | 1 | | | | | 0 | 2 | 6 | 1 | 5 | 5 |
| White post girdle 0 | 0 | 4 8 | | | | Communicators | | 2 | 9 | * | ;) | Ð |
| Blue metal 0 Grev post 0 | 0 | 4 | | | | Seggar-clay Grey metal, with post | 0 | - | J | | | |
| 0 1 1 1 1 | 1 | 4 | | | | girdles | 1 | 2 | 4 | | | |
| White post 1 | 0 | | | | | Black metal | ô | õ | 2 | | | |
| Blue metal 0 | 1 | 0 | | | | COAL | Ü | 1 | 6 | | | |
| Black metal 0 | ō | 2 | | | | | _ | | | 2 | 0 | 9 |
| Blue metal 0 | 2 | 0 | | | | Strong grey post | 0 | 5 | 3 | | | |
| Six-Quarter Seam- | | | | | | Dark grey metal | 0 | 4 | 1 | | | |
| Ft. In. | | | | | | Light grey metal, | | | | | | |
| COAL, good 3 5 | | | | | | with post girdles | | 0 | 9 | | | |
| COAL, splint 0 2 | | | | | | COAL | 0 | 0 | 6 | | | |
| COAL, good 0 5 | | _ | | | | Seggar-clay | 0 | 5 | | | | |
| - 0 | 4 | 0 | _ | ^ | _ | Dark grey metal | | 4 | | | | |
| Sec | | 11 | 9 | 0 | 8 | COAL | 0 | 1 | 3 | ~ | | 0 |
| Seggar-clay 0 | 2 | 11 | | | | | | _ | _ | 5 | 3 | 0 |
| Carried forward 0 | 9 | 11 | 20 | 2 | 3 | Carried forward | | | | 40 | 4 | 10 |
| Cullica forward 0 | - | | -0 | _ | 9 | Carried forward | | | | 10 | - | -0 |

No. 2,679.—ELTRINGHAM.—CONTINUED.

| , | | | | | | | | | | | | |
|--|---|---|---------|------|-----------|--|-------|----------|-----|-----------|-----|----|
| Brought forward | | | In. Fs. | | In. 10 | | | Ft. | | Fs. 51 | Ft. | In |
| Seggar-clay | 0 | 1 | 6 | -Tr | 10 | Soft grey metal | 0 | 1 | | O. | 0 | Ĭ |
| Seggar-clay White and grey post Dark grey shale Black shale COAL, cannel | 4 | 1 | 0 | | | Hard white post, with | | | | | | |
| Dark grey shale | 7 | 2 | 1 | | | metal and water Hard white post, with | | 4 | - 1 | | | |
| COAL, cannel | 0 | 1 | 6 | | | whin balls | | 4 | 0 | | | |
| - | | | 6 | 2 | 1 | | | | | | | |
| Seggar-clay | 0 | 1 | 0 | 1 | 8 | a 6 inches gullet at top and water | 1 | 0 | 1 | | | |
| • | | | _ | | _ | Soft grey metal, with | | | | | | |
| 70 7 4 .7 | | | 47 | 2 | 7 | whin girdles | 1 | 4 | 9 | | | |
| Bored further:— White and greypost, | | | | | | COAL, soft | | U | 4 | 8 | 3 | 4 |
| with water | 1 | 0 | 0 | | | Black stone | 0 | | | • | ., | |
| Hard white post, | | | _ | | | Light grey metal | 0 | 2 | 7 | | | |
| with water COAL | | | 8 | | | Hard white post, with water, into | 0 | 2 | 4 | | | |
| | | | _ 4 | 1 | 1 | | _ | | | 0 | 5 | 2 |
| Ci-1 (1 | | | <u></u> | | - | Tratal | | | | <u>G1</u> | | |
| Carried forward | | | 51 | 3 | 8 | Total | • • • | | = | O1 | 9 | |
| | | | | | | | | | | | | _ |

No. 2,680.—ELWICK. TOWNSHIP OF ELWICK, NORTHUMBERLAND.

Sheet 16 of Ordnance Map. Lat. , Long.

Account of Strata sunk through at Elwick, November 24th, 1873. Approximate surface-level feet above sea (Ordnance datum).

| Clay, with boulders 5 2 0 | Brought forward 2 1 0 5 2 0 |
|-----------------------------|-----------------------------|
| Soft pale blue metal 2 0 0 | COAL 0 2 0 2 3 0 |
| Black metal 0 1 0 | Black metal 0 2 0 0 2 0 |
| Carried forward 2 1 0 5 2 0 | Total 8 1 0 |

No. 2,681.—ELWICK.

, Long.

Sheet 16 of Ordnance Map. Lat.

Account of Strata passed through in the No. 1 Bore-hole at Elwick.

Approximate surface-level feet above sea (Ordnance datum).

Soil and clay Fs. Ft. In. Fs. Ft. In. 4 3 0 4 3 0

| Soil and clay | | | | | | | 3 | | rs. | Pt. | ın. | |
|-------------------|------|---------|---------|---------|-----|---|----|----|-----|-----|-----|--|
| goir und cruy | ••• | ••• | ••• | ••• | ••• | _ | | | 4 | 3 | 0 | |
| Blue metal | | | ••• | | | 2 | 2 | 0 | | | | |
| $Limestone \dots$ | | | | • • • | | 0 | 3 | 0 | | | | |
| Soft metal, int | | | | | | | | | | | | |
| and boring | wast | herefor | e disco | ontinue | ed | * | ** | ;; | 0 | _ | ^ | |
| | | | | | | | | _ | 2 | Э | U | |
| | Tota | .1 | | ٠ | | | | | 7 | 2 | _0 | |

No. 2,682.—ELWICK.

TOWNSHIP OF ELWICK, NORTHUMBERLAND.

Sheet 16 of Ordnance Map. Lat.

, Long.

Account of Strata passed through in the No. 2 Bore-hole at Elwick.

Approximate surface-level feet above sea (Ordnance datum).

| Soil and clay Soft pale blue metal Black metal COAL | $\begin{array}{c} 5 \\ \hline 2 \\ 0 \end{array}$ | 0 2 | 0 0 0 | 5 | | | Brought forward Blue metal 1 4 0 Beddy sandstone 1 2 0 3 0 |
|---|---|-----|-------------|---|---|---|--|
| Carried forward | | | | 8 | 0 | 0 | Total 11 0 |

No. 2,683.—ELWICK.

TOWNSHIP OF ELWICK, NORTHUMBERLAND.

Sheet 16 of Ordnance Map. Lat.

, Long.

Account of Strata passed through in the No. 3 Bore-hole at Elwick.

Approximate surface-level feet above sea (Ordnance datum).

| Soil and clay | | 1 | 2 | 0 | | | | Fs. Ft. In. Fs. Ft Brought forward 9 1 0 1 2 Beddy sandstone, with | |
|--|---------|--------|--------|---|---|---|---|--|---|
| Beddy sandstone Red sandstone Blue metal | • • • • | 5 3 | 1 5 | 0 | | ئ | U | metal partings 1 1 0 Limestone 0 0 8 | 8 |
| Carried forward | ard | 9 | 1 | 0 | 1 | 2 | 0 | Total 11 4 | 8 |

No. 2,684.—ELWICK.

TOWNSHIP OF ELWICK, NORTHUMBERLAND.

Sheet 16 of Ordnance Map. Lat. , Long.

Account of Strata passed through in the No. 4 Bore-hole at Elwick.

Approximate surface-level feet above sea (Ordnance datum).

| Soil and clay | | | 0 | | | | Brought forward 2 1 0 1 2 0 Blue metal 0 2 0 |
|-------------------------------------|---|---|---|---|---|---|--|
| Blue metal Sandstone bands, with | | 3 | | | _ | | Hard stone 0 5 0 |
| metal partings | | 4 | 0 | | | | 3 2 9 |
| Carried forward | 2 | 1 | 0 | 1 | 2 | 0 | Total 4 4 0 |

Note: Hole stopped by getting into a slant gullet.

No. 2,685.—ELWICK.

TOWNSHIP OF ELWICK, NORTHUMBERLAND.

Sheet 16 of Ordnance Map. Lat. , Long.

Account of Strata passed through in the No. 6 Bore-hole at Elwick.

Approximate surface-level feet above sea (Ordnance datum).

11

, Long.

| Soil and clay | | 1 | 4 | 0 | | Ft. | | Fs. Ft. In. Fs. Ft. In Brought forward 3 3 6 1 4 6 Beddy sandstone 6 8 0 |
|------------------|-------|---|---|---|---|-----|---|--|
| Blue metal | | 0 | 3 | 0 | | - | Ü | Hard sandstone bands 6 1 0 |
| Sandstone bands | | | | | | | | Blue metal 1 0 0 |
| Blue metal | | | | | | | | Hardsandstone bands 0 3 0 |
| Hard flint stone | | | | | | | | |
| Blue metal | • • • | U | 3 | U | | | | |
| Carried forwa | ırd | 3 | 3 | 6 | 1 | 4 | 0 | Total 20 1 6 |

No. 2,686.—ELWICK.

TOWNSHIP OF ELWICK, NORTHUMBERLAND.

Sheet 16 of Ordnance Map. Lat. , Long. Account of Strata passed through in the No. 7 Bore-hole at Elwick. Approximate surface-level feet above sea (Ordnance datum). Fs. Ft. In. Fs. Ft. Iu. Soil and clay 5 5 3 6 Limestone ... Blue metal 5 6

No. 2,687.—ELWICK.

Total ...

Sheet 16 of Ordnance Map. Lat.

Approximate surface-level

TOWNSHIP OF ELWICK, NORTHUMBERLAND.

Account of Strata passed through in the No. 8 Bore-hole at Elwiek. feet above sea (Ordnance datum).

| Soil, clay, sand and gravel | ••• | Fs. Ft. In 5 0 0 | | | | |
|-----------------------------|---------|----------------------|---|---|---|--|
| Total | | | 5 | 0 | 0 | |

No. 2,688.—EPPLETON.

TOWNSHIP OF GREAT EPPLETON, DURHAM.

Sheet 21 of Ordnance Map. Lat. 54° 49' 43", Long. 1° 26' 8".

Account of Strata sunk through in the New Winning at Eppleton, 1870.

Approximate surface-level 434 feet above sea (Ordnance datum).

| | | | | _ | |
|---|------|-----------|-----|----------------|--|
| Fs | . Ft | . In. Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
| Yellow limestone 1 | 0 | 7 | | | Brought forward 60 0 9 |
| Yellow clay 0 | 0 | 3 | | | Grey thill stone 0 2 7 |
| C1 1 000 | | 10 | | | 7 1 0 0 |
| Sand 23 | _ | | | ۵ | |
| | | 24 | 3 | 8 | Blue metal 0 1 6 |
| Yellow metal 0 | 3 | 0 | | | Post, with whin 0 2 10 |
| Soft brown metal, | | | | | Blue metal 0 1 2 |
| with water 2 | 5 | 4 | | | (1) |
| | | | | | |
| Soft grey metal 2 | 3 | 0 | | | Blue metal 1 3 2 |
| Soft dark metal 2 | 4 | 3 | | | Black stone 0 1 10 |
| Strong black metal, | | | | | COAL 0 4 2 |
| | 1 | 2 | | | |
| | | _ | | | |
| COAL, coarse 0 | 1 | 41 | | | Thill stone 0 3 3 |
| | | _ 9 | 0 | 11 | Grey post 0 2 2 |
| Black thill 0 | 2 | 0 | | | Grey metal 0 2 5 |
| | 2 | 5 | | | |
| | ~ | U | | | |
| Black thill, with coal | | | | | Blue metal 0 0 6 |
| pipes 0 | 0 | 6 | | | Post 1 5 0 |
| Dark seggar-clay 0 | 2 | 2 | | | Grey metal, with post |
| | 1 | ō | | | |
| | | | | | girdles 0 1 51 |
| Blue metal parting 0 | L | 10 | | | White post 0 1 11 |
| Browny white post, | | | | | COAL 0 1 6 |
| with water 8 | 3 | 5 | | | 7 2 101 |
| Red post 0 | ő | 6 | | | |
| | U | U | | | |
| Soft blue metal, with | | | | | Blue metal 0 2 1 |
| coal pipes 0 | - 3 | 6 | | | Black stone 0 0 5 |
| Grey post, with water 1 | 5 | 8 | | | Grey metal 3 1 81 |
| Dowle motel 1 | 1 | 0 | | | Post, with metal part- |
| Dark metal 1 Grey thill 0 | - 6 | | | | |
| Grey thill 0 | 3 | 5 | | | ings 1, 4 6 |
| Ft. In. | | | | | Blue metal 0 0 9 |
| COAL 1 0 | | | | | White post 7 0 6 |
| | | | | | 0041 |
| COAL, good 1 21 | 0 | 0.1 | | | |
| 0 | 2 | | - | | 13 2 2 |
| _ | | 16 | 5 | $7\frac{1}{2}$ | Thill stone 0 2 6 |
| Strong grey thill, | | | | | Grey metal 0 2 0 |
| with water 0 | 0 | 9 | | | Post, with metal part- |
| | • | | | | |
| White post, with grey | _ | | | | ings and a little |
| leafy parting 1 | 0 | 0 | | | water 1 3 11 |
| Grey post 0 | 1 | 0 | | | Grey metal 0 2 0 |
| White post, with whin 0 | 2 | 0 | | | White post 0 2 1 |
| | _ | • | | | |
| Strong grey metal, with post girdles 0 | _ | _ | | | |
| with post girdles 0 | 5 | 5 | | | COAL 0 0 8 |
| Blue metal, with iron- | | | | | 5 5 5 |
| stone girdles 3 | 4 | 9 | | | Thill 0 2 0 |
| | - | | | | Grey metal, with post |
| COAL, with 1 inch | _ | 0 | | | |
| band 0 | 0 | 9 | | | girdles 3 1 0 |
| | | 6 | 2 | - 8 | Strong white post, |
| White thill 0 | 1 | 5 | | | with coal pipes 7 1 1 |
| | 3 | 6 | | | Gray matal with next |
| | | | | | Grey metal, with post |
| Blue metal 1 | - | 8 | | | girdles 0 5 6 |
| Black stone 0 | 0 | 4 | | | Dark grey thready |
| COAL 0 | 0 | 9 | | | post 1 3 1 |
| | _ | 3 | 0 | 8 | |
| | | | 0 | 0 | Strong grey metal 0 4 11 |
| | | | _ | | 0 1 1 1 1 1 1 1 1 1 1 1 |
| Carried forward | | 60 | 0 | 9 | Carried forward 13 5 7 92 3 $3\frac{1}{3}$ |
| | | | | | • |

No. 2,688.—EPPLETON.—Continued.

| Fs. Ft. In. Fs. Ft. In. Brought forward 13 5 7 92 3 3½ Strong grey post 1 3 3 | Brought forward 4 2 1 1 124 4 6 1 Blue motel |
|--|--|
| Blue metal, with iron- | Blue metal 0 5 0 Grey metal, with iron- |
| stone girdles 0 3 6 | stone 0 1 4 |
| Black stone, with iron- stone balls $0 \ 0 \ 3\frac{1}{2}$ | White post 0 2 0 Grey metal, with iron |
| Blue metal 0 1 7 | balls 1 1 5 |
| Three-Quarter Seam- | Main Coal Scam— |
| Ft. In. | COAL 1 0 10 |
| $\begin{array}{cccc} \textbf{COAL}, \ \textbf{good} & \textbf{0} & \textbf{6} \\ \textbf{Band} & \dots & \textbf{0} & \textbf{6} \\ \end{array}$ | Thill 0 1 6 |
| COAL, coarse 1 01 | Post 0 1 0 |
| Band $0 2\frac{1}{2}$ | Black stone 0 1 4 |
| COAL and | White post 0 4 0 |
| stone $2 	 2\frac{1}{2}$ COAL , coarse 2 5 | Grey metal 0 2 9 Blue metal 0 5 3 |
| 1 0 11 | Black stone 0 0 9 |
| $-\frac{17}{3}$ $\frac{11}{2}$ | White post 0 2 10 |
| Thill, with coal pipes 0 1 8 Grey metal 1 2 7 | Whin 0 1 5 |
| Grey metal 1 2 7 Thill and seggar-elay 1 0 6 | Dark grey post 0 0 10 Grey metal 0 0 11 |
| Grey metal, with post | COAL 0 0 3½ |
| girdles 0 5 0 | ${0.1}$ 3 4 $10\frac{1}{2}$ |
| Strong blue metal 0 2 9 Black stone 0 0 6 | Fire-clay 0 1 4 Grey metal 5 0 7 |
| COAL, coarse 0 1 8 | Blue metal 1 0 0 |
| 4 2 8 | Black stone 0 1 3 |
| Seggar-clay 0 2 4 | Maudlin Seam— COAL 0 5 1 |
| Grey metal, with iron balls 2 2 5 | GOAL 0 5 1 7 2 3 |
| Post, with grey metal | Strong grey metal 1 3 9 |
| partings 1 2 0 Grey metal 0 2 2 | Post, with grey metal |
| Grey metal 0 2 2 White post 1 1 1 | partings 1 3 0 Post, with blue metal |
| Dark leafy post 0 1 6 | partings 0 5 0 |
| Five-Quarter Seam— | Grey metal 0 0 11 |
| COAL 1 2 | White leafy post, with whin at bottom 2 0 8 |
| COAL, splint 0 7 | Blue metal 0 1 10 |
| —— 0 1 9 | Grey metal, with post |
| Thill, with coal pipes $\begin{bmatrix} -2 & 6 & 1 & 3 \end{bmatrix}$ | girdles 0 5 3 Blue metal 0 1 4 |
| Dark seggar-clay 0 3 9 | Low Main Seam— |
| COAL and stone 0 1 4 | COAL 0 4 10 |
| Seggar-clay and grey | Black stone 0 1 0 |
| metal 0 5 6 | Grey metal 0 3 0 |
| Dark grey post 0 3 11 | Post, with grey metal |
| White post 0 4 9 Dark grey post 0 2 9 | partings 2 4 1 Grey metal, with post |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | girdles 0 4 0 |
| | Blue metal 0 3 0 |
| Black stone 0 0 4 | Black stone 0 4 4 COAL 0 0 10 |
| Dark blue metal 0 1 1 Grey metal, with post | COAL 0 0 10 5 2 3 |
| girdles 0 4 $2\frac{1}{2}$ | Grey metal 0 4 1 |
| Whin 0 1 6 | Grey metal, with post |
| Grey post 0 2 0 Grey metal, with post | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| girdles 1 4 0 | Grey metal, with post |
| Grey metal 1 1 0 | girdles 0 4 3 |
| Carried forward $4 \ 2 \ 1\frac{1}{2} \ 124 \ 4 \ 6\frac{1}{2}$ | Carried forward 3 2 5 157 5 21 |
| | |

No. 2,688.—EPPLETON.—Continued.

| | 1 |
|--------------------------------|--------------------------------|
| Fs. Ft. In. Fs. Ft. In. | |
| Brought forward 3 2 5 157 5 2½ | Brought forward 2 3 11 161 5 9 |
| Black metal 0 1 0 | Dark grey post 0 0 7 |
| Ft. In. | Whin girdles 0 1 0 |
| COAL 1 8½ | Grey metal, with post |
| COAL and | girdles 1 2 0 |
| stone 1 5 | Hutton Scam- |
| — 0 3 1½ | COAL 0 4 5 |
| 4 0 61 | 4 5 11 |
| Grey metal 0 2 0 | Thill stone 0 1 10 |
| Post 0 4 0 | COAL 0 1 2 |
| Grey metal, with post | 0 3 0 |
| girdles 0 4 2 | Thill stone 0 2 6 |
| Black stone, with iron | Post, into ,, ,, |
| balls 0 5 9 | 0 2 6 |
| bans 0 5 5 | 0 2 0 |
| Carried forward 2 3 11 161 5 9 | Trotal 107 5 9 |
| Carried forward 2 5 11 101 5 9 | Total 167 5 2 |
| | |

No. 2,689.—ESH. township of esh, durham.

Sheet 26 of Ordnance Map. Lat. 54° 46′ 31″, Long. 1° 41′ 45″.

Account of Strata sunk through at Esh Colliery, 1866. Approximate surface-level 420 feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. | In. Fs. Ft. In. Fs. Ft. In. |
|----------------------------|--------------------------------------|
| Soil and yellow clay 0 5 0 | Brought forward 2 5 8 15 0 4 |
| Strong blue clay 2 0 0 | COAL 0 0 9 |
| Fine blue clay 1 4 0 | 3 0 5 |
| Strong blue clay 1 3 0 | Mild grey metal 1 2 0 |
| Fine blue clay, with | Post, with metal |
| sand partings 2 0 0 | partings 3 4 0 |
| Strong blue clay, with | Blue metal, with post |
| sand partings 2 0 0 | girdles 0 3 4 |
| Sand and clay 1 0 6 | Main Coal Seam— |
| Strong blue clay 3 0 0 | COAL 0 2 11 |
| Sand, yellow clay | 6 0 3 |
| and broken stone 0 5 6 | Seggar-clay 0 1 0 |
| COAL 0 0 4 | Seggar-clay 0 1 0 Grey post 0 5 0 |
| 15 0 | |
| Soft grey metal 2 5 8 | |
| | |
| Carried forward 2 5 8 15 0 | 4 Total 25 1 0 |
| | 1 |

No. 2,690.—ESHOTT.

TOWNSHIP OF ESHOTT, NORTHUMBERLAND.

Sheet 55 of Ordnance Map. Lat. , Long.

Account of Strata passed through in a Bore-hole on the Eshott Estate, August 21st, 1854.

Approximate surface-level feet above sea (Ordnance datum).

| Soil and c | elav | | Fs. 0 | Ft. | | | Ft. | In. | Fs. Ft. In. Fs. Ft. In. Brought forward 7 2 0 |
|------------|---------|----|----------|-----|---|---|-----|-----|---|
| Sand | | | 1 | 1 | 0 | | | | Post 5 4 0 |
| Clay | | | 5 | 5 | 0 | | | | Yellow post 4 4 3 |
| | | | | | _ | 7 | 2 | 0 | Blue metal 1 5 6 |
| Carrie | d forwa | rd | | | | 7 | 2 | 0 | Carried forward 12 1 9 7 2 0 |

No. 2,690.—ESHOTT.—Continued.

| Fs. Ft. In. Fs. Ft. Brought forward 12 1 9 7 2 | | |
|---|-----|--------------------|
| Grey metal 0 3 0 | | COAL, coarse 0 3 7 |
| Grey post 1 0 6 | - 1 | 26 2 10 |
| Grey metal 3 3 0 | | Metal 0 0 4 |
| Grey post 6 2 0 | | Post, into 0 0 2 |
| Grey metal 2 1 0 | | 0 0 6 |
| | | |
| Carried forward 25 5 3 7 2 | 0 | Total 33 5 4 |
| | | |

No. 2,691.—ESHOTT.

TOWNSHIP OF ESHOTT, NORTHUMBERLAND.

Sheet 55 of Ordnance Map. Lat. , Long.

Account of Strata passed through in the second Bore-hole in Eshott Heugh Farm, 439 yards to the West of North from the first Bore-hole, December 26th, 1854.

Approximate surface-level

feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. In. | |
|------------------------------|--|
| Strong clay, with beds | Brought forward 11 1 6 8 0 0 |
| of sand and a | Grey metal 3 3 6 |
| little water 7 0 0 | Grey metal 3 3 6 White post, with water 2 3 0 |
| Brown ramble, with | Grev metal, with |
| water which rose | girdles 8 1 0 |
| to the surface 1 0 0 | CÔAL 0 3 7 |
| 8 0 0 | 26 0 7 |
| Grey metal 6 0 0 | Grey metal, into 0 1 0 |
| Grey post, with water 5 1 6 | 0 1 0 |
| | |
| Carried forward 11 1 6 8 0 0 | Total 34 1 7 |
| | |

No. 2,692.—ETHERLEY.

TOWNSHIP OF ESCOME, DURHAM.

Sheet 42 of Ordnauce Map. Lat. 54° 39′ 50″, Long. 1° 42′ 40″.

Account of Strata sunk through in the George Pit, Etherley. Approximate surface-level 330 feet above sea (Ordnance datum).

| Brown soil | | | | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. So. Ft. In. Brought forward 0 1 4 6 0 8 |
|--|---|---|---|-----|-----|-----|---|
| Strong blue clay, with tumbling stones | | | | _ | 0 | | Grey metal stone 3 1 5 Blue metal stone 0 5 8 |
| Ramble stone COAL, foul | | 3 | | Э | 3 | 0 | Black metal stone 1 4 4 COAL 0 4 1 |
| Seggar-clay | | | | 0 | 3 | 8 | Seggar-clay 0 1 8 |
| Carried forward | 0 | 1 | 4 | 6 | 0 | 8 | Total 13 1 2 |

No. 2,693.—ETHERLEY.

TOWNSHIP OF ESCOMB, DURHAM.

Sheet 42 of Ordnance Map. Lat. 54° 39' 14", Long. 1° 42' 5".

Account of Strata passed through in the No. 6 Bore-hole, Etherley Dene. Commenced May 16th, 1870, and stopped March 11th, 1871.

Approximate surface-level 400 feet above sea (Ordnance datum).

| | - | | | | | - | | | | , . | | | |
|--|--------|----------------|-----|-----|-----|-----|--|-----|------|-----------|------------|---|-----|
| | Fs. | Ft. | In. | Fs. | Ft. | In. | | Fs. | Ft. | In. F | F | | ľn. |
| Soil | 0 | | 6 | | | | Brought forward | 0 | 3 | 8 4: | | i | 8 |
| Blue stony clay | 11 | 2 | 6 | | | | Light grey metal | 0 | 0 | 4 | | • | 0 |
| COAL, with water | 0 | 1 | | | | | Hardwhite post, with | • | 0 | -1 | | | |
| · · - , · · · · · · · · · · · · · · · · · · · | _ | | | 11 | 5 | 3 | | 0 | - | 0 | | | |
| White post, with meta | 1 | | | 11 | ., | •) | 1 | 2 | 5 | 8 | | | |
| | | | | | | | Black metal, mixed | | | _ | | | |
| partings and water | | 4 | 1 | | | | with coal and brass | 0 | 0 | 8 | | | |
| Grey metal | 0 | -3 | 3 | | | | Darkgrey metal, with | | | | | | |
| COAL | 0 | 0 | 7 | | | | post girdles | 3 | 0 | 1 | | | |
| | | | | 2 | 1 | 11 | COAL | 0 | 0 | 8 | | | |
| Grey metal, with post | | | | | | | | | | | | _ | |
| girdles | 0 | 4 | 2 | | | | | | | - 0 |) [| 5 | 1 |
| Hard white post, with | _ | • | _ | | | | Grey metal thill | 0 | 1 | 10 | | | |
| motor. | 0 | 9 | = | | | | Grey metal | 0 | 4 | 6 | | | |
| water | 0 | 3 | 5 | | | | Grey post, with metal | | • | ., | | | |
| Grey metal, with post | | | | | | | and and a second a | 1 | 1 | n | | | |
| girdles | 4 | 2 | 8 | | | | Hard white post | 1 | 1 | 9 | | | |
| Light grey metal | 1 | 2 | 0 | | | | Hard white post | | 2 | 2 | | | |
| Black metal, mixed | | | | | | | Soft grey metal | | 2 | 10 | | | |
| with coal | 0 | 2 | 5 | | | | COAL | 0 | 0 | 2 | | | |
| Light grey metal | 0 | $\overline{2}$ | 2 | | | | Grey metal | 0 | 0 | 4 | | | |
| White and grey post, | • | _ | - | | | | COAL | 0 | 0 | 5 | | | |
| | 1 | n | 0 | | | | | | | _ 4 | 6 | 2 | 0 |
| with metal partings | 1 | 2 | 3 | | | | Strong gran no-t | 4 | 0 | | • | - | U |
| Grey whin, mixed | | | _ | | | | Strong grey post | 1 | 2 | 4 | | | |
| with post | 0 | 4 | 2 | | | | Very hard white post | 0 | 2 | 11 | | | |
| Soft black metal | 0 | 1 | 2 | | | | Soft dark grey or | | | | | | |
| Mild grey post | 0 | 1 | 4 | | | | blue metal, with | | | | | | |
| COAL | 0 | 0 | 2 | | | | thin post girdles | 2 | 2 | 8 | | | |
| | | | | 10 | 1 | 11 | Soft light metal, | _ | _ | | | | |
| White and grey post, | | | | | | 11 | with a 5 inches | | | | | | |
| | 1 | 0 | 1 | | | | | | | | | | |
| with metalpartings | 1 | 0 | 1 | | | | whin girdle near | | | | | | |
| Grey metal, with post | | | | | | | the top | 1 | 2 | 6 | | | |
| girdles | 1 | 3 | 9 | | | | Soft dark metal, with | | | | | | |
| Black metal | 0 | 1 | 0 | | | | thin post girdles | | | | | | |
| Light metal, with | | | | | | | mixed with a little | | | | | | |
| hard post girdles | 4 | 4 | 4 | | | | coal near the bottom | 1 | 1 | 1 | | | |
| Grey metal, with post | | - | | | | | Mild grey post, with | _ | | - | | | |
| girdles, dark metal | | | | | | | soft metal partings | | | | | | |
| | | | | | | | | | | | | | |
| partings and scares | | 0 | _ | | | ı | | ~ | _ | _ | | | |
| of coal | 4 | 3 | 8 | | | - 1 | girdles | o . | 5 | () | | | |
| Strong grey post, with | | | | | | 1 | Mild dark grey post, | | | | | | |
| soft metal partings | 2 | 1 | 4 | | | | with very hard | | | | | | |
| Strong light grey | | | | | | | white post panels | | | | | | |
| metal | 1 | 2 | 6 | | | | 2 feet thick | 2 | 2 | 9 | | | |
| Hard grey post | ō | 4 | 6 | | | | Hard white and grey | | _ | | | | |
| Soft light metal | ŏ | 4 | 9 | | | | post, with thin | | | | | | |
| | U | .12 | ., | | | - 1 | metal partings of | | | | | | |
| COAL, with danty | | | | | | | metal partings at | | | | | | |
| partings and much | _ | ~ | _ | | | | top, and soft post | | | | | | |
| brass | 0 | 2 | 8 | | | - 1 | partings at bottom, | | | | | | |
| | | | 1 | 7 | 4 | 7 | and coal pipes | 9 | 2 | 3 | | | |
| Darkgrey metal thill | 0 | 0 | 1 | | | | | 0 | 0 1 | 11 | | | |
| Light grey metal | 0 | 2 | 5 | | | | _ | | | - 24 | 4 | 1 | 0 |
| Black metal, with | - | _ | - | | | | Dark metal | ^ | ^ | | • | - | _ |
| scares of coal | 0 | 1 | 2 | | | | D | | 0 | 1 | | | |
| source or row | J | | - | | | | Brown metal | 0 | 1 | 1 | | | |
| Carried farms 1 | 0 | 2 | 0 4 | 0 | 1 | _ | - | | | | | | |
| Carried forward | U | 3 | 8 4 | 2 | 1 | 81 | Carried forward | 0 | 1 | 2.78 | 1 | 1 | 7 |
| | | | | | | | | | | | | | |

No. 2,693.—ETHERLEY.—Continued.

| Fs. Ft. In. Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|------------------------------|---|
| Brought forward 0 1 2 78 1 7 | Brought forward 2 2 6 78 1 7 |
| Brown metal, with | Dark grey metal, with |
| coal pipes 0 0 9 | coal pipes and a |
| Soft grey metal 0 1 9 | foot of grey post |
| Strong light metal, | at the bottom 1 1 0 |
| with a green shade, | Hard duffy white |
| a post girdle near | Hard duffy white post, into 0410 $$ 424 |
| the top and an | 4 2 4 |
| ironstone ball near | |
| the bottom 1 4 10 | |
| | |
| Carried forward 2 2 6 78 1 7 | Total 82 3 11 |
| | |

No. 2,694.—ETHERLEY.

TOWNSHIP OF ESCOMB, DURHAM.

Sheet 42 of Ordnance Map. Lat. 54° 39′ 9″, Long. 1° 42′ 3″.

Account of Strata passed through in a Bore-hole in Etherley Dene, for Colonel Sadler. Commenced August 26th, 1901.

Approximate surface-level 400 feet above sea (Ordnance datum).

| Soil Fs. Ft. Io. Fs. Ft. In. O 1 6 | Fs. Ft. In. Fs. Ft. In. Brought forward 2 3 9½ 16 1 9½ |
|--|--|
| Yellow stony clay 0 3 0 | Dark grey shale, with |
| Dark stony clay 6 2 6 | hard panels 2 4 11 |
| Dark stony clay 6 2 6 Loamy clay 1 2 0 | Light grev shale 0 1 7 |
| Brown stony clay 0 4 6 | Light grev post 0 2 0 |
| 9 1 6 | Light grey shale 5 5 2 |
| Soft grey shale 0 3 8 | Light grey post 0 2 0 Light grey shale 5 5 2 Light grey post 2 2 9 Light grey post 2 2 9 |
| | Dark grey post 3 0 6 |
| Grey post 0 2 0 Grey shale 5 4 6 | Light grey shale, with |
| Ft. In. | hard post girdles 1 2 11 |
| COAL, coarse, | COAL 0 1 11 |
| with splint | 18 5 111 |
| bands 1 10 | Seggar-elay 0 3 61 |
| Blackstoneand | White post, with water 2 5 8 |
| coal threads 0 2 | Whin stone 0 1 4 |
| COAL, coarse 0 1½ | White post 0 0 10 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | Greyshale, with iron- |
| $\frac{0}{2}$ $\frac{1}{2}$ 7 0 3\frac{1}{2} | stone girdles, into 6 0 11 |
| Grey seggar-clay 0 1 $11\frac{1}{2}$ | 10 0 31 |
| Grey post 1 4 0 | 10 0 04 |
| Grey post, with thin | |
| shale partings and | |
| 0 0 10 | |
| water 0 3 10 | |
| Carried forward 2 3 9\frac{1}{2} 16 1 9\frac{1}{2} | Total 45 2 0 |
| Catticu forward 2 5 52 10 1 52 | , out |
| | |

No. 2,695.—EVENWOOD. TOWNSHIP OF BARONY AND EVENWOOD, DURHAM.

Sheet 41 of Ordnance Map. Lat. , Long.

Account of Strata passed through in a Bore-holc at Evenwood, about 10 yards from the South side of Crag Wood, on the top of the hill, by Mr. George Rawling Maddison, February 13th, 1833.

Approximate surface-level feet above sea (Ordnance datum).

| Soil | | Ft. | | Fs. | Ft. | In, | Brot. forward 1 10 17 0 4 19 4 6 |
|------------------------|---|-----|----|-----|-----|-----|----------------------------------|
| | | | _ | 0 | 0 | 9 | COAL, strong |
| Brown rambly post, | | | | | | | coarse 1 7 |
| with water | 1 | 4 | 0 | | | | Dark metal |
| Grey and brown metal | 1 | 3 | 0 | | | | band 0 5 |
| Dark metal | | 2 | 0 | | | | COAL 0 3 |
| COAL, with water | | 3 | 6 | | | | Grey metal, |
| | | | | 4 | 0 | 6 | scared with |
| Grey metal | 0 | 3 | 0 | | 0 | Ü | coal 1 0 |
| Grey metal stone, with | U | ., | · | | | | COAL 1 2 |
| 1 | 8 | 0 | 9 | | | | — 1 0 3 |
| | G | U | 3 | | | | |
| Brown post, with part- | 0 | 1 | Λ | | | | Dork 18 0 7 |
| ings and water | 2 | 1 | 0 | | | | Dark grey metal 0 3 6 |
| Strong whitish brown | | | | | | | Grey metal stone, with |
| post, with whin | | | | | | | post girdles 1 4 11 |
| girdles | 0 | 4 | 0 | | | | Grey metal, with whin |
| Brown post, with | _ | _ | _ | | | | girdles 2 0 0 |
| partings | 3 | 2 | 6 | | | | Black stone, with |
| Grey metal stone, with | | | | | | | strong girdles 0 1 6 |
| blue girdles and | | | | | | | COAL, mixed with |
| water | 0 | 3 | 0 | | | | metal 0 1 0 |
| Soft blue metal, with | | | | | | | 4 4 11 |
| seares of coal | 0 | 0 | 6 | | | | Grey metal 0 1 0 |
| Main Coal Seam- | | _ | | | | | Greymetal stone, with |
| COAL | Ω | 0 | 6 | | | | post girdles 0 3 0 |
| 00/1L | | • | | 15 | 3 | 3 | Grey metal, with whin |
| Strong grey metal | | | | | ., | | |
| stone, with post | | | | | | | |
| girdles and water | 5 | E | 0 | | | | A |
| | | | - | | | | Whin girdle 0 0 6 |
| Soft dark metal | 0 | 1 | 6 | | | i | Grey metal stone, with |
| Strong black stone, | ^ | - | - | | | - 1 | whin girdles 3 1 6 |
| with water | 0 | 5 | 5 | | | | Softish grey metal 0 1 6 |
| Strong grey metal, | _ | _ | | | | | Ft. In. |
| with post girdles | 1 | 5 | 6 | | | | COAL, hard |
| Brown post | 0 | 1 | 7 | | | | splint 1 3 |
| Strong white post, | | | | | | | COAL, strong 2 3 |
| with whin girdles | 0 | 3 | 0 | | | | COAL, rather |
| Whin and white post, | | | | | | | tender, and |
| with girdles | 0 | 5 | 6 | | | | burns to |
| Strong white post, | | | | | | | white ash 2 8 |
| with whin girdles | | | | | | | Dark band 0 2 |
| and water | 3 | 4 | 0 | | | - 1 | COAL, foul |
| Whin and white post | | 0 | 6 | | | - 1 | near top, and |
| Grey metal stone, with | • | • | • | | | | burns to |
| white post girdles | | | | | | | white ash 1 6 |
| | 1 | 4 | 4 | | | | |
| and water | 1 | ·F | .1 | | | | 1 1 10 |
| Five-Quarter Scam— | | | | | | | Grav metal into - 6 5 10 |
| COAL 1 3 | | | | | | | Grey metal, into 0 0 4 |
| | | | | | | | 0 0 4 |
| COAL, hard | | | | | | | |
| splint 0 7 | | | | | | | |
| 0 0 10 | _ | | | | | - 1 | |
| Car. forward 1 10 1 | 7 | n | A. | 0 | 1 | 6 | Total 49 4 2 |

No. 2,696.—EVENWOOD.

TOWNSHIP OF LYNESACK AND SOFTLEY, DURHAM.

Sheet 41 of Ordnance Map. Lat. 54° 36' 51", Long. 1° 50' 40".

Account of Strata exposed in the Oaky Bank Quarry, on the North side of the stream, near Gibbsneese, 1867.

Approximate surface-level 700 feet above sea (Ordnance datum).

| | | | | | | - | |
|------------------------------------|-----|-----|----------|-----|-----|-----|-----------------------------|
| | Fs. | Ft. | In. | Fs. | Ft. | In. | |
| Flaggy sandstone, | | | | | | | Brought forward 0 3 8 3 2 2 |
| with shaly partings | _ | _ | _ | | | | Sandy shale 0 0 6 |
| below | 1 | 1 | 0 | | | | Yellow sandstone, |
| Blue shale | 0 | 4 | 0 | | | | irregularly bedded, |
| below Blue shale Sandy shale | 0 | 1 | 0 | | | | with many large |
| Blue shale | 0 | 3 | 0 | | | | concretions 0 4 0 |
| Hard blackish sand- | | | | | | | Sandy micaccous |
| stone | 0 | 0 | 6 | | | | shale, variegated |
| Soft sandy shale | ñ | ň | 6 | | | | and foliated with |
| Dark grey micaceous | 0 | 9 | 0 | | | | worm tracks and |
| sandstone, with an- | | | | | | | |
| | | | | | | | ripple marked sur- |
| nelid markings on | | | | | | | face planes 0 3 0 |
| surface planes | Ü | 3 | U | | | | White greyish yel- |
| COAL ' | 0 | 1 | 2 | | | | lowish flags of fine |
| | | | | 3 | 3 | 2 | grained sandstone, |
| Hard fine eneined | | | | | | | with ripple marked |
| Hard fine grained | ^ | ^ | c | | | | and worm track |
| silicious sandstone | U | U | O | | | | surfaces 1 2 0 |
| Soft sandstone of | | | _ | | | | 3 1 2 |
| irregular texture | 0 | 1 | 2 | | | | |
| Sandstone, with soft | | | | | | | |
| ferruginous concre- | | | | | | | |
| tions | 0 | 2 | 0 | | | | |
| | | | | | | | |
| | _ | _ | | _ | _ | _ | |
| Carried forward | U | 3 | 8 | 3 | 2 | 2 | Total <u>. 6 3 4</u> |
| | | | | | | | |

No. 2,697.—EVENWOOD.

TOWNSHIP OF EVENWOOD AND BARONY, DURHAM.

Sheet 41 of Ordnance Map. Lat. 54° 37′ 7″, Long. 1° 45′ 17″.

Account of Strata sunk through in the No. 2 Randolph Pit, Evenwood Colliery, 1893.

Approximate surface-level 547 feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|-------------------------|------------------------------|
| Rubbish 0 5 0 | Brought forward 5 0 0 |
| Soil 0 3 6 | Hard ramble 1 0 0 |
| Yellow clay 0 2 6 | Brown post, full of |
| Sand 0 1 0 | joints 0 3 6 |
| Blue clay, with | Verymild white post, |
| boulder stones 1 0 0 | full of joints 2 2 6 |
| Sand and gravel 0 2 6 | Hard white post, |
| Blue clay, with | full of joints 2 3 0 |
| boulder stones 0 3 6 | Dark grey leafy post 0 2 0 |
| Soft ramble 1 0 0 | Hard white post, |
| 5 0 0 | full of joints 4 1 0 |
| | |
| Carried forward 5 0 0 | Carried forward 11 0 0 5 0 0 |

No. 2,697.—EVENWOOD.—CONTINUED.

| | | Ft. | | Fs. 5 | | In. θ | Fs. Ft. In. Fs. Ft. In. Brought forward 1 0 6 41 1 21 |
|---|----------|----------|----|----------|---|----------------|--|
| Brought forward : Greyleafy post, with | 11 | U | U | J | U | 0 | Brought forward 1 0 6 41 1 3\frac{1}{2} Mild grey metal 0 2 6 |
| | 0 | 3 | 6 | | | | Grey post, with iron |
| AAAI " | Õ | 2 | ő | | | | |
| COAL | <u>,</u> | | | 11 | 5 | 6 | Hard grey post 1 2 0 |
| Seggar-clay | 0 | 0 | 6 | | • | | Ft. In. |
| Post girdles, with | ٠ | ٠ | ٠ | | | | GOAL 0 2 |
| metal partings | 0 | 3 | 0 | | | | Band 0 1 |
| Dark metal, with iron- | ۰ | | · | | | | COAL 0 6 |
| stone girdles | 4 | 3 | 0 | | | | 0 0 9 |
| Hardmetal, with iron- | - | • | · | | | | 3 5 9 |
| stone girdles | 0 | 2 | 0 | | | | |
| Mild metal, with iron- | • | _ | • | | | | |
| stone balls | 1 | 3 | 0 | | | | |
| Ft. In. | _ | - | • | | | | |
| COAL 1 9 | | | | | | | 1 7 1 3 4 4 6 4 6 |
| Band 0 6 | | | | | | | Hard white post 0 4 6 |
| COAL 0 9 | | | | | | | |
| | 0 | 3 | 0 | | | | |
| | _ | | | 7 | 2 | 6 | |
| Dark metal | 0 | 4 | 6 | | | | Hard white post 0 1 2 Bluometal, with iron |
| White post girdle | 0 | 4 | 0 | | | | 1 1 1 0 0 |
| Blue metal | 0 | 0 | 6 | | | | Very hard blue metal, |
| COAL | 0 | 0 | 1 | ŀ | | | with iron girdles 1 0 0 |
| - | | | _ | 1 | 3 | $1\frac{1}{2}$ | Blue metal 4 5 0 |
| Blue metal | 0 | 0 | 6 | | | - | COAL 0 0 3 |
| White post | 0 | 2 | 6 | | | | 11 1 9 |
| Grey metal | 0 | 1 | 0 | | | | |
| Hard white post | 0 | 1 | 3 | | | | Seggar-clay 0 4 0 |
| Grey metal | 0 | 0 | 4 | | | | Dark grey post 0 3 0 |
| Hard white post | 0 | 2 | 3 | | | | Hardgrey metal, with |
| Grey metal, with iron- | | | | | | | post girdles 0 5 0 |
| stone girdles | 1 | 2 | 0 | | | | Dark grey post, with |
| Grey metal, with post | | | | | | | white spar 1 0 0 |
| girdles | 1 | 5 | 0 | | | | Dark grey post 1 0 0 |
| Ft. In. | | | | | | | Grey metal 1 0 0 Hard white post 1 3 0 |
| COAL 0 3 | | | | | | | |
| Band 0 3 | | | | | | | Harvey Scam COAL 0 3 0 |
| COAL 0 6 | | | | | | | COAL 0 3 0 |
| | 0 | 1 | 0 | | | | |
| | _ | | _ | 4 | 3 | 10 | Hard white post 5 0 0 |
| Seggar-clay | 0 | 3 | 6 | | | | Bastard post, with |
| Blue metal | 1 | 0 | 6 | | | | whin 0 2 0 |
| Hard grey post Hard bastard post | 0 | 3 | 0 | | | | Hard white post 2 4 0 |
| Hard bastard post | 0 | 5 | 0 | | | | COAL 0 0 9 8 0 9 |
| Mild blue metal | 2 | 3 | 7 | | | | |
| Hard grey post, with | _ | _ | _ | | | | Seggar-elay 0 2 0 |
| metal partings | 1 | | 6 | | | | Grey metal 4 1 0 |
| Blue metal | 1 | 3 | 0 | | | | Hard grey post 3 2 3 |
| Hutton Seam— | | | _ | | | | Busty Seam— |
| COAL | 0 | 3 | 9 | | _ | 10 | COAL 0 3 2 |
| 1 | | | | 9 | 0 | 10 | 8 2 5 |
| Seggar-clay | 0 | 4 | 4 | | | | Seggar-clay 0 3 0 |
| Hard grey post, with | ^ | | 10 | | | | Grey post 1 0 0 |
| partings | | | 10 | | | | Hard white post 0 4 0 |
| COAL | U | 0 | 4 | | c | c | Grey metal 0 3 0 |
| 3 | _ | | | 1 | 3 | 6 | COAL 0 1 0 |
| Seggar-clay, with iron | | | ^ | | | | 2 5 0 |
| balls | | 3 | 0 | | | | Hard grey post, with |
| Hard grey metal, with | | 0 | | | | | small metal partings 1 5 0 |
| iron balls | 0 | 3 | 6 | | | | Grey whin 0 4 0 |
| Cossied formand | _ | | | 41 | | 21 | G |
| Carried forward | T | 0 | 0 | 41 | Ţ | $3\frac{1}{2}$ | Carried forward 2 3 0 82 4 $11\frac{1}{2}$ |
| | | | | | | | |

No. 2,697.—EVENWOOD.—CONTINUED.

| Brought forward Grey post Grey metal Ironstone girdle Hard grey post, with metal partings COAL | 2 0 0 0 | 3 4 5 0 | 0 0 3 | | | Brought forward 3 0 0 88 1 8 1 |
|--|------------------|------------------|----------------|---|------|--------------------------------|
| Hard seggar-clay Grey post, with small metal partings Hard grey metal | 0 1 0 | 5 3 1 | $-\frac{6}{6}$ | 2 | 9 | |
| Grey leafy post Carried forward | 0 | 1 | | 1 | 81/2 | Total 96 2111 |

$No.\ 2,698. \\ --FALLOWFIELD.$ township of fallowfield, northumberland.

Sheet 85 of Ordnance Map. Lat. 55° 0′ 0″, Long. 2° 6′ 27″.

Account of Strata sunk through at Fallowfield.

Approximate surface-level 315 feet above sea (Ordnance datum).

| *** *** | | | | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
|-----------------------|---|----|--------|-----|-----|-----|------------------------------|
| Walling | | | | | | | Brought forward 1 0 5 19 1 6 |
| Sandstone | 1 | 1 | 2 | | | | Plate 0 4 4 |
| Grey beds, with plate | | | | | | | Grey beds 0 2 4 |
| and ironstone | 4 | 1 | 0 | | | | Hazle 2 1 2 |
| Sandstone | 0 | 3 | 0 | | | | Dark coloured mica- |
| Grey beds, with plate | | | | | | | ceous post 0 2 9 |
| and coal | 0 | 3 | 10 | | | | Hazle sandstone 5 4 0 |
| | | | | 13 | 4 | 0 | Strong girdle beds 3 5 10 |
| Strong grey beds | 0 | 5 | | | | | Plate and grey beds 6 1 0 |
| Sandstone | | | | | | | Hazle 1 4 0 |
| Grev beds | | | | | | | Plate and grey beds 9 3 0 |
| Hazle and sandstone | | | | | | | Little Limestone 2 5 0 |
| Grey beds, with plate | • | ., | - | | | | Hazle and grey beds 2 5 0 |
| and coal | n | 2 | 8 | | | | Little Limestone Seam— |
| and com | | - | | 5 | 3 | 6 | COAL 0 5 8 |
| Coloured sandstone | 1 | 0 | 5 | 0 | 0 | | 38 2 6 |
| | | | | | | | |
| Carried forward | 1 | 0 | 5 | 19 | 1 | 6 | Total 57 4 0 |
| | | | | | | J | |

No. 2,699.—FALSTONE. TOWNSHIP OF FALSTONE, NORTHUMBERLAND.

Sheet 66 of Ordnance Map. Lat. 55° 8′ 23″, Long. 2° 29′ 50″.

Account of Strata exposed in Little Whichhope Burn, near Christy's Walls, North Tyne.

Approximate surface-level 1,020 feet above sea (Ordnance datum).

| Shale Sandstone Shale | ••• | | $0 \\ 1$ | 5 0 | $\frac{6}{6}$ | . Ft. In | COAL Brough | | 4 | 2 | 6 | | Ft. | In. |
|-----------------------------|--------|-----|----------|--------|---------------|----------|--------------------|-------|-----|---|-----|---|-----|-----|
| Sandstone Shale | ••• | ••• | 0 | 2 | 6 | | Shale Sandstone | | | | | | 5 | 0 |
| | | | _ | | | | | | | | _ | | - | _ |
| Carrie | l forw | ard | 4 | 2 | 6 | | | Total | ••• | | ••= | 7 | 2 | 9 |

No. 2,700.—FALSTONE. TOWNSHIP OF FALSTONE, NORTHUMBERLAND.

Sheet 59 of Ordnance Map. Lat. 55° 11' 15", Long. 2° 25' 13".

Account of Strata sunk through at Falstone Burn Head, North Tyne.

Approximate surface-level 700 feet above sea (Ordnance datum).

| Shale Fs. Ft. In. Fs. Ft. In. Hard shale 0 3 6 Plashetts Seam— | Ft. In. Fs. Ft. In. Fs. Ft. In. Coaly band 0 2 COAL 1 2 |
|---|---|
| COAL 2 11 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| Car. forward 2 11 1 5 6 | Total 2 3 9 |

No. 2,701.—FALSTONE.

TOWNSHIP OF FALSTONE, NORTHUMBERLAND.

Sheet 67 of Ordnance Map. Lat. 55° 9' 0", Long. 2° 28' 0".

Account of Strata sunk through at Hartholes, 2 miles South-west of Stannersburn, North Tyne.

Approximate surface-level 1,015 feet above sea (Ordnance datum).

| Sandstone Coarse shale Plashetts Seam— COAL | | 3 6 0 | 1 5 5 | 0 7 | | | Brought forward Seggar-clay Sandstone | i . 0 | 1 | 0 | Ft. 5 | In. 7 |
|--|-----|-------------|-------------|--------|---|---|---|----------|---|----|-------|-------|
| Carried forwa | ard | | | 10 | 5 | 7 | Tota | ı | | 12 | 3 | 7 |

No. 2,702.—FARNACRES. TOWNSHIP OF WHICKHAM, DURHAM.

Sheet 6 of Ordnance Map. Lat. , Long.

Account of Strata passed through in a Bore-hole on the Farnacres Estate.

Approximate surface-level feet above sea (Ordnance datum).

| Brown stony clay | 2 | 2 | 0 | | | | Brought forward 4 5 6 2 2 0 Holed into old work- |
|---|---|---|---|---|---|---|--|
| Brown post Strong white post Grey metal | | | | | | | ings: Hutton Seam 1 2 0 6 1 6 |
| Carried forward | 4 | 5 | 6 | 2 | 2 | 0 | Total 8 3 6 |

No. 2,703.—FARNACRES. TOWNSHIP OF WHICKHAM, DURHAM.

Sheet 6 of Ordnance Map. Lat. , Long.

Account of Strata passed through in the short Bore-hole in the Wood, Farnacres.

Approximate surface-level feet above sea (Ordnance datum).

| Strong clay | 4 | 0 | In. I | | | | - | Brought forward 2 2 0 4 0 0 |
|---------------------------------|---|---|-------|---|---|---|-----|------------------------------------|
| Strong white post Grey metal | 2 | 0 | 0 | 4 | 0 | U | - { | COAL, soft 0 4 4 Grey metal 1 3 0 |
| Grey metal | | | | | | | | 1 3 0 |
| Carried forward | 2 | 2 | 0 | 4 | 0 | 0 | | Total 8 3 4 |

No. 2,704.—FARNACRES. TOWNSHIP OF WHICKHAM, DURHAM.

Sheet 6 of Ordnance Map. Lat. , Long.

Account of Strata passed through in a Bore-hole 5 yards to the West of the Great Staple, Farnacres Colliery.

Approximate surface-level feet above sea (Ordnance datum).

| | Fs | Ft. | In. | Fs. | Ft. | In. | | Fs. | Ft. | In. | Fs. | Ft. | In. |
|-------------------------------------|----|----------|-----|-----|-----|-----|---------------------------------------|-----|-----|-----|-----|-----|-----|
| Soft brown gravelly | | | | | | | Brought forward | | | | | | |
| clay Leafy clay Gravelly clay | 0 | 2 | 0 | | | | Grey and blue metal, | | | | | | |
| Leafy clay | 1 | 4 | 0 | | | | with water | 0 | 1 | 6 | | | |
| Gravelly clay | 0 | 3 | 0 | | | | with water COAL, foul | 0 | 0 | 6 | | | |
| Sand, with a small | | | | | | | | | | | | 3 | 0 |
| mixture of gravel | 0 | 2 | 6 | | | | Black slaty metal, | | | _ | | | |
| Gravel, with a small | _ | _ | | | | | scared with coal | 0 | 0 | 6 | | | |
| mixture of clay | | 2 | 0 | | | | COAL | | | | | _ | |
| Ramble or gravel, | - | ^ | | | | | 0041 6 1 14 | | | | 0 | 5 | 4 |
| mixed with clay | 1 | U | О | | | _ | COAL, foul slaty, mixed with metal | ^ | ^ | 10 | | | |
| | | | | 4 | 2 | 0 | mixed with metal | v | v | TO | | | |
| White post | 0 | 1 | 0 | | | | Grey metal, into | U | U | o | ۸ | - | 1 |
| • | _ | | | | | | | | | | U | | , |
| Carried forward | Λ | 1 | Ω | 4 | 2 | Ω | Total | | | | 5 | 5 | - 5 |
| Carried for ward | • | - | · | - | - | U | l | ••• | | • | | | |

No. 2,705.—FARNACRES. TOWNSHIP OF WHICKHAM, DURHAM.

Sheet 6 of Ordnance Map. Lat. , Long.

Account of Strata passed through in a Bore-hole upon Farnacres Estate, near Lobley Hill, by Mr. William Coulson, August 16th, 1837.

Approximate surface-level feet above sea (Ordnance datum).

| Strong brown clay Soft post | 5 — | 3 | 6 | 5 | Ft. | | Brought forward 3 3 6 5 3 6 Grey metal 0 1 0 | ; |
|-----------------------------|--------|---|---|---|-----|---|--|---|
| Carried forward | 3 | 3 | 6 | 5 | 3 | 6 | Carried forward 3 4 6 5 3 6 | |

No. 2,705.—FARNACRES.—Continued.

| Fs. 1 | Ft. I | n. Fa | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
|-------------------------|----------|-------|-----|-----|------------------------------|
| Brought forward 3 | 4 | 6 5 | 3 | 6 | Brought forward 9 3 1 9 5 11 |
| Ft. In. | | | | | Grey metal, with post |
| COAL 1 6 | | | | | girdles and water 10 2 3 |
| Grev metal 0 3 | | | | | Black stone, mixed |
| Grey metal 0 3 COAL 2 2 | | | | | with coal 0 2 0 |
| 0 | 3 1 | 1 | | | Grey metal 0 4 8 |
| | 0 1 | | . 9 | 5 | |
| Black stone 0 | Δ | | | | with water 1 4 0 |
| | | | | | |
| Grey metal 4 | U | U | | | Grey metal, with post |
| White post, with metal | _ | | | | girdles and water 4 0 0 |
| partings and water 3 | | | | | Black stone, with |
| Grey metal 1 | 0 | 0 | | | scares of coal 0 4 0 |
| Open space: Hutton | | | | | Strong white post 0 5 0 |
| Seam 1 | 1 | 3 | | | 28 1 0 |
| Black stone, with | | | | | |
| scares of coal 0 | 1 | 5 | | | |
| scares of com o | <u> </u> | | | | |
| Carried forward 9 | 3 | 1 9 | 5 | 11 | . Total 38 0 11 |
| | | | | | |

No. 2,706.—FARNACRES. TOWNSHIP OF WHICKHAM, DURHAM.

Sheet 6 of Ordnance Map. Lat. 54° 56′ 55″, Long. 1° 38′ 0″.

Account of Strata sunk through in the Staple at the back end of the Wheels Pit, Farnacres Colliery, January 26th, 1842.

Approximate surface-level 30 feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|--|---|
| Brown clay, with a | Brought forward 4 1 4 9 1 0 |
| few layers of sand | Low Main Seam- |
| towards the bottom 3 1 3 | Ft. In. |
| Strong stony brown | COAL 1 6 |
| clay 3 3 0 | Band 0 2 |
| Sand and gravel 0 1 9 | COAL 2 0 |
| 7 0 0 | 0 3 8 |
| Greypost, mixed with | 4 5 0 |
| metal 1 1 0 | Grey metal thill 1 0 0 |
| Maudlin Seam- | White post 1 0 0 |
| Ft. In. | Whin girdle 0 1 6 |
| COAL, good 0 5½ | White post 1 0 0 Whin girdle 0 1 6 White post 2 4 8 |
| Band 0 4 | Hutton Seam- |
| COAL, coarse 0 2 | Ft. In. |
| Band $0 \ 1\frac{1}{4}$ | COAL 2 11 |
| COAL 1 3 | Band 0 01 |
| COAL, coarse 1 51 | COAL 2 01 |
| Seggar-clay 1 0 | Band 0 01 |
| COAL 1 21 | COAL, bot- |
| 1 0 0 | tom 0 10 |
| 2 1 0 | |
| Light grey metal, | 6 0 0 |
| with post girdles 4 1 4 | |
| Proceedings of the second of t | |
| Carried forward 4 1 4 9 1 0 | Total 20 0 0 |
| | 25301111 |

No. 2,707.—FARNACRES. TOWNSHIP OF WHICKHAM, DURHAM.

Sheet 6 of Ordnance Map. Lat. , Long.

Account of Strata passed through in a Bore-hole at Lobley Hill, for Messrs. John Bowes and Partners, Limited. Commenced June 5th, 1899.

Approximate surface-level feet above sea (Ordnance datum).

| | | | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
|---|---------------------------------|---|--|--|--|---|
| 0 | 1 | 10 | | | | Brought forward 2 4 6 3 2 3 |
| 0 | 2 | 8 | | | | COAL 0 0 81 |
| 0 | 2 | 6 | | | | 2 5 21 |
| | | | | | | Blue shale $0 \ 4 \ 9\frac{1}{2}$ COAL $0 \ 1 \ 11$ |
| 0 | 0 | 9 | | | | COAL 0 1 11 |
| 2 | 0 | 6 | | | | 1 0 8½ |
| | | | 3 | 2 | 3 | |
| 0 | 3 | 9 | | | - | Grey shale 0 2 10 Grey post 0 2 0 |
| - | _ | _ | | | | Grey shale, with post |
| 0 | 2 | 3 | | | i | girdles 5 1 8 |
| • | _ | • | | | ٠ | girdles 5 1 8 Holed into goaf 0 4 4 |
| 1 | 3 | 6 | | | | 6 4 10 |
| 7 | 1 | 0 | | | | 0 4 10 |
| U | 1 | U | | | | |
| | | - | 0 | | _ | m + 1 1 1 1 0 |
| 2 | 4 | O | 3 | 2 | ತ | Total 14 1 0 |
| | | | | | , | |
| | 0 0 0 2 0 0 0 | 0 1 0 2 0 2 0 0 2 0 0 3 0 2 1 3 0 1 | 0 1 10 0 2 8 0 2 6 0 0 9 2 0 6 0 3 9 0 2 3 1 3 6 0 1 0 | 0 1 10 0 2 8 0 2 6 0 0 9 2 0 6 0 3 9 0 2 3 1 3 6 0 1 0 | 0 1 10 0 2 8 0 2 6 0 0 9 2 0 6 0 3 9 0 2 3 1 3 6 0 1 0 | 0 2 8 0 2 6 0 0 9 2 0 6 0 3 9 0 2 3 |

No. 2,708.—FEATHERSTONE.

TOWNSHIP OF LAMBLEY, NORTHUMBERLAND.

Sheet 100 of Ordnance Map. Lat. , Long.

Account of Strata passed through between the Three-Quarter Seam and the Five-Quarter Seam at Featherstone Colliery.

Approximate surface-level feet above sea (Ordnance datum).

| Three-Quarter Seam - | | Ft. | In. | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
|----------------------|---|----------|-------------|-----|-----|-----|---|
| COAL | ^ | 2 | 6 | | | | Brought forward 14 1 0 Freestone 0 1 7 |
| OOAL | | | _ | 0 | 2 | 6 | Grey beds 0 2 9 |
| Seggar-clay | 0 | 3 | 0 | | | | Post 1 4 0 Grey metal 0 5 6 |
| CÖÄL | 0 | 1 | 6 | | | | Grey metal 0 5 6 |
| | | | | 0 | 4 | 6 | Blue metal 5 0 9 |
| Seggar-clay | 1 | | 0 | | | | COAL 0 0 11 |
| Grey beds | 0 | | 6 | | | | 8 3 6 |
| Blue metal Post | 0 | 1 0 | 9 | | | | Freestone 4 5 3 |
| Post Ft. In. | 4 | U | U | | | | Blue stone 1 5 10 Iron band 0 0 2 |
| COAL 0 5 | | | | | | | Blue metal 0 1 6 |
| Seggar-clay 0 5 | | | | | | | Five-Quarter Seam— |
| CÖAL 0 5 | | | | | | | Ft. In. |
| | 0 | 1 | 3 | | | | COAL 2 4 |
| 701 | _ | | | 4 | 1 | 6 | Band 0 4 |
| Blue metal | 0 | 3 | 0 | | | | COAL 2 1 |
| Grey post Post | 4 | $0 \\ 1$ | 0 | | | | 0 4 9 $$ 7 5 6 |
| Post Plate | 2 | 2 | 3 | | | | / 5 (|
| High Main Seam— | _ | _ | 0 | | | | |
| COAL | 0 | 4 | 3 | | | | |
| | | | _ | 8 | 4 | 6 | |
| C | | | | 1.4 | - | _ | m-4.1 20 4.0 |
| Carried forward | | | | 14 | 1 | 0 | Total 30 4 0 |

No. 2,709.—FELKINGTON. TOWNSHIP OF FELKINGTON, NORTHUMBERLAND.

Sheet 6 of Ordnance Map. Lat. , Long.

Account of Strata sunk through to the Bulman Main Coal Seam at Felkington Colliery.

Approximate surface-level

feet above sea (Ordnance datum).

| Soil Fs. Ft. In. Fs. Ft. In. 0 1 0 | Brought forward Fs. Ft. In. Fs. Ft. In. Br. Tt. In. |
|--|---|
| Freestone 9 0 3 Black metal 0 0 11 Blackhill Seam— | Metal 0 2 6 Freestone 0 4 6 COAL 0 0 4 |
| COAL 2 0 Stone band 0 2 COAL 0 8 | Limestone 0 1 0 Tills 0 1 6 Limestone 0 0 6 Tills 0 2 9 Limestone 0 0 4 Freestone bands 2 3 6 |
| Soft metal 0 2 0 Tills 0 3 4 COAL 0 10 Band 0 2½ COAL 1 2 | Black metal 0 1 0 Bulman Main Coal Seam— Ft. In. COAL, roof 1 2½ Chalk stone 0 1 |
| Metal 0 0 2 2½ Limestone 0 1 6 COAL 0 0 7 | COAL, splint 0 10 COAL, coarse splint 0 9 Mid stone 0 5 COAL, ground 1 |
| Metal 0 0 3½ Freestone 0 2 5 Tills 0 1 10 Diamond Coal Seam— Ft. In. | Chalk stone 0 1 COAL, smithy 0 9 $\frac{0.5 	 2\frac{1}{3}}{0.00000000000000000000000000000000$ |
| COAL 1 6 Freestone 2 6 COAL 1 10 | 0 0 5 |
| Carried forward 13 1 2 | Total 19 0 81 |

No. 2,710.—FENHAM.

TOWNSHIP OF FENHAM, NORTHUMBERLAND.

Sheet 97 of Ordnance Map. Lat. 54° 59' 26", Long. 1° 39' 0".

Account of Strata bored through in the Shaft from the Low Main Seam at North Fenham Colliery, July 8th, 1889.

Approximate surface-level 250 feet above sea (Ordnance datum).

| Depth from surface Sump 0 5 6 Black metal 1 0 6 | Fs. Ft. In. 62 0 0 | Brought forward 2 0 0 0 0 | 9 | 0 | 0 |
|---|-----------------------|---------------------------|----|---|---|
| Carried forward 2 0 0 | 62 0 0 | Carried forward | 64 | 0 | 9 |

No. 2,710.—FENHAM.—Continued.

| Brought forward 64 0 9 Brought forward 30 0 3 64 0 Strong grey post 5 2 9½ Strong grey post 5 2 9½ Beaumont Seam— girdles 15 0 0 Strong grey post 2 6½ Band 2 6½ Band 2 0 COAL 0 8 Grey whin 0 1 6 | | | |
|--|------------------------|----------------------------|--------------------------------|
| Light metal 0 1 0 Strong grey post in panels 6 2 3 Greymetal, with post girdles 15 0 0 Strong grey post 1 4 0 Grey whin 0 1 6 Grey whin 0 1 6 Grey post 0 3 0 Dark metal 1 0 6 Very light post 0 5 6 Greymetal, with post girdles 4 0 6 | Brought forward Fs. F | Ft. In. Fs. Ft. In. 64 0 9 | |
| Beaumont Seam— Ft. In. Greymetal, with post girdles 6 2 3 Band 2 6½ Band 2 6½ Band 2 6½ Band 2 6½ Band 2 0 COAL 0 8 Grey whin 0 1 6 Grey post 0 3 0 Dark metal 1 0 6 Very light post 0 5 6 Greymetal, with post girdles 4 0 6 Greymetal Gr | Light metal 0 | | |
| panels 6 2 3 Grey metal, with post girdles 15 0 0 Strong grey post 1 4 0 Grey whin 0 1 6 Grey post 0 3 0 Dark metal 1 0 6 Grey metal, with post girdles 4 0 6 | Strong grey post in | | Beaumont Šeâm— |
| Grey whin 0 1 6 — 0 5 2½ Grey post 0 3 0 — 0 5 2½ Dark metal 1 0 6 — 0 0 2 Very light post 0 5 6 — 0 0 0 Greymetal, with post girdles 4 0 6 — 0 0 | panels 6 | 2 3 | Ft. In. |
| | Grey metal, with post | | $COAL \dots 2 6\frac{1}{2}$ |
| Grey whin 0 1 6 — 0 5 2½ Grey post 0 3 0 — 0 5 2½ Dark metal 1 0 6 — 0 0 2 Very light post 0 5 6 — 0 0 0 Greymetal, with post girdles 4 0 6 — 0 0 | girdles 15 | 0 0 | Band 2 0 |
| Grey whin 0 1 6 — 0 5 2½ Grey post 0 3 0 — 0 5 2½ Dark metal 1 0 6 — 0 0 2 Very light post 0 5 6 — 0 0 0 Greymetal, with post girdles 4 0 6 — 0 0 | Strong grev post 1 | 4 0 | COAL 0 8 |
| Very light post 0 5 6 Grey metal, with post girdles 4 0 6 | Grey whin 0 | 1 6 | $ 0 5 2\frac{1}{3}$ |
| Very light post 0 5 6 Greymetal, with post girdles 4 0 6 | Grey post 0 | 3 0 | 36 2 3 |
| Very light post 0 5 6 Grey metal, with post girdles 4 0 6 | Dark metal 1 | 0 6 | Light post 0 0 2 |
| Grey metal, with post girdles 4 0 6 | Very light post 0 | 5 6 | |
| girdles 4 0 6 | Grey metal, with post | | |
| Carried forward 30 0 3 64 0 9 Total 100 3 | girdles 4 | 0 6 | |
| Carried forward 30 0 3 64 0 9 Total 100 3 | | | |
| - | Carried forward 30 | 0 3 64 0 9 | Total 100 3 2 |
| | | ' | |

No. 2,711.—FENWICK.

TOWNSHIP OF FENWICK, NORTHUMBERLAND.

Sheet 11 of Ordnance Map. Lat. , Long

Account of Strata in the Wood Green, Fenwiek.

Approximate surface-level 100 feet above sea (Ordnance datum).

| Soil | | | | Fs. | Ft. | In. | Brought forward | | Ft. 5 | In. | Fs. | | In. |
|-----------------------|---|----|----------|-----|-----|-----|------------------------|---|----------|-----|-----|----|-----|
| | | -T | _ | 1 | 4 | 0 | Brown freestone | | 1 | | o | 2 | Ü |
| Grey freestone | 1 | 0 | 0 | _ | - | Ŭ | Blue freestone tills | | 5 | Õ | | | |
| Blue metal | - | 1 | 0 | | | | COAL | 0 | 0 | 3 | | | |
| Red freestone | 1 | | 0 | | | | | | | | 2 | 0 | 5 |
| Freestone tills | 0 | 1 | 7 | | | | Limestone: varies | | | | | | |
| Red freestone | | 4 | 0 | | | | from 2 to 6 inches | 0 | 0 | 6 | | | |
| Blue freestone tills | | 5 | 6 | | | | Grey metal | 0 | 1 | 0 | | | |
| Blue metal tills | 1 | 1 | 0 | | | | Blue stone | 0 | 4 | 0 | | | |
| COAL | 0 | 1 | 2 | | | | Black tills | 1 | 3 | 0 | | | |
| | | | _ | 6 | 4 | 3 | Freestone | 4 | 2 | 0 | | 2. | |
| White freestone, with | | | | | | | Bluestone, full of St. | | | | | | |
| black scares | 0 | 4 | 3 | | | | Cuthbert's beads | 0 | 3 | 0 | | | |
| White freestone | 0 | 1 | 3 | | | | | | | _ | 7 | 1 | 6 |
| Carried forward | 0 | 5 | 6 | 8 | 2 | 3 | Total | | | | 17 | 4 | 2 |

No. 2,712.—FERRY HILL. TOWNSHIP OF FERRY HILL, DURHAM.

Sheet 35 of Ordnance Map. Lat. , Long.

Account of Strata passed through in the No. 4 Bore-hole on the Low side of the Reservoir at Ferry Hill Ironworks, in the "Wash" on the North side of the Railway, by Messrs. William Coulson and Son.

Approximate surface-level feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. In. | |
|---|------------------------------|
| Soft yellow clay 0 5 4 Rough gravel, with | Brought forward 1 1 8 |
| water 0 2 4 | Rough sand, with water 0 2 6 |
| | |
| Carried forward 1 1 8 | Carried forward 1 4 2 |

No. 2,712.—FERRY HILL.—CONTINUED.

| Brought forward | Fs. 1 | Ft. | In. | Fs. | Ft. | In. | Brought forward | Fs. | Ft. | Iu. | Fs. 7 | Ft. 2 | In. |
|--------------------|----------|-----|-----|-----|-----|-----|-----------------------|-----|-----|-----|-------|-------|-----|
| Rough gravel, with | | | | | | | Soft yellow freestone | 0 | 5 | 9 | | | |
| water | | 0 | 6 | | | | Strong yellow free- | | | | | | |
| Dark brown clay, | - | | | | | | stone | | | | | | |
| mixed with coal | | | | | | | Soft yellow freestone | 0 | 4 | 1 | | | |
| and metal | | | | | | | Soft grey metal | 0 | 4 | 6 | | | |
| Grey metal | 0 | 0 | 6 | | | | Ct4 | | | | | | |
| Dark brown clay, | | | | | | | stone | 0 | 3 | 0 | | | |
| with freestone and | | | | | | | | | | | 3 | 1 | 1 |
| grey metal | 3 | 5 | 2 | | | | | | | | | | |
| • | | | | 7 | 2 | 8 | | | | | | | |
| Carried forward | | | | 7 | 2 | 8 | Total | | | | 10 | 3 | 9 |

No. 2,713.—FERRY HILL.

TOWNSHIP OF FERRY HILL, DURHAM.

Sheet 35 of Ordnance Map. Lat. 54° 41' 29", Long. 1° 33' 48".

Account of Strata sunk through in the Dean Pit, Dean and Chapter Colliery, Ferry Hill, 1904.

Approximate surface-level 430 feet above sea (Ordnance datum).

| T | | Ft. | | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In |
|--------------------------------|------|---------------|----|-----|-----|-----|--|
| Loamy clay and ston | es U | 5 | 6 | | _ | | Brought forward 3 5 0 16 3 5 |
| | | | | 0 | 5 | 6 | |
| Brown shale | . 0 | 4 | 6 | | | | girdles 6 0 0 |
| Black shale | . 0 | 1 | 6 | | | | Strong grey post 1 1 4 Main Coal Scam— |
| drey metal | . 1 | $\frac{2}{1}$ | 8 | | | | |
| Brown metal | . 0 | 1 | 0 | | | | COAL 1 2 |
| Blue metal | . 4 | 5 | 1 | | | | |
| Black shale | . 0 | 1 | 9 | | | | 0011 |
| Blue metal | . 1 | 4 | 0 | | | | |
| Black shale | . 0 | 0 | 7 | | | | 0 5 1 |
| Blue metal | . 0 | 1 | 10 | | | | Seggar-clay 0 4 6 |
| Three-Quarter Seam | _ | | | | | | |
| | . 0 | 1 | 2 | | | | Blue metal 1 0 6 Grev post 2 5 0 |
| | _ | | | 10 | 0 | 1 | |
| Black shale | . 0 | 0 | 7 | | | | |
| | . 2 | 5 | 3 | | | | Grey metal, with post |
| | . 0 | | 10 | | | | girdles 1 5 7 Soft blue metal 4 0 0 |
| Blue metal | | | 10 | | | | |
| White post | | ĭ | 7 | | | | l and bear in the second |
| Blue metal, with pos | | _ | • | | | | COAL 0 5 |
| | | 1 | 6 | | | | |
| Five-Quarter Seam- | | _ | • | | | | 1 0 0 0 1 |
| 0011 | . 0 | 5 | 3 | | | | |
| | | | _ | 5 | 3 | 10 | |
| oft sommer-clar | . 0 | 0 | 3 | • | , | | Black stone 0 1 8 |
| Soft seggar-clay | | U | 0 | | | | |
| rey metal, with pos girdles | _ | | 4 | | | | Grey metal 0 5 3 |
| A A A A | _ | 4 | 5 | | | | |
| JOAL | 0 | · · | | | | | 1 2 6 |
| Carried forward | 1 3 | 5 | 0 | 16 | 3 | 5 | Carried forward 41 5 8 |
| Carried for war | | Ü | Ů | -0 | U | U | oattica forward 41 0 0 |

No. 2,713.—FERRY HILL.—CONTINUED.

| Brought forward | Fs. | Ft. | In. Fs. 41 | Ft. In 5 8 | n. | Brought forward | | | In, | Fs. 07 | | ln. 11 |
|--|-----|----------|----------------------|------------|---------------|---|----------|----------|-----------------|-----------|---|-----------|
| Seggar-clay | 1 | 0 | 0 | | - | Seggar-clay | 2 | 1 | 4 | ٠. | | |
| Blue metal | 0 | 5 | 0 | | | Blue metal | | 4 | 3 | | | |
| COAL | 0 | 0 | - | | | Black stone | | 5 | 2 | | | |
| - | | | _ 1 | 5 | 8 | COAL | 0 | 0 | 7 | | | |
| Grey metal, with post | | _ | | | | D1 | | | _ | 4 | 5 | 4 |
| girdles | 6 | 2 | $8\frac{1}{2}$ | | | Blue metal | 1 | 3 | 2 | | | |
| Low Main Seam- | ^ | 1 | 8 | | i | Grey post, with metal girdles | 4 | 1 | 4 | | | |
| COAL | U | 1 | - | | , | Black stone | | | ō | | | |
| | _ | _ | 6 | 4 4 | 2 | Ft. In | • | _ | • | | | |
| Seggar-clay | 0 | 2 | 8 | | | COAL 1 0 | | | | | | |
| Grey metal, with iron- stone girdles | 5 | 4 | 0 | | | Hard seggar- | | | | | | |
| White post, with | o | 72 | Ü | | | clay 2 1 COAL 1 5 | | | | | | |
| metal girdles | 2 | 3 | 4 | | | | 0 | 4 | 6 | | | |
| COAL | 0 | 1 | 6 | | | | | | | 6 | 5 | 0 |
| - | | | 8 | 5 | 6 | Blue metal | 5 | 3 | 8 | | | |
| Grey metal, with post | | | | | | | 0 | | 11 | | | |
| girdles | 1 | | 9 | | | Top Busty Seam→ | | | | | | |
| COAL | 0 | 0 | | 1 6 | , | COAL | 0 | 2 | | | | _ |
| | _ | | | 1 6 | 2 | | | | _ | 6 | 1 | 6 |
| Soft seggar-clay | | $0 \\ 1$ | 8 | | | Very hard seggar- | | _ | 101 | | | |
| Hard dark grey post | | | | | | clay Grey post | 0 | b b | 101 | | | |
| Grey metal | ī | 4 | 11 | | ı | Bottom Busty Seam— | | J | 102 | | | |
| Black stone | 0 | 0 | $2rac{	ilde{1}}{2}$ | | | COAL | 0 | 2 | 8 | | | |
| Ft. In. | | | | | - 1 | | | | | 2 | 0 | 5 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | | | | | | Dant | 0 | 0 | 5 | | | |
| Dant 0 3 COAL 0 6 | | | | | | Seggar-clay | 0 | 1 | 4 | | | |
| COAL 0 6 Band 0 3 | | | | | | Dant Seggar-clay Leafy white post Blue and black shale | 6 | 5 | 6 | | | |
| COAL 0 10 | | | | | | istue and black snate | T | 2 | 9 | | | |
| | 0 | 2 | | | | COAL | | 1 | 5 | 8 | 5 | 5 |
| - | | | — 5 | 2 5 | 1/2 | Cross post with iron | | | | | • | • |
| White post | 0 | 0 | 9 | | | Grey post, with iron- stone girdles | 2 | 5 | 2 | | | |
| Leafy grey metal | 3 | 5 | $0\frac{1}{2}$ | | | COAL | õ | ŏ | $1\overline{1}$ | | | |
| Hutton Seam— | | | | | | | | | | 3 | 0 | 1 |
| COAL | 0 | 2 | $\frac{2}{-4}$ | 1 11 | 1. | Black stone | 2 | 3 | 4 | | | |
| C | 2 | 1 | 6 | 1 11 | 2 | | 0 | 0 | 4 | | | |
| Grey post Grey metal, with post | 4 | 1 | U | | - 1 | | | | _ | 2 | 3 | 8 |
| | 1 | 0 | $11\frac{1}{2}$ | | | Dark grey leafy post | 3 | 0 | 5 | | | |
| girdles Black stone | 0 | | $7\frac{1}{2}$ | | i | Black stone | 0 | 2 | 6 | | | |
| Hard seggar-clay | 0 | 5 | | | ı | Brockwell Seam— | | | | | | |
| Leafy blue metal | 0 | | 0 | | | COAL 0 6 | | | | | | |
| Hard grey post Hard grey post, with | 9 | 4 | 4 | | | COAL, splint 0 6 | | | | | | |
| patches of whin | 8 | 2 | 4 | | | COAL 3 10 | | | | | | |
| Blue metal | ĭ | | 8 | | | | 0 | 4 | 10 | | 4 | • |
| Black stone, with coal | 1 | 1 | | | | | | | _ | 4 | 1 | 9 |
| Seggar-clay | 0 | 4 | | | - | Hard seggar-clay, | 0 | 9 | 0 | | | |
| Grey post Dark grey leafy post | 8 | 2 | $\frac{3}{6}$ | | | mixed with post | 2 | 5 | | | | |
| Dark grey leary post Dark blue metal | 0 | | 10 | | | Grey post Blue metal | õ | 4 | 8 | | | |
| Harvey Seam— | J | 0 | | | - 1 | Seggar-clay, mixed | | | | | | |
| COĂL | 0 | 4 | 0 | | | with blue metal | 4 | 3 | 10 | | | 0 |
| - | | | 36 | 5 8 | $\frac{1}{2}$ | | | | | 8 | 4 | 3 |
| C | | | 107 | 2 1 | 7 | Total . | | | 18 | 55 | 0 | 4 |
| Carried forward | | | 101 | <i>2</i> 1 | -] | 20001 | • | | = | = | ÷ | = |
| | | | | | | | | | | | | |

No. 2,714.—FINCHALE.

TOWNSHIP OF COCKEN, DURHAM.

Sheet 20 of Ordnance Map. Lat.

, Long.

Account of Strata passed through in a Bore-hole on the North side of the River Wear, near to Finchale Abbey, for the Earl of Durham.

Commenced November 12th, 1873.

Approximate surface-level feet above sea (Ordnance datum).

| | | | In. | Fs. | Ft. | In. | |
|--------------------------------------|---|----|-----|-----|-----|-----|-----------------------------|
| Soil | | 0 | | | | | Brought forward 5 1 6 2 5 4 |
| Sand | 1 | 0 | 6 | | | | COAL 0 1 0 |
| | | | | 1 | 1 | 4 | 5 2 6 |
| Brown post | 0 | 1 | 0 | | | | Black metal, with |
| Grey post | 0 | 5 | 0 | | | | scares of coal 0 0 11/2 |
| Soft dark metal | 0 | 1 | 0 | | | | Grey metal 0 1 3 |
| Grey post | _ | 1 | 6 | | | | Grey metal, with post |
| COAL | _ | î | | | | | girdles 0 1 10 |
| OOAL | | | | 1 | 4 | 0 | |
| Class watel | _ | 9 | | 1 | - | v | |
| Grey metal | | o | U | | | | 0 4 11 |
| Grey metal, with post | _ | | | | | | Grey metal 0 0 9 |
| girdles | | 4 | 0 | | | | Grey metal, with post |
| Grey post, with metal | | | | | | | girdles 0 1 4 |
| partings | 1 | 0 | 0 | | | | COAL 0 0 5 |
| White post | 0 | 1 | 0 | | | | 0 2 6 |
| Grey post, with metal | | | | | | | Grey metal 0 2 3 |
| nartings | n | 9 | 6 | | | | Grey metal, with post |
| partings White post Grey metal | ň | วั | 3 | | | | girdles 0 4 9 |
| Company and all | Ň | 0 | 0 | | | | Cross nest with motal |
| Grey metal | U | 2 | U | | | | Grey post, with metal |
| Grey metal, with post | _ | _ | | | | | partings 1 4 81 |
| girdles | 1 | -3 | 3 | | | | $258\frac{1}{2}$ |
| | | | — | | | | |
| Carried forward | 5 | 1 | 6 | 2 | 5 | 4 | Total 12 2 2 |
| | | | | | | | - |

No. 2,715.—FISHBURN. township of Fishburn, durham.

Sheet 36 of Ordnance Map. Lat. 54° 40' 29", Long. 1° 25' 47".

Account of Strata passed through in a Bore-hole at Fishburn, about 1,300 yards South-east of the Village.

Approximate surface-level 325 feet above sea (Ordnance datum).

| | | Fs. | Ft. | In. Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
|-------------------|------------------|-----|----------|---------|-----|-----|---------------------------|
| Lameatic clay | | 1 | 4 | 6 | | | Brought forward 60 1 0 |
| Gravel and sand | | 0 | 4 | 6 | | | Soft shale and iron 2 2 0 |
| Boulder-clay | | 6 | 3 | 0 | | | Good fire-clay 2 4 0 |
| | | 0 | 2 | 0 | | | Soft shale 3 0 0 |
| Boulder-clay | | 1 | 2 | 6 | | | Freestone 0 1 0 |
| Gravel and sand | | | | 0 | | | Soft shale 0 2 0 |
| | | | | 11 | 0 | 6 | Freestone 0 4 0 |
| Yellow limestone | | 31 | 2 | 6 | | | Soft grey shale 2 2 0 |
| Blue limestone | | 3 | 2 | 0 | | | Zypthea 0 0 6 |
| Bastard fire-clay | | 0 | 4 | 0 | | | COAL 0 3 10 |
| Yellow limestone | | 3 | 4 | 0 | | | 12 1 4 |
| Blue limestone | • • • | 10 | 0 | 0 | | | |
| | | | | 49 | 0 | 6 | |
| | | | | | | _ | |
| Carried forwa | $^{\mathrm{rd}}$ | | | 60 | 1 | 0 | Total 72 2 4 |
| | | | | | | | |

No. 2,716.—FORD.

TOWNSHIP OF

, NORTHUMBERLAND.

Sheet 10 of Ordnance Map. Lat.

, Long.

Account of Strata passed through in a Bore-hole at Paunch, Ford Colliery, near to the Short Lane, by Messrs. John Watson and Partners, for the use of Mr. Ward, June 4th, 1762.

Approximate surface-level feet above sea (Ordnance datum).

| | | | | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
|-----------------------|---|----|---|-----|-----|--|
| Soil and stony clay 1 | 1 | O | | - | | Brought forward 8 5 6 1 1 6 |
| | | | 1 | 1 | 6 | 1 = |
| Brown scamy post 1 | 5 | 6 | | | | Grey scamy post 1 1 0 |
| Grey scamy post, | | | | | | Whin 0 5 6 |
| with coal pipes 0 | 4 | 0 | | | | Brown post, mixed |
| Brown post 0 | | | | | | with whin 1 4 6 |
| Blue and black metal, | | | | | | with whin 1 4 6 Grey post 0 1 6 Brown post 0 2 7 |
| with coal pipes 0 | 2 | 0 | | | | Brown post 0 2 7 |
| Brown scamy post 0 | 3 | 4 | | | | Black metal 0 1 3 |
| Whin 0 | 0 | 11 | | | | COAL 0 0 5 |
| Grey scamy post 0 | 2 | 3 | | | | 14 2 5 |
| Blue metal 1 | 0 | 0 | | | | Grey metal 0 1 4 |
| Grey scamy post 0 | 2 | 3 | | | | 0 1 4 |
| Blue metal 3 | 1 | 9 | | | | |
| _ | | | | | | |
| Carried forward 8 | 5 | 6 | 1 | 1 | 6 | Total 15 5 3 |

No. 2,717.—FORD MOSS.

. TOWNSHIP OF BROOMRIDGE, NORTHUMBERLAND.

Sheet 10 of Ordnance Map. Lat.

, Long.

Account of Strata passed through in a Bore-hole at Ford Moss, October, 1855.

Approximate surface-level feet above sea (Ordnance datum).

| Moss Stony clay Blue metal Black metal, mixed with coal Grey metal Grey metal stone Grey metal | 1 2 1 0 0 0 0 0 0 4 0 0 0 | 0 4 0 1 0 1 1 1 0 2 2 1 0 0 0 0 0 | 0 0 6 6 8 0 0 8 9 5 10 4 | Fs. 3 | Ft. 4 | In. 0 8 | Brought forward 4 3 9 10 COAL 0 0 7 Grey metal 1 3 7 COAL 0 0 5 Grey metal 1 1 0 Grey metal 1 3 6 Grey post 1 1 0 Grey metal 1 3 6 Grey post and metal stone, with small beds of coal 19 0 4 Limestone 0 2 10 Ft. In. COAL, rather foul 0 8 COAL, good 1 7 COAL, slaty 0 3 COAL, good 0 10 — 0 3 4 — 25 | | |
|---|---|---|---|-------|-------|------------|---|---|--|
| Carried forward | 4 | | 9 | 10 | 4 | -8 | Carried forward 42 | 2 | |

No. 2,717.—FORD MOSS.—CONTINUED.

| Brought forward Metal, with small beds of coal 0 5 3 Grey metal stone 3 2 10 Grey post, with metal partings 7 5 6 COAL 0 0 9 | Brot. forward 3 10 3 2 3 54 4 10 Black metal, mixed with coal 0 8 Dark metal 1 11 COAL 0 9 — 1 1 2 |
|---|--|
| Grey metal 2 1 .8 Black and grey metal 1 0 7 Ft. In. COAL 1 4 Brown metal 0 2 Limestone 0 9 COAL, foul 0 4 Grey metal, scared with | Metal post and lime- stone 7 3 2 Grey post, mixed with whin 0 5 0 Blue metal 0 0 11 Black metal, mixed with coal 0 0 8 Grey metal 2 4 0 Grey post 0 2 0 |
| COAL 0 8 COAL 0 7 | Grey metal stone 0 4 0 12 1 9 |
| Car. forward 3 10 3 2 3 54 4 10 | Total 71 4 0 |

No. 2,718.—FOURSTONES.

TOWNSHIP OF FOURSTONES, NORTHUMBERLAND.

Sheet 84 of Ordnance Map. Lat. , Long.

Account of Strata sunk through in the No. 2 Pit at Fourstones Colliery.

Approximate surface-level 180 feet above sea (Ordnance datum).

| Outset and soil | | | In. | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In Brought forward 30 0 5 1 0 0 |
|------------------|---------|---|-----|-----|-----|-----|--|
| | | | | 1 | 0 | 0 | |
| Brown post | 4 | 5 | - 3 | | | | COAL and blue |
| Blue stone and | | | 8 | | | | stone 0 1 9 |
| Brown post | 0 | 4 | 8 | | | | 32 4 11 |
| Blue stone | 0 | 0 | 10 | | | | Thill stone 0 3 9 |
| Brown post | 3 | 2 | 1 | | | | Scamy white post 0 2 5 |
| Rotten stone | | | | | | | White post 5 1 11 |
| Brown post | 0 | 4 | 2 | | | | COAL 0 3 10 |
| Blue stone | 5 | 2 | - 8 | | | | 6 5 11 |
| Brown post | 3 | 3 | 8 | | | | |
| Blue stone, with | post | | | | | | |
| girdles | 10 | 4 | 8 | | | | |
| Carried for | ward 30 | 0 | 5 | 1 | 0 | 0 | Total 40 4 10 |

No. 2,719.—FRAMWELLGATE.

TOWNSHIP OF FRAMWELLGATE, DURHAM.

Sheet 20 of Ordnance Map. Lat. 54° 47′ 59″, Long. 1° 34′ 49″.

Account of Strata passed through in a Bore-hole from the Busty Bank Seam at Framwellgate Colliery, by Messrs. G. and R. Stott. Commenced July 8th, 1845.

Approximate surface-level 300 feet above sea (Ordnance datum).

| Depth from surface Fs. Ft. In. Fs. Ft. In. S0 0 11 | Fs. Ft. In. Fs. Ft. In. |
|--|----------------------------|
| | |
| Busty Seam— | Dark metal 0 0 9 |
| Ft. In. | Supposed Brockwell |
| COAL 2 2 | Seam— |
| Band 0 2 COAL 0 5 | COAL, slaty 0 1 4 |
| | 11 3 6 |
| Band 0 3 | Grey metal stone 5 0 0 |
| COAL 2 10 | White post 2 0 0 |
| —— 0 5 10 | Black parting 0 0 8 |
| 0 5 10 | Grey post 0 2 6 |
| COAL, foul 0 1 6 | Grey metal stone, |
| Grey post 0 2 0 | with post girdles 2 1 2 |
| COAL, foul 0 0 8 | Grey post 1 5 0 |
| ——— 0 4 2 | Grey metal stone, |
| Grey metal stone 6 1 10 | |
| | with post girdles 2 3 0 |
| Black stone, scared | Grey and white post 12 3 0 |
| with coal and sul- | White metal 0 0 2 |
| phur 0 3 2 | COAL 0 1 4 |
| Grey metal 0 0 4 | <u> </u> |
| Grey post 0 0 10 | Black stone 0 0 2 |
| Grey metal stone, | Grey metal 0 0 6 |
| with girdles 3 1 6 | Grey metal stone 1 1 2 |
| Grey post 0 3 0 | Grey post 0 4 0 |
| Grey metal stone 0 2 9 | 1 5 10 |
| | |
| Carried forward 11 1 5 81 4 11 | Total122 1 1 |
| Culling formated if I out 4 if | 10tal122 1 1 |
| | |

No. 2,720.—FRAMWELLGATE.

TOWNSHIP OF WITTON GILBERT, DURHAM.

Sheet 19 of Ordnance Map. Lat. 54° 47′ 58″, Long. 1° 36′ 0″.

Account of Strata sunk through in the Cator House Second Pit, Framwellgate Colliery, 1894.

Approximate surface-level 341 feet above sea (Ordnance datum).

| | | | Fs. | Ft. | In. Fs. | Ft. In. | Fs. Ft. In. Fs. Ft. Ir | a. |
|-----------|--------------|------|-----|--------|---------|---------|-----------------------------|----|
| Clay | | | 0 | 2 | 0 | | Brought forward 12 4 7 | |
| Sand | | | 1 | 3 | 0 | | Sand and gravel 1 2 0 | |
| Clay | | | 1 | 4 | 0 | | Post, with wide gul- | |
| Sand | | | 1 | 0 | 8 | | lets of sand and | |
| Clay | | | 1 | 0 | 4 | | gravel 1 5 0 | |
| Sand | | | 2 | 1 | 0 | | 15 5 ′ | 7 |
| Gravel, v | $_{ m vith}$ | sand | | | | | Mild post 0 1 0 | |
| and bou | | | | 5 | 7 | | Grey post 0 2 0 | |
| | | | | | ···· | | | _ |
| Carri | ed for | ward | 12 | 4 | 7 | | Carried forward 0 3 015 5 7 | 7 |

No. 2,720.—FRAMWELLGATE.—CONTINUED.

| F | 8. | Ft. | In. | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
|-------------------|----|-----|-----|-----|-----|-----|------------------------------|
| Brought forward | | | | | | | Brought forward 6 5 7 26 2 6 |
| Strong white post | 0 | 2 | 0 | | | | Soft white post 0 2 2 |
| Blue metal | l | 2 | 9 | | | | Blue metal 0 5 6 |
| Strong white post | 7 | 4 | 8 | | | | COAL 0 2 6 |
| Black stone |) | 0 | 7 | | | | 8 3 9 |
| COAL | 0 | 1 | 11 | | | | Coarse fire-clay 0 4 0 |
| _ | _ | | | 10 | 2 | 11 | Bored to Hutton |
| Fire-clay | 3 | 4 | 4 | | | | Seam 7 0 6 |
| Soft grey metal ! | 5 | 2 | 3 | | | | 7 4 6 |
| Strong white post | | | | | | | |
| _ | _ | _ | | _ | | _ : | |
| Carried forward | 3 | 5 | 7 | 26 | 2 | 6 | Total 42 4 9 |
| | | | | | | | |

No. 2,721.—FRAMWELLGATE. TOWNSHIP OF WITTON GILBERT, DURHAM.

Sheet 19 of Ordnance Map. Lat. 54° 47′ 59½", Long. 1° 35′ 55″.

Account of Strata sunk and bored through below the Busty Seam in the Cator House Pit, Framwellyate Colliery.

Approximate surface-level 341 feet above sea (Ordnance datum).

| a | | | F | B. | Ft. | In. | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. I |
|-------------|-------|-------|-----|---------------|--------|----------|-----|-----|-----|----------------------------|
| Sinking: | | | | _ | _ | | | | | Brought forward 0 5 6 10 1 |
| Fire-clay | | | | 2 | 2 | 0 | | | | Post 2 2 10 |
| Post | | | | 1 | 0 | 0 | | | | Blue stone 0 1 4 |
| Blue stone | | | . : | 3 | 0 5 | 0 | | | | Post 2 3 10 |
| | | Ft. I | n. | | | | | | | Blue stone 0 4 9 |
| COAL | | | 3 | | | | | | | Post girdle 0 1 6 |
| Band | | 0 | | | | | | | | Blue stone 0 4 3 |
| COAL | | 0 | 4 | | | | | | | Hard fire-clay 0 3 4 |
| Band | ••• | 0 5 | 5 | | | | | | | Post, with blue metal |
| COAL | | 0 8 | 3 | | | | | | | girdles 2 0 6 |
| | *** | | | D | 2 | 7 | | | | Blue stone 0 3 0 |
| | | | _ | _ | _ | _ | 7 | 3 | 7 | |
| Fire-clay | | | . (| 0 | 5 | 1 | | - | | |
| Blue stone, | | | | • | _ | _ | | | | 21 2 |
| . 21 | | | | ı | 4 | 9 | | | | Bored further :- |
| COAL | | | | | 0 | 2 | | | | |
| OUAL | • • • | | . (| • | U | ند | 0 | | | Blue stone, mixed |
| | | | _ | | - | _ | 2 | 4 | 0 | with post panels 7 3 0 |
| Fire-clay | • • • | •• | . (|) | 5 | 6 | | | | 7 3 |
| Commind | £ | | - | $\overline{}$ | 5 | <u> </u> | 10 | 1 | | m. 4-1 90 F |
| Carried | 101 | ware | , | , | U | O | 10 | 7 | - 4 | Total 28 5 |

No. 2,722.—FRAMWELLGATE. TOWNSHIP OF FRAMWELLGATE, DURHAM.

Sheet 27 of Ordnance Map. Lat. 54° 47′ 0″, Long. 1° 34′ 42″.

Account of Strata sunk through at Aykley Heads, Framwellgate Colliery.

Approximate surface-level 238 feet above sea (Ordnance datum).

| Soil and sand Fs. Ft. In. Fs. Ft. In. Quicksand 0 5 0 0 0 10 | Brought forward 0 5 10 Gravel and stones 1 4 0 2 3 10 |
|--|--|
| Carried forward 0 5 10 | Carried forward 2 3 10 |

No. 2,722.—FRAMWELLGATE.—CONTINUED.

| Brought forward | | | | Fs. 2 | | In. 10 | Brought forward 6 2 5\frac{1}{2} 35 0 2\frac{1}{2} |
|-------------------------------------|---------------|---------------|---------------|-------|---|-----------------|--|
| Post Metal, with post | 6 | 4 | 0 | | | | Bastard fire-clay 0 2 7 Grey post 0 4 3 |
| girdles | 0 | 1 | 8 | | | | Post 1 1 1 |
| Post | 0 | 2 | 0 | | | | Blue metal 1 1 5½ |
| Low Main Seam- | | | | | | | COAL 0 0 $2\frac{7}{2}$ |
| COAL | 0 | 2 | 2 | | | | |
| | | | | 7 | 3 | 10 | Blue metal 1 4 3 |
| Fire-clay | 1 | 0 | 0 | | | | COAL 0 1 8 |
| Metal, with post | 9 | ^ | c | | | | Plus motel 1 5 11 |
| girdles Grey metal | $\frac{3}{2}$ | 0 | $\frac{6}{3}$ | | | | Blue metal 1 5 9 Grey post 0 2 6 |
| Ft. In. | 4 | U | ı) | | | | Fire-clay 0 2 6 |
| COAL 1 1 | | | | | | | Grey post 0 4 3 |
| Fire-clay 0 5 | | | | | | | Blue metal 1 3 4 |
| COAL 1 3 | | | | | | | Grey post 1 1 8 |
| | 0 | 2 | 9 | _ | _ | _ | Blue metal 0 0 4 |
| n: 1 | | | _ | 6 | 3 | 6 | Grey post 1 5 2 |
| Fire-clay | 0 | 4 | 0 | | | | COAL 0 1 0½ |
| COAL | 0 | 0 | 6 10 | | | | 8 2 2 2 |
| Blue metal Post | $\frac{1}{0}$ | $\frac{2}{2}$ | 10 | | | | Fire-clay 1 0 8 |
| m | J. | 1 | 0 | | | | White post 2 1 11 |
| Blue metal Hutton Seam— | U | 1 | U | | | | Fire-clay 0 4 7 |
| COAL | 0 | 3 | 10 | | | | Blue metal 0 .2 0 |
| 00/L2 | _ | | | 6 | 2 | 2 | Grey post 0 4 8 |
| Blue metal | 2 | 2 | 8 | • | _ | _ | Blue metal, with post girdles 0 3 6 |
| Post | $\bar{2}$ | 0 | 0 | | | | post girdles 0 3 6 COAL 0 1 6 |
| COAL | 0 | 0 | 9 | | | | 0 1 0 6 0 10 |
| | | | | 4 | 3 | 5 | Dark grey post 4 5 6 |
| Blue metal | 3 | 0 | 0 | | | | Busty Seam— |
| COAL | 0 | 0 | 6 | _ | | | Ft. In. |
| | _ | | | 3 | 0 | 6 | COAL 1 11½ |
| Post | 0 | 4 | 0 | | | | Band 1 3 |
| Blue metal | 0 | 4 | 0 | | | | COAL 2 0 |
| Post | 1 | 5 | 6 | | | | COAL, bot- |
| Dark grey metal Post | 0 | 4 | 9 | | | | tom $\frac{1}{2}$ $\frac{3\frac{1}{2}}{1}$ 0 6 |
| Post COAL | 0 | 0 | 8 | | | | 60 |
| | <u> </u> | | | | n | $11\frac{1}{2}$ | |
| $\operatorname{Post} \ldots \ldots$ | 3 | -0 | _0 | | 9 | 2 | —————————————————————————————————————— |
| Blue metal | 3 | 2 | 5 | | | | 2 0 |
| | | | | _ | | | |
| Carried forward | 6 | 2 | 51 | 35 | 0 | $2\frac{1}{2}$ | Total 70 0 2 |
| | | | - | | | - | |

No. 2,723.—FROSTERLEY.

TOWNSHIP OF SOUTH QUARTER, DURHAM.

Sheet 32 of Ordnance Map. Lat. 54° 43' 8'', Long. 1° 54'' 51''.

Account of Strata sunk through in Bell's Shaft, Sunnyside Mine. Approximate surface-level 700 feet above sea (Ordnance datum).

| Clay and | gravel | | | | | | | In. | Brought forwa | rd | Fs. 0 | Ft. 3 | In. 0 | Fs. 3 | Ft. 2 | In. 2 |
|----------|----------|-----|---|---|--------|---|---|-----|---------------|----|----------|----------|----------|----------|----------|----------|
| COAL | | | 0 | 0 | 2 | | 2 | | COAL | | 0 | 0 | 4 | | | |
| Hazle | | ••• | 0 | 3 | 0 | | | | Hazle | | 1 | 2 | 0 | | | |
| Carri | ed forwa | ard | 0 | 3 | 0 | 3 | 2 | 2 | Carried forwa | rd | 1 | 2 | 0 | 3 | 5 | 6 |

No. 2,723.—FROSTERLEY.—Continued.

| | | | | | | Ft. | | Fs. Ft. In. Fs. Ft. | |
|---|-------|---|------|----|-----|-----|---|----------------------------|----|
| Brought forward | | | 2 | 0 | 3 | 5 | 6 | Brought forward 9 0 6 26 4 | 6 |
| Plate | • • • | 0 | 3 | 9 | | | | Famp* 0 0 6 | |
| Hazle | | 1 | 5 | 0 | | | | Calcareous post 0 3 0 | |
| Famp* | | 0 | 0 | 6 | | | | Plate 0 4 0 | |
| Hazle | | 1 | 2 | 0 | | | | Calcareous post 1 0 3 | |
| Plate | 1 | 0 | 0 | 0 | | | | Plate 3 3 0 | |
| COAL | | 0 | 0 | 9 | | | | Calcareous post 0 3 0 | |
| | _ | | | _ | 15 | 2 | 0 | Plate 1 0 0 | |
| Calcareous post | | 0 | 3 | 3 | | | | Calcareous post 1 0 6 | |
| Plate | | 4 | 5 | 9 | | | | Plate 0 0 6 | |
| COAL | | 0 | 0 | 6 | | | | Calcareous band 0 0 6 | |
| • | _ | | _ | _ | 5 | 3 | 6 | Plate 0 0 6 | |
| Plate | | 0 | 4 | 0 | | | | COAL 0 0 3 | |
| Ferruginous post | | 0 | 1 | 0 | | | | 17 4 | 6 |
| Plate | | 1 | 0 | 0 | | | | Hazle 0 1 0 | |
| COAL | | ō | 0 | 6 | | | | Girdle beds 0 1 0 | |
| | _ | | | _ | 1 | 5 | 6 | Hard hazle 0 1 6 | |
| Plate | | 0 | 5 | 6 | | | | Slaty hazle 1 0 6 | |
| Calcareous post | | | 2 | 3 | | | | Plate 0 3 0 | |
| Plate | | ō | 4 | 6 | | | | Silicious band 0 1 0 | |
| Fire-stone | | 4 | 4 | 3 | | | | Plate 0 1 0 | |
| Plate | | 0 | 5 | 0 | | | | 2 3 | 0 |
| Calcareous post | | ŏ | 3 | ŏ | | | | | - |
| 1 | - | | | | _ | | | | _ |
| Carried forw | ard | 9 | 0 | 6 | 26 | 4 | 6 | Total 47 0 | _0 |
| | | | | e. | C.L | | | ana an ababa | _ |

^{*} Soft sandstone or shale.

No. 2,724.—FULWELL.

TOWNSHIP OF FULWELL, DURHAM.

Sheet 8 of Ordnance Map. Lat. 54° 56′ 17″, Long. 1° 23′ 29″.

Account of Strata sunk and bored through at the Sunderland and South Shields Waterworks, Fulwell.

Approximate surface-level 60 feet above sea (Ordnance datum).

| Sinking:- | Fs. | Ft. | In. Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. Brought forward 8 1 3 12 1 6 |
|------------------------|-----|-----|---------|-----|-----|--|
| | 0 | 2 | 0 | | | Blue limestone 0 2 6 |
| Strong clay | 4 | 5 | 6 | | | Blue metal 0 3 8 |
| Sand and gravel | 0 | 1 | 0 | | | Sand, into 2 0 0 |
| Strong clay | 6 | 5 | Õ | | | |
| etiong city in | | | 12 | 1 | 6 | A drift, 5 feet by |
| Marl, with water | 1 | 2 | 0 | | | 6 feet, driven south- |
| Yellow limestone, | - | _ | • | | | west, 235 feet |
| with water | 2 | 5 | 6 | | | |
| Brown limestone | 2 | 3 | 3 | | | $23 \ 2 \ 11$ |
| A drift, 6 feet by | _ | | | | | Bored further :- |
| G feet, driven west, | | | | | | Brown sand 11 1 0 |
| 120 feet ; also 5 feet | | | | | | Light sand, very |
| by 4 feet, driven | | | | | | rough 10 0 0 |
| south, 70 feet | | | | | | Red sand 4 0 0 |
| Blue limestone | 0 | 0 | 8 | | | Dark red metal 0 3 6 |
| Brown limestone, | | | | | | 25 4 6 |
| with water | | 1 | 10 | | | 29 1 0 |
| with water | _ | | | | | |
| Carried forward | 8 | 1 | 3 12 | 1 | 6 | Total 49 1 5 |
| | | | | | | 17 |

No. 2,725.—GORDON HOUSE.

TOWNSHIP OF COCKFIELD, DURHAM.

Sheet 41 of Ordnance Map. Lat. 54° 36′ 51″, Long. 1° 47″ 45″.

Account of Strata sunk through in the Mostyn Pit, Gordon House New Winning.

Approximate surface-level 620 feet above sea (Ordnance datum).

| Soil | 2 6 | Fs. Ft. In. Fs. Ft. In. Grey post 11 43 2 0 |
|---|-----|--|
| Black band 0 0 6 Seggar-clay 0 3 0 Ft. In. COAL 1 10 Band 0 2 COAL 0 1 Band 0 6 COAL 3 10 | . 1 | Grey shale 0 1 9 COAL 1 6 Band 1 1 COAL 1 8 |
| Seggar-clay 0 1 0 Bastard seggar-clay 0 5 9 Post 0 3 6 Grey post 0 3 11 White post 0 3 0 Grey shale 0 5 0 White post 3 3 9 | | Blue shale 0 4 3 Grey shale 0 3 0 White post 0 2 6 Grey shale 0 2 8 White post 0 4 9 Grey shale 6 0 0 Black stone 0 2 3 COAL 0 0 8 |
| COAL 1 5 COAL, splint 0 9 Band 0 3 COAL 2 9 0 5 2 Strong post 0 2 10 Blue shale 6 0 8 COAL 0 3 0 | • | Seggar-clay 0 3 2 White post 1 1 6 Hard grey shale 0 1 6 Grey shale 1 1 6 Hard white post 0 2 0 Blue shale 0 3 6 Black stone 0 1 6 Harvey Seam— |
| Bastard seggar-clay 0 2 9 Grey post 1 0 6 White post, with whin girdles 2 0 4 Black band 0 .5 0 Bastard seggar-clay 0 1 9 Grey post 0 5 0 Blue shale 4 4 11 Hard grey post 1 4 0 | 0 6 | COAL 5 10. Grey shale 1 6 COAL 0 4 |
| Grey shale 1 1 8 Carried forward 13 1 11 43 2 | 0 | Total 88 3 11 |

No. 2,726.—GORDON HOUSE. TOWNSHIP OF COCKFIELD, DURHAM.

Sheet 41 of Ordnance Map. Lat. , Long.

Account of Strata sunk through from the Busty Seam in a Staple in the Hall Pit at Gordon House Colliery, for the North Bitchburn Coal Company, 1894.

Approximate surface-level feet above sea (Ordnance datum).

| Blue metal COAL Seggar-clay Post Blue metal | Fs. Ft. In 3 0 0 0 1 0 0 2 0 1 3 0 3 3 1 | 3 1 0 | Brought forward 5 2 1 3 1 0 Brockwell Seam— Ft. In. COAL, cannel 1 2 COAL, with a 4 inches band 7 9 |
|---|--|-------|---|
| Carried forw | vard 5 2 1 | 3 1 0 | Total 10 0 0 |

No. 2,727.—GOSFORTH. TOWNSHIP OF SOUTH GOSFORTH, NORTHUMBERLAND.

Sheet 88 of Ordnance Map. Lat. 55° 0' 11", Long. 1° 36' 8".

Account of Strata sunk through in the Brandling Pit, South Gosforth.

Approximate surface-level 170 feet above sea (Ordnance datum).

| | Fs. Ft. 1 | | ft. In. | |
|-------------------|-----------|------|---------|------------------------------|
| Clay and gravel | 1 4 | 0 | | Brought forward 3 3 0 11 1 (|
| | | - 1 | 4 0 | Broken post 1 0 6 |
| Brown post | 3 5 | 0 | | Post 1 2 0 |
| Seventy Fathoms C | | | | Grey metal 2 4 6 |
| COĂL | | 0 | | Post 1 3 0 |
| | | _ 4 | 2 0 | Grey metal 1 2 3 |
| Thill | 0 4 | | | Black stone 0 3 0 |
| Grey metal stone | | 0 | | COAL 0 0 9 |
| | 1 2 | | | 12 1 |
| | 0 2 | | | Post 7 1 0 |
| COAL | 0 0 | 6 | | Main Coal Seam- |
| | | _ 5 | 1 0 | COAL 1 0 8 |
| Post | 3 3 | - | | 8 1 8 |
| | | | | |
| Carried forwa | ard 3 3 | 0 11 | 1 0 | Total 31 3 |
| | | | | |

No. 2,728.—GREATHAM. TOWNSHIP OF GREATHAM, DURHAM.

Sheet 45 of Ordnance Map. Lat. 54° 37' 46", Long. 1° 13' 23".

Account of Strata passed through in a Diamond Bore-hole at Marsh House, by Mr. John Vivian, for Mr. C. T. Casebourne, 1887.

Approximate surface-level 13 feet above sea (Ordnance datum).

| Soil Fs. Ft. In. Fs. Ft. In. Red and blue clay 0 3 0 | Brought forward 0 4 0 Tough red clay 4 2 0 |
|--|--|
| Carried forward 0 4 0 | Carried forward 5 0 0 |

No. 2,728.—GREATHAM.—CONTINUED.

| Fs. Ft. In. Fs | . Ft. In. | | Ft. In. Fs. | |
|---|-----------|--------------------------------|---|-----|
| Brought forward 5 0 0 | | Brought forward | 109 | 5 5 |
| Red sand 0 4 0 | | Lower Gypseous | | |
| Red sand and clay 2 3 0 | | Marls: | | |
| Fine gravel 0 1 0 | | Red marl, with veins | | |
| Brown sandy pinnel* 0 1 0 | | of gypsum 3 | 0 8 | |
| Brown pinnel and | | Red marl, with veins | | |
| $\operatorname{cobbles}^*$ 2 2 0 | | of gypsum and blue | | |
| Red sand 0 2 6 | | joints 17 | 4 11 | |
| Hard round gravel 0 4 5 | | Red marl, with veins | | |
| 11 | 5 11 | of gypsum and blue | | |
| Red Sandstones and | | spots 11 | 2 2 | |
| Marls: | | Red marl, with veins | | |
| Red sandstone 50 0 7 | | of gypsum 1 | 3 10 | |
| Red sandstone, with | | or gypsum 1 | 33 | 5 7 |
| beds of marl 12 5 0 | | Saliferous Beds: | - 00 | • |
| Red sandstone 2 3 2 | | Anhydrite 1 | 5 0 | |
| | | | 3 0 | |
| Red sandstone, with | | Red marl, rotten 2 Rock salt 9 | $\begin{array}{ccc} 3 & 0 \\ 3 & 2 \end{array}$ | |
| beds of marl 19 0 7 Red sandy marl 1 2 6 | | | 3 4 | |
| | | Salt and anhydrite, | 0 0 | |
| Red marl, with blue | | mixed 2 | 2 3 | |
| joints 1 2 6 | İ | Rock salt 1 | 5 4 | |
| Red sandy marl 3 3 3 | | Anhydrite 0 | | |
| Red marl 323 | | - | 18 | 1 9 |
| Red marl, with blue | | | | |
| joints 3 3 8 | | | | |
| 97 | 5 6 | • | | |
| | | | | |
| Carried forward 109 | 5 5 | Total | 162 | 0 9 |
| | | | | |

^{*} Pinnel is coarse clayey gravel.

No. 2,729.—GUNNERTON.

TOWNSHIP OF GUNNERTON, NORTHUMBERLAND.

Sheet 77 of Ordnance Map. Lat. 55° 5′ 12", Long. 2° 9′ 30".

Account of Strata sunk through in the Gunnerton Pit, 1876. Approximate surface-level 600 feet above sea (Ordnance datum).

| Surface | | | t. In. 3 0 | | Ft. | In. | Fs. Ft. In. Fs. Ft. In. Brought forward 13 4 8 |
|------------------|-----|---|---------------|-----|----------|-----|--|
| | _ | | | 7 | 3 | 0 | Fine clay 0 2 0 |
| Scary freestone | | 0 | 2 0 | | | | Blue bind 2 1 0 |
| Limestone | | 1 | 0 3 | | | | Limestone 0 3 4 |
| Blue bind | | 0 | 2 8 | | | | Blue bind 0 2 0 |
| COAL | | 0 | 0 4 | | | | White sandstone 1 4 0 |
| | - | | | . 1 | 5 | 3 | Bind 0 3 0 |
| Pot clay | | 0 | 5 8 | | | | Sandstone 0 5 0 |
| Quarry freestone | | 2 | 0 0 | | | | Bind 0 3 0 |
| Black shale | | 1 | 0 0 | | | | Fourlaws Seam- |
| Limestone | | 0 | 1 0 | | | | COAL 020 |
| Shale | | 0 | 1 6 | | | | 7 1 4 |
| COAL | | 0 | 0 3 | | | | |
| | - | | | 4 | 2 | 5 | |
| | | | | _ | | | |
| Carried forw | ard | | | 13 | 4 | 8 | Total 21 0 0 |
| | | | | | | | |

No. 2,730.—HALTON.

TOWNSHIP OF HALTON, NORTHUMBERLAND.

Sheet 86 of Ordnance Map. Lat. 55° 0' 47", Long. 1° 59' 49".

Account of Strata passed through in a Drift from the Surface at Halton Colliery, by Messrs. English Brothers.

Approximate surface-level 615 feet above sea (Ordnance datum).

| Blue clay | | . 1 | 2 | 0 | | | In. | Brought forward 2 2 7 1 2 0 |
|---------------------|---------|-----|---|----|---|---|-----|-------------------------------------|
| Blue shale | | . 0 | 4 | 0 | | - | U | Grey beds 0 1 0 Blue shale 1 2 0 |
| Strong dar | k grey | T . | | | | | | Clarewood or Oak- |
| Strong dar | | . 0 | 3 | 7 | | | | wood Seam— |
| Grey beds | | . 0 | 4 | 10 | | | | COAL 0 1 4 |
| Grey beds Limestone | | . 0 | 2 | 0 | | | | 4 0 11 |
| Blue shale . | | . 0 | 0 | 2 | | | | |
| Carried | forward | 2 | 2 | 7 | 1 | 2 | 0 | Total 5 2 11 |
| | | | | | | | | |

No. 2,731.—HALTWHISTLE.

TOWNSHIP OF HALTWHISTLE, NORTHUMBERLAND.

Sheet 91 of Ordnance Map. Lat. 54° 58′ 29″, Long. 2° 29′ 12″.

Account of Strata passed through in a Bore-hole at Birchfield Gate, Haltwhistle.

Approximate surface-level 580 feet above sea (Ordnance datum).

| | | | | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
|-----------------------|----|---|----|-----|-----|-----|-------------------------------|
| Soil | U | U | 9 | | | | Brought forward 10 2 4 14 4 0 |
| Clay, mixed with | | | | | | | Dark metal stone, |
| freestone | 1 | 1 | 3 | | | | with girdles 2 1 0 |
| 73 | | - | _ | 1 | 2 | 0 | Strong white post 1 0 6 |
| Freestone, with water | 2 | 4 | 0 | | | | Dark metal stone 0 2 8 |
| Grey metal stone, | | | _ | | | | Quarry hazle, with |
| with girdles | | | | | | | brown and white |
| Brown freestone | | | | | | | post 3 3 8 |
| Strong white post | 0 | 3 | 6 | | | | Dark grey metal 0 1 2 |
| Dark metal stone, | | | | | | | Strong white post, |
| with white post | | | | | | | mixed with hazle 5 2 4 |
| COAL | 0 | 0 | 5 | | | | Grey metal stone, |
| - | | _ | | 12 | 4 | 8 | with grey post |
| Dark metal stone | 0 | 3 | 0 | | | | girdles 6 4 6 |
| COAL | 0 | 0 | 4 | | | | Strong white post, |
| | | _ | _ | 0 | 3 | 4 | mixed with hazle |
| Dark metal stone | 0 | 1 | 10 | | | | and grey metal 4 0 0 |
| Grey metal stone | 0 | 4 | 5 | | | | Blue grey metal, |
| Dark metal stone | 1 | 0 | 0 | | | | with grey metal |
| Strong white post | 2 | 2 | 2 | | | | stone girdles 4 3 9 |
| Grev metal stone, | | | | | | | Bastard limestone 0 0 7 |
| with girdles | 2 | 5 | 0 | | | | Blue grey metal 0 1 4 |
| Strong white post | | | 4 | | | | Bastard limestone 0 0 11 |
| Dark metal stone. | | | | | | | Blue grey metal 3 3 10 |
| with girdles | 1 | 5 | 5 | | | | Limestone ,, ,, ,, |
| Strong white post, | _ | | | | | | 42 4 7 |
| with bands of grey | | | | | | | |
| metal | 0 | 5 | 2 | | | | |
| | | _ | | | | [| |
| Carried forward 1 | 10 | 2 | 4 | 14 | 4 | 0 | Total 57 2 7 |
| Carried for ward | | - | | | • | | 20001111 |

No. 2,732.—HALTWHISTLE.

TOWNSHIP OF HALTWHISTLE, NORTHUMBERLAND.

Sheet 91 of Ordnance Map. Lat. 54° 58′ 57″, Long. 2° 28′ 53″.

Account of Strata passed through in a Bore-hole at Greenwood, South Tyne Colliery.

Approximate surface-level 690 feet above sea (Ordnance datum).

| | | | | | | | • |
|-----------------------|-----|---|-------|----|-----|-----|---|
| Soil and clay | Fs. | | In. F | s. | Ft. | In. | Fs. Ft. In. Fs. Ft. I Brought forward 27 1 3 1 1 |
| • | _ | | | 1 | 1 | 0 | Grey beds, with |
| Sandstone, with water | r 3 | 4 | 0 | | | | strong post girdles 4 0 6 |
| Blue metal | . 0 | 1 | 0 | | | | Blue metal 4 2 6 |
| Post, with parting | s 6 | 0 | 0 | | | | Little Limestone 5 0 0 |
| Light metal | | | 0 | | | | COAL, mixed with |
| Dark metal | . 1 | 1 | 0 | | | | bands of shale 0 2 0 |
| Light post | . 4 | 2 | 0 | | | | 41 0 |
| Brown sandstone | | | 0 | | | | Grey beds 3 3 6 |
| Grey beds, with pos | t | | | | | | COAL 0 1 1 |
| girdles | | 4 | 3 | | | | 3 4 |
| | . 1 | | | | | | Hard post 2 0 0 |
| Grey beds | | | | | | | Hard post 2 0 0 Mild post 1 0 0 |
| Hard blue post | . 0 | 2 | 0 | | | | Metal 2 2 0 |
| Sandstone | | | | | | | 5 2 (|
| | Ò | 5 | 0 | | | 1 | |
| | | | _`_ | | | _ | |
| Carried forward | 27 | 1 | 3 | 1 | 1 | 0 | Total 51 1 10 |
| curried for ware | | - | 0 . | - | - | ١ | 10001 |
| | | | | | | | |

No. 2,733.—HALTWHISTLE.

TOWNSHIP OF HALTWHISTLE, NORTHUMBERLAND.

Sheet 92 of Ordnanee Map. Lat. 54° 58' 36", Long. 2° 27' 22".

Account of Strata passed through in South Tyne Colliery Level, measured from the plotted Section, February 12th, 1874.

Approximate surface-level 420 feet above sea (Ordnance datum).

| Micaccous sandstone ,, ,, ,, Brought forward 2 0 0 20 2 Sandstone , , ,, | 6 |
|--|---|
| Sandstone 7 2 6 Sandstone | |
| bandsone i o o bandsone ,, ,, | |
| Sandstone: Level Fire-clay 0 3 0 | |
| mouth 3 2 9 Shale, with balls of | |
| Shale, with ironstone 0 4 6 iron 0 4 6 | |
| Shale 3 2 6 Saudstone 1 3 0 | |
| Micaceous sandstone 1 1 6 Hard grey sandstone 1 1 6 | |
| 7' ' 1 0 0 (011. " 1 ' | |
| | |
| COAL 0 1 0 sandstone 3 0 6 | |
| 18 0 0 COAL 0 0 9 | |
| Micaceous sandstone 0 5 9 | 3 |
| Limestone 1 2 0 Sandstone 7 5 0 | |
| COAL 0 0 9 Shale 1 1 6 | |
| 2 2 6 Sandstone : Upper | |
| Chal | |
| | |
| Fire-clay 1 0 0 Quarry 6 1 0 | |
| | — |
| Carried forward 2 0 0 20 2 6 Carried forward 15 1 6 29 3 | 9 |

No. 2,733.—HALTWHISTLE.—CONTINUED.

| Fs. Ft. In. Fs. Ft. In Brought forward 15 1 6 29 3 9 | |
|---|----------------------|
| | |
| Dark shale 0 1 6 | Shale 4 0 6 |
| Sandstone: Lower | Slate sills: Pattin- |
| bed in Lees Hall | son's Sill 6 4 6 |
| Quarry 6 4 6 Shale and micaceous | Shale 2 3 6 |
| Shale and micaceous | Limestone 6 4 6 |
| sandstone 2 2 0 | Shale 1 0 0 |
| Sandstone: Firestone | COAL 0 3 0 |
| Sill 4 4 6 | 51 0 0 |
| | |
| Carried forward 29 2 0 29 3 9 | Total 80 3 9 |
| | |

No. 2,734.—HAMSTEELS.

TOWNSHIP OF BURNHOPE AND HAMSTEELS, DURHAM.

Sheet 19 of Ordnance Map. Lat. , Long.

Account of Strata passed through in a Borc-hole in the Willow Field, about 200 yards to the North of Hamsteels Pit, by Messrs. William Coulson and Son. Commenced January 7th, 1881, and stopped March 25th, 1881.

Approximate surface-level feet above sea (Ordnance datum).

| Stony brown clay | | Ft. | In | 77- | | _ | |
|-----------------------|--------|-----|-------|-----|----------|-----|--|
| otony brown ciay | | 1 | | rs. | Ft. | In. | Brot, forward 2 4 6 1 10 7 4 4 |
| | | | | 0 | 1 | 2 | |
| Soft dark grey shale | . 2 | 0 | 10 | ٠ | • | - | with scares |
| COAL | ő | | 3 | | | | |
| | . 0 | U | • • • | 2 | 1 | 1 | |
| Coom makel | _ | 2 | 9 | 2 | 1 | • | |
| | 0 | 4 | 9 | | | | 6 4 10 |
| Soft freestone, with | ١, | | | | | | Grey shale, with post |
| metal partings | . 4 | 3 | 2 | | | | girdles 0 5 11 |
| COAL | . 0 | 2 | 2 | _ | | - | Grey shale 1 0 9 |
| | | | _ | 5 | 2 | 1 | Mild grey post, with |
| Black shale | . 0 | 0 | 6 | | | | water 0 3 0 |
| Seggar-clay | . 0 | 1 | 0 | | | | Grey shale 1 1 6 |
| Dark grey shale | , | | | | | | Grey post, with shale |
| with coal pipes | . 0 | 1 | 0 | | | | partings 0 5 0 |
| Grey post, with shale | | | | | | | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| partings and water | | 3 | 11 | | | | Grey shale, with post |
| Grey shale, with post | | | | | | | girdles 0 3 0 |
| girdles | . 5 | 1 | 5 | | | | COAL 0 1 11} |
| Ft. In | | _ | - | | | | - 6 5 1 |
| COAL 0 11 | | | | | | | Grey shale thill 1 1 6 |
| Black band 0 | _ | | | | | | COAL 0 2 63 |
| COAL 0 | | | | | | | 7 |
| Brown band 0 | | | | | | | |
| | L) | | | | | | Grey shale 0 2 33 |
| | • | | | | | | 0 2 3 ³ ₄ |
| Black stone, | | | | | | | |
| with much | | | | | | | |
| coal 0 3 | 5 | | | | | | |
| G 6 1 2 | _ | | 10 | | | | m . 1 |
| Car. forward 2 | ŀ 6 | 1 | 10 | 7 | 4 | 4 | Total 23 2 8 |

No. 2,735.—HARBOUR HOUSE.

TOWNSHIP OF PLAWSWORTH, DURHAM.

Sheet 20 of Ordnance Map. Lat. , Long.

Account of Strata passed through in the No. 9 Bore-hole in Mr. Donald's Allotment, 250 yards West of the River.

Approximate surface-level feet above sea (Ordnance datum).

| | | _ | | _ | | - | | | | | | | |
|-----------------------|--------|--------|----------|--------|-----|-----|------------------------|-----|--------|-----|------|-----|-----|
| | Fs. | Ft. | In. | Fs. | Ft. | In. | | Fs. | Ft. | In. | Fs. | Ft. | In. |
| Soil | | 3 | 0 | | | | Brought forward | | | | 29 | 3 | 2 |
| | ^ | 2 | 3 | | | | Grey metal | Λ | 1 | 6 | | _ | _ |
| Leary clay | U | _ | 0 | | | | | U | | v | | | |
| Sand and gravel, | | | | | | | Grey and white post, | | | | | | |
| with water | 2 | 0 | 9 | | | | with metal part- | | | | | | |
| Loamy sand | 0 | 2 | 0 | | | | ings and water | 2 | 5 | 4 | | | |
| Leafy clay, stone and | | | | | | | Darkish grey metal, | | | | | | |
| | 9 | 2 | 0 | | | | with girdles | 1 | 4 | 0 | | | |
| | _ | - | | | | | | • | - | U | | | |
| Stony clay | 0 | 2 | 0 | | | | Black metal, with | | | ^ | | | |
| Gravel and sand, | | | | | | | water near bottom | 1 | 0 | 0 | | | |
| with water | 1 | 0 | 6 | | | | Grey metal | 0 | 1 | 6 | | | |
| Stony elay, with | | | | | | | White post, with | | | | | | |
| small coals and | | | | | | | | 1 | 0 | 6 | | | |
| | 0 | - | c | | | | water Whin | | 2 | 0 | | | |
| sand near bottom | Z | 5 | 6 | | | | | 0 | 4 | U | | | |
| Gravel and sand, | | | | | | | Grey post, with | | | | | | |
| with water | 0 | 1 | 6 | | | | water | 1 | 4 | 0 | | | |
| Stony elay | 0 | 3 | 0 | | | | Grey metal stone, | | | | | | |
| ceoing end | | | | 17 | 4 | 6 | with post girdles | | | | | | |
| Communical with most | | | | | | ٠ | and water | 2 | Λ | 4 | | | |
| Grey metal, with post | | _ | | | | | and water | | 0 | | | | |
| girdles | | | 0 | | | | Blue metal | 0 | 0 | 6 | | | |
| White post | 0 | 4 | 0 | | | | COAL, with sul- | | | | | | |
| Grey metal | | 3 | 0 | | | | phur and water | 0 | 1 | 8 | | | |
| Hutton Seam— | • | | | | | | 1 | | | | 11 | 3 | 4 |
| Ft. In. | | | | | | | COAL foul mixed | | | | | • | ~ |
| COAL, with | | | | | | | COAL, foul, mixed | | • | | | | |
| | | | | | | | with metal | 0 | 0 | 4 | | | |
| water,rather | | | | | | | Grey metal stone, | | | | | | |
| splinty near | | | | | | | with post girdles | 2 | 1 | 3 | | | |
| bottom 3 10 | | | | | | | Black stone | | Õ | 4 | | | |
| COAL, foul | | | | | | | COAL foul | | Ö | 5 | | | |
| | | | | | | | COAL, foul | U | U | Э | | | |
| near top 0 6 | | | | | | | | | | _ | 2 | 2 | 4 |
| | U | 4 | 4 | _ | _ | | Metal stone | 0 | 1 | 6 | | | |
| | | | | 2 | 1 | 4 | White post, with | | | | | | |
| Dark grey metal | 0 | 0 | 4 | | | | | 1 | 3 | 0 | | | |
| Grey metal | 0 | 3 | 8 | | | | Crorr motel | | | ő | | | |
| | ٠ | • | 0 | | | | Grey metal | 0 | 4 | U | | | |
| Whitish grey post, | 4 | 0 | | | | | White post, with | | | | | | |
| with water | 1 | 2 | 0 | | | | water | 1 | 2 | 6 | | | |
| Blue grey metal stone | 2 | 1 | 0 | | | | Grey metal | 0 | 0 | 5 | | | |
| Grey post, with much | | | | | | | Ft. In. | | | | | | |
| water | 2 | 5 | 2 | | | | COAL 0 8 | | | | | | |
| COAL | 0 | 0 | 6 | | | | COAL, foul, | | | | | | |
| OOAL | U | U | U | 7 | 0 | Q | | | | | | | |
| | | | | 1 | U | 8 | and metal 0 6 | | | | | | |
| Grey metal | 0 | 2 | 0 | | | | COAL 0 6 | | | | | | |
| Strong white post, | | | | | | | | 0 | 1 | 8 | | | |
| with water | 0 | 4 | 0 | | | | | | | _ | 4 | 1 | 1 |
| | • | _ | | | | | Grey metal | 0 | 0 | 9 | | | |
| Grey metal stone, | 0 | 0 | - | | | | | • | • | | | | |
| with water | | 3 | 5 | | | | White post, with | - | | 0 | | | |
| White post | 0 | 3 | 4 | | | | water | 1 | 4 | 6 | | | |
| Grey metal | 0 | 1 | 0 | | | | Grey metal stone, with | | | | | | |
| COAL, foul | 0 | 0 | -3 | | | | post girdles | | 2 | 6 | | | |
| | _ | _ | | 2 | 2 | 0 | Strong white post, | _ | _ | | | | |
| TT 1.1 - 1 3 | _ | | 4 | _ | _ | v | with water into | 9 | 1 | A | | | |
| Hard brass band | | 0 | 4 | | | | with water, into | 4 | 4 | -16 | 0 | 0 | 1 |
| COAL | 0 | 0 | 4 | | | ا ہ | | | | | 0 | 0 | 1 |
| | | | | 0 | 0 | 8 | | | | | | | |
| | | | _ | • | _ | - | | | | | | | |
| | | | <u> </u> | | | | | | | - | | | |
| Carried forward | | | _; | 29 | 3 | 2 | Total . | | | | 53 | 4 | 0 |

No. 2,736.—HART.

TOWNSHIP OF THORPE BULMER, DURHAM.

Sheet 37 of Ordnance Map. Lat. 54° 43' 12'', Long. 1° 14' 47''.

Account of Strata passed through in a Bore-hole at Hart.

Approximate surface-level 70 feet above sea (Ordnance datum).

| Fa. Ft. In. Fa. Ft. In. Pa. Pt. In. Part Fa. Part | прргодинате | 5112 | | | | | | et asore sea (oranime | | | | | | |
|--|----------------------|------|-----|-----|-----|-----|-----|-----------------------|----|-----|----|-----|----|----|
| Peat | | | | Ĭυ. | Fs. | Ft. | In. | | | | | | | |
| Brown clay | Soil | 0 | 1 | 0 | | | | | 2 | 3 | 9 | 6 | 1 | 3 |
| Strong brown pinnel, with cobbles* 1 0 0 Hard brown pinnel, with cobbles* 2 1 3 Grey limestone 9 0 0 3 Grey limestone 5 2 0 Yellow limestone 9 1 9 Yellow limestone 9 2 0 Yellow limestone 9 2 0 Yellow limestone 9 1 9 Yellow limestone 9 2 0 Yellow lime | Peat | 1 | 4 | 0 | | | | Grey limestone, very | | | | | | |
| Strong brown pinnel, with cobbles* 1 0 0 Arr descriptions of the plane stone of t | Brown clay | 1 | 1 | 0 | | | | much broken | 1 | 0 | 0 | | | |
| With cobbles* | Strong brown pinnel, | | | | | | | Dark grey limestone | 3 | 1 | 6 | | | |
| Mard brown pinnel, with cobbles* | | 1 | 0 | 0 | | | | | _ | 4 | 0 | | | |
| With cobbles* | | • | • | • | | | | | | | | | | |
| Yellow limestone | | 9 | 1 | | | | | orej illiestone | • | | | 12 | Ω | 2 |
| Yellow limestone | with copples" | ڪ | 1 | •) | | 1 | - | Plack shale | ^ | _ | | 10 | U | J |
| Sellow limestone, broken | 37 11 - 11 | | | | U | T | 0 | | | | | | | |
| Section Sect | | 9 | U | 3 | | | | | | _ | | | | |
| Yellow limestone, with soft joints 0 5 0 Red and blue shale, mixed 0 2 8 Yellow limestone 1 5 4 Micaceous grey sandstone, stone, with veins of black shale 1 4 4 Yellow limestone 3 5 11 Black and grey sandstone of black shale 1 4 4 Light grey limestone 3 5 11 Light grey sandstone 1 0 6 Light grey limestone 3 3 10 Light grey sandstone 0 2 0 Grey limestone 0 3 3 Grey limestone 2 0 0 Light grey sandstone 0 0 6 Dark grey limestone 2 0 0 Black shale 0 0 6 COAL 0 0 6 Uight grey sandstone 2 0 0 Black shale 0 0 0 6 COAL 0 0 6 Grey limestone 2 0 0 Black shale 0 0 0 6 COAL 0 1 8 Yellow limestone 2 3 0 Grey limestone 0 3 0 Grey limestone 0 3 0 Black shale 0 1 1 8 Yellow limestone 0 3 3 0 Grey limestone 0 3 4 Black shale 0 1 1 8 Yellow limestone 0 3 4 Black shale 0 1 1 8 Yellow limestone 0 1 0 Grey limestone 0 1 0 Grey limestone 1 0 0 Grey limestone 1 0 0 Grey limestone 1 0 0 Grey sandstone 0 1 1 Grey limestone 1 1 1 0 Grey sandstone 0 | Yellow limestone, | | | | | | | | 0 | 5 | 6 | | | |
| Yellow limestone | broken | 5 | 2 | 0 | | | | | 0 | -3 | 0 | | | |
| with soft joints 0 5 0 Yellow limestone 1 5 4 Yellow limestone 9 1 9 Yellow limestone 9 1 9 Dark yellow limestone 3 5 11 1 4 4 Light grey limestone 0 2 6 6 6 1 4 4 Yellow limestone 0 2 6 | | | | | | | | Red and blue shale, | | | | | | |
| Yellow limestone 1 5 4 Yellow limestone 9 1 9 1 9 1 1 1 1 1 | | | 5 | 0 | | | | | 0 | 2 | -8 | | | |
| Sellow limestone, very much broken 14 2 7 Yellow limestone 9 1 9 Dark yellow limestone 3 5 11 Light grey limestone 0 2 6 Yellow limestone 1 3 3 10 Light grey limestone 0 2 0 Grey limestone 0 2 0 Grey sandy shale 1 0 8 Grey limestone 2 3 0 Grey limestone 2 3 0 Grey limestone 2 3 0 Grey limestone 0 3 3 0 Grey limestone 0 3 3 0 Grey limestone 2 3 0 Grey limestone 0 3 0 Grey limestone 0 4 6 Grey limestone 0 3 0 Grey limestone 0 2 0 Grey limestone 0 3 0 Grey limestone 0 2 0 Grey limestone 0 3 0 Grey limestone 0 3 4 Grey limestone 0 2 0 Grey limestone 0 3 4 Grey limestone 0 3 6 Grey limestone 0 3 6 Grey sandstone 0 1 4 Grey limestone 0 5 0 Grey sandstone 0 1 0 0 0 0 0 0 0 0 | Vellow limestone | 1 | | | | | | | | | | | | |
| Verly much broken 14 2 7 Yellow limestone 0 1 0 0 0 0 0 0 0 | | - | | • | | | | stone with voine | | | | | | |
| Yellow limestone | | 11 | 9 | 7 | | | | | 1 | 4 | 4 | | | |
| Shale | | | | | | | | | 1 | * | | | | |
| Light grey limestone 0 2 6 | | | 1 | Ð | | | | | _ | | _ | | | |
| Black shale | Dark yellow lime- | | _ | | | | | | | | | | | |
| Yellow limestone 13 3 10 Grey limestone 0 2 0 Grey sandy shale 1 0 8 Dark grey limestone 0 3 3 3 Grey limestone 2 0 0 Light grey limestone 2 0 0 Light grey limestone 3 3 5 Grey limestone 2 3 0 Grey limestone 0 2 0 Grey limestone 0 2 0 Grey limestone 0 3 4 Grey limestone 0 5 0 Grey sandstone 0 1 0 Grey limestone 0 5 0 Grey sandstone 0 1 0 Grey limestone 0 5 0 Grey sandstone 0 1 0 Grey limestone 2 5 2 Grey limestone 2 5 0 Grey sandstone 0 1 0 Grey limestone 3 2 2 Light grey limestone 5 1 7 Grey limestone 0 5 0 Grey limestone 0 6 Grey limes | stone | 3 | | 11 | | | | | 1 | 0 | 6 | | | |
| Grey limestone 0 2 0 0 0 0 0 0 0 0 | Light grey limestone | 0 | 2 | 6 | | | | Bluck shale | 0 | 0 | 6 | | | |
| Grey limestone 0 2 0 0 0 0 0 0 0 0 | Yellow limestone | 13 | 3 | 10 | | | | Light grey sandstone | 0 | 5 | 0 | | | |
| Grey sandy shale 1 0 8 3 3 3 3 6 6 | Grev limestone | 0 | 2 | 0 | | | | | 9 | 0 | 9 | | | |
| Dark grey limestone 0 3 3 3 3 3 4 4 5 4 9 | | | | | | | | 00'41 | | | | | | |
| Black shale 3 4 1 | Dark grey limestone | ñ | | | | | | | _ | | | 15 | .1 | 0 |
| COAL | | | | | | | | Black chalo | •) | 4 | | 10 | .1 | J |
| Yellow limestone 2 3 0 Grey limestone 0 4 6 Yellow limestone 0 3 0 Grey limestone 1 2 6 Grey limestone 0 2 0 Grey limestone 0 3 4 Yellow limestone 0 1 0 Grey limestone 0 1 0 Grey limestone 1 0 0 1 Grey limestone 2 5 2 Soft grey limestone 1 0 0 2 Grey limestone 2 5 2 3 5 Soft grey limestone 2 5 2 8 8 1 4 1 4 1 4 1 4 1 4 1 4 1 4 1 4 1 4 1 4 1 4 1 4 1 4 1 | | | | | | | | | | | | | | |
| Black shale | Light grey limestone | | | | | | | COAL | U | I | 8 | | _ | |
| Yellow limestone 0 3 0 Grey limestone 1 2 6 Yellow limestone 0 2 0 Grey limestone 0 3 4 Yellow limestone 0 1 0 Grey limestone 1 0 0 Grey limestone 1 0 0 1 Grey limestone 2 5 2 6 6 Soft grey limestone 1 1 0 0 1 1 1 2 1 1 1 2 1 1 2 1 1 2 6 1 1 1 2 1 1 1 2 6 1 1 1 2 1 1 2 6 6 6 6 6 6 6 6 7 9 1 1 1 1 1 2 1 1 2 1 2 | | | | | | | | | | | | 3 | 5 | 9 |
| Grey limestone | | | | | | | | | | | | | | |
| Grey limestone | Yellow limestone | 0 | - 3 | 0 | | | | Black saudy shale | 0 | 2 | 5 | | | |
| Yellow limestone 0 2 0 Grey limestone 0 3 4 Yellow limestone 0 1 0 Grey limestone 1 0 0 Grey limestone, very much broken 2 5 2 Soft grey limestone 1 1 0 1 4 Grey limestone 2 5 0 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 7 7 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 9 | Grey limestone | 1 | 2 | - 6 | | | | | | 1 | 0 | | | |
| Black shale 0 2 6 COAL 0 1 1 | | 0 | 2 | 0 | | | | | | | | | | |
| Yellow limestone 0 1 0 Grey limestone 1 0 0 Grey limestone 1 0 0 Grey limestone 2 5 2 Black shale 0 1 4 Soft grey limestone 1 1 0 Grey sandstone, with Grey limestone 2 5 0 Grey sandstone, with Soft grey limestone 3 2 2 Black shale 0 1 9 Light grey limestone 5 1 7 Blue sandy shale 0 3 3 8 Yellow and grey limestone 1 4 1 Blue shale 0 0 2 9 Grey limestone, very much broken 8 5 11 Black shale 0 0 0 6 Grey limestone, very much broken 8 5 11 Black shale 0 0 1 1 Grey limestone, very much broken 9 3 1 Black shale 0 0 1 1 Grey sandstone, with veins of shale 0 1 0 1 O 0 11 Grey limestone, very much broken 9 3 1 Black shale 0 0 1 1 Grey sandstone, with veins of shale 0 1 3 O 0 11 Grey sandstone, with veins of shale 0 1 3 O 0 11 Grey sandstone, with veins of shale 0 0 3 8 Black sandy shale 0 1 6 Black sandy shale 0 1 6 O 0 11 Grey sandstone 0 3 5 Black sandy shale 0 1 6 Black shale 0 4 6 O 0 10 | | | | | | | | Black shale | | | | | | |
| Black shale | | - | | - | | | | COAL | | | | | | |
| Black shale 0 1 4 Fire-clay 0 2 6 Grey sandstone, with veins of shale 0 2 9 Black shale 0 2 9 Black shale 0 0 2 6 Grey limestone 3 2 2 Black shale 0 3 3 5 Blue sandy shale 0 3 8 Blue shale 0 0 2 9 Black shale 0 0 0 6 Grey limestone 1 4 1 Black shale 0 0 0 6 Grey limestone 0 5 0 Grey limestone, very much broken 8 5 11 Black shale 0 0 0 6 Grey limestone, very much broken 8 5 11 Grey sandstone, with veins of shale 0 0 0 11 Grey sandstone, with veins of shale 0 3 8 Black shale 0 0 0 10 Grey sandstone 0 1 3 Grey sandstone 0 1 3 Grey sandstone 0 1 6 Black shale 0 0 1 6 Black shale 0 0 1 6 Grey sandstone 0 1 6 Black shale 0 0 1 6 Black shale 0 0 1 6 Grey sandstone 0 1 6 Black shale 0 0 1 6 Black shale | | | | | | | | | U | | 1 | 1 | | 10 |
| Nuch broken | | | U | U | | | | Diagla obota | ^ | - | _ | 1 | | 10 |
| Soft grey limestone | | 4.3 | _ | 0 | | | | | | | | | | |
| Veins of shale 0 1 9 | | | | | | | | Fire-clay | 0 | 2 | 6 | | | |
| Soft grey limestone 3 2 2 2 2 2 2 3 3 5 3 5 4 1 2 5 5 5 4 1 2 5 5 5 4 1 2 5 5 5 5 5 5 5 5 5 | | | | | | | | | | | | | | |
| Blue sandy shale 0 3 8 | Grey limestone | 2 | | | | | | veins of shale | 0 | - 1 | 9 | | | |
| Yellow and grey limestone | Soft grey limestone | - 3 | 2 | | | | | Black shale | 3 | - 3 | 5 | | | |
| Step | Light grev limestone | 5 | 1 | - 7 | 0 | | | Blue sandy shale | 0 | - 3 | 8 | | | |
| Stone | | | | | | | | | | | | | | |
| Grey limestone | | | 4 | - 1 | | | | | _ | | | | | |
| Grey limestone, very much broken 8 5 11 Black shale 0 0 11 Yellow limestone, very much broken 0 4 11 Grey limestone, very much broken 9 3 1 Black sandy shale 0 1 3 Dark grey limestone, broken 0 3 5 Black sandy shale 0 0 10 Dark grey limestone 0 5 0 Black sandstone 0 4 4 Dark grey limestone 0 5 0 Black shale 0 4 6 Black shale 0 0 4 6 Grey sandstone 0 4 4 Black shale 0 0 4 6 Grey sandstone 0 4 6 | | - | | | | | | COAL | | | | | | |
| much broken 8 5 11 Black shale 0 0 11 Yellow limestone, very much broken 0 4 11 Grey sandstone, with veins of shale 0 3 8 Black sandy shale 0 1 3 3 8 Black sandy shale 0 1 3 6 3 8 Black sandy shale 0 0 1 6 6 6 6 6 6 7 <td></td> <td></td> <td>0</td> <td></td> <td></td> <td></td> <td></td> <td>OOAL</td> <td>U</td> <td>U</td> <td>U</td> <td>_</td> <td></td> <td></td> | | | 0 | | | | | OOAL | U | U | U | _ | | |
| Yellow limestone, very wuch broken 0 4 11 Grey sandstone, with veins of shale 0 3 8 Black sandy shale 0 1 3 Black sandy shale 0 1 6 Dark grey limestone, broken 0 3 5 Black sandy shale 0 0 10 Grey sandstone 0 4 4 Black shale 0 4 4 Black shale 0 4 6 Black shale 0 4 6 | | | ~ | 11 | | | | 702 1 1 1 | | | | Э | .7 | 1 |
| very much broken 0 4 11 veins of shale 0 3 8 Grey limestone, nuch broken 9 3 1 1 3 3 3 6 3 8 8 8 1 3 8 1 3 8 1 3 8 1 3 8 1 3 8 1 3 8 1 3 8 1 3 8 1 3 8 1 3 8 1 3 8 1 3 8 1 3 8 1 3 8 1 3 8 1 3 8 1 3 1 3 8 1 3 1 3 1 3 1 3 1 3 1 3 1 3 1 3 1 3 1 3 1 3 1 3 1 4 4 | | | Э | 11 | | | | | U | U | 11 | | | |
| Black sandy shale 0 1 3 Grey sandstone 0 1 6 | | | | | | | | | | | | | | |
| Dark grey limestone, Dark grey limestone Dark grey limestone | very much broken | 0 | 4 | 11 | | | | | 0 | - 3 | -8 | | | |
| Dark grey limestone, Dark grey limestone Dark grey limestone | Grey limestone, very | • | | | | | | Black sandy shale | 0 | 1 | 3 | | | |
| Dark grey limestone, Black sandy shale 0 0 10 broken 0 3 5 Grey sandstone 0 4 4 Dark grey limestone 0 5 0 Black shale 0 4 6 | | | - 3 | 1 | | | | | _ | | | | | |
| Dark grey limestone 0 5 0 Black shale 0 4 6 | | | | | | | | Black sandy shale | | | | | | |
| Dark grey limestone 0 5 0 Black shale 0 4 6 | 1 1 | 0 | 3 | - 5 | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| Carried forward 112 3 9 6 1 3 Carried forward 2 5 0 151 0 11 | Dark grey ninestone | · U | J | U | | | | DIACK SHAIP | U | 4 | U | | | |
| | Carried forward | 112 | 3 | 9 | 6 | 1 | 3 | Carried forward | 2 | 5 | 0 | 151 | 0 | 11 |

No. 2,736.—HART.—Continued.

| | | , | | | | | |
|----------------------|-----|----------|----------|-----|----------|-----|--------------------------------|
| Duanaht fannand | Fs | . Ft | | | | In. | |
| Brought forward | Õ | 5 0 | | | 1 (| 11 | |
| | | | 1 | | | | Dark blue sandy shale 1 2 1 |
| Black sandy shale | | 5 | | | | | White micaceous |
| Black shale | _ | 2 | 6 | | | | sandstone 1 0 3 |
| COAL | . 0 | 0 | 6 | | _ | _ | Black shale 0 2 4 |
| | _ | | | 4 | 1 | 7 | 1 6 - 7 |
| Fire-clay | . 0 | 0 | 9 | | | | White micaceous |
| Grey sandstone | 0 | 0 | 11 | | | | sandstone 2 2 2 |
| Black shale | 4 | 1 | - 3 | | | | White micaceous |
| Fire-clay | 0 | 1 | 3 | | | | sandstone, with |
| Black shale | | 4 | 2 | | | | dark veins 3 5 3 |
| Blue shale | - | 2 | ō | | | | White micaceous |
| Fire-clay | _ | ō | 6 | | | | sandstone, with |
| | • | 3 | ŏ | | | | |
| | | 5 | ő | | | | |
| Black sandy shale | v | J | U | | | | Blue shale 0 5 6 |
| Black and grey sandy | | _ | _ | | | | Ft. In. |
| shale | | 5 | 0 | | | | COAL 0 3 |
| Black shale | | 4 | 8 | | | | Black shale 0 8½ |
| COAL | 0 | 2 | 6 | | | | COAL 0 10 |
| | | | | 12 | 1 | 0 | Black shale 0 1½ |
| Fire-clay, with fos- | | | | | | | COAL 0 4 |
| sils | • | 4 | 0 | | | | 0 2 3 |
| Black and grey sandy | • | _ | • | | | | |
| shale | 1 | 4 | 7 | | | | |
| | | -1 | • | | | | Fire-clay 0 3 4 |
| Blue sandy shale, | | , | | | | | Blue shale 1 0 2 |
| with fossils | | 5 | 3 | | | | Black and grey |
| Blue sandy shale | 0 | | 10 | | | | sandy shale 1 1 4 |
| Grey sandstone | 1 | 0 | 11 | | | | COAL 0 2 3 |
| COAL | 0 | 0 | 3 | | | | |
| | | | | 5 | 4 | 10 | 3 1 1 |
| Black shale | 0 | 0 | 2 | | | | Fire-clay 0 1 5 |
| Fire-clay | 0 | 1 | 8 | | | | Dark blue sandy |
| Blue sandy shale | 0 | 1 | 9 | | | | shale, with veins |
| Blue shale | ŏ | | 10 | | | | of sandstone 1 1 9 |
| ^^ ! | ŏ | | 10 | | | | Dark blue sandy |
| COAL | U | U | 10 | 1 | 3 | 3 | abala 10 e |
| Dina abala | | _ | 4 | 1 | J | o | |
| Blue shale | 0 | 0 | 4 | | | | Dark blue shale, |
| Grey sandstone | 0 | 0 | 9 | | | | with girdles 0 5 0 |
| Black shale | 0 | 1 | 8 | | | | Dark blue shale 2 5 4 |
| COAL | 0 | 0 | 2 | | | | Fire-clay 0 0 11 |
| | | | | 0 | 2 | 11 | Light grey sandy |
| Fire-clay | 0 | 3 | 2 | | | | shale 0 2 5 |
| Grey sandstone, with | | | | | | | White micaceous |
| veins of shale | 1 | 3 | 3 | | | | sandstone 0 2 3 |
| White micaceous | _ | • | • | | | | Black and grey shale 1 0 0 |
| 1.4 | 4 | 5 | 0 | | | | Grey micaceous sand- |
| | -1 | U | v | | | | |
| Black and grey sand- | • | 0 | | | | | |
| stone | 0 | 3 | 9 | | | | Grey micaceous sand- |
| Soft fire-clay and | | | | | | | stone, with veins |
| coal | 0 | 0 | 9 | | | | of shale 0 2 0 |
| | | | _ | 7 | 3 | 11 | Grey micaceous sand- |
| Fire-clay | 0 | 1 | 5 | | | | stone 0 5 9 |
| Fire-clay, with fos- | | | | | | | Light grey micaceous |
| | 0 | 2 | 0 | | | | sandstone, broken 0 4 4 |
| | v | | v | | | ſ | |
| White micaceous | 1 | ^ | 1 | | | | Black and grey |
| sandstone | 1 | 0 | 1 | | | | shale 0 3 0 |
| Black shale | 0 | 2 | 2 | | | | Grey micaceous sand- |
| COAL | 0 | 0 | 3 | | | ! | stone 0 5 8 |
| | | | | 1 | 5 | 11 | Dark blue shale 0 2 0 |
| Fire-clay | 0 | 3 | 2 | | | I | Black shale 0 5 0 |
| • | | | | | | 1 | |
| Carried forward | 0 | 3 | 2 | 185 | 0 | 4 | Carried forward 13 2 3 201 0 7 |
| Juliou for ward | - | • | _ | | - | ~ 1 | |

No. 2,736.—HART.—CONTINUED.

| Pe | Et. | In. Fs. F | In | | Fe | Ft | In. Fs. | Et | In |
|----------------------|-------------|-----------|------|----------------------------|----|-----------|---------|----|----|
| Brought forward 13 | | | | Brought forward | | | 9 20 | | |
| Black and grey | _ | | | Blue shale | | 2 | 0 | _ | |
| sandy shale, with | | | | Grey sandy shale | | ō | ō | | |
| | 1 | 6 | | Black shale | ō | ĭ | ŏ | | |
| Dark blue shale 1 | ī | 8 | | Black shale, with | • | _ | • | | |
| Fire-clay 0 | $\tilde{2}$ | Õ | | veins of coal | 0 | 1 | 0 | | |
| Dark blue sandy | _ | • | | Dark blue shale | | õ | 5 | | |
| shale 0 | 5 | 2 | | Grey micaceous sand- | - | • | • | | |
| Dark blue shale 1 | 2 | 0 | | stone, with veins | | | | | |
| Grey micaceous sand- | - | • | | of shale | 2 | 4 | 6 | | |
| stone, with veins | | | | Grey micaceous sand- | - | - | Ū | | |
| of shale 0 | 4 | 2 | | stone | 3 | 5 | 3 | | |
| Grey micaceous sand- | | - | | Blue shale | - | ő | 6 | | |
| stone 1 | 1 | 0 | | COAL | | ŏ | 4 | | |
| Dark blue shale 0 | 4 | 2 | | | | _ | _ 44 | 5 | 9 |
| Black and grey | • | - | | Dark sandy shale | 1 | 4 | 0 | • | |
| sandy shale 0 | 3 | 0 | | Black shale | ī | ō | ŏ | | |
| Coarse grey sand- | | • | | Grey micaceous sand- | • | ۰ | v | | |
| stone 1 | 4 | 0 | | stone | 0 | 4 | 7 | | |
| Black shale 0 | Ô | 3 | | | ĭ | 2 | ò | | |
| Grey and black | ٠ | • | 1 | Grey sandstone | | 4 | 6 | | |
| micaceous sand- | | | | Grit | | 1 | ŏ | | |
| stone 1 | 2 | 3 | | Blue shale | | î | ŏ | | |
| Grey micaceous sand- | - | • | | Grey sandy shale | | $\hat{2}$ | ŏ | | |
| stone 1 | 1 | 0 | | Blue shale | | ĩ | ŏ | | |
| Dark micaceous sand- | • | U | - 1 | Fine dark grey mica- | ٠ | - | U | | |
| stone 0 | 2 | 0 | - | ceous sandstone | 0 | 2 | 0 | | |
| Grey micaceous sand- | - | U | | Black shale | ő | ĩ | 6 | | |
| | 5 | 6 | - 1 | Light blue shale | ĭ | 3 | ŏ | | |
| Coarse grey sand- | U | U | - 1 | Dark blue and red | | 9 | U | | |
| -4 | 0 | 0 | J | 1 .1. | 0 | 1 | 0 | | |
| Blue shale 0 | 4 | 0 | | | | | 10 | | |
| | 4 | U | | Blue sandy shale Limestone | | ī | 6 | | |
| | 5 | 2 | | | | 5 | 1 | | |
| | 4 | 8 | | Dark blue shale | U | J | | 1 | 0 |
| | 1 | 0 | | | | | 13 | 1 | U |
| Fire-clay 0 | T | U | | | | | | | |
| Carried forward 35 | 2 | 9 201 | 0 7 | Total . | | | 259 | 1 | 4 |
| Carried forward of | - | 201 | ٠, ١ | rotai . | | | 200 | | |

* Pinnel is coarse clayey gravel.

No. 2,737.—HARTFORD.

TOWNSHIP OF BEDLINGTON, NORTHUMBERLAND.

Sheet 72 of Ordnance Map. Lat. , Long.

Account of Strata passed through in a Bore-hole at Hartford House, near Bedlington, February, 1901.

Approximate surface-level feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. In. | Fs. Ft. In. Fe. Ft. In |
|---|--|
| Forced ground 0 4 6 | Brought forward 4 2 4 |
| Strong dark brown | Hard blue clay 1 5 8 |
| clay 1 1 6 | 6 2 |
| clay 1 1 6 Dark loamy sand 1 0 4 Blue clay, with sand | Black shale, with |
| Blue clay, with sand | grey partings 0 2 9 |
| partings 1 2 0 | grey partings 0 2 9 Seggar-clay 0 0 3 |
| | 0 3 |
| | |
| Carried forward 4 2 4 | Total 6 5 |

No. 2,738.—HARTLEY.

TOWNSHIP OF SEATON DELAVAL, NORTHUMBERLAND.

Sheet 81 of Ordnance Map. Lat. 55° 5′ 20″, Long. 1° 30′ 56″.

Account of Strata sunk through in the Hastings Pit, Hartley Colliery, 1875 and 1895.

Approximate surface-level 90 feet above sea (Ordnance datum).

| * * | | | | | | | `` | | | , | | |
|-------------------|-----|-------------|---------|-----|-----|-----|----------------------|-----|-------------|----------------|-----|-----|
| ~ " | | | In. | Fs. | Ft. | In. | 72 | Fs. | Ft. | In. Fs | Ft. | In. |
| | . 0 | | 8 | | | | Brought forward | 26 | 5 | | 0 | 9 |
| Yellow clay | | | 4 | | | | Grey metal | 0 | 0 | 6 | | |
| Dark blue clay | . 5 | 0 | 7 | _ | | _ | White post | 3 | 4 | 8 | | |
| | | | | 5 | 3 | 7 | Grey Seam— | | | | | |
| Blue metal | | 3 | | | | | COAL, coarse | 0 | 1 | 8 | | |
| Grey post girdle | , 0 | | 11 | | | | | | _ | 31 | 0 | 3 |
| | . 1 | 4 | 11 | | | | Dark fire-clay | 0 | 3 | 0 | | |
| Grey post girdle, | , | | | | | | Grey post | 0 | 0 | 3 | | |
| with water | . 0 | 0 | 8 | | | | Grey metal | 0 | 1 | 5 | | |
| | . 1 | | 8 | | | | White post | U | 1 | 5 | | |
| Black shale | , 0 | 3 | 9 | | | | Grey metal | 0 | 0 | 2 | | |
| COAL | . 0 | Ú | 8 | | | | | 0 | 4 | 6 | | |
| | | | | 4 | 3 | 2 | Grey metal | 0 | 3 | 0 | | |
| Fire-clay | . 0 | 1 | 4 | | | | | 0 | 3 | 8 | | |
| Grey post girdle | | U | 11 | | | | Blue metal | _ | 1 | 0 | | |
| Coarse grey post, | | | | | | | Ironstone band | | 0 | 1 | | |
| with ironstone | | | | | | | Grey metal | ^ | 5 | 5 | | |
| balls | | 1 | 1 | | | | Brown post | | | 10 | | |
| | 1 | 5 | 9 | | | | Grey metal | 0 | 0 | 3 | | |
| | 0 | 1 | 2 | | | | | 0 | ŏ | 2 | | |
| | Ü | $\bar{2}$ | 3 | | | | Black shale | • | | 10 | | |
| | Ö | 1 | 4 | | | | | ŏ | ō | 2 | | |
| Whin | | 3 | 5 | | | | | ŏ | 5 | õ | | |
| White post | _ | 2 | ő | | | | | 1 | 2 | 3 | | |
| Blue metal | ^ | õ | 1 | | | | White post | | $\tilde{2}$ | 9 | | |
| White post | ^ | | 10 | | | | C | 0 | \tilde{z} | 4 | | |
| Blue metal | _ | ő | 2 | | | | Yard Seam— | U | - | - | | |
| White metal | ^ | 2 | 8 | | | | COAL | 0 | 9 | 10 | | |
| 737 / 1 | ^ | $\tilde{2}$ | 1 | | | | COAL | | | 15 | 1 | 4 |
| | 5 | õ | 6 | | | | Fire-alay | 0 | 3 | 6 10 | | ** |
| TT'1 ' " | ^ | 1 | 0 | | | | Fire-clay | | | 7 | | |
| White post, with | | | U | | | | Dark grey metal | | | | | |
| | | 5 | 2 | | | | COAL, coarse | 0 | 1 | 6 | 5 | 7 |
| water | ^ | 5 | 6 | | | | Timbt for alon | | 1 | $\frac{}{}$ 1 | 9 | • |
| Blue metal | _ | 5 | 9 | | | | | 0 | 1 | | | |
| Grey metal | _ | 1 | 8 | | | | Grey post | 1 | 0 | 1 | | |
| Grey post | _ | | 10 | | | | | 2 | | 0 | | |
| Grey metal | | | | | | | | 0 | 1 | 0 | | |
| Grey post | • | 1 | 4 | | | | Black parting | 0 | | 1 | | |
| Grey metal | _ | 1 | 6 | | | | Dark fire-clay | U | 1 | 0 | | |
| Grey post | | 0 | 9 | | | | Dark grey metal | 0 | 5 | 0 | | |
| Grey metal | | | 10 | | | | COAL and stone, | | | | | |
| Blue metal | | 1 | 4 | | | | with iron balls | 0 | 0 | 4 . | | |
| | 0 | 0 | 3 | | | | | | - | — 4 | 2 | 6 |
| Blue metal | . 0 | 0 | 9 | | | | Dark fire-clay, with | | | | | |
| Grey post | 0 | 3 | 3 | | | | iron balls | | 3 | 2 | | |
| Strong grey metal | | | 11 | | | | Grey post | | 4 | 5 | | |
| Grey post | 0 | 1 | 0 | | | | White rost | | | 0 | | |
| Grey metal | 0 | 5 | | | | | | 0 | 0 | 2 | | |
| White post | 3 | 0 | | | | | White post | 0 | 0 | 4 | | |
| Grey metal | | 0 | 6 | | | | Blue metal | 0 | 0 | 8 | | |
| White post | 1 | 2 | 0 | | | | White post | 1 | 3 | 0 | | |
| Carried forward | 26 | 5 | 5 : | 10 | 0 | 9 | Carried forward | 0 | 0 | 9 62 | 4 | 5 |
| Carried forward | 40 | 9 | υ. | LU | U | J | Carried forward | J | U | 9 02 | 4 | 9 |

No. 2,738.—HARTLEY.—CONTINUED.

| | Fs. | Ft. | In. Fs. | Ft. | In. | | | | In. | | | In. |
|-----------------|-----|-----|---------|-----|-----|-----------------------|---|---|----------|----|---|-----|
| Brought forward | 9 | 0 | 9 62 | 4 | 5 | Brought forward | 1 | 0 | 0 | 79 | 2 | 8 |
| Whin | | 1 | 6 | | | Soft seggar-clay | 0 | 0 | 6 | | | |
| White post | 1 | 2 | 3 | | | Strong grey post | 0 | 4 | 4 | | | |
| Whin | 0 | 2 | 0 | | | Strong blue metal | 2 | 4 | 6 | | | |
| White post | 0 | 5 | 0 | | | Strong white post | 0 | 1 | 6 | | | |
| Whin | 0 | 1 | U | | | Blue metal | 0 | 5 | 4 | | | |
| | | 4 | | | | Black stone | 0 | 0 | G | | | |
| Soft blue metal | | 1 | | | | Low Main Scam- | | | | | | |
| Grey post | 0 | 4 | 6 | | | COAL | 0 | 3 | 0 | | | |
| Whin | 0 | 0 | 9 | | | | _ | | <u> </u> | 6 | 1 | -8 |
| Blue metal | 1 | | 3 | | | Blue metal, with post | | | | | | |
| COAL | 0 | 1 | 9 | | | girdles | 2 | 1 | 0 | | | |
| | | | 16 | 4 | 3 | | | | | | | |
| Grey post | 0 | -3 | 8 | | | Blue metal | | | | | | |
| COAL and stone, | | ۰ | | | | Strong white post | 2 | 4 | 3 | | | |
| mixed | 0 | 2 | 4 | | | | | | _ | 7 | 2 | 7 |
| | | | | | | | | | | | | |
| Carried forward | 1 | 0 | 0.79 | 2 | 8 | Total | | | | 93 | 0 | 11 |
| | | | | | | I | | | _ | | | |

No. 2,739.—HARTLEY. TOWNSHIP OF SEATON DELAVAL, NORTHUMBERLAND.

Sheet 81 of Ordnance Map. Lat. 55° 5′ 41", Long. 1° 29′ 15".

Account of Strata passed through in a Bore-hole on the Links between Gloucester Lodge Farm and the Astley Arms Inn, 1890. Approximate surface-level 17 feet above sea (Ordnance datum).

| | | Ft. | | | | | | Fs. | Ft. | In. | Fs. | Ft. | In. |
|--|-----|-----|------|---|---|---|-----------------------|-----|-----|------------|-----|-----|-----|
| Sand | 0 | 5 | 8 | | | | Brought forward | | | | 5 | 0 | 4 |
| Blue clay | 1 | 0 | 2 | | | | Seggar-clay | 0 | -3 | 9 | | | |
| Blue clay Dark brown clay | -1 | 4 | 4 | | | | Dark blue metal | 0 | 1 | 9 | | | |
| Blue clay, mixed | | | | | | | Grey metal, with post | | | | | | |
| with sandstone | 1 | 2 | 2 | | | | girdles | | 0 | 0 | | | |
| | | | | 5 | 0 | 4 | Strong white post | 2 | 3 | 4 | | | |
| Whin post | 0 | 4 | 8 | | | | Dark post | 0 | 2 | 6 | | | |
| Grev post | ō | 5 | 7 | | | | Strong white post | 0 | 3 | 2 | | | |
| Grey post Strong blue metal Strong whin post | 0 | 2 | 6 | | | | Soft rost | 1 | 0 | 2 | | | |
| Strong whin post | 1 | ī | 3 | | | | Strong white post | | | | | | |
| Blue metal | - 0 | - 0 | - 65 | | | | Grey metal | | | | | | |
| Grev post | Ŏ | 1 | 2 | | | | Yard Seam- | _ | | _ | | | |
| Blue metal | ĭ | 4 | 6 | | | | COAL | 0 | 2 | 6 | | | |
| Grey post Blue metal Black dant | 0 | 2 | 4 | | | | | | _ | | 13 | 2 | 2 |
| Carried forward | | | _ | | 0 | 4 | Total | | | … <u>=</u> | 18 | 2 | 6 |

No. 2,740.—HARTLEY. TOWNSHIP OF SEATON DELAVAL, NORTHUMBERLAND.

Sheet 81 of Ordnauce Map. Lat. 55° 5′ 10″, Long. 1° 28′ 45″.

Account of Strata passed through in a Bore-hole on the Links at the Junction of the Roads from Blyth, Seaton Sluice and Seaton Delaval Hall, 1891.

Approximate surface-level 49 feet above sea (Ordnance datum).

| Soil ' Sand | ••• | | 0 | 0 | In. Fs. Ft. In. 6 6 | Brought forward Yellow clay | 0 | 3 | 0 | Ft. In. |
|----------------|--------|------|---|---|---------------------------|--------------------------------|---|---|---|---------|
| | | | | | | | | | _ | |
| Carrie | d forw | vard | 0 | 3 | 0 | Carried forward | 2 | 5 | 0 | |

No. 2,740.—HARTLEY.—Continued.

| Brought forward | 1 2 | Ft. | In. | Fs. | Ft. | In. | Brought forward 6 3 2 10 4 8 |
|--------------------------------------|-----|----------|-----|-----|-----|--------|---|
| Dark brown clay mixed with stones | | 2 | 6 | 4 | 1 | 6 | Blue metal 0 3 2 Hard post 0 1 0 Blue metal 0 1 0 |
| Grey metal | . 0 | 1 | 3 | _ | _ | Ť | Soft post 0 0 9 |
| Black dant | | 2 | 2 | | | | Blue metal 0 1 0 |
| Seggar-clay | _ | 3 | 2 | | | | Soft post 0 5 9 |
| Dark blue metal | . 1 | 2 | 5 | | | | Soft post 0 5 9 Blue metal 0 3 2 |
| Leafy post | . 1 | 0 | 0 | | | | Grey post 0 3 10 |
| Hard grey post | . 0 | 2 | 6 | | | | Blue metal 0 0 6 |
| Leafy post | . 1 | 4 | 0 | | | | Leafy post 0 2 6 |
| Blue metal | . 0 | 2 | 6 | | | | Hard grey post 0 1 0 |
| Black dant | . 0 | 0 | 6 | | | | Post 0 4 3 |
| $Yard\ Seam$ — | | | | | | | Whin 0 1 3 |
| COAL | . 0 | 2 | 8 | | | | Post 0 4 6 |
| | | | | 6 | 3 | 2 | Blue metal 0 0 4 |
| Hard post | | 1 | 3 | | | | Post 0 0 11 |
| | . 1 | 0 | 8 | | | | Hard post 0 0 3 |
| Blue metal | | 0 | 6 | | | | Dark grey post 1 4 3 |
| Mild post | | 0 | 0 | | | | White post 1 3 11 |
| Black dant | | 0 | 6 | | | | Hard white post 0 0 10 |
| Hard grey post | . 0 | | 11 | | | | Mild white post 1 3 7 |
| Blue metal | | | 6 | | | | |
| Leafy post | . 1 | 4 | 10 | | | | |
| Carried forward | 6 | 3 | 2 | 10 | 4 | 8 | Total 28 1 7 |

No. 2,741.—HARTLEY.

TOWNSHIP OF SEATON DELAVAL, NORTHUMBERLAND.

Sheet 81 of Ordnance Map. Lat. 55° 4' 58'', Long. 1° 28' 38''.

Account of Strata passed through in a Bore-hole at Seaton Lodge, Seaton Sluice, 1891.

Approximate surface-level 48 feet above sea (Ordnance datum).

| | | | In. | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
|----------------------------------|---|---|-----|-----|-----|-----|---|
| Soil | | 1 | | | | | Brought forward 10 2 8 |
| Sand | 0 | 1 | 7 | | | | Seggar-clay 0 1 6 |
| Yellow clay | 1 | 3 | 3 | | | | Seggar-clay |
| Strong blue clay | 0 | 1 | 4 | | | | Strong white post 0 1 0 |
| 8 | | | | 2 | 1 | 8 | Blue metal 1 0 8 |
| Black dant | 0 | 2 | 2 | _ | _ | • | Black dant, mixed |
| | ĭ | ī | | | | | with seggar-clay 0 1 1 |
| Seggar-clay Strong blue metal | ñ | 1 | 2 | | | | Strong white post 0 3 6 |
| Soft blue metal | Ä | 1 | 6 | | | | Tight blue motel |
| | | 4 | | | | | Light blue metal, |
| Soft shaly post | | 1 | | | | | with iron girdles 3 0 3 |
| Dark grey metal | | | 6 | | | | Dark blue metal 0 3 8 |
| | 0 | | 6 | | | | Grey metal 0 4 0 |
| Strong post | 0 | 3 | 6 | | | | Blue metal 2 1 0 |
| Soft post | 0 | 4 | 6 | | | | Bastard post 0 1 0 |
| Blue metal | 0 | 5 | 0 | | | | Bastard post 0 1 0 Strong grey post 0 5 0 Blue whin 0 1 6 |
| Yard Seam- | | | | | | | Blue whin 0 1 6 |
| | 0 | 2 | 8 | | | | Strong white post 0 1 8 |
| | | | | 8 | 1 | 0 | |
| | | | | - | | ٠ | 11 2 10 |
| Carried forward | | | 1 | 0 | 2 | 8 | Total 21 5 6 |
| Carried forward | | | | U | 4 | ٥ | Total 21 5 6 |
| | | | | | | | |

No. 2,742.—HAUXLEY.

TOWNSHIP OF HAUXLEY, NORTHUMBERLAND.

Sheet 47 of Ordnance Map. Lat. 55° 19' 21", Long. 1° 33' 17".

Account of Strata passed through in a Bore-hole at Hauxley, 250 yards North-east of Hauxley Cottage. Commenced August 7th, 1899, and stopped December 16th, 1899.

Approximate surface-level 35 feet above sea (Ordnance datum).

| | _ | | | | | | | - | | | | | |
|----------------------|---------|-----|----------|-----|-----|-----|---------------------|-----|----------------|----|--------|-----|----------|
| | ъ. О | Ft. | In. O | Fø. | Ft. | In. | Brought forward | Fs. | Ft. | | Fs. 34 | Ft. | In. 7 |
| | ö | 3 | 6 | | | | Grey metal | 2 | 1 | 3 | 3.2 | _ | • |
| band | | | | 1 | 0 | 6 | TT: 1 | õ | $\overline{2}$ | 8 | | | |
| Sandstone | 1 | 3 | 0 | - | • | 0 | Bastard fire-clay | | 3 | 5 | | | |
| | | 0 | v | | | | | 0 | | 10 | | | |
| Fire-clay and blue | ^ | 0 | 0 | | | | Coaly blue metal | | _ | 6 | | | |
| | 0 | 0 | 8 | | | | Soft fire-clay | 0 | 3 | - | | | |
| | 2 | 2 | 0 | | | | Bastard fire-clay | 0 | 3 | 9 | | | |
| | 0 | 2 | 6 | | | | Hard grey metal | 0 | 0 | 6 | | | |
| COAL | 0 | 0 | 7 | | | - | Bastard fire-clay | 1 | 0 | 0 | | | |
| _ | _ | _ | | 4 | 2 | 9 | Grey metal | | 5 | | | | |
| Fire-clay | 0 | 1 | 2 | | | | Hard sandstone | 0 | 1 | 11 | | | |
| Fire-clay and blue | | | | | | | Grey metal | 1 | 1 | -3 | | | |
| metal | 1 | 4 | 0 | | | | Dark grey metal | 0 | 1 | 4 | | | |
| | 0 | 5 | 6 | | | | Ft. In. | | | | | | |
| Fire-clay and blue | | | | | | | COAL 1 4 | | | | | | |
| | 0 | 5 | 6 | | | | Soft parting 0 1 | | | | | | |
| | 0 | 4 | 9 | | | | COAL 1 0 | | | | | | |
| Sandstone 1 | | 4 | 8 | | | | 00AL 1 0 | 0 | 2 | 5 | | | |
| | U | -20 | O | | | | | U | ~ | J | 8 | 5 | 8 |
| Grey metal and fire- | 1 | ^ | 4 | | | | Fire clay | _ | Λ | 6 | O | J | O |
| | 1 | 0 | 4 | | | | Fire-clay | 0 | 0 | | | | |
| Grey and blue metal | U | 0 | 8 | | | | Bastard fire-clay | 1 | 2 | 8 | | | |
| Ft. In. | | | | | | | Grey metal | 0 | 5 | 7 | | | |
| COAL, cannel 0 3 | | | | | | | Sandstone and grey | _ | | _ | | | |
| COAL 0 5 | | | _ | | | | metal | 0 | 4 | 0 | | | |
| | 0 | 0 | 8 | | | | Coaly blue metal | 0 | 1 | 3 | | | |
| - | | | | 16 | 3 | 3 | Blue and grey metal | 0 | 2 | 6 | | | |
| Bastard fire-clay | 0 | 1 | 6 | | | | Dark blue metal | 0 | 2 | 4 | | | |
| Grey metal and sand- | | | | | | | Ft. In. | | | | | | |
| stone | 2 | 2 | 8 | | | | COAL 0 8 | | | | | | |
| Bastard fire-clay | 0 | 5 | 4 | | | | Coaly fire-clay 0 3 | | | | | | |
| | 0 | 4 | 6 | | | | COÄL 0 8 | | | | | | |
| | Ô | 4 | 2 | | | | | 0 | 1 | 7 | | | |
| | ŏ | 5 | 7 | | | | | | | | 4 | 2 | 5 |
| | ĭ | 3 | 6 | | | | Fire-clay | 0 | 0 | 5 | - | _ | • |
| Grey metal and sand- | • | 0 | ٥ | | | | Bastard fire-clay | | 2 | 6 | | | |
| | 1 | 3 | 6 | | | | | 2 | 2 | ő | | | |
| 77 1 1 | i | 1 | 0 | | | | | ő | ő | 2 | | | |
| | T | 1 | U | | | | COAL | U | v | 4 | 0 | 5 | 1 |
| Fire-clay and blue | ^ | 0 | 0 | | | | Fine alam | _ | _ | | 2 | Э | 1 |
| | 0 | 3 | 3 | | | | Fire-clay | 0 | 0 | 9 | | | |
| Blue metal and coal | _ | _ | | | | | Bastard fire-clay | 0 | 2 | 6 | | | |
| | 0 | 1 | 6 | | | | Sandstone | 1 | 2 | 8 | | | |
| | 0 | 3 | 6 | | | | Soft fire-clay | | _ | 11 | | | |
| Fire-clay and blue | | | | | | | Grey metal | 1 | 1 | 0 | | | |
| metal | 0 | 1 | 6 | | | | Grey and blue metal | 0 | 4 | 7 | | | |
| Ft., In. | | | | | | | Bastard fire-clay | 0 | 1 | 6 | | | |
| COAL, soft 0 4 | | | | | | | Grey metal | 0 | 1 | 2 | | | |
| COAL, hard 2 3 | | | | | | | Coaly blue metal | | 0 | 4 | | | |
| | 0 | 2 | 7 | | | | COAL | Ŏ | ō | 3 | | | |
| | _ | | | 12 | 2 | 1 | | | | | 4 | 4 | 8 |
| | | | | | | | | | | | | - | _ |
| Carried forward | | | | 34 | 2 | 7 | Carried forward | | | | 55 | 2 | 5 |
| ourred for Hard | | | | JE | | • | Carried forward | | | | 50 | 4 | 0 |

No. 2,742.—HAUXLEY.—Continued.

| | | | | | | | | | | | | | _ |
|------------------------|---|--------|-------|-----|--------|----------|------------------------|-----|----------|------------|-----|-----|-----|
| | | Ft | . In. | Fs. | | | | Fs. | Ft. | In. | Fs. | Ft. | In. |
| Brought forward | | | | 55 | 2 | 5 | Brought forward | 8 | 4 | 4 | 76 | 1 | 2 |
| Bastard fire-clay | 0 | 0 | 4 | | | | Sandstone and grey | | | | | | |
| Grey metal | 0 | 3 | 3 | | | | metal | 0 | 2 | 10 | | | |
| Sandstone | 0 | 2 | 9 | | | | Soft sandstone | 0 | 0 | 9 | | | |
| Sandstone and grey | | | | | | | Grey metal | _ | | 11 | | | |
| | 0 | 4 | 6 | | | | Fire-clay and blue | • | • | | | | |
| | ő | | | | | | | 0 | 1 | 0 | | | |
| Coaly fire-clay | | | | | | | | U | - | U | | | |
| Fire-elay | 0 | 2 | 7 | | | | Ft. In. | | | | | | |
| Ft. In. | | | | | | | COAL 1 0 | | | | | | |
| COAL 0 6 | | | | | | | Fire-clay 0 3 COAL 0 7 | | | | | | |
| Coaly blue | | | | | | | COAL | | | | | | |
| metal 0 5 | | | | | | | | 0 | 1 | 10 | | | |
| Fire-clay and | | | | | | | | | | | 9 | 5 | 8 |
| blue metal 0 6 | | | | | | | Bastard fire-clay | 0 | 1 | 3 | | | |
| COAL 0 5 | | | | | | | Grey metal | 0 | 4 | 8 | | | |
| | 0 | 1 | 10 | | | | Fire-clay and blue | | | | | | |
| | | | | 2 | 3 | 9 | metal | 1 | 3 | 6 | | | |
| | _ | | | - | ., | U | Hard grey metal | õ | 5 | 0 | | | |
| Bastard fire-clay | 0 | 0 | 5 | | | | | | | | | | |
| Sandstone and grey | | | | | | | Grey and blue metal | | 1 | 6 | | | |
| metal | 1 | | 10 | | | | COAL, soft | 0 | 0 | 3 | | | |
| Sandstone | 1 | 2 | - 3 | | | | | | - | _ | 3 | 4 | 2 |
| Grey metal | 0 | 2 | 9 | | | | Bastard fire-clay | 0 | 2 | 6 | | | |
| Sandstone | 4 | 4 | 6 | | | | Coaly blue metal | 0 | 0 | 8 | | | |
| COAL | | | 11 | | | | Bastard fire-clay | 0 | 3 | 4 | | | |
| | | | | 8 | 3 | 8 | Blue metal, with | | | | | | |
| 77: 1 | _ | _ | - | 0 | | 0 | balls | 0 | 5 | 5 | | | |
| Fire-clay | 0 | 0 | 1 | | | | Grey and blue metal | 0 | 5 | 2 | | | |
| Grey metal and sand- | | | | | | | Grey metal and sand- | - | _ | | | | |
| stone | 1 | 2 | | | | | stone | 0 | 4 | 6 | | | |
| Soft bastard fire-clay | 0 | 1 | 9 | | | | ~ 1. | 2 | 2 | 9 | | | |
| COAL | 0 | 0 | 4 | | | | | | | 6 | | | |
| | | | | 1 | 4 | 11 | Grey and blue metal | 1 | 0 | | | | |
| Dostand fine alon | 0 | 0 | 8 | | | | Blue metal | 0 | 2 | 6 | | | |
| Bastard fire-clay | U | U | 0 | | | | Grey metal | 0 | 1 | 4 | | | |
| Grey metal and sand- | _ | | 10 | | | | Hard sandstone | 0 | 3 | 4 | | | |
| stone | | | 10 | | | | Fire-clay and blue | | | | | | |
| Fire-clay | _ | 2 | 6 | | | | metal | 1 | 0 | 9 | | | |
| Bastard fire-clay | | 3 | | | | | Grey metal and sand- | | | | | | |
| Grey metal | 1 | 2 | | | | | stone | 0 | 2 | 9 | | | |
| White sandstone | 4 | 2 | 3 | | | | Hard sandstone | 0 | 1 | 2 | | | |
| Ft. In. | | | | | | | Grey metal | 0 | 0 | 10 | | | |
| COAL 0 3 | | | | | | | | Õ | | 11 | | | |
| Fire-clay 0 4 COAL 1 3 | | | | | | | Bastard fire-clay | ŏ | ĭ | 3 | | | |
| COAL 1 3 | | | | | | | Grey metal and saud- | U | - | U | | | |
| 2 | 0 | 1 | 10 | | | | | Λ | A | 9 | | | |
| | | | | 7 | 4 | 5 | stone | 0 | 4 | 2 | | | |
| a | | | _ | • | - | 0 | Grey and blue metal | 0 | 3 | 9 | | | |
| Grey metal and sand- | _ | _ | | | | | Sandstone | 0 | 3 | 1 | | | |
| stone | 0 | 1 | 3 | | | | Grey and blue metal | 0 | | 10 | | | |
| Sandstone | 0 | 3 | 6 | | | | Soft blue metal | 0 | 0 | 4 | | | |
| Sandstone and grey | | | | | | | COAL | 0 | 2 | 0 | | | |
| metal | 0 | 4 | 0 | | | | | | | _ : | 13 | 1 | 10 |
| Sandstone | _ | 2 | 8 | | | | Fire-clay | 0 | 1 | 6 | | | |
| Grey metal | Õ | ī | 3 | | | | Grey and blue metal | | 2 | 7 | | | |
| Sandstone and grey | | - | | | | - | Hard grey metal | | 4 | ò | | | |
| | 1 | 1 | 3 | | | | Sandstone | - | Õ | 6 | | | |
| TY 2 2 | | 2 | 5 | | | | Banastone | | U | | 2 | 2 | 7 |
| Hard sandstone | 0 | 4 | 9 | | | | | | | _ | 4 | 4 | |
| Connicd forms 1 | 0 | 1 | | 70 | 1 | | m _{o+o} 1 | | | 1/ | n = | 3 | 5 |
| Carried forward | ō | 4 | 4 | 76 | 1 | $2 \mid$ | Total . | •• | | <u>1</u> 0 | UU | | = |
| | | | | | | | | | | | | | |

No. 2,743.—HAUXLEY.

TOWNSHIP OF HAUXLEY, NORTHUMBERLAND.

Sheet 47 of Ordnance Map. Lat. 55° 19' 32", Long. 1° 33' 31".

Account of Strata passed through in a Bore-hole 500 yards North of the Hauxley Bore-hole, No. 2,742. Commenced July 18th, 1900, and stopped September 25th, 1900.

Approximate surface-level 25 feet above sea (Ordnance datum).

| | | | | | | | ** | **. | | | *** | _ |
|---------------------------------------|-----|-----|-----|-----|-----|-----|-----------------------|-----|-------|----|-----|-----|
| | Fs. | Ft. | In. | Fs. | Ft. | In. | Fa. | | In. F | | | |
| Soil | 0 | 1 | 0 | | | | Brought forward 1 | 2 | 10 2 | 0 | 1 | 6 |
| Sand | 0 | 2 | 0 | | | | Sandstone 3 | 5 | 6 | | | |
| | | | _ | | | | COAL 0 | 1 | 7 | | | |
| Moss | 0 | 4 | 6 | | | | OOAL 0 | | | - | 0 | • • |
| Soft clay, with stones | 1 | 0 | 6 | | | - 1 | | _ | | 5 | - 3 | 11 |
| Hard boulder | 0 | 0 | 8 | | | | Fire-clay 0 | 0 | 2 | | | |
| Clay, with stones | 0 | 1 | 6 | | | | Grey metal 1 | 0 | 6 | | | |
| • | ٠ | * | · · | | | | Fire-clay and blue | Ť | _ | | | |
| Ft. In. | | | | | | | | • | 0 | | | |
| COAL, loose 1 6 | | | | | | | metal 0 | 1 | 6 | | | |
| Soft parting 0 4 | | | | | | | Grey metal 1 | 0 | 6 | | | |
| COAL, loose 3 0 | | | | | | | Sandstone 0 | 4 | 0 | | | |
| | 0 | 4 | 10 | | | | Grey and blue metal 0 | 5 | 3 | | | |
| | Ů | • | | 3 | 3 | 0 | | Ü | ., | | | |
| *** 1 | | | | 13 | •) | U | Grey metal and sand- | 0 | | | | |
| Fire-clay and grey | | | | | | | stone 0 | 3 | 0 | | | |
| metal | 0 | 2 | 6 | | | | Sandstone 1 | 2 | 6 | | | |
| Blue metal | 0 | 1 | 6 | | | | Bastard fire-clay 0 | 2 | 7 | | | |
| Grey metal | 0 | 1 | 8 | | | | Grey metal 2 | 2 | 7 | | | |
| | v | | U | | | | | ī | | | | |
| Ft. In. | | | | | | | Grey and blue metal 1 | 1 | 4 | | | |
| COAL 0 8 | | | | | | | Grey metal and sand- | | | | | |
| Parting 0 1 | | | | | | | stone 0 | 2 | 8 | | | |
| COAL, soft 0 8 | | | | | | | Sandstone 1 | 3 | 3 | | | |
| J J J J J J J J J J J J J J J J J J J | 0 | 1 | 5 | | | | Ft. In. | | ., | | | |
| | v | • | • | 1 | 1 | 1 | 0.10 | | | | | |
| | | | | | | | (1 7 4 0 11 | | | | | |
| Grey metal and fire- | | | | | | | Sandstone 0 11 | | | | | |
| clay | 0 | 0 | 6 | | | | COAL 0 2 | | | | | |
| Grey metal | 2 | 2 | 6 | | | | Sandstone 0 3 | | | | | |
| Grey metal and sand- | | | | | | | COAL 0 3 | | | | | |
| · · | 2 | 1 | 6 | | | | 0 | 2 | 5 | | | |
| stone | | | | | | | 0 | 2 | 5 | | | |
| Sandstone | 3 | 5 | 7 | | | i | | _ | 1 | 2 | 2 | 3 |
| COAL | 0 | 2 | 0 | | | | Bastard fire-clay 0 | 0 | 6 | | | |
| | | | | 9 | 0 | 1 | Grey metal 0 | 1 | 9 | | | - |
| Soft fire-elay | 0 | 0 | 8 | | | | Blue and grey metal 0 | 2 | 8 | | | _ |
| | ĭ | ő | 3 | | | | | ~ | 0 | | | |
| Grey metal | | | - | | | | Ft. In. | | | | | |
| Soft fire-clay | 0 | 3 | 4 | | | | COAL 0 3 | | | | | |
| Bastard fire-clay | 0 | 4 | 0 | | | | Blue metal 0 4 | | | | | |
| Grey metal | 0 | 1 | 10 | | | | COAL 1 0 | | | | | |
| Sandstone | 1 | 5 | 0 | | | | 0 | 1 | 7 | | | |
| | • | • | • | | | | | _ | | 1 | 0 | 6 |
| Sandstone and grey | | | | | | | Din alam | _ | 3 | | U | U |
| metal | 1 | 2 | 6 | 0 | | | Fire-clay 0 | 0 | ٠, | | | |
| Sandstone | 0 | 2 | 6 | | | | Grey metal and sand- | | | | | |
| Blue metal | 0 | 0 | 1 | | | | stone 1 | 3 | 3 | | | |
| Ft. In. | | | | | | | COAL 0 | 0 | 2 | | | |
| 0041 0 0 | | | | | | | | _ | | 1 | 3 | 8 |
| O 1 | | | | | | | Condetana | ò | | • | U | O |
| Cealy grey | | | | | | | Sandstone 0 | | 6 | | | |
| metal 0 1 | | | | | | | Bastard fire-clay 0 | 1 | 4 | | | |
| COAL 0 5 | | | | | | | Grey metal and sand- | | | | | |
| | 0 | 1 | 2 | | | | stone 0 | 1 | 10 | | | |
| | | | | 6 | 3 | 4 | Sandstone 2 | 4 | 1 | | | |
| 0.64.6 | _ | • | | U | U | -78 | | | r | | | |
| Soft fire-clay | 0 | 1 | 0 | | | | Grey metal and sand- | | | | | |
| Grey metal and sand- | | | | | | | stone 2 | 0 | 0 | | | |
| stone | 1 | 1 | 10 | | | | Hard grey metal 0 | 3 | 4 | | | |
| | | | | _ | | | | | | _ | | |
| Carried forward | 1 | 9 | 10 | 20 | 1 | 6 | Carried forward 5 | 5 | 1 4 | LO | 5 | 10 |
| Carried for ward | • | - | *3 | | • | 3 | carried for ward o | Ü | | | ^ | 10 |

No. 2,743.—HAUXLEY.—Continued.

| | | | | | | Fs. Ft. In. Fs. Ft. In. |
|---|--|---|--|---|---|--|
| | | | ŧ0 | Э | 10 | Brought forward 1 1 4 57 5 6 |
| | | | | | | GOAL 0 0 2 |
| 0 | 0 | 4 | | | | 1 1 6 |
| | | | 6 | 0 | 11 | Grey metal 0 1 10 |
| 0 | 1 | 0 | | | | Grey metal and sand- |
| | | | | | | stone 1 1 4 |
| 1 | 1 | 0 | | | | Fire-clay, with blue |
| ō | | | | | | metal and coal |
| | | | | | | 0 0 0 |
| _ | | | | | | Bastard fire-clay 0 3 2 |
| U | 2 | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | Bastard fire-clay 0 0 8 |
| _ | _ | | | | | Hard grey metal 0 4 10 |
| 0 | 1 | 11 | | | | Hard sandstone 0 0 9 |
| | | _ | 2 | 1 | 0 | Grey metal 3 3 5 |
| 0 | 0 | 10 | | | | Ft. In. |
| 0 | 3 | 6 | | | | COAL 0 2 |
| | | | | | | Fire-clay 0 1 |
| 0 | 2 | 4. | | | | COAL 1 2 |
| | | | | | | - 0 1 5 |
| | | | | | | 4 5 1 |
| | | | | | | |
| U | U | Э | 0 | | | |
| _ | _ | | 8 | 3 | 9 | 0.200 |
| | | | | | | Sandstone 4 2 6 |
| 0 | 5 | 7 | | | | 5 0 6 |
| _ | | | | | _ | |
| 1 | 1 | 4 5 | 57 | 5 | 6 | Total 71 2 0 |
| | | | | | | |
| | 5 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | 5 5 5 0 1 0 0 0 0 1 1 1 1 1 0 0 0 0 0 2 2 0 1 1 1 1 | 5 5 1 6 0 1 6 0 0 4 0 1 0 0 8 0 0 3 0 2 2 0 0 1 10 0 0 3 6 0 0 3 0 0 0 3 0 0 0 0 0 0 0 0 | 5 5 1 40 0 1 6 0 0 4 0 1 0 6 1 1 0 0 0 8 0 0 3 0 2 2 0 1 11 0 0 10 0 3 6 0 2 4 1 1 0 0 0 3 0 1 10 0 0 3 0 1 5 0 5 7 | 5 5 1 40 5 0 1 6 0 0 4 0 1 0 1 1 0 0 0 8 0 0 3 0 2 2 0 1 11 0 0 10 0 3 6 0 2 4 1 1 0 0 1 0 0 0 3 0 1 9 0 5 7 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |

No. 2,744.—HAUXLEY.

TOWNSHIP OF HAUXLEY, NORTHUMBERLAND.

Sheet 47 of Ordnance Map. Lat. 55° 18' 33", Long. 1° 32' 18".

Account of Strata passed through in a Bore-hole on Big Bondicar Rock, 1,446 yards South 70½° East (Magnetic) from Newburgh No. 1 Pit. Commenced April 24th, 1900, and stopped and cemented May 23rd, 1900.

Approximate surface-level 10 feet below sea (Ordnance datum).

| | Fs. | Ft. | In. | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In | |
|----------------------------|-----|-----|-----|-----|-----|-----|---|---|
| Hard sandstone | 0 | 5 | 0 | | | | Brought forward 3 3 9 4 0 6 | 3 |
| Grey metal and sand- | | | | | | | Grey metal 1 0 4 | |
| stone | 1 | 1 | 6 | | | | Hard grey metal 0 0 8 | |
| Hard sandstone | 0 | 1 | 6 | | | | Grey metal and fire- | |
| Grey metal and fire- | | | | | | | clay 1 1 6 | |
| clay | 0 | 5 | 6 | | | | Fire-clay and blue | |
| clay Fire-clay, with balls | 0 | 4 | 6 | | | | metal 0 5 3 | |
| COAL | 0 | 0 | 6 | | | | COAL 0 0 5 | |
| | | | | 4 | 0 | 6 | 6 5 11 | L |
| Fire-clay | 0 | 0 | 3 | | | | Coaly blue metal 0 0 3 | |
| Fire-clay Grey metal | 1 | 2 | 6 | | | | Grey metal and fire- | |
| Grey metal and fire- | | | | | | | clay 0 1 6 | |
| clay | 1 | 2 | 0 | | | | clay 0 1 6 Grey metal 0 2 4 Hard sandstone 0 3 0 | |
| Blue metal, with | | | | | | | Hard sandstone 0 3 0 | |
| balls | 0 | 5 | 0 | | | | | |
| | | | | | | | | |
| Carried forward | 3 | 3 | 9 | 4 | 0 | 6 | Carried forward 1 1 111 0 5 | , |
| | | | | | | | | |

No. 2,744.—HAUXLEY.—CONTINUED.

| Brought forward | | | | | Ft. | | Fs. Ft. In. Fs. Ft. In. Brought forward 4 5 3 14 4 6 |
|----------------------|----|---|---|-----|-----|---|--|
| Sandstone and grey | | • | 1 | * 1 | U | J | Grey and blue metal 1 3 6 |
| | | 0 | c | | | | |
| metal | T | 2 | О | | | | Grey metal 0 2 3 |
| Fire-clay and grey | _ | ~ | _ | | | | Grey metal and fire- |
| metal | 0- | 2 | 8 | | | | elay 0 4 0 |
| Fire-clay and blue | | | | | | | Fire-clay and blue |
| metal | 0 | 1 | 4 | | | | metal 0 4 6 |
| COAL | 0 | 2 | 6 | | | | Ft. In. |
| | | | | | 4 | 1 | COAL 3 5 |
| Fire-clay and grey | | | | | - | _ | Parting 0 1 |
| metal | 1 | 1 | 3 | | | | COAL 3 0 |
| Grey metal | 1 | 3 | 6 | | | | 1 0 6 |
| Grey metal and sand- | _ | _ | _ | | | | 9 2 0 |
| stone | 1 | 1 | 0 | | | | Bastard fire-clay 0 0 9 |
| | | | U | | | | ——— 0 0 9 |
| Grey metal and fire- | ^ | - | c | | | | 0 0 0 9 |
| elay | U | Э | ь | | | | |
| Carried forward | 4 | 5 | 3 | 14 | 4 | 6 | Total 24 1 3 |
| | | | | | | | |

No. 2,745.—HAVERTON HILL.

TOWNSHIP OF BILLINGHAM, DURHAM.

Sheet 51 of Ordnance Map. Lat. 54° 35′ 57", Long. 1° 13′ 53".

Account of Strata passed through in the No. 1 (or Eastern) Bore-hole at Haverton Hill, for the South Durham Salt Company, Limited.

Approximate surface-level 15 feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft, In | |
|-------------------------------|--------------------------------|
| Soil 0 1 0 | Brought forward 34 3 9 10 2 9 |
| Yellow clay 0 3 0 | Red sandstone, with |
| Blue clay 5 5 3 | marl joints 4 1 7 |
| Brown sand 0 0 9 | Red sandstone 4 1 7 |
| Tough brown pinnel* 2 0 0 | Red marl 0 1 6 |
| Blue pinnel* 0 3 10 | Red sandstone, very |
| Brown sandy pinnel* 0 2 8 | jointy 1 2 6 |
| Hard bound gravel, | Red sandstone 6 1 0 |
| with pinnel* 0 2 10 | Red marl 0 4 0 |
| Gravel and pinnel, | Red sandstone, jointy 6 4 5 |
| mixed* 0 1 5 | Red marl 2 0 0 |
| 10 2 | Red sandstone, with |
| Red Sandstones and | marl joints 1 5 6 |
| Marls: | Red sandstone 1 2 5 |
| Red sandstone 5 1 9 | Red sandstone, with |
| Grey sandstone 0 1 0 | marl joints 3 3 9 |
| Red sandstone 5 5 6 | Red sandstone 3 4 5 |
| Red marl 0 1 0 | Red sandstone, with |
| Red sandstone 7 3 0 | marl joints 1 5 0 |
| Red and grey sand- | Red marl 1 2 0 |
| stone 1 4 0 | Red sandstone 5 3 5 |
| Red sandstone 2 1 0 | Red marl 0 5 0 |
| Red and grey sand- | Red sandstone 3 1 8 |
| stone 3 0 6 | Red sandy marl 3 4 4 |
| Red sandstone 3 3 0 | Red marl 1 2 3 |
| Red marl 0 2 6 | Sandstone 0 2 0 |
| Red sandstone 4 4 6 | Sandy marl 0 3 9 |
| | |
| Carried forward 34 3 9 10 2 9 | Carried forward 89 5 10 10 2 9 |

No. 2,745.—HAVERTON HILL.—CONTINUED.

| Brought forward 89 5 10 10 2 9 Red sandy marl 4 3 4 Red sandstone 0 5 0 Red marl 2 2 8 Red marl, strong 0 2 0 Lower Gypseous Marls: Strong marl, with gypsum 1 2 3 Strong marl 2 2 8 Red sandy marl 3 4 10 Red marl, with long vein of gypsum 1 3 8 Red sandy marl 1 3 1 Red marl, with gypsum joints 1 4 10 Red marl, with gypsum joints 1 4 10 Gypsum, containing salt 14 2 6 Nalt and gypsum, mixed 1 4 10 Gypsum, containing salt 1 2 10 Nalt 1 2 10 Nalt 1 2 10 Nalt 1 2 10 Nalt and gypsum 0 5 0 Nalt 1 2 10 Nalt and gypsum 0 4 4 Red marl 1 0 0 | | |
|---|---------------------------------|-----------------------|
| Red sandy marl | | |
| Sum Sum | Pod condy morl A 3 A | |
| Sum Sum | Pod sandstone 0 5 0 | |
| Sum Sum | Ded man 2 2 2 | Pod more with own |
| Saliferous Beds : | Ded man strong 0 9 0 | ned mari, with gyp- |
| Saliferous Beds : Anhydrite 1 3 6 Strong marl, with gypsum 1 2 3 3 5 Strong marl. 2 2 8 Bed sandy marl 3 4 10 10 10 10 10 10 10 | ned mail, strong 0 2 0 | 32 3 2 |
| Marls: Strong marl, with gypsum 1 2 3 Strong marl 2 2 8 Bed sandy marl 3 4 10 Red sandy marl 3 4 10 Dark red marl, containing a little salt 1 5 1 Red sandy marl 1 3 8 Bed marl, with long vein of gypsum 1 3 8 Red sandy marl 1 3 1 Red sandy marl 1 3 1 Red sandy marl 1 3 1 Red marl, with gypsum joints 2 1 6 Red sandy marl 0 3 0 Gypsum, containing salt 1 4 10 Gypsum, containing salt 1 4 10 Gypsum, containing salt 1 2 10 Salt 1 2 10 Salt 1 2 10 Salt and gypsum 2 4 8 Anhydrite 1 1 2 Anhydrite 1 2 26 Salt 1 2 10 Salt 1 2 10 Salt and gypsum 2 4 8 Anhydrite 1 1 2 Salt 1 2 10 Salt 1 1 2 Salt 1 2 10 Salt 1 2 10 Salt 1 2 10 Salt | | |
| Strong marl, with gypsum 1 2 3 Strong marl 2 2 8 Red sandy marl 3 4 10 Dark red marl, containing salt 0 3 0 Salt and gypsum, mixed 1 4 10 Gypsum, containing salt 0 1 0 Gypsum, containing salt 1 2 10 Gypsum, containing salt 1 1 1 2 Gypsum, conta | | |
| Strong marl | | Delman containing |
| Red marl, with long vein of gypsum | Strong mari, with | |
| Red marl, with long Vein of gypsum | gypsum 1 2 3 | |
| Red marl, with long Vein of gypsum | Strong marl 2 2 8 | |
| Red marl, with long Vein of gypsum | Red sandy marl 3 4 10 | taining salt 0 3 0 |
| Mixed | Red marl, with long | Nalt 14 2 6 |
| Med sandy marl | vein of gypsum 1 3 8 | Salt and gypsum, |
| Gypsum, containing salt 0 1 0 | Red sandy marl 1 3 1 | mixed 1 4 10 |
| sum joints 2 1 6 Red sandy marl 0 3 0 3 0 6 6 3 0 5 0 0 5 0 0 5 0 8 8 1 2 1 2 10 | Red marl, with gyp- | Gypsum, containing |
| Salt 1 2 10 | sum joints 2 1 6 | 1 0~74 |
| Salt 1 2 10 | Red sandy marl 0 3 0 | Gypsum 0 5 0 |
| veins of gypsum 4 0 6 | Red marl, with veins | Salt 1 2 10 |
| veins of gypsum 4 0 6 | of gypsum 0 4 4 | Salt and gypsum 2 4 8 |
| veins of gypsum 4 0 6 | Red marl 1 0 0 | Anhydrite 1 1 2 |
| veins of gypsum 4 0 6 | | 26 3 7 |
| | | |
| Carried forward 19 1 10 108 3 7 Total <u>167 4</u> | 97 I | |
| | Carried forward 19 1 10 108 3 7 | Total167 4 4 |
| * To: 1: | | |

* Pinnel is coarse clayey gravel.

No. 2,746.—HAVERTON HILL.

TOWNSHIP OF BILLINGHAM, DURHAM.

Sheet 51 of Ordnance Map. Lat. 54° 35' 55'', Long. 1° 14' 13''.

Account of Strata passed through in the No. 4 (or Western) Bore-hole at Haverton Hill, for the South Durham Salt Company, Limited.

Approximate surface-level 10 feet above sea (Ordnance datum).

| | _ | |
|-----------------------------|-----|-------------------------------|
| Fs. Ft. In. Fs. Ft. I | u. | Fs. Ft. In. Fs. Ft. In. |
| Soil 0 1 0 | | Brought forward 48 3 8 11 3 0 |
| Yellow clay 0 4 0 | | Red sandstone 13 1 10 |
| Brown clay 1 4 0 | 1 | Red marl 0 1 0 |
| Brown clay and | | Red sandstone 11 4 6 |
| cobbles 2 5 0 | - | Red sandy marl 10 4 6 |
| Brown sand and clay 0 3 1 | 1 | Red marl 12 0 10 |
| Loamy sand 2 0 5 | - 1 | |
| Brown pinnel* 2 3 0 | | Lower Gypseous |
| Yellow sandy clay 0 1 9 | - 1 | Marls: |
| Brown pinnel* 0 4 9 | - 1 | Red marl, with veins |
| | 0 | of gypsum 23 2 6 |
| Red Sandstones and | - | 23 2 6 |
| Marls: | | Saliferous Beds: |
| Red sandstone 26 4 6 | | Anhydrite 1 0 0 |
| Red marl 0 4 0 | | Salty marl 2 2 0 |
| Red sandstone 13 1 0 | - 1 | Red salty marl 0 3 0 |
| Red marl 0 4 8 | ı | Rock salt 17 2 6 |
| Red sandstone 5 4 0 | | Gypsum 1 1 6 |
| Red marl 1 3 6 | | 22 3 0 |
| | - | |
| Carried forward 48 3 8 11 3 | 0 | Total154 0 10 |
| w. To ! | , | |

^{*} Pinnel is coarse clayey gravel.

No. 2,747.—HAVERTON HILL. TOWNSHIP OF BILLINGHAM, DURHAM.

Sheet 51 of Ordnance Map. Lat. 54° 35' 33'', Long. 1° 13' 15''.

Account of Strata passed through in a Diamond Bore-hole at Westfield, Haverton Hill, by Mr. John Vivian, for Mr. George Dyson.

Commenced May 30th, 1885, and stopped November 21st, 1885.

Approximate surface-level 5 feet above sea (Ordnance datum).

| ~ · · · | | | | Fs. Ft. In. | F | s. F | t. In. Fs. | | |
|------------------------|----|--------|-------|-------------|----------------------|------|-------------|---|----|
| Soil | 0 | 1 | _ | | Brought forward 6 | | 2 1 10 | 4 | 8 |
| Yellow clay | 0 | 2 | 0 | | Red sandstone | | 5 3 | | |
| Yellow clay Brown clay | 1 | 2 | 6 | | Red marl | L 2 | 2 6 | | |
| Sand | 0 | 2 | 0 | | Red sandstone | 3 2 | 2 6 | | |
| Hard red clay and | | | | | Red marl | 3 3 | | | |
| cobbles | 1 | 0 | 6 | | Sandy marl | L : | 2 6 | | |
| Sand | 0 | 0 | 6 | | Red marl | 3 (| 6 (| | |
| Tough brown pinnel* | 1 | 2 | -6 | | _ | | 82 | 0 | 10 |
| Sand | | 2 | 6 | | Lower Gypseous | | | | |
| Red elay | | 1 | 3 | | Marls: | | | | |
| Sand | | 5 | 3 | | Sandy marl, with | | | | |
| Brown sandy elay | | 1 | 0 | | veins of gypsum | 3 (| 0 0 | | |
| Brown pinnel* | | 3 | ō | | | 1 4 | 4 0 | | |
| Tough brown pinnel* | | 3 | 0 | | Red marl, with veins | | - | | |
| Rough sand and fine | | | | | of gypsum | 4 - | 1 0 | | |
| | 0 | 3 | -6 | | Red marl | 1 | 3 0 | | |
| Bound gravel | | | | | Red marl, with veins | | , , | | |
| Hard bound gravel | ő | 3 | - 8 | | of gypsum 2 | 2 2 | 1 6 | | |
| Hara Sound Staves | _ | - | | 10 4 8 | or gj parmin | | 36 | 0 | 6 |
| Red Sandstones and | 7 | | | 10 1 | Saliferous Beds: | | 00 | | Ü |
| Marls: | | | | | Anhydrite | 0 1 | 5 6 | | |
| Red sandstone | 6 | 12 | 1 | | Red marl, rather | • | | | |
| Red sandstone, with | | • • • | - | | salty | n : | 3 0 | | |
| veins of spar | | .3 | 9 | | Red salty marl | 1 / | 5 0 | | |
| White sandstone | | | 0 | | Red marl, containing | ٠, | , , | | |
| | | | 6 | | | | 2 6 | | |
| | 17 | 2 | | | Rock salt 1 | | 1 9 | | |
| | 1 | | 0 | | |) ' | . 9 | | |
| | 13 | 0 | 6 | | Rock salt, mixed | | 0 0 | | |
| | 0 | 4 | 0 | | with gypsum | | 0 0 | | |
| | 5 | 5 | 3 | | Gypsum and salt | 0 : | 2 6 | | |
| | 1 | 2 | 0 | | Gypsum, containing | | | | |
| Red marl | | 4 | 3 | | a little salt | | | | |
| | 13 | 1 | 9 | | Anhydrite |) . | | | |
| Red marl | 0 | 3 | 0 | | - | | | 3 | 2 |
| | | | _ | 10 1 | m | | 151 | | _ |
| Carried forward | 65 | 2 | 1 | 10 4 8 | Total | | <u>151</u> | 3 | |
| | 46 | : D; | ***** | lis coor | o alayor gravel | | | | |

* Pinnel is coarse clayey gravel.

No. 2,748.—HAVERTON HILL. TOWNSHIP OF BILLINGHAM, DURHAM.

Sheet 51 of Ordnance Map. Lat. 54° 35^{\prime} $55^{\prime\prime},$ Long. 1° 14^{\prime} $26^{\prime\prime}.$

Account of Strata passed through in a Bore-hole at Sandfield, Haverton Hill, 1886.

Approximate surface-level 15 feet above sea (Ordnance datum).

| Soil 6 1 6 Strong red clay 0 4 6 | Brought forwar Brown sand | 1 1 | 0 | | n. |
|-------------------------------------|---------------------------|-----|---|---|----|
| Carried forward 1 0 0 | Carried forwar | 1 6 | 0 | 4 | |

No. 2,748.—HAVERTON HILL.—CONTINUED.

| | | | In. Fs. | Ft. | In. | Fs. Ft. In. F | | In. |
|--|-------------------|-----------------------|-------------|-----|-----|--------------------------|-----|----------|
| Brought forw | | 0 | 4 | | | | 7 3 | 1 |
| Dark sand | 1 | 5 | 1 | | | Lower Gypseous | | |
| Brown clay | 0 | 3 | 4 | | | Marls: | | |
| Brown pinnel | and | | | | | Red marl, with gyp- | | |
| $\operatorname{cobbles}^{rac{*}{*}} \ldots$ | 3 | 1 | 7 | | | sum joints 1 2 6 | | |
| | | | 11 | 4 | 4 | Red sandy marl 8 4 11 | | |
| Red Sandstones | and | | | | | Strong red marl, with | | |
| Marls: | | | | | | veins of gypsum 6 2 9 | | |
| Red sandstone | $\dots 24$ | 1 | 8 | | | Red marl 0 1 0 | | |
| Red marl | 0 | 2 | 0 | | | Red marl, with veins | | |
| Red sandstone | 13 | 4 | 0 | | | of gypsum .:. 14 0 3 | | |
| Red marl | 0 | 3 | 0 | | | | 0 5 | 5 |
| Red sandstone | 6 | 2 | 7 | | | Saliferous Beds : | | |
| Red marl | 1 | 4 | 5 | | | Anhydrite 1 3 6 | | |
| Red sandstone | 17 | 0 | 2 | | | Red marl, salty 2 0 0 | | |
| Red sandstone, w | | | | | | Decayed brown marl, | | |
| beds of marl | 1 | 1 | 8 | | | containing salt 0 5 0 | | |
| Red marl | 0 | | 0 | | | Rock salt 13 2 10 | | |
| Red sandy marl | 0 | | 0 | | | Anhydrite and rock | | |
| Red sandstone | 3 | $\bar{2}$ | $\dot{2}$ | | | salt 0 1 6 | | |
| Red marl | 3 | 2 | 4 | | | Rock salt 0 1 0 | | |
| Red sandstone | 2 | 5 | 8 | | | Anhydrite and salt 0 4 2 | | |
| Red marl | \dots $\bar{2}$ | 2 2 2 5 3 | 6 | | | Anhydrite, contain- | | |
| Red sandy marl | 1 | ĭ | 9 | | | ing a little salt 1 3 9 | | |
| Red sandstone | 1 | ō | 7 | | | Rock salt 1 0 0 | | |
| Red marl | 4 | 5 | 3 | | | Anhydrite 0 0 9 | | |
| | | | — 85 | 4 | 9 | | 1 4 | 6 |
| | | | | | | , | | |
| Carried forw | ard | | 97 | 3 | 1 | Total15 | 0 1 | 0 |
| | | | ٠. | • | - | 10001111 | | <u> </u> |

^{*} Pinnel is coarse clayey gravel.

No. 2,749.—HAVERTON HILL.

TOWNSHIP OF BILLINGHAM, DURHAM.

Sheet 51 of Ordnance Map. Lat. 54° 35' 52", Long. 1° 14' 4".

Account of Strata passed through in No. 1 Diamond Bore-hole at Haverton Hill, for Messrs. C. Tennant and Partners, Limited.

Approximate surface-level 10 feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. In | |
|---|------------------------------------|
| Soil 0 1 6 | Brought forward 13 2 0 |
| Red sandy soil 0 5 6 | Sand and gravel 0 3 3 |
| Stiff dark muddy | 13 5 3 |
| clay 1 4 0 | Red Sandstones and |
| Stiff red clay 2 5 0 Red clay and cobbles 0 3 0 | Marls: |
| Red clay and cobbles 0 3 0 | Red sandstone 15 3 5 |
| Dark sand 0 0 9 | Grey sandstone 1 2 0 |
| Brown sand 2 4 7 | Red sandstone 27 2 7 |
| Brown sand, very | Red marl 0 3 0 |
| fine \dots 0 5 2 | Red sandstone 11 0 8 |
| Brown sandy pinnel | Grey stone 0 3 6 Red marl 0 3 0 |
| and gravel* 0 4 6. | Red marl 0 3 0 |
| Brown sandy clay | Red sandstone 6 1 0 |
| and cobbles 1 1 0 | Red marl 2 4 9 |
| Cobbly pinnel* 1 3 0 | Red sandstone 12 1 3 |
| | |
| Carried forward 13 2 0 | Carried forward 78 1 2 13 5 3 |

No. 2,749.—HAVERTON HILL.—CONTINUED.

| | | 774 | | ** | | | *** | | |
|----------------------|----|-----|-----------------|-----|---|-------------------------|-----|----------------|--------|
| Brought forward | | | In. Fs. 2 13 | | | Brought forward 14 | | | Ft. It |
| Red sandy marl | | 3 | 3 | J | J | Red marl, with blue | U | 0 11 | 0 4 |
| Red sandstone | ā | ·'n | ő | | | joints and veins of | | | |
| Red sandy marl | 7 | 9 | 9 | | | | 9 | 0 | |
| | | | | | | gypsum 12 | 4 | U | |
| Red sandstone | | | 0 | | 1 | Red marl, with gyp- | | | |
| Red marl | T | U | 6 | | | sum 7 | | 6 | |
| Red stone and beds | _ | _ | | | | Red marl 0 | 0 | | |
| of marl | | | 9 | | | | | 33 | 3 3 |
| Red marl | 3 | 1 | 0 | | | Saliferous Beds: | | | |
| Red stone and beds | | | | | | Anhydrite 1 | 3 | 0 | |
| of marl | 2 | 0 | 10 | | | Red marl, with salt 0 | 1 | 0 | |
| Red stone | 0 | 3 | 0 | | | Red marl, with veins | | | |
| Red marl, with blue | | | | | | of salt 3 | 5 | 4 | |
| joints | 3 | 0 | 0 | | | Rock salt 12 | | | |
| Red sandstone | | | Ö | | | Hard stone 0 | | 2 | |
| Red sandy marl | | | 6 | | | Hard stone, with salt 0 | | 8 | |
| area sunay mair | | ~ | — 10 | 1 1 | 9 | | _ | 0 | |
| Lower Gypseous | | | 10 | | 0 | | Λ | 0 | |
| Marls: | | | | | | sum 1 | | | |
| | | | | | | Hard blue stone 0 | U | 10 | |
| Red marl, with veins | | | | | | | | 19 | 4 1 |
| of gypsum | 14 | 0 | U | | | | | | |
| Carried forward | 14 | 0 | 0 11 | 5 4 | 0 | Total | | 169 | 0 |

^{*} Pinnel is coarse clayey gravel.

No. 2,750.—HAVERTON HILL.

TOWNSHIP OF BILLINGHAM, DURHAM.

Sheet 51 of Ordnance Map. Lat. 54° 36' 1", Long. 1° 14' 33".

Account of Strata passed through in No. 8a American System and Diamond Bore-hole at Haverton Hill, for the United Alkali Company, Limited. Completed November 18th, 1891.

Approximate surface-level 20 feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. I | n.i | a Ft | . In. Fs. Ft. In. |
|--|--------------------------|------|-------------------|
| Ordinary surface- | Brought forward | | 122 0 0 |
| | Saliferous Beds: | | |
| soil, etc 0 5 0 Blue clay 5 0 0 | Anhydrite | 1 3 | 0 |
| Sand and clay 2 3 0 Sand and gravel 2 3 0 | Rotten marl, con- | | |
| Sand and gravel 2 3 0 | taining salt | 1 | 0 |
| Gravel 0 5 0 | Rock salt | 7 0 | 0 |
| 11 4 | 0 | | 12 4 0 |
| Red Sandstones and | Magnesian Limestone | | |
| Marls: | and Lower Red | | |
| Soft sandstone 0 5 0 | Sandstone: | | |
| Red sandstone 54 1 0 | Light grey limestone 18 | 5 3 | 0 |
| Red marl 25 0 0 | Dark grey limestone | 3 0 | 0 |
| | 0 Light grey limestone 5 | 2 1 | 0 |
| Lower Gypseous | Dark grey limestone | 70 | 0 |
| Marls: | Black and red shale | 5 5 | 0 |
| Red marl 30 2 0 | Sand and water, with | | |
| 30 2 | 0 gas bubbles | 8 0 | 0 |
| | | | |
| Carried forward 122 0 | O Carried forward 9 | 2 3 | 0 134 4 0 |

No. 2,750.—HAVERTON HILL.—CONTINUED.

| Brought forward | | | | Fs. 1 134 | | | Brought forward | | | | s. Ft. | |
|------------------------|----------|----------|---|--------------|---|---|---------------------------------------|---|-----------|------|--------|-----|
| Black and red shale | | | | | | | Grey limestone, with | - | | | | |
| Grev limestone | _ | | | | | | a little shale | 2 | 0 | 0 | | |
| Shale | - | 0 | 0 | | | | Grev sandstone | | | | | |
| Sticky substance, like | | | | | | | Shale and a little | | | | | |
| fire-clay | 2 | 5 | 0 | | | | sand | 1 | 0 | 0 | | |
| Dark limestone | | | 0 | | | | COAL, with a little | | | | | |
| Sand | | | Ō | | | | gas | 0 | 2 | 0 | | |
| | 3 | | 0 | | | | Limestone | - | | 0 | | |
| Sand | ~ | 2 | 0 | | | | Sandstone | - | | 0 | | |
| | | | | 111 | 5 | Λ | Sandy shale, with a | | | | | |
| (1 1 16 16 | | | | 111 | 0 | U | little gas | 0 | 2 | 0 | | |
| Carboniferous Meas | | | _ | | | | Hard shale | Õ | | 0 | | |
| Shale and fire-clay | | 2 | 0 | | | | Hard black shale | | 3 | Õ | | |
| Fire-clay | | | 0 | | | | Grey sandstone | ō | 2 | 0 | | |
| Shale | 1 | | 0 | | | | Black shale | | $\bar{2}$ | ŏ | | |
| Grey limestone | 5 | | 0 | | | | Grey micaceous sand- | - | _ | | | |
| Black shale | | | 0 | | | | stone | 1 | 2 | 0 | | |
| Sandstone | 1 | 1 | 0 | | | | Black shale | - | | Õ | | |
| Sandstone and shale | 1 | 5 | 0 | | | | Limestone | | 2 | Õ | | |
| Limestone and shale | 1 | | 0 | | | | Grey micaceous sand- | - | _ | • | | |
| Sandstone | 5 | | 0 | | | | stone | 1 | 1 | 6 | | |
| Limestone | 1 | 5 | 0 | | | | Grey micaccous sand- | _ | - | ŭ | | |
| Light grey sandstone | 1 | 3 | 0 | | | | stone, with veins | | | | | |
| Dark sandstone and | | _ | _ | | | | of shale | 5 | 2 | 0 | | |
| shale | 3 | 3 | 0 | | | | Hard black shale, | | - | • | | |
| Shale | 7 | 2 | 0 | | | | with veins of sand- | | | | | |
| Black shale | 6 | 4 | 0 | | | | stone | 1 | 0 | 0 | | |
| Limestone | 2 | 4 | 0 | | | | | î | | ŏ | | |
| Grey sandstone | 3 | 1 | 0 | | | | Hard shale | _ | | Ö | | |
| Sandstone, mixed | | | | | | 1 | Micaceous sandstone | 1 | 2 | ŏ | | |
| with shale | 3 | 2 | 0 | | | | Hard grey shale | - | 3 | 6 | | |
| Fine sand, with | | | | | | | Hard black shale | | 0 | 6 | | |
| water | 2 | 4 | 0 | | | | | | 3 | 6 | | |
| Black shale and sand | 2 | 1 | 0 | | | | Dark sandy shale Hard black shale, | U | O. | U | | |
| Shale | 8 | 5 | 0 | | | | | 2 | 5 | 0 | | |
| Grey limestone | 2 | 0 | 0 | | | | into | 4 | o | - | 5 4 | Δ |
| · . | | | | | | _ | | | | - 11 | .o 4 | - 0 |
| Carried forward 7 | 74. | 4 | 0 | 246 | 3 | 0 | Total . | | | 362 | 2 1 | ó |
| Carried forward | | 100 | • | | 0 | | 10001 | | | | | |

No. 2,751.—HAVERTON HILL.

TOWNSHIP OF BILLINGHAM, DURHAM.

Sheet 51 of Ordnance Map. Lat. 54° 35′ 37″, Long. 1° 15′ 29″.

Account of Strata passed through in a Diamond Bore-hole at Stone Marsh or Sweethill, near Haverton Hill, 1886.

Approximate surface-level 25 feet above sea (Ordnance datum).

| | Fs. | Ft. | In. Fs. Ft. In. | |
|-------------------|-----|-----|-----------------|---------------------------|
| Soil | | | | Brought forward 7 2 0 |
| Yellow clay | 0 | 1 | 0 | Blue and sandy clay 1 4 0 |
| Red elay | | | | Red clay 1 2 0 |
| Brown pinnel* | 4 | 0 | 6 | Sand and gravel 0 1 0 |
| Red sandy pinnel* | | | | Gravel 0 2 0 |
| | | | _ | |
| Carried forward | 7 | 2 | 0 | Carried forward 10 5 0 |

No. 2,751.—HAVERTON HILL.—CONTINUED.

| | | | | - | | | *** | | | | |
|--|-----------|-----------|-------|-----|---|----------|--------|--------------|------------|-----|----------|
| Brought forward 10 | Ft. 5 | In. Fs. I | rt. I | n. | Brought forward | Fs. 24 | Ft. | . In.] 9 | F8. 100 | Ft. | In. 9 |
| Gravel and cobbles 0 | 2 | | | | Red marl, with veins | | | | | | |
| Sand and gravel 0 | 3 | | | | of gypsum | 1 | 1 | 6 | | | |
| Sand 0 | 2 | 0 | | | 871 | | | 2 | 25 | 4 | 3 |
| Gravel and cobbles 0 | 2 | 0 | | | V 216 71 2 | | | - | 20 | | J |
| Bound gravel and | | | | | Saliferous Beds: | | 0 | | | | |
| Bound gravel and pinnel* 0 | 5 | 0 | | | Anhydrite | Ŧ | 3 | 0 | | | |
| Pinnel and gravel* 0 | 4 | 6 | | | Decayed red marl, | | | | | | |
| Clayey sand 1 | ī | 0 | | - 1 | containing salt | | 4 | | | | |
| Pinnel and gravel* 0 | - 2 | 6 | | | Red salty marl | | | | | | |
| Bound gravel 1 | ō | Ğ | | | Anhydrite | 1 | 1 | 0 | | | |
| Fine gravel 0 | 4 | 3 | | | Salt and gypsum | I | 3 | 0 | | | |
| 1 Inc graver 0 | - | | | | Anhydrite | | 1 | 0 | | | |
| | | 17 | 2 | 9 | Anhydrite, with black | | _ | _ | | | |
| Red Sandstones and | | | | | joints | 2 | 2 | 3 | | | |
| Marls: | | | | - 1 | joints Anhydrite | 1 | 1 | 6 | | | |
| Red sandstone 29 | 5 | 3 | | | | | |] | 10 | 5 | 9 |
| Red marl 0 | 2 | 9 | | - 1 | Magnesian Limeston | 11.0 | | | | | |
| Red sandstone 3 | 2 | 3 | | | and Lower Red | | | | | | |
| Sandy marl 1 | 0 | 0 | | | Sandstone: | | | | | | |
| Red marl 0 Red sandstone 3 Sandy marl 1 Red marl 1 | 1 | 0 | | | | 1 | 1 | 9 | | | |
| Red sandstone 13 | 0 | 0 | | | Limestone with | | 1 | J | | | |
| Red sandy marl 3 | 3 | 0 | | | gracum joints | 2 | 0 | 6 | | | |
| Red marl 0 | 3 | 0 | | | limestone | 4 | | _ | | | |
| Red sandstone 5 | 1 | 6 | | | gypsum joints Limestone Limestone, with | 4 | 2 | 9 | | | |
| Red marl 1 | 0 | 6 | | - 1 | Limestone, with | 63 | - | 7 | | | |
| Red sandstone, with | | | | | gypsum veins | 2 | 5 | - 1 | | | |
| marl beds 2 | 3 | 3 | | - 1 | Hard blue stone, | | | | | | |
| Red marl, with red | | | | - 1 | with veins of gyp- | ^ | - | 0 | | | |
| sandstone beds 1 | 5 | 6 | | - 1 | sum | 0 | 5 | 8 | | | |
| Red marl, with blue | | | | | Red and blue marl, | • | | _ | | | |
| joints 1 | 1 | 3 | | | with gypsum | 0 | 1 | 8 | | | |
| Red sandstone, with | | | | | Hard blue and red | | _ | _ | | | |
| marl beds 2 | 2 | 3 | | - 1 | stone | 0 | 0 | 8 | | | |
| Red sandstone 0 | 4 | 0 | | - 1 | Anhydrite | 0 | 3 | 8 | | | |
| Red marl 2 | 2 | 9 | | l | Red marl, with an- | | | | | | |
| Red marl, with red | _ | • | | ı | hydrite and gyp- | _ | _ | | | | |
| sandstone 0 | 3 | 3 | | ŀ | sum | 0 | 2 | 10 | | | |
| Red marl 3 | Ô | 6 | | | Anhydrite, with red | | | | | | |
| Red marl, with blue | • | • | | | marl and gypsum | _ | | | | | |
| joints 6 | 5 | 6 | | | veins | 2 | 3 | 11 | | | |
| Red sandstone 0 | 2 | ő | | | Anhydrite and lime- | | _ | | | | |
| Red marl, with blue | - | · | | - 1 | stone | 2 | 2 | 8 | | | |
| joints 1 | 3 | 6 | | | Limestone, with | | | | | | |
| Joints I | J | - | _ | | gypsum veins and | | | | | | |
| | | 82 | 5 | 0 | blue shale joints | 1 | 5 | 11 | | | |
| Lower Gypscous | | | | 1 | Anhydrite Limestone, with | 0 | 3 | 4 | | | |
| Marls: | | | | - 1 | Limestone, with | | | | | | |
| Red marl, with blue | | | | - 1 | gypsum veins | 1 | 3 | 0 | | | |
| joints and veins of | | | | - 1 | gypsum veins Anhydrite | 0 | 4 | 0 | | | |
| | 2 | 3 | | | Anhydrite, with spots | | | | | | |
| gypsum 10 Red marl 2 | 3 | 0 | | | | | 3 | 1 | | | |
| Red marl, with veins | | | | - 1 | of gypsum Limestone, with | | | | | | |
| of gypsum 10 | 1 | 0 | | | gypsum veins | | 1 | 3 | | | |
| of gypsum 10 Red marl 1 | $\bar{2}$ | 6 | | - 1 | 301 | | | _ 2 | 29 | 4 | 3 |
| | _ | | | _ | | | | - | _ | _ | _ |
| Carried forward 24 | 2 | 9 100 | 1 | 91 | Total . | | | 16 | 66 | 4 | 0 |
| Control to make at | ~ | 0 100 | • | ٦ (| . Local . | • • • | | | | * | |

^{*} Pinnel is coarse clayey gravel.

No. 2,752.—HAZLERIGG.

TOWNSHIP OF EAST BRUNTON, NORTHUMBERLAND.

Sheet 88 of Ordnance Map. Lat. 55° 2' 23", Long. 1° 38' 36".

Approximate surface-level 250 feet above sea (Ordnance datum).

| a | Fs. | Ft. | In. | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
|----------------------------------|-----|----------|----------|-----|-----|-----|---|
| Sinking:— | | ^ | | | | | Brought forward 1 0 9 33 1 1 |
| | 0 | 0 | 9 | | | : | Blue metal 0 3 6 |
| Brown clay | | | 3 | | | | Post, with whin 0 4 0 |
| Strong boulder-clay | z | 2 | 0 | | | | Blue metal 1 5 0 |
| Sand | 0 | | 3 | | | | Black stone 0 5 8 |
| Strong boulder-clay | 2 | 5 | 9 | 0 | 0 | | COAL 008 |
| Duama franctone with | | | | 6 | 0 | 0 | Black stone 0 0 4 |
| Brown freestone, with | | | | | | | |
| 800 gallons of | | 1 | 9 | | | | V 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |
| water per hour | | 1 | 0 | | | | Grey metal, with girdles 1 2 3 |
| | 0 | | 10 | | | | |
| Soft metal | - | U | 10 | | | | 73 1 1 0 4 4 0 |
| COAL 1 0 | | | | | | | Blue metal 0 4 10 Ft. In. |
| Band 0 4 | | | | | | | COAL 1 1 |
| COAL 1 2 | | | | | | | Seggar-clay 0 8 |
| | 0 | 2 | 6 | | | | COAL and |
| | _ | | | 5 | 2 | 6 | splint 1 1 |
| Seggar-clay | 0 | 2 | 4 | | | | 0 2 10 |
| Grey metal, with post | | | | | | | 5 3 10 |
| girdles | 4 | 1 | 6 | | | | |
| Black stone | 0 | 1 | 3 | | | | 44 0 6 |
| COAL | 0 | 0 | 4 | | | | Bored further:— |
| | | | | 4 | 5 | 5 | Seggar-clay 0 1 4 |
| Seggar-clay | 0 | 1 | 3 | | | | Post 0 0 5 |
| Strong white post, | | | | | | | COAL 0 1 3 |
| with whin and 1,000 | | | | | | | 0 3 0 |
| gallons of water | | _ | _ | | | | Grey metal 0 4 8 |
| per hour at bottom | | 2 | 8 | | | | Grey metal and post 0 4 0 |
| Grey metal, with post | | | | | | | Grey and blue metal 2 1 6 |
| _girdles | _ | 4 | 6 | | | | Dark blue metal 0 2 9 |
| Black stone | | 0 | 1 | | | | Grey metal 0 3 6 |
| Seggar-clay | | 3 | 6 | | | | Grey metal and seg- |
| Grey metal, with post | | _ | _ | | | | gar-clay 1 2 0 |
| girdles | | 3 | 5 | | | | Dark blue metal 0 2 2 |
| White post | 3 | 2 | 5 | | | | Plessey Seam— |
| Soft metal, with 1,400 | | | | | | | COAL 0 1 5 |
| gallons of water | ^ | 0 | n | | | | 6 4 0 |
| per hour | ^ | 0 1 | 2 0 | | | | Seggar-clay and blue metal 0 2 0 |
| COAL | U | 1 | U | 8 | 1 | 0 | Soft dark blue metal 0 0 10 |
| Socrar alay | 0 | 2 | 11 | G | 1 | v | COAL, soft 0 0 8 |
| Seggar-clay Strong white post | | 4 | 1 | | | | 0 3 6 |
| Grey post | • | 5 | ō | | | | Blue metal, with |
| Grey metal, with post | | ۰ | ٠ | | | | coal pipes 0 0 8 |
| girdles | • | 3 | 2 | | | | Seggar-clay and blue |
| Black stone | - | | 0 | | | | metal 0 5 6 |
| COAL | _ | 1 | 0 | | | | Grey metal 1 0 6 |
| | | | _ | 8 | 4 | 2 | Grey metal and seg- |
| Seggar-clay | 0 | 3 | 6 | | | | gar-clay 0 3 6 |
| Grey post | ^ | 3 | 3 | | | | Blue metal, with balls 0 1 0 |
| | _ | | | | | _ | |
| Carried forward | 1 | 0 | 9 | 33 | 1 | 1 | Carried forward 2 5 251 5 0 |
| | | | | | | | |

No. 2,752.—HAZLERIGG.—Continued.

| Fs. Ft. In. Fs. 1 | | Fs. Ft. In. Fs. Ft. In. |
|---|------|--|
| Brought forward 2 5 2 51 | 5 0 | |
| COAL 0 0 2 | | Dark blue metal 0 0 1 |
| 2 | 5 4 | Hard post 4 0 1 |
| Grey metal and seg- | 1 | Dark blue metal 0 0 1 |
| gar-clay 0 1 0 | | COAL 0 0 4 |
| Grey metal and post 1 0 0 | | 16 4 10 |
| Grey and blue metal 0 5 0 | | Seggar-clay 0 1 4 |
| Hard grey metal 0 0 5 | | Hard post 0 2 0 Post and grey metal 0 1 6 |
| Dark blue metal 0 0 10 | | Post and grey metal 0 1 6 |
| COAL 0 0 8 | | Seggar-clay and blue |
| 2 | 1 11 | metal 1 0 0 |
| Seggar-clay 0 1 9 | | Dark blue metal 0 1 3 |
| | | Beaumont Seam- |
| Grey metal and post 0 5 6 Hard post 4 3 2 | - 1 | COAL 0 3 1 |
| Soft seggar-clay 0 1 6 | | 2 3 2 |
| | 1 | Seggar-clay 0 0 4 |
| Hard grey metal 0 2 4 | | Seggar-clay and grey |
| Seggar-clay 0 2 0 Hard grey metal 0 2 4 Grey and blue metal 1 0 4 | | motal 0 2 0 |
| Grey metal and post 0 3 9 | | COAL 0 0 10 |
| Hard grey metal 0 1 6 | | 0 3 2 |
| Soft seggar-clay 0 2 3 | | Seggar-clay 0 1 4 |
| Grey metal and post 0 4 6 | | Grey metal 0 2 6 |
| Hard grey metal 0 1 6 | | Hard post 0 0 4 |
| | | Hard post 0 0 4 |
| Hard post 2 4 2 | | 0 4 2 |
| Carried forward 12 4 3 57 | 0 3 | Total 77 3 7 |
| | . 0 | |
| | | |

No. 2,753.—HEBBURN.

TOWNSHIP OF JARROW, DURHAM.

Sheet 3 of Ordnance Map. Lat. 54° 58' 53", Long. 1° 30' 34".

Account of Strata sunk and bored through from the Hutton Seam in a Staple, 134 yards from the A Pit at Hebburn Colliery, 1875, 1886 and 1888.

Approximate surface-level 65.03 feet above sea (Ordnance datum).

| | | | _ | | | _ | | | | | | | |
|----------------------|-----|--------|-----|-----|-----|-----|-----------------------|-----|---|---|-----|---|-----------|
| Str. Line. | Fs. | Ft. | In. | Fs. | Ft. | In. | | | | | Fs. | | |
| Sinking:- | | | | | | | Brought forward | 1 | 0 | 6 | 187 | 5 | 7 |
| Depth from surface | | | | | | | Grey shell post | - 1 | 1 | 8 | | | |
| to Hutton Seam | | | | 177 | 5 | 6 | Blue metal stone | 2 | 4 | 6 | | | |
| Seggar-clay | 0 | 2 | 11 | | | | Soft dark blue stone, | | | | | | |
| Hard blue stone | 0 | 5 | 1 | | | | with iron girdles | 1 | 3 | 2 | | | |
| Mild grey post, with | | | | | | | Blue stone | 0 | 4 | 5 | | | |
| hard girdles | 1 | 1 | 5 | | | | Blue whin girdles | 0 | 1 | 2 | | | |
| Blue metal | | | | | | | Hard white post | | | | | | |
| Mild grey post, with | | | | | | | Blue metal stone | | | 4 | | | |
| hard girdles | 2 | 2 | 9 | | | | COAL | | | 7 | | | |
| Hard white post | | | | | | | | | | | 9 | 3 | 4 |
| COAL | | | 1 | | | | Blue stone | 1 | 1 | 1 | - | - | _ |
| Blue stone | 1 | 5 | 3 | | | | Blue metal stone | | | | | | |
| COAL | | 0 | 9 | | | | Dark post stone | | | | | | |
| | | | | 10 | 0 | 1 | | ő | ī | 8 | | | |
| Blue stone | 0 | 4 | | | • | - | Grey whin girdles | | | | | | |
| Dark shell post | | 2 | | | | | Blue stone | | ô | 3 | | | |
| - III DIELI POST | | | _ | | | | | | | | | | |
| Carried forward | 1 | 0 | 6 | 187 | 5 | 7 | Carried forward | 4 | 0 | 1 | 197 | 2 | <u>11</u> |

No. 2,753.—HEBBURN.—Continued.

| Brought forward 4 | 210. | ~, . | 0 | | | | CAUTT CONTINCED. |
|--|--|------------------|------------------|---|---|----------|---|
| Grey post | Beaumont Seam— Ft. In. COAL 2 4 Clay 1 9 | | | 8 | | | Very hard compact white post 0 1 0 Hard post 1 3 0 Leafy post 0 3 7 Leafy mild post 1 1 6 |
| Grey metal, with post girdles | White post COAL Blue stone, with iron girdles COAL Blue stone | 1 0 1 0 | 5 0 2 0 | $egin{array}{c} 2 \\ 8 \\ 1_{rac{1}{2}} \\ 1_{rac{1}{2}} \\ 1_{rac{1}{2}} \end{array}$ | 4 | 9 | Splint band 0 1 COAL 0 5 Shale and coal 1 7 COAL 0 6 Shale band 0 1½ COAL 1 8 COAL, splint 0 6 |
| Post and blue metal, mixed | Grey metal, with post girdles | 1 | 2 | 6 | | | Hard seggar-clay 0 4 0 5 3 8 |
| COAL | Blue metal stone | 0 | 4 | $\frac{4}{9}$ 7 | 0 | 9 | Post and blue metal, mixed 0 1 9 Post 10 0 4 |
| Strong posty seggar-clay | COAL 0 3 Blue metal | 0 | 5 | 9 | | | COAL, good 0 3 COAL, inferior 0 2 0 0 5 |
| Blue stone | | 0 | 1 | 8 | | | Strong posty seggar- |
| Good seggar-clay 1 0 3 3 3 4 2 3 4 0 3 4 0 3 4 2 3 4 2 3 4 2 3 4 2 3 4 2 3 4 2 3 4 2 3 4 2 3 4 2 3 4 2 3 4 2 3 4 2 3 4 2 3 4 2 3 4 2 3 3 4 2 3 3 4 2 3 3 4 2 3 3 4 2 3 3 4 2 3 3 4 2 3 3 4 2 3 3 4 2 3 3 4 2 3 3 4 2 3 3 4 2 3 3 4 2 3 3 3 3 3 3 3 3 3 | Post and blue metal, | 1 | 1 | 6 | 0 | 11 | Blue metal 0 2 0 Blue metal 0 1 9 COAL, good 0 0 7 |
| COAL | Hard white post | | | | | | Grey metal 0 2 0 Seggar-clay 0 1 6 |
| Post | COAL 0 3 | 0 | 2 | | 2 | 2 | Post 3 2 8 Blue metal 0 0 2½ Post 0 0 4 |
| COAL 0 0 6 Mild post 1 0 0 2 GOAL 0 2 8 3 4 2 Hard seggar-clay 0 1 0 0 1 3 3 5 3 6 0 0 1 3 3 6 0 | Mild grey post Bastard post | 0 | 3 5 | 6 0 | | | Post 0 2 4 Blue metal 0 5 0 COAL 0 0 1 |
| Hard seggar-clay 0 1 0 Dark fine post 0 0 2 Strong post, with stone bands 0 1 10 Hard seggar-clay 0 4 0 Grey metal and post, mixed 0 3 0 Strong post, with stone bands 0 3 0 Strong post, with stone bands 0 4 0 Grey metal and post, mixed 0 3 0 Strong post, with stone 0 3 0 Strong post, with strong post, with stone post 0 4 5 Strong post 0 4 5 Strong post 0 4 5 Strong post 0 0 0 1½ | Mild post | $_{1}^{0}$ | 0 | 0 8 | 4 | 2 | Seggar-clay 0 1 2 Grey metal 0 1 3 Strong post 4 0 0 |
| Strong post 5 0 0 | Mild post Hard post | _ | 4 | 0 | - | - | Dark fine post 0 0 2 Strong post, with |
| Hard seggar-clay 0 4 0 | | 0 | 1 | | 5 | 4 | Strong post 5 0 0 Leafy post 0 2 0 |
| | Grey metal and post, | | | | | | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| Carried forward 1 1 0 230 3 0 Carried forward 14 3 $8\frac{1}{2}$ 255 3 1 | Carried forward | | 1 | | 3 | <u> </u> | Carried forward 14 $38\frac{1}{2}$ 255 31 |

No. 2,753.—HEBBURN.—CONTINUED.

| | | | Fs. | | | Fs. Ft. In. Fs. Ft. In. |
|-----------------------|----|----------------|-----|---|----|--------------------------------|
| Brought forward 14 | 3 | $8\frac{1}{2}$ | 255 | 3 | 1 | Brought forward 17 3 0 287 2 5 |
| strong coarse seg- | | | | | | Ironstone girdle 0 0 3 |
| gar-elay 0 | 1 | 10 | | | | Hard post 0 2 9 |
| COAL 0 | 0 | 9 | 2 | | | Soft dark post 0 1 0 |
| | | | 15 | 0 | 4 | Black stone 0 2 11 |
| oft dark shale 0 | 0 | 4 | | | | Dark metal 0 4 0 |
| OAL 0 | 0 | 1 | | | | Black stone 0 0 4 |
| oft dark shale 0 | `0 | 10 | | | | Post 0 1 10 |
| trong seggar-elay 0 | 1 | 8 | | | | Whin 0 1 0 |
| ost 0 | 0 | 5 | | | | Hard post 0 0 7 |
| rey metal 0 | | 6 | | | | Leafy post 0 3 3 |
| ost 0 | | | | | | Grey metal 1 2 9 |
| Blue shale 0 | | | | | | Hard post 0 4 7 |
| ost stone 1 | | 0 | | | | Thin post panels 0 1 0 |
| | 5 | | | | | Ironstone girdle 0 0 3 |
| Iard leafy post 1 | | 2 | | | | Post 0 5 9 |
| tara reary post 1 | | | 7 | 2 | 1 | 0 4 4 |
| | | | ٠ | | | D 1 |
| | | 67 | 77 | 5 | 6 | |
| Danal fronthon | | _ | | J | U | 33 |
| Bored further: | = | 77 | | | | |
| ery hard white post 4 | 5 | 7 | | | | Grey metal 0 2 0 |
| Dark grey metal, with | _ | | | | | Post panels, with |
| thin ironstone 3 | | 0 | | | | metal partings 0 1 6 |
| Iard grey post 0 | | | | | | Post 0 2 4 |
| ight grey metal 0 | | 6 | | | | Post, with metal |
| OAL 0 | 0 | 4 | | _ | | partings 0 2 3 |
| | | | 9 | 2 | 11 | Post 0 1 9 |
| Iard white and grey | | | | | | Whin 0 0 6 |
| post 1 | 4 | 10 | | | | Post 0 0 6 |
| trong grey metal, | | | | | | Grey metal 1 0 6 |
| with ironstone | | | | | | Blue stone 0 4 1 |
| girdles 1 | 1 | 5 | | | | Grey metal 0 2 6 |
| ery soft white post 2 | 3 | - 3 | | | | Post 0 0 9 |
| oft dark grey metal, | | | | | | Whin 0 0 3 |
| with coal 0 | 0 | 6 | | | | Post 0 2 9 |
| Iard white and grey | | | | | | Grey metal 0 5 2 |
| post 4 | 5 | 1 | | | | Black stone 0 1 0 |
| Post 1 | 4 | ô | | | | Grey metal 0 2 6 |
| rev metal 0 | | 6 | | | | Post 0 3 3 |
| Post 0 | | 9 | | | | Post, with thin |
| | | 1 | | | | metal partings 0 2 0 |
| | | 6 | | | | |
| | | | | | | 2 000 111 |
| | | 0 | | | | Bastard post 0 0 11 |
| Hard grey post 0 | | 11 | | | | Whin 0 0 3 |
| Blue metal 0 | | | | | | Post, into 0 0 10 |
| rey metal 0 | | 6 | | | | 34 0 4 |
| rey post 0 | 0 | 7 | | | | |
| | 3 | | 287 | - | 5 | Total321 2 9 |
| Carried forward 17 | | | | | | |

* The following is a section of the seam 9 yards south of the staple :-

| COAL, good Soft band COAL, good | | | 1 0 0 | 1n. 9½ 2 4¼ |
|---------------------------------------|------|------|-----------------|----------------------|
| Г | otal | | 2 | 33 |

No. 2,754.—HEBBURN.

TOWNSHIP OF HEBBURN, DURHAM.

| Sheet | 3 of | Ordnance | Мар. | Lat. | | | , Lor | ıg. | | |
|---------|--------|----------|--------|--------|------------------|---|-----------|--------|------|---|
| | | | | | _ | | | | | |
| ount of | Strate | massad t | brough | in the | λ^{τ} | 1 | Rore-hole | at the | Nonn | 1 |

Account of Strata passed through in the No. 1 Bore-hole at the New G. Dock, Hebburn-on-Tyne. Commenced July 3rd, 1901.

Approximate surface-level feet above sea (Ordnance datum).

From scaffold to bed
of river 2 2 0
Puddled clay and
river mud ... 2 5 6
Old timber 0 1 0
Soft grey loamy sand 3 3 11

Carried forward 9 0 5

Brought forward 9 0 5 5
Brown stony clay ... 0 3 4
Coarse grey sand, into ... 0 5 3 ... 10 3 0

Total ...

... 10 3 0

No. 2,755.—HEBBURN. TOWNSHIP OF HEBBURN, DURHAM.

Sheet 3 of Ordnance Map. Lat.

, Long.

Account of Strata passed through in the No. 6 Bore-hole at the New Graving Dock, Hebburn-on-Tyne, opposite the South-west Pier of the Dock and 30 feet riverward from pile. Commenced August 19th, 1901.

Approximate surface-level feet above sea (Ordnance datum).

From datum line to bed of river ... 3 4 0
River mud and sand 2 4 0
Dark sand, with water 1 2 0
Soft grey loamy clay 0 2 8

Carried forward 8 0 8

Carried forward 5 5

Total ...

... 11 0 7

No. 2,756.—HEBBURN. TOWNSHIP OF HEBBURN, DURHAM.

Sheet 3 of Ordnance Map. Lat.

, Long.

Total ...

Account of Strata passed through in the No. 7 Bore-hole at the New Graving Dock, Hebburn-on-Tyne, 66 feet due South from No. 6 Bore-hole and 40 feet riverward from High Water Mark, August 27th, 1901.

Approximate surface-level feet above sea (Ordnance datum).

Fs. Ft. In. Fs. Ft. In. From scaffold to slag 1 Brought forward 5 5 5 Slag, sunk through 0 3 6 Hard brown stony 2 10 1 1 1 Soft clay clay Gravel and sand, Slag balls and clay Lime riddlings and 3 10 with water, affected small slag by tide ... Sand, with water ... River mud and loamy clay ... 1

No. 2,757.—HEDLEY.

TOWNSHIP OF HEDLEY, NORTHUMBERLAND.

Sheet 104 of Ordnance Map. Lat. 54° 55' 42", Long. 1° 53' 17".

Account of Strata sunk and bored through near the mouth of the Brockwell Seam Drift at Hedley Colliery, by Mr. Frank Coulson, October, 1888.

Approximate surface-level 620 feet above sea (Ordnauce datum).

| Sinking: | Fs. | Ft. | In. | Fs. | Ft. | In. | Brot. forward 1 6½ 2 3 6 9 5 1 |
|--------------------------------|----------------|-----|-----|-----|-----|-----|--|
| | 0 | 3 | 0 | | | | |
| Sandy clay | 0 | 3 | 9 | | | | |
| Stone clay | 0 | о | 9 | | | | COAL, coarse 0 1 |
| | _ | | _ | 1 | 0 | 9 | — 0 1 8½ |
| Broken freestone | 0 | 4 | 6 | | | | 2 5 2 |
| Dark freestone | 0 | 1 | 3 | | | | Grey metal 0 1 0 |
| Dark grey shale | 0 | 1 | 0 | | | | Grey metal, with post . |
| 71 | 0 | 4 | 9 | | | | girdles 0 2 5 |
| Dark shale, with post | t | | | | | | Hard brown post 0 4 5 |
| | 0 | 3 | 8 | | | | Grey post 0 4 4 |
| | 1 | 5 | 8 | | | | Dark grey metal 0 1 9 |
| Dark grev post | . 0 | 3 | 9 | | | | Yellow sandstone, |
| | . 0 | 3 | 6 | | | | with metal part- |
| Dark blue shale | . 1 | 1 | 4 | | | | ings 0 3 6 |
| | 0 | _ | 6 | | | | Hard white post 1 2 8 |
| | | • | | 6 | _ | 11 | Dark grey metal 0 1 8 |
| | | | | O | 9 | 11 | Light grey metal 0 5 10 |
| Fire-clay, with iron | 1- | | | | | | Black metal 0 0 11 |
| stone girdles | 0 | 4 | 6 | | | | COAL, bright 0 0 61 |
| Blue shale, with pos | t | | | | | | , , |
| | . 0 | 3 | 5 | | | | 5 5 0 |
| GOAL* | 0 | 0 | 6 | | | | Dark grey metal 0 0 41 |
| | _ | | _ | 1 | 2 | 5 | Light grey metal or |
| Cina alam mirad with | | | | _ | | • | fire-clay 0 2 11 |
| Fire-clay, mixed with | | 2 | 0 | | | | Strong grey shale, |
| post | . 0 | 4 | 0 | | | | with post girdles 1 0 9 |
| | | | _ | 0 | 2 | 0 | Hard white post and |
| | | | | | _ | | yellow freestone 1 4 0 |
| | | | | 9 | 5 | 1 | Yellowfreestone, with |
| Bored further :- | | | | J | U | • | open partings: lost |
| White post | . 1 | Λ | 0 | | | | water in bore-hole |
| Grey post | _ | 3 | 6 | | | | and staple 1 3 6 |
| | _ | 4 | 7 | | | | Hard white post, with |
| n1 1 1 | | 1 | 5 | | | | hard girdles 2 5 0 |
| Blue shale Eltringham Canne | | | J | | | | Dark grey shale, with |
| Coal Seam— | ı | | | | | | post girdles 5 0 10 |
| | | | | | | | Hard whin, into 0 0 8 |
| COAL 1 | | | | | | | The state of the s |
| | $0\frac{1}{2}$ | | | | | | 13 0 0 <u>1</u> |
| | 4 | | | | | | |
| COAL, coarse, | | | | | | | |
| with black | | | | | | | |
| stone 0 | 4 | | ٠ | | | | |
| Car. forward 1 | 61.9 | 3 | 6 | 0 | 5 | 1 | Total 31 3 41 |
| Car, forward I | 07 4 | 1) | U | J | J | 1 | Total 31 3 4} |

^{*}These two small seams are the same seams as are met with in the No. 2 Bore-hole (No. 2,758), the depth below the *Brockwell Seam* to the lower one being 15 fathoms 1 foot 6 inches.

No. 2,758.—HEDLEY.

TOWNSHIP OF HEDLEY, NORTHUMBERLAND.

Sheet 104 of Ordnance Map. Lat. 54° 55′ 42″, Long. 1° 53′ 24″.

Account of Strata passed through in the No. 2 Bore-hole at Hedley Colliery, by Mr. Frank Coulson.

Approximate surface-level 560 feet above sea (Ordnance datum).

| Brought forward 4 2 2 4 3 | | | | | | | | |
|--|----------------------|---|---|---|-----|-----|-----|-------------------------|
| Dark grey shale 0 | ~1 1 I | | | | Fs. | Ft. | In, | Fs. Ft. In. Fs. Ft. In. |
| Dark grey shale 0 | Clay and stones | 0 | 2 | 6 | _ | | | |
| Yellow freestone and grey post, with water 1 0 0 O 0 1 1 | | | | _ | 0 | 2 | 6 | |
| Strong yellow freestone; with water 1 0 0 0 1 1 | Dark grey shale | 0 | 4 | 6 | | | | |
| Strong yellow freestone: lost water Dark grey shale 0 1 6 Strong yellow freestone: lost water Strong yellow freestone: lost water Dark grey shale 0 1 6 Strong yellow freestone: lost water Dark grey shale 0 1 6 Strong yellow freestone: lost water Dark grey shale 0 1 6 Strong yellow freestone: lost water Dark grey shale 0 1 6 Strong yellow freestone: lost water Dark grey shale 0 1 6 Strong yellow freestone: lost water Dark grey shale 0 1 6 Strong yellow freestone: lost water Dark grey shale 0 1 6 Strong yellow freestone: lost water Dark grey shale 0 1 6 Strong yellow freestone: l | Yellow freestone and | | | | | | | 5 5 2 |
| Dark grey shale 0 4 8 Black shale 0 1 7 Light grey shale 0 1 8 Brockwell Seam— Strong yellow freestone: lost water here 1 4 6 Dark grey shale 0 1 6 Yellow freestone, with white post panels 2 5 To strong dark grey post and shale 2 10 COAL 0 11 | grey post, with | | | | | | | Light grey shale 0 0 4 |
| Dark grey shale 0 4 8 Black shale 0 1 7 Light grey shale 0 1 8 Brockwell Seam— Strong yellow freestone: lost water here 1 4 6 Brockwell Seam— COAL 2 5 Dark grey post and shale 2 10 COAL 0 11 — 1 0 2 For Grey post, with shale partings and yellow freestone, with water 2 1 4 Dark grey shale, with water 2 1 4 Dark grey shale, with thin post girdles 1 1 2 Black shale 0 0 0 4 Black shale, mixed with coal 0 0 0 6 Seggar-clay 0 2 3 Black shale 0 0 0 6 Seggar-clay 0 0 1 0 Strong yellow freestone: lost water here 1 4 6 Dark grey shale 0 1 6 Yellow freestone, with white post panels 2 5 7 Dark grey shale 0 1 6 Yellow freestone, with white post panels 2 5 7 Strong dark grey shale 0 1 6 Yellow freestone, with white post panels 2 5 7 Strong yellow freestone: lost water here 1 4 6 Dark grey shale 0 1 6 Yellow freestone, with white post panels 2 5 7 Strong yellow freestone: lost water here 1 4 6 Dark grey shale 0 1 6 Yellow freestone, with white post panels 2 5 7 Strong yellow freestone: lost water here 1 4 6 Dark grey shale 0 1 6 Yellow freestone, with white post panels 2 5 7 Strong yellow freestone: lost water here 1 4 6 Dark grey shale 0 1 6 Yellow freestone, with white post panels 2 5 7 Strong yellow freestone: lost water here 1 4 6 Dark grey shale 0 1 6 Yellow freestone, with white post panels 2 5 7 Strong yellow freestone. 0 1 6 Yellow freestone. Yellow freestone. 0 1 6 Yellow freestone. 0 2 5 7 0 0 3 Seggar-clay with post gird | water | 1 | 0 | 0 | | | | Grey whin 0 0 11 |
| Light grey shale 0 1 8 Brockwell Seam— COAL 2 5 Dark grey post and shale 2 10 COAL 0 11 ————————————————————————————————— | Dark grey shale | 0 | 4 | 8 | | | | Strong yellow free- |
| Light grey shale 0 1 8 Brockwell Seam— COAL 2 5 Dark grey post and shale 2 10 COAL 0 11 ————————————————————————————————— | Black shale | 0 | 1 | 7 | | | | stone: lost water |
| Brockwell Seam— | Light grev shale | 0 | 1 | 8 | | | | here 1 4 6 |
| Ft. In. COAL 2 5 Dark grey post and shale 2 10 COAL 0 11 0 2 7 To CoAL 0 1 1 0 1 0 1 1 0 1 1 0 1 1 0 1 1 0 | Brockwell Seam- | | | | | | | Dark grev shale 0 1 6 |
| COAL 2 5 Dark grey post and shale 2 10 COAL 0 11 — 1 0 2 4 0 7 Black shale 0 2 7 Grey post, with shale partings and yellow freestone, with water 2 1 4 Dark grey shale, with thin post girdles 1 1 2 Black shale 0 0 3 Seggar-clay, with ironstone balls 0 4 3 Dark grey shale, with thin post girdles 1 1 2 Black shale 0 5 9 COAL* 0 5 9 | | | | | | | | Yellow freestone |
| Dark grey post and shale 2 10 COAL 0 11 0 11 0 1 | | | | | | | | with white nost |
| Post and shale 2 10 COAL 0 11 0 11 0 11 0 11 0 11 0 11 0 1 0 1 . | | | | | | | | nanels 2 5 7 |
| shale 2 10 COAL 0 11 | nost and | | | | | | | |
| Dark grey metal 0 5 0 Black metal 0 1 4 | | | | | | | | nost 1 9 0 |
| | | | | | | | | |
| Black shale 0 2 7 Grey post, with shale partings and yellow freestone, with water 2 1 4 Dark grey shale, with thin post girdles 1 1 2 Black shale 0 0 4 Black shale, mixed with coal 0 0 6 Seggar-clay 0 2 3 Seggar-clay, with ironstone balls 0 4 3 Dark grey shale, with post girdles 0 5 9 COAL* 0 0 6 Grey shale, into 0 1 0 Grey shale, into 0 1 Grey shale, int | | 1 | Λ | 9 | | | | Dark grey metal 0 5 0 |
| Black shale 0 2 7 Grey post, with shale partings and yellow freestone, with water 2 1 4 Dark grey shale, with thin post girdles 1 1 2 Black shale 0 0 4 Black shale, mixed with coal 0 0 6 Seggar-clay 0 2 3 Seggar-clay, with ironstone balls 0 4 3 Dark grey shale, with post girdles 0 5 9 COAL* 0 0 6 Grey shale, into 0 1 0 Grey shale, into 0 1 Grey shale, int | | T | U | 4 | | ^ | ~ | Diack metal 0 1 4 |
| Grey post, with shale partings and yellow freestone, with water Black shale 0 0 3 Dark grey shale, with thin post girdles 1 1 2 Dark grey shale, with post girdles 0 0 5 9 Black shale 0 0 4 COAL* 0 0 6 Grey shale, into 0 1 0 0 1 Grey shale, into 0 1 0 0 1 Grey shale, into 0 1 0 0 1 | D1111. | | - | | 4 | U | 1 | |
| partings and yellow freestone, with water 2 1 4 Dark grey shale, with thin post girdles 1 1 2 Black shale 0 0 4 Black shale, mixed with coal 0 0 6 Seggar-clay 0 2 3 Seggar-clay 0 1 0 | | U | Z | 7 | | | | |
| flow freestone, with water 2 1 4 Dark grey shale, with thin post girdles 1 1 2 Black shale 0 0 4 Black shale, mixed with coal 0 0 2 3 Seggar-clay 0 2 3 | | | | | | | | |
| water 2 1 4 Dark grey shale, with thin post girdles 1 1 2 Black shale 0 0 4 Black shale, mixed with coal 0 0 6 Seggar-clay 0 2 3 Grey shale, into 0 1 0 Grey shale, into 0 1 0 1 | | | | | | | | Seggar-clay, with |
| Dark grey shale, with thin post girdles 1 1 2 Black shale 0 0 4 Black shale 0 0 6 Seggar-clay 0 2 3 post girdles 0 5 9 COAL* 0 0 6 Grey shale, into 0 1 0 | | | | | | | | |
| thin post girdles 1 1 2 Black shale 0 0 4 Black shale, mixed with coal 0 0 6 Seggar-clay 0 2 3 | | 2 | 1 | 4 | | | | Dark grey shale, with |
| thin post girdles 1 1 2 Black shale 0 0 4 Black shale, mixed with coal 0 0 6 Seggar-clay 0 2 3 | | | | | | | | post girdles 0 5 9 |
| Black shale, mixed with coal 0 0 6 Seggar-clay 0 2 3 | thin post girdles | 1 | 1 | | | | | CÒAL* 0 0 6 |
| with coal 0 0 6 Seggar-clay 0 2 3 | Black shale | 0 | 0 | 4 | | | | 1 4 9 |
| with coal 0 0 6 Seggar-clay 0 2 3 | Black shale, mixed | | | | | | | Grev shale, into 0 1 0 |
| Seggar-clay 0 2 3 | | 0 | 0 | 6 | | | | |
| | | | | | | | | , - · |
| Carried forward 4 2 2 4 3 1 Total 19 5 | | | | | | | | |
| 10001 | Carried forward | 4 | 2 | 2 | 4 | 3 | 1 | Total 19 5 7 |
| | | _ | _ | _ | - | _ | - | 10001 |

* These two small seams are the same seams as are met with in the Staple (No. 2,757) sunk from the surface about 60 yards west of this Borc-hole.

No. 2,759.—HEDLEY HILL. TOWNSHIP OF CORNSAY, DURHAM.

Sheet 25 of Ordnance Map. Lat. , Long.

Account of Strata sunk through to the Main Coal Seam at Hedley Hill Colliery.

Approximate surface-level feet above sea (Ordnance datum).

| Soil Post Blue metal Post | 0 1 6 | $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ |
|---------------------------|-----------|---|
| Carried forwa | ard 3 1 0 | Carried forward 5 3 8 |

No. 2,759.—HEDLEY HILL.—CONTINUED.

| 77 74 4 | | | In. Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
|--------------------|-----|---|----------------|------|-----|------------------------------|
| Brought forward | | 3 | 8 | | | Brought forward 1 2 5 17 3 5 |
| Post | | 0 | 8 | | | Grey metal 0 3 6 |
| Blue metal | | 2 | 2 | | | Blue metal 0 4 11 |
| Post | | 0 | 6 | | | Post 0 0 3 |
| Blue metal | . 0 | 0 | 11 | | | Blue metal 0 1 1 |
| Post | . 0 | 0 | 7 | | | Post 0 0 2 |
| Blue metal | . 1 | 2 | 11 | | | Blue metal 0 2 1 |
| Post | . 0 | 5 | 11 | | | Very hard post 0 0 3 |
| COAL | . 0 | 0 | 2 | | | Blue metal 0 1 91 |
| • | _ | | 8 | 5 | 6 | Ballarat Seam— |
| Fire-clay | . 0 | 0 | 9 | _ | | COAL 0 1 31 |
| Post | | ĭ | ĭ | | | 3 5 9 |
| Blue metal | | | 11 | | | Fire-clay 0 4 7 |
| T)4 | | 0 | 9 | | | Post 3 5 94 |
| Dl4-1 | | 0 | 3 | | | D1 (1 0 0 " |
| D4 | | 1 | 0 | | | Five-Quarter Seam— |
| 701 4 . 1 | | 5 | 5 | | | |
| TD | | _ | 6 | | | COAL, good 2 8 |
| Post | | 0 | 4 | | | |
| Blue metal | | 3 | | | | COAL, coarse 0 5 |
| Post | | 0 | 8 | | | 0 3 1 |
| Blue metal | | 0 | 2 | | | 5 1 101 |
| Mixed post | | 4 | 4 | | | Fire-clay 0 3 9 |
| Blue metal | | 0 | $8\frac{1}{2}$ | | | Post 6 4 6 |
| Post | . 0 | 1 | 2 | | | Blue metal 0 4 6 |
| Blue metal | . 0 | 0 | 1 1 | | | COAL 0 0 10 |
| Post | . 0 | 5 | 10 | | | 8 1 7 |
| COAL | . 0 | 0 | 3 | | | Fire-clay 0 4 6 |
| | | | — 5 | 2 | 3 | Blue metal 5 1 6 |
| Fire-clay | . 0 | 2 | 11 | | | Post 0 1 6 |
| Post | . 0 | 0 | 3 | | | Grey metal 0 2 3 |
| Blue metal | | 0 | 0 | | | Post 0 1 0 |
| Three-Quarter Seam | | | | | | Blue metal 0 3 3 |
| COAL | . 0 | 2 | 0 | | | Main Coal or Brock- |
| | | ~ | <u> </u> | 5 | 2 | well Seam— |
| Fire-clay | . 0 | 1 | | | ~ | COAL 0 3 0 |
| COAL | | 0 | 8 | | | 7 5 0 |
| COAL | . 0 | U | o | 2 | 6 | Fire-elay, good 0 2 6 |
| Fine alon | | 5 | — u | 4 | U | 0 2 6 |
| Fire-clay | . 0 | 5 | | | | 0 2 6 |
| Blue metal | . 0 | 3 | 0 | | | |
| G : 1 6 | | | | - 02 | | m.4.1 40 0 11 |
| Carried forward | 1 1 | 2 | 5 17 | 3 | 5 | Total 43 2 1½ |
| | | | | | | |

No. 2,760.—HEIGHINGTON.

TOWNSHIP OF ARCHDEACON NEWTON, DURHAM.

Sheet 48 of Ordnance Map. Lat. 54° 33′ 52″, Long. 1° 36′ 26″.

Account of Strata passed through in a Bore-hole 40 yards from the Farm House at Coldside, near Heighington.

Approximate surface-level 275 feet above sea (Ordnance datum).

| Fe. Ft. In. Fs. Ft. In. | |
|---|-------------------------|
| Clay 0 3 0 | Brought forward 3 1 0 |
| Clay 0 3 0 Clay and gravel 1 3 0 Clay, gravel and stone 0 3 0 | Sand, with stones 0 3 0 |
| Clay, gravel and stone 0 3 0 | Sand 0 1 0 |
| Sand 0 4 0 | Sand and clay 0 5 0 |
| | |
| Carried forward 3 1 0 | Carried forward 4 4 0 |

No. 2,760.—HEIGHINGTON.—CONTINUED.

| Brought forward Clay, with loose stones | 4 4 0 0 2 0 | Fs. Ft. In. | Brought forward 13 0 11 35 1 5 Grey whin 0 5 0 13 5 11 |
|---|--|-------------|--|
| | 0 4 0 | | Limestone 0 1 1 |
| | 0 1 0 | | Grey whin \dots 3 4 $2\frac{1}{2}$ |
| | 0 0 6 | • | Black shale 4 4 11 |
| | 0 3 6 | | Grey limestone 0 4 4 |
| <i>J</i> , | 0 1 0 | | Black shale 0 2 4 |
| Boulder | 0 0 9 | | Grey limestone 0 1 5 |
| - | | 6 4 9 | Black shale 0 1 8 |
| Soft limestone | 0 4 6 | | Grey limestone 0 0 7 |
| | 0 1 9 | | Black shale 2 2 0 |
| 0.3 | 0 0 8 | | Grey limestone 0 1 8 |
| | 0 2 9 | | Black shale 0 2 10½ |
| Conglomerate | 0 0 3 | | Grey sandstone 0 4 1 |
| Soft sandstone | 1 1 1 | | Limestone 0 1 4 Grey limestone 1 2 5 |
| Hard limestone | 0 0 3 | | |
| Soft sandstone | 0 3 0 | | |
| Limestone | 0 1 0 | | |
| | 0 2 6 | | |
| Limestone and gravel | 2 0 3 | | |
| Limestone 1 | | | Til., -1, -1, -1, 1 9 C |
| Blue limestone | 2 5 5 | | |
| | | 28 2 8 | Calcareous shale 2 1 111 |
| Shale | $2 \ 2 \ 3\frac{1}{2}$ | | Black shale 1 3 2 |
| | $\begin{bmatrix} 2 & 2 & 6 \\ 0 & 0 & 6 \end{bmatrix}$ | 1 | White sandstone 4 4 9 |
| | 5 0 0 | | Shale 0 0 10 |
| | 0 0 6 | 1 | Black shale 0 2 10 |
| | 1 4 7 | | White sandstone 1 1 6 |
| | 2 2 81 | | Black shale 10 4 7 |
| | $0 \ 4 \ 4^{\circ}$ | | Grey limestone 1 1 1 |
| Grey whin (| 0 2 6 | | Limestone 0 3 9 |
| | 0 1 6 | | |
| Convide forward 19 | 2 0 11 | 05 1 5 | Total 97 0 8 |
| Carried forward 13 | 3 0 11 3 | 35 1 5 | Total 97 0 8 |

No. 2,761.—HENDON.

TOWNSHIP OF BISHOP WEARMOUTH, DURHAM.

Sheet 14 of Ordnance Map. Lat.

, Long.

Account of Strata sunk and bored through in a Well at the Hendon Paperworks, Hendon, near Sunderland, 1894 and 1896.

Approximate surface-level feet above sea (Ordnance datum).

| | Fs. | Ft. | In. | Fs. | Ft. | In | Fs. Ft. In. Fs. Ft. In. |
|--------------------|----------|-----|-----|----------|----------|----|------------------------------|
| Sinking:— | | | | | | | Brought forward 20 5 0 |
| Clay | 2 | 3 | 0 | | | | Bored further:— |
| • | _ | | _ | 2 | 3 | 0 | Gravel and cement 0 3 0 |
| Limestone | 2 | 3 | 6 | | | | Limestone and marl 1 4 6 |
| Marl | 1 | 5 | 7 | | | | Soft limestone, with |
| Limestone and marl | 2 | 1 | 0 | | | | water 5 0 0 |
| Limestone | 5 | 4 | 4 | | | | Hard limestone 1 1 0 |
| Marl, with water | 5 | 5 | 7 | | | | Limestone, with hard |
| | | | | 18 | 2 | 0 | girdles 0 5 0 |
| | | | | | | _ | |
| Carried forward | | | | 20 | 5 | 0 | Carried forward 9 1 6 20 5 0 |

No. 2,761.—HENDON.—CONTINUED.

| | Fs. | Ft. | In. Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
|---|-----|-----|---------|-----|-----|--|
| Brought forward | 9 | 1 | 6 20 | 5 | 0 | Fs. Ft. In. Fs. Ft. In. Brought forward 23 2 3 20 5 0 |
| Hard limestone, with | | | | | | Hard yellow lime- |
| soft partings | 1 | 0 | 4 | | | stone 2 2 7 |
| soft partings Marl Hard limestone | 0 | 3 | 9 | | | Hard blue limestone 2 0 0 |
| Hard limestone | 0 | 3 | 7 | | | Yellow limestone 0 2 0 |
| Brown limestone | 2 | 0 | 0 | | | Hard blue limestone 1 3 0 |
| Yellow limestone, | | | | | | Hard grey limestone 0 5 7 |
| with soft partings | 9 | 2 | 7 | | | Hard grey limestone 0 5 7 Soft sand, with water 9 0 7 |
| with soft partings Soft yellow limestone | 0 | 2 | 6 | | | Shale 0 0 6 |
| | | | | | | 39 4 6 |
| | | | | | _ | |
| Carried forward | 23 | 2 | 3 20 | 5 | 0 | Total 60 3 6 |
| | | | | | | |

No. 2,762.—HENSHAW.

TOWNSHIP OF HENSHAW, NORTHUMBERLAND.

Sheet 92 of Ordnance Map. Lat. , Long.

Account of Strata passed through in the No. 2 Borc-hole at Henshaw, for Sir Edward Blackett, Bart., 1837.

Approximate surface-level feet above sea (Ordnance datum).

| Soil | Fs. 0 | Ft. | In. | Fs. | Ft. | In. | Brought forward 22 4 3 3 5 0 |
|-------------------------------------|----------|-----|-----|-----|-----|-----|--|
| Sand and gravel, with water | | | | | | | COAL 0 0 5 22 4 8 |
| | | | | 3 | 5 | 0 | |
| Brown and grey rot- | | | | | | | Grey metal 0 3 6 White post 2 1 6 Grey metal 0 1 3 |
| ten post | | | 9 | | | | Grey metal 0 1 3 |
| Grey metal stone, | | | | | | | Ft. In. |
| with water Brown and grey post, | | 3 | 3 | | | | COAL, good 2 0 |
| with water | 6 | 0 | 6 | | | | phurous 0 3 |
| Grey metal stone, with water | 8 | 0 | 3 | | | | $$ $\frac{0}{-}$ $\frac{2}{3}$ $\frac{3}{3}$ $\frac{2}{5}$ $\frac{6}{5}$ |
| Little Limestone, strong blue, with | | Ĭ | _ | | | | White post, into ,, ,, ,, |
| water | 2 | 4 | 6 | | | | |
| Carried forward | 22 | 4 | 3 | 3 | 5 | 0 | Total 30 0 2 |

No. 2,763.—HEPSCOTT. TOWNSHIP OF HEPSCOTT, NORTHUMBERLAND.

Sheet 64 of Ordnance Map. Lat. 55° 9' 55", Long. 1° 38' 45".

Account of Strata passed through in a Bore-hole at Shadfen, about 400 yards to the North-west from Mr. Gowens' House, November 16th, 1753.

Approximate surface-level 130 feet above sea (Ordnance datum).

| Sand with water U 4 U | Brought forward 1 5 6 Stony clay 1 5 9 3 5 3 |
|----------------------------------|--|
| Soft clay, mixed with sand 1 0 0 | Grey metal 3 1 0 |
| Carried forward 1 5 6 | Carried forward 3 1 0 3 5 3 |

No. 2,763.—HEPSCOTT.—Continued.

| | Ft. | | | | | |
|------------------------|---------------|--------|----|------|---|-------------------------|
| Brought forward 3 | 1 | 0 | 3 | 5 | 3 | |
| Grev post 0 | $\frac{1}{2}$ | 6 | | | | COAL 0 0 6 |
| Grey scamy metal 3 | 2 | 0 | | | | 11 3 6 |
| Ft. In. | | | | | | Grey metal 0 3 6 |
| COAL, foul 0 6 | | | | | | Black metal, with |
| Grey metal 1 8 | | | | | | sparkles of coal 0 0 5 |
| COAL 1 4 | | | | | | |
| | 3 | 6 | | | | COAL 008 |
| 0 | Э | O | - | | _ | 047 |
| | | | 7 | 2 | 0 | Black metal, mixed |
| Grey metal 0 | 0 | 5 | | | | with coal 0 0 2 |
| Grey post, with metal | | | | | | Grey metal, with post |
| partings 1 | 2 | 0 | | | | girdles and water 1 2 6 |
| Grey metal and | | | | | | Ft. In. |
| metal stone 0 | 4 | 9 | | | | COAL, brassy |
| Soft grey and brown | - | • | | | | at top 0 9 |
| | 3 | 0 | | | | at top 0 9 COAL, foul |
| seamy post 0 | о | U | | | | COAL, ioui |
| Brown and grey post: | | _ | | | | slaty, mixed |
| set away the water 1 | 2 | 7 | | | | with brass 0 2 |
| Grey metal stone 1 | 3 | 0 | | - | | COAL, brassy |
| Black metal 0 | 3 | 0 | | | | near bottom 1 5 |
| Grey metal stone 0 | 1 | 0 | | | | 0 2 4 |
| Grey and brown | | | | | | 1 4 10 |
| scamy post 0 | 5 | 3 | | | | Grey metal 0 1 0 |
| Grey metal stone, with | • | | | | | |
| | 1 | C | | | | COAL, with Ft. In. |
| post girdles 1 | $\frac{1}{2}$ | 6 3 | | | | |
| Soft brown post 0 | 2 | 3 | | | | scare bands 0 9 |
| Grey and brown | | | | | | Black metal 0 3 |
| scamy metal 0 | 3 | 0 | | | | COAL 2 0 |
| Soft grey and brown | | | | | | 0 3 0 |
| post 0 | 3 | 6 | | | | 0 4 0 |
| Thready brown post: | | | | | | Grey metal, into 0 1 6 |
| set away the water 1 | 2 | 0 | | | | ——— 0 1 6 |
| | | 9 | | | | 0 1 0 |
| Grey metal 0 | 1 | J | | | | |
| 0 110 133 | _ | | | ٦. | _ | m 1 |
| Carried forward 11 | 3 | 0 | 11 | 1 | 3 | Total <u>. 26 1 8</u> |
| | | | | | | |

No. 2,764.—HEPSCOTT.

TOWNSHIP OF HEPSCOTT, NORTHUMBERLAND.

Sheet 72 of Ordnance Map. Lat. 55° 9' 43", Long. 1° 38' 31".

Account of Strata passed through in a Bore-hole at Shadfen, about 60 yards to the South from Mr. Gowens' House and 6 yards to the South-west from the first Bore-hole (No. 2,763), 1758.

Approximate surface-level 170 feet above sea (Ordnance datum).

| Brown sand | | | | Ft. In. | Brought forward 9 5 6 |
|-------------------------|---|--------|---|---------|-----------------------------|
| Brown sand, with | | | | | Sand, with water 0 0 6 |
| water | 4 | | 0 | | Stony clay 0 5 6 |
| Soft slecky clay, mixed | | | | | 10 5 6 |
| with sand | 1 | 5 | 0 | | Grey and brown post, |
| Leafy clay | 0 | 2 | 0 | | with soft black |
| Soft stony clay, with | | | | | and brown eashy |
| some small beds of | | | | | partings 1 1 6 |
| sand | 1 | 3 | 6 | | Black and grey eashy |
| Leafy clay, mixed | | | | | metal 0 2 9 |
| with sand | 0 | 2 | 0 | | Black metal 0 0 6 |
| | | | | | |
| Carried forward | 9 | 5 | 6 | | Carried forward 1 4 910 5 6 |

No. 2,764.—HEPSCOTT.—CONTINUED.

| T 1. 4 | Fs. | Ft. | In. | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
|--------------------------------------|-----|-----|-----|-----|-----|-----|------------------------------|
| Brought forward | 1 | 4 | - 9 | 10 | 5 | 6 | Brought forward 2 4 6 13 3 0 |
| Grey and blue metal | 0 | 3 | 9 | | | | Black metal, scared |
| COAL | 0 | 1 | 0 | | | | with coal or coal |
| | | | | 2 | 3 | 6 | pipes 0 1 0 |
| Grey metal | 0 | 0 | 6 | | | | Soft blue and grey |
| Grey metal Soft grey post Grey metal | Ö | 4 | 0 | | | | metal 0 2 0 |
| Grey metal | 0 | 2 | 0 | | | | Grey metal stone 0 2 9 |
| Grey, black and dun | | | | | | | Blue metal 0 0 3 |
| scamy metal | 0 | 1. | 6 | | | | COAL, into, 5 inches, |
| Grey and blue metal | 0 | 4 | 0 | | | | supposed to be 0 2 3 |
| Soft grey post | 0 | 4 | G | | | | 4 0 9 |
| Carried forward | 2 | 4 | 6 | 13 | 3 | 0 | Total 17 3 9 |

No. 2,765.—HEPSCOTT. TOWNSHIP OF HEPSCOTT, NORTHUMBERLAND.

Sheet 72 of Ordnance Map. Lat. 55° 9' 16", Long. 1° 39' 3".

Account of Strata passed through in the No. 1 Bore-hole near the Red House Farm, Hepscott, 1899.

Approximate surface-level 160 feet above sea (Ordnance datum).

| | Fs. | Ft. | In. | Fs. | Ft. | Iu. | |
|-----------------------|-----|--------|-----|-----|-----|-----|------------------------------------|
| Sand, clay and | 20 | | | | | | Brought forward 60 4 9 |
| gravel | 30 | 1 | | | | | Thill 0 0 11 |
| 2041 1 1 | _ | | | 30 | 1 | 3 | 1 |
| COAL, bad | 0 | 5 | 1 | _ | _ | _ | panels 3 2 11½ |
| | _ | | | 0 | 5 | 1 | COAL 0 0 11 |
| Thill | 0 | 1 | 4 | | | | 3 4 91 |
| Metal, with post | | | | | | | Thill 0 3 7 |
| bands | 4 | | | | | | Light metal, with |
| COAL, bad | 0 | 0 | 8 | | | | post panels 4 5 0 |
| | | | _ | 4 | 5 | 8 | Ft In. |
| Thill | 0 | 0 | 6 | | | | COAL 1 33 |
| Grey metal, with post | | | | | | | Band $0 	 6\frac{1}{2}$ |
| bands | 7 | 3 | 8 | | | | COAL 1 0 |
| Post | 1 | 2 | 7 | | | | $ 0 2 10\frac{1}{4}$ |
| Grey metal | 0 | 2 | 10 | | | | 5 5 5} |
| Post | 2 | 0 | 7 | | | | Thill 0 1 10 |
| Metal, with post | | | | | | | Grey metal, with post |
| bands | 5 | 0 | 1 | | | | panels 2 5 4½ |
| COAL | 0 | 0 | 2 | | | | COAL 0 0 3 |
| | | | | 16 | 4 | 5 | 3 1 5½ |
| Thill | 0 | -3 | 3 | | | | Thill 0 4 5 |
| Post and grey metal | 1 | 5 | -3 | | | | Black band 0 0 4 |
| COAL | 0 | 2 | 0 | | | | COAL 0 0 5 |
| | | | | 2 | 4 | 6 | 0 5 2 |
| Thill | 0 | 2 | 7 | | | | Thill 0 1 0 |
| Grey metal, with post | | | | | | | Grey metal, with post |
| bands | 3 | 3 | 11 | | | | panels 0 4 2 |
| Blue metal, with post | | | | | | | Blue metal, with post |
| bands | 0 | 5 | 4 | | | | panels 1 2 3 |
| Ft. In. | | | | | | | Post 0 5 3 |
| COAL 1 5 | | | | | | | Ironstone panel 0 0 $2\frac{1}{4}$ |
| Band 0 2 | | | | | | | Blue metal 0 3 3 |
| COAL 0 5 | | | | | | | Post 0 4 6 |
| | 0 | 2 | 0 | | | | $4 2 7\frac{1}{2}$ |
| | | | _ | 5 | 1 | 10 | |
| | | | | | | | |
| Carried forward | | | | 60 | 4 | 9 | Total 79 0 23 |
| | | | | | | | |

No. 2,766.—HEPSCOTT.

TOWNSHIP OF HEPSCOTT, NORTHUMBERLAND.

Sheet 72 of Ordnance Map. Lat. 55° 9′ 34″, Long. 1° 39′ 0½″.

Account of Strata passed through in the No. 2 Bore-hole at Hepscott, 1899.

Approximate surface-level 172 feet above sea (Ordnance datum).

| | Fs. | | In. Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
|------------------------|--------|----------|---------------|--------|-----|--|
| Sand, clay and gravel | 19 | 2 | 0 | | | Brought forward 7 4 659 5 0 |
| Post | | -0 | 11 | | | Dark metal 0 5 3 |
| Loamy clay | - | 5 | 3 | | | Post 1 3 9 |
| | - | | | | | XF 1 . |
| Rubble clay | 3 | 5 | 0 | _ | _ | Hard post 0 3 0 |
| | _ | | 25 | 1 | 2 | Dark metal 0 4 9 |
| COAL, outcrop | 0 | 1 | 0 | | | Post band 0 0 9 |
| | | | - | | | Grey metal 0 2 8 |
| Seggar-clay | 1 | 2 | 1 | | | |
| Black coaly matter | 0 | 4 | 9 | | | |
| Seggar-clay | 0 | 2 | 9 | | | Mild post band 0 2 8 |
| Post | 1 | 0 | 3 | | | Grey metal 0 2 1 |
| | ô | ĭ | 3 | | | Hard post 0 0 8 |
| Strong dark clay | | | | | | M:13 0 0 0 |
| Strong seggar-clay | 0 | 3 | 9 | | | |
| Boulder | 0 | 0 | 9 | | | Hard post 0 1 9 |
| Rubble clay | 1 | 1 | 0 | | | Mild post 0 3 9 |
| Post | 0 | 0 | 9 | | | Grey metal 0 4 4 |
| 73 11 | 0 | 0 | 9 | | | COAL 0 1 0 |
| | - | _ | | | | 15 0 10 |
| Rubble clay | 0 | 4 | 3 | | | |
| | | | 6 | 5 | 4 | Seggar-clay 0 1 6 |
| Post | 5 | 5 | 6 | | | Strong post 0 3 6 |
| | | | | | | Grey metal 0 3 2 |
| Seggar-clay | 1 | 1 | 0 | | | T' 14 4 1 1 |
| Metal | 0 | 4 | 0 | | | |
| Post | 0 | 1 | 6 | | | Blue metal 1 0 6 |
| Metal | ĭ | ī | Õ | | | Post panel 0 1 3 |
| | | | - | | | Blue metal 0 0 9 |
| Post | 0 | 4 | 6 | | | Metal, with iron balls 0 2 0 |
| Metal | 0 | 1 | 6 | | | Metal, with girdles 0 1 9 |
| Post | 2 | 2 | 6 | | | Dest ward grutes 0 1 3 |
| COAL | 0 | 1 | 10 | | | Post panel 0 1 1 |
| •••• | | - | 12 | 5 | 4 | Blue metal 3 0 2 |
| | | | | 9 | 120 | Metal, with post |
| Seggar-clay | 0 | 4 | 2 | | | panels 0 3 6 |
| Grey metal | 0 | 2 | 8 | | | |
| Post | 3 | | 10 | | | T 101 1 |
| 35 . 3 | | 2 | | | | Dark metal 0 0 6 |
| Metal | 0 | | 0 | | | COAL 0 1 0 |
| Blue metal | 2 | 0 | 1 | | | 13 1 5 |
| COAL | 0 | 2 | 5 | | | TT - 1 1 - 0 - 0 - 4 |
| | | | - 7 | 3 | 2 | Transfer I and I a |
| Seggar-clay, with | | | • | • | - | |
| | 1 | 0 | 0 | | | Strong post 0 1 4 |
| ironstone balls | 1 | 0 | $\frac{2}{2}$ | | | Metal 0 2 11 |
| Post and blue metal | 3 | 2 | 7 | | | Mild post 0 2 2 |
| Black band | 0 | 0 | 3 | | | Dark metal 0 0 6 |
| Grey metal | 0 | 4 | 0 | | | |
| Grey metal, with iron- | | _ | - | | | |
| oton mindles | 0 | • | 0 | | | Post 0 0 8 |
| stone girdles | 2 | 0 | 2 | | | Grey metal 0 1 0 |
| COAL | 0 | 0 | 10 | | | Light metal 0 2 3 |
| | | | _ 7 | 2 | 0 | 1471 |
| Saggar alass | Λ | 1 | 0 | | | |
| Seggar-clay | 0 | 1 | 9 | | | |
| Grey metal and post | | 3 | 9 | | | Post panels 0 0 5 |
| Post | 2 | 1 | 7 | | | Grey metal 2 0 7 |
| Very strong post | 1 | 0 | 11 | | 1 | Post 6 0 8½ |
| | î | 2 | 6 | | | $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ |
| Post | 1 | 2 | U | | | 12 2 112 |
| C | - | _ | 0 50 | _ | _ | FD 4 1 200 4 01 |
| Carried forward | 7 | 4 | 659 | 5 | 0 | Total $100 \ 4 \ 2\frac{1}{2}$ |
| | | | | | ' | |

No. 2,767.—HEPSCOTT.

TOWNSHIP OF HEPSCOTT, NORTHUMBERLAND.

Sheet 72 of Ordnance Map. Lat. 55° 8′ 43″, Long. 1° 39′ 15″.

Account of Strata sunk and bored through in the Isabella Pit, Hepscott Colliery.

Approximate surface-level 160 feet above sea (Ordnance datum).

| Figure 1 Figure 2 Figure 3 Figure 3 | | | _ | | | | | | | | | | _ | | | | | |
|---|--------|-----|-----|-----|-----|-------|-----|-------|---------|--------------|-----|-----|-----|-----|-----|-----|---------|-----------------|
| Clay 12 0 0 0 12 0 0 0 0 0 0 0 0 0 | Ft. In | Fs. | In. | Ft. | Fs. | wand | | + 600 | rough | 12 | In. | Ft. | Fs. | In. | Ft. | Fs. | | Sinking |
| Post | 2 8 | ئدن | 2 | Ð | ' | | | t le. | Tough | ¹ | | | | 0 | 0 | 12 | | |
| Post | | | | | | | | | 1 | COA | 0 | 0 | 12 | - | | | • • • • | |
| COAL | | | | | | | | | | | | • | | | 0 | 7 | | ost |
| Blue metal | | | | | | | | | | | | | | | | | | OAL |
| Blue metal | | | 5 | 3 | 0 | | | ••• | | | 3 | 2 | 7 | _ | | _ | | |
| Repsect Seam | 2 7 | 8 | _ | | | | | | | | | | | 0 | 3 | 6 | | lue metal |
| Blue metal | | | 9 | 0 | 0 | | | 7 | ar-clav | Segg | | | | | | | | |
| Bored further: | | | | | | | | | | | | | | 4 | 2 | 0 | | |
| Rored further: | | | | _ | | blue | | | | | 4 | 5 | 6 | | | _ | | |
| Blue metal | | | 0 | 0 | 1 | | | | | | _ | | _ | | | | | |
| Sand | | | | | | | | | | | 7 | 1 | 26 | | | | | |
| Seggar-clay | | | | _ | | | | | | | | | | | | | | Bored further : |
| Blue metal 0 3 11 Hard grey post 0 2 5 5 Blue metal 0 1 3 Blue metal 0 1 3 Blue metal 0 0 0 5 COAL 0 0 0 5 COAL 0 0 0 5 COAL 0 0 0 1 Dark blue metal 1 3 4 Toark blue metal 0 4 1 COAL 0 0 0 1 Blue metal 0 4 1 COAL 0 0 0 1 Blue metal 0 0 1 5 Blue metal 0 0 1 6 Blue metal 0 0 0 7 Grey post and blue metal 0 0 0 7 Blue metal 0 0 0 7 Blue metal 0 0 0 6 Blue metal 0 0 1 8 Grey and blue post 2 1 0 Blue metal 0 0 2 5 Grey post and blue metal 0 0 1 2 Grey post and blue metal 0 0 2 1 Grey post and blue metal 0 0 2 5 Grey post 0 3 5 Grey post and blue metal 0 0 2 5 Grey post 0 3 5 Grey post 0 5 3 Grey post 0 5 5 3 Grey p | | | | | | | | | | | | | | 0 | 2 | 0 | | |
| Hard grey post | | | | | | | | | | | | | | 11 | | _ | | lue metal |
| Blue metal 0 1 3 Blue metal with coal pipes 0 0 5 5 COAL 0 0 0 5 COAL 0 0 0 7 Tark blue metal 1 3 4 Tabark blue metal 0 4 1 COAL 0 0 0 1 Blue metal 0 0 4 1 COAL 0 0 1 5 Blue metal 0 0 0 1 Blue metal 0 0 1 5 Blue metal 0 0 1 5 COAL 0 0 3 Blue metal 0 0 1 5 COAL 0 3 Blue metal 0 0 0 7 COAL 0 3 Blue metal 0 0 1 5 COAL 0 3 Blue metal 0 0 0 7 COAL 0 3 Blue metal 0 0 1 5 COAL 0 1 1 Blue metal 0 0 1 5 COAL 0 1 1 Blue metal 0 0 2 2 Corey post and blue metal 0 0 1 7 COAL 0 1 6 COAL 0 0 1 | | | | _ | | | | | | | | | | | | | | |
| Blue metal, with coal pipes 0 0 5 5 5 5 5 5 5 5 | | | | | | | | | | | | | | 3 | | - | | |
| Dark blue metal 1 3 4 4 7 | | | 2 | 2 | 0 | | | | | | | | | | | | | |
| Dark blue metal | | | | 1 | | | | | | | | | | 5 | 0 | | | |
| Dark blue metal 1 | | | | | | | | | | | | | | 7 | | | | |
| Dark blue metal 1 | | | | _ | _ | | | | | | 7 | 4 | 1 | | | | | |
| Dark blue metal, with iron balls 0 0 6 Blue metal 0 4 1 COAL 0 0 0 1 Blue metal 1 3 5 Blue metal 0 1 1 8 COAL 0 1 1 5 Blue metal, with post panels 0 1 1 5 Blue metal, with post panels 0 1 5 Strong blue metal, with post panels 0 2 0 Grey post, with blue panels 0 1 7 Dark sandy post 0 0 1 1 Blue metal 0 0 7 Blue metal 0 0 0 7 Blue metal 0 0 0 7 Blue metal 0 0 0 6 Blue metal 0 0 0 6 Blue metal 0 0 0 6 Blue metal 0 0 1 8 Grey and blue post 2 1 0 Blue metal 0 1 2 Grey post and blue metal 0 1 2 Grey post and blue metal 0 0 1 6 Grey post and blue post 2 1 0 Blue metal 0 0 3 5 Grey and blue post 2 1 0 Blue metal 0 0 1 6 Grey post and blue metal 0 0 1 6 Grey post and blue post 2 1 0 Blue metal 0 0 5 3 Grey and white post 2 4 3 Blue metal 0 0 5 3 Grey post and blue metal 0 0 5 3 Grey post and blue metal 0 0 5 3 Grey post and blue metal 0 0 5 3 Grey post and blue metal 0 0 5 3 Grey post and blue metal 0 0 5 3 Grey post and blue metal 0 0 5 3 Grey post and blue metal 0 0 5 3 Grey post 0 5 5 3 Grey post 0 5 5 3 Grey post 0 1 5 Grey post 0 5 5 3 Grey | | | | | | | | | L | COA | | | | 4 | 3 | 1 | ıl | ark blue metal |
| with iron balls 0 0 6 Blue metal 0 0 1 GOAL 0 0 1 Blue metal 1 3 5 Blue metal, with post panels 0 1 8 COAL 0 1 1 Seggar-clay 0 0 2 Strong blue metal, with post panels 0 2 0 Grey post, with blue panels 0 2 0 Blue metal 0 0 1 5 Dark sandy post 0 0 7 Dark sandy post 0 0 6 Blue metal 0 0 1 Seggar-clay 0 0 1 | | | | | | 0 10 | | | metal | Blue | | | | | | | | |
| Blue metal 0 | | | | | | | | | | | | | | 6 | 0 | 0 | | |
| COAL | | | 4 | 1 | 0 | | | | _ | | | | | | | _ | | |
| Blue metal | 0 10 | 3 | | | | | | | | | | | | 1 | 0 | | | |
| Blue metal, with post panels 0 1 8 Blue metal, with post panels 0 1 5 Strong blue metal, with post panels 0 0 5 Strong blue metal, with post panels 0 1 5 Strong blue metal, with post panels 0 1 7 Blue metal 0 1 6 Grey post and blue panels 0 1 7 Blue metal 0 1 6 Blue metal 0 1 6 Blue metal 0 0 1 1 Sandy post 0 0 1 1 Sandy post 0 0 1 0 Blue metal 0 0 0 6 Blue metal 0 0 0 6 Blue metal 0 0 1 5 COAL 0 0 1 5 COAL 0 0 1 0 Blue metal 0 0 0 1 Blue metal 0 0 0 6 Blue metal 0 0 0 6 Blue metal 0 0 0 1 Blue metal 0 0 0 6 Blue metal 0 0 0 6 Blue metal 0 0 0 5 Blue metal 0 0 0 5 Blue metal 0 0 0 6 Blue metal 0 0 0 5 Blue metal | | | 7 | 0 | 0 | | | 1 | metal | Blue | | | | | | | | |
| Blue metal, with post panels 0 1 8 Blue metal, with post panels 0 0 2 2 | | | | | _ | | | | | | | | | _ | | _ | | |
| COAL 0 1 5 panels 0 1 5 grey post and blue Strong blue metal, with post panels 0 2 0 Grey post and blue 1 5 9 Blue metal 0 2 0 0 4 1 5 9 Blue metal 0 0 1 7 1 3 4 3 4 3 4 3 4 3 4 3 4 3 4 3 4 3 | | | | _ | - | post | | | | | | | | 8 | 1 | 0 | | panels |
| Seggar-clay 0 0 5 Strong blue metal, with post panels 0 2 0 Grey post, with blue panels 0 1 7 Dark sandy post 0 0 11 Sandy post 0 0 10 Blue metal 0 0 0 6 Blue metal 0 0 0 6 Blue metal 0 0 0 6 Blue metal 0 0 0 1 Sandy post 0 0 0 10 Whin 0 0 0 6 Blue metal 0 0 0 1 Sandy post 0 0 0 10 Blue metal 0 0 0 1 Sandy post 0 0 0 10 Sandy post 0 0 0 10 Whin 0 0 0 6 Blue metal 0 0 0 1 Sandy post 0 0 0 10 Blue metal 0 0 0 1 Blue metal 0 0 0 1 Sandy post 0 0 0 10 Sandy post 0 0 0 10 Blue metal 0 0 0 1 Sandy post 0 0 0 10 Blue metal 0 0 0 1 Sandy post 0 0 0 10 Sandy post 0 0 1 10 Sandy post 0 0 0 10 Sandy post 0 0 1 10 Sandy post 0 0 1 10 Sandy post 0 0 0 10 Sandy post 0 0 1 10 | | | 2 | 2 | 0 | • | | | | | | | | | | | | |
| Metal | | | _ | _ | - | | | | | | 6 | 2 | 4 | | | | | |
| Strong blue metal, with post panels Blue metal 0 4 1 Grey post, with blue panels 0 1 7 Seggar-clay 0 1 1 Dark sandy post 0 0 7 Whin 0 0 10 Blue metal 0 0 7 Whin 0 0 6 Blue metal 0 0 6 Blue metal 0 0 1 Dark blue metal 0 0 6 Blue metal 0 0 1 Blue metal 0 0 0 6 Blue metal 0 0 1 Blue metal 0 0 4 Blue metal 0 0 1 Blue metal 0 0 4 Blue metal 0 0 6 Blue metal 0 0 4 Blue metal 0 0 6 Blue metal 0 1 8 Blue metal 0 0 6 Blue metal 0 1 8 Blue metal 0 0 6 Brey post and blue metal | | | 9 | 5 | 1 | | | | | | | | | 5 | 0 | 0 | | eggar-clav |
| with post panels 0 2 0 Grey post, with blue panels 0 1 7 Dark sandy post 0 0 11 Seggar-clay 0 0 1 1 Blue metal 0 0 7 Whin 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | | | | | | | | 1 | | | | | | _ | Ť | Ť | etal. | |
| Grey post, with blue panels 0 1 7 Seggar-clay 0 0 1 1 Sandy post 0 0 11 Sandy post 0 0 0 10 Whin 0 0 0 6 Blue metal 0 0 0 6 Blue metal 0 0 0 1 Seggar-clay 0 0 1 5 COAL 0 0 0 1 Seggar-clay 0 0 1 Sandy post 0 0 0 6 Blue metal 0 0 0 6 Blue metal 0 0 0 1 Seggar-clay 0 1 Seggar-clay 0 0 1 Seggar-clay 0 0 1 Seggar-clay 0 0 0 6 Blue metal 0 0 0 5 Seggar-clay 0 3 5 Seggar-clay 0 3 5 Seggar-clay 0 3 5 Seggar-clay 0 3 5 Seggar-clay 0 5 3 | | | 6 | 1 | 0 | | | | | | | | | 0 | 2 | 0 | | |
| panels 0 1 7 Dark sandy post 0 0 11 Blue metal 0 0 7 Dark sandy post 0 2 0 Dark sandy post 0 2 0 Blue metal 0 0 1 5 COAL 0 0 1 5 Blue metal 0 0 1 6 Blue metal 0 0 6 <td< td=""><td>3 2</td><td>3</td><td></td><td></td><td>_</td><td></td><td></td><td>***</td><td>_</td><td></td><td></td><td></td><td></td><td>_</td><td>_</td><td></td><td>blue</td><td>rev post with l</td></td<> | 3 2 | 3 | | | _ | | | *** | _ | | | | | _ | _ | | blue | rev post with l |
| Dark sandy post 0 0 11 Blue metal 0 0 7 Dark sandy post 0 2 0 Dark shue metal 0 0 6 Blue metal 0 0 6 Blue metal 0 0 0 1 Blue metal 0 0 0 1 Pipes 0 0 4 1 10 Seggar-clay 0 0 6 1 10 Grey and blue post 2 1 0 0 6 Blue metal 0 0 0 6 Hard grey and white 0 3 6 Grey post and blue metal 0 2 1 Grey post and white post 2 4 3 | | | -1 | 1 | 0 | | | 7 | ar-clay | Segg | | | | 7 | 1 | 0 | | |
| Blue metal 0 0 7 | | | | | | | | | | | | | | | | | t | ark sandy post |
| Dark sandy post 0 0 2 0 Dark blue metal, mixed with iron 0 0 0 6 Blue metal 0 0 0 1 Blue metal, with coal pipes 0 0 4 0 0 6 Seggar-clay 0 0 1 8 0 0 6 0 0 6 Grey and blue post 2 1 0 0 1 0 0 0 0 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 <td< td=""><td></td><td></td><td></td><td></td><td>_</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>7</td><td>0</td><td></td><td></td><td>lue metal</td></td<> | | | | | _ | | | | | | | | | 7 | 0 | | | lue metal |
| Dark blue metal, mixed with iron 0 0 0 6 0 0 6 Blue metal 0 2 0 Dark seggar-clay, with coal pipes 0 1 10 Park seggar-clay 0 0 4 Blue metal 0 0 6 Seggar-clay 0 1 8 Dark seggar-clay 0 0 6 Grey and blue post 2 1 0 Dark seggar-clay 0 3 6 Blue metal 0 1 2 Hard grey and white post 0 3 5 Grey post and blue metal 0 2 11 Grey post 0 5 3 Grey and white post 2 4 3 Grey post 0 5 3 | | | 5 | 1 | | | | | | | | | | 0 | 2 | 0 | | |
| mixed with iron 0 0 6 Blue metal 0 2 0 Blue metal, with coal pipes 0 0 4 Pipes 0 0 4 Blue metal 0 0 6 Grey and blue post 2 1 0 0 6 Dark seggar-clay, with coal pipes 0 0 6 0 6 Dark seggar-clay, with coal pipes 0 0 6 0 6 Dark seggar-clay, with coal pipes 0 0 6 0 6 0 0 6 0 0 6 0 | | | 1 | 0 | | | | | | | | | | | | | | |
| Blue metal 0 2 0 Blue metal, with coal pipes 0 0 4 Seggar-clay 0 0 4 Blue metal 0 0 6 Grey and blue post 2 1 0 0 0 6 Blue metal 0 0 0 0 3 6 Hard grey and white metal 0 0 0 3 5 Whin 0 0 0 5 3 Grey post and white post 2 4 3 3 3 4 | 3 11 | 0 | | | | | | | | | | | | 6 | 0 | 0 | | |
| Blue metal, with coal pipes 0 0 4 Blue metal 0 0 6 Blue metal 0 0 6 Blue metal 0 1 2 Grey and blue metal 0 1 2 Grey post and blue metal 0 2 11 Grey and white post 2 4 3 Grey post 0 5 3 Grey post | | | | | | elav. | r-c | ggar | see | Dark | | | | 0 | 2 | 0 | | |
| Dark seggar-clay 0 0 4 | | | 10 | 1 | 0 | S | pe | pir | h coal | wit | | | | | | | coal | |
| Seggar-clay 0 1 8 Grey and blue post 2 1 0 1 2 Blue metal 0 1 2 2 3 6 Grey post and blue metal 0 2 11 2 3 5 Grey post and white post 2 4 3 3 6 6 6 6 4< | | | 6 | 0 | _ | | | 1 1 | metal | Blue | | | | 4 | 0 | 0 | | |
| Grey and blue post 2 1 0 Blue metal 0 1 2 Grey post and blue metal 0 2 11 Grey and white post 2 4 3 Hard grey and white post 0 Whin 0 2 5 Grey post 0 5 3 Grey post 0 5 3 | | | 6 | 3 | | | | | | | | | | 8 | | | | |
| Blue metal 0 1 2 Grey post and blue metal 0 2 11 Grey and white post 2 4 3 post 0 3 5 Whin 0 2 5 Grey post 0 5 3 | | | | | | | | | | | | | | | _ | | | |
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | | | 5 | 3 | 0 | | ,, | | | | | | | | | | - | |
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | | | | | | | | | | | | | | | _ | - | | |
| Grey and white post 2 4 3 | | | | | | | | | | - | | | | 11 | 2 | 0 | | |
| | 4 11 | 2 | _ | | _ | | | | 1,000 | | | | | | | | post | |
| Blue metal 0 1 10 | | - | | | | | | | | | | | | | | õ | Post | lue metal |
| | | | | | | | | | | | | | | | | _ | | |
| Carried forward 7 5 2 32 2 8 Total 51 | 0 1 | 51 | | | | otal | T | | | | 8 | 2 | 32 | 2 | 5 | 7 | ward | Carried forw |
| 20012111 | | | = | | | | _ | | | | - | _ | _ | _ | | | | Julii 101 II |

No. 2,768.—HERRINGTON.

TOWNSHIP OF OFFERTON, DURHAM.

Sheet 13 of Ordnance Map. Lat. 54° 53' 35", Long. 1° 28' 10".

Account of Strata sunk through in the No. 2 Pit, New Herrington Colliery, 1874.

Approximate surface-level 170 feet above sea (Ordnance datum).

| | | | - | - | | | - |
|---|-------|-----------------------|-----------|---------------|----------------|------|----------------|
| Soil Fs. Ft. In. Fs. Ft. O 1 0 | . In. | Brought forward | Fs. | Ft. | In. Fs. | Ft. | In. 8 |
| (1) 0 0 | | Strong grey metal, | 10 | J | 4 20 | 4 | 0 |
| Clay 4 0 8 Clay, with sand part- | | with post girdles | 2 | 0 | 8 | | |
| *************************************** | | Grey metal | ถึ | 5 | 4 | | |
| Sand, with water 0 3 10 | | Dark grey post | Ö | 2 | 6 | | |
| Strong brown clay, | ļ | Dark grey post, with | ٠ | ~ | U | | |
| with stones 2 2 4 | | metal partings | 1 | 4 | 0 | | |
| Strong blue clay, | | Dark grey post, with | - | - | U | | |
| with stones 2 0 8 | | water | 2 | 3 | 2 | | |
| Marl, with stones 2 3 0 | | Grey metal | õ | 0 | 6 | | |
| • | 5 10 | Grey post | ŏ | 4 | ŏ | | |
| | 10 | Grey post, with water | ŏ | 5 | 6 | | |
| Soft grey metal 4 2 6 | | Grey metal | 3 | 3 | Ö | | |
| Strong grey metal 6 1 8 | l | COAL | | 0 | 2 | | |
| Soft grey metal, | | | | | -31 | 2 | 0 |
| with water 1 2 0 | | Post | 1 | 1 | 2 | _ | • |
| Dark metal 0 1 0 | | Post | - | $\frac{1}{2}$ | $\frac{2}{2}$ | | |
| Black stone 0 0 6 | | Grey metal | 1 0 | 0 | 4 | | |
| COAL 0 1 2 | | COAL | U | U | _ 2 | 3 | 8 |
| 12 2 | 10 | ~ . | | | _ | Э | 0 |
| Seggar-clay, with | | Seggar-elay | 0 | 4 | 0 | | |
| water 0 3 0 | - 1 | Grey metal | 1 | 2 | 6 | | |
| Grey metal, with | | COAL | 0 | 1 | 2 | | _ |
| water 0 3 0 | | | _ | | _ 2 | 1 | 8 |
| Strong post, with | | Thill stone | 0 | 4 | 0 | | |
| water 2 0 0 | | Grey metal | 1 | 3 | 0 | | |
| Brown post 0 2 0 | | Hard post | 0 | 1 | 8 | | |
| Grey metal 0 0 8 | | Grey metal | 0 | 5 | 2 | | |
| White post 0 3 0 | | Blue metal | 0 | 4 | 0 | | |
| Grey metal parting 0 0 2 | | COAL | 0 | 1 | $2\frac{1}{2}$ | | |
| White post 1 3 0 | | | | | _ 4 | 1 | $0\frac{1}{2}$ |
| Soft grey metal part- | | Thill stone | 0 | 2 | 0 | | |
| ing, with water 0 0 2 | | Grey metal | 0 | 5 | 0 | | |
| Brown post 1 4-6 | | Blue metal | 0 | 0 | 101 | | |
| Grey post 0 5 10 | | COAL | 0 | 1 | 3 | | |
| Soft yellow parting, | | | _ | | 1 | 3 | 11 |
| with water 0 0 1 | | Thill stone | 0 | 2 | 8 | | • |
| White post 0 5 0 | | Grey metal | 3 | 4 | Õ | | |
| Brown post, with | | Strong post | 1 | $\hat{2}$ | ŏ | | |
| water 0 4 10 | | Grey metal | $\hat{2}$ | õ | ŏ | | |
| Grey post 0 4 7 | | Black stone and coal | | ĭ | 6 | | |
| White post, with | | COAL | ŏ | î | 2 | | |
| coal pipes 2 0 0 | | | <u> </u> | | _ 7 | 5 | 4 |
| Soft grey metal 2 4 10 | | Socret alar | ^ | 1 | 0 | • | - |
| Strong grey metal 2 0 6 | | Seggar-elay | _ | $\frac{1}{2}$ | 0 | | |
| Dark grey post 0 1 2 | | Post | | 2 | 0 | | |
| Strong grey metal, | | Grey metal Post | 0 | ő | 6 | | |
| with water 0 4 0 | | COAL | | 0 | 5 1 | | |
| Dark grey post 0 0 10 | | COAL | 0. | U | | 5 1 | 11 |
| | [| | | | | J 1. | 2 |
| Carried forward 18 3 2 26 2 | 8 | Carried forward | | | 77 | 1 8 | 51 |
| 5 2 20 2 | 0 (| Sarrica for ward | | | • • | | - 2 |
| | | | | | | | |

No. 2,768.—HERRINGTON.—CONTINUED.

| TD 14.6 | | Ft. | In. | | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
|-----------------------|---|-----|-----|-----|-----|----------------|--|
| Brought forward | | 0 | | 77 | 1 | $5\frac{1}{2}$ | Brought forward 2 2 6 118 2 11 |
| Black shelly stone | | 2 | 6 | | | | Grey metal 3 2 0 |
| Grey metal | 2 | 4 | 0 | | | | Blue metal 0 2 0 |
| Grey metal, with post | | | | | | | Five-Quarter Seam- |
| girdles | | 2 | 0 | | | | COAL 0 3 3 |
| Post | | 4 | 6 | | | | 6 3 9 |
| Grey metal | 2 | 5 | 6 | | | | Thill stone 0 3 0 |
| COAL | 0 | 0 | 6 | | | | |
| | | | | 12 | 1 | 0 | Post, with metal |
| | _ | | | | • | ٠ | partings 1 0 0 |
| eggar-clay | 0 | 1 | 0 | | | | Grey metal 3 4 10 |
| ost | | 4 | 0 | | | | Post girdles 0 4 6 |
| rey post | 0 | 2 | 5 | | | | Blue metal 2 0 0 |
| Post girdles, with | | | | | | | Grey metal 1 4 0 |
| grey metal partings | 0 | -3 | 7 | | | | Post 0 1 3 |
| COAL | 0 | 0 | 6 | | | | Blue metal 1 5 1 |
| | | | | 1 | 5 | 6 | Main Coal Seam- |
| | | | | 1 | J | U | COAL 1 1 4 |
| eggar-clay | 0 | 0 | 8 | | | | |
| Post | 0 | 4 | 0 | | | | 13 0 0 |
| Blue metal | 1 | 5 | 6 | | | | Thill stone 0 2 6 |
| Leafy post | 2 | 5 | 0 | | | | Grey metal 2 0 6 |
| Blue metal | 1 | 0 | 4 | | | | Blue metal 2 3 1 |
| Post | 0 | 3 | 4 | | | | Post 1 4 0 |
| Blue metal | 0 | 2 | 8 | | | | Blue metal 0 2 6 |
| COAL, splint | 0 | 1 | 01 | | | | Mauellin Seam- |
| one, sprine | ٠ | • | 0 2 | | | 0.1 | 0041 |
| | | | | 7 | 4 | 61 | |
| Black stone | 0 | -3 | 0 | | | | 8 0 2 |
| eggar-clay | 0 | 0 | 8 | | | | Seggar-clay 0 1 6 |
| rey metal | 7 | 5 | 10 | | | | Grey metal 2 2 7 |
| OAL | 0 | 1 | 8 | | | | COAL 0 0 11 |
| | - | _ | | 8 | 5 | 2 | |
| | | | | 0 | J | - | 2 5 0 |
| rey metal | 1 | 5 | 6 | | | | Thill stone 0 2 3 |
| Blue metal | 0 | 1 | 6 | | | | Grey metal 7 0 0 |
| Ft In. | | | | | | | Post, with metal |
| OAL 1 4 | | | | | | - 1 | partings 1 1 0 |
| llack slaty | | | | | | - 1 | Hard post 4 1 9 |
| stone and | | | | | | | Low Main Seam- |
| coal 2 0 | | | | | | | COAL 0 2 0 |
| OAL 0 11 | | | | | | | |
| 0 11 | 0 | 4 | 3 | | | ı | 13 1 0 |
| | v | - | | | _ | | Thill stone 0 1 8 |
| | | | | 2 | 5 | 3 | Grey metal 1 2 4 |
| llack stone and coal | 1 | 1 | 8 | | | | Post 2 3 0 |
| hill stone | 0 | 2 | 6 | | | | Grey metal, with post |
| rey metal | 0 | 1 | 5 | | | | girdles 0 5 6 |
| ost | 3 | 2 | 1 | | | | Post 1 1 0 |
| rey metal | ő | | 10 | | | | Blue stone 1 0 2 |
| ost | ŏ | 5 | 6 | | | | Hutton Seam— |
| | ő | 2 | 2 | | | | |
| | - | _ | _ | | | | COAL 0 2 10 |
| OAL | 0 | T | 10 | | | | 7 4 6 |
| | | | | 7 | 4 | 0 | Thill stone 0 3 0 |
| hill stone | 0 | 2 | 0 | | | - 1 | Grey metal 0 4 0 |
| rey metal, with post | , | ~ | 3 | | | | —————————————————————————————————————— |
| | 2 | 0 | 6 | | | | 1 1 0 |
| girdles | 4 | U | U | | | | |
| Commission Commission | 0 | 0 | 0 1 | 110 | - | 11 | // |
| Carried forward | 2 | 2 | O J | 10 | 2 | 11 | Total171 0 4 |
| | | | | | | , | |

No. 2,769.—HEWORTH. TOWNSHIP OF HEWORTH, DURHAM.

TOWNSHIP OF HEWORTH, DURHAM.

Sheet 7 of Ordnance Map. Lat. 54° 56' 19'', Long. 1° 33' 28''.

Account of Strata sunk and bored through in a Staple below the Beaumont Seam at Heworth Colliery, 1887 and 1888.—Cantinuation of No. 1,163.

Approximate surface-level 383 feet above sea (Ordnance datum).

| | | | | | | | _ | |
|--|-------------------------------------|---------------|---------------|----------------|-----|-----|-----|---|
| Sinking:— Hard post | | | Ft. | . In. 0 | Fs. | Ft. | In. | Brought forward 1 0 024 5 4 Soft blue sandstone, |
| Ft | . In. 11 | 7 | • | Ü | | | | with partings 0 4 0 Hard grey post 2 0 0 |
| Blue stone 0 COAL 0 | 1 | | | | | | | Grey post, mixed with blue 1 3 5 |
| Blue stone 0 COAL 0 | | 0 | 1 | 9 | | | | Soft post, with part- ings 0 3 0 Post 1 0 0 |
| _ | | | | | 4 | 2 | 9 | Hard grey post 1 3 6 |
| Hard post, with b | | 0 | 4 | 6 | | | | Seggar-clay 0 2 0 8 3 11 |
| partings Seggar-clay Hard post, inclin | | 0 | 3 | 6 6 | | | | Seggar-clay 0 3 0 Hard grey post 0 4 0 Hard post, with |
| to whin | • • • | 6 | 5 | 3 | | | | partings 1 0 0 Strong white post 8 0 0 |
| COAL 1 | | | | | | | | Whin 0 2 9 |
| Seggar-clay 0 COAL 0 | $\frac{4\frac{1}{2}}{5\frac{1}{2}}$ | | ^ | | | | | Strong white post 0 3 0 Post girdles 0 1 9 |
| _ | | 0 | 2 | | 9 | 4 | 9 | |
| Seggar-clay Blue metal | | $\frac{0}{2}$ | 1 | 6 10 | | | | Bored further:— |
| COAL | ••• | 0 | 1 | 10 | 2 | 4 | 2 | Mild post 0 3 0 COAL 0 0 3 0 3 3 |
| Seggar-clay Post girdle | | 0 | 1 0 | 6 6 | | | | Strong white post 1 4 0 |
| Blue metal Post girdle | | 0 | 4 | 10 8 | | | | Seggar-clay 0 5 0 |
| Hard post | ith | 1 | 3 | 7 | | | | COAL 0 0 4 |
| partings | | 0 | 2 | 0 | | | | Seggar-clay |
| Blue metal Hard post girdle | | 0 | 0 1 | 5 2 | | | | Blue metal 0 4 6 Strong white post 0 2 0 |
| Blue metal Hard post girdle | ••• | 0 | $\frac{0}{2}$ | 2 5 | | | | Strong grey post 0 4 0 Blue metal 0 3 6 |
| Blue metal | ith | 0 | 0 | 4 | | | | Hard grey post 1 4 0 |
| partings . Mild post | | 1 | $\frac{4}{1}$ | 0 6 | | | | COAL 0 0 6 |
| Seggar-clay | | ŏ | 3 | 6 | | | | Seggar-clay 1 0 0 |
| partings | ith | 0 | 3 | 0 | | | | COAL 0 1 0 1 1 0 |
| Hard post, incline to whim | 1ea | 0 | 2 | 6 | | | | Blue metal 0 4 6 Hard grey post 1 0 0 |
| Post girdle Blue metal | ••• | 0 | 0 1 | $\frac{10}{2}$ | | | | Blue metal 0 1 0 Strong white post 1 3 0 |
| COAL | ••• | 0 | 1 | 7 | 7 | 5 | 8 | Blue metal 0 0 6 Strong white post 2 3 6 |
| | | | | | | | | LOUGH WILLOW BOOK III M O O |
| Seggar-clay | | 1 | 0 | 0 | | | _ | 6 0 6 |

No. 2,770.—HIGHLAWS.

TOWNSHIP OF HIGH AND LOW HIGHLAWS, NORTHUMBERLAND.

Sheet 64 of Ordnance Map. Lat. 55° 11' 31", Long. 1° 42' 50".

Account of Strata passed through in a Bore-hole at Highlaws, near Morpeth, on the West side of the Turnpike and about 60 yards from Warrener's House, 1897.

Approximate surface-level 310 feet above sea (Ordnance datum).

| Soil and clay | ^{Fs.} 2 | | | | Ft. | | Brought forward 7 4 4 2 5 8 Very dark blue shale 1 1 2 |
|------------------|------------------|---|----|---|-----|---|---|
| Blue shale | 1 | 5 | | _ | • | | Brown whin 0 0 8 |
| White post, | | | | | | | White metal 0 0 7 |
| metal partings | 0 | 5 | 4 | | | | Strong white post 0 5 5 |
| Blue shale | | | | | | | Dark blue sliale 0 5 2 |
| Grey post | 0 | 3 | 3 | | | | COAL 0 0 5 |
| Dark blue shale | 0 | 2 | 5 | | | | 10 5 9 |
| Whin | 0 | 0 | 10 | | | | Fire-clay 0 2 8 |
| White post | | 5 | 3 | | | | White post, with |
| Light blue shall | | | | | | | water 0 4 3 |
| with iron bands | 2 | 3 | 2 | | | | 1 0 11 |
| Carried forwa | rd 7 | 4 | 4 | 2 | 5 | 8 | Total 15 0 4 |

No. 2,771.—HINDLEY.

TOWNSHIP OF BROOMLEY, NORTHUMBERLAND.

Sheet 104 of Ordnance Map. Lat.

, Long.

Account of Strata passed through in a Borc-hole on the Side of the Burn, about 20 yards below the Dam, May, 1872.

Approximate surface-level feet above sea (Ordnance datum).

| Ironstone | | Ft. | | Fa. | Ft. | In. | Brought forward | | | In. | | | |
|---------------------------------------|---|-----|-----|-----|-----|-----|--|----|----|-----|---|---|----|
| Light grey metal | 0 | | | | | | Dark metal | | | | | - | 10 |
| Dork grey metal | 0 | 9 | o o | | | | Hard grey post, with | | - | _ | | | |
| Light grey metal Dark grey metal COAL | 0 | ñ | 9 | | | | | | | | | | |
| OOAL | U | U | 2 | 1 | 0 | 10 | metal partings and | | 9 | 0 | | | |
| Crow motal | _ | 9 | | 1 | 2 | 10 | water | 9 | 1 | 5 | | | |
| Grey metal | | | 9 | | | | Grey metal Blue metal Hard girdle Grey metal | Ü | 1 | 0 | | | |
| Dark metal | | 0 | 9 | | | | Bine metal | Û | 4 | ō | | | |
| Coal pipe | U | 0 | 1 | | | | Hard girdle | 0 | 2 | 5 | | | |
| Dark metal | | 1 | 8 | | | | Grey metal | 0 | 3 | 3 | | | |
| Hard grey post | 0 | | 0 | | | | Grey post, with metal | | | | | | |
| Grey metal | 0 | 2 | 8 | | | | partings and water | 2 | 0 | 11 | | | |
| Grey post, with metal | | | | | | | Dark grey metal | 0 | 4 | 0 | | | |
| partings and water | 1 | 0 | 9 | | | | Dark grey post | 1 | 0 | 8 | | | |
| Grey post, with water | | | 2 | | | | Dark grey post Grey metal | 1 | 3 | 0 | | | |
| Blue metal, with | | | | | | | Dark grey metal, | | | | | | |
| post girdles and | | | | | | | with coal pipes at | | | | | | |
| water | 1 | 3 | 9 | | | | bottom | 0 | 1 | 4 | | | |
| Strong grey metal | ī | ñ | 7 | | | | Grey metal | | | | | | |
| Dark metal, with post | 1 | v | • | | | | Hard grey post | ň | 4 | ň | | | |
| | | 4 | 0 | | | | Strong don't motel | 1 | .* | 5 | | | |
| girdles | 1 | 4 | 8 | | | | Strong dark metal | | | 5 | | | |
| Mild grey post | 1 | 1 | 6 | | | | Grey metal | U | 1 | 2 | | | |
| Carried forward | 9 | 3 | 4 | 1 | 2 | 10 | Carried forward | 26 | 3 | 1 | 1 | 2 | 10 |

No. 2,771.—HINDLEY.—Continued.

| Brought forward 26 3 | In. Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In. Brought forward 29 1 6 1 2 10 |
|------------------------------------|-----------------|---|
| Strong dark grey | | Conglomerate 0 5 8 |
| metal 0 4 | 0 | Grey post, with metal |
| Hard grey post, with | | partings 0 5 6 |
| water 0 4 | | Dark grey metal 0 4 5 |
| Dark grey metal 0 1 | 9 | Hard grey post 0 4 10 |
| Hard grey post, with | | Dark grey metal, |
| metal partings and | | with post girdles 1 0 6 |
| water 0 3 | 5 | 33 4 5 |
| Dark grey metal, | | |
| Dark grey metal, with ironstone | | |
| girdles 0 3 | 0 | |
| Carried forward 29 1 | 6 1 2 10 | Total 35 1 3 |

No. 2,772.—HINDLEY.

TOWNSHIP OF BROOMLEY, NORTHUMBERLAND.

Sheet 104 of Ordnance Map. Lat. , Long.

Account of Strata passed through in a Bore-hole in a Field on the North-east Boundary of Wheelbirks Farm, near Stocksfield. Commenced October 8th, 1877.

Approximate surface-level feet above sea (Ordnance datum).

| | E. | 174 | In | II'a | E+ | In. | 1 | Fe | E+ | In. | Fo. | Er. | Tn. |
|---------------------------|-----|-----|-----|-------|------|-----|-----------------------|----|----|------|-----|-----|-----|
| Soil | 0 | | | r. D. | E U. | | Brought forward | | | | | | 6 |
| Soft brown clay | Õ | 5 | ō | | | | Very hard white post | | | | - | _ | • |
| Soft blue clay | ő | 2 | 6 | | | | Mild white post, | | • | • | | | |
| Hard brown stony | | - | U | | | | with hard girdles | Λ | 4 | ß | | | |
| | | 5 | 3 | | | | Open space | ñ | 2 | 'n | | | |
| clay | 4 | J | u | 1. | 2 | 6 | Open space | U | J | | 16 | 1 | 1 |
| Soft wallow fromtone | _ | 1 | -6 | -38 | 4 | U | Hard gray nest | _ | 1 | | LU | _ | 18 |
| Soft yellow freestone | | 1 | U | | | | Hard grey post | U | 1 | U | | | |
| Strong yellow free- | 1 | _ | c | | | | Mild dark grey post, | 1 | 0 | c | | | |
| stone | | U | 6 | | | | with hard girdles | 1 | ð | O | | | |
| Very soft freestone, | | | | | | | Very dark grey metal, | 4 | - | 0 | | | |
| with metal part- | _ | _ | _ | | | | with coal pipes | 1 | 5 | 3 | | | |
| ings Dark seggar-clay, | 0 | 5 | 0 | | | | Light seggar-clay | 1 | 0 | 0 | | | |
| Dark seggar-clay, | | | | | | | Hard girdles | 0 | 0 | 9 | | | |
| mixed with free- | | | | | | | Light grey metal | 0 | 0 | 5 | | | |
| stone | 1 | 0 | 6 | | | | Very hard girdle | 0 | 0 | 4 | | | |
| Yellow freestone, with | l | | | | | | Light grey post, with | | | | | | |
| metal partings and | | | | | | | metal partings | 0 | 4 | 8 | | | |
| a little water | | 0 | 0 | | | | Light grey metal | 0 | 1 | 6 | | | |
| Strong light free- | | | | | | | Very hard whin | 0 | 1 | 31 | | | |
| stone, with soft | | | | | | | Strong dark grey | | | - | | | |
| partings and a | | | | | | | post | | 2 | 0 | | | |
| little water | 2 | 3 | 6 | | | | Dark grey metal, | | | | | | |
| Mild yellow freestone | - ō | 4 | 6 | | | | with post girdles | 0 | 5 | 0 | | | |
| Strong white post, | • | ~ | - | | | | Light grey post, with | • | ~ | • | | | |
| with soft partings | | | | | | | metal partings | Λ | 3 | 0 | | | |
| and water | 1 | 5 | 1. | | | | Hard white post, with | ٠ | | • | | | |
| and water | | J | -30 | | | | much water | 9 | E | 0 | | | |
| White spar, supposed | - 1 | 0 | 4 | | | | | J | J | U | | | |
| leader of a trouble | | 4 | 4 | | | | Dark grey metal, | Λ | = | c | | | |
| Dark grey metal, | - | | | | | | with hard girdles | | | 6 | | | |
| with pyrites | 1 | 3 | 2 | | | | Very hard whin | U | 3 | 45 | | | |
| Carried forward | 14 | 9 | | 4 | 2 | 6 | Carried forward | 10 | | 77 9 | 20 | 2 | 10 |

No. 2,772.—HINDLEY.—CONTINUED.

| | | t. In. Fs. | | |
|----------------------------------|-----|------------|------|---|
| Brought forward 13 | (| 7 20 | 3 10 | Brought forward 18 5 1 20 3 10 |
| Strong grey post, with | | | | Black metal, with |
| metal partings 0 | - 2 | 20 | | post girdles 0 5 0 Hard grey post 0 3 0 |
| Hard grey post, with | | | | Hard grey post 0 3 0 |
| whin girdles 0 | - 2 | 2 10 | | Black metal, with |
| Dark grey metal 0 Hard whin 0 | : | 3 0 | | post girdles 0 4 0 Hard grey post 0 4 6 Dark grey metal 3 1 0 Hard grey post 0 2 4 Very dark grey metal 3 5 3 |
| Hard whin 0 | 1 | l 0 | | Hard grey post 0 4 6 |
| Dark grey metal, with | | | | Dark grey metal 3 1 0 |
| post girdles 1 | 1 | l 6 | | Hard grey post 0 2 4 |
| Mild white post, with | | | | Very dark grey metal 3 5 3 |
| metal partings 0 | | 3 0 | | Hard white post, with |
| Hard white post, with | | | | spar and pyrites 0 3 0 |
| spar panels, metal | | | | 29 3 2 |
| partings and water 2 | : | 3 2 | | |
| | _ | | | |
| Carried forward 18 | | 5 1 20 | 3 10 | Total 50 1 0 |
| | | | | |

No. 2,773.—HOLMSIDE.

TOWNSHIP OF HOLMSIDE, DURHAM.

Sheet 12 of Ordnance Map. Lat. 54° 50′ 38″, Long. 1° 39′ 55″.

Account of Strata passed through in the No. 1 Bore-hole in Smith's Gill, Fawside Farm, Holmside Royalty.

Approximate surface-level 500 feet above sea (Ordnance datum).

| Blue clay and gravel 3 Grey metal, with water 5 Shield Row Seam— Ft. In. | 3 | 0 | Fs. | Ft. | In. 0 | Brought forward 0 2 0 16 1 2 Dark metal, with girdles 4 1 6 |
|--|-------------|----------------|-----|-----|----------|--|
| water 5 Shield Row Seam— | 5 | 9 | 3 | 3 | 0 | |
| Shield Row Seam- | | | | | | Five-Quarter Seam- |
| COAL, coarse 0 2 | | | | | | COAL, good 3 5 COAL, splint 1 1 |
| COAL, clean 2 1 COAL, coarse 0 5 COAL, clean 1 3 | | | | | 1 | $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| 0 | _ | $\frac{11}{0}$ | 6 | 3 | 8 | Grey metal stone 4 3 0 |
| Grey metal 1 Dark metal 0 COAL 0 | 1 1 0 | | | | | Black metal 0 0 4 Main Coal Seam— |
| Grey metal 0 Grey post 0 | 5 4 | 0 | 1 | 2 | 6 | COAL, coarse 1 6 COAL, good 3 10 |
| Grey metal, with post girdles 3 COAL 0 | | 0 | | | | $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| Grey metal, scared with coal 0 | 2 | 0 | 4 | 4 | 0 | 0 1 6 |
| Carried forward 0 | | | 16 | 1 | | Total 32 0 1 |

No. 2,774.—HOLMSIDE.

TOWNSHIP OF HOLMSIDE, DURHAM.

Sheet 12 of Ordnance Map. Lat. 54° 50′ 33″, Long. 1° 39′ 56″.

Account of Strata passed through in the No. 2 Bore-hole in Paddy's Land, White House Farm, Holmside Royalty.

Approximate surface-level 500 feet above sea (Ordnance datum).

| Sand and gravel 0 3 0 0 0 3 5 6 17 3 5 5 6 17 3 5 5 6 17 3 5 17 5 10 17 17 17 17 17 17 17 | | | | | | | | |
|---|--|-------------|-------------|-------------|----|---|-------|--|
| Dark metal 0 1 6 Five-Quarter Seam— Ft. In. Grey metal stone 2 0 0 Grey metal stone 2 0 0 Grey metal stone 3 0 Grey metal stone 3 0 Grey metal stone 2 1 1 0 0 Grey post 1 1 0 0 Grey post 1 4 0 Strong white post 2 1 0 0 Whin 0 1 4 0 0 0 1 4 0 | | 0 | 3 | 0 | | | | Brought forward 3 5 6 17 3 5 Grey metal stone 0 4 0 |
| Grey post | Five-Quarter Seam— COAL,good 3 0 COAL,coarse 1 5 | 0 | 4 | 5 — | | - | | girdles 0 3 0 Grey metal stone 2 0 0 Grey post 1 1 0 Grey metal stone 3 0 0 Grey post 6 2 6 Strong white post 2 1 0 Grey post 1 4 0 |
| Grey metal stone 0 3 0 Grey post 0 1 0 Grey post 0 4 0 Grey metal stone 1 1 6 Grey metal stone 1 1 6 Black metal 0 2 0 | Grey metal stone Grey post Grey metal Main Coal Seam— Ft. In. | 2 5 0 | | 0 6 | | | | Strong white post 0 5 6 Maudlin Seam— Ft. In. COAL, coarse 0 6 |
| Grey metal stone 1 1 6 Black metal 0 2 0 | Grey metal stone Grey post | 0 1 | 3 0 1 | 0 0 0 | 9 | 5 | 6 | 0 1 11 Grey band 0 0 1 Black stone, with coal pipes 0 0 10 Dark metal stone, |
| | Grey metal stone Black metal | 0 | 1 2 | 6 0 | 17 | 3 | 5 | 0 3 11 |

No. 2,775.—HOLMSIDE.

TOWNSHIP OF HOLMSIDE, DURHAM.

Sheet 12 of Ordnance Map. Lat. 54° 50′ 55″, Long. 1° 40′ 30″.

Account of Strata passed through in a Bore-hole at Wagtail Hall, Holmside, 1872.

Approximate surface-level 680 feet above sea (Ordnance datum).

| 01 | | | | Fs. | Ft. | $\mathbf{In}.$ | Brought forward | | | | Fs. | | |
|-----------------|--------|---|---|-----|-----|----------------|----------------------|---|---|---|-----|---|---|
| Clay | | | | 2 | 0 | 0 | Dark metal | | | | | U | U |
| Grey post | 1 | 3 | 0 | | | | COAL | 0 | 1 | 0 | | | |
| Dark grey metal | 1 | 4 | 0 | | | | | | | | 7 | 5 | 0 |
| Grey post | 2 | 0 | 0 | | | | Grey metal and metal | | | | | | |
| Metal stone | | | | | | i | stone | 4 | 0 | 0 | | | |
| Carried forward | 6 | 4 | 0 | 2 | 0 | 0 | Carried forward | 4 | 0 | 0 | 9 | 5 | 0 |

No. 2,775.—HOLMSIDE.—CONTINUED.

| | | Ft. | | | | | - | | Ft. | . In. | Fs. | | |
|---|-----|-----|-----|----|---|--------|-------------------|---|-----|-------|----------|------|----|
| Brought forward | | | | 9 | 5 | 0 | Brought forward | | | _ | 55 | 5 | 11 |
| Dark metal | 0 | 3 | 3 | | | | Metal stone | 0 | 0 | 2 | | | |
| COAL | 0 | 0 | 9 | | | | Strong grey post | 3 | 0 | 0 | | | |
| | | · | | 4 | 4 | 0 | Metal stone | 0 | 3 | 6 | | | |
| Omen metal stans | 9 | 1 | 0 | | | | Black metal | 0 | | 0 | | | |
| Grey metal stone | | 1 | | | | | Grey metal | 3 | 0 | 0 | | | |
| Whin | | 1 | 0 | | | | Grey metal, with | | | | | | |
| Grey metal stone | | 0 | 0 | | | | coal pipes | _ | 1 | 6 | | | |
| COAL | 0 | 2 | 4 | | | | Grey metal | 0 | 2 | 0 | | | |
| | | | | 4 | 4 | 4 | White post | 3 | 4 | ő | | | |
| Matal stone | 9 | 0 | 0 | | | | Dark metal | 1 | Õ | ő | | | |
| Metal stone Dark metal girdles Grev metal stone | - 5 | 1 | ŏ | | | | Metal stone | ñ | | 0 | | | |
| Jark metal girdles | 0 | | | | | | | 0 | | 0 | | | |
| | | 3 | 0 | | | | White post | 0 | | _ | | | |
| COAL | 0 | 1 | 9 | | | | Grey metal stone | 2 | 4 | 0 | | | |
| | | | | 6 | 5 | 9 | Strong white post | 5 | | 0 | | | |
| Vatal stone | 4 | 1 | 0 | | | | Grev post | 1 | 2 | 0 | | | |
| Metal stone | 4 | 1 | | | | | Maudlin Seam- | | | | | | |
| Whin | 0 | 1 | 0 | | | | Ft, In. | | | | | | |
| Metal stone, inclin- | | | | | | | COAL 1 8 | | | | | | |
| Metal stone, inclin- ing to post | -3 | 1 | -3 | | | | COAL and | | | | | | |
| Shield Row Seam- | | | | | | | | | | | | | |
| | | | | | | | stone 1 4 | | | | | | |
| COAL, tender 2 10 | | | | | | | | 0 | 3 | 0 | | | |
| COAL, coarse 1 8 | | | | | | | | | | | 22 | 4 | 2 |
| OOAL, comise 1 0 | 0 | 4 | 6 | | | | | | | | | • | _ |
| | U | -38 | O | 0 | - | 0 | Grey metal stone | | 3 | 9 | | | |
| | | | | 8 | 1 | 9 | Datk metal | 0 | 3 | 0 | | | |
| Grey metal | 1 | 1 | 0 | | | | Black metal | 0 | 1 | 10 | | | |
| | 4 | 2 | 0 | | | | Low Main Seam- | | | | | | |
| OAL | - | 0 | 6 | | | | COAL, good | 0 | 3 | 0 | | | |
| | • | | • | - | 0 | 0 | 00/12) good | - | | _ | = | 5 | 7 |
| | _ | | | 5 | 3 | 6 | | | | _ | 5 | J | - |
| irey metal stone, | | | | | | | Grey metal stone | 0 | 1 | 0 | | | |
| with coal pipes | 0 | 1 | 0 | | | | Grey post | | 4 | 0 | | | |
| rey metal | ŏ | ī | Õ | | | | Grey metal stone | | 2 | 0 | | | |
| Dowle motel girdles | 1 | | | | | | | | ĩ | ő | | | |
| Dark metal girdles | 1 | 0 | 0 | | | | COAL | v | - | | | _ | |
| Ictal stone | 0 | 3 | 0 | | | | | | | | 1 | 2 | 0 |
| rey post, mixed | | | | | | | Strong grey post | 1 | 1 | 6 | | | |
| | 1 | 1 | 0 | | | | Whin | ō | ō | 9 | | | |
| Dark metal, with | | | | | | | | | | 6 | | | |
| girdles | 1 | 2 | 0 | | | | Strong white post | | | | | | |
| Black metal | | | 2 | | | | Grey metal stone | 0 | 2 | 0 | | | |
| ive-Quarter Seam— | , | | - | | | | Dark metal stone, | | | | | | |
| | | | | | | | with girdles | 2 | 0 | 9 | | | |
| COAL mod 2 2 | | | | | | | Hutton Seam- | | | | | | |
| COAL, good 3 2 | | | | | | | Ft. In. | | | | | | |
| COAL, splint 0 7 | | | | | | | COAL, strong 3 0 | | | | | | |
| | 0 | 3 | 9 | | | | COAL, tender 0 3 | | | | | | |
| | | _ | _ | 4 | 5 | 11 | | | | | | | |
| rey metal stone | 3 | 0 | 0 | | | | | 0 | 3 | 3 | | | |
| roy noct | 3 | ŏ | | | | | | | | | 4 | 3 | 9 |
| rey post rey metal stone | 1 | | | | | | Communicates? | 0 | 0 | 0 | - | | |
| rey metal stone | 1 | | 0 | | | | Grey metal | | | 6 | | | |
| trong grey post | 1 | | 0 | | | | Metal stone, into | 0 | 1 | 0 | | | |
| | 1 | 5 | 6 | | | | | | | _ | 0 | 3 | 6 |
| | | | | | | | | | | | | | |
| | | | | | | 1 | | | | | | | |
| Iain Coal Seam— | | | | | | | | | | | | | |
| Iain Coal Seam— Ft. In. | | | | | | | | | | | | | |
| fain Coal Seam— Ft. In. COAL, coarse 1 4 | | | | | | | | | | | | | |
| Iain Coal Seam— Ft. In. | | | | | | | | | | | | | |
| fain Coal Seam— Ft. In. COAL, coarse 1 4 | 0 | 5 | 2 | | | | | | | | | | |
| fain Coal Seam— Ft. In. COAL, coarse 1 4 | 0 | 5 | | 10 | 5 | 8 | | | | | | | |
| I GOAL, coarse 1 4 | 0 | 5 | | 10 | 5 | 8 | | | | | | | |
| COAL, coarse 1 4 | 0 | 5 | | 10 | 5 | 8 | | | | | | | |
| Hain Coal Seam— Ft. In. COAL, coarse 1 4 | 0 | 5 | — : | 10 | | 8 11 | Total | | | | —— 91 | 0 | |

No. 2,776.—HOLMSIDE.

TOWNSHIP OF HOLMSIDE, DURHAM.

Sheet 12 of Ordnance Map. Lat. 54° 50′ 50″, Long. 1° 40′ 19″.

Account of Strata sunk through in the Oswald Pit, Holmside Royalty, 1878. .

Approximate surface-level 639 feet above sea (Ordnance datum).

| Soft blue metal, through hade of fault 29 4 0 Grey metal 0 2 0 Black metal 3 2 0 Five-Quarter Seam— COAL,good 3 3 COAL,splint 0 9 — 0 4 0 | Brought forward 14 0 3 44 1 16 Strong grey post 0 3 4 Strong white post 8 0 0 Maudlin Seam— Ft. In. COAL 1 10 COAL and stone 1 4 —————————————————————————————————— |
|---|---|
| through hade of fault 29 4 0 Grey metal 0 2 0 Black metal 3 2 0 Five-Quarter Seam— COAL,good 3 3 COAL,splint 0 9 | Strong grey post 0 3 4 Strong white post 8 0 0 Maudlin Seam— Ft. In. COAL 1 10 COAL and stone 1 4 |
| fault 29 4 0 Grey metal 0 2 0 Black metal 3 2 0 Five-Quarter Seam— Ft. In. COAL, good 3 3 COAL, splint 0 9 | Strong white post 8 0 0 Maudlin Seam— Ft. In. COAL 1 10 COAL and stone 1 4 0 3 2 23 0 9 |
| Grey metal 0 2 0 Black metal 3 2 0 Five-Quarter Seam— Ft. In. COAL, good 3 3 COAL, splint 0 9 | Maudlin Seam— COAL 1 10 COAL and stone 1 4 |
| Five-Quarter Seam— Ft. In. COAL, good 3 3 COAL, splint 0 9 | COAL 1 10 COAL and stone 1 4 |
| Five-Quarter Seam— Ft. In. COAL, good 3 3 COAL, splint 0 9 | COAL 1 10 COAL and stone 1 4 |
| Ft. In. COAL,good 3 3 COAL,splint 0 9 | COAL and stone 1 4 0 3 2 23 0 9 |
| COAL, good 3 3 COAL, splint 0 9 | stone 1 4 0 3 2 23 0 5 |
| COAL, splint 0 9 | — 0 3 2 ———— 23 0 S |
| | 23 0 9 |
| 0 1 0 | |
| 34 0 0 | |
| Grey post, with iron | girdles 5 1 0 |
| girdles 3 5 0 | Low Main Seam— |
| Dark brown whin 0 1 8 | COAL 0 3 1 |
| Strong white post 1 2 4 | 5 4 |
| Strong white post 1 2 4 Grey post 3 5 8 | Grey metal, with post |
| Main Coal Seam— | |
| | Strong white post, |
| COAL, coarse 0 10 | with whin balls 1 2 6 |
| COAL, good 4 4 | Whin 0 1 3 |
| — 0 5 2 | Grey metal, with iron |
| 10 1 10 | |
| Fire-clay 0 2 0 | girdles 2 2 7 Hutton Seam— |
| White post, with | |
| 7 '- 0 0 0 | COAL 3 3 |
| Soft grey metal 4 0 0 | COAL, coarse 0 4 |
| Strong white post 1 5 3 | —— 0 3 7 |
| Grey post 1 0 0 | 5 2 |
| | Fire-clay 1 0 0 |
| Grey metal 2 0 0 Strong white post 0 3 0 | COAL, splint 0 1 3 |
| Strong white post in | 0 1 5 |
| Strong grey post girdles 1 3 4 | |
| | Strong grey metal 1 3 0 |
| Post girdle 0 1 6 | 1 3 (|
| Carried forward 14 0 3 44 1 10 | Total 81 1 |
| Carried forward 14 0 0 44 1 10 | 10tal |

No. 2,777.—HOLY ISLAND.

TOWNSHIP OF HOLY ISLAND, NORTHUMBERLAND.

Sheet 12 of Ordnance Map. Lat. , Long.

Account of Strata passed through in a Bore-hole at Holy Island, by Mr. Andrew Wake, for Mr. Henry Coll Selby, 1792.

Approximate surface-level feet above sea (Ordnance datum).

| Sand Clay | | Fs. Ft. In. 1 0 0 1 1 0 | | Ft. | | Brought forward Black Dent COAL | | | | 2 | Ft. 4 | In. 0 |
|--------------|----------|-------------------------------|--------|--------|---|------------------------------------|----|---|---|---|----------|----------|
| Limestone | ••• | . 0 3 0 | 2 0 | 1 3 | 0 | Grey metal Whin | | | | 0 | 0 | 6 |
| Carrie | d forwar | đ | 2 | 4 | 0 | Carried forward | Ō, | 3 | 6 | 2 | 4 | 6 |

No. 2,777.—HOLY ISLAND.—CONTINUED.

| Fs. Ft. In. Fs. Ft. In. | |
|------------------------------|-----------------------|
| Brought forward 0 3 6 2 4 6 | |
| White post 4 0 0 | Whin 0 1 0 |
| Post girdles, with | White post 0 1 0 |
| metal partings 1 0 0 | Whin 0 1 0 |
| Grey metal 2 2 0 | Blue grey metal 0 3 0 |
| Blue stone 1 2 0 | White metal 2 0 0 |
| Whin 0 2 0 | White post 0 2 6 |
| Blue stone 4 0 0 | Blue stone 0 3 0 |
| Post girdles, with | COAL 0 0 6 |
| metal partings 0 3 0 | |
| Whin, sand and | Grey metal 0 1 0 |
| | |
| | Grey stone 1 0 0 |
| White post 0 0 6 | Grey post 2 0 0 |
| Whin 0 1 0 | White post 1 1 0 |
| White post 0 0 6 | Grey stone 0 0 4 |
| Whin 1 0 0 | COAL 0 1 0 |
| Grey metal 0 1 0 | 4 3 4 |
| Whin 0 3 0 | Grey metal 0 0 6 |
| White post 0 0 6 | Post girdles, with |
| Whin 0 1 0 | metal partings 0 3 2 |
| White post 0 3 0 | 0 3 8 |
| | |
| Carried forward 17 0 6 2 4 6 | Total 29 0 0 |

No. 2,778.—HOPPEN.

TOWNSHIP OF HOPPEN, NORTHUMBERLAND.

, Long. Sheet 21 of Ordnance Map. Lat.

Account of Strata passed through in a Bore-hole at Hoppen, 1872. Approximate surface-level feet above sea (Ordnance datum).

| • • • | | | | | | | | | · · · · · · · · · · · · · · · · · · · |
|-----------------------|---------|-----|---------------|----------------|----|----------------|-------------------|--------|---------------------------------------|
| Even surface to | ton | Fs. | Ft. | In. Fs. | Ft | . In. | Brought forward | | Ft. In. Fs. Ft. In. |
| From surface to | | 9 | = | 0 | | | Bastard freestone | | |
| of bore-hole | • • • • | 2 | | 0 | | | | | |
| Freestone | ••• | 3 | | 6 | | | Freestone bands | | |
| | • • • | | | 11 | | | Metal tills | | |
| Freestone | | | 3 | 4 | | | Freestone bands | | 0 6 |
| Metal tills | | | $\frac{2}{2}$ | 0 | | | Limestone | | 4 9 |
| Freestone bands | | | | 5 | | | | 0 | 1 5 |
| Metal tills | | 0 | 4 | 6 | | | Hard freestone | 2 | $0 \ 11\frac{1}{2}$ |
| Soft metal | | 0 | 2 | 2 | | | Grey post | 0 | 1 0 |
| Blue metal, harder | r | 1 | 0 | 8 | | | Metal | 0 | 1 6 |
| Freestone | | 0 | 2 | 0 | | | Grey post | 0 | 1 5 |
| Limestone | | 0 | 1 | 9 | | | Hard freestone | | 0 6 |
| Metal tills | | 0 | 2 | 51 | | | Grey metal, mixed | | |
| Freestone bands | | | 5 | 9 | | | | 0 | 2 7 |
| Hard freestone | | | 0 | 0 } | | | | 0 | 1 0 |
| Metal tills | | | | $6\frac{1}{4}$ | | | | Õ | 3 3 |
| Freestone bands | | | 2 | 13 | | | Hard freestone | | 0 8 |
| Blue tills | | | ĩ | 4 | | | Grey slate | | $\overset{\circ}{1}$ |
| Freestone | | | 2 | 8 | | | Grey metal | | 5 9 |
| Hard metal | | ñ | õ | 9 | | | Grey slate | ň | 0 10 |
| Black metal | | | 3 | 1 | | | Grey metal | ň | 1 6 |
| | | | 0 | 6 | | | Grey metal | | |
| COAL | • • • | U | U | - | n | C1 | Grey stone | | |
| Nr. 4 . 2 . 4 . 2 . 1 | - | _ | _ | 19 | 2 | $6\frac{1}{4}$ | Grey metal | U | 0 8 |
| Metal tills | | | | 14 | | | | | ——11 5 11 ₄ |
| Freestone | • • • | 1 | 0 | 0 | | | | | |
| 0 | | | | | | | m . 1 | | 01 0 11 |
| Carried forwa | ird | 1 | 1 | 14 19 | 2 | 64 | Total | • • • | $31 2 5\frac{1}{2}$ |
| | | | | | | | | | 20 |
| | | | | | | - | | | 20 |

No. 2,779.—HORDEN.

TOWNSHIP OF EASINGTON WITH THORPE, DURHAM.

Sheet 28 of Ordnance Map. Lat. 54° 46′ 12″, Long. 1° 18′ 46″.

Account of Strata sunk through in the North Pit, Horden Colliery. Commenced November 6th, 1900. Finished July 22nd, 1904.

Approximate surface-level 210 feet above sea (Ordnance datum).

| | | | | | _ | | | | | | | |
|-------------------------|-----|--------|-------------|-----|-----|-----|-------------------------------|-----|-----------------|--------|---|----------------|
| 70 11 1 | | | In. | Fs. | Ft. | In. | D | Fs. | Ft. I | | | |
| Boulder-clay | | 0 | 0 | | | | Brought forward | | 0 | 77 | 2 | 1 |
| Boulder-clay and | | - | e | | | | Sand crust | 0 | | # D | | |
| loamy sand | . 0 | - 1 | 6 | | | | Sand | | | 6 | | |
| Boulder-clay | | 4 | 6 | | | | Hard sand | 0 | 1 ' | _ | | |
| Boulder-clay, with | l | | | | | | | | | - 8 | 0 | 10 |
| sand and gravel | | | _ | | | | Brown post | 0 | 1 | 6 | | |
| pockets Boulder-clay | . 0 | | 0 | | | | Grey post | _ | 5 | 0 | | |
| Boulder-clay | 6 | 5 | 0 | | | | Grey leafy post | 0 | 1 | 6 | | |
| Boulder-clay and | | _ | _ | | | | Grey leafy post Leafy post | 0 | 1 | 0 | | |
| loamy sand | | 3 | 0 | | | | Soft black parting | 0 | 0 | 2 | | |
| Boulder-clay | 2 | 0 | 0 | | _ | | Fire-clay | | 5 1 | 0 | | |
| | _ | | | 14 | 5 | 0 | Red metal | 0 | | 91 | | |
| Rubble limestone | | 3 | 0 | | | | Red and grey metal | | - | 6 | | |
| Broken limestone | | 2 | 0 | | | | Blue metal | | | 6 | | |
| Broken limestone, | | | | | | | | ^ | | 6 | | |
| mixed with red | | | | | | | Grey post Grey leafy post | 1 | | 6 | | |
| clay | 1 | 0 | 0 | | | | Blue and grey metal | _ | _ | | | |
| Broken limestone, | | | | | | | in panels | 0 | 5 | 3 | | |
| mixed with marl | | 3 | 0 | | | | COAL | _ | | 9 | | |
| Broken limestone, | | | | | | | 30AL | • | - | | 9 | 0.1 |
| with marl pockets | | 3 | 0 | | | | | | | - 9 | 4 | $9\frac{1}{2}$ |
| Broken limestone | | 0 | 0 | | | | Fire-clay | 0 | 1 : | 2 | | |
| Broken limestone | | | | | | | White post | 0 | 3 (|) | | |
| and red clay | 1 | 1 | 6 | | | | Grey post and brown | | | | | |
| Marly limestone | 16 | 5 | 5 | | | | whinstone | 0 | 4 | 0 | | |
| Hard limestone, | | | | | | | Grey post | 5 | 1 10 |) | | |
| mixed with marl | 5 | 3 | 0 | | | | Mild white post | 0 | 2 |) | | |
| Hard brown lime- | | | | | | | White post | | 4 | 3 | | |
| stone, with marly | | | | | | | White post in panels | 0 | 3 (| 3 | | |
| partings | 0 | 3 | 0 | | | | White post | | | 4 | | |
| Hard brown lime- | | | | | | | COAL | 0 | 1 9 | 1 | | |
| stone, mixed with | | | | | | | | | | - 8 | 5 | 11 |
| marl | 0 | 5 | 0 | | | - 1 | 172 | - | 0 (| | - | -2 |
| Honey-combed lime- | | | | | | | Fire-clay | 1 | 0 (|) | | |
| stone | 2 | 1 | 0 | | | - 1 | Blue metal, with post | ^ | 9 4 | | | |
| Yellow marly lime- | | | | | | | girdles | 0 | _ |) | | |
| stone | | 0 | 8 | | | | Blue metal | 0 | 3 (| , | | |
| Grey limestone, with | | | | | | - | Blue metal, with post | | 4 4- | | | |
| sliale partings | 1 | 3 | 0 | | | | girdles | | 4 1 | | | |
| Grey limestone | | 2 | 3 | | | | COAL | U | 1 | | | |
| Light grey limestone | | 0 | 7 | | | | | | | - 3 | 0 | 0 |
| Light brown lime- | | | | | | | Black stone and dant | 0 | 0 4 | Į, | | |
| stone | _ | 0 | 10 | | | | | | 3 2 | 2 | | |
| Light grey limestone | | 1 | 0 | | | | Fire-clay Hard post | ĭ | | 71 | | |
| Yellow limestone | | 1 | 2 | | | | Hard post, mixed | _ | | 2 | | |
| Dark grey limestone | | 1 | | | | | with whin | 0 | 3 (|) | | |
| Black shale | | | 1 | | | | Hard post | | 5 8 | | | |
| Dark grey limestone | ŏ | ĭ | $\tilde{2}$ | | | | Grey metal | | 1 (| | | |
| Dark brown lime- | - | _ | _ | | | | Blue metal | ĭ | 1 10 | | | |
| stone | 0 | 1 | 6 | | | | Blue metal, with | - | 1 10 | | | |
| Black slate (fish bed) | | î | ĭ | | | | black parting | 0 | 2 6 | | | |
| (()Cu) | | | | 62 | 3 | 1 | Blue metal | 9 | $\frac{2}{2}$ (| | | |
| | | | | | | | Diac mouni | | 4 (| | | |
| Carried forward | | | 1 | 77 | 2 | 1 | · Carried forward | 7 | 3 10 | 106 | 4 | 10 |

No. 2,779.—HORDEN.—CONTINUED.

| Brought forward 7 3 10 1 106 4 10 | Fs. Ft. In. Fs. 1 | Ft. In. |
|--|---|--------------------|
| COAL 0 0 11 | Brought forward 6 1 $2\frac{1}{2}$ 135 Grey leafy post 0 4 6 | 3 11 |
| 7 4 01 | Leafy post 0 2 8 | |
| Fire-clay 0 0 10 Post panel 0 1 0 Blue metal 0 3 3 | Leafy post 0 2 8 Main Coal Seam— | |
| Post panel 0 · 1 0 | COAL 0 3 3 | |
| | 7 | $57\frac{1}{2}$ |
| Post girdles 0 1 10 | Fire-clay 0 1 6 | |
| Grey metal 0 5 2 COAL 0 0 4 | Blue metal 0 4 6 | |
| COAL 0 0 4 | Strong fire-clay 2 1 6 | |
| Fire-clay 0 2 8 | Grey post 7 0 4½ | |
| Fire-clay and blue | Maudlin Seam— COAL 0 1 9 | |
| metal 0 3 0 | - 10 | 3 71 |
| Blue metal and post | Fire-clay and blue | 5 1 2 |
| panel 1 0 9 Post 1 0 2 | metal 1 0 0 | |
| Post 1 0 2 | metal 1 0 0 Post 0 4 6 Leafy post 0 2 0 Leafy post 2 2 6 Black stone 0 0 6 | |
| Dark blue metal 1 4 4 Black stone 0 1 0 | Leafy post 0 4 0 | |
| Blue metal 0 1 0 Blue metal 1 3 0 | Post 0 2 0 | |
| Dark blue metal 0 5 0 | Leafy post 2 2 6 | |
| Fire-clay, with nar- | Black stone 0 0 6 COAL 0 0 9 | |
| row coal bands 0 2 9 | COAL 0 0 9 5 | 2 3 |
| Post 1 0 0 | | _ 0 |
| Grey metal 1 3 6 | Blue metal 4 0 6 | |
| Blue metal, with | Fire-clay 0 1 8 Blue metal 4 0 6 Grey metal 1 2 6 | |
| black shale parting 0 3 b | Grey metal, with post | |
| Blue metal and black stone 0 2 6 | girdles 1 1 8 | |
| black stone 0 2 6 Blue metal 4 2 6 | | |
| COAL 0 0 6 | Black stone 1 2 0 Leafy post 0 0 10 Post, with black | |
| 15 5 2 | Post, with black | |
| Coarse fire-clay 0 2 0 | partings 1 4 2 Post 2 1 0 Post, with black | |
| Coarse fire-clay 0 2 0 Black stone 0 0 6 | Post with black | |
| Five-Quarter Seam- | partings I U U | |
| Ft, In. | Grey post 1 2 0 | |
| COAL 1 0 | Grey post 1 2 0 Leafy post 0 2 0 Strong post 0 2 0 | |
| Metal band 0 4 | Strong post 0 2 0 | |
| COAL 0 23 Metal band 0 13 | Strong grey post 0 4 0 | |
| Metal band 0 11 COAL 2 2 Metal band 0 11 | Mild leafy post 0 2 6 | |
| Metal band 0 14 | Strong post 3 3 8½ Blue metal, with post | |
| CUAL I U | girdles 0 1 6 | |
| — 0 4 11½ | Low Main Seam- | |
| 1 1 5 1 | Ft. In. | |
| Fire-clay $0 \ 1 \ 5\frac{1}{2}$ | COAL 2 11 | |
| Coarse fire-clay 0 5 0 | Black stone 1 2 | |
| Blue metal 0 3 103 | COAL 0 8 | |
| COAL 0 0 11 | 0 4 9 21 | 0.01 |
| | | $0 \ 9\frac{1}{2}$ |
| Fire-clay 0 1 8½ Grey metal 0 4 6 Grey metal, with | Post and whin 1 0 3 | |
| Grey metal 0 4 6 Grey metal, with | Post and whin 1 0 3 Blue metal 3 0 5 | |
| ironstone balls 0 5 0 | Blue metal 3 0 5 Black stone 0 2 7 | |
| Blue metal 0 5 0 | Ft. In. | |
| Strong blue metal 1 0 0 | COAL 6 2 | |
| Dark grey post 1 1 6 | Black stone 0 6 | |
| | COAL 0 7 | |
| Blue metal and grey | 0 1 3 | 0 0 |
| post 0 5 0 | 5 | 0 9 |
| Carried forward 6 1 2½ 135 3 11 | Carried forward 185 | 4 111 |
| Carried formate of 1 22 100 off | | 3 |

No. 2,779.—HORDEN.—Continued.

| Brought forward | | | 185 | Ft. In. 4 11 ¹ / ₂ | Fs. Ft. In. Fs. Ft. I Brought forward 10 0 1 188 4 (| լո. Օյ |
|-----------------------|----|--------|-------|--|---|-----------|
| | 0 | 1 | 6 | | Hutton Seam— | |
| Coarse fire-clay | 0 | 5 | 8 | | Ft. In. | |
| Hard post panel | 0 | 1 | 0 | | COAL 1 5 | |
| Black stone | 0 | 2 | 8 | | Band 0 1 | |
| Blue metal | 0 | 1 | 0 | | COAL 3 11 | |
| Blue metal, with | | | | | 0 5 5 | |
| post girdles | 0 | 4 | 0 | | 10 5 | G |
| Post girdles | ŏ | Õ | 6 | | Black stone 0 0 9 | 0 |
| COAL | ŏ | ŏ | 9 | | Din -1 - 0 1 0 | |
| | v | • | - | | | |
| | | | _ 2 | 5 1 | 202 | |
| Fire-clay | 0 | 1 | 6 | | | |
| Blue metal and grey | • | _ | | | | ^ |
| post | 0 | 4 | 0 | | | 9 |
| Blue metal, with post | ٠ | | v | | Blue metal 0 1 0 | |
| 11. | 0 | 4 | 6 | | Blue metal, with post | |
| 22.2 | | 0 | 6 | | girdles 1 2 0 | |
| | | 1 | | | Blue metal 1 0 0 | |
| Blue metal | T | T | 0 | | COAL 0 0 5 | |
| Blue metal, with | _ | | | | 2 3 | 5 |
| post girdles | 0 | 4 | 9 | | Fire-clay 0 0 6 | |
| Post, with blue metal | | | | | Blue metal 0 1 1 | |
| bands | 0 | 5 | 6 | 1 | Leafy post 0 4 0 | |
| Post, with thin metal | | | | - 1 | Grey post 0 1 6 | |
| bands | 1 | 0 | 0 | | Brown post 0 2 0 | |
| Grey post | 0 | 2 | 6 | ĺ | Grey post 0 3 0 | |
| Hard brown post | 0 | 2 | 6 | | Blue metal 1 0 9 | |
| Grey post | 0 | 1 | 0 | 1 | COAL 0 0 6 | |
| White post | 0 | 4 | 6 | 1 | 3 1 | 1. |
| Grey leafy post | 0 | 5 | 0 | 1 | Dina alam 0 1 C | -30 |
| Grey post | ĭ | 4 | 2 | 1 | | |
| Black stone | ō | Ô | 8 | ĺ | Blue metal, with post | |
| mack stone | U | v | J | | panels 0 4 9 | 0 |
| | | | | | 1 0 | 3 |
| G 1 6 1 | 10 | | 7 100 | 4.01 | m.4-1 900 F.0 | - |
| . Carried forward | 10 | 0 | 1 188 | 4 0 1 | Total208 5 3 | 2 |
| | | | | | | _ |

No. 2,780.—HORDEN.

TOWNSHIP OF EASINGTON WITH THORPE, DURHAM.

Sheet 28 of Ordnance Map. Lat.

, Long.

Account of Strata sunk through at Blackhill, in the Delivery Drift Staple, Horden Colliery, August, 1900.

Approximate surface-level 210 feet above sea (Ordnance datum).

| Soil Boulder-clay Blue clay Red clay Gravel Boulder-clay | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | Brought forward 9 5 0 Sand, with water 0 2 6 Boulder-clay 1 3 6 Limestone 2 2 6 |
|--|--|---|
| Carried forv | ward 9 5 0 | Total 14 1 6 |

No. 2,781.—HORSLEY WOOD.

TOWNSHIP OF HORSLEY, NORTHUMBERLAND.

Sheet 96 of Ordnance Map. Lat. , Long.

Account of Strata sunk through below the Brockwell Seam in a Staple on the North side of the River Tyne, Horsley Wood Colliery, April, 1876.

Approximate surface-level 140 feet above sea (Ordnance datum).

| | 72. | 13. | Y | 13. | Ft. | 1 | Fa. Ft. In. Fs. Ft. In |
|--------------------------|-----|-----|---|-----|-----|------|-----------------------------|
| Box | | 1 | | rs. | rt. | 111. | Brought forward 3 5 8 3 3 4 |
| Seggar-clay | | î | 6 | | | | COAL 0 1 2 |
| | | î | | | | | 4 0 10 |
| JOAL | | - | _ | 0 | 4 | 8 | Seggar-clay 0 1 6 |
| Seggar-clay | n | 0 | 6 | • | • | | Shaly post 0 1 6 |
| Light shaly post | | | | | | | White post, with |
| Dark brown shaly | | _ | ٠ | | | | dark partings 0 2 6 |
| | | 1. | 0 | | | | Dark brown metal 0 4 2 |
| post Dark brown metal | | 4 | 2 | | | | COAL, shaly 0 1 1 |
| | | 0 | 6 | | | | OOAL, shary 0 1 1 |
| Post | | 1 | 3 | | | | l |
| Dark brown metal | - | | 8 | | | | |
| Dark shaly post | | | | | | | Dittie Storie |
| COAL: | U | 0 | 7 | | | | Blue metal, with |
| ~ | | | _ | 2 | 4 | 8 | hard panels 0 4 6 |
| Seggar-clay | 0 | 1 | 0 | | | | Brown post 0 1 0 |
| Very light metal | | | | | | | Grey metal 0 5 0 |
| | | 0 | | | | | COAL, cannel 0 1 8 |
| Post | 0 | 2 | 6 | | | | 2 4 4 |
| Light metal, with | | | | | | | Fine seggar-clay 0 2 7 |
| hard girdle | 1 | 1 | 0 | | | | White post, into 0 2 3 |
| Black metal | 0 | 1 | 2 | | | | 0 4 10 |
| | | | | | | | |
| Carried forward | 3 | 5 | 8 | 3 | 3 | 4 | Total 13 0 1 |
| | | | | | | | |

No. 2,782.—HOUGHALL.

TOWNSHIP OF ELVET, DURHAM.

Sheet 27 of Ordnauce Map. Lat. 54° 45′ 33", Long. 1° 33′ 35".

Account of Strata passed through below the Hutton Seam in the No. 1 Borehole, about 180 yards East of the Shaft at Houghall Colliery, by
Messrs. William Coulson and Son, 1880.

Approximate surface-level 150 feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|---|---------------------------------|
| COAL 0 1 8 | Brought forward 10 5 2½ |
| 0 1 8 | Strong grey shale 1 0 9½ |
| Light grey shale 0 2 11 | Hard white post, |
| Dark grey shale 1 5 2 | with water and |
| Strong grey post 0 1 9 Grey shale, with post | gas 1 3 1 |
| Grey shale, with post | Grey shale, with post |
| girdles and water 3 2 9 | girdles 1 0 6 |
| White post 1 0 0 | Dark grey shale 2 3 6 |
| Dark grey shale 0 1 5 | Black shale 0 1 0 |
| Strong white post 3 1 2 | Light grey shale 1 2 0 |
| COAL 0 0 4½ | White post, with |
| 10 3 61 | shale partings 0 5 0 |
| | |
| Carried forward 10 5 $2\frac{1}{2}$ | Carried forward 8 3 10½ 10 5 2½ |

No. 2,782.—HOUGHALL.—CONTINUED.

| Brought forward | 8 | 3 | | Ft | . In. $52{1\over2}$ | Brought forward | Fs. | Ft. | | Fs. 44 | Ft. | In. 0 |
|-----------------------------------|---|---|------|----|---------------------|-------------------------------|-----|-----|-------------|-----------|-----|----------|
| Grey post Dark metal, with | U | 1 | 9 | | | Grey post, with shale | 2 | ٥ | Λ | | | |
| coal nines | 0 | 0 | 10 | | | strong white post, | J | U | U | | | |
| Hard grey post White post | 1 | 0 | 1 | | | with 8 inches of | | | | | | |
| White post | 0 | 4 | 1 | | | whin at bottom | 4 | 3 | 6 | | | |
| Grey post, with | | | | | | Light grey shale, with | | | | | | |
| shale partings | Ŏ | 3 | 1 | | | ironstone girdles | | | | | | |
| Dark grey shale | U | 2 | 2 | | | Black shale | | | | | | |
| the top | Λ | Λ | 101 | | | COAL | 0 | U | 10 | 10 | 0 | 6 |
| the top | _ | | — 11 | 4 | 9 | Brown shale | 0 | 0 | | 10 | U | U |
| Dark shale | 0 | 0 | 31 | _ | - | Very dark post | ŏ | | Õ | | | |
| Strong grey shale | | 5 | 9 | | | COAL and black | | | | | | |
| Dark grey metal, | | | | | | | 0 | | 3 | | | |
| with post girdles | 3 | 1 | 4 | | | Dark grey shale | 0 | 0 | 2 | | | |
| Grey shale, with post | | | | | | Grey metal, with iron- | | _ | - | | | |
| girdles | 1 | 3 | 4 | | | stone balls | | 1 | 10 | | | |
| Strong grey post, with coal pipes | 7 | 4 | 0 | | | Grey metal, with post girdles | | ĸ | 2 | | | |
| Hard white post | í | 5 | 5 | | | girdles | | | | | | |
| Light grey shale | ō | 5 | | | | 100AL | | | _ | 3 | 3 | 4 |
| Strong white post | Ŏ | 1 | 11 | | | Strong grey shale, | | | | • | • | _ |
| Strong white post Grey shale | 0 | 1 | 7 | | | with post girdles | 3 | 3 | 1 | | | |
| Et. In | | | | | | Strong white post | 1 | 0 | 4 | | | |
| COAL, soft 1 6 | | | | | | Mild post, with a | | | | | | |
| COAL and | | | | | | little water | | 2 | 3 | | | |
| black stone 0 1 | 0 | 1 | 7 | | | Strong grey post | 2 | z | 7 | | | |
| | U | T | 18 | ٥ | $2\frac{1}{2}$ | Strong dark grey shale | 2 | 4 | Ω | | | |
| Grey metal thill | 0 | 5 | | U | 22 | Grey post, with hard | 2 | - | U | | | |
| Strong grey post | | 4 | | | | shale partings | 2 | 1 | 3 | | | |
| COAL | | 0 | | | | saute partings | | | | 12 | 0 | 2 |
| _ | | | 3 | 3 | 10 | | | | | | | |
| 0 : 10 1 | | | | _ | _ | m . 1 | | | | | | _ |
| Carried forward | | | 44 | 2 | 0 | Total . | ••• | | ·· <u>·</u> | 70 | U | 0 |
| | | | | | | | | | | | | |

No. 2,783.—HOUGHALL. TOWNSHIP OF ELVET, DURHAM.

Sheet 27 of Ordnance Map. Lat. 54° 45' 38", Long. 1° 34' 47½".

Account of Strata passed through below the Hutton Seam in the No. 2 Borehole, about three-quarters of a mile West of the Shaft at Houghall Colliery, by Messrs. William Coulson and Son, 1880.

Approximate surface-level 295 feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. In. Light grey metal 2 1 6 Strong grey metal, | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
|---|--|
| with post girdles | 12 5 5 $\frac{1}{2}$ |
| and water 6 5 0 Hard grey and white | Strong grey metal, with post girdles 1 1 3½ |
| post, with soft partings 2 1 0 | Hard white post, with ironstone |
| Hard white post 1 2 11 Mild post 0 0 8 | girdles 0 4 3 |
| | |
| Carried forward 12 5 1 | Carried forward 1 5 $6\frac{1}{2}$ 12 5 $5\frac{1}{2}$ |

No. 2,783.—HOUGHALL.—CONTINUED.

| Brought forward | Fs. | Ft. | In. | Fs. | Ft. | In. 51 | Brot. forward 3 11/2 | Fs. | Ft. | In. | Fs. | Ft. | In. |
|----------------------|-----|--------|-----|-----|-----|----------------|------------------------------------|-----|-----|-----|-----|-----|-----|
| Strong grey metal, | | J | 02 | 14 | J | 0 2 | COAL, with | 10 | v | U | 2.4 | J | G |
| with post girdles | 1 | 1 | 9 | | | | dant, last 2 | | | | | | |
| Strong black shale | 4 | 9 | 1 | | | | inches rather | | | | | | |
| | | | -36 | | | | | 1 | | | | | |
| Strong grey shale, | | | 10 | | | | coarse 1 7 | 1 | 4 | 0 | | | |
| with post girdles | | 4 | 10 | | | | | | | | 10 | 4 | 0 |
| Strong grey post, | | | | | | | 64 | | | _ | 19 | 4 | 9 |
| with ironstone balls | U | 3 | T | | | | Strong grey shale, | | | | | | |
| Strong grey shale, | | | | | | | with post girdles | Ţ | 2 | 2 | | | |
| with ironstone | | _ | | | | | White post, with | _ | | | | | |
| _girdles | | | | | | | shale partings | 5 | 2 | 10 | | | |
| Strong grey post | 0 | 2 | 6 | | | | Dark grey metal, | | | | | | |
| Grey shale | 0 | 5 | 4 | | | | with thin girdles | 0 | 4 | 6 | | | |
| COAL | 0 | 1 | 4 | | | | Black stone | 0 | 0 | 2 | | | |
| | | | | 12 | 0 | $2\frac{1}{2}$ | | | | | | | |
| Grey shale | 2 | 2 | | | | | with post girdles | 2 | 1 | 8 | | | |
| Black shale | 0 | 2 | 6 | | | | Strong grey post, | | | | | | |
| Strong grey metal, | | | | | | | with shale part- | | | | | | |
| with post girdles | 4 | 3 | 6 | | | | ings and iron- | | | | | | |
| Strong grey post | | | 0 | | | | stone balls | 0 | 4 | 4 | | | |
| Hard white post | 0 | 1 | 10 | | | | Dark grey shale, | | | | | | |
| Grey whin | | 0 | | | | | with ironstone | | | | | | |
| Hard white post, | | · | | | | | balls | 2 | 5 | 0 | | | |
| with water | 6 | 0 | 3 | | | | Hard grey shale, | _ | - | | | | |
| Strong dark grey | _ | • | | | | | with coal pipes | 1 | 5 | 6 | | | |
| metal, with thin | | | | | | | Hard grey post, with | - | • | • | | | |
| post girdles | | 4 | 3 | | | | thin partings | 2 | 0 | 7 | | | |
| Hard grey post | î | A | 6 | | | | Strong light grey | - | ٠ | • | | | |
| Mild grey post | ñ | 1 | 6 | | | | | 0 | 5 | 9 | | | |
| Hard white nest | 0 | 4 | ۸ | | | | shale | U | J | 3 | | | |
| Hard white post | 0 | 4 | 4 | | | | Hard grey post, with | 2 | 0 | 5 | | | |
| Light grey shale | U | U | 4 | | | | shale partings | 2 | U | 9 | | | |
| COAL with Ft. In. | | | | | | | Strong grey shale, | - | ^ | | | | |
| COAL, with | | | | | | | with post girdles | 2 | 0 | 4 | | | |
| dant 1 92 | t | | | | | | Hard grey and white | | | | | | |
| Hard brown | | | | | | | post panels, with | _ | _ | _ | | | |
| band 0 0 | | | | | | | thin partings | 1 | 3 | 5 | | | |
| Black stone 0 6 | E. | | | | | | Hard white post, with very hard | | | | | | |
| Black stone, | | | | | | | | | | | | | |
| with much | | | | | | | ironstone balls | 1 | 2 | | | | |
| _ coal 0 6 | | | | | | | | | _ | ! | 25 | 3 | 0 |
| Dark shale 0 3 | | | | | | | | | | | | | |
| Car. forward 3 11 | 10 | _ | _ | 04 | - | _ | Total | | | | 70 | 1 | 5 |

No. 2,784.—HOWNES GILL.

TOWNSHIP OF CONSIDE AND KNITSLEY, DURHAM.

Sheet 18 of Ordnance Map. Lat. , Long.

Account of Strata passed through in a Bore-hole on the Hownes Gill Estate,

1838

Approximate surface-level feet above sea (Ordnance datum).

| Strong blue clay 6 5 0 | n. Brought forward 2 1 10 6 5 0 |
|---|---|
| 6 5 | 0 Brown post 0 1 0 Soft grey metal, with |
| Soft grey metal, with scares of coal 2 1 10 | water 6 2 2 |
| Carried forward 2 1 10 6 5 | Carried forward 8 5 0 6 5 0 |

No. 2,784.—HOWNES GILL.—CONTINUED.

| | | | | Ft | | |
|---|----|---------------|---|----|---|--|
| Brought forward 8 | Э | U | О | 5 | 0 | |
| Brown post, with | | | | | | Black metal, mixed |
| metal partings 1 | 2 | 6 | | | | with coal 0 2 6 |
| Soft grey metal 0 | 1 | 6 | | | | 28 4 1 |
| Strong grey post 0 Grey metal 0 | 4 | 6 | | | | Grey metal 0 3 8 |
| Grey metal 0 | 4 | 2 | | | | Grey whin 0 3 1 |
| Strong white post, | | | | | | Grey metal 0 3 8 Grey whin 0 3 1 Blue metal 1 0 0 Grey metal 1 4 6 Grey metal 1 4 6 |
| with metal part- | | | | | | Grev metal 1 4 6 |
| ings and water 0 Blue metal 1 | 2 | 8 | | | | Grey post, with metal |
| Blue metal 1 | 3 | $\frac{8}{2}$ | | | | partings 1 2 6 |
| Chambred with west | | | | | | partings 1 2 6 Grey metal 0 1 8 Grey post 1 5 8 |
| girdles 1 Grey post 0 Dark grey metal 1 | 3 | 0 | | | | Grey post 1 5 8 |
| Grev post 0 | 2 | 5 | | | | Blue metal, with post |
| Dark grey metal 1 | 3 | 7 | | | | girdles 0 2 2 |
| Grey post, with much | 0 | • | | | | girdles 0 2 2 COAL 0 0 6 |
| water 6 | 5 | Q | | | | 7 5 9 |
| Soft grey metal 0 | | | | | | |
| Character U | 4. | 8 | | | | Grey metal 0 1 10 |
| Grey post 1 | 3 | 8 | | | | 0 1 10 |
| Blue metal, with post | | _ | | | | |
| $girdles \dots 1$ | 3 | 6 | | | | • |
| G 1.10 | | | | | | |
| Carried forward 28 | 1 | 7 | 6 | 5 | 0 | Total 43 4 8 |
| | | | | | | |

No. 2,785.—HUNSTANWORTH.

TOWNSHIP OF HUNSTANWORTH, DURHAM.

Sheet 16 of Ordnance Map. Lat. , Long.

Account of Strata sunk through in Green's Shaft, Derwent Mines.

Approximate surface-level feet above sea (Ordnance datum).

| Hipple Sill 7 0 0 Plate 6 2 0 High Grit Sill 9 0 0 | Brought forward 23 0 0 Low Grit Sill 10 0 0 Black bed and plate 0 3 0 |
|--|---|
| Black bed and plate 0 4 0 | |
| Carried forward 23 0 0 | Total 33 3 0 |
| | |

No. 2,786.—HUNSTANWORTH.

TOWNSHIP OF HUNSTANWORTH, DURHAM.

Sheet 16 of Ordnance Map. Lat. , Long.

Account of Strata sunk through in Jeffrey's Shaft, Derwent Mines.

Approximate surface-level feet above sea (Ordnance datum).

| Moss and clay | 2 | 0 | 0 | | | | Brought forward 4 5 6 2 0 0 Plate, with metal |
|-----------------|----------|---|---|---|---|---|---|
| Slate siii | | | | | Ů | ١ | posts 2 0 0 |
| Carried forward | 4 | 5 | 6 | 2 | 0 | 0 | Carried forward 6 5 6 2 0 0 |

No. 2,786.—HUNSTANWORTH.—CONTINUED.

| Fa. F | 7. In. Fs. | Ft. In. | Fs. Ft. In. Fs. | Ft. | In. |
|------------------------|------------|---------|-------------------------------------|-----|-----|
| Brought forward 6 | | 0 0 | | | |
| Cockle Bed Limestone 2 | | | Black bed 0 1 0 | | |
| Plate 4 | 2 6 | | Limestone 0 3 0 | | |
| Fell Top Limestone 0 | | | Crag Sill (lead bear- | | |
| COAL 0. | | | ing) 8 0 0 | | |
| | 14 | 4 0 | | | |
| Girdle beds 1 | 0 0 | | Pattinson's Sill 4 5 0 | | |
| Plate 2 | 3 0 | | Plate 5 5 0 | | |
| Hipple Sill 5 | 5 0 | | Hazle, or white sill 1 2 0 | | |
| Plate 6 | 2 0 | | Plate 2 0 0 Hazle 0 5 6 Plate 2 0 0 | | |
| High Grit Sill (lead | | | Hazle 0 5 6 | | |
| bearing) 13 | 5 0 | | Plate 2 0 0 Little Limestone 1 5 0 | | |
| Black bed and plate 0 | 3 0 | | Little Limestone 1 5 0 | | |
| Low Grit Sill (lead | | | | 4 | 6 |
| bearing) 23 | 4 0 | | | | |
| | | | | | _ |
| Carried forward 53 | 4 0 16 | 4 0 | Total 99 | 2 | 6 |
| | | | | | _ |

No. 2,787.—HUNSTANWORTH.

TOWNSHIP OF HUNSTANWORTH, DURHAM.

Sheet 16 of Ordnance Map. Lat. 54° 49' 31", Long. 2° 3' 44".

Account of Strata sunk through in the Presser Engine Shaft, Jeffrey's Rake, Derwent Mines.

Approximate surface-level 1,250 feet above sea (Ordnance datum).

| | | | | Fs. | Ft. | In. | |
|---------|----|-------------------------|---|---|---|---|---|
| ••• | 2 | U | U | 0 | | 0 | Brought forward 10 3 671 4 (|
| | | | _ | 2 | U | U | |
| | | | - | | | | Plate 4 3 0 |
| | 2 | | | | | | Plate, with girdle |
| | 2 | | | | | | beds 7 2 0 |
| | 4 | 3 | 0 | | | | Little Limestone 1 2 0 |
| e | 1 | 0 | 0 | | | | High Coal Sill 5 1 0 |
| | 1 | 0 | 0 | | | | COAL, sulphurous 0 1 0 |
| | | 3 | 0 | | | | 34 0 6 |
| | 6 | 0 | 0 | | | | Plate 1 0 0 |
| | | 3 | 0 | | | | COAL 0 1 0 |
| | | | | | | | |
| | | _ | | | | | Hazle 1 0 0 |
| | | 1 | | | | | Plate 0 5 0 |
| ous | | • | - | 45 | 9 | n | Low Coal Sill 9 2 0 |
| | 94 | 0 | | TO | U | ٥ | |
| | | | _ | | | | |
| • • • • | U | 1 | _ | 04 | 1 | 0 | |
| | _ | _ | | 24 | T | 0 | Tuft, or water sill 1 5 0 |
| | | | | | | | Plate 2 0 0 |
| | | | | | | | Limestone post 1 0 0 |
| • • • | | _ | | | | | Quarry hazle, into 1 0 0 |
| ••• | 0 | 1 | 6 | | | | 26 5 0 |
| ard | 10 | 3 | 6 | 71 | 4 | 0 | Total133 4 6 |
| | | 2 5 2 4 1 1 1 1 1 1 1 0 | 2 0 5 0 2 0 2 3 4 3 1 0 1 3 6 0 1 3 5 0 14 0 0 1 24 0 0 1 0 4 8 0 1 4 8 0 1 4 0 1 | 2 0 0 5 0 0 2 0 0 2 3 0 4 3 0 1 0 0 2 3 0 1 3 0 6 0 0 1 3 0 1 4 0 0 1 0 2 4 0 0 2 4 0 0 1 0 2 4 0 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 1 0 | 2 0 0 0 2 5 0 0 0 2 0 0 0 4 3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | 2 0 0 2 0 5 0 0 0 2 0 0 0 4 3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | 5 0 0 0 2 0 0 2 0 0 4 3 0 4 3 0 1 0 0 1 0 0 1 3 0 14 0 0 14 0 0 24 0 0 24 0 0 0 1 0 0 1 0 8 0 0 1 4 0 8 0 0 1 4 0 0 1 6 |

No. 2,788.—HUNSTANWORTH.

TOWNSHIP OF HUNSTANWORTH, DURHAM.

Sheet 16 of Ordnance Map. Lat.

, Long.

Account of Strata sunk through in Pear's Shaft, Derwent Mines.

Approximate surface-level feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. In. | Fs Ft. In. Fs. Ft. In. |
|------------------------------|------------------------------|
| Black bed and plate 0 5 0 | Brought forward 5 5 0 35 3 0 |
| High Grit Sill (lead | Plate 1 4 0 |
| bearing) 16 0 0 | Limestone 1 0 0 |
| Black bed and plate 1 0 0 | Pattinson's Sill 3 2 0 |
| Low Grit Sill (lead | Plate 4 5 0 |
| bearing) 16 4 0 | Hazle 1 0 0 |
| Plate 0 1 0 | Plate 3 0 0 |
| Limestone and coal 0 5 0 | Hazle 2 2 0 |
| 35 3 0 | 23 0 0 |
| Crag Sill (lead bear- | |
| ing) 5 5 0 | |
| | |
| Carried forward 5 5 0 35 3 0 | Total 58 3 0 |
| | |

No. 2,789.—HUNSTANWORTH.

TOWNSHIP OF HUNSTANWORTH, DURHAM.

Sheet 16 of Ordnance Map. Lat. 54° 49′ 8″, Long. 2° 4′ 47″.

Account of Strata sunk through in the Ramshaw Engine Shaft, Derwent Mines.

Approximate surface-level 1,230 feet above sea (Ordnance datum).

| Ft. | In. Fs. | Ft. 1 | n. | | | | | t. In. |
|-----|-------------------------|---|---|---|--|---|--|--|
| | | | | Brought forwa | rd 24 | 3 | 0 29 | 0 9 |
| 1 | 3 | | | Little Limestone | 1 | 1 | 0 | |
| 0 | 0 | | | COAL | 0 | 1 | 0 | |
| | | | | | _ | _ | 25 | 5 0 |
| 3 | 6 | | | High Coal Sill | 4 | 3 | 0 | |
| 5 | 0 | | | Plate and coal | 1 | 4 | 0 | |
| 2 | 0 | | | Low Coal Sill | | | | |
| 1 | 0 | | | Plate | 0 | 5 | 0 | |
| | 29 | 0 | 9 | Great Limestone | 8 | 5 | 6 | |
| | | | | Tuft | 0 | 5 | 0 | |
| 5 | 0 | | | Plate | 2 | 0 | 0 | |
| 4 | 0 | | | Limestone | 0 | 5 | 0 | |
| 4 | 6 | | | | | | 30 . ! | 5 9 |
| 5 | 6 | | | | | | • | |
| | | | | | | | | |
| 2 | 0 | | | | | | | |
| | | | - | | | | | |
| 3 | 0 29 | 0 | 9 | Tot | tal | | 85 | 56 |
| | | | • | | | | | |
| | 1 0 3 5 2 1 5 4 4 5 5 2 | 1 3 0 0 0 3 6 5 0 2 0 1 0 2 9 5 0 4 0 4 6 5 6 2 0 | 1 3 0 0 0 3 6 5 0 2 0 1 0 0 5 0 4 0 4 6 5 6 2 0 | 0 0 3 6 5 0 2 0 1 0 2 0 0 9 5 0 4 0 4 6 5 6 2 0 | Brought forwa Little Limestone COAL 3 6 5 0 1 0 2 0 1 0 2 0 2 0 0 3 6 4 0 4 6 5 6 2 0 | Brought forward 24 Little Limestone 1 COAL 0 3 6 | Brought forward 24 3 Little Limestone 1 1 COAL 0 1 3 6 5 0 Plate and coal 1 4 Low Coal Sill 1 2 Plate 0 5 Great Limestone 8 5 Tuft 0 5 Plate 0 5 Plate 0 5 Plate 0 5 Limestone 2 0 Limestone 0 5 | Brought forward 24 3 0 29 Little Limestone 1 1 0 COAL 0 1 0 3 6 5 0 Plate and coal 1 4 0 Low Coal Sill 1 2 3 Plate 0 5 0 Great Limestone 8 5 6 Tuft 0 5 0 Plate 0 5 0 Plate 0 5 0 Little Limestone 8 5 6 Tuft 0 5 0 Limestone 0 5 0 Limestone 0 5 0 |

No. 2,790.—HUNSTANWORTH. TOWNSHIP OF HUNSTANWORTH, DURHAM.

Sheet 16 of Ordnance Map. Lat.

, Long.

Account of Strata sunk through in the Routh Shaft, Derwent Mines. Approximate surface-level feet above sea (Ordnauce datum).

| Fs. Ft. In. Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|---|-------------------------------|
| Rowton Well Sill 4 0 0 | Brought forward 8 1 933 3 0 |
| Plate 2 0 0 | Plate 3 1 0 |
| Slate sill 1 5 0 | High Grit Sill (lead |
| Plate 5 2 6 | bearing) 18 1 0 |
| White hazle 1 0 0 | Black bed and plate 0 4 0 |
| Plate, with metal | Low Grit Sill (lead |
| post 4 1 0 | bearing) 16 4 0 |
| Whin sill 0 2 0 | Plate 0 1 6 |
| Whin sill 0 2 0 Slate sill 4 5 0 | Limestone and coal 0 4 0 |
| Plate, with metal | 47 5 3 |
| post 8 5 6 | Crag Sill (lead bear- |
| Fell Top Limestone 0 5 0 | ing) 6 0 0 |
| COAL 0 1 0 | Plate 1 2 0 |
| 33 3 0 | Limestone 0 4 |
| Girdle beds 2 0 0 | Pattinson's Sill 2 5 0 |
| | 10 5 0 |
| | |
| | |
| Carried forward 8 1 9 33 3 0 | Total 92 1 3 |
| | |
| Girdle beds 2 0 0 Plate 1 1 9 Hipple Sill 5 0 0 | Pattinson's Sill 2 5 0 10 5 0 |

No. 2,791.—HUNSTANWORTH.

TOWNSHIP OF HUNSTANWORTH, DURHAM.

Sheet 16 of Ordnance Map. Lat.

, Long.

Account of Strata sunk through in Taylor's Shaft, Derwent Mines. Approximate surface-level feet above sea (Ordnance datum).

| | | | Fe | Et | In | E's | Ft. | In | Fs. Ft. In. Fs. Ft. | In |
|---------------|---------|---------|----|----|----|------|------|------|-----------------------------|-----|
| Moss and sa | and | | 2 | | | 1 0. | 1 0. | 144. | Brought forward 60 0 0 2 0 | |
| 22000 0114 01 | | ••• | _ | | _ | 2 | 0 | 0 | High Grit Sill (lead | • |
| Plate | | | 9 | 0 | 9 | ~ | ۰ | • | bearing) 11 3 0 | |
| C1111 | | • • • • | | | 0 | | | | COAL 0 0 3 | |
| 201 . | ••• | | 2 | 3 | ő | | | | | 3 |
| | | | 1 | | 0 | | | | | J |
| Sill | | • • • | _ | | - | | | | Low Grit Sill (lead | |
| Plate | | | | 4 | 0 | | | | bearing) 21 4 0 | |
| Rowton Wel | II SiII | | | 2 | 0 | | | | Plate and hazle sill 1 1 0 | |
| Plate | | | 1 | | 0 | | | | Plate 0 1 6 | |
| Hazle sill | | | 1 | 4 | 0 | | | | Limestone 0 4 0 | |
| Plate | | | 2 | 4 | 6 | | | | Crag Sill (lead bear- | |
| Whin and l | nazle | sill | 0 | 5 | 6 | | | | ing) 6 1 0 | |
| Plate | | | | 5 | 0 | | | | Plate 2 2 0 | |
| Slate sill | | | | | 0 | | | | Pattinson's Sill 2 2 0 | |
| Plate | ••• | ••• | q | 2 | 3 | | | | Plate 5 2 0 | |
| Fell Top Lin | | | | _ | ŏ | | | | White sill 1 5 0 | |
| | | | | 4 | ŏ | | | | | |
| Plate | | • • • | | | - | | | | | |
| Hipple Sill | | | | 5 | 0 | | | | White sill 0 3 0 | |
| Plate | • • • | • • • | 6 | 2 | 0 | | | | Plate 5 0 0 | |
| | | | | | _ | _ | | _ | | |
| Carried | forw | ard | 60 | 0 | 0 | 2 | 0 | 0 | Carried forward 49 2 6 73 3 | - 3 |

No. 2,791.—HUNSTANWORTH.—CONTINUED.

| Brought forward | Fs. Ft. 49 2 | | | In. | Brought forward Fs. Ft. Iu. Fs. Ft. In. 130 4 4 |
|------------------|---|-------------|---|-----|---|
| Little Limestone | 2 0 | 6 0 | | | Plate 1 1 0 COAL 0 2 3 |
| Plate | $\begin{array}{ccc} 1 & 3 \\ 0 & 0 \end{array}$ | 6 7 | | | |
| | | — <u>57</u> | 1 | 1 | |
| Carried forward | | 130 | 4 | 4 | Total <u>132 1 7</u> |

No. 2,792.—HUNSTANWORTH.

TOWNSHIP OF HUNSTANWORTH (FOREST QUARTER), DURHAM.

Sheet 16 of Ordnance Map. Lat. 54° 47′ 0″, Long. 2° 9′ 22″.

Account of Strata passed through at the Wolfcleugh Mine, Rookhope Valley.

Approximate surface-level 1,400 feet above sea (Ordnance datum).

| | Fs. Ft. | In. Fs. Ft. In. | | | Fs. Ft. | In. Fs. | Ft. I | In. |
|-----------------|----------|-----------------|-------------|---------|---------|---------|-------|-----|
| Hazle | 1 5 | 0 | Brought | forward | 29 5 | 0 | | |
| Plate | 3 3 | 0 | Plate | | 4 5 | 0 | | |
| Limestone | 1 4 | 0 | Hazle | | 3 4 | 3 | | |
| Plate | 3 5 | 0 | Plate | | 7 0 | 6 | | |
| Hazle | 1 4 | 0 | Limestone | | 2 5 | 0 | | |
| Plate | 3 5 | 0 | Hazle | | 5 4 | 0 | | |
| Great Limestone | 11 5 | 6 | Plate, into | | 1 0 | 0 | | |
| Hazle | 1 3 | 6 | | | | 54 | 5 | 9 |
| | | | | | | | | — |
| Carried forw | ard 29 5 | 0 | | Total | | 54 | 5 | 9 |
| | | | | | | | | _ |

No. 2,793.—HURWORTH.

TOWNSHIP OF HURWORTH, DURHAM.

Sheet 55 of Ordnance Map. Lat. , Long.

Account of Strata passed through in a Bore-hole near the Corner of the Fold at Hurworth Moor Farm, for Mr. E. Lloyd Pease. Commenced May 11th, 1890.

Approximate surface-level feet above sea (Ordnance datum).

| | | | | Ft. In. | Brought forward | | | In. | Fs. | Ft. | In. |
|--|----------|----------|---|---------|----------------------|-------|---|-----|-----|-----|-----|
| Soil | 4 | 3 | 6 | | Stony clay | | | | | | |
| Brown stony clay Coarse running sand, | - | Ŭ | · | | story cany | | | | 19 | 4 | 9 |
| with water | 0 | 4 | 0 | | Soft red metal, last | | | | | | |
| Laminated clay, with | | | | | 3 feet very soft | 8 | 5 | 0 | | | |
| loamy partings | 4 | 5 | 0 | | Strong red and grey | | | | | | |
| Hard stony clay | 2 | 4 | 0 | | metal, with gypsum | | | | | | |
| Running sand and | | | | | and water | | | | | | |
| gravel, with water | 6 | 3 | 3 | | Limestone, withwater | | | | | | |
| | | | | | | | | — 1 | 12 | 3 | 9 |
| - | _ | | | | | | | - | | | _ |
| Carried forward 1 | 19 | 2 | 9 | | Total | • • • | | | 32 | 2 | 6 |

No. 2,794.—HUTTON HENRY.

TOWNSHIP OF HUTTON HENRY, DURHAM.

Sheet 36 of Ordnance Map. Lat. 54° 43' 22", Long. 1° 21' 17".

Account of Strata sunk and bored through in the Perseverance Pit, Hutton Henry Colliery.

Approximate surface-level 420 feet above sea (Ordnance datum).

| Sinking:— | t. In. Fs. | Ft. In. | Brought forward Fs. Ft. In. Fs. Ft. In. Brought forward 117 0 0 |
|--------------------------------------|------------|---------|--|
| Soil 0 | | | Seggar-clay 0 4 0 |
| Clay 4 | | | Grey metal, with post |
| Sand and clay 12 (Clay 5 |) 3 | | girdles 3 3 0 Blue metal 0 3 0 |
| Clay 5 (| 21 | 2 0 | COAL, cannel 0 3 0 |
| Marl and broken | | | 5 0 0 |
| | l 0 | | Dark grey metal, |
| Brown limestone 45 | 3 | | with scares of coal 1 3 0 |
| Metal and limestone, mixed 2 | 0 | | Post girdles 0 3 6 |
| mixed 2 0 Blue limestone 3 | - | | Blue metal 2 3 9 |
| | 10 | | COAL 0 0 6 |
| Sand 5 8 | 0 | | 4 4 9 |
| | 57 | 5 9 | Seggar-clay 0 5 6 |
| White post 3 | | | COAL 0 0 8 |
| Red post 5 5 Grev post 0 5 | | | 1 0 2 |
| Grey post 0 5 | | | Seggar-clay and post 0 3 6 |
| Grey metal and post 2 | | | Grey post, with metal |
| Black stone 0 | | | partings 4 1 1 Dark shelly post 0 2 0 |
| Grey metal 0 5 | | | Black metal 0 1 6 |
| Black stone 0 (Grey metal, with post | 3 | | Harvey Seam- |
| girdles 2 | 5 | | Ft. In. |
| Post 0 3 | | | COAL,good 3 9 Band 0 13 |
| Grey metal 1 | | | Band 0 13 COAL,good 1 8 |
| COAL 0 0 | | 3 1 | $\frac{1}{-}$ 0 5 $6\frac{3}{4}$ |
| Grey thill 0 2 | ${6}$ 19 | 3 1 | 6 1 73 |
| Strong post 0 4 | | | Dark grey seggar- |
| Metal, with post | | | elay 0 2 10 |
| girdles 4 2 | 6 | | COAL 0 0 $7\frac{1}{2}$ Seggar-clay 0 3 5 |
| Post, with metal nartings 1 0 | 0 | | Seggar-clay 0 3 5 Busty Seam— |
| | 10 | | Ft. In, |
| Blue metal 4 5 | | | COAL 1 6 |
| Hutton Seam- | | | Band 0 4½ |
| COAL: 0 3 | | 0 0 | $\begin{array}{cccc} \textbf{COAL} & & 0 & 11 \\ \textbf{Band} & & 0 & 2\frac{1}{2} \end{array}$ |
| Black stone 0 1 | 12 | 3 2 | COAL 0 81 |
| Seggar-clay 0 4 | | | 0 3 8½ |
| Metal 1 3 | | | 1 4 7 |
| COAL 0 0 | | | Seggar-clay 0 3 0 |
| Districted 0.6 | 2 | 3 1 | |
| Black metal 0 2 Post 1 0 | _ | | Shelly post 0 1 6 |
| Grey metal 0 3 | | | Shelly post 0 5 0 |
| Soft grey metal 1 0 | 0 | | Strong white post 2 1 10 |
| COAL 0 0 | | | COAL 0 1 4 |
| | 3 | 0 11 | 7 4 4 |
| Carried forward | 117 | 0 0 | Carried forward 143 3 5 ³ ₄ |
| | | | |

No. 2,794.—HUTTON HENRY.—CONTINUED.

| Brought forward | | | 1 | Fs. 43 | Ft. 3 | In. 5 ³ / ₄ | Brought forward 8 5 11 145 1 103 |
|---------------------------|---|---|----|-----------|----------|--------------------------------------|---|
| Dark seggar-clay | | | | | | | White post 1 2 0 ————————————————————————————————— |
| COAL | | | | | | | 10 1 11 |
| Dark cloddy metal | | | | | | | 422 0 0 0 |
| Grey metal | 0 | 3 | 0 | | | | 155 3 93 |
| COAL | 0 | 1 | 2 | | | | Bored further:— |
| - | | | | 1 | 4 | 5 | Strong white post 0 1 10 |
| Grey metal, with post | | | | | | | Metal and post 0 1 0 |
| girdles | 0 | 2 | 9 | | | | White next 4 1 2 |
| CÖAL | | | | | | | Metal parting 0 0 6 White post 0 5 0 Grey metal 0 3 6 |
| Seggar-clay | ñ | 3 | 6 | | | | White post 0 5 0 |
| Seggar-clay Grey metal | ň | 2 | 6 | | | | Grav matal 0 3 6 |
| White post | 7 | õ | 0 | | | | Black stone 0 0 3 |
| | ' | U | U | | | | |
| Post, scared with | | | | | | | Grey metal 0 1 0 |
| metal and coal | _ | _ | _ | | | | Post 3 1 1 |
| pipes | 0 | 3 | 0 | | | | 9 3 4 |
| - | | | _ | | | | |
| Carried forward | 8 | 5 | 11 | 14 | 51 | 103 | Total165 1 13 |
| | | | | | | | |

No. 2,795.—HUTTON HENRY.

TOWNSHIP OF HUTTON HENRY, DURHAM.

Sheet 36 of Ordnance Map. Lat. 54° 43′ $29\frac{1}{2}$ ″, Long. 1° 21' 29″.

Account of Strata sunk through in the Marley Pit, Hutton Henry Colliery.

Approximate surface-level 400 feet above sea (Ordnance datum).

| | | | | - | | |
|--------------------|--------|----------|-------------|-----|-----|---|
| | Fs. | | In. Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In |
| Soil | 0 | 1 | 0 | | | Brought forward 19 1 375 5 0 |
| Clay, with stone | 13 | 5 | 0 | | | |
| Sand | 2 | 0 | 0 | | | White post |
| Gravel | 1 | 2 | 0 | | | Ft. In. |
| Sand | 2 | 4 | 0 | | | COAL, strong |
| Wet sand | 7 | õ | Ŏ | | | splinty 2 6 |
| Clay | 4 | 4 | 8 | | | Blue metal 2 4 |
| Oray | 2 | -30 | 31 | 4 | 8 | 1 = 2 1 |
| Brown limestone | 36 | 2 | | -36 | G | |
| | | | | | | |
| Blue limestone | 1 | 4 | O | | | 1 1 0 |
| Grey metal and lin | | | | | | 23 2 1 |
| stone, mixed | 1 | 4 | 0 | | | Blue metal 3 1 4 |
| Blue limestone | 1 | 2 | 0 | | | COAL 0 0 3 |
| Grey metal | 0 | 1 | 9 | | | Metal 0 2 0 |
| Blue sand, strong | | | | | | COAL 0 0 9 |
| post | 2 | 2 | 3 | | | 3 4 4 |
| - | | | — 44 | 0 | 4 | White post, with |
| Strong post | 0 | 2 | 0 | | | |
| Grey metal | | | 6 | | | $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| Red metal | 1 | ĩ | Ō | | | Metal, with rost |
| Post, scared red | | | 6 | | | girdles 4 5 7 |
| Post | 11 | ñ | 9 | | | COAL, strong can- |
| Post and met | | U | J | | | |
| mixed | | 4 | 6 | | | |
| mixeu | 3 | 4 | U | | | Blue metal 4 3 10 |
| Country of Country | 10 | | 0.75 | | _ | 0 1 1 4 1 100 5 5 |
| Carried forwa | ara 19 | Ť | 3 75 | þ | 0 | Carried forward 11 4 1 102 5 5 |

No. 2,795.—HUTTON HENRY.—CONTINUED.

| 70 140 | | s. Ft. | | | | | Fs. Ft. In. Fs. Ft. In. |
|-------------------|-------|--|--------|-----|---|---|---|
| Brought forwa | rd 1 | 1 4 | 1 | 102 | 5 | 5 | |
| Hutton Seam- | | | | | | | COAL 0 0 1 |
| COAL | | 03 | 3 | | | | Grey thill 0 1 10 |
| | | | | 12 | 1 | 4 | |
| Black metal | (| 0 0 | 8 | | | | partings 5 5 4 |
| Grey thill | 1 | $\begin{bmatrix} 0 & 2 \\ 1 & 3 \end{bmatrix}$ | 0 | | | | partings 5 5 4 Grey metal 0 1 0 Black metal 0 1 2 |
| Blue metal | • • • | 1 3 | 4 | | | | Black metal 0 1 2 |
| COAL | | 0 0 | 5 | | | | Harvey Seam- |
| | _ | | | 2 | 0 | 5 | Ft In. |
| Black metal | | 0 2 | 0 | _ | - | - | COAL, good 3 10 |
| Post | | 1 0 | 7 | | | | Band 0 1 |
| Grey metal | ••• | 1 5 | 9 | | | | COAL, good 1 5 |
| COAL | | 0 0 | 9 | | | | 0 5 4 |
| | ••• | _ | | 3 | 3 | 1 | 9 2 2 |
| Seggar-clay | | 0 2 | 6 | - | J | 1 | Seggar-clay 0 4 0 |
| D | | 0 5 | 0 | | | | 0 0 0 01 |
| Post, with met | | 0 0 | U | | | | COAL 0 0 6½ |
| | | 2 2 | 4 | | | | |
| partings | | | 1 | | | | 66 |
| Blue metal | | 0 5 | 2 3 | | | | Busty Seam— |
| Black metal | ! | | | | | | Ft. In. |
| Post | | 0 1 | 8 | | | | COAL 1 31 |
| Blue metal | | 3 1 | 0 | | | | Band 0 1½ |
| COAL | (| 0 0 | 6 | | | | COAL 0 11 |
| | _ | | | 8 | 4 | 2 | Band 0 2 |
| Grey thill | (| 0 3 | 0 | | | | COAL 0 7 |
| Post | | 1 0 | 5 | | | | 0 3 1 |
| Strong grey metal | (| 0 2 | 0 | | | | 1 0 4 |
| | _ | | | | _ | | |
| Carried forwa | rd | 1 5 | 5 | 129 | 2 | 5 | Total140 3 51 |
| | | | _ | | | | |

No. 2,796.—HYLTON.

TOWNSHIP OF FORD, DURHAM.

Sheet 7 of Ordnance Map. Lat.

, Long.

Account of Strata passed through in a Bore-hole in a Field above Hylton Station, for The Ford Paperworks Company, Limited, October, 1895.

| Limestone rubble Fr. Ft. In. Fs. Ft. In. Hard limestone, with thin partings 1 4 0 Grey metal (fish bed) 0 4 0 3 0 0 Hard yellow freestone 2 5 0 | Brought forward 2 5 0 3 0 0 Soft yellow free- stone, with water at 6 fathoms 1 3 0 Grey metal, into 1 0 0 |
|--|---|
| Carried forward 2 5 0 3 0 0 | Total 8 2 0 |

No. 2,797.—HYLTON.

TOWNSHIP OF FORD, DURHAM.

Sheet 7 of Ordnance Map. Lat.

, Long.

Account of Strata passed through in the No. 2 Bore-hole situated in a Field on the East side of the North Eastern Railway, about 150 yards from Hylton Station.

Approximate surface-level

feet above sea (Ordnance datum).

| | Fs. | Ft. | In. | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. | |
|--------------------------------------|-----|-----|-----|-----|-----|-----|----------------------------|---|
| Soil | 0 | 1 | 0 | | | | Brought forward 15 1 0 8 1 | 6 |
| Hard stony clay | 2 | 4 | 3 | | | | Honey-combed lime- | |
| Sand and gravel, | | | | | | | stone, with water 3 5 6 | |
| with water | | | | | | | Hard limestone 0 4 6 | |
| Hard stony clay | | | | | | | Limestone gravel 0 3 0 | |
| | _ | | | 8 | 1 | 6 | Hard limestone 4 0 6 | |
| Hard limestone, with | | | | | | | Sand 5 3 0 | |
| | | 1 | 0 | | | | | 6 |
| marl partings Very hard limestone | - 3 | 0 | 0 | | | | Grey shale, into 0 1 6 | |
| ,, | | | | | | | 0 1 | 6 |
| | | | | | | | | _ |
| Carried forward | 15 | 1 | 0 | 8 | 1 | 6 | Total 38 2 | 6 |

Note: Water stood at 23 fathoms from surface.

No. 2,798.—HYLTON. TOWNSHIP OF FORD, DURHAM.

Sheet 8 of Ordnance Map. Lat. , Long.

Account of Strata passed through in a Bore-hole at the Ford Paper Mills, Hylton.

| | Fs. | Ft. | In. | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In |
|---|-----|-----|-----|-----|-----|-----|---|
| Depth from scaffold | | _ | | | | | Brought forward 6 4 6 6 4 8 |
| to bottom of well | 1 | b | 7 | | | | Hard snappy grey |
| Red marl, with post girdles COAL, soft | 1 | 4 | G | | | | metal, with a little water 403 |
| COAL soft | 7 | ñ | 7 | | | | Red metal 0 5 0 |
| OOAL, sore | U | ۰ | • | 6 | 4 | 8 | Light snappy grey |
| ~ 4. 7. 7. | | | | U | 4 | 0 | metal, with post |
| Soft light metal, | | | | | | | girdles 3 1 9 |
| with post girdles, mixed with danty | | | | | | | Hard black snappy |
| coal near the top | 2 | 3 | 5 | | | | metal, with post |
| Dark metal, mixed | ~ | Ü | • | | | | girdle and a large |
| with coal | | 1 | 0 | | | | feeder of water 0 5 0 |
| Red metal, with post | | | | | | | Light grey metal, with post girdle 4 1 10 |
| girdle near middle | 0 | 4 | 5 | | | | Hard grey post, with |
| Whin or grey bastard | | | | | | | soft grey metal |
| post | 0 | 3 | 10 | | | | partings 4 3 6 |
| Dark grey and red metal, 9 inches at | | | | | | | Strong grey post, |
| bottom mixed with | | | | | | | with dark metal |
| coal | 2 | 3 | 10 | | | | partings and a |
| | | | _ | | | : | little water 4 3 4 |
| Carried forward | 6 | 4. | 6 | 6 | 4. | 8 | Carried forward 29 1 2 6 4 8 |

No. 2,798.—HYLTON.—Continued.

| Brought forward | | | 1n. F | | | | |
|--|---|---|-------|---|---|---|---|
| COAL, soft slaty, mixed with brass | 0 | 1 | 3 | | | | Hard white post, with a good feeder |
| Strong light grey post, with metal | | | 2 | 9 | 2 | 5 | of water near the top 4 4 0 Mild duffy white |
| partings Soft grey metal, with 3 feet of dark leafy | 1 | 3 | 6 | | | | post, with soft grey post partings, with gullets at top: lost |
| metal in the middle, with iron- | 0 | 0 | n | | | | part of water 2 5 1 Soft grey metal, with |
| stone girdles Hard duffy grey post, with metal part- | 2 | 2 | 3 | | | | post girdles and dark partings, into 8 0 0 |
| ings | 3 | 2 | 1 | | | | |
| Carried forward | 7 | 1 | 10 3 | 6 | 1 | 1 | Total 59 0 0 |

No. 2,799.—HYLTON.

TOWNSHIP OF FORD, DURHAM.

Sheet 7 of Ordnance Map. Lat.

, Long.

Account of Strata sunk and bored through at the New Well, Hylton, near Sunderland, for The Ford Paperworks Company, Limited.

Commenced October 27th, 1898.

| | | | | | | _ |
|---|-----|----------------|-----|-----|---|-----|
| | Ft. | In. Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. I | 'n. |
| Sinking:- | | | | | Brought forward 42 3 | U |
| Soil 0 | 1 | Û | | | Bored further: | |
| Soft yellow clay 0 Hard stony clay 1 | 2 | 0 | | | Limestone 0 2 6 | |
| Hard stony clay 1 | 2 | 0 | _ | _ | Hard limestone girdle 0 0 2 Limestone and marl 0 2 9 | |
| | | _ 1 | 5 | 0 | Limestone and marl 0 2 9 | |
| Hard limestone 3 | | 0 | | | Clay parting 0 0 4 | |
| Very soft marl 0 | 4 | 0 | | | Mild limestone 0 1 0 | |
| Honey-combed marl | | | • | | Hard limestone 0 0 7 | |
| and limestone 12 | 3 | 0 | | | Soft limestone 0 0 10 | |
| Hard marl, with | | | | | Loamy sand and | |
| limestone pauels 1 | 4 | 0 | | | limestone 0 2 11 | |
| Very mild marl 1 | 3 | 0 | | | Hard limestone 0 3 1 | |
| Marl and limestone 4 | 1 | 0 | | | Mild limestone 0 2 8 | |
| Honey-combed marl | | | | | Mild limestone 0 2 8 Hard limestone 0 0 9 | |
| and limestone 9 | 3 | 0 | | | Sand 0 2 6 | |
| Hard limestone 4 | 0 | 0 | | | 3 2 | 1 |
| Soft limestone 0 | 5 | Ö | | | Grey shale 0 0 6 | - |
| Dark brown limestone 1 | 2 | Ŏ | | | 0 0 | 6 |
| Yellow limestone 0 | ī | 6 | | | | U |
| Dark brown limestone 0 | _ | 6 | | | | |
| | • | U | | | | |
| Limestone, with part- | 0 | 0 | | | | |
| ings 1 | U | 40 | 4 | 0 | | |
| | | 40 | 4 | v | | |
| Coming formand | | 42 | 3 | 0 | m.4.1 | _ |
| Carried forward | | 42 | o | U | Total 45 5 | 7 |
| | | | | | 21 | _ |

No. 2,800.—HYLTON.

TOWNSHIP OF HYLTON, DURHAM.

Sheet 8 of Ordnance Map. Lat. 54° 55′ 3″, Long. 1° 25′ 40″.

Account of Strata sunk through in the East Pit, Hylton Colliery. Commenced May 17th, 1897, and stopped January 25th, 1900.

| | | . In. Fs. Ft. In. | Fs. Ft. In. | |
|---------------------------------|--|---------------------------------|--|-------------------------|
| Filled in ground | | | | 44 1 101 |
| Strong brown clay | 7 1 | | COAL 0 0 6 | |
| Strong boulder-clay | 2 3 | | G | 3 2 3 |
| G (4.3.1 | 1 ^ | 10 2 6 | Seggar-clay 0 5 6 | |
| Soft blue metal | 1 0 | | Blue metal, with | |
| Black stone | 0 0 | | ironstone balls $3 	 4 	 8\frac{1}{2}$ | |
| Soft seggar-clay | 0 0 | 6 | Grey metal 1 2 0 | |
| Leafy post | 1 0 | | Leafy post 0 5 0 | |
| Grey metal | 0 5 | | Grey metal, with iron- | |
| Black stone | 0 0 | 6 | stone balls 1 2 4 | |
| Seggar-clay | 1 0 | | Black stone 0 2 0 | |
| Grey metal | 2 0 | 7 | Blue metal 0 4 2 | |
| Black stone | 0 1 | 1 | Black stone 0 5 6 | |
| COAL | 0 0 | 1 | COAL 0 1 0 | 0 0 01 |
| G | ^ 1 | 6 4 10 | | $10 \ 2 \ 2\frac{1}{2}$ |
| Seggar-clay | 0 1 | | Grey metal 2 3 10 | |
| Post girdle | 0 1 | 0 | COAL 0 1 5 | 0 - 0 |
| Grey metal | 1 2 | 5 | Consumatal with most | 2 5 3 |
| Black stone | 0 3 0 3 | 0 | Grey metal, with post | |
| | | $\frac{10}{2}$ | girdles 4 4 4 | |
| Grey metal | $\begin{array}{cc} 0 & 2 \\ 1 & 3 \end{array}$ | 3 | Grey metal 1 1 0 | |
| Grey post | 1 3 0 3 | 0 | COAL 0 1 2 | C 0 C |
| Black stone | 0 1 | 6 | Grey metal 2 4 4 | 6 0 6 |
| Seggar-clay | 6 1 | 3 | | |
| | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 0 | | |
| D1 | $\tilde{1}$ $\tilde{2}$ | Ö | COAL | |
| 0041 | 0 0 | $\frac{0}{2}$ | COAL 0 0 10 | 3 2 10 |
| COAL | 0 0 | 15 3 1 | Grey metal 1 2 0 | 3 2 10 |
| Sagger alon | 0 3 | 6 | *** | |
| | 1 4 | 8 | 0041 | |
| | 2 1 | 9 | COAL 0 0 8 | 2 2 2 |
| 0041 | $\tilde{0}$ $\tilde{0}$ | $\frac{3}{2\frac{1}{2}}$ | Seggar-clay 0 1 0 | 2 2 2 |
| GOAL | 0 0 | $\frac{2}{4}$ 4 1 $\frac{1}{2}$ | O | |
| Seggar-clay | 0 0 | 9 | T0114 0 0 10 | |
| Grey metal, with post | 0 0 | J | D t 1 | |
| · 11 | 4 2 | 3 | Dlan matal | |
| C | 1 3 | ő | COAL 0 0 2 | |
| 3_ | $\tilde{0}$ 4 | ĭ | Grey metal 1 1 10 | |
| Ft. In. | 0 1 | • | COAL | |
| COAL 0 6 | | | COAL 0 1 5 | 3 4 3 |
| Band 0 6 | | | Blue metal, with post | 0 2 0 |
| COAL 0 3 | | | girdles 8 5 $9\frac{1}{2}$ | |
| | 0 1 | 3 | CÔAL 0 2 7½ | |
| | | 6 5 4 | | 9 2 5 |
| Seggar-clay | 0 0 | 6 | Thill 0 1 0 | - L J |
| Post | $\overset{\circ}{2}$ $\overset{\circ}{0}$ | 3 | White post 1 1 0 | |
| Grey metal, with post | | - | Blue metal 0 1 6 | |
| | 1 1 | 0 | Band 0 0 51 | |
| · · · · · · · · · · · · · · · · | | | | |
| Carried forward | 3 1 | 9 44 1 103 | Carried forward 1 3 111 8 | 5 5 9 |
| | | - | • | |

No. 2,800.—HYLTON.—CONTINUED.

| Fs. Ft. In. Fs. Ft. In. Brought forward 1 3 11½ 85 5 9 | Fs. Ft. In. Fs. Ft. In. Brought forward 11 0 9 144 3 7 |
|--|---|
| Ft. In. | Ft. In. |
| COAL 0 6 | COAL 1 4 |
| Band $0 \frac{41}{2}$ | Band 0 4 |
| COAL 0 3½ | COAL 2 0 |
| Band 0 41 | — 0 3 8 |
| COAL 0 11½ | 11 4 5 |
| 0 2 6 | Thill 0 1 0 |
| 2 0 51 | Seggar-clay 0 2 2 |
| Seggar-clay 0 0 7 | White post 6 3 4 |
| Leafy post 2 0 111 | Black stone and coal 0 0 6 |
| Black stone 1 1 0 | Black stone 1 0 0 |
| Grey metal 0 5 0 | COAL 0 1 5 |
| Leafy white post 4 3 0 White post 2 1 6 | |
| | D 4 : 11 . |
| | Black stone 1 0 6 |
| White post 14 5 1 Blue metal 3 3 10 | Black stone and coal 0 0 4 |
| Ft. In. | Blue metal 0 5 6 |
| COAL 1 0 | White post, with |
| Band 0 21 | partings 10 5 0 |
| COAL 0 2½ | Blue and black metal 3 1 0 |
| 0 1 5 | Leafy post 6 0 9 |
| 30 1 41 | COÁL 0 0 9 |
| Strong grey thill 0 4 0 | 23 3 5 |
| Seggar-clay 2 2 9 | Grey metal 0 4 6 |
| Post 9 5 7 | Leafy post, with |
| COAL 0 0 11 | metal partings 2 3 0 |
| 13 1 3 | Blue metal 1 4 0 |
| Seggar-clay and thill 0 4 0 | COAL 0 2 0 |
| COAL 0 0 4 | 5 1 6 |
| Grey metal, with post | Seggar-clay 0 0 8 |
| girdles 1 0 0 | Grey metal, with iron |
| White post, with | girdles 8 0 4 |
| whin 2 0 0 | Leafy post 8 4 11 |
| Grey metal $0 	5 	7\frac{1}{2}$ Black stone $0 	5 	0$ | COAL 0 1 6½ |
| Black stone 0 5 0 | 70 7 |
| COAL 0 8 | Grey metal 5 0 8 |
| Band 0 6 | Black stone 0 1 3 |
| COAL 0 10 | Ft. In. |
| 0 2 0 | COAL 0 3 |
| 5 4 111 | Band 0 41 |
| Bastard seggar-clay 0 4 11 | COAL 0 5½ |
| Post girdle 0 1 7 | 0 1 1 |
| Post girdle 0 1 7 Dark leafy post 1 2 5 | 5 3 31/2 |
| Grey leafy post 1 0 5 | Thill 0 3 8 |
| Dark leafy post 0 5 0 Black and blue metal 2 5 0 | Post, with whin 0 3 1 |
| | Blue metal 0 1 4 |
| COAL 0 21 | Post 0 1 3 Black stone 1 2 0 |
| Band $0 \ 2\frac{1}{2}$ | |
| COAL 0 11 | Grey metal, withiron girdles $5 \ 5 \ 0\frac{1}{2}$ |
| 0 0 51 | girdles 5 5 0½ Ft. In. |
| 7 1 9 | COAL 1 31 |
| Dark thill 0 2 0 | Band 0 4 |
| Leafy post 1 2 0 | COAL 0 9 |
| COÁL 0 0 4 | Band 0 3 |
| Seggar-clay 0 4 6 | COAL 0 4 |
| White post 7 1 11 | 0 2 11½ |
| Blue metal 1 2 0 | 9 1 4 |
| W 1.10 | ~ |
| Carried forward 11 0 9 144 3 7 | Carried forward 225 3 5 |
| | |

No. 2,800.—HYLTON.—Continued.

| 110. 23000. | | TOTAL CONTINUED. | |
|---|-------------------------|---|--|
| Brought forward S | Fs. Ft. In. 25 3 5 | | n. Fs. Ft. In |
| Thill 0 2 0 | 0 0 | Strong seggar-clay 0 2 1 | 247 2 13 .0 |
| Post 0 4 0 Black stone 0 2 1 | | White post, with partings 1 3 | 4 |
| Main Coal Seam- | | partings 1 3 Dark leafy post 0 1 | |
| COAL 1 6 | | Dark grey metal 1 3 | |
| Band 0 10 | | Low Main Seam— | |
| COAL, 1 4 | | COAL 1 31 | |
| — 0 3 8 | 1 5 9 | Splint 0 21 | |
| Strong seggar-clay 0 2 9 | 1 5 9 | COAL $1 	 $ | 01 |
| White post 0 5 3 | | | <u>4</u> 2 3 |
| Dide metal 0 5 0 | | Strong seggar-clay 0 0 1 | .0 |
| White post, with metal partings 2 5 8 | | Grey metal 0 5 Post, with metal | 2 |
| Strong grey post 1 3 0 | | partings 1 1 | 0 |
| Blue metal, with iron | | Post, with whin 5 2 | 6 |
| girdles \dots 1 2 0 Strong blue metal \dots 2 1 9 | | Blue metal 0 3 Black stone 0 2 | 0 2 |
| Post girdle 0 0 7 | | Black stone 0 2 Blue metal 0 5 | |
| Blue metal 0 2 1 Post girdle 0 1 0 | | Black stone 0 2 1 | |
| Post girdle 0 1 0 Blue metal 0 2 7 | | Blue metal 0 3 Post girdle 0 0 1 | |
| Maudlin Seam- | | Black stone 0 1 | 6 |
| COAL 3 4 | | Hutton Seam— | |
| Splint 0 2 | | COAL, can- | |
| COAL 1 7 Band 0 1 | | nel 0 3 | |
| Band 0 1 COAL 0 7 | | COAL $\frac{4}{7\frac{1}{2}}$ 0 4 1 | 01. |
| —— 0 5 9 | | | $-11 \ 3 \ 4\frac{1}{2}$ |
| Dark seggar-clay 0 1 6 | 12 1 11 | | 6 |
| COAL 0 0 3 | | | 0 6 |
| Strong seggar-clay 0 3 3 | | Post girdle 0 1 | 2 |
| Grey metal 1 4 10 | | | 6 |
| COAL 0 5 | | | 2 6 |
| Band 0 1 COAL 0 $11\frac{1}{2}$ | | Dark leafy post 1 1 | 6 |
| 0 1 5 | 1 | Blue metal 0 4 Post girdle 0 0 1 | 6 |
| 0 1 | 2 5 31 | | 91 |
| Seggar-clay 0 1 1 White post, with | | White post 7 3 | $1\frac{1}{2}$ |
| metal partings 0 5 1 | | 1 | 0 |
| Grey metal 0 2 7 | | Blue metal 1 0 Dark leafy post 1 4 | 0 |
| COAL 0 0 8 | 1 3 5 | Blue metal 1 2 | 0 |
| Seggar-clay 0 0 8 | | 1 - | 4 |
| Grey metal 0 3 11 | 1/2 | Seggar-clay 0 3 Blue metal, with post | 6 |
| Strong post girdles 0 0 11 Grey metal, with post | | girdles 1 4 | 0 |
| girdles 1 1 0 | | COAL 0 0 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| Blue metal 0 3 6 | | Seggar-clay 0 2 | -24 2 3 0 |
| Ft. In. | | Leafy post 1 4 | 7 |
| COAL $0 7\frac{1}{2}$ | | COAL 0 0 | 4 4 |
| Band $0 \ 0\frac{3}{4}$ COAL $0 \ 1$ | | | 1 |
| 0 0 9 | | | - 2 2 4 |
| | $-3 	 0 	 4\frac{1}{4}$ | Shale 0 4 | 0 |
| Carried forward 2 | 47 2 13 | Carried forward 0 4 | 0 290 0 61 |

No. 2,800.—HYLTON.—CONTINUED.

| Fs. Ft. In. Fs. Ft. In. | |
|--------------------------------|--------------------------------|
| Brought forward 0 4 0 290 0 61 | Brought forward 2 1 1 293 4 31 |
| White post 0 4 6 | Blue metal 0 0 4 |
| Grey post 0 2 0 | White post 2 0 0 |
| Blue metal 1 .1 3 | COAL 0 0 7 |
| Seggar-clay 0 0 8 | 4 2 0 |
| Harvey Seam- | Seggar-clay 0 3 0 |
| COÅL 0 3 4 | Blue metal 0 2 0 |
| 3 3 9 | |
| Blue metal 0 0 11 | Blue metal 0 4 0 |
| COAL 0 0 4 | Post 0 2 6 |
| Blue metal 0 0 8 | COAL 0 0 3 |
| COAL 0 0 1 | Blue metal 0 4 0 |
| Seggar-clay 0 2 0 | COAL 0 0 4 |
| White post 1 3 0 | 3 5 10 |
| COAL 0 0 1 | |
| | |
| Carried forward 2 1 1 293 4 31 | Total302 0 1½ |
| | No. address Visit V |

No. 2,801.—JARROW.

TOWNSHIP OF JARROW, DURHAM.

Sheet 3 of Orduance Map. Lat. 54° 58' 58", Long. 1° 28' 57".

Account of Strata sunk through in the Alfred Pit, Jarrow Colliery. Commenced June 29th, 1801.

| | | | | Fs. | Ft. | In. | | Fs. | Ft. | In. | Fs. | Ft. | In. |
|-----------------------|-----|---|----|-----|-----|-----|----------------------|-----|-----|-----|-----|-----|-----|
| Clay 10 | 0 | 1 | 10 | | | | Brought forward | | | | 18 | 4 | 4 |
| Dry sand, mixed with | | | | | | | Soft eashy parting | 0 | 0 | 2 | | | |
| clay (| 0 | 5 | 0 | | | | Grey post, with grey | | | | | | |
| Sand, with about 300 | | | | | | | metal partings | 1 | 1 | 0 | | | |
| gallons of water | | | | | | | Grey metal | 0 | 4 | 4 | | | |
| per hour near the | | | | | | | Black slaty stone | 0 | 0 | 6 | | | |
| top | 1 | 1 | 0 | 1 | | | Ft. In. | | | | | | |
| Gravel, full of large | | | | | | | COAL 0 4 | | | | | | |
| whin and freestone | | | | | | | Soft white band 0 11 | | | | | | |
| tumblers, some | | | | | | | COAL 1 0 | | | | | | |
| about 4 feet in | | | | | | | | | 1 | 6 | | | |
| diameter | 1 | 0 | 6 | | | | | | | _ | 3 | 0 | 0 |
| | _ | _ | _ | 13 | 2 | .1 | Grey thill | 0 | 2 | 0 | | | |
| COAL, outburst (| 0 | 0 | 10 | | _ | | Grey metal, mixed | | | - | | | |
| Blue metal: water | • | - | | | | | with post | 0 | 3 | 4 | | | |
| cribbed off | 1 | 4 | 0 | | | | White post, with | | | - | | | |
| Post girdle | | | 8 | | | | metal partings, and | | | | | | |
| Grey metal (| ñ | 5 | 0 | | | | about 7,000 gallous | | | | | | |
| | Ď | 5 | 0 | | | | of water per hour | 1 | 0 | 4. | | | |
| Grev metal, with | - | • | • | | | | Grey metal stone; | _ | • | - | | | • |
| about 250 gallons | | | | | | | part of water | | | | | | |
| of water per hour | 1 | 3 | Λ | | | | tubbed off | 0 | 9 | 8 | | | |
| COAL | | | | | | | White post | ŏ | ī | 10 | | | |
| | | _ | _ | 5 | 2 | 0 | Blue stone: more | • | • | 10 | | | |
| Grey thill (| n - | 1 | 6 | _ | - | 0 | water tubbed off | Λ | Q | G | | | |
| Grey metal, with | • | • | · | | | | Grey metal, with | U | ., | U | | | |
| about 900 gallons | | | | | | | scares of post | Λ | 1 | G | | | |
| of water per hour | Λ | 9 | ٥ | | | | Black stone | | | 6 | | | |
| of water per hour | U | 0 | 0 | | | | mack stone | U | o | O | | | |
| Carried forward | 0 | 4 | 6 | 18 | 4 | 4 | Carried forward | 4 | 2 | 8 | 21 | 4 | 4 |

No. 2,801.—JARROW.—Continued.

| | | _ | | | - | _ | |
|------------------------------|---|---|--------|----|----------|---|-----------------------------|
| | | | | | Ft. | | Fs. Ft. In. Fs. Ft. In. |
| Brought forward | | 2 | | 21 | 4 | 4 | Brought forward 0 1 862 1 5 |
| Grey metal | | 1 | 2 | | | | White thill, mixed |
| COAL | 0 | 0 | 8 | | | | with post 0 1 2 |
| | | | | 4 | 4 | 6 | Blue metal 0 0 3 |
| Strong grey thill | 0 | 3 | 6 | | | | White thill, mixed |
| Grey metal, clouded | | | | | | | with post 0 1 10 |
| with post and post | | | | | | | Blue metal 0 0 6 |
| girdles | 1 | 3 | 6 | | | | White thill, mixed |
| Post girdles, with | | | | | | | with post 0 4 4 |
| metal partings | 0 | 1 | 4 | | | | COAL 0 0 3 |
| Post girdle, very | | | | | | | 1 4 0 |
| strong | 0 | 2 | 0 | | | | Grey thill 0 0 10 |
| strong Grey metal, with | - | _ | • | | | | White post, mixed |
| soares of nost | 0 | 2 | 0 | | | | with whin 0 3 0 |
| scares of post White post | 1 | ĩ | 7 | | | | |
| Crow motel with | 1 | | • | | | | |
| Grey metal, with | Λ | 0 | 7 | | | | Blue metal stone 0 2 4 |
| scares of post | 0 | 2 | | | | | Post girdle 0 1 0 |
| Blue stone | 1 | 0 | 5 | | | | Blue metal 0 5 6 |
| Post girdle, with | - | | | | | | Black stone 0 1 6 |
| metal partings | 1 | 0 | 0 | | | | Ft. In. |
| Grey metal, with | | | | | | | COAL 0 10 |
| scares of post | | 1 | | | | | Black slaty |
| Blue metal stone | 0 | 4 | 0 | | | | band 0 4 COAL 0 11 |
| Post, with grey metal | | | | | | | COAL 0 11 |
| balls | 0 | 5 | 0 | | | | └── 0 2 1 |
| Strong white post, | | | | | | | 3 1 7 |
| inclining towhin at | | | | | | | Grey posty thill 0 4 0 |
| bottom | 1 | 4 | 0 | | | | Grey metal stone, |
| COAL, 8 inches | _ | _ | • | | | | mixed with whin |
| thick on south side | | | | | | | and ironstone |
| and 2 inches on | | | | | | | girdles 4 0 0 |
| | 0 | 0 | 5 | | | | Blue metal stone, |
| north side | | U | | 10 | 1 | 4 | mixed with iron |
| Grey thill | 0 | 1 | 0 | 10 | | 4 | |
| | U | T | U | | | | |
| Grey and blue metal | | | | | | | 0041 |
| stone, mixed with | | | | | | | |
| girdles | 1 | 2 | 0 | | | | Cross Abill 0 0 0 |
| Black stone | 0 | 0 | 4 | | | | Grey thill 0 2 0 |
| COAL | 0 | 0 | 2 | _ | _ | _ | Grey scamy post 1 0 0 |
| T | | _ | _ | 1 | 3 | 6 | Grey post, mixed |
| Fine blue stone | | | 11 | | | | with whin 0 2 0 |
| Black stone | 0 | 4 | 6 | | | | Blue metal 0 3 11 |
| COAL | 0 | 0 | 9 | | | | COAL 0 0 $1\frac{1}{2}$ |
| Soft white band | 0 | 0 | 3 | | | | $2 2 0\frac{1}{2}$ |
| COAL, mixed with | | | | | | | Grey thill 0 3 0 |
| black slate | 0 | 2 | 0 | | | | Greyish post 2 1 3 |
| | | | | 13 | 2 | 5 | Blue metal 0 3 6 |
| Grey thill | 0 | 2 | 6 | | _ | | 0041 |
| Post, with grey metal | | | J | | | | |
| h - 11 - | - | 0 | 8 | 2 | | | Strong dork gron 3 2 6½ |
| Strong white and | 1 | U | C | , | | | Strong dark grey |
| | | | | | | | thill 0 4 3 |
| green post, with | | | | | | | Blue metal 0 5 6 |
| dark red partings | | | | | | | Whin, mixed with |
| and green scares of | | | | | | | post girdles 0 2 6 |
| fire-stone | 7 | 2 | 2 | | | | Blue metal 1 0 8 |
| Blue metal, with | | | | | | | Brassy whin girdle 0 0 8 |
| balls of coal | 1 | 3 | 7 | | | | COAL, with a black |
| COAL | 0 | 0 | 5 | | | | slaty band 3 inches |
| | | | | 10 | 3 | 4 | thick 0 0 7 |
| Dark grey thill | 0 | 1 | 8 | | - | - | 3 2 2 |
| 0 0 | _ | | | | | | |
| Carried forward | 0 | 1 | 8 | 62 | 1 | 5 | Carried forward 84 0 9 |
| | - | _ | _ | | - | | |

No. 2,801.—JARROW.—CONTINUED.

| Brought forward | Fs. | Ft. | In. | Fs. 84 | Ft. | In. 9 | Fs. Ft. In. Fs. Ft. In. Brought forward 3 0 1 96 3 3\frac{1}{3} |
|-----------------------|----------|-----|-----|-----------|-----|----------------|---|
| Strong grey thill | 1 | 1 | 6 | | | | Blue metal, with post |
| Blue metal | 1 | | 0 | | | | and ironstone |
| COAL | 0 | 1 | 3 | | | | girdles 1 1 8 |
| | _ | - | — | 3 | 0 | 9 | Post: generally |
| Grey thill | | 3 | 0 | | | | called the Seventy |
| Dark grey posty thill | 0 | 3 | 0 | | | | Fathoms Post 9 1 0 |
| Blue and grey metal, | | | | | | | Post, with metal |
| with thin post | | | | | | | partings 1 1 0 |
| girdles | 0 | 4 | 0 | | | | Black stone 0 4 0 |
| Strong white post: | | | | | | | Grey metal, mixed |
| Seventy Fathoms | | | | | | | with post 1 1 0 |
| Post | 6 | 5 | | | | | Grey metal 0 1 6 |
| Blue metal | 0 | 2 | 3 | | | | Black stone 2 5 0 |
| Post | 0 | 1 | 3 | | | | Thill, mixed with |
| Black stone | 0 | 0 | 6 | | | | grey metal 1 1 8 |
| Seventy Fathoms Sean | <u> </u> | | | | | | Strong white post 8 3 0 |
| COAL | 0 | 0 | 9 | | | | High Main Seam— |
| | | | | 9 | 1 | $9\frac{1}{4}$ | Ft. In. |
| Grey thill | 0 | 3 | 0 | | | | COAL 3 6 |
| Strong grey metal | | | | | | | Slaty band 0 1 |
| stone | 0 | 5 | 0 | | | | Splint 0 1 |
| Post | 0 | 3 | 6 | | | | COAL 2 6 |
| Blue metal | 0 | 3 | | | | | 1 0 2 |
| Black stone | 0 | 0 | 1 | | | | 30 2 1 |
| Grey thill | 0 | 3 | 0 | | | | |
| Carried forward | 3 | 0 | 1 | 96 | 3 | 31 | Total126 5 41 |

No. 2,802.—JARROW.

TOWNSHIP OF JARROW, DURHAM.

Sheet 3 of Ordnance Map. Lat.

, Long.

Account of Strata passed through in the No. 1 Bore-hole on Jarrow Slake, for Messrs. Sandeman and Moncrieff, March, 1899.

Approximate surface-level

feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. In. | |
|--------------------------|-------------------------|
| River mud and sand 0 4 0 | Brought forward 9 2 0 |
| Silt 0 2 0 | Sand and clay 0 1 0 |
| Light sand 1 0 0 | Very solid coarse |
| Dark sand 0 2 0 | sand 0 2 8 |
| Light sand 4 4 0 | Gravel, with sand 1 4 0 |
| Light sand, sharp 1 0 0 | 11 3 8 |
| Laminated clay 0 3 0 | Stone 0 0 4 |
| Sand and silt 0 5 0 | 0 0 4 |
| | |
| Carried forward 9 2 0 | Total 11 4 0 |
| | |

No. 2,803.—JARROW. TOWNSHIP OF JARROW, DURHAM.

Sheet 3 of Ordnance Map. Lat. , Long.

Account of Strata passed through in a Bore-hole at the Jarrow Forge, Jarrow, September, 1898.

Approximate surface-level

feet above sea (Ordnance datum).

| | E. | T/r | Tro 1 | Ea 1 | Ft. 1 | - 1 | | Fe | Tet. | In. F | ٠, | Trt. | In |
|---------------------|--------|-----|-------|-------|-------|------|-----------------------------------|---------|------|-------|-----|------|----|
| Made ground, sand | rs. | ru. | 111. | rs. I | | ···· | Brought forward | 8 | 4 | 6 1 | 3 | 0 | 6 |
| and gravel | 5 | 1 | 0 | | | - | Grey shale | 1 | 1 | 6 | | | |
| Black mud and silt, | | | | | | - 1 | Strong grey post, | | | | | | |
| with a little water | | | | | | | with water | 0 | 5 | 0 | | | |
| Brown stony clay | 2 | 0 | 0 | | | - 1 | Blue shale | 0 | 3 | 6 | | | |
| Laminated clav | 0 | 4 | 6 | | | - 1 | White post, with | | | | | | |
| Hard stony clay | 2 | 0 | 0 | | | ĺ | shale partings | 1 | 0 | 6 | | | |
| Red clav | -1 | 0 | 0 | | | | COAL | 0 | | | | | |
| Loamy clay | 1 | 0 | 0 | | | - | | | | 1 | 2 | 3 | 4 |
| Stony clay | 0 | 4 | 6 | | | | Grey shale, with | _ | | | | | |
| | | | | 13 | 0 | 6 | post girdles Black shale | 2 | 0 | 8 | | | |
| Freestone | | | | | | Į | Black shale | 0 | 2 | 6 | | | |
| Grey shale | 3 | 1 | 6 | | | | Strong grey post | 1 | 4 | 6 | | | |
| | | 0 | 6 | | | | Grey shale, with | | | | | | |
| Hard white post, | | | | | | - 1 | post girdles Strong white post | 1 | 4 | 0 | | | |
| with shale part- | | _ | | | | | Strong white post | 1 | 1 | 0 | | | |
| ings | 1 | 1 | 6 | | | | Grey shale, with | | _ | | | | |
| Blue shale | | 0 | 0 | | | | coal partings | | 5 | 0 | | | |
| Black stone, with | | | | | | | White post, with | | _ | | | | |
| coal partings | | 0 | 10 | | | | shale partings, into | 0 | 3 | 0 | | | |
| Grey shale, with | | | _ | | | | | | | | _ | _ | _ |
| post girdles | 1 | 0 | 2 | | | | | _ | | | 8 | 2 | 8 |
| Consid forward | _ | | | 12 | _ | _ | Total | | | 3 | 21. | | 6 |
| Carried forward | 0 | 4 | О | 13 | U | O | lotai | • • • • | | | 7± | U | |

No. 2,804.—KEPIER.

TOWNSHIP OF BELMONT, DURHAM.

Sheet 20 of Ordnance Map. Lat. 54° 47′ 23″, Long. 1° 34′ 24″.

Account of Strata passed through in a Bore-hole below the Busty Seam, Florence Pit, Kepier Colliery.—Continuation of No. 1,229.

| Fs. Ft. In. Fs. Ft. In | Fs. Ft. In. Fs. Ft. In. |
|------------------------------|-------------------------------|
| Depth from surface | Brought forward 1 4 9 59 5 31 |
| to bottom of Busty | Grey metal, with |
| Seam 58 5 $3\frac{1}{4}$ | post girdles 1 2 11 |
| Sump 1 0 0 | Strong white post 3 1 8 |
| 59 5 31 | Soft parting 0 0 3 |
| Strong grey metal 0 1 9 | Grey post 0 1 0 |
| Grey metal, with | Strong white post 0 0 8 |
| post girdles 1 2 9 | Dark grey metal 0 0 4 |
| Soft partings, with | Soft grey metal 0 2 4 |
| gas and water 0 0 3 | Dark grey metal 0 1 5 |
| | |
| Carried forward 1 4 9 59 5 3 | Carried forward 7 3 4 59 5 31 |

No. 2,804.—KEPIER.—Continued.

| Brought forward 7 3 4 59 5 34 | Fs. Ft. In. Fs. Ft. In. Brought forward 3 3 5 3 72 3 11 2 |
|--|---|
| Ft, In. | Grey metal, with post |
| COAL, with | girdles 0 3 9 |
| shale part- | Strong white post 1 2 9 |
| ings 0 6 | COAL 0 0 5 |
| COAL, cleaner | 5 4 43 |
| near bottom 1 3 | Grey post, with metal |
| 0 1 9 | partings 0 4 0 |
| 7 5 1 | |
| Strong white thill 0 1 11 | ironstone balls 0 4 0 |
| Grey metal, with | Strong white post, |
| post girdles 0 4 3 | with metal part- |
| Grey post, with metal | ings 0 1 7 |
| partings 0 2 6 | Dark grey metal, with |
| White post 0 3 0 | post girdles 1 5 10 |
| Grey metal, with post | Dark grey metal, with |
| | ironstone balls 0 4 5 |
| | Grey metal, with post |
| | |
| Grey post 0 1 7 Dark grey metal 0 0 3 | |
| | |
| | 111110111 000010 111 |
| Disabilities with and | Grey metal, with post |
| Black stone, with coal | girdles 2 2 9 |
| pipes near bottom 0 1 2 | Black stone 0 0 2 |
| Dark grey metal 0 0 9 | Grey metal thill 0 0 7 |
| Black stone 0 0 31 | Strong white post, |
| COAL 0 0 8 | with metal part- |
| 0 2 101 | |
| Very dark metal, | Strong white post 1 3 10 |
| with coal 0 0 6 | Brown whin 0 1 0 |
| Dark grey metal 0 0 11 | Strong white post 1 0 4 |
| Strong grey metal, | Dark grey metal, with |
| with post girdles 0 4 0 | post girdles 0 4 2 |
| Light grey metal 0 5 83 | Grey metal 0 2 5 Whin 0 0 11 |
| Grey metal, with post | Whin 0 0 11 |
| girdles 0 4 0 | Light grey metal, |
| Grey post, with metal | with post girdles, |
| partings 0 3 6 | into 1 2 11 |
| Strong white post 0 2 10 | 14 2 7 |
| Carried forward 3 3 53 72 3 114 | Total 92 4 1114 |
| | • |

No. 2,805.—KEPIER.

TOWNSHIP OF ST. GILES, DURHAM.

Sheet 20 of Ordnance Map. Lat. 54° 47′ 30″, Long. 1° 31′ 58″.

Account of Strata sunk and bored through in the Kepier Grange Pit, near Durham, 1844 and 1862.

| Sinking:- | Fs. | Ft. | In. | Fs. | Ft. | In. | Brought forward | Fs. | Ft. | In. | Fs. 1 | Ft. In. 0 10 |
|--------------------------|-----|-----|-----|-----|-----|-----|-------------------------|-----|-----|-----|----------|-----------------|
| Soil Brown sandy clay | | | | | | | Freestone Grey metal | 3 | 0 | 0 | _ | |
| Blown sandy ciay | _ | _ | | | 0 | 10 | Black metal | 0 | 0 | 3 | | |
| Carried forward | | | | 1 | 0 | 10 | Carried forward | 3 | 2 | 3 | 1 | 0 10 |

No. 2,805.—KEPIER.—Continued.

| | | | In. | | | | | | In. Fs. | | In. |
|-----------------------|----|---|-----|----|---|----|---------------------------------------|---------------|------------|---|----------|
| Brought forward | | 2 | | 1 | 0 | 10 | Brought forward 6 | | 11 43 | 2 | 0 |
| Dark grey metal | | 3 | 0 | | | | White post 0 | 2 | 0 | | |
| Strong grey metal | 1 | 5 | 0 | | | | Grey metal 0 | 4 | 0 | | |
| Grey metal, with post | | | | | | | White post, with | | | | |
| girdles | 1 | 3 | 0 | | | | water 2 | 1 | 0 | | |
| Post | 1 | 1 | 0 | | | | Grey post 1 | 2 | 0 | | |
| | 0 | 1 | 3 | | | | White post 1 | 2 | 6 | | |
| Brown freestone | 10 | 1 | 8 | | | | Grey post 2 | 1 | 6 | | |
| Grey metal | | 1 | 0 | | | | Dark metal 0 | 0 | 6 | | |
| Grey post | | 0 | 0 | | | | Grey metal, with post | | | | |
| Grey metal | - | ŏ | ŏ | | | | girdles 1 | 3 | 0 | | |
| Black metal | ō | Õ | 9 | | | | Black metal 0 | 1 | 9 | | |
| Low Main Seam— | ٠ | ٠ | | | | | White post 1 | 5 | 4. | | |
| COAL | Λ | 3 | 3 | | | | Grey metal, with post | 0 | T | | |
| OOAL | U | U | | ~= | | | | 5 | 10 | | |
| | | | | 27 | 4 | 2 | | | | | |
| Soft grey metal | 0 | 0 | 6 | | | | Black metal 0 | 0 | 8 | | |
| Grey metal, with post | | | | | | | Supposed Harvey | | | | |
| girdles | 0 | 3 | 7 | | | | Seam— | | 0 | | |
| Grey metal, with post | - | _ | | | | | GOAL 0 | 1 | 8 | | |
| girdles and water | 1 | 2 | 0 | | | | | _ | 21 | 5 | 8 |
| Grey metal | | õ | 7 | | | | Soft metal 0 | 0 | 3 | | |
| COAL | _ | 1 | 4 | | | | Metal stone, with | · | • | | |
| OORL | v | _ | -1 | _ | | | post girdles 11 | 1 | 0 | | |
| | | | | 5 | 2 | 0 | Strong grey and | • | v | | |
| Black metal | 0 | 0 | 3 | | | | | 4 | 6 | | |
| Grey metal, with post | | | | | | | | -12 | U | | |
| girdles | 1 | 1 | 2 | | | | Strong grey metal stone, inclining to | | | | |
| CÖAL | 0 | 0 | 10 | | | | | 0 | c | | |
| | | | | 1 | 2 | 3 | post 2 | $\frac{2}{2}$ | 6 | | |
| | | | | | 2 | J | White post 3 | 5 | 1 | | |
| Dark grey metal | 0 | 2 | 2 | | | | COAL 0 | 1 | 10 | | |
| COAL | 0 | 0 | 8 | | | | | | 20 | 3 | 2 |
| | | | | 0 | 2 | 10 | Grey metal 1 | 3 | 0 | | |
| Grey metal | 2 | 4 | 4 | | | | Post 2 | Õ | 8 | | |
| Post | _ | 4 | 3 | | | | COAL 0 | ĭ | 7 | | |
| Grey metal | 3 | 0 | 1 | | | | 00AL 0 | _ | | - | 9 |
| Hutton Seam- | J | U | | | | | | | _ 3 | 5 | 3 |
| | | | | | | | Dark metal 0 | 1 | 5 | | |
| COAL 4 0 | | | | | | | Post 7 | 1 | 6 | | |
| | | | | | | | Grey metal 2 | 4 | 0 | | |
| COAL, bot- | | | | | | | COAL 0 | 1 | 2 | | |
| tom 1 3 | | _ | _ | | | | | | 10 | 2 | 1 |
| | 0 | 5 | 3 | | | | Constructed with most | | | - | _ |
| | | | | 7 | 1 | 11 | Grey metal, with post | 1 | e | | |
| | | | | | | | girdles 5 | 4 | 6 | | |
| | | | | 40 | - | _ | GOAL 0 | 3 | 1 | | |
| D 14 17 : | | | | 43 | 2 | 0 | | | 6 | 1 | 7 |
| Bored further, at a | | | | | | | Grey metal 0 | 2 | 0 | | |
| point about 76 | | | | | | | White post 0 | | 6 | | |
| yards North, and | | | | | | | COAL 0 | ŏ | 6 | | |
| 57½ yards West, | | | | | | | 0 | • | | 0 | 0 |
| from the Shaft:— | | | | | | | G | | — 1 | 2 | 0 |
| Pipe from bottom of | | | | | | | Grey post, with metal | | 0 | | |
| Hutton Seam | 1 | 0 | 0 | | | | partings, into 3 | 1 | 6 | | |
| Grey metal | | 3 | 11 | | | | | _ | 3 | 1 | 6 |
| • | | | | | | | | | | | |
| Connied formand | c | 9 | 11 | 19 | 9 | 0 | Total | | 110 | 5 | 3 |
| Carried forward | O | 3 | TT | 40 | 2 | 0 | Total | | 110 | | <u> </u> |
| | | | | | | | | | | | |

No. 2,806.—KIBBLESWORTH. TOWNSHIP OF KIBBLESWORTH, DURHAM.

Sheet 12 of Ordnance Map. Lat. 54° 53' 39", Long. 1° 38' 30".

Account of Strata passed through in a Bore-hole in a Field on the West side of the Road, 70 yards South from the Corner of Beamish North Lodge.

Commenced March 5th, 1889, and stopped June 8th, 1889.

| Soil | | Ft. | | Fs. | Ft. | In. | Brought forward | | | In. Fs 0 21 | | |
|-----------------------|----|-------|----|-----|-----|-----|----------------------|---|---|----------------|---|----|
| Yellow clay and | | _ | Ť | | | | Very hard white | • | • | 0 21 | - | • |
| light marl | 1 | 1 | 6 | | | | post, with metal | | | | | |
| ngav marr | _ | | | 1 | 2 | 6 | partings | ٥ | 5 | 6 | | |
| Freestone gravel and | | | | • | - | U | partings | U | J | U | | |
| | | | | | | | Strong dark grey | | | | | |
| black shale: much | | | | | | | metal, with thin | | - | ~ | | |
| freestone, with | | | 0 | | | | | 1 | ð | 7 | | |
| water | | 4 | 9 | | | | Black metal, with | | | | | |
| Yellow freestone, | | | | | | | an inch of coal 8 | | | | | |
| with a little clay | | 1 | 6 | | | | inches from top | 0 | 2 | 0 | | |
| Light grey shale | | 4 | 8 | | | | Strong grey shale, | | | | | |
| Black shale, with a | | | | | | | with thin post | | | | | |
| little coal | | 0 | 3 | | | | girdles and coal | | | | | |
| Light grey metal, | | | | | | | pipes | 3 | 2 | 2 | | |
| with post girdles | | 2 | 8 | | | | Hard white post, | | _ | | | |
| Grey and yellow | | _ | _ | | | | with yellow free- | | | | | |
| post, with shale | | | | | | | stone partings and | | | | | |
| post, with shale | '2 | •3 | 9 | | | | | C | 2 | 2 | | |
| partings | 0 | 9 | 4 | | | | water | O | ت | 2 | | |
| Strong grey post | 0 | 3 | 4 | | | | Maudlin Seam- | | | | | |
| Strong light grey | _ | | | | | | Ft. In. | | | | | |
| metal | U | 4 | 0 | | | | COAL, mixed | | | | | |
| Five-Quarter Seam— | | | | | | | with shale 0 8 | | | | | |
| COAL, rather | | | | | | | COAL, hard 0 10 | | | | | |
| coarse, with inch | 1 | | | | | | | 0 | 1 | 6 | | |
| of brass near the | | | | | | | | | | - 18 | 1 | 11 |
| bottom | 0 | 2 | 11 | | | | Grey shale, with | | | | | |
| | | | | 11 | 3 | 10 | | | | | | |
| Black shale | 0 | 0 | 2 | | _ | | girdles, 3 inches | 2 | 3 | 4 | | |
| Light grey shale | | 1 | - | | | | Strong dark grey | | - | - | | |
| Coal pipe | | ô | ĩ | | | | post girdles | A | ٥ | •2 | | |
| | | ٠ | • | | | | Strong dark grow | - | U | J | | |
| Grey shale, with thin | | • • • | 0 | | | | Strong dark grey | | | | | |
| post girdles | | 3 | 9 | | | | post, with metal | | | | | |
| Grey and yellow | | | _ | | | | partings and coal | | | _ | | |
| post, with water | | 2 | 6 | | | | pipes | 2 | 4 | U | | |
| Strong grey shale, | | | | | | | Very hard grey post | | | | | |
| with post girdles | 4 | 3 | 6 | | | | panel | | 1 | 4 | | |
| Very dark shale | 0 | 1 | 2 | | | | Soft dark grey metal | 0 | 2 | 3 | | |
| Main Coal Seam— | | | | | | | Dark shale and coal | 0 | 0 | 8 | | |
| COAL | 0 | 4 | 1 | | | | Light grey metal | 0 | 0 | 4 | | |
| | _ | | | 8 | 4 | 5 | Low Main Seam- | | | | | |
| Light grey metal | 0 | 2 | 3 | _ | - | _ | COAL, very hard | 0 | 4 | 8 | | |
| Hard white and | • | - | • | | | | Correspondent | | | _ 10 | 4 | 10 |
| yellow post, with | | | | | | | Light grow motal | Λ | 3 | 2 | - | 10 |
| | 1 | 5 | 9 | | | | Light grey metal | v | 3 | 2 | | |
| metal partings | 1 | J | J | | | | Grey post, with | ^ | | 0 | | |
| Grey metal, with a | | | | | | | shale partings | U | 4 | 6 | | |
| post panel near | | | • | | | | Hard white post | | | 3 | | |
| bottom | 1 | 4 | 9 | | | | Dark grey metal | 0 | 3 | 7 | | |
| Very dark grey | | | | | | | Hutton Seam- | | | | | |
| metal, with thin | | | | | | | COAL | 0 | 4 | 0 | | |
| post girdles | 1 | 0 | 3 | | | | | | | - 6 | 4 | 6 |
| - | | _ | | | | | | | | _ | | |
| Carried forward | 5 | 1 | 0 | 21 | 4 | 9 | Total. | | | 57 | 4 | 0 |
| | _ | _ | | - | - | - | | | | | | |

No. 2,807.—KIBBLESWORTH.

TOWNSHIP OF KIBBLESWORTH, DURHAM.

Sheet 6 of Ordnance Map. Lat. 54° 54′ 4″, Long. 1° 37′ 28″.

Account of Strata sunk and bored through from the bottom of the Hutton Seam in the Fan Shaft of the Robert Pit, Kibblesworth Colliery, 35 feet West-north-west from the Pit Shaft, January to August, 1908.—Continuation of No. 1,232.

| | | | - | | | | |
|-----------------------|-----|-----|-------|----|-----|-----|---------------------------------------|
| D 11 0 | Fs. | Ft. | ln. F | s. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
| Depth from surface | | | - | n | Λ | 2 | Brought forward 3 5 6 78 1 1 |
| to Hutton Seam | | | 5 | J | 0 | 4 | Strong white post 0 2 11 |
| Sinking:— | | | 0 | | | | Blue metal 0 2 2 Black stone 0 0 3 |
| Black shale | 0 | 0 | 9 | | | | |
| Seggar-clay | 0 | 3 | 0 | | | | Beaumont Scam— |
| Strong white post | | 3 | 0 | | | | COAL · 0 2 0 |
| Grey metal | | 4 | 2 | | | | 5 0 10 |
| Strong white post | | 4 | 3 | | | | Dark shale and coal 0 1 5 |
| Blue metal | 0 | 1 | 5 | | | | White post 2 1 3 |
| Black shale | 0 | 0 | 2 | | | | COAL 0 0 3 |
| Grey metal | 0 | 3 | 11 | | | | White post 1 4 8 |
| Black stone and coal | 0 | 1 | 0 | | | | COAL 0 0 4 |
| Seggar-clay | 0 | 1 | 6 | | | | Seggar-clay 0 1 8 |
| Grey metal, with post | | | | | | | Grey post 0 2 4 |
| girdles | 1 | 4 | 0 | | | | Black shale and coal 0 0 11 |
| White post | 0 | 4 | 2 | | | | Seggar-clay 0 0 6 |
| Black stone | 0 | 0 | 5 | | | | Grey metal 0 1 5 |
| Grey metal, with post | | | | | | | White post 3 2 10 |
| girdles | 1 | 4 | 1 | | | | Leafy post 0 1 8 |
| White post, with | | | | | | | Tilley Seam— |
| whin girdles | | . 0 | 4 | | | | Ft. In. |
| COAL | | 1 | 1 | | | | COAL 1 0 |
| | | | 1 | 1 | 1 | 3 | Black stone 0 11 |
| Seggar-clay | 0 | 0 | 5 | | | | COAL 0 114 |
| Dark metal and coal | - | 0 | 4 | | | | Black stone 0 0 |
| Seggar-clay | | 1 | 8 | | | | COAL 1 4 |
| Grey metal | | 2 | 2 | | | | 0 2 7 |
| Leafy post | 2 | 2 | 8 | | | | 9 3 10 |
| Strong white post | _ | | | | | | Seggar-clay 0 2 8 |
| and whin | 0 | 5 | 6 | | | | White post 0 3 2 |
| Blue metal | ^ | Õ | 4 | | | | Grey metal 0 1 7 |
| Strong white post | | 1 | 9 | | | | COAL 0 0 4 |
| Grey metal, with post | | _ | | | | | Seggar-clay 0 3 0 |
| arindles. | - 1 | 1 | 6 | | | | Grey metal, with iron |
| Blue metal, with iron | | - | Ü | | | | 1 4 4 |
| . 11 | - | 3 | 7 | | | | White post, with |
| Black stone | _ | | 11 | | | | metal partings 0 5 0 |
| 0041 | | _ | 10 | | | | Grey metal 0 2 0 |
| COAL | | | 10 | 7 | 5 | 8 | Black stone 0 0 3 |
| Seggar-clay | 1 | Λ | 10 | • | • | 0 | Top Busty Seam— |
| | • | | | | | | Ft. In. |
| | | _ | | | | | COAL 1 6 |
| Seggar-clay | | U | 9 | | | | Seggar-clay 1 4 |
| Grey metal, with post | | 5 | 0 | | | | COAL 0 8 |
| girdles | | J | U | | | | — 0 3 6 |
| Blue metal, with iron | - | 0 | 0 | | | | 5 1 10 |
| girdles | | | | | | | |
| COAL | _ | _ | | | | | 1:00 |
| Seggar-clay | _ | | | | | | Grey metal, with iron |
| Grey metal | 0 | 4 | 4 | | | | girdles 1 0 1 |
| Cannied former | - 2 | = | 6 7 | 70 | | 1 | Carried forward 1 2 9 98 1 7 |
| Carried forward | . პ | 5 | 6 7 | O | 1 | 1 | Carried forward 1 2 9 98 1 7 |

No. 2,807.—KIBBLESWORTH.—CONTINUED.

| D | | Ft. | | Fs. | | In. 7 | Fs. Ft. Iv. Fs. Ft. In |
|-----------------------|-----|-----|-----|-----|---|----------|--------------------------------------|
| Brought forward | | 2 | 9 | 98 | 1 | - 1 | Brought forward 113 4 (|
| Bottom Busty Seam- | | | 0 | | | | Seggar-elay 0 0 8 |
| COAL | 0 | 1 | 9 | | | 0 | White post 4 0 1 |
| o 1 | _ | | | 1 | 4 | 6 | Blue metal 0 1 6 |
| Seggar-clay, good | 0 | 4 | 0 | | | | Brockwell Seam— |
| Grey metal, with post | _ | - 1 | | | | | Ft. In. |
| and iron girdles | 3 | 2 | 10 | | | | COAL 1 8 |
| White post, with | | | | | | | Splint 0 7 |
| metal partings | 4 | 0 | 8 | | | | 0 2 3 |
| Black stone | 0 | 2 | 4 | | | | 4 4 (|
| COAL | 0 | 0 | 5 | | | | Seggar-clay 0 2 8 |
| Seggar-elay | 0 | -3 | - 3 | | | | COAL 0 0 8½ |
| Grey metal, with iron | | | | | | | Seggar-clay 0 0 6 |
| girdles | 0 | 4 | 8 | | | | Post 1 3 91 |
| CŎAL | 0 | 0 | -3 | | | | 2 1 8 |
| Grey metal, with post | | | | | | | |
| gírdles | 2 | 4 | -3 | | | | 120 4 2 |
| Blue metal | 0 | 2 | 9 | | | | Bored further :- |
| Black stone | 0 | 0 | 4 | | | | Hard white post 5 1 2 |
| Three-Quarter Scam- | - | | | | | | Very dark blue metal 0 5 3 |
| Ft. In. | | | | | | | Dark blue metal 0 1 5 |
| COAL 0 9 | 3 | | | | | | Seggar-clay 0 0 9 |
| Splint 0 1 | • | | | | | | Strong white post 0 2 3 |
| COAL, coarse 0 0 | 1 | | | | | | Blue metal 1 0 2 |
| Splint 0 1 | | | | | | | White post 0 2 4 |
| COAL 1 1 | 3 | | | | | | White post 0 2 4 Blue metal 0 4 5 |
| | • 0 | 2 | 2 | | | | Hard white post 1 2 3 |
| | _ | _ | | 13 | 3 | 11 | 10 2 |
| Carried forward | | | | 113 | 4 | 0 | Total131 0 ; |

No. 2,808.- KIBBLESWORTH.

TOWNSHIP OF KIBBLESWORTH, DURHAM.

Sheet 12 of Ordnance Map. Lat. 54° 53' 45'', Long. 1° 38' 16''.

Account of Strata passed through in the No. 2 Bore-hole, near Beamish North Lodge, 1898.

| | Fs. | Ft. | In. | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
|--|-----|-----|-----|-----|-----|-----|------------------------------|
| Soil | 0 | 2 | 0 | | | | Brought forward 14 5 4 1 1 6 |
| Soil Yellow elay | 0 | 5 | 6 | | | | Grey post 1 2 4 |
| • | | | _ | 1 | 1 | | Grey shale, with post |
| Light grey shale | 0 | 4 | 6 | | | | girdles 1 2 4 |
| Clay shale and sand- | | | | | | | Dark grey shale, with |
| stone, mixed | | -3 | 2 | | | | post girdles 0 2 0 |
| Yellow and grey free- | | | | | | | Dark grey shale 0 2 0 |
| stone Grey freestone Grey post Hard grey post | 1 | 4 | 0 | | | | Strong grey shale, |
| Grev freestone | 2 | 2 | 0 | | | | with coal pipes 2 5 0 |
| Grev post | 2 | 1 | 0 | | | | Strong grey shale, |
| Hard grev post | 3 | 0 | 6 | | | | with post girdles 1 2 2 |
| Hard white post | 2 | 4 | 3 | | | | Dark grey shale, with |
| Grey whin | | | | | | | post girdles 0 5 1 |
| Grey shale | 0 | 1 | 5 | | | | • |
| • | | | | | | | |
| Carried forward | 14 | 5 | 4 | 1 | 1 | 6 | Carried forward 23 2 3 1 1 6 |

No. 2,808.—KIBBLESWORTH.—Continued.

| Brought forward | Fs. 23 | Ft. | In. Fs. 3 1 | Ft. | In. 6 | Fs. Ft. In. Fs. Ft. In Brought forward 23 4 2 25 3 1 |
|-----------------------|-----------|--------|----------------|-----|----------|---|
| Ft. In. | | | | | | Very strong white |
| COAL 0 6 | | | | | | post 0 0 8 |
| Blackstoneand | | | | | | Ft. In. |
| $coal \dots 0 7$ | | | | | | COAL, soft |
| COAL, dull 2 3 | | | | | | and dull 2 3 |
| COAL 1 3 | | | | | | COAL $1 	binom{5}{1}{2}$ |
| Blackstoneand | | | | | | COAL, splint 0 $4\frac{1}{2}$ |
| $coal \dots 0 9$ | | | | | | COAL $1 \dots 2 2\frac{7}{2}$ |
| | 0 | 5 | 4 | | | COAL, coarse, |
| | | | 24 | 1 | 7 | and stone $0 	 5\frac{1}{2}$ |
| Dark grey shale | 0 | 0 | 10 | | | COAL 0 3 |
| Grey post, with thin | _ | • | | | | 1 1 0 |
| partings | 0 | 2 | 6 | | | 24 5 10 |
| Hard grey post, with | • | - | | | | Hard white post 0 3 6 |
| shale partings | 0 | 2 | 6 | | | Hard white post, |
| Strong grey post | ŏ | | | | | with ironstone |
| | 0 | | 6 | | | |
| Dark grey shale | U | U | U | | | girdles 0 4 6 |
| Dark grey shale, with | • | 4 | 0 | | | Ft. In. |
| post girdles | | | 0 | | | COAL 1 7 |
| Dark grey shale | | | 6 | | | Blackstoneand |
| Grey post | 0 | 2 | 8 | | | coal 0 10 |
| Grey post, with hard | _ | _ | _ | | | 0 2 5 |
| white panels | 0 | 3 | 6 | | | 1 4 5 |
| Frey shale, with post | | | | | | Grey shale 0 0 9 |
| girdles | 2 | 0 | 9 | | | Dark grey shale, with |
| Dark grey shale, with | | | | | | post girdles 0 3 0 |
| post girdles | 3 | 0 | 6 | | | Grey shale and post 0 2 5 |
| Hard grey shale | 0 | 1 | 9 | | | Grey post, with hard |
| Grey post, with thin | | | | | | white panels 0 3 0 |
| partings | 0 | 2 | 0 | | | Grey shale, with post |
| Grey post | 0 | 1 | 6 | | | girdles 0 4 10 |
| Hard white post | | | 9 | | | Hard white post 0 1 11 |
| Dark grey shale, with | - | | _ | | - | Grey metal, with |
| hard post girdles | 5 | 2 | 7 | | | hard white panels 1 0 6 |
| Grey shale | | | $\dot{2}$ | | | Hard white post 0 5 10 |
| Ironstone | - | | 8 | | | Grey post, with hard |
| 1 1 | Ö | | 10 | | | white panels 1 1 7 |
| | U | ٢ | 10 | | 1 | 737 |
| Very strong hard | Λ | Λ | ح | | | |
| white post | | | $\frac{5}{2}$ | | | Hutton Seam— |
| fronstone | 0 | 1 | 4 | | | COAL 0 4 0 |
| White post, with | ^ | 0 | — | | - 1 | 6 5 4 |
| thin partings | Ü | 2 | 7 | | | |
| Carried forward | 23 | 1 | 2 25 | 3 | 1 | Total 59 0 8 |
| | | | | | | |

No. 2,809.—KILLINGWORTH.

TOWNSHIP OF KILLINGWORTH, NORTHUMBERLAND.

Sheet 88 of Ordnance Map. Lat. , Long.

Account of Strata passed through in a Bore-hole on Killingworth Moor, 800 yards South from the West Post, 1696.

| Earth | | | In. Fs. | | In. | Brought forward | Fs. | Ft. | In, | Fs. 7 | Ft. | |
|--------|---------|-----|-------------------|---|-----|-----------------|-----|-----|-----|----------|-----|---|
| | | _ | 7 | 0 | 0 | Grey metal | 1 | 5 | 0 | | | |
| | | | _ | | | | _ | | | _ | _ | _ |
| Carrie | ed forw | ard | 7 | 0 | 0 | Carried forward | 1 | 5 | 0 | 7 | 0 | 0 |

No. 2,809.—KILLINGWORTH.—CONTINUED.

| | - 1 | 5 | | 7 | Ft. | 1n. 0 | Brought forward So 5 |
|-----------------|-----|-------|---|----|-----|----------|--------------------------------|
| Brought forward | | | 0 | - | U | U | |
| White post | | 2 | 0 | | | | Grey thill 0 1 0 |
| COAL | 0 | 1 | 0 | _ | | | Grey stone 3 0 6 |
| a .1.111 | _ | | _ | 8 | 2 | 0 | GOAL 0 7. |
| Grey thill | | 1 | 0 | | | | |
| Blue stone | - | 1 2 3 | | | | | |
| White post | | | 0 | | | | COAL 3 0 |
| Grey metal | 0 | 0 | 4 | | | | 0 3 8 |
| COAL | 0 | 2 | 0 | _ | _ | | 3 5 |
| | | | _ | 8 | 2 | 4 | Grey thill 0 2 6 |
| Grey thill | 0 | 1 | 0 | | | | Grey stone 0 3 0 |
| Blue stone | | 4 | 0 | | | | Grey metal 0 3 0 |
| Black stone | 0 | 1 | 3 | | | | Grey whin, with |
| Blue stone | 0 | 3 | 0 | | | | girdles 2 2 0 |
| Whin | 0 | 1 | 0 | | | | White post 0 3 0 |
| Grey whin, with | | | | | | | Grey stone 1 2 0 Whin 0 3 0 |
| girdles | 0 | 5 | 0 | | | | Whin 0 3 0 |
| Blue metal | 1 | 3 | 0 | | | | Grey stone 0 3 0 |
| COAL | 0 | 0 | 5 | | | | Whin 0 2 0 Grey stone 0 3 0 |
| | | | | 5 | 0 | 8 | Grey stone 0 3 0 |
| Grev thill | 0 | 1 | 0 | | | | COAL 0 2 0 |
| Post | . 0 | 3 | 0 | | | | 7 4 |
| Strong whin | _ | 3 | 0 | | | | Grey thill 0 2 0 |
| Black stone | _ | 5 | 0 | | | | White post 0 2 0 |
| COAL | | 0 | 6 | | | | 0 4 |
| | _ | | | 2 | 0 | 6 | |
| Carried forward | 1 | | | 30 | 5 | 6 | Total 43 1 |

No. 2,810.—KIMBLESWORTH.

TOWNSHIP OF KIMBLESWORTH, DURHAM.

Sheet 20 of Ordnance Map. Lat. 54° 48' 57", Long. 1° 35' 42".

Account of Strata sunk through in the No. 3 Pit, Kimblesworth Colliery. Commenced September 10th, 1894, and stopped June 28th, 1895.

| | Fs. | Ft. | In. | Fa. | Ft. | In. | | Fa. | Ft. | In. | Fs. | Ft. | In. |
|--------------------------|-----|-----|-----|-----|-----|-----|-----------------------|-----|-----|-----|-----|-----|-----|
| Sandy clay | 0 | 4 | 6 | | | | Brought forward | 4 | 0 | 6 | 21 | 3 | 2 |
| Dark clay, mixed | | | | | | | Dark grey post | 1 | 0 | 0 | | | |
| with stone | | 0 | 6 | | | | Blue metal | 1 | 3 | 7 | | | |
| | _ | | _ | 2 | 5 | 0 | | _ | | • | | | |
| Plus motel | 9 | 0 | 9 | _ | • | ٠ | COAL | Λ | 9 | o | | | |
| Blue metal Brown post | 9 | 1 | ~ | | | | | | | | _ | | _ |
| Brown post | 0 | 1 | - 1 | | | | | | | | 7 | 0 | 7 |
| Dark post | 0 | 2 | 8 | | | | Seggar-clay, with | | | | | | |
| Yellow and white | | | | | | | hard post panels | 0 | 4 | 10 | | | |
| post, broken | 7 | - 3 | -3 | | | | COAL | 0 | 0 | 8 | | | |
| Low Main Seam- | | | | | | | | | | | 0 | 5 | 6 |
| COAL | 0 | 2 | 6 | | | | Seggar-clay | Ω | | | • | • | • |
| | | | | 18 | 1 | 2 | Blue leafy post, with | ٠ | • | • | | | |
| Sorger-oley | | | | • | | - | | 1 | ^ | - 4 | | | |
| Seggar-clay | U | - | U | | | | grey post panels | | | | | | |
| Dark leafy post, with | | | | | | | Grey leafy post | U | 4 | 5 | | | |
| post panels | 2 | 3 | 6 | | | | Blue metal, with | | | | | | |
| Grey post | 1 | 0 | 6 | | | | grey post panels | 2 | 5 | 2 | | | |
| | | | | | | | | _ | | | | | |
| Carried forward | 4 | 0 | 6 | 21 | 3 | 2 | Carried forward | 4 | 4 | 11 | 20 | 3 | 3 |
| | - | | - | | | _ | one rounding | | r | | | () | 0 |

No. 2,810.—KIMBLESWORTH.—CONTINUED.

| Brought forward | | | | Fs. 29 | Ft. | In. 3 | Brought forward 3 2 1 55 3 2 |
|--|---|-------------|-------------|-----------|-----|----------|--|
| Hutton Seam— Ft. In. COAL 3 1 COAL, coarse 0 6 6 | 0 | 3 | 7 | 5 | 2 | 6 | Harvey Seam— COAL 0 1 5 Fire-clay 0 1 0 Grey metal 0 2 0 Grey post 1 2 0 |
| Dark seggar-clay COAL | 0 | 1 0 | 2 4 | | 1 | 6 | Grey post 1 2 0 Grey metal 1 1 6 COAL 0 0 2 |
| Grey seggar-clay Grey post, jointy Dark metal | $\begin{matrix} 0 \\ 2 \\ 0 \end{matrix}$ | 4 1 0 | 7 5 5 | | | | Grey post 0 5 0 COAL 0 0 6 |
| Grey metal Blue metal, with post girdles | 6 | 4 | 6 | | | | Bastard seggar-clay 0 5 6 Grey post 0 4 3 Blue metal, with post |
| Blue metal, with post | 0 0 | 5 | 10 | 10 | 5 | 11 | GÖAL 0 5 3 COAL 0 1 6 Fire-clay 0 2 8 |
| girdles Ft. In. COAL 0 4 Black metal 0 4 COAL 0 2 | | | 10 | | | | Fire-clay 0 2 8 COAL 0 0 6 Fire-clay 0 1 9 COAL 0 0 6 |
| Fire-clay | 0 | 0 | 9 | 1 | 0 | 8 | Fire-clay 0 1 0 |
| Grey post White post COAL | 0 1 0 | 4 0 0 | 6 7 9 | | 0 | 7 | $egin{array}{ccccc} & & & & & & & & & & & & & & & & &$ |
| Grey metal, with post girdles Blue metal COAL | 4 1 0 | 0 5 0 | 9 8 4 | | | | Band 0 1 COAL 1 74 |
| Fire-clay, with iron balls | | | | 6 | 0 | 9 | Fire-clay 0 3 6 Bastard fire-clay, with iron balls 0 5 6 |
| Grey post, with whin girdles Blue metal | 1 0 | 2 | 0 | | | | Grey metal, with post girdles 3 0 0 4 3 0 |
| Carried forward | 3 | 2 | 1 | 55 | 3 | 2 | Total 80 2 6 |

No. 2,811.—KINGSWOOD.

TOWNSHIP OF HENSHAW (DETACHED), NORTHUMBERLAND.

Sheet 92 of Ordnance Map. Lat. , Long.

Account of Strata passed through in a Bore-hole, 45 yards to the Dip of the Water-level, near the West Boundary, Kingswood Common.

| Clay | Fs. Ft. In. 1 4 0 | | | | Brought forward Plate | | | In. : | | | |
|---------------|-------------------|---|---|---|--------------------------|---|---|-------|---|---|---|
| Carried forwa | ard | 1 | 4 | 0 | Carried forward | 0 | 1 | 4 | 1 | 4 | 0 |

No. 2,811.—KINGSWOOD.—CONTINUED.

| Fs. Ft. In. Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|--|-------------------------|
| Brought forward 0 1 4 1 4 0 | |
| Ft. In. | Grey beds 0 0 6 |
| COAL , foul 0 6 | Grey post 0 5 0 |
| COAL, foul 0 6 COAL, good 1 6 | Brown freestone 0 2 0 |
| — 0 ·2 0 | White freestone 3 4 9 |
| 0 3 4 | Plate 0 1 3 |
| Grey beds 1 4 0 | COAL 0 4 2 |
| Grey beds 1 4 0 Post 0 0 4 | 7 4 0 |
| Carried forward 1 4 4.2 1 4 | Total 9 5 4 |

No. 2,812.—KINGSWOOD.

TOWNSHIP OF HENSHAW (DETACHED), NORTHUMBERLAND.

Sheet 92 of Ordnance Map. Lat. , Long.

Account of Strata passed through in a Bore-hole, 70 yards to the Dip of the Water-level, at the West end of Kingswood Common.

Approximate surface-level

feet above sea (Ordnance datum).

| Clay | | 1 | 2 | 6 | | | In. | Brought forward | s. Ft | 10 | 1 | | |
|---------------------------------------|-------|---|---|----|-----|---|-----|-----------------|-------|----|-----|---|---|
| • • • • • • • • • • • • • • • • • • • | | | | | 1 | 2 | 6 | Ironstone | 0 0 | -2 | | | |
| White freestone | | 0 | 2 | 9 | | | | Ironstone (| 0 0 | 7 | | | |
| Grey beds Parting | | 0 | 1 | 1 | | | | . Ft. In. | | | | | |
| Parting | | 0 | 0 | 2 | | | | COAL, foul 0 5 | | | | | |
| White stone post | | 1 | 3 | 11 | | | | COAL, good 1 0 | | | | | |
| Grev beds | | 0 | 1 | 6 | | | | | 1 | 5 | | | |
| Grey beds White beds | | 0 | 0 | 9 | | | | _ | | | - 3 | 1 | 0 |
| Grey beds | • • • | 0 | 0 | 8 | | | | | | | | | |
| Carried forw | ard | 2 | 4 | 10 | . 1 | 2 | 6 | Total | | | 4 | 3 | (|

No. 2,813.—LANCHESTER. TOWNSHIP OF LANCHESTER, DURHAM.

Sheet 18 of Ordnance Map. Lat. 54° 49' 19'', Long. 1° 45' 55''.

Account of Strata passed through in a Bore-hole at East Newbiggin Farm, near Lanchester, 1901.

| Fs. Ft. In. Fs. F | |
|---|--|
| Depth to bottom of | Brought forward 8 2 9 |
| well 1 4 0 | Dark grey shale, with |
| Brown freestone, | coal pipes 0 2 9 |
| with a little water 2 0 6 | Dark grey post 1 0 6 |
| Grev shale 1 1 6 | Grey shale 0 0 6 |
| Grey shale 1 1 6 White post 0 3 0 | Grey shale 0 0 6 White post 0 4 0 Grey shale 1 1 6 |
| Grey shale 1 2 6 | Grey shale 1 1 6 |
| Grey shale, with post | COAL and black |
| girdles 0 5 6 | stone 0 2 0 |
| Hard white post 0 1 6 | Grey shale, with post |
| Strong grey post 0 2 3 | girdles 1 4 8 |
| g g s s y p s s s s s s s s s s s s s s s s | - |
| Carried forward 8 2 9 | Carried forward 14 0 8 |
| | |

No. 2,813.—LANCHESTER.—Continued.

| Fs Brought forward 14 | | In. Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. Brought forward 4 1 6 14 1 0 |
|--------------------------|-----|---------|-----|-----|--|
| COAL 0 | | | | | Black shale 0 4 0 |
| | | 14 | 1 | 0 | Light seggar-clay 0 4 0 |
| Grey shale 0 | 1 | 0 | | | Dark seggar-clay, with coal pipes 0 3 6 |
| Strong white post 1 | 2 | 6 | | | with coal pipes 0 3 6 |
| Grey post, with shale | | | | | Brown freestone, |
| partings 1 | 0 | 0 | | | with water, into 0 3 6 |
| Hard white post 0 | | | | | 6 4 6 |
| Grey shale 1 | | | | | |
| Carried forward 4 | 1 | 6 14 | 1 | 0 | Total 20 5 6 |
| Norm. | *** | | 4 | a . | 4 11 foot from coeffold |

NOTE: Water stood at 11 feet from scaffold.

No. 2,814.—LANGLEY PARK. TOWNSHIP OF LANGLEY, DURHAM.

Sheet 19 of Ordnance Map. Lat. 54° 48' 17", Long. 1° 40' 13".

Account of Strata passed through in the No. 1 Bore-hole at Langley Park, by Mr. William Coulson, June 16th, 1873.

Approximate surface-level 370 feet above sea (Ordnance datum).

| | | | | Ft. In. | Fs. Ft. In. Fs. Ft. I |
|---------------------|---|---|---|---------|----------------------------|
| Soil | 0 | 0 | 6 | | Brought forward 7 0 6 |
| Light clay | 0 | 1 | 6 | | Brown clay 0 5 0 |
| Brown clay and sand | 0 | 5 | 0 | | Yellow freestone 0 1 6 |
| Freestone | | | | | Brown stony clay 2 0 6½ |
| Brown clay, with | | | | | Sand, with water |
| water | 0 | 3 | 0 | | which came out at |
| Sand, with water | | | | | top of hole 0 1 0 |
| Brown clay and sand | | | | | 10 26 |
| Brown clay and | _ | | _ | | Soft freestone, into 0 3 0 |
| gravel | 1 | 3 | 0 | | 0 3 |
| | | | | | |
| Carried forward | 7 | 0 | 6 | | Total 10 5 6 |
| | | | | | |

No. 2,815.—LANGLEY PARK.

TOWNSHIP OF LANGLEY, DURHAM.

Sheet 19 of Ordnance Map. Lat. 54° 48' 15", Long. 1° 40' 12".

Account of Strata passed through in the No. 2 Bore-hole at Langley Park, situated 235 yards to the North of the centre of the River Browney and 51 yards from the East Boundary, by Mr. William Coulson.

Commenced July 1st, 1893.

| | Fs. | Ft. | In. Fs. Ft. In. | | Fs. | Ft. | In. | Fs. | Ft. | In. |
|---------------------|----------|-----|-----------------|----------------------|-----|-----|-----|-----|------|-----|
| Soil | | | | Brought forward | 3 | 4 | 4 | | - •• | |
| Yellow clay | 0 | 1 | 6 | Clay, sand and | | | | | | |
| Brown clay and | | | | gravel, with water | 6 | 1 | 4 | | | |
| gravel | 1 | 0 | | | | | | 9 | 5 | 8 |
| Dark clay and sand, | | | | Soft freestone, with | | | | | | |
| with water | 0 | 1 | | water | | 2 | 6 | | | |
| Dark clay | 2 | 0 | 1 | Strong grey post | | | | | | |
| • | | | | | | | _ | | | |
| Carried forward | 3 | 4 | 4 | Carried forward | 0 | 5 | 1 | 9 | 5 | 8 |

No. 2,815.—LANGLEY PARK.—Continued.

| No. 2,819.—LANGLE | PARK.—CONTINUED. |
|---|--------------------------------------|
| Fs. Ft. In. Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In. |
| Brought forward 0 5 1 9 5 8 | Brought forward 8 0 11 27 5 01 |
| Grey metal and post, | COAL 0 1 $3\frac{1}{2}$ |
| mixed 0 3 0 | 8 2 2½ |
| Gullet: water came | Shale 0 0 1 |
| over top of hole $0 	 0 	 6\frac{1}{4}$ | Grey metal 0 3 4 |
| Soft grey metal 0 0 9 | Grey post 0 5 7 |
| Soft post girdle, with | Grey metal 0 0 4 |
| water 0 0 3 | COAL, danty 0 0 $4\frac{1}{2}$ |
| Soft grey metal 1 0 3 | ${}$ 1 3 8 $\frac{1}{3}$ |
| Black metal, with | Grey metal 0 3 5 |
| 2 inches of coal at | White post, with two |
| top 0 0 10 | 14 inches whins 1 3 9 |
| Grey metal, with post | Grey metal 0 5 6 |
| girdles 0 1 2 | Grey post 0 2 10 |
| Darkgrey metal, with coat pipes 0 0 83 | Grey metal, with post girdles 1 1 8 |
| | 0 |
| Grey metal, with post | COAL, coarse 0 7½ |
| girdles 1 1 0 | Band 0 4 |
| Grey metal, with coal | COAL, coarse, |
| pipes 0 1 1 | with thin |
| Ft. In. | shalepartings 0 9 |
| COAL 0 111 | - 0 1 8 |
| Shale band $0 	1\frac{1}{2}$ | 5 0 10 |
| COAL $0 \ 1\frac{1}{2}$ | Grey metal 1 2 9 |
| 0 1 2½ | COAL 0 1 3½ |
| 5 0 10½ | 1 4 0 |
| Soft grey metal 0 5 0 | Grey metal 0 1 2 |
| Dark grey metal, with | Grey and white post, |
| post girdles 2 5 8 | with partings 3 0 11 |
| Light grey metal, | COAL 0 0 5 |
| with metal part- | 3 2 (|
| ings 0 3 7 | Grey metal 0 0 6 |
| Dark grey metal, | Grey post, with metal |
| with post girdles 1 0 6 | partings, and 21 |
| COAL 0 0 9½ | inches of whin at |
| 5 3 61 | bottom 1 2 1 |
| Soft grey metal 0 1 8 | Grey metal, with post |
| Strong light post 2 3 10 | girdles 2 5 1 |
| | Grey post, with metal partings 3 4 9 |
| W | Grey metal 3 4 9 |
| Yellow post 2 1 5 | COAL, very good |
| COAL 1 8 | and clean 0 1 9 |
| Band 0 2 | 8 2 |
| COAL, danty 0 9½ | Grey metal 0 1 9 |
| COAL and | Black metal 0 1 2 |
| shale 0 3 | Grey metal, with a 4 |
| Soft band and | inches gullet 0 4 9 |
| coal 0 3 | Grey post, with a 3 |
| COAL, good 1 2 | inches gullet 2 2 5 |
| COAL and | Grey metal 1 0 6 |
| shale 0 6 | Grey post, with soft |
| $$ 0 4 $9\frac{1}{2}$ | partings 2 1 3 |
| 7 0 11½ | Grey metal 0 0 2 |
| Grey metal 0 1 0 | COAL, coarse 0 0 5 |
| Grey post 1 1 5 | 7 0 |
| White post 6 2 0 | Grey metal, mixed |
| Mild grey post 0 2 6 | with post and coal 1 0 11 |
| Carried forward 9 0 11 27 F 01 | Carried forms -1 1 0 11 00 0 0 |
| Carried forward 8 0 11 27 5 0½ | Carried forward 1 0 11 63 3 3 |

No. 2,815.—LANGLEY PARK.—CONTINUED.

| Brought forward Grey post, with coal partings White post, with 50 inches of whin | 1 | 0 | 11 | 63 | | In. 31 2 | Brought forward 5 5 8 63 3 3½ Grey metal, with post girdles, into 1 0 8 |
|--|---|---|----|----|---|----------------|---|
| Carried forward | | | | _ | 3 | 31/2 | Total |

No. 2,816.—LANGLEY PARK.

TOWNSHIP OF LANGLEY, DURHAM.

Sheet 19 of Ordnance Map. Lat. 54° 48′ 40″, Long. 1° 40′ 32″.

Account of Strata passed through in the No. 4 Bore-hole at Langley Park, by Mr. William Coulson. Finished November 11th, 1873.

Approximate surface-level 520 feet above sea (Ordnance datum).

| Yellow clay and free- stone Loamy sand | | | | Fs. | | In. 0 | Brought forward 2 1 8 1 5 11 Freestone, with a strong feeder of water 2 4 8 |
|--|-------------|-------------|-------------|-----|---|----------|---|
| Yellow freestone, with soft partings Soft dark grey metal COAL | 0 0 0 | 3 1 1 | 5 4 2 | 0 | 5 | 11 | Hutton Seam— COAL, bottom 6 inches rather coarse 0 3 10 |
| Light grey metal Soft brown metal, with yellow scares, and a gullet 4 feet from the bottom | | | | J | , | -1 | Grey metal, into 0 3 11 0 3 11 |
| Carried forward | 2 | 1 | 8 | 1 | 5 | 11 | Total 8 2 0 |

No. 2,817.—LANGLEY PARK.

TOWNSHIP OF LANGLEY, DURHAM.

Sheet 19 of Ordnance Map. Lat. 54° 48' 46", Long. 1° 40' 35".

Account of Strata passed through in the No. 5 Bore-hole at Langley Park, by Mr. William Coulson, 1873.

| | Fs. | Ft. | In. | Fs. | Ft. | In. | | |
|------------------------|-----|----------|-----|-----|----------|-----|------------------------------|---|
| Soil | 0 | 2 | 0 | | | | Brought forward 1 4 6 1 3 9 |) |
| | | | | 0 | 2 | 0 | Grey metal 2 3 3 | |
| Soft yellow freestone, | | | | | | | Hutton Seam— | |
| with water near | | | | | | | COAL, with | |
| bottom | 1 | 1 | 3 | | | | particles of brass | |
| COAL, foul | 0 | 0 | 6 | | | | 18 inches from | |
| • | | _ | | 1 | 1 | 9 | the top 0 3 8 | |
| Soft yellow freestone | 0 | 5 | 6 | | | | 4 5 5 | , |
| Soft grey metal | 0 | 2 | 0 | | | | Grey metal thill, into 0 0 4 | |
| Soft brown freestone | 0 | 3 | 0 | | | | 0 0 4 | ļ |
| | | | | | | _ | | - |
| Carried forward | 1 | 4 | 6 | 1 | 3 | 9 | Total 6 3 6 | j |
| | | | | | | | , | |

No. 2,818.—LANGLEY PARK.

TOWNSHIP OF LANGLEY, DURHAM.

Sheet 19 of Ordnance Map. Lat. 54° 49' 5", Long. 1° 41' 32".

Account of Strata passed through in a Bore-hole near Stand-against-all, High Langley, Langley Park Colliery, May 1st, 1903.

| | | | | _ | _ | | _ | | | _ | | |
|-------------------------------|----|-------|-----|-----|-----|------------------------|-----|-----|-----------------------------|----|-------|-------------------|
| | | In. I | F4. | Ft. | In. | Brought forward | Fs. | Ft. | In. H | | Ft. 2 | |
| Soil 0 Yellow stony clay 0 | 3 | | | | | Grey shale, with post | | | | 0 | 2 | 2 |
| | 4 | | | | | | 1 | 0 | e | | | |
| | -2 | U | | | | | _ | | 6 | | | |
| , | ^ | c | | | | Broken ground | U | 3 | U | | | |
| with water 3 | 0 | U | | | | Grey post, with shale | 2 | = | 1 | | | |
| Grey post, with shale | 0 | 11 | | | | partings | - | | 8 | | | |
| partings 1 | 3 | 11 | | | | COAL | 0 | 3 | - | | | |
| Ft, In. | | | | | | | | | _ | 5 | 0 | 9 |
| COAL 2 6 | | | | | | Grey post, with shale | | | | | | |
| COAL, hard 0 6 | | | | | | partings | 9 | 3 | 0 | | | |
| COAL, with a | | | | | | White post, with | | | | | | |
| little black | | | | | | water | 1 | 5 | 6 | | | |
| stone 0 6 | | _ | | | | White post, with | _ | • | • | | | |
| 0 | 3 | 6 | | | | freestone partings | 1 | 1 | 7 | | | |
| - | _ | | 8 | 3 | 11 | Freestone, with | • | • | • | | | |
| Grey post, with shale | | | | | | post partings | 1 | 1 | 11 | | | |
| partings 1 | 4 | 7 | | | | White post, with | • | • | | | | |
| COAL 0 | | | | | | hard panels and | | | | | | |
| | | _ | 1 | 4 | 9 | | 4 | 3 | 0 | | | |
| a , , , , , , , , | | | • | . • | | Grey post, with shale | - | | U | | | |
| Grey post, with shale | | | | | | | | | | | | |
| | 4 | в | | | | partings and coal | | = | c | | | |
| Grey shale, with post | _ | | | | | pipes | 0 | 5 | 6 6 | | | |
| girdles 2 | 5 | 10 | | | | White post | 2 | J | O | | | |
| Dark grey shale, with | _ | _ | | | | Grey post, with white | - | 0 | • | | | |
| coal pipes 0 | 1 | 7 | | | | post panels | | - | | | | |
| COAL 0 | 0 | | | | | Black shale | 0 | 0 | 3 | | | |
| | | _ | 5 | 0 | 5 | | - | | _ | | | |
| Seggar-clay 0 | 3 | 5 | | | | girdles | | | 6 | | | |
| Grey post, with soft | | | | | | Dark grey shale | U | 1 | 0 | | | |
| freestone partings 5 | 4 | 3 | | | | Ft. In. | | | | | | |
| Yellow freestone, | | - | | | | COAL 1 5 | | | | | | |
| with post girdles 12 | 1 | 9 | | | | Shale $0.7\frac{1}{2}$ | | | | | | |
| Grey post, with shale | _ | • | | | | COAL 0 3 | | | | | | |
| partings 2 | 0 | 2 | | | | Black stone, | | | | | | |
| COAL 0 | 2 | 5 | | | | with coal | | | | | | |
| | | | 21 | 0 | 0 | threads 0 2 | | | | | | |
| Communication with shale | | | _ | • | • | | 0 | 2 | 51 | | | |
| Grey post, with shale | 0 | 0 | | | | | | | | | 21 | 11 |
| partings 2 | 3 | 3 | | | | Cwaw ahala | • | ^ | | _ | | - 2 |
| COAL seems 1 2 | | | | | | | 0 | 9 | $\frac{9^{\frac{1}{2}}}{1}$ | | | |
| COAL, coarse 1 2 | | | | | | Grey post, into | U | 4 | | | _ | |
| Black stone, | | | | | | | - | _ | | 0 | 2 | $9^{\frac{3}{4}}$ |
| with coal | | | | | | | | | | | | |
| pipes 0 8 | 1 | 10 | | | | | | | | | | |
| 0 | 1 | 10 | | | | | | | | | | |
| | | — | 2 | 5 | 1 | | | | | | | |
| | | | | | _ | | | | _ | _ | | |
| Carried forward | | : | 39 | 2 | 2 | Total | | | 7 | 4. | 2 | 8 |
| | | | _ | _ | _ | | | | = | Ē | | |

No. 2,819.—LANGLEY PARK. TOWNSHIP OF ESH, DURHAM.

Sheet 19 of Ordnance Map. Lat. 54° 47' 54", Long. 1° 40' 6".

Account of Strata passed through in a Bore-hole at Hill Top, Langley Park Colliery, November, 1903.

Approximate surface-level 350 feet above sea (Ordnance datum).

| · · | | | | Fs. | Ft. | In. | |
|-----------------------|------------|--------|----|-----|-----|-----|-------------------------------|
| | 0 | U | 4 | | | | Brought forward 8 3 10 33 0 2 |
| Yellow clay, with | _ | | _ | | | | Grey shale 0 5 4 |
| stones | 0 | 4 | | | | | Brockwell Seam— |
| Stony clay | 1 1 | 4 | .2 | | | | Ft. In. |
| Sand | 2 | 5 | 6 | | | | COAL 0 11½ |
| Leafy clay | 0 | 5 | 0 | | | | Black stone 0 3 |
| Broken freestone | 1 | 5 | 0 | | | | Black stone |
| Stony clay | 5 | 2 | 0 | | | | and coal 0 71 |
| is conjusted in the | _ | | | 23 | 2 | 0 | Grey shale 1 9 |
| Freestone | 0 | 4 | 0 | | _ | • | COAL 2 1 |
| Black stone | ŏ | 0 | 6 | | | | 0 5 8 |
| 777 | 3 | | 11 | | | | 10 2 10 |
| | _ | 0 | 7 | | | | |
| COAL | U | U | • | 4 | 4 | ^ | Grey post 1 1 4 |
| T7 4 '41 | | | | 4 | 4 | 0 | Grey Pose, Wrest State |
| Freestone, with | | _ | | | | | partings and water 2 0 0 |
| | | 0 | | | | | White post 1 0 9 |
| | 0 | 5 | | | | | Grey post, with shale |
| Grey freestone | | | 6 | | | | partings 0 5 8 |
| Grey post | 1 | 1 | 0 | | | | Grey shale, with post |
| Busty Seam— | | | | | | | girdles 1 5 6 |
| CŐAL | 1 | 1 | 2 | | | | Strong grey post 2 0 0 |
| | | | | 5 | 0 | 2 | |
| Soft seggar-clay | 0 | 0 | 2 | • | • | _ | Victoria Seam— |
| Grey shale, with post | | • | _ | | | | COAL 0 1 6 |
| girdles and water | 9 | 2 | 6 | | | | 10 1 8 |
| Black stone and coal | ~ | _ | 8 | | | | |
| | _ | 0 1 | 0 | | | | Grey shale, into $0 1 1$ |
| Grey shale | | | | | | | 0 1 1 |
| Grey post | 4 | 5 | 6 | | | | |
| Carried forward | 8 | 3 | 10 | 33 | 0 | 2 | Total 53 5 9 |
| | | | | | | | |

No. 2,820.—LANGLEY PARK. TOWNSHIP OF HOLMSIDE (DETACHED), DURHAM.

Sheet 19 of Ordnance Map. Lat. 54° 48' 28", Long. 1° 39' 23".

Account of Strata sunk through in the Kaysburn Pumping Shaft, Langley Park Colliery.

| Fs. Ft. In. Fs. Ft. In. Soil 0 1 6 | Fs. Ft. In. Fs. Ft. In. Brought forward 17 4 51 |
|------------------------------------|---|
| Yellow clay, gravel, | Yellow freestone 1 2 0 |
| sand and water 1 3 $10\frac{1}{2}$ | Grey shale, with post |
| Laminated blue clay 1 1 0 | girdles 2 3 0 |
| Gravel, sand and | Grey post, with soft |
| water 1 1 6 | partings and water 2 1 0 |
| Strong clay 1 0 0 | Hard white post 0 0 9 |
| Running sand 0 1 3 | Grey shale, with post |
| Strong stony clay 12 1 4 | girdles 1 0 1 |
| $17 4 5\frac{1}{2}$ | Hard white post 5 3 0 |
| | |
| Carried forward 17 4 51 | Carried forward 12 3 10 17 4 51 |

No. 2,820.—LANGLEY PARK.—CONTINUED.

| Brought forward 2 2 657 3 8 8 8 8 8 8 8 8 8 | Brought forward 12 3 10 17 4 Black stone, mixed | In. 51 | Fs. Ft. In. Fs. Ft. In. Brought forward 2 2 6 57 3 7 |
|--|---|-----------|--|
| Black stone, mixed with coal. near the bottom | | | |
| With cond. near the bottom | with coal near the | | Three-Quarter Seam— |
| Southom 1 | | i | |
| Grey shale | bottom 0 1 7 | - 1 | COAL, can- |
| Grey post | Grev shale 1 4 0 | - 1 | nel 0 61 |
| Dark grey shale | Grev post 1 3 3 | | COAL, cok- |
| Grey poet, with shale partings | Dark grev shale 0 0 9 | | ing 1 1 |
| Partings 2 1 4 Harvey Seam COAL 0 0 6½ Seggar-clay 0 0 0 6½ Seggar-clay 0 0 0 6½ Seggar-clay 0 0 0 0 0 0 0 0 | | | |
| COAL 0 0 0 0 0 0 0 0 0 | partings 2 1 4 | | |
| Black stone 0 2 0 1 1 1 2 2 2 3 3 4 2 3 3 3 3 3 3 3 3 3 | Harvey Seam- | | |
| Black stone 0 0 6 6 1 1 1 1 1 1 1 1 | | | |
| Seggar-clay 0 2 0 0 0 0 0 0 0 0 | | 0.1 | White post 1 0 6 |
| Seggar-clay 0 2 0 Grey metal 1 2 7 Blue metal 0 1 11 2 7 Blue metal 0 0 1 11 2 7 Grey metal 0 0 6 0 0 6 0 <th< td=""><td>Block stone 0 0 61</td><td>32</td><td>Dark grow motel 0 4 0</td></th<> | Block stone 0 0 61 | 32 | Dark grow motel 0 4 0 |
| Seggar-clay | Sagger olan 0 0 0 | | White post with |
| Blue metal 0 1 1 | Great metal U 2 U | | motel martings 0 2 4 |
| Grey metal 0 0 3 2 1 3½ 3½ | Discounted 127 | | Dork grow watel 0 5 4 |
| Coal | | | |
| Coal | | ۵. ا | and the second s |
| Hard white post | | 37 | |
| Black metal | Grey metal 0 2 6 | | Dark grey metal 1 2 51 |
| Black metal | Hard white post 0 2 0 | | White post 1 5 0 |
| Black metal | | | Whin 0 2 0 |
| Grey metal, with post girdles | 0 5 | 01 | Supposed Brockwell |
| Seggar-clay | Black metal 0 0 7 | | Seam-* |
| Grey metal 0 1 2 5 Dark grey metal 1 1 6 Hard white post 1 5 0 Grey metal 0 1 5 White post 1 0 3 GoAL 0 1 1 1 Grey post 0 3 10 Grey metal 0 1 5 White post 0 3 10 Grey metal 0 1 5 White post 0 3 10 Grey metal 0 1 1 7 GoAL 0 0 5 Grey metal 0 1 1 0 Grey metal 0 1 1 0 Grey metal 0 1 1 0 Grey metal 0 1 1 7 GoAL 0 0 5 Grey metal 0 1 1 0 Grey metal 0 0 1 1 0 Grey metal 0 0 1 1 0 Grey metal 0 1 1 0 | Grey metal, with post | | COAL 016 |
| Grey metal 0 1 2 5 Dark grey metal 1 1 6 Hard grey post 0 1 0 Grey metal 0 1 0 Grey metal 0 1 0 Grey metal 0 1 1 0 Grey metal 0 1 1 5 White post 1 0 3 Grey metal 0 1 1 5 White post 0 2 10 Grey metal 0 1 1 5 White post 0 3 10 Grey metal 0 0 1 7 GOAL 0 0 1 5 Grey metal 0 1 1 7 GOAL 0 0 2 10 Grey metal 0 1 1 0 Grey metal 0 1 1 0 Grey metal 0 1 1 7 GOAL 0 0 5 Grey metal 0 1 1 0 Grey metal | girdles 1 0 8 | | 3 4 11½ |
| Coal Stand Stand | COAL 0 1 2 | | Seggar-clay 0 2 8 |
| Grey metal | | 5 | |
| Hard white post | Grey metal 0 0 9 | | Hard grey post 0 1 0 |
| Grey metal | Hard white post 1 5 0 | | Grey metal, with post |
| Black stone | Grev post 0 2 10 | - 1 | girdles 0 4 2 |
| Black stone | Grev metal 0 1 9 | | Grev metal 0 1 5 |
| Black stone | White post 1 0 3 | | White post 0 3 3 |
| Black stone | COAL 0 1 1 | | Blue metal 0 1 7 |
| Black stone | | اء | |
| Seggar-clay 0 2 6 Grey metal 0 3 11 Grey post 0 2 10 Grey metal, with post Grey metal 0 1 10 Grey metal, with post girdles 0 4 0 Grey metal 1 1 7½ Grey metal 1 1 7½ Grey metal 1 1 7½ Grey metal 0 1 1 2 Grey metal 0 1 1 4 White post 0 0 1 1 White post 0 0 2 4 White post 0 0 1 4 Grey metal 0 0 2 4 White post 0 1 4 Grey post 0 1 2 Grey metal 0 2 4 White post 0 1 4 Grey post 0 1 4 Grey post 0 1 4 Grey post 0 1 2 Grey post 0 1 4 Grey post 0 1 3 Grey post 0 1 3 Grey post 0 1 3 Grey post 0 3 0 Grey post 0 3 16 Grey pos | | ١ | 3 4 0 |
| Grey post 0 3 10 White post 0 2 10 Grey metal, with post girdles 0 4 2 Hard white post, with whin girdles 7 5 0 3 6 6 6 7 5 0 6 6 7 1 1 7 2 6 7 1 1 2 6 7 1 2 6 7 1 2 6 7 1 2 6 7 2 6 7 2 6 7 2 6 7 2 6 7 2 6 7 2 6 7 2 6 7 2 6 7 2 6 7 2 6 7 2 6 7 2 6 7 2 6 7 2 4 7 2 4 7 2 4 4 4 6 6 7 2 4 4 6 7 2 | Light grow metal 0 3 11 | - 1 | |
| White post 0 0 2 10 Grey metal 1 0 4 ½ Grey metal 1 1 7½ Grey metal 1 1 7½ Grey metal 1 1 1 7½ Grey metal 1 1 1 7½ Grey metal 1 1 1 1 7½ Grey metal 0 1 2 Grey metal 0 1 2 Grey metal 0 1 4 White post 0 0 1 4 White post 0 0 0 1 White post 0 0 0 0 1 White post 0 0 0 0 1 White post 0 0 3 6 Soft blue metal 0 0 1 4 White post 0 0 3 6 Soft blue metal 0 1 4 Grey post 1 0 2 4 White post 0 1 4 Grey post 1 0 2 8 Grey post 1 0 2 8 Blue metal | Grave nost 0 2 10 | | Gray metal 0 1 10 |
| Grey metal, with post girdles 0 4 0 Hard white post, with whin girdles 7 5 0 Grey post 1 0 0 Busty Seam— Ft. In. COAL 1 5 Band 0 0½ COAL 0 5 Band 0 0½ COAL 2 8 Splint 0 4 COAL 2 8 Splint 0 4 COAL 2 4 Swad 0 3 —————————————————————————————————— | White post 0 3 10 | - 1 | Gray nost 0 0 41 |
| Grey metal, with post girdles 0 1 2 2 2 2 2 3 11 3 4 4 4 4 4 4 4 4 4 | Granimatal mith neet | - { | Grow metal 1 1 71 |
| Hard white post, with whine girdles 7 5 0 Grey post 1 0 0 Busty Seam | | - 1 | Growmotal with nost |
| Grey post 1 0 0 1 4 4 0 1 4 0 1 4 0 1 4 0 1 4 0 1 4 0 1 4 0 1 4 0 1 4 0 0 1 1 1 0 0 1 1 0 0 1 1 1 0 2 4 4 White post 0 3 6 Soft blue metal 0 2 4 White post 0 1 4 4 White post 0 1 4 < | grates U 4 U | | mindles 0 1 9 |
| Grey post 1 0 0 Busty Seam— White post 0 4 0 Grey metal 0 0 11 COAL 1 5 White post 0 3 6 Soft blue metal 0 2 4 Band 0 0½ White post 0 3 6 COAL 2 8 White post 1 0 2 Splint 0 4 Grey post 1 0 2 Blue metal 0 2 8 Grey post 0 1 8 Blue metal 0 1 8 Blue metal 1 1 7 Victoria Seam— COAL 0 1 5 White post 0 1 4 Grey post 0 1 8 Blue metal 1 1 7 Victoria Seam— COAL 0 1 5 Seggar-clay 0 3 0 Blue metal 0 0 10 Blue metal 0 0 10 | naru white post, | | Gram metal 0 1 4 |
| COAL 1 5 5 5 5 5 5 5 5 5 | Cross seek girdles 7 5 0 | - 1 | White past 0 4 0 |
| COAL 1 5 5 5 5 5 5 5 5 5 | Grey post 1 0 0 | | Composition of the control of the co |
| GOAL 1 5 Band 0 0 5 Band 0 0 5 Band 0 0 1½ COAL 2 8 Splint 0 4 COAL 2 4 Swad 0 3 | Busty Seam- | - 1 | Grey metal 0 0 11 |
| Band 0 0½ | Ft. In. | | Coff bloomstal |
| COAL 0 5 Band 0 0½ COAL 2 8 Splint 0 4 COAL 2 4 Swad 0 3 — 1 1 6 Dark grey metal 0 4 0 White post, with metal partings 1 3 0 Grey post 0 1 8 Blue metal 1 7 Victoria Seam COAL 0 1 5 Seggar-clay 0 0 10 Blue metal 0 0 10 Blue metal 0 0 10 Seggar-clay 0 0 10 Blue metal 0 0 10 Coal Blue metal | COAL 1 5 | | |
| Band 0 0½ COAL 2 8 Splint 0 4 COAL 2 4 Swad 0 3 | | | white post, with |
| COAL 2 8 | | | metal partings 0 1 4 |
| Splint 0 4 COAL 2 4 Swad 0 3 | Band 0 $0\frac{1}{2}$ | - ! | Grey post 1 0 2 |
| COAL 2 4 Swad 0 3 — 1 1 6 Dark grey metal 0 4 0 White post, with metal partings 1 3 0 Grey post, mixed Blue metal 0 3 0 Blue metal 0 0 10 Blue metal 0 3 10 | COAL 2 8 | - 1 | Blue metal 0 2 8 |
| Swad 0 3 | Splint 0 4 | | |
| Dark grey metal 0 4 0 White post, with metal partings 1 3 0 Grey post, mixed GOAL 0 1 5 7 4 6 Seggar-clay 0 3 0 Blue metal 0 0 10 | COAL 2 4 | | |
| Dark grey metal 0 4 0 White post, with metal partings 1 3 0 Grey post, mixed GOAL 0 1 5 7 4 6 Seggar-clay 0 3 0 Blue metal 0 0 10 | Swad 0 3 | | |
| Dark grey metal 0 4 0 Seggar-clay 0 3 0 White post, with metal partings 1 3 0 Blue metal 0 0 10 Grey post, mixed 0 3 10 | 1 1 6 | | |
| White post, with Blue metal 0 0 10 metal partings 1 3 0 Grey post, mixed | 12 3 | 11 | |
| metal partings 1 3 0 Grey post, mixed | Dark grey metal 0 4 0 | | Seggar-clay 0 3 0 |
| metal partings 1 3 0 Grey post, mixed | | | Blue metal 0 0 10 |
| Grey post, mixed | | | 0 3 10 |
| | | | |
| | | | |
| | | _ | |
| Carried forward 2 2 6 57 3 7 Total 81 1 | Carried forward 2 2 6 57 3 | 7 | Total 81 1 2 |
| | | - 1 | |

^{*} This seam thickens to 2 feet 7 inches 300 yards south-east from the shaft.

No. 2,821.—LEASINGTHORNE.

TOWNSHIP OF MIDDLESTONE, DURHAM.

Sheet 42 of Ordnauce Map. Lat. 54° 40′ 2", Long. 1° 36′ 28".

Account of Strata sunk through in the No. 1 Pit, Leasingthorne Colliery, 1901-1903.

| | | 774 | - | | 734 | T . | 1 | T3 | T34 | 7 | 177- | 734 | 7 |
|-----------------------|-----|-----------|------------|-----|-----|-----|-----------------------|----------|----------|-----|------|-----|----------|
| Clar | 1 | . Ft. | . In. 0 | Fs. | Ft. | In. | Brought forward | Fs. | Ft. | In. | 42 | Pt. | ın. 1 |
| Clay | | 4 | ő | | | | N | 0 | 1 | 0 | | ٠ | - |
| Sand | | | - | | | | Seggar-clay | _ | | Ö | | | |
| Clay | 1 | 0 | 0 | 0 | - | | Grey metal | | 5 | | | | |
| | _ | | _ | 2 | 5 | U | Grey leafy post | | 4 | 0 | | | |
| Soft freestone | | 5 | 9 | | | | Blue metal | 0 | 4 | 0 | | | |
| Blue clay | 0 | 0 | -3 | | | | Five-Quarter Seam— | | | | | | |
| Freestone | 0 | 3 | 0 | | | | Ft. In. | | | | | | |
| Strong freestone | 0 | - 3 | 0 | | | | COAL 4 1 | | | | | | |
| Freestone, with blue | | | | | | | CO'AL, splint 1 2 | | | | | | |
| partings | /1 | 3 | 6 | | | | | 0 | 5 | 3 | | | |
| Freestone | • | 3 | 0 | | | | | | | | 9 | 1 | -3 |
| Freestone, with blue | - | | | | | | 2 | | ~ | ^ | • | • | • |
| partings | • | 0 | 0 | | | | Seggar-clay | 0 | 5 | 0 | | | |
| | - | ő | ő | | | | Grey metal | 0 | 4 | 6 | | | |
| Mild post | | 0 | 0 | | | | Black stone | 0 | 2 | 2 | | | |
| Freestone | | U | U | | | | Grey metal, with post | | | | | | |
| Post, with blue part- | | | | | | | girdlès | 2 | 5 | 0 | | | |
| ings | | 0 | 0 | | | | Strong white post | 1 | 3 | 0 | | | |
| White post | | | 11 | | | | Blue metal, with iron | | | | | | |
| COAL | 0 | 0 | 3 | | | | girdles | 3 | 2 | 0 | | | |
| | _ | | | 22 | 5 | 8 | Main Coal Seam- | • | _ | _ | | | |
| Seggar-clay | 0 | 3 | 9 | | | | COAL | 0 | 4 | 10 | | | |
| White post | 0 | 2 | 0 | | | | OOAL | ٠ | -30 | | 10 | | |
| Bastard whin | 0 | 1 | 0 | | | | | _ | _ | | 10 | 2 | 6 |
| Leafy post | ^ | 1 | 6 | | | | Seggar-clay | 0 | 2 | 0 | | | |
| Grey metal | | $\bar{2}$ | 6 | | | | Grey metal, with iron | | | | | | |
| Blue metal | - 1 | 4 | Õ | | | | pyrites | 5 | 2 | · 2 | | | |
| | - | 5 | 6 | | | | COAL | ŏ | õ | 6 | | | |
| Strong post | • | 4 | 6 | | | | OOKE | ٠ | ٠ | ٠ | ~ | | 0 |
| Grey metal | • | 2 | | | | | G 11 111 1 | _ | | | 5 | 4 | 8 |
| Strong post | | 4 | 9 | | | | Grey metal, with iron | _ | _ | | | | |
| Post, with blue part- | | _ | | | | | pyrites | 1 | 0 | 0 | | | |
| 1ngs | . 1 | 0 | 0 | | | | Grey metal, with iron | | | | | | |
| Ft. In | | | | | | | girdles | 0 | 3 | 0 | | | |
| COAL 0 10 |) | | | | | | COAL and stone | 0 | 2 | 6 | | | |
| Band 0 4 | - | | | | | | | _ | | | 1 | 5 | 6 |
| COAL 0 7 | , | | | | | | Grey metal, with iron | | • | | - | · | ٠ |
| | - 0 | 1 | 9 | | | | | G | 4 | 0 | | | |
| | | | | 10 | 5 | 3 | pyrites | 6 | * | U | | | |
| Seggar-clay | . 0 | 2 | 0 | | | | Grey metal, with post | 0 | 0 | ^ | | | |
| Blue metal, with iron | | | | | | | girdles | 3 | 2 | 0 | | | |
| girdles | • | 2 | 6 | | | | COAL | 0 | 1 | 6 | | _ | |
| Black shale | • | - | | | | | | | _ | | 10 | 1 | 6 |
| 00 Al | ^ | _ | | | | | Strong seggar-clay | 0 | 3 | 0 | | | |
| COAL, cannel | . 0 | 1 | J | 3 | ο | 10 | C | | | | | | |
| Plue metal | _ | 5 | 0 | | U | 10 | girdles | 4 | 1 | 6 | | | |
| Blue metal | . 1 | 9 | U | | | | COAL | ō | 1 | 3 | | | |
| Three-Quarter Seam- | _ | | | | | | 33AE | | - | _ | 4 | 5 | 9 |
| Ft. I | | | | | | | G 1 | _ | | | * | 9 | 3 |
| COAL 1 3 | | | | | | | Seggar-clay | 0 | 5 | 0 | | | |
| Band 0 3 | 3 | | | | | | Grey metal, with iron | | | | | | |
| COAL 0 10 |) | | | | | | girdles | 5 | 5 | 9 | | | |
| | - 0 | 2 | 4 | | | | Strong white post | 2 | 0 | 0 | | | |
| | _ | | | 2 | 1 | 4 | | 3 | 0 | 6 | | | |
| | | | | _ | | | | | | | | | |
| Carried forward | 1 | | | 42 | 0 | 1 | Carried forward | 11 | 5 | 3 | 84 | 3 | 3 |
| | - | | | | ٠ | _ | , currica ror ward | | , | , | | , | • |

No. 2,821.—LEASINGTHORNE.—CONTINUED.

| Brought forward Low Main Seam— Ft. In. | 11 | | | Fs. 1 | | In. 3 | Brought forward 0 4 6 138 4 4 Grey metal 1 4 6 COAL 0 0 9 |
|--|------------------|------------------|--------------|-------|---|----------|---|
| Seggar-clay 4 6 COAL 1 0 | 1 | 1 | | 13 | 0 | 9 | Seggar-clay 0 2 0 Grey post 0 3 0 White post 3 4 0 |
| Grey metal, with iron girdles Blue metal, with post panels | 1 3 | 0 | 0 | | | | COAL 0 5 Band 0 6 COAL 1 0 0 1 11 |
| GOAL 0 5 Band 0 3 GOAL 0 8 | 0 | 1 | 4 | 4 | 4 | 4 | Seggar-clay 0 1 7 Grey leafy post 0 2 6 Grey metal 6 0 0 Blue metal 0 4 0 Busty Seam— |
| Seggar-clay COAL | 0 0 | 1 | 8 | 0 | 5 | 0 | COAL 1 0 Seggar-clay 5 9 COAL 2 6 |
| Seggar-clay Blue metal Hutton Seam— | 4 | ō | ŏ | | | | — 1 3 3 —— 8 5 4 |
| COAL 2 0 COAL,splint 0 9 | 0 | 2 | 9 | 4 | 3 | 9 | Strong seggar-clay 0 2 0 Grey post 0 3 0 White post 3 3 0 Whin girdles 0 1 6 White post 1 5 3 |
| Seggar-clay Grey post COAL, cannel | 0 2 0 | $\frac{1}{2}$ | 0 0 8 | | | | COAL 0 0 6 6 3 3 Seggar-clay 0 2 6 |
| Seggar-clay | 0 | 1 | 3 | 2 | 3 | 8 | White post, with metal partings 1 3 0 Grey metal, with iron |
| Grey metal, with post girdles Grey and white post Grey metal, with post | 5 2 | 1 | 0 | | | | girdles 1 0 0 COAL 0 0 2 |
| girdles Grey metal Strong white post | 5 2 0 0 | 0 0 5 2 | 0 0 0 | | | | Fire-clay 0 2 0 Grey metal 1 3 0 COAL 0 1 10 |
| Grey leafy post Grey metal, with post girdles Strong white post, | 2 | 0 | 0 | | | | White post, with whin girdles 6 1 0 Blue metal 1 0 0 |
| with metal partings Blue metal Harvey Seam— COAL | 3 1 0 | 1 0 3 | 10 7 8 | | | | Brockwell Seam— COAL 0 4 7 |
| Seggar-clay | 2 | 0 | | 22 | 4 | 4 | White post 1 0 0 Blue metal 1 0 6 Grey leafy post 1 0 0 |
| Grey metal COAL | | 3 0 | 0 3 — | 5 | 3 | 3 | White post 1 3 0 Blue metal 0 3 6 |
| Strong white post | 0 | 4 | 6 | | | | 5 1 0 |
| Carried forward | 0 | 4 | 6 | 138 | 4 | 4 | Total <u>179 4 8</u> |

No. 2,822.—LINTON. TOWNSHIP OF LINTON, NORTHUMBERLAND.

Sheet 64 of Ordnance Map. Lat. 55° 12' 58", Long. 1° 35' 20".

Account of Strata sunk through in the No. 1 Shaft, Linton Colliery. Commenced November 6th, 1894, and stopped March 10th, 1896.

Approximate surface-level 60 feet above sea (Ordnance datum).

| Clay | | | | | Fs. | Ft. | In. | Brought forward 8 2 8 21 1 8 Ft. In. |
|--|---------|---|-------------|---------------|-----|-----|-----|---|
| Blue metal Post, with water Grey metal | | _ | 2 5 5 | 6 6 0 | J | 72 | U | COAL 0 3 Band 0 8 COAL 1 2 |
| Whin girdle | ••• | 0 | 0 | 10 | | | | |
| | | 0 | 5 | 2 0 | | | | Blue metal 10 1 0 Grey metal, with post |
| Soft blue metal COAL | ••• | 0 | 3 0 | $\frac{5}{2}$ | | | | girdles 1 4 6 White post 0 3 8 |
| G | • | | _ | _ | 8 | 5 | 7 | Grey metal 0 2 6 |
| Grey metal | | 0 | 1 | 0 | | | | Grey post 0 3 6 |
| Grey post | | 1 | | 8 3 3 | | | | COAL 1 11 COAL and |
| High Main Seam- | | | Ĭ | - | | | | metal, mixed 0 10 0 2 9 |
| COAL 3 Band 0 | 8 6 | | | | | | | Grey metal 0 0 10 |
| COAL 0 | 7 | | | | | | | Grey post 1 2 11 Grey metal 1 0 6 |
| _ | | 0 | 4 | 9 | 5 | 4 | 11 | Blue metal and seggar-clay 0 1 0 |
| | | | | $\frac{2}{4}$ | | | | Yard Seam— COAL 0 3 7 |
| | • | _ | | | 2 | 4 | 8 | Grey post and seg- |
| Grey metal Grey metal and po | ost | | | 11 9 | | | | gar-clay 0 1 3 Hard grey post 0 4 9 |
| Carried forwa | rd | 8 | 2 | 8 | 21 | 1 | 8 | Total 50 0 8 |

No. 2,823.—LINTON. TOWNSHIP OF LINTON, NORTHUMBERLAND.

Sheet 64 of Ordnance Map. Lat. 55° 13' 18", Long. 1° 35' 47".

Account of Strata passed through in a Bore-hole at Linton, 1891, being a continuation of the Bore-hole (No. 1,281) put down by

Mr. G. Stott in 1848.

| Depth from surface to bottom of old bore-hole as proved in 1848 | t t | pth from surface to bottom of old core-hole as proved n 1891 | 70 3 | |
|--|-----|--|------|---|
| | | Carried forward | 70 3 | 0 |

No. 2,823.—LINTON.—CONTINUED.

| Brought forward | | | | 70 | 3 | 0 | Brought forward 12 0 077 3 11 |
|---------------------|-----|-----|---|----|---|----|-------------------------------|
| Grey post | 0 | 1 | 0 | | _ | - | Grey metal stone 0 5 0 |
| Dark metal stone | | 4 | 0 | | | | Grey post 0 3 6 |
| Dark metal, with | • | - | ۰ | | | | Grey metal stone 1 4 0 |
| girdles | 0 | 4 | 0 | | | | Dark metal stone 2 4 0 |
| Ft. In | - | | ۰ | | | | Grey metal stone 0 4 0 |
| COAL, coarse 1 6 | - | | | | | | Grey post 0 4 0 |
| Black metal | | | | | | | Dark metal stone 0 3 0 |
| band 0 3 | | | | | | | 0 1 0 0 |
| COAL 0 4 | | | | | | | TT 1 1:4 |
| Black metal | | | | | | | Grev post 2 4 6 |
| | | | | | | | |
| | | | | | | | Hard white post 0 1 6 |
| COAL 0 11 | | 9 | c | | | | Grey post 0 1 6 |
| | 0 | 3 | 6 | | | 0 | Whin 0 0 8 |
| 0 111 | _ | _ | _ | 2 | 0 | 6 | Grey post 1 3 0 |
| Grey metal stone | 0 | 3 | 0 | | | | Grey metal stone 0 5 6 |
| Dark metal, with | | | 0 | | | | Hard white post 0 1 6 |
| girdles | | 2 | 6 | | | | Whin 0 0 8 |
| COAL | 0 | 1 | 6 | _ | _ | _ | Grey post 1 0 0 |
| | | | _ | 1 | 1 | 0 | Grey metal stone 1 2 3 |
| Post | 0 | 2 | 0 | | | | Grey post 1 3 6 |
| Grey metal stone | 0 | 3 | 0 | | | | Dark metal stone 0 3 0 |
| Dark metal and coal | 0 | 0 | 4 | | | | Grey post 0 2 6 |
| COAL | 0 | 0 | 6 | | | | Grey metal 0 0 4 |
| | | _ | _ | 0 | 5 | 10 | Dark metal 0 0 2 |
| Grey metal | 0 | 2 | 0 | | | | COAL 0 0 7 |
| Grey metal stone | 0 | 4 | 0 | | | | 32 2 8 |
| Dark metal | 1 | 1 | 2 | | | | Grey metal stone 0 2 0 |
| Ft. In | _ | | _ | | | | Dark metal stone 1 0 0 |
| COAL 2 5 | | | | | | | COAL 0 1 4 |
| Dark metal | | | | | | | 1 3 4 |
| band 1 6 | | | | | | | Grey metal stone 0 1 0 |
| COAL 0 6 | | | | | | | Grey post 1 2 0 |
| | 0 | 4 | 5 | | | | Whin 0 1 3 |
| | _ | -32 | _ | 2 | 5 | 7 | 0 0 1 |
| Dark metal | 0 | 1 | 0 | 2 | U | • | |
| ~ | - 1 | 3 | 6 | | | | GOAL 0 0 6 |
| | - | _ | - | | | | 0 11 001 |
| Grey post | _ | 1 | 0 | | | | |
| Whin | | 0 | 6 | | | | Strong white post 1 3 6 |
| Grey post | 0 | 1 | 6 | | | | Grey metal 0 2 6 |
| Grey metal stone | | 4 | 0 | | | | Grey metal stone 0 4 6 |
| Dark metal, with | | | _ | | | | Dark metal and coal 0 0 7 |
| girdles | 0 | 2 | 6 | | | | $\frac{}{}$ 3 1 2 |
| Grey metal stone | | 3 | 6 | | | | Grey metal stone 0 3 6 |
| Grey post | | 3 | 6 | | | | Grey post 0 5 9 |
| Dark metal | 0 | 3 | 0 | | | | 1 3 3 |
| | | | | | | | |
| Carried forward | | 0 | | 77 | | 11 | Total118 4 2 |

No. 2,824.—LINTZ. TOWNSHIP OF LINTZ, DURHAM.

Sheet 5 of Ordnance Map. Lat. 54° 54′ 33″, Long. 1° 45′ 16″.

Account of Strata sunk through in the New Pit, South Garesfield Colliery.

Commenced July 6th, 1875.

No. 2,824.—LINTZ.—Continued.

| Q .1 | | . Ft | | | Ft. | In. | |
|----------------------|-----|------|---|---|-----|-----|-----------------------------------|
| | . 0 | | 0 | | | | Brought forward 1 4 0 5 0 6 |
| COAL, trace of | . 0 | 1 | 0 | | | | Fire-clay, with iron- |
| Gravel | . 0 | 5 | 0 | | | | stone 1 2 0 |
| | _ | | | 1 | 3 | 0 | Yellow freestone 1 3 0 |
| Mild sandstone | . 1 | 3 | 0 | | | | White post 1 0 0 |
| White post, with coa | | | | | | | Blue shale 0 2 0 |
| pipes | | 5 | Λ | | | | Mixed post 0 1 0 |
| | . • | J | v | | | | |
| Supposed Three- | | | | | | | Blue metal 3 1 0 |
| Quarter Seam— | | | | | | | Supposed Brockwell |
| COAL | . 0 | 1 | 9 | | | | Seam- |
| | _ | | | 2 | 3 | 9 | COAL 0 1 7 |
| Good fire-clay | Ο | 2 | 0 | _ | _ | _ | 9 2 7 |
| Fire-clay, with iron | | - | ۰ | | | | |
| | | | ^ | | | | Coarse fire-clay 0 1 2 COAL 0 0 3 |
| stone balls | | | | | | | |
| COAL ,. | . 0 | 0 | 9 | | | | 0 1 5 |
| | | | | 0 | 5 | 9 | Good fire-clay, into ,, ,, |
| Mixed post | . 1 | 4 | 0 | | | | |
| Frank | | | | | | | ,, ,, ,, |
| Carried forward | 1 7 | 4 | _ | | _ | | TD-4-7 14 4 0 |
| Carried forward | L | 46 | U | 5 | 0 | О | Total 14 4 6 |
| | | | | | | | |

No. 2,825.—LITTLETOWN. TOWNSHIP OF PITTINGTON, DURHAM.

Sheet 20 of Ordnance Map. Lat. 54° 47' 7", Long. 1° 28' 27".

Account of Strata passed through in a Bore-hole below the Hutton Seam, Lady Alice Pit, Littletown Colliery, 1898.—Continuation of No. 1,298.

Approximate surface-level 370 feet above sea (Ordnance datum).

| Depth from surface | Fs. | Ft. | In. Fs | . I | řt. | In. | Brought forward | | | In. 3 1 | | | |
|---|--------|--------|--------|-----|-----|-----|---|-------|---------------|------------|-----|---|------|
| to bottom of Hut- ton Seam Bastard seggar-clay | 95 | 5 | 0 | | | | Grey shale, with much limestone Dark grey shale | | | | | | |
| and post | | | 9 | 3 | 5 | 41 | COAL | Ŏ | Õ | 2 | 6 | 4 | 2 |
| Grey post Grey shale Grey post | 1 0 | 2 3 | 0 3 | | | • | Grey shale Grey shale, with post | | | | | | |
| Grey post Grey shale, with post girdles | 0 | 1 | 4 | | | | girdles Grey post | 0 | $\frac{3}{2}$ | 4 7 | | | |
| girdles COAL and band | 3 0 | 1 0 | 4 | _ | _ | | Grey shale, with iron- stone nodules | | | | | | |
| Grey shale | 0 | 0 | | ō | 2 | 1 | Mild grey post Grey shale Black shale COAL | 0 | 4 | 8 | | | |
| Grey post, with shale bands Grey shale, with post | | 2 | 2 | | | | COAL | 0 | 1 | 2 | 4 | 3 | 1 |
| girdles COAL and band | 1 | 2 | 2 | | | | Seggar-clay Soft grey shale, with | 0 | 1 | 6 | | Ü | • |
| Grey shale | | | ! | 2 | 5 | 6 | | 1 | 0 | 6 | | | |
| Grey post Grey shale, with post | 1 | 1 | 1 | | | | with coal threads Grey shale | 0 | 1 1 | 1 6 | | | |
| girdles Dark grey shale | 2 | 4 | 7 3 | | | | Mild grey post, with shale partings | | | | | | |
| Carried forward | 5 | 5 | 3 108 | 5 0 | 1 | 11 | Carried forward | 2 | 5 | 10 | 116 | 2 | 21/2 |

No. 2,825.—LITTLETOWN.—CONTINUED.

| Brought forward 2 | NU. 2, | UNC | · | _1 | 11.1 | 1. | 1112 | OTO WIN.—CONTINUED. |
|--|--|--|--|---|--------------|-------|----------|---|
| Soft seggar-clay 0 | Dark grey shale Grey post Dark grey shale COAL, with a little black stone Grey shale Grey shale Grey shale Grey post, with shale partings Strong grey post Mild grey post, with shale partings Coarse seggar-clay Coarse seggar-clay COAL and black stone 0 3 Grey shale 0 5 | Fs., 2 1 1 0 0 0 0 1 2 2 2 0 | Ft. 5 1 2 0 0 1 3 1 1 1 3 1 | In. 10 6 6 6 9 4 2 8 8 8 10 8 8 | Fs. 1 116 | Ft. 2 | In. 21/2 | Strong grey post 1 5 0 |
| Very dark grey shale 0 0 10 6 Mild grey post 0 0 9 Soft grey shale 0 1 6 Mild grey post 0 5 0 Grey post, with shale partings 0 1 4 8 4 8 Mild grey post 0 1 1 4< | Grey shale Grey shale Mild grey post, with shale partings Grey shale Dark grey shale Supposed Busty Sean COAL 0 2 Shale 0 1 COAL 2 4 Dark grey shale COAL 2 4 | 0 2 0 1 1 0 0 0 1 2 0 0 1 1 2 0 0 0 | 1 0 1 3 3 2 1 2 2 2 | 3 2 1 6 4 6 5 8 | 2 | 2 | 6 | Grey post, with shale partings 0 5 6 Strong grey post 3 2 0 Grey shale 3 3 6 Grey shale, with post partings 0 5 1 Strong grey post 0 1 5 Grey shale 0 0 9 COAL 0 6 Grey shale 0 2 COAL 0 4 |
| | Very dark grey shale Soft grey shale Mild grey post Grey post, with shale partings Grey shale, with iron- stone balls Strong coarse grey post Dark grey shale, with post partings Strong grey post Grey shale, with post partings Grey shale Grey shale Grey shale Grey shale Grey shale | 0 0 1 1 3 4 3 2 1 | 0 1 0 4 1 1 4 1 4 3 | 10 6 6 8 6 4 6 6 9 4 | 138 | 3 | 512 | Mild grey post |

No. 2,825.—LITTLETOWN.—Continued.

| Brought forward 18 | | In. Fs. Ft. In. 5 198 3 101 | | s. I | t. In. Fs. | Ft. In. |
|--|----|--------------------------------|---------------------------|------|------------|---------|
| | | | Grey shale | } | 1 9 | 0 402 |
| nost 5 | 4 | 3 | Coarse grey seggar- | | | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 0 | 7 | clay (Grey shale |) | 0 5 | |
| Very coarse grey | | | Grev shale | Ľ. | 2 0 | |
| Very coarse grey post 4 | 3 | 0 | Soft grey seggar- | | _ • | |
| Mild grow nost with | | | clav |) | 0 8 | |
| shale partings 0 | 5 | 1 | clay (Mild grey post (|) | 5 3 | |
| Dark grev shale 0 | 3 | $\overline{2}$ | Grey shale, with thin | | • | |
| Mild grev post 0 | 1 | 1 | post partings |) | 4 4 | |
| Dark grev shale 0 | 3 | 3 | Grey shale | i | 0 11 | |
| Grev nost 0 | 1 | 4 | Grey post, with shale | | | |
| shale partings 0 Dark grey shale 0 Mild grey post 0 Dark grey shale 0 Grey post 0 Grey shale, with | _ | - | nartings | L | 0 2 | |
| partings 1 Grey post 0 Soft grey shale 0 | 5 | 5 | partings Coarse grey post |) | 2 1 | |
| Grev nost 0 | 4 | ĭ | Blue limestone, with | | | |
| Soft grey shale 0 | 3 | 6 | shells | 2 | 0 3 | |
| Grev shale with soft | | | Dark grey shale, | • | • • | |
| nartings 2 | 4 | 5 | with fossile | 1 | 3 6 | |
| partings 2 Grey post 0 | 2 | 6 | with fossils (Grey post | í | 2 0 | |
| Soft coarse seggar- | _ | · · | Dark grey shale, | • | - 0 | |
| olaw Course seggui | 2 | 7 | with fossils | ١. | 2 1 | |
| clay 0 Grey shale 0 | 1 | 2 | Grey post, with shale | | 2 1 | |
| Soft coarse seggar- | - | - | partings | Ι. | 4. O | |
| clay 0 | 9 | 2 | Grey shale, with | | T U | |
| Grey post, with shale | | J. | fossils | | 4 11 | |
| partings 2 | 5 | 7 | 1088118 | ٠. | | 3 0 |
| paroings 2 | J | • | | | 00 | o U |
| Carried forward 41 | 1. | 9 109 2 101 | Total | | 250 | 0.101 |
| Carrieu forward 41 | 4 | 0 190 9 103 | Total | | 259 | 0 105 |

No. 2,826.—LONG FRAMLINGTON.

TOWNSHIP OF LONG FRAMLINGTON, NORTHUMBERLAND.

Sheet 45 of Ordnance Map. Lat.

, Long.

Account of Strata passed through in a Bore-hole on Admiral Mitford's Royalty near the Village of Long Franlington.

Approximate surface-level

feet above sea (Ordnance datum).

| | | Fg. | Ft. | In. | Fs. | Ft. | In. | Fs. Ft. In. Fs. I | t, In. |
|---------------|-----------|-----|-----|-----|-----|-----|-----|---------------------------|--------|
| Clay | | 1 | 0 | 0 | | | | Brought forward 16 0 0 3 | 1 8 |
| • | | | | _ | 1 | 0 | 0 | Six Yards Limestone 3 0 0 | |
| Eight Yard | ls Lime- | | | | | | | COAL 0 0 6 | |
| stone | | 1 | 3 | 0 | | | | 19 | 0 6 |
| Fire-clay | | 0 | 4 | 0 | | | | Blue metal 2 0 0 | |
| COAL | | 0 | 0 | 8 | | | | Little Limestone 0 2 0 | |
| | | | | | 2 | 1 | 8 | Bastard fire-clay 1 3 0 | |
| Freestone | | 3 | 4 | 0 | | | | Red stone 0 2 0 | |
| Marl | | 0 | 2 | 0 | | | | Platy freestone 1 3 0 | |
| Freestone | | 7 | 0 | 0 | | | | Strong blue metal 1 3 0 | |
| Blue shale, w | ith iron- | | | | | | | COAL, good 0 2 8 | |
| stone | | 5 | 0 | 0 | | | | 7 | 3 8 |
| Commind | formand | 10 | | | 2 | 1 | _ | m-4-1 90 | F 10 |
| Carried | forward | то | 0 | 0 | 3 | 1 | 8 | Total 29 | 5 10 |
| | | | | | | | | | |

No. 2,827.—LONGHIRST.

TOWNSHIP OF LONGHIRST, NORTHUMBERLAND.

Sheet 64 of Ordnance Map. Lat. 55° 12' 11", Long. 1° 37' 45".

Account of Strata passed through in a Bore-hole at Clover Hill, North of Longhirst Railway Station.

Approximate surface-level 160 feet above sea (Ordnance datum).

| Blue clay, with beds | . Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|-----------------------------|---------------|-------------------------------|
| | | Brought forward 1 5 9 30 0 11 |
| 0. 1 '11 0 4 0 | | COAL 2 0 |
| | | |
| | | COAL, foul 0 2 |
| Sand, clay and stones 6 2 0 | 12 0 0 | 0 2 2 |
| Post ramble 0 1 6 | | 2 1 11 |
| | | Grey metal 0 4 0 |
| Grey post 1 0 0 | | Grey metal stone 0 1 6 |
| Whin 0 1 6 | | Whin 0 1 0 |
| Grey post 1 2 6 | | Metal stone 1 4 0 |
| Dark metal 0 1 6 | | Grey post 1 1 0 |
| Grey post 0 4 0 | | Dark metal 0 2 6 |
| Grey metal stone 1 3 3 | | Whin 0 0 6 |
| COAL 0 2 10 | | White post 0 3 0 |
| | - 5 5 1 | Grey post 2 1 0 |
| Grey metal 0 4 0 | | Metal stone 1 3 0 |
| Grey metal stone 2 3 | | Dark metal, with |
| Grey post 1 0 6 | | girdles 0 2 6 |
| Whin 0 1 0 | | Ft. In. |
| Grey and white post 4 0 0 | | COAL, coarse 0 4 |
| Whin 0 0 6 | 3 | COAL, good 2 0 |
| Grey metal, with | | Dark metal 0 11 |
| girdles 1 0 (| | COAL, tender 0 8 |
| Dark metal 0 0 6 | | Metal and coal 0 8 |
| COAL, foul 0 1 (| 3 | COAL, tender 1 0 |
| | 9 5 6 | Metal and coal 0 2 |
| Grey metal, inclining | | COAL 0 8 |
| to post 2 2 0 |) | 1 0 5 |
| COAL 0 0 4 | | 10 0 5 |
| | - 2 2 4 | Grey metal stone, |
| Grey metal and | | into 1 1 0 |
| metal stone 1 4 0 |) | 1 1 0 |
| Dark metal 0 1 9 | | |
| | | |
| Carried forward 1 5 9 | 30 0 11 | Total 43 4 3 |
| | | |
| | | |

No. 2,828.—LONGHIRST.

TOWNSHIP OF LONGHIRST, NORTHUMBERLAND.

Sheet 64 of Ordnance Map. Lat. 55° 11' 30", Long. 1° 38' 10".

Account of Strata passed through in the No. 6 Bore-hole in Longriggs Field, Longhirst, 1876.

| Soil | Fs. | Ft. | In. 0 | Fs. | Ft. | In. | Brought forward | Fs. | Ft. | In. | Fs. 6 | Ft. | In. O |
|-----------------------|-----|-----|----------|-----|-----|-----|------------------|--------|-----|-----|----------|-----|----------|
| Blue clay, with a bed | | | | | | | Grey metal | 2 | 0 | 0 | | | |
| of sand | 6 | 0 | 0 | | | | Grey metal stone | 3 | 3 | 0 | | | |
| | | | _ | 6 | 1 | 0 | Dark metal | 0 | 1 | 3 | | | |
| | | | | _ | | | | | | | | | |
| Carried forward | | | | 6 | 1 | 0 | Carried forward | 5 | 4 | 3 | 6 | 1 | 0 |

No. 2,828.—LONGHIRST.—CONTINUED.

| | | | | | | | | | | | - | | |
|---|-------------|---------------|---------------|----------|-----|----------------|--|---|-------------|-------------|-----------|----------|----------------|
| Brought forward Grey Seam— | Fs. 5 | . Ft. | In. 3 | Fs. 6 | Ft. | In. 0 | Brought forward Black stone and | Fs. 4 | Ft. 1 | In. 6 | Fs. 39 | Ft. 0 | In. 01/2 |
| COAL 1 4 COAL, coarse 0 8 | | | | | | | coal, mixed | | $_{1}^{0}$ | 11 9 | 1 | 1 | - ₂ |
| GOAL 1 2 Black metal | } | | | | | | Grey metal and coal Grey metal, withiron | 0 | 2 | 0 | 4 | 4, | 4 |
| band 0 0 COAL 3 8 | | 0 | 10 | ł | | | girdles Grey post Whin | 1 | 3 0 1 | 0 6 6 | | | |
| Dark metal and coal | 0 | 0 2 | 6 0 | 6 | 5 | $1\frac{1}{2}$ | Grey post Metal stone | | 3 | 0 | | | |
| Grey metal Grey metal and coal Black metal | 0 | $rac{2}{2}$ | $\frac{6}{6}$ | | | | Dark metal, with girdles Ft. In. | 0 | 5 | 6 | | | |
| Grey metal stone Dark metal, with girdles | 0 | 2 0 | 0 | | | | Grey metal 1 5 | | | | | | |
| Grey metal stone Dark metal, with | 0 | 4 | 0 | | | | COAL 0 2 | 0 | 1 | 9 | 4 | 2 | 3 |
| girdles Dark metal and coal Dark metal | | 2 0 0 | 0 7 4 | | | | Grey metal stone COAL | 1 0 | 1 0 | 6 3 | 1 | 1 | 9 |
| COAL, coarse | 0 | 1 | $\frac{7}{6}$ | 4 | 0 | 0 | Grey metal stone Dark metal, with | 1 | 3 | 0 | • | • | J |
| Grey metal and coal Grey metal Grey metal stone | - | 2 3 | 0 | | | | girdles Black metal and coal COAL | 0 0 | 4 0 0 | 9 6 6 | | | |
| Dark metal, with girdles Ft. In. | 1 | 0 | 9 | | | | Grey metal stone | 2 | 0 | 6 | 2 | 2 | 9 |
| COAL, coarse 0 3 | 0 | 1 | 8 | | | | Grey post | 0 | 3 | 6 - 0 | 2 | 1 | 0 |
| Grey metal | 0 | 2 | 0 | 3 | 2 | 11 | Dark metal stone COAL, foul | 0 | 0 | | 2 | | _ |
| Grey metal stone Grey post, with water Grey metal stone | 2 | 3 0 0 | 0 0 0 | | | | Grey metal Dark metal, with | 0 | 2 | 0 | 2 | 4 | 5 |
| Grey post Dark metal Yard Seam— | 1 0 | $\frac{1}{2}$ | 0 6 | | | | girdles Low Main Seam— Ft. In. | 0 | 2 | 5 | | | |
| COAL | 0 | 3 | 2 | 7 | 5 | 8 | COAL, coarse 0 5 COAL 2 5 | • | | 10 | | | |
| Grey metal Grey post COAL | 0 6 0 | 0 2 0 | 9 6 4 | | | | Black metal | 0 | 0 | 2 | 1 | 1 | 3 |
| Grey metal Grey metal stone | 0 1 | 2 2 | 0 | 6 | 3 | 7 | Grey post Dark metal stone COAL | 0 0 0 | 5 2 0 | 0 4 7 | | | |
| Dark metal Dark metal and coal | 0 | 2 0 | 0 6 | | | | Grey and dark | | | - | 1 | 2 | 1 |
| Grey metal Grey post Dark metal, with | 0 1 | $\frac{0}{2}$ | 6 0 | | | | metal stone Grey post Dark metal stone | $egin{smallmatrix} 2 \ 0 \ 1 \end{bmatrix}$ | 0 4 5 | 0 0 0 | | | |
| girdles COAL | 0 | 2 0 | 6 | 3 | 5 | 9 | Dark metal, with girdles | 0 | 3 | 0 | | | |
| Grey metal Grey post | 0 4 | 1 0 | 0 6 | 9 | J | 3 | Post girdles Dark metal | 0 | 1 | 0 | | | |
| Carried forward | 4 | 1 | 68 | 39 | 0 | 01/2 | Carried forward | 5 | 3 | 2 5 | 59 | 1 8 | 31 |

No. 2,828.—LONGHIRST.—CONTINUED.

| Brought forward Ft. In. COAL, coarse 0 3 | | | | | Ft. | | |
|--|---|---|---|---|-----|------|---|
| COAL 1 0 | 0 | 1 | | | 4 | 5 | COAL 0 2 0 |
| Grey and dark metal stone Dark metal, with | | | | | | | Black metal 0 0 2 Grey metal 0 1 6 Grey metal stone 2 3 0 |
| girdles Carried forward | | _ | _ | - | 0 | 11/2 | Total $ \frac{71 \ 2 \ 0\frac{1}{2}}{}$ |

No. 2,829.—LONGHIRST.

TOWNSHIP OF LONGHIRST, NORTHUMBERLAND.

Sheet 64 of Ordnance Map. Lat. 55° 11' 43", Long. 1° 37' 34".

Account of Strata passed through in a Bore-hole below the Grey Seam at Longhirst Colliery, 1886.—Continuation of No. 1,304.

| | 12v | E*+ | In | E/a | Ft. | In | Fs. Ft. In. Fs. Ft. In. |
|-------------------------|--------|---------------|-------|-----|-----|------|---|
| Depth from surface | A. 254 | | 1 *** | | | **** | Brought forward 73 1 0 |
| to bottom of Grey | | | | | | | Grey metal 0 4 0 |
| Seam | | | | 46 | 4 | 3 | Grey post 1 0 0 |
| Dark metal and coal | 1 | 1 | 0 | | | | Ft. In. |
| Grey and dark metal | 2 | 0 | 0 | | | | Black stone |
| COAL | 0 | 1 | 6 | | | | and coal 1 0 |
| | | | _ | 3 | 2 | 6 | COAL 1 10 |
| Dark metal | 0 | 1 | 6 | | | | 0 2 10 |
| Grey post, with water | 3 | 5 | 0 | | | | 2 0 10 |
| Dark metal, with | | | | | | | Grey metal and coal 0 1 0 |
| girdles | 1 | 5 | 0 | | | | Grey metal 0 2 0 |
| COAL | 0 | 2 | 3 | | | | Grey post 1 3 0 |
| | | | | 6 | 1 | 9 | Dark metal 0 3 0 |
| Grey metal | 0 | 2 | 0 | | | | Grey metal stone 1 3 0 |
| Grey metal stone | 1 | 3 | 0 | | | | Grey post, with water 1 4 0 |
| Greypost, with water | 2 | 0 | 0 | | | | Dark metal, with |
| Dark metal | 0 | 2 | 6 | | | | girdles 1 4 0 |
| Yard Seam— | | | _ | | | | Ft. In. |
| COAL | 0 | 2 | 8 | | | | COAL 2 0 |
| | | | _ | 4 | 4 | 2 | Grey metal and |
| Grey metal | 0 | 2 | 0 | | | | coal 1 9 |
| Grey metal stone | 3 | 2 | 0 | | | | COAL 0 9 |
| Dark metal | 2 | 5 | 0 | | | | 0 4 6 |
| COAL | 0 | 0 | 4 | | | | 8 0 6 |
| 0 111 | _ | _ | _ | 6 | 3 | 4 | Grey metal 0 0 6 |
| Grey metal stone | 2 | 1 | 0 | | | | Grey post 1 0 0 |
| Dark metal | 0 | 2 | 0 | | | | Grey metal stone 0 4 0 COAL 0 0 6 |
| Black metal and coal | | | 0 | | | | |
| Dark metal | 0 | $\frac{1}{2}$ | 0 | | | | |
| Grey post Dark metal | 0 | 1 | 6 | | | | Dark metal stone 1 0 0 Black metal and coal 0 0 6 |
| COAL | ñ | 0 | 6 | | | | |
| COAL | U | U | C | . 5 | 3 | 0 | Dark metal stone 0 3 0 |
| | | | | | J | | Dark metal stone U 4 U |
| Carried forward | | | | 73 | 1 | 0 | Carried forward 2 1 6 85 1 4 |
| Carred for ward | | | | . 0 | • | 0 | |
| | | | | | | | 23 |

No. 2,829.—LONGHIRST.—CONTINUED.

| Brought forward | | | In. Fs. 6 85 | | | Fs. Ft. In. Fs. Ft. In. Brought forward 3 5 096 0 8 |
|------------------|--------|---|-----------------|---|--------------|---|
| | 0 | 2 | 0 | | | Grey metal 0 1 4 |
| | _ | | _ 2 | 3 | 6 | Ft. In. |
| Dark metal, with | | | | | | COAL, coarse 0 10 |
| | 0 | | 6 | | | COAL 0 7 |
| COAL | 0 | 0 | 4 | | | 0 1 5 |
| | 0 | | 6 | | | 4 1 9 |
| | 2 | | 6 | | | Grey metal |
| | | 1 | | | | Grey metal stone 1 2 0 |
| Grey post | 5 | 1 | | | | Grey post 2 1 6 |
| COAL | 0 | 0 | 6 | | | Grey metal stone 3 4 6 |
| | | | 8 | 1 | 10 | Grey post 6 3 0 |
| | 0 | 3 | 0 | | | Grey metal stone 1 1 9 |
| | 1 | | | | | Dark metal 0 2 6 |
| | | 0 | _ | | | Grey metal 0 1 0 |
| | 1 | 0 | 0 | | | 16 0 3 |
| Grey post | 0 | 3 | 0 | | | |
| | _ | | | | - | |
| Carried forward | 3 | 5 | 0 96 | 0 | 8 | Total116 2 8 |
| | | | | | | |

No. 2,830.—LONGHIRST.

TOWNSHIP OF LONGHIRST, NORTHUMBERLAND.

Sheet 64 of Orduance Map. Lat. 55° 11' 56", Long. 1° 37' 45".

Account of Strata passed through in a Bore-hole to the North-west of Longhirst Station, on the North-eastern Boundary of Sir James Joicey's Royalty. Finished May, 1902.

| | Fa. | Ft | In. Fs. | Ft | In | Fs. Ft. In. Fs. Ft. In. |
|---------------------|---------------------|----|---------|----|----|-------------------------------|
| Clay | 4 | 3 | 0 | | | Brought forward 33 5 10 |
| Sand | 1 | 0 | 0 | | | Blue shale and post 2 3 7 |
| Clay | 11 | 3 | 0 | | | Black shale and post 0 0 9 |
| v | | | 17 | 0 | 0 | COAL 0 1 6 |
| Blue shale | 1 | 4 | 0 | | | 2 5 10 |
| Whin | 0 | 1 | 8 | | | Blue shale and post 5 1 7 |
| Blue shale | 0 | 1 | 4 | | | Whin 0 0 6 |
| Whin * | 0 | 1 | 6 | | | Post 0 1 0 |
| Blue shale, with po | st | | | | | Whin 0 0 8 |
| 1 | 3 | 2 | 5 | | | Blue shale and post 2 2 9 |
| COAL, good | 0 | 3 | 2 | | | Ft. In. |
| | | | 6 | 2 | 1 | COAL 2 7 |
| Seggar-clay | 0 | 3 | 3 | | | Band 1 2 |
| Blue shale | 0 | 3 | 9 | | | COAL, rather |
| Post | 4 | 3 | 10 | | | soft 1 0 |
| Whin | 0 | 1 | 0 | | | Band 0 3 |
| | 1 | 1 | 11 | | | COAL 2 3 |
| | 1 | 1 | 9 | | | 1 1 3 |
| COAL | 0 | 0 | 4 | | | 9 1 9 |
| | | | - 8 | 3 | 10 | Seggar-clay 0 1 3 |
| Blue shale and pos | st 1 | 1 | 5 | | | Post 0 1 6 |
| Whin | 0 | 1 | 6 | | | Blue shale 0 1 2 |
| Blue shale and pos | st 0 | 2 | 8 | | | COAL 0 0 6 |
| COAL | 0 | 0 | 4 | | | 0 4 5 |
| | | | 1 | 5 | 11 | Post 0 5 2 |
| Carried forwar | ·d | | 33 | 5 | 10 | Carried forward 0 5 2 46 5 10 |

No. 2,830.—LONGHIRST.—Continued.

| | | | | | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
|-----------------------|-----|--------|----|----|-----|-----|-------------------------------|
| Brought forward | . 0 | 5 | 2 | 46 | 5 | 10 | Brought forward 6 4 6 50 3 10 |
| Blue shale | 0 | 2 | 6 | | | | Post and whin 1 4 1 |
| COAL | . 0 | 0 | 6 | | | | COAL 009 |
| | _ | | | 1 | 2 | 2 | 8 3 4 |
| Blue shale, with post | ; . | | | | | | Seggar-clay 0 3 6 |
| girdles | 1 | 1 | 6 | | | | Grey beds and shale 0 0 8 |
| CŎAL | 0 | 2 | 9 | | | | Blue shale, with iron |
| | | | | 1 | 4 | 3 | bands 4 3 7 |
| Seggar-clay and | l | | | | | | Ft. In. |
| shale | 0 | 2 | 9 | | | | COAL, splinty 2 1 |
| COAL | 0 | 0 | 10 | | | | Band 0 2 |
| | | | | 0 | 3 | 7 | COAL 0 2 |
| Seggar-clay | . 0 | 0 | 6 | | | | 0 2 5 |
| Post | . 2 | 3 | 0 | | | | 5 4 2 |
| Whin | . 0 | 0 | 8 | | | | Seggar-elay ,, ,, ,, |
| Post | . 3 | 5 | 8 | | | | |
| Whin | . 0 | 0 | 8 | | | | |
| | _ | | _ | | | _ | |
| Carried forward | l 6 | 4 | 6 | 50 | - 3 | 10 | Total 64 5 4 |
| | | | | | | | |

No. 2,831.—LUMLEY. TOWNSHIP OF LITTLE LUMLEY, DURHAM.

Sheet 13 of Ordnance Map. Lat. 54° 50′ 52″, Long. 1° 32′ 27″.

Account of Strata passed through in a Bore-hole in the Second Sinking Pit, Lumley Colliery, 1776.

| Sunk from surface Blue and grey metal, with girdles 4 3 Strong white post 0 2 Soft blue grey metal 1 2 Top Main Scam— | 2 6 | Brought forward 9 4 7 21 4 2 Blue metal 0 0 3 Maudlin Seam— Ft. In. COAL, with a brass |
|---|--|--|
| Grey metal 0 1 Grey post: set away the water 0 1 Grey metal stone, | 1 6 | lumpin the middle 0 10 Blue metal, scared with coal 0 2 COAL, with danty scares near the top 3 0 0 4 0 0 2 10 |
| with girdles 1 COAL 0 Grey metal 0 Grey metal stone, with girdles 8 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | Black grey metal 0 0 0 9 Blue grey metal stone 1 3 0 Grey metal stone, with post girdles and water 5 2 9 Grey metal 0 0 6 |
| Carried forward 9 | 4 7 21 4 2 | Carried forward 7 1 0 32 1 0 |

No. 2,831.—LUMLEY.—Continued.

| 70 710 7 | | | | | Ft. | | |
|--------------------|---|---|----|----|-----|---|-------------------------------------|
| Brought forward | 7 | 1 | 0 | 32 | 1 | 0 | |
| Low Main Seam— | | | | | | | Grey post 0 1 0 Grey metal 0 1 0 |
| Ft. In | | | | | | | Grey metal 0 1 0 |
| COAL 3 0 | | | | | | | COAL 0 0 7 |
| Dun metal 0 2 | | | | | | | 0 4 7 |
| COAL 0 7 | _ | | _ | | | | Grey metal 0 3 0 |
| | 0 | 3 | 9 | | | | White post, with |
| | | | | 7 | 4 | 9 | water 1 2 0 |
| Grey metal | | 1 | | | | | Grey metal stone 0 2 6 |
| Grey metal stone | | 3 | 0 | | | | White post 0 1 0 |
| Strong white post, | | | | | | | Mixture whin 0 0 8 |
| mixed with whin | 0 | 0 | 6 | | | | Grey metal stone 0 1 6 |
| Strong grey metal | | | | | | | Strong white post, |
| stone, with strong | | | | | | | with metal part- |
| girdles | 1 | 1 | 6 | | | | ings 3 3 0 |
| Mixture whin | 0 | 0 | 6 | | | | Grey metal stone 0 3 0 |
| Grey metal stone, | | | | | | | White pest 0 2 6 |
| with much water | 0 | 4 | 0 | | | | Grey metal, with |
| Mixture whin | 0 | 0 | 10 | | | | girdles or lumps 0 5 0 |
| Blue grey metal | | | | | | | Ft. In. |
| stone, with water | 0 | 4 | 10 | | | | COAL 3 79 |
| Black metal | | 0 | 3 | | | | COAL, coarse 1 0 |
| Brass Thill Seam- | | | | | | | 0 4 9 |
| COAL | 0 | 3 | 1 | | | | 8 4 11 |
| | | | | 4 | 2 | 0 | Grey metal, into 0 1 0 |
| Grey scamy stone | 0 | 1 | 0 | | | - | 0 1 0 |
| Grey metal stone, | | _ | • | | | | |
| with water | 0 | 1 | 0 | | | | |
| | | | | | | | |
| Carried forward | 0 | 2 | 0 | 44 | 1 | 9 | Tetal 54 0 3 |
| | • | _ | • | | - | - | 1 1 1 1 1 1 1 1 1 1 |
| | | | | | | | |

No. 2,832.—LUMLEY. TOWNSHIP OF LITTLE LUMLEY, DURHAM.

Sheet 13 of Ordnance Map. Lat. 54° 50′ 45″, Long. 1° 32′ 30″.

Account of Strata sunk through in the West Pit, Lumley New Winning. Commenced March 21st, 1907, and stopped April 20th, 1908.

| | | Fs. | Ft. | In. Fs. | Ft. | In. | | Fq | Et. | In. Fs. | Et. In |
|--|-------|--------|--------|----------|-----|-----|---|----|-----|-----------|----------|
| Clay and sand | | | | | | | Brought forward | | | | |
| Clay and sand Seggar-clay | | 1 | 1 | 6 | | | Grey metal, with post | | | | |
| Post | | 0 | 5 | 6 | | | girdles | 0 | 2 | 2 | |
| Blue metal, with p | | | | | | | White post Grey metal | 1 | 1 | 0 | |
| oirdles | | 1 | 4 | 0 | | | Grey metal | 0 | 5 | 0 | |
| Grey metal Post Grey metal Main Coal Seam- | | 3 | 2 | 0 | | | Blue metal, with post | | | | |
| Post | | 0 | 4 | 0 | | | girdles | 1 | 1 | 0 | |
| Grey metal | | 1 | 3 | 0 | | | Blue metal | 4 | 3 | 0 | |
| Main Coal Seam- | _ | | | | | | Maudlin Seam- | | | | |
| COAL | | 0 | 5 | 3 | | | COAL | 0 | 4 | 1 | |
| | | | | <u> </u> | 1 | 9 | | | | 11 | 2 1 |
| Seggar-clay Post Black stone | | 1 | 2 | 6 | | | Seggar-clay | 0 | 4 | 6 | |
| Post | | 1 | 1 | 6 | | | Post, and grey metal Post and blue metal | 0 | 5 | 6 | |
| Black stone | • • • | 0 | 0 | 7 | | | Post and blue metal | 0 | 0 | 10 | |
| | | | | | | | | | | | |
| Carried forw | ard | 2 | 4 | 7 17 | 1 | 9 | Carried forward | 1 | 4 | $10 \ 28$ | 4 |

No. 2,832.—LUMLEY.—Continued.

| | ~ | ,00 | ~.− | 1 | 10 | MI. | DDT.—CONTINUED. |
|--|------|-----|--------|------|-----|-----|---|
| | Fs. | Ft. | In. | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
| Brought forward | | | | 28 | 4 | 7 | Brought forward 21 4 8 54 2 0 |
| White post | 1 | 0 | 6 | | | | Harvey Seam— |
| Blue metal White post | Ü | Ų | 6 | | | | COAL 0 1 8 |
| White post | 2 | 1 | 0 | | | | 22 0 2 |
| Blue metal parting | 0 | 0 | 2 | | | | Seggar-clay 0 1 4 |
| Blue metal parting White post Blue metal | 2 | Ü | Ü | | | | Post 0 3 0 |
| Blue metal | 3 | U | υ | | | | Blue metal, with post |
| Low Main Seam- | ^ | | 1 | | | | girdles 1 3 4 |
| COAL | 0 | 4 | 1 | 10 | 5 | 1 | COAL 0 0 2 |
| Common alam | _ | 1 | | 10 | J | 1 | |
| Seggar-clay | 0 | 1 | 6 9 | | | | Blue metal, with post |
| Blue metal and post | 0 | 2 | | | | | girdles 1 2 6 Post and whin 0 4 0 |
| Blue metal | 0 | 0 | 3 | | | | |
| Post girdle Blue metal | ี | 1 | | | | | COAL 0 0 6 Seggar-clay 0 2 0 |
| Diack chale | - | 0 | | | | | Seggar-clay 0 2 0 Grey metal 0 4 9 |
| Black shale Brass Thill Seam— | U | U | 0 | | | | COAL 0 1 3 |
| COAL | Λ | 2 | 9 | | | | |
| COAL | v | | J | 4 | 2 | 2 | Grey metal |
| Saggar-alaw and nost | _ | 4 | 3 | -1 | - | - | COAL 0 0 2 |
| Seggar-clay and post | | | 10 | | | | Seggar-clay 1 0 0 |
| Seggar-clay | | 3 | | | | | Seggar-clay 1 0 0 White post 7 0 0 |
| Seggar-clay Blue metal | 0 | 1 | 9 | | | | COAL 0 1 3 |
| Blue metal Post | 1 | î | 7 | | | | COAL |
| Dina matal | 0 | | 6 | | | | COAL 0 0 6 |
| Post Blue metal Blue metal Blue metal | n | 3 | | | | | COAL 0 0 6 Seggar-clay 0 4 7 |
| Blue metal | 1 | 3 | 4 | | | | Blue metal, with post |
| Post | 3 | 0 | | | | | |
| Post Blue metal | ő | 3 | 0 | | | | girdles 1 2 6 COAL 0 1 8 |
| Hutton Seam- | ۰ | | · | | | | Seggar-clay 0 0 4 |
| | 0 | 5 | 6 | | | | Seggar-clay |
| | _ | | | 10 | 2 | 2 | Very hard dark grey |
| Seggar-clay | 0 | 2 | 0 | | - | _ | post 0 4 0 |
| Post | _ | - | - | | | | White post 0 4 11 |
| | ŏ | | | | | | Blue metal 0 0 6 |
| Hard bastard post | | | | | | | Post 1 3 0 |
| Black stone | ō | 2 | | | | | Blue metal, with iron |
| Post | ŏ | 1 | 10 | | | | and post girdles 2 4 0 |
| Blue metal | 4 | 5 | 0 | | | | COAL, coarse 0 1 3 |
| Post | 0 | 3 | | | | | Grey shale 0 2 0 |
| Blue metal and | | | | | | | COAL 0 0 6 |
| black stone | 0 | 2 | 2 | | | | Seggar-elay 1 0 0 |
| COAL, coarse | Ō | 0 | | | | | COAL 0 0 6 Seggar-clay 1 0 0 COAL 0 0 4 |
| Post | . 0 | 1 | | | | | Blue metal, with post |
| black stone COAL, coarse Post Blue metal | . 0 | ō | | | | | girdles 0 5 8 |
| Post | . 0 | 2 | | | | | Post 0 4 0 |
| Blue metal | . 0 | | | | | | Grey metal 0 1 6 |
| Post | | | | | | | Busty Scam— |
| Black shale, with | | | | | | | Ft. In. |
| post girdles | | 2 | 6 | | | | COAL 0 7 |
| COAL, coarse, with | ı | | | | | | Band 0 9 |
| band | . 0 | 1 | 3 | | | | COAL 2 2 |
| Seggar-clay | . 0 |) 1 | . 6 | ; | | | 0 3 6 |
| Seggar-clay Grey metal | . 2 | 2 0 | 0 |) | | | 34 1 2 |
| Blue metal, with post | | | | | | | Seggar-elay 0 1 7 |
| girdles COAL | . 4 | . 4 | 0 |) | | | Grey post 0 5 0 |
| CÔAL | . (|) (| 10 |) | | | Grey post 0 5 0 Grey metal 0 1 1 |
| Seggar-clay | . 1 | . 1 | . 0 |) | | | COAL 0 0 5 |
| Seggar-clay Grey metal | . 1 | l 1 | Ü | | | | Seggar-elay 0 4 6 |
| Blue metal | . 1 | ĺ | 0 | | | | Grey metal 0 2 6 |
| | _ | | | - | | | |
| Carried forward | 1 21 | l 4 | 1 8 | 3 54 | . : | 2 (| Carried forward 2 3 1 110 3 4 |

No. 2,832.—LUMLEY.—Continued.

| Fs. Ft. In. Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|--------------------------------|--------------------------------|
| Brought forward 2 3 1 110 3 4 | Brought forward 24 1 7 110 3 4 |
| Strong grey post 0 2 6 | Seggar-clay 0 1 0 |
| White post 6 4 6 | Seggar-clay |
| Blue metal 0 0 6 | Supposed Brockwell |
| White post 6 0 0 | Seam— |
| Black stone 0 2 2 | Ft. In. |
| COAL 0 0 8 | COAL 1 5 |
| Seggar-clay 0 2 0 | COAL, bad 0 9 |
| White post 3 1 2 | 0 2 2 |
| Post and whin 0 3 0 | 28 4 9 |
| White post 3 4 0 | Post 1 0 0 |
| Black stone 0 1 6 | 1 0 0 |
| COAL 0 0 6 | |
| Carried forward 24 1 7 110 3 4 | Total 140 2 1 |

No. 2,833.—LUTTRINGTON.

TOWNSHIP OF WEST AUCKLAND, DURHAM.

Sheet 42 of Ordnance Map. Lat. 54° 36′ 54″, Long. 1° 42′ 36″.

Account of Strata passed through in a Bore-hole on the Luttrington Estate, about 200 yards North of the Farm House, August, 1843.

| | | | | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
|-----------------------|--------|----------|-----|-----|-----|-----|--|
| | 0 | | | | | | Brought forward 19 3 10 7 5 6 |
| Brown stony clay | 2 | 1 | 0 | | | | White post, with |
| · · | | | | 2 | 2 | 6 | |
| Brown post | 3 | 0 | 6 | | | | Grev metal stone. |
| Blue metal, with post | | | | | | | Grey metal stone, with post girdles 5 0 8 |
| girdles | 2 | 1 | 2 | | | | White post 0 5 6 |
| COAL, very soft, | _ | • | - | | | | Grey metal stone, |
| | | 1 | 4 | | | | with post mindles |
| with water | U | 1 | -36 | 5 | 3 | 0 | with post girdles |
| G | | - | _ | Э | 0 | U | |
| Grey metal | 6 | Ţ | 0 | | | | tom 2 0 0 |
| Whin and post | | 2 | 4 | | | | White post 8 0 0 |
| Grey metal, mixed | | | | | | | COAL 0 0 7 |
| | 0 | 0 | 6 | | | | 37 2 7 |
| White post, with | | | | | | | White post 1 2 0 |
| whin girdles | 0 | 3 | 0 | | | | Grey metal 0 5 6 |
| Grey metal, with post | | | | | | | Grey metal stone, |
| girdles | | 4 | 7 | | | | with post girdles 1 2 0 |
| Dark metal, mixed | _ | _ | - | | | | White post 6 0 0 |
| with coal | Ω | Ω | 7 | | | | Whin 0 1 0 |
| Grey post | 9 | ñ | ó | | | | Grev post 0 3 0 |
| Gray motal with next | 2 | U | U | | | | Grey post 0 3 0 Brown and white |
| Grey metal, with post | 0 | 2 | | | | | |
| girdles | Z | Z | 4 | | | | post 0 3 4 |
| White and brown | | | | | | | White post, mixed |
| metal, with iron- | | | | | | | with whin 3 1 0 |
| stone girdles | 1 | 0 | 0 | | | | Dark grey metal, with |
| Grey metal stone | | | | | | | post girdles 1 4 2 |
| Whin | 0 | 2 | 0 | | | | White post, mixed |
| White post | 1 | 1 | 2 | | | | with whin 1 1 0 |
| Dark grey metal, with | | | | | | | Whin 0 2 0 |
| girdles | | 0 | 6 | | | | White post 4 3 0 |
| Whin, with a feeder | - | • | 3 | | | | White post 4 3 0 Grey metal 4 1 0 White post 0 4 0 |
| of water | | 9 | 0 | | | | White post 0 4 0 |
| or water | v | | J | | | | White post o & o |
| Carried forward | 10 | વ | 10 | 7 | 5 | 6 | Carried forward 26 3 0 45 2 1 |
| Carried forward | 10 | J | τŋ | | J | U | Carried forward 20 5 0 45 2 1 |

No. 2,833.—LUTTRINGTON.—CONTINUED.

| Brought forward 26 3 0 45 2 Grey post 0 3 0 Dark grey metal 2 2 4 Grey metal stone, with ironstone gir- | Brought forward 31 5 9 45 2 1 Strong grey post, with metal partings 1 1 0 Whin, into 0 0 5 |
|---|--|
| with ironstone girdles 2 3 5 | 33 1 2 |
| Carried forward 31 5 9 45 2 | Total 78 3 3 |

No. 2,834.—MANOR HOUSE.

TOWNSHIP OF LANCHESTER, DURHAM.

Sheet 19 of Ordnance Map. Lat. 54° 49′ 18″, Long. 1° 43′ 19″.

Account of Strata passed through in the No. 3 Bore-hole on the Side of Finance Hill, Manor House Colliery, 1866.

| Brought forward 14 0 5 2 | | | | | | | | |
|---|--------------|-------|-----|-----|-----|-----|----------------|-------------------------|
| Fire-clay 0 0 4 0 Brown post 1 4 2 COAL 0 0 10 Brown post 0 2 2 Grey metal stone 1 2 8 COAL 0 0 0 8 Fire-clay 0 1 7 Grey metal stone 1 2 8 COAL 0 0 0 8 Fire-clay 0 1 7 Brown post 0 0 1 7 Grey metal stone 1 2 8 COAL 0 0 0 8 Fire-clay 0 1 7 Brown post 0 1 7 COAL 0 0 4 11 COAL 0 0 4 Brown post 0 4 11 COAL 0 0 4 Brown post 0 1 4 Brown post 0 1 7 Brown post 0 1 4 Brown post 0 1 4 Brown post 0 2 2 Brown post 0 1 4 Brown post 0 2 2 Brown post 0 2 3 Fire-clay 0 1 0 Brown post 0 1 4 Brown post 0 2 2 Fire-clay 0 1 1 3 Brown post 0 1 6 White post 1 1 10 Brown post 0 0 3 COAL 0 1 4 Brown post 0 1 4 Brown post 0 2 2 Brown post 0 1 4 Brown post 0 1 7 Brown post 0 1 0 Brown post 0 1 1 Brown post 0 1 6 White post 1 1 10 Brown post 0 1 6 White post 1 1 1 0 Brown post 0 2 3 Fire-clay 0 1 0 Brown post 0 1 1 Brown post 0 1 6 White post 1 1 1 0 Brown post 0 2 3 Fire-clay 0 1 1 Brown post 0 1 6 White post 0 1 1 Brown post 0 2 3 Fire-clay 0 1 1 Brown post 0 2 2 Brown post 0 1 1 Brown post 0 1 2 Brown p | Call and de- | 1 | | | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
| Fire-clay 0 4 0 0 1 0 4 1 Brown post 1 4 2 2 2 3 0 0 Brown post 0 0 2 2 2 8 Brown post 0 0 0 8 8 COAL 0 0 0 8 8 COAL 0 0 0 8 8 COAL 0 0 0 4 11 COAL 0 0 1 4 8 Brown post 0 1 1 4 Brown post 0 0 1 1 0 Brown and white post 0 1 1 4 Brown post 0 1 1 1 IBrown post 0 1 1 1 IBrown post 0 2 2 3 IBrown post 0 2 2 3 IB | | | - | - | | | | |
| Fire-clay 0 4 0 8 Brown post 1 4 2 COAL 0 0 10 10 8 Brown post 1 2 8 COAL 0 0 0 8 COAL 0 0 0 8 Brown post 1 2 8 Brown post 1 1 10 Brown post 0 0 2 8 Brown post 1 1 10 Brown post 0 0 1 4 COAL 0 1 4 COAL 0 1 4 COAL 0 1 4 Brown post 0 1 1 4 Brown post 0 1 1 4 COAL 0 2 3½ Brown post 0 2 3½ Brown post 0 5 11 White post 0 5 11 White post 0 5 1 IBrown post 0 5 0 Brown post 0 2 3½ Brown post 0 2 2 3½ Brown post | COAL | 0 | | 4 | 1 | n | 4 | |
| Brown post 1 4 2 2 | Fire clay | _ | 1 | | | v | * | Brown post 1 2 4 |
| Brown post 0 0 10 2 2 2 3 0 Brown post 0 1 1 6 White post 1 1 1 10 Brown and white post 0 0 0 8 Brown post 0 0 1 7 Brown post 0 1 1 6 White post 1 1 1 10 Brown and white post 1 1 1 10 Brown post 0 0 1 4 Brown post 0 0 4 4 Brown post 0 1 4 Brown post 0 5 11 Brown post 0 5 11 Brown post 0 2 3 Brown post 0 3 7 Brown post 0 2 3 Brown post 0 3 7 Brown post 0 3 7 Brown post 0 3 7 Brown post 0 3 2 Brown post 0 3 7 Brown post 0 3 7 Brown post 0 3 2 Brown post 0 3 3 7 Brown post 0 3 3 7 Brown post 0 3 2 Brown post 0 3 3 7 B | | - | | | | | | White post 1 1 8 |
| Brown post 0 2 2 2 | COAL POST | | | | | | | |
| Brown post 0 2 2 Grey metal stone 1 2 8 Fire-clay 0 0 1 7 Brown post 0 0 4 11 COAL 0 0 4 11 Grey metal 0 0 2 2 Brown post 0 1 4 Brown post 0 0 4 1 Grey metal 0 2 2 8 Brown post 0 0 4 9 Brown post 0 1 4 Brown post 0 2 2 1 Brown post 0 2 2 4 Brown post 0 5 11 White post 0 5 11 White post 0 5 0 Harvey Seam— Ft. In. COAL, good 2 0 Fire-clay 2 6 COAL, good 2 5½ ——————————————————————————————————— | OOAL | 0 | | 10 | | - 3 | 0 | |
| Grey metal stone 1 2 8 COAL 0 0 8 Brown post 0 1 7 Brown post 0 0 4 4 COAL 0 0 0 4 Grey metal 0 0 1 4 Brown post 0 2 2 Brown post 0 2 2 Brown post 0 2 1 Brown and white post 0 2 4 Brown and white post 0 5 11 White post 0 5 11 White post 0 5 0 Harvey Seam— Ft. In. COAL, good 2 0 Fire-clay 2 6 COAL, good 2 5½ 1 0 11½ 7 2 9½ | Brown nost | | 2 | - 9 | _ | 0 | v | |
| Brown post 0 0 8 Brown post 1 0 8 White post 1 1 9 Brown post 0 0 3 COAL 0 1 4 | | | | | | | | 0 0 0 |
| Fire-clay 0 1 7 7 8 8 3 1 | | | | | | | | |
| Fire-clay 0 1 7 Brown post 0 4 11 COAL 0 0 4 Grey metal 0 2 2 Brown post 0 4 4 Grey metal 0 1 4 Brown post 0 3 7 Brown post 0 1 4 Brown post 0 2 2 4 Brown and white post 0 4 9 White post 0 5 11 White and brown post 0 5 0 Harvey Seam— Ft. In. COAL, good 2 0 Fire-clay 2 6 COAL, good 2 5½ ——————————————————————————————————— | OOAL | | | | 1 | 5 | 6 | |
| Brown post 0 4 11 COAL 0 0 4 Grey metal 0 2 2 Brown post 0 4 4 Grey metal 0 1 4 Brown post 0 1 4 Brown post 0 2 2 4 Brown and white post 0 2 3½ Brown and white post 0 2 3½ Brown post 0 5 11 White post 0 5 11 White and brown post 0 5 0 Harvey Seam— Ft. In. COAL, good 2 0 Fire-clay 0 2 3½ Brown post 0 2 3½ Fire-clay 0 1 11 Brown post 0 2 3½ Fire-clay 0 1 11 Brown post 0 2 3½ Fire-clay 0 1 11 Brown post 0 2 3½ Fire-clay 0 | Fire-clay | - | 1 | 7 | | • | • | |
| Grey metal 0 0 4 Brown post 0 4 4 Brown post 0 1 4 Brown and white post 0 4 9 White post 0 5 11 White and brown post 0 5 0 Harvey Seam— GOAL, good 2 5½ Tire-clay 2 9½ Tire-clay 0 1 0 Fire-clay 0 3 7 Brown and white post 0 2 3½ Fire-clay 0 2 3½ Fire-clay 0 1 11 Brown post 0 2 3 Fire-clay 0 2 3 Tire-clay 0 2 3 Fire-clay 0 2 3 Tire-clay 0 2 3 | | | | - | | | | |
| Grey metal 0 2 2 2 Brown post 0 4 4 4 Brown post 0 1 4 Brown and white post 0 5 11 White post 0 5 11 White and brown post 0 5 0 Harvey Seam— Ft. In. COAL, good 2 0 Fire-clay 2 6 COAL, good 2 5½ 1 0 11½ 7 2 9½ | | | | | | | | |
| Brown post 0 2 2 Brown post 0 4 4 Brown post 0 1 1 4 Brown post 0 2 2 4 Brown and white post 0 5 11 White post 0 5 11 Brown post 0 5 0 Brown post 0 2 3 1 Brown post 0 2 3 | | | | | 1 | n | 10 | |
| Brown post 0 4 4 Grey metal 0 1 4 Brown post 0 2 2 4 Brown and white post 0 4 9 White post 0 5 11 White and brown post 0 5 0 Harvey Seam— Ft. In. COAL, good 2 0 Fire-clay 2 6 COAL, good 2 5½ 1 0 11½ 7 2 9½ | Grov motal | 0 | 9 | - 9 | • | ۰ | 10 | |
| Grey metal 0 1 4 Brown post 2 2 4 Brown and white post 0 4 9 White post 0 5 11 White and brown post 0 5 0 Harvey Scam— COAL, good 2 0 Fire-clay 2 6 COAL, good 2 5½ 1 0 11½ 7 2 9½ | | | | | | | | |
| Brown post 2 2 4 Brown and white post 0 4 9 White post 0 5 11 White and brown post 0 5 0 Harvey Seam— COAL, good 2 0 Fire-clay 2 6 COAL, good 2 5½ 1 0 11½ 7 2 9½ | | | | | | | | |
| Brown and white post 0 4 9 White post 0 5 11 White and brown post 0 5 0 Harvey Seam— COAL, good 2 0 Fire-clay 2 6 COAL, good 2 5½ | | | | | | | | COAL 0 2 31 |
| Post 0 4 9 | | | _ | - | | | | |
| White post 0 5 11 White and brown post 0 5 0 **Harvey Seam**— **COAL, good 2 0 Fire-clay 2 6 **COAL, good 2 5\frac{1}{2} | | | 4 | 9 | | | | |
| White and brown post 0 5 0 Harvey Scam— COAL, good 2 0 Fire-clay 2 6 COAL, good 2 5½ 1 0 11½ 7 2 9½ | | | _ | _ | | | | |
| post 0 5 0 Harvey Seam— GOAL, good 2 0 Fire-clay 2 6 GOAL, good 2 5½ 1 0 11½ 7 2 9½ | | | | | | | | |
| Harvey Seam— Ft. In. COAL, good 2 0 Fire-clay 2 6 COAL, good 2 5½ 1 0 11½ 7 2 9½ | | | 5 | 0 | | | | _ |
| COAL, good 2 0 Fire-clay 2 6 COAL, good 2 5½ | | ••• | _ | - | | | | |
| COAL, good 2 0 Fire-clay 2 6 COAL, good 2 5½ 1 0 11½ 7 2 9½ | | t In. | | | | | | |
| Fire-clay 2 6 COAL, good 2 $5\frac{1}{2}$ $\frac{1 \ 0 \ 11\frac{1}{2}}{2 \ 2 \ 9\frac{1}{2}}$ | | | | | | | | |
| COAL, good $\frac{2 5\frac{1}{2}}{1 0 11\frac{1}{2}} = \frac{7 2 9\frac{1}{2}}{1 0 11\frac{1}{2}} = \frac{7 2 9\frac{1}{2}}{1 0 11\frac{1}{2}} = \frac{9}{1 0 11\frac$ | Fire-clay 2 | 8 6 | | | | | | |
| $\frac{-1 0 11\frac{1}{2}}{7 2 9\frac{1}{2}}$ | | | | | | | | |
| $\frac{}{}$ $\frac{7 \ 2 \ 9\frac{1}{2}}{}$ | - | 1 | . 0 | 11 | 1 | | | |
| | | _ | | | 7 | 2 | $9\frac{1}{2}$ | |
| Carried forward 14 0 5½ Total 34 5 | | | | | | | _ | |
| | Carried forw | ard | | | 14 | 0 | $5\frac{1}{2}$ | Total 34 5 6 |
| | · · | | | | | | _ | |

No. 2,835.—MARLEY HILL. TOWNSHIP OF WHICKHAM, DURHAM.

TOWNSHIP OF WHICKHAM, DURHAM.

Sheet 6 of Ordnance Map. Lat. 54° 54′ 42″, Long. 1° 40′ 40″.

Account of Strata sunk through below the Busty Scam at Marley Hill Colliery.—Continuation of No. 1,329.

Approximate surface-level 580.85 feet above sea (Ordnance datum).

| Depth from surface | | Ft. | In. Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. Brought forward 1 5 6 82 2 64 |
|---|--------|--------|---------|-----|----------------|---|
| to bottom of Busty Seam | | | 74 | 0 | 01 | Blue metal, with post |
| Fire-clay Grey post Hard grey post | 3 0 | 1 5 | 8 4 | | • | Blue metal, with vegetable impres- |
| Hard grey post Post, with whin | 3 | 0 | 0 ` | | | sions and post girdles 1 2 0 |
| layers Three-Quarter Scam- | | 0 | 0 | | | Brockwell Scam— Ft. In. |
| COAL | | 1 | | 2 | 6 | COAL 0 $5\frac{1}{2}$ Band 0 $0\frac{1}{2}$ |
| Slate, with <i>coal</i> pipes Blue metal | | | | | | COAL 4 0 0 4 6 |
| Hard post | 0 | 4 | 0 | | | 6 0 0 |
| Carried forward | 1 | 5 | 6 82 | 2 | $6\frac{1}{4}$ | Total 88 2 64 |

No. 2,836.—MATFEN.

TOWNSHIP OF EAST MATFEN, NORTHUMBERLAND.

Sheet 86 of Ordnance Map. Lat. 55° 1′ 56", Long. 1° 56′ 0".

Account of Strata passed through in a Bore-hole on the Matfen Estate, near the Brick and Tile Works, July 12th, 1852.

| Clay | | | | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. Brought forward 28 3 6 4 4 0 |
|----------------------|--------|--------|---|-----|-----|-----|--|
| | | * | _ | 4 | 4 | 0 | Limestone 1 1 6 |
| Brown and grey post, | | | | • | - | • | Dark metal stone 0 0 9 |
| with metal partings | | 1 | 0 | | | | Limestone 1 1 9 |
| Dark grey metal, | | | | | | | COAL, foul 0 0 6 |
| with post girdles | 2 | 4 | 9 | | | | 31 2 0 |
| White and grey post | 4 | 1 | 3 | | | | Dark metal 0 5 6 |
| Dark metal | | | | | | | Grey post 0 2 0 |
| | 4 | 4 | 6 | | | | Little Limestone Seam— |
| Dark metal | | | 0 | | | | COAL 0 2 0 |
| Limestone:. | | | 0 | | | | 1 3 6 |
| Grey post | | | | | | | Dark metal 0 0 2 |
| Dark metal | | | | | | | Strong grey post 1 0 6 |
| Grey post | | 2 | | | | | Dark grey post 0 5 6 |
| Limestone | | 0 | | | | | 2 0 2 |
| Dark metal | 5 | 2 | 0 | | | | |
| Carried forward | 28 | 3 | 6 | 4 | 4 | 0 | Total 39 3 8 |

No. 2,837.—MATFEN.

TOWNSHIP OF WEST MATFEN, NORTHUMBERLAND.

| | _ | | |
|----------------------|------|------|---------|
| Sheet 86 of Ordnance | Map. | Lat. | , Long. |

Account of Strata passed through in a Bore-hole at Matfen, by the Side of the Newcastle and Gateshead Water Company's Aqueduct, 1885.

Approximate surface-level feet above sea (Ordnance datum).

| irphrominate st | | | | | Total des (ordinate distance) | | |
|--|---|---|---|-----|-------------------------------|----|---|
| Soil Clay, with a little | | | | Fs. | Ft. I | n. | Brought forward 1 5 0 16 3 0 Yellow freestone |
| sand and freestone Hard blue stony clay, with boulders Hard brown clay, | 7 | | | | | | shale, with coal and water 0 3 0 Strong freestone, with |
| with freestone stones | 7 | | | | 3 | 0 | water 1 4 6 Dark grey shale 0 5 2 Soft freestone, with |
| Soft dark grey shale | 1 | 5 | 0 | | | | a little water 0 2 0 2 5 8 |
| Carried forward | 1 | 5 | 0 | 16 | 3 | 0 | Total 21 4 8 |

No. 2,838.—MEDOMSLEY. TOWNSHIP OF MEDOMSLEY, DURHAM.

Sheet 11 of Ordnance Map. Lat. 54° 52' 38", Long. 1° 49' 15".

Account of Strata sunk through below the Busty Bank Scam in the Winding Shaft, Medomsley Colliery.—Continuation of No. 1,341.

Approximate surface-level 866 feet above sea (Ordnance datum).

| 11 | (|
|---|--------------------------------|
| Fs. Ft. In. Fs. Ft. In. | |
| Depth from surface | Brot. forward 2 4 5 0 6 60 1 2 |
| to bottom of | Band 0 7 |
| Busty Bank Seam 60 1 2 | COAL 0 4 |
| Black shale 0 1 5 | 0 3 3 |
| Coarse fire-clay, with | 5 3 9 |
| iron nodules 0 4 6 | Black metal, with |
| Post stone 0 0 6 | coal pipes 0 0 6 |
| Grey metal 0 0 3 | Blue metal 0 5 0 |
| Post stone 0 1 9 | White post stone 0 1 0 |
| Grey metal 0 0 2 | Blue metal 3 2 0 |
| Post stone 0 0 10 | White post stone 2 1 6 |
| Grey metal 0 1 1 | Grey whinstone 0 1 0 |
| Post 0 0 5 | White post 1 2 6 |
| | Blue metal 0 2 0 |
| Grey metal 0 0 2 Post stone 0 2 6 Grey metal 0 3 7 | Brockwell Seam— |
| Grey metal 0 3 7 | |
| D 1 1 | COAL 2 0 |
| | Dant parting 0 1 |
| T1 1 1 1 1 0 0 7 | |
| | |
| | Coarse seggar- |
| Three-Quarter or | clay 1 8 |
| Pasture Drift | COAL 0 10 |
| Seam— | 0 5 4 |
| Ft. In. | 9 2 10 |
| COAL 2 2 | Post stone 1 0 0 |
| Dant parting 0 01 | 1 0 0 |
| $\begin{array}{cccc} COAL & \dots & 0 & 1\frac{1}{2} \end{array}$ | |
| Car. forward 2 4 5 0 6 60 1 2 | Total 76 1 9 |
| | |

No. 2,839.—MEDOMSLEY. TOWNSHIP OF MEDOMSLEY, DURHAM.

Sheet 11 of Ordnance Map. Lat. 54° 52' 35", Long. 1° 49' 9".

Account of Strata sunk through in the Isabella Pit, Medomsley Colliery, 1898.

Approximate surface-level 862 feet above sea (Ordnance datum).

| Soil | Fs. | Ft. | In. 8 | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. Brought forward 1 4 4 29 4 4 |
|--|-----|---------------|----------|-----|-----|-----|--|
| Stiff blue clay, with boulders | 1 | 0 | 7 | | | | GOAL 0 0 7 |
| Mild blue clay, with ironstone balls | 0 | 4 | 8 | | | | Grey metal, with post girdles 406 |
| Blue clay, with post girdles | 2 | 3 | 8 | | | _ | Grey post 1 4 0 Blue metal 2 0 0 |
| Grey post | 1 | 0 | 0 | 4 | 3 | 7 | GOAL 1 2 0 COAL 0 0 4 |
| Blue metal, with post girdles | 1 | 1 | 8 | | | | Grey post 1 1 5 |
| White post | 0 | 5 | 2 | | | | Mild blue metal, with |
| Mild grey post Vcry hard grey post | 0 | $\frac{2}{3}$ | 10 7 | | | | ironstone girdles 2 4 7 Towneley Seam— |
| Blue metal, with post girdles | 0 | 2 | 7 | | | | COAL, splint 0 4½ |
| Hutton Seam Goaf: Fallen strata owing | | | | | | | Seggar-clay band 0 01 |
| to crushed pillars underlying- | | | | | | | COAL 1 101 0 2 3 |
| Thickness of seam, as nearly as could be measured, 7 | | | | | | | Seggar-clay 0 4 6 Blue metal 2 0 8 |
| feet 11 inches | 2 | 2 | 0 | 7 | 1 | 0 | Hodge Seam |
| Grey metal Grey post | 0 | $\frac{4}{2}$ | 6 4 | | | | Seggar-clay 0 3 1 |
| Grey metal Little Coal Seam Goaf Fallen strata to | | 2 | 8 | | | | Grey post 1 1 5 Tilley Seam— COAL 0 1 10 |
| thill of seam— Thickness of seam, | | | | | | | Seggar-clay 0 3 6 2 0 4 |
| as nearly as could be measured, about | | | | | | | Blue metal 0 5 6 Strong grey metal 0 2 0 |
| 2 feet | 1 | 3 | 0 | 3 | 0 | 6 | Hand Coal Seam— COAL 0 0 3 |
| Grey metal, with post girdles | 1 | 1 | 0 | | Ů | Ū | Seggar-clay 0 1 10 |
| Grey post, with metal partings | 0 | 5 | 4 | | | | Very strong white post 2 0 7 |
| Main Coal Seam— COAL | 0 | 4 | 0 | | | | Blue metal 1 2 9 Ironstone girdle 0 1 0 |
| C 1 | _ | 4 | 8 | 2 | 4 | 4 | Black metal 0 4 2 Busty Bank Seam— |
| Strong grey metal | 5 | 3 4 | 6 | | | | COAL 3 0 |
| Black metal stone COAL | 0 | 0 | 7 2 | | | | Band 1 4 COAL 3 2 |
| Grey metal | 0 | | | 12 | 0 | 11 | 1 1 6 5 5 10 |
| Grey post | ĭ | <u>3</u> | 6 | | | _ | Seggar-clay 0 3 4 |
| Carried forward | 1 | 4 | 4 | 29 | 4 | 4 | Carried forward 0 3 459 2 7 |

No. 2,839.—MEDOMSLEY.—Continued.

| D 1. C 1 | | | In. Fs. | | | Fs. Ft. In. Fs. Ft. In. |
|-----------------------|---|----------|---------|---|---|--------------------------------------|
| Brought forward | | 3 | 4 59 | 2 | 7 | Brought forward 0 2 4 67 4 1 |
| Grey metal | 1 | 4 | 9 | | | Grey metal 0 4 3 |
| Hard white post | | 1 | 6 | | | White post 0 0 10 |
| Grey metal | | 0 | 6 | | | COAL 0 0 4 |
| White post Grey metal | 0 | 2 | 0 | | | 1 1 9 |
| Grey metal | 1 | 0 | 0 | | | Seggar-clay 0 3 10 |
| White post | 1 | 3 | 6 | | | Grey metal 0 2 7 |
| Black metal stone | 0 | 0 | 9 | | | Blue metal 0 2 6 |
| White post, with | | | | | | Blue metal 0 2 6 White post 0 0 6 |
| metal partings | 0 | 2 | 6 | | | Blue metal 0 2 2 |
| Three-Quarter or | | | | | | White post 0 0 3 |
| Pasture Drift | | | | | | Blue metal 0 0 6 |
| Seam- | | | | | | White post 4 0 0 |
| Ft. In. | | | | | | Whin 0 1 6 |
| COAL 2 6 | • | | | | | 7771 14 4 0 0 0 0 |
| Stone band, | | | | | | |
| with coal | | | | | | Brockwell Seam— |
| pipes 0 3 | | | | | | |
| COAL 0 1 | | | | | | COAL 2 7 |
| Stone band 0 3 | | | | | | |
| 0011 | | | | | | Seggar-clay |
| COAL 0 5 | 0 | • • • | | | | band 1 6 |
| | 0 | 3 | 6 | | | COAL 0 11 |
| g . | _ | | _ 7 | 4 | 4 | 0 5 0 |
| Seggar-clay | | 3 | 0 | | | 7 4 2 |
| COAL | 0 | 0 | 2 | | | Hard white post 2 4 11 |
| | | | - 0 | 3 | 2 | 2 4 11 |
| Seggar-clay | 0 | 2 | 4 | | | |
| | | | | | | |
| Carried forward | 0 | 2 | 467 | 4 | 1 | Total 79 2 11 |
| | | | | | | |
| | | | | | | |

No. 2,840.—MELKRIDGE.

TOWNSHIP OF HENSHAW, NORTHUMBERLAND.

Sheet 92 of Ordnance Map. Lat.

, Long.

Account of Strata passed through in a Bore-hole above Hardriding, for Sir Edward Blackett, Bart., 1837.

Approximate surface-level

feet above sea (Ordnance datum).

| | Fs. | Ft. | In. | Fs. | Ft. | In. | Fs. Ft. In. Fs. | Ft. | In. |
|-------------------|-----|-----|----------|-----|-----|-----|---|-----|-----|
| Soil | | | | | | | Brought forward 11 4 6 9 | | |
| Strong brown clay | 1 | 3 | 6 | | | | Grey metal 2 0 0 | | |
| • | | | | 1 | 4 | 6 | Strong white and | | |
| Strong brown and | | | | | | | brown post 8 4 6 | | |
| grey post | 0 | 5 | 6 | | | | Grey metal stone, | | |
| Brown post, with | | | | | | | with water 5 3 0 Little Limestone 2 4 0 COAL, foul 0 0 5 | | |
| water | 6 | 4 | 0 | | | | Little Limestone 2 4 0 | | |
| Black metal | 0 | 1 | 6 | | | | COAL, foul 0 0 5 | | |
| COAL, foul | 0 | 0 | 4 | | | | 30 | 4 | 5 |
| | | | | 7 | 5 | 4 | Grey metal 0 1° 0 | | |
| Brown rotten post | 3 | 4 | 0 | | | | Strong white post 1 2 3 | | |
| Blue metal | 1 | 0 | 6 | | | | Grey metal stone, | | |
| Strong brown and | | | | | | | with post girdles 2 3 0 | | |
| white post, with | | | | | | | COAL, strong 0 1 9 | | |
| water | 7 | 0 | 0 | | | - 1 | 4 | 2 | 0 |
| _ | | _ | - | | _ | | | | |
| Carried forward 1 | 1 | 4 | 6 | 9 | 3 | 10 | Carried forward 44 | 4 | 3 |

No. 2,840.—MELKRIDGE.—Continued.

| Brought forward | | | In. Fs. 44 | | | Brought forward 6 0 644 4 3 |
|----------------------------------|---|---|---------------|---|---|---|
| Grey metal | 0 | 1 | 6 | | | GOAL 0 0 6 |
| White post, with metal partings; | | | | | | Grey metal 1 3 9 |
| and grey metal stone, with post | | | | | | Grey metal stone 1 1 0 . Limestone 0 1 6 |
| girdles and water | 5 | 5 | 0 | | | 3 0 3 |
| Carried forward | 6 | 0 | 6 44 | 4 | 3 | Total <u>53 5 6</u> |

No. 2,841.—MELKRIDGE.

TOWNSHIP OF MELKRIDGE, NORTHUMBERLAND.

Sheet 92 of Ordnance Map. Lat. 54° 58' 7", Long. 2° 24' 5".

Account of Strata sunk through in the Shaft at Melkridge (now Blackett Colliery).

Approximate surface-level 350 feet above sea (Ordnance datum).

| Gravel Sand | | 1 | 3 | 0 | | Ft. | | Brought forward 13 0 8 2 2 COAL 0 0 8 | 1. 6 |
|------------------------------|--------|----|---|---|---|-----|---|---------------------------------------|---------|
| Hazle Plate Little Limestone | | 7 | 1 | 0 | _ | _ | | Grey and white hazle 4 1 0 COAL 0 2 8 | 8 |
| Carried for | ward 1 | 13 | 0 | 8 | 2 | 2 | 6 | Total 20 1 | 6 |

No. 2,842.—MIDDLETON-IN-TEESDALE.

TOWNSHIP OF FOREST AND FRITH, DURHAM.

Sheet 30 of Ordnance Map. Lat. 54° 41' 14", Long. 2° 19' 47".

Account of Strata sunk through below the Top Level in the Pumping Shaft at Greenhurth Mine.

| | Fs. | Ft. | In. Fs. | Ft. | In. | | | Fs. | Ft. | In. Fs. | Ft. | In. |
|-----------------------|-----|-----|---------|-----|-----|---------------|---------|-----|-----|----------|-----|-----|
| Plate, | ,, | ,, | ,, | | | Brought f | forward | | | 23 | 1 | 6 |
| Single Post Limestone | | 3 | 0 | | | Hazle | | 5 | 3 | 0 | | |
| Hazle | 0 | 5 | 6 | | | Plate | | 1 | 0 | 0 | | |
| Plate | 4 | 1 | 0 | | | Limestone | | 4 | 3 | 0 | | |
| Hard post | 0 | 2 | 0 | | | Hazle | | 0 | 4 | 0 | | |
| Plate | 6 | 2 | 0 | | | Plate | | 0 | 2 | 6 | | |
| Type Bottom Lime- | | | | | | Limestone | | 0 | 2 | 0 | | |
| stone | 5 | 0 | 0 | | | Hazle | | 0 | 3 | 6 | | |
| Plate and grey beds | | | | | | Plate | | 0 | 3 | 0 | | |
| (Middle Level) | 3 | 0 | 0 | | | Hazle (Adit I | Level) | 1 | 5 | 0 | | |
| Hazle | | | | | | · · | , | | | 15 | 2 | 0 |
| COAL | | | | | | Plate and li | mestone | ,, | ,, | ,, | | |
| | | | 23 | 1 | G | | | | | <u> </u> | ,, | ,, |
| | | | | | | | | | | | | |
| Carried forward | | | 23 | 1 | 6 | | Total | | | 38 | 3 | 6 |
| | | | • | | | | | | | | | |

No. 2,843.—MIDDLETON-IN-TEESDALE.

TOWNSHIP OF FOREST AND FRITH, DURHAM.

Sheet 31 of Ordnance Map. Lat. 54° 40′ 27½", Long. 2° 8′ 24".

Account of Strata sunk through in the Flushie Mere No. 2 Mine, 1830.

Approximate surface-level 1,400 feet above sea (Ordnance datum).

| | | | | 1 |
|-------------------|-------|---|-----------------|------------------------|
| | | | In. Fs. Ft. In. | |
| Plate | 6 | 0 | 0 | Brought forward 25 1 8 |
| Fire-stone | 6 | 3 | 0 | Plate 1 2 6 |
| Plate | 6 | 0 | 0 | Girdle bed 0 0 10 |
| Girdle bed: Patti | n- | | | COAL 0 0 6 |
| son's Sill | 0 | 1 | 6 | 26 5 |
| Plate | 0 | 2 | 0 | Plate 2 1 6 |
| Little Limestone | 0 | 4 | 0 | Low Coal Sill 2 2 7 |
| White hazle | 3 | 0 | 0 | Black bed 0 0 4 |
| Plate and grey be | ds 0 | 1 | 0 | Great Limestone, to |
| High Coal Sill | 1 | 4 | 8 | level sole 10 2 6 |
| Plate | 0 | 1 | 6 | 15 0 1 |
| Post of sill | 0 | 2 | 0 | |
| | | | | |
| Carried forwa | rd 25 | 1 | 8 | Total 42 0 |
| | | | | |

Note: About 6 feet 10 inches above the Level mouth. This shaft is near Level Head, 8 fathoms along South Branch. It is 266 fathoms in a straight line from the Level mouth.

No. 2,844.—MIDDLETON-IN-TEESDALE.

TOWNSHIP OF MIDDLETON-IN-TEESDALE, DURHAM.

Sheet 39 of Ordnance Map. Lat. 54° 38' 49", Long. 2° 5' 41".

Account of Strata sunk through at Westmost, Skears Mine, in Vein D, 1837.

Approximate surface-level 1,369 feet above sea (Ordnance datum).

| | Fs. Ft. In. Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|------------------|-------------------------|----------------------------|
| Clay and plate | 8 5 0 | Brought forward 49 1 6 |
| Low Slate Sill | 0 5 0 | Plate 1 3 0 |
| Plate | 10 0 0 | Great Limestone 11 0 0 |
| Fire-stone | 10 2 0 | Tuft 1 0 0 |
| Plate | | Three Post Limestone 0 3 0 |
| Little Limestone | 1 1 0 | Quarry Hazle 2 0 0 |
| White hazle | 2 3 0 | Plate 2 0 0 |
| High Coal Sill | 5 1 0 | 67 1 6 |
| Low Coal Sill | 4 2 6 | |
| | | |
| Carried forw | vard 49 1 6 | Total 67 1 6 |

Note: This shaft is 1,120 feet from Fire-stone Level mouth,

No. 2,845.—MIDDLETON-IN-TEESDALE.

TOWNSHIP OF MIDDLETON-IN-TEESDALE, DURHAM.

Sheet 39 of Ordnance Map. Lat. 54° 39' 41", Long. 2° 5' 13".

Account of Strata sunk through in the Skears Mine, 190 feet South-east of Club Gill House, in Vein E.

Approximate surface-level 1,250 feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In. Brought forward 19 3 9 |
|-------------------------------------|--|
| Clay 6 3 0 High Coal Hazle 6 3 9 | Great Limestone: To drift, but not to |
| Plate 0 2 6 Low Coal Hazle 4 0 9 | bottom of lime- |
| Plate and grey beds 1 5 9 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| Carried forward 19 3 9 | Total 27 1 0 |

Note: This shaft is marked on the Ordnance Map as an Old Limekiln, and is a very old shaft, but not the shaft sunk by the Lead Company in 1835, which was 90 feet further East, but in the same vein. The neap is taken away.

No. 2,846.—MIDDLETON-IN-TEESDALE.

TOWNSHIP OF MIDDLETON-IN-TEESDALE, DURHAM.

Sheet 39 of Ordnance Map. Lat.

, Long.

Account of Strata sunk through at Skears Great Rise.

Approximate surface-level

feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. In. | |
|----------------------------|---------------------------|
| Fire-stone, part of 10 0 0 | Brought forward 38 2 0 |
| Pattinson's Sill 1 4 0 | Tuft 5 0 0 |
| Plate 3 2 0 | Plate, with posts of |
| Little Limestone 1 4 0 | hazle 1 4 0 |
| White hazle 0 2 0 | Quarry Hazle 5 0 0 |
| Plate 1 2 0 | Plate 5 0 0 |
| High Coal Sill 1 4 0 | Four Fathoms Lime- |
| Plate 3 2 0 | stone 3 2 0 |
| Low Coal Sill and | Nattrass Gill Hazle 1 4 0 |
| plate 3 2 0 | Plate 5 0 0 |
| Great Limestone 11 4 0 | 65 0 0 |
| | |
| Carried forward 38 2 0 | Total 65 0 0 |
| | · |

No. 2,847.—MIDDLETON-IN-TEESDALE.

TOWNSHIP OF MIDDLETON-IN-TEESDALE, DURHAM.

Sheet 39 of Ordnance Map. Lat. 54° 38′ 54″, Long. 2° 5′ 47″.

Account of Strata sunk through in the Skears Mine, in Vein F. Approximate surface-level 1,400 feet above sea (Ordnance datum).

| | | | Fs. | Ft. | In. Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|--------------|--------|-------|-----|-----|-----------------|----------------------------|
| Clay | | • • • | 17 | 0 | 0 | Brought forward 44 2 6 |
| Ironstone | | | 0 | 3 | 0 | Low Coal Sill 4 3 6 |
| Plate | | | 0 | 4 | 0 | Plate 1 0 0 |
| Ironstone | | | 0 | 3 | 0 | Great Limestone 11 0 0 |
| Plate | | | 0 | 5 | 0 | Tuft 1 1 0 |
| Fire-stone | • • • | | 11 | 3 | 0 | Plate 2 3 0 |
| Plate | | | 4 | 5 | 0 | Three Post Limestone 0 4 0 |
| Little Limes | stone | | 1 | 0 | 0 | Quarry Hazle 1 4 0 |
| White hazle | · | | 2 | 2 | 6 | Plate 6 4 0 |
| High Coal | Sill | ••• | 5 | 1 | 0 | 73 4 0 |
| Carrie | d forw | ard | 44 | 2 | 6 | Total 73 4 0 |

No. 2,848.—MIDDLETON-IN-TEESDALE.

TOWNSHIP OF MIDDLETON-IN-TEESDALE, DURHAM.

Sheet 39 of Ordnance Map. Lat. , Long.

Account of Strata sunk through in the Coldberry and Lodgesyke Lead-mines, Lower Teesdale.

| Approximate surface-level | | feet above sea (Ordnance datum). |
|----------------------------|--------|----------------------------------|
| Fs. Ft. In. Fs. F | t. In. | Fs. Ft. In. Fs. Ft. In. |
| Plate 2 4 0 | | Brought forward 18 1 6 38 5 0 |
| Hazle 1 2 0 | | White sill 1 2 0 |
| Plate 7 3 0 | | High Coal Sill 6 2 0 |
| Low Slate Sill (a) 8 4 0 | | Plate 1 2 0 |
| Plate and grey beds 2 0 0 | | Low Coal Sill (d) 2 3 0 |
| Top Fiddler Sill (b) 1 3 0 | | Plate 0 3 0 |
| Plate 4 0 0 | | Great or Twelve |
| Low Fiddler Sill 0 5 0 | | Fathoms Limestone |
| Plate 7 1 0 | | (e) 10 0 0 |
| Ironstone 2 4 0 | | Tuft (f) 2 0 0 |
| COAL, till bed and | | Plate 2 3 0 |
| plate 0 3 0 | | Quarry Hazle 0 3 6 |
| 38 | 5 0 | Plate 8 0 0 |
| Fire-stone (c) 11 2 6 | | Four Fathoms Lime- |
| Plate 6 0 0 | | stone 4 0 0 |
| Little Limestone 0 5 0 | | 57 2 0 |
| Carried forward 18 1 6 38 | 5 0 | Total 96 1 0 |
| | | |

(a) Random of Lodgesyke High Level.
(b) Random of Top or Slate Sill Level.
(c) Random of Lodgesyke Low Level.
(d) Random of Richardston Level and Crushing Mill.
(e) Random of North Level and of Hudeshope Head Low Level.
(f) Random of Low Level.

Notes: The strata at Coldberry mine dip to the West.

The strata at Lodgesyke mine, on the East side of Hudeshope Valley, correspond with the strata at Coldberry mine, on the West side of the Valley.

No. 2,849.—MIDDLETON-IN-TEESDALE.

TOWNSHIP OF MIDDLETON COMMON, DURHAM.

Sheet 32 of Ordnance Map. Lat. 54° 40' 25", Long. 1° 59' 5".

Account of Strata sunk through in the A Shaft, Sharnberry Mine, Upper Teesdale.

Approximate surface-level 1,300 feet above sea (Ordnance datum).

| | Fs. | Ft. | In. Fs. | Ft. In. | Fs. | Ft. | In. Fs. | Ft. | In. |
|---------------------|------|-----|---------|---------|-----------------------|-----|----------|-----|-----|
| Strong hazle | . 7 | 5 | 6 | | Brought forward 27 | 3 | 0 | | |
| Plate | . 0 | 5 | 0 | | Strong hazle 11 | 5 | 0 | | |
| Sandstone | . 1 | 5 | 0 | | Plate and grey beds 5 | | | | |
| Plate | . 0 | 4 | 0 | | Hazle 1 | | | | |
| Strong hazle | . 5 | 2 | 0 | | Plate 0 | 4 | 0 | | |
| Plate | | | | | Hazle 1 | 5 | 0 | | |
| Hazle | | | | | Plate 10 | | | | |
| Plate and grey beds | | | | | | | 59 | 2 | 0 |
| Fell Top Limestone | | | | | Hazle ,, | ,, | ,, | | |
| Plate and grey beds | | | | | | | <u> </u> | ,, | |
| 2 g g | | | | | | | | | |
| Carried forward | 1 27 | 3 | 0 | | Total | | 59 | 2 | 0 |
| | - | | - | | | | | -7 | _ |

No. 2,850.—MIDDLETON-IN-TEESDALE.

TOWNSHIP OF GRASSHILL COMMON, DURHAM.

Sheet 30 of Ordnance Map. Lat. 54° 42′ 50", Long. 2° 17' 50".

Account of Strata sunk through in the Ashgillhead Mine, Upper Teesdale. Approximate surface-level 1,750 feet above sea (Ordnance datum).

| Plate | | Ft. | In. Fs. | Ft. | In. | Brought forward | Fs. | Ft. | | Fs. 38 | | In 11 |
|-----------------------|--------|-----|----------------|-----|-----|---------------------|--------|-----|---|-----------|---|----------|
| | | | 6 | | | High Coal Sill | | 0 | 0 | 00 | ~ | |
| Plate | | | | | | | 1 | | | | | |
| | 2 | | | | | | | | | 4 | 3 | - |
| | 7 | | 8 | | | Low Coal Sill | 3 | 0 | 0 | | | |
| | 2 | 0 | 0 | | | | 1 | | 0 | | | |
| Plate, till bed and | | | | | | Great Limestone | 9 | 3 | 0 | | | |
| coal | 1 | 0 | 9 | | | Tuft | 2 | 3 | 0 | | | |
| | | | 20 | 1 | 11 | Grey beds | 0 | 5 | 0 | | | |
| Fire-stone (b) | 6 | 2 | 0 | | | Plate | | | 0 | | | |
| Plate ` = | 5 | 1 | 0 | | | Quarry Hazle | 2 | 0 | 0 | | | |
| | | | 0 | | | | 7 | 0 | 0 | | | |
| Plate | 2 | 0 | 0 | | | Four Fathoms Lime- | | | | | | |
| | 0 | | | | | stone(c) | 3 | 4 | 0 | | | |
| | 2 | 0 | | | | Grey beds | | | | | | |
| Plate and <i>coal</i> | 1 | 3 | - | | | Nattrass Gill Hazle | 2 | 0 | 0 | | | |
| | | | 18 | 1 | 0 | | | | | 34 | 1 | |
| Carried forward | | | 38 | 2 | 11 | Total | | | | 77 | 0 | 1 |

- (a) Random of High Level.
- (b) Random of Middle Level. (c) Random of Low Level.

Note: The Great Limestone, Fire-stone, and Slate Sills produced a large quantity of lead-ore.

No. 2,851.—MIDDLETON-IN-TEESDALE. TOWNSHIP OF FOREST AND FRITH, DURHAM.

Sheet 30 of Ordnance Map. Lat. 54° 42' 6", Long. 2° 18' 5".

Account of Strata sunk through in The Lady's Rake Mine, Upper Teesdale. Approximate surface-level 1,500 feet above sea (Ordnance datum).

| | | | | | | , | | | | ,- | | |
|---------------------|-----|-----|-----|-------------|-------------|-------|-------|-----|-----|---------|-----|----------|
| | Fs. | Ft. | In. | Fs. Ft. In. | | | | Fs. | Ft. | In. Fs. | Ft. | In. |
| Plate | 1 | 5 | 0 | | Brought | for | rward | 30 | 0 | 6 | | |
| Single Post Lime- | | | | | Jew Limesto | ne | | 4 | 3 | 0 | | |
| stone | 1 | 3 | 0 | | Hazle | | | Ō | | - | | |
| Hazle | 0 | 5 | 6 | | Plate | | | | - | | | |
| | | 1 | | | Limestone | | | - | _ | - | | |
| Hard post | | | | | Hazle (b) | | | ŏ | | - | | |
| Plate | 5 | - 5 | 0 | | Plate | | | | | | | |
| Tyne Bottom Lime- | | _ | · | | Hazle | | | 1 | | - | | |
| stone | | n | 0 | | Limestone | | | | ő | ŏ | | |
| Plate and grey beds | | • | • | | Grey beds | | | ~ | ő | ŏ | | |
| (a) | •2 | ٥ | 0 | | Hazle | ••• | ••• | 1 | _ | - | | |
| Hazle | | | | | Limestone | • • • | | - | 3 | - | | |
| | 2 | U | U | | | | | - | | - | | |
| Plate, with hazle | | | | | Whetstone (| (c) | • • • | 2 | 0 | 0 | | |
| beds | 5 | 3 | 0 | | | | | - | | 50 | 5 | 0 |
| Carried forward | 30 | 0 | 6 | | | | Total | | | 50 | 5 | |
| | | | • | | | | | | | | Ě | <u> </u> |

(a) Random of Wigram's Level.(b) Random of Shaft Foot.

(c) Random of depth reached with sump from shaft drift.

Nores: The Whin Sill is not seen at Lady's Rake, but is approximately 40 fathoms in thickness.

A Whin Dyke, about 8 fathoms wide, was cut in the Level, west of the shaft.

The Teesdale Fault has an upthrow to the South-west of from 60 to 80 fathoms, exposing the Whin Sill on the South side of the valley.

No. 2,852.—MIDDRIDGE.

TOWNSHIP OF MIDDRIDGE, DURHAM.

Sheet 42 of Ordnance Map. Lat. 54° 37' 54", Long. 1° 36' 44".

Account of Strata sunk and bored through in the Charles Pit, Middridge Colliery.—Continuation of No. 1,357.

| Depth from surface | | Ft. | In. Fs. | Ft. | In. | Brought forward 0 4 0 50 3 11/2 |
|---|-------------|-------------|-------------|-----|------|---|
| Seam Sinking:— | | | 39 | 2 | 4 | 1 2 0 |
| Seggar-clay Light brown post COAL | 0 8 0 | 2 4 0 | 0 0 3 | | | Coarse fire-clay 0 3 0 Post girdle 0 1 0 Blue metal 3 2 0 |
| White post | 2 0 | 0 | - | 0 | 3 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| | 0 | | _ 2 | 0 | 61 | ings 2 1 6 Blue metal, with girdles 0 4 0 |
| Carried forward | 0 | 4 | 0 50 | 3 | 11/2 | Carried forward $12 \ 0 \ 8\frac{1}{2} \ 51 \ 5 \ 1\frac{1}{2}$ |

No. 2,852.—MIDDRIDGE.—CONTINUED.

| Fs. Ft. In. Fs. Ft. In. | |
|--|---|
| Brought forward 12 0 $8\frac{1}{2}$ 51 5 $1\frac{1}{2}$ | |
| Brockwell Seam— | Grey post 0 2 4 |
| COAL 0 5 6 | Hard grey post 0 1 11 |
| $13 0 2\frac{1}{2}$ | Blue whin \dots 0 0 $10\frac{1}{2}$ |
| 04.5.4 | Grey post 0 0 6 |
| 64 5 4 | White post 0 3 4 |
| Bored further:— | Blue metal 0 0 4 |
| Seggar-clay 0 4 0 | White post 0 3 7 |
| Grey post $0 3 5\frac{1}{2}$ | Grey post 0 2 2 White post 0 2 7 |
| Hard white post, | |
| with water 0 5 6 | Blue whin 0 0 8 |
| Blue metal 1 2 6 Grev metal 3 1 8 | White post 0 3 4 |
| creoj martenza in martina de la companya de la comp | Blue metal 0 0 2 |
| | White post 0 0 4 Blue metal 0 0 2 |
| | |
| | |
| | |
| Blue metal, with post and ironstone | |
| | 73 |
| | |
| Grey metal 2 4 10 Blue and black shale 0 0 9 | COAL 0 2 |
| COAL 0 0 3 | Stone band 0 034 |
| | COAL 0 41 |
| Grey sandstone 0 1 3 | 0 0 7 |
| White post 0 1 2 | 13 5 1 |
| Grey metal, with post | White post 0 0 4 |
| girdles 0 4 6 | Grey metal 0 1 2 |
| Blue metal 0 5 7 | COAL 0 0 3 |
| White post 0 0 6 | 0 1 9 |
| Blue metal 0 0 10 | Blue metal 0 1 1 |
| White post 0 0 7 | White post 0 0 10 |
| Blue metal 0 0 4 | Blue metal, with post |
| Sandstone 0 2 11 | panels 0 0 7 |
| Blue metal, with post | White post 0 0 3 |
| girdles 1 2 10 | Blue metal 0 0 5 |
| Strong white post 2 2 2 | White post 2 5 8 |
| Blue metal, with post | Blue metal 0 1 0 |
| girdles 0 4 3 | White post 0 1 4 |
| | |
| Sandstone 0 1 0 | White post, mixed |
| Blue metal 0 0 10 | White post, mixed with whin 0 1 5 |
| | White post, mixed |
| Blue metal 0 0 10 White post 0 1 11 | White post, mixed with whin 0 1 5 4 0 7 |
| Blue metal 0 0 10 | White post, mixed with whin 0 1 5 |

No. 2,853.—MIDDRIDGE.

TOWNSHIP OF MIDDRIDGE, DURHAM.

Sheet 42 of Ordnance Map. Lat. 54° 37′ 32″, Long. 1° 36′ 57″.

Account of Strata passed through in a Bore-hole on the North Boundary of Middridge Royalty, 1872.

| Fs. Ft. In. Fs. Ft. In stone 1 5 0 | Brought forward 1 5 0 Limestone 10 0 0 | |
|------------------------------------|--|-----|
| Carried forward 1 5 0 | Carried forward 11 | 5 0 |

No. 2,853.—MIDDRIDGE.—CONTINUED.

| Brought forward | Fs. | Ft. | In. F | s. F | t. In. | |
|-------------------------|-----|-----|-------|------|--------|-----------------------------------|
| | | | | 1 6 | , 0 | |
| Pipe-clay, with coal | | | | | | White post 0 4 6 |
| and water | 0 | 4 | 0 | | | Hard iron girdles 0 1 6 |
| Blue clay, with coal | | | | | | Blue metal 1 2 8 |
| and water | 1 | 0 | 0 | | | COAL, dirty 0 0 10 |
| Hard post | 0 | 5 | 0 | | | Seggar-clay with |
| Sandy post, with | | | | | | hard girdles 2 1 6 |
| girdles | 4 | 4 | 0 | | | hard girdles 2 1 6 COAL 0 0 11 |
| Very hard white post | 0 | 0 | 8 | | | 4 5 11 |
| Grey post | 1 | 4 | 4 | | | Blue stone 1 0 0 |
| Grey post Sandy post | 0 | 0 | 6 | | | White sandy post 1 0 7 |
| COAL | 0 | 1 | 0 | | | Hard post, into 0 2 0 |
| - | | | ! | 9 : | 1 6 | 2 2 7 |
| | | | _ | | | |
| Carried forward | | | 2 | 1 (| 0 6 | Total 28 3 0 |
| | | | | | | |

No. 2,854.—MIDDRIDGE.

TOWNSHIP OF MIDDRIDGE GRANGE, DURHAM.

Sheet 42 of Ordnance Map. Lat. 54° 36′ 57", Long. 1° 36′ 7".

Account of Strata passed through in a Bore-hole at the Old Towns Quarry, Middridge, 1874.

| | Fs | Ft. | In. | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
|-----------------------|----|--------|-----|-----|-----|-----|-------------------------------|
| Clay and gravel | 1 | 0 | 10 | | | | Brought forward 12 4 10 6 0 0 |
| | | | | 1 | 0 | 10 | Blue metal, with |
| Limestone | 4 | 5 | 2 | | | | grey beds 0 5 0 |
| | | | | 4 | 5 | 2 | Dark metal 0 3 0 |
| Yellow sandstone | 0 | 4 | 0 | | | | Fire-clay, with water 0 3 2 |
| Light sandstone | 2 | 1 | 0 | | | | Blue metal 0 0 6 |
| Soft red sandstone | 1 | 3 | 0 | | | | Blue metal, with |
| Blue metal | 0 | 5 | 0 | | | | grey beds 1 1 6 |
| Hard post | 0 | 2 | 0 | | | | Light post 1 0 0 |
| Mild sandstone, with | | | | | | | Grey post 1 5 0 |
| | 2 | 4 | 6 | | | | Blue metal 0 1 0 |
| Blue metal | 0 | 0 | 6 | | | | Light post girdle, |
| Grey metal | | 0 | 0 | | | | with water 0 1 0 |
| Blue metal | | | 0 | | | | Dark metal, with |
| Hard post girdle | | 1 | 0 | | | | coal pipes 0 3 0 |
| Blue metal | 0 | 1 | 2 | | | | Extra hard post, into 1 3 3 |
| Dark metal, with coal | | | | | | | 21 1 3 |
| | | 1 | 0 | | | | |
| Fire-clay | 1 | 1 0 | 8 | | | | |
| | _ | | | | | _ | |
| Carried forward | 12 | 4 | 10 | 6 | 0 | 0 | Total 27 1 3 |
| | | | | | | | |

No. 2,855.—MIDGEHOLME.

TOWNSHIP OF HARTLEYBURN, NORTHUMBERLAND.

Sheet 100 of Ordnance Map. Lat. 54° 55′ 20″, Long. 2° 31′ 52″.

Account of Strata passed through in the No. 6 Bore-hole, on Bell's Holme, by the Black Burn, near Halton-le-Gate Farm, Midgeholme, by Messrs. William Coulson and Son, 1879.

| a :1 | | | In. | Fs. | Ft. | In. | Duniaht fammand | Fs. | Ft. | In. Fs | Ft | In. |
|----------------------------------|-----|------|---------|-----|-----|-----|--------------------------------------|----------|-----|----------|----|-----|
| Soil Sand, clay and rough | U | 1 | 6 | | | | Brought forward Strong dark grey | 0 | Э | 1 10 | 4 | 0 |
| gravel | 0 | 5 | 0 | | | | shale, with thin | | | | | |
| Sand and gravel, | · | · | • | | | | girdles | 3 | 3 | 6 | | |
| with water | 0 | 1 | 6 | | | | COAL and black | | | | | |
| | | | | 1 | 2 | 0 | stone, mixed | 0 | 0 | 4 | | |
| Soft aron shalo | 0 | 3 | 6 | | | | | | | 12 | 0 | 11 |
| Soft grey shale COAL, hard, with | v | Ð | U | | | | | 0 | 1 | 8 | | |
| band near top | 0 | 2 | 5 | | | | Strong dark grey | | | | | |
| bund neur top | · | Ī | • | 0 | 5 | 11 | shale, with hard | | 0 | - | | |
| Mild grey post, with | | | | U | U | 11 | girdles | 2 | 2 | 4 | | |
| shale partings | Ω | 3 | 1 | | | | Very strong grey | | | | | |
| Yellow freestone | | | 11 | | | | post, with thin shale partings | 0 | 4 | 3 | | |
| Hard grey post | 0 | 2 | 5 | | | | Strong light grey | v | -30 | | | |
| Light grey post, with | | | | | | | shale | 1 | 1 | 10 | | |
| soft yellow part- | | | | | | | Very hard post, with | | | | | |
| ings | | 4 | 0 | | | | light shale part- | | | | | |
| Grey shale, with | | | ^ | | | | ings | 0 | 1 | 9 | | |
| _ ironstone balls | | 3 | 9 | | | | Strong light grey | | | | | |
| Dark grey shale | | 2 | 1 | | | | _shale | | 1 | 0 | | |
| COAL mixed Ft. In | • | | | | | | Hard white post | 0 | 4 | 8 | | |
| with shale 0 3 | 1 | | | | | | Millstone grit, with | | 0 | 9 | | |
| COAL 0 11 | | | | | | | thin soft partings | | 2 | 3 | | |
| Black stone 0 3 | | | | | | | Strong light grey shale | • | 4 | 5 | | |
| | 0 | 1 | 6 | | | | Very hard grey post | | 1 | 7 | | |
| | | | | 8 | 1 | 9 | Strong dark grey | v | • | • | | |
| White argillaceous | | | | | | | shale | | 1 | 9 | | |
| post | 0 | | 10 | | | | Dark grey shale | | 0 | 6 | | |
| Light grey shale | | 0 | 4 | | | | Strong light grey | | | | | |
| COAL | 0 | 0 | 2 | 2 | | 4 | shale | | 5 | 9 | | |
| | _ | | | Z | 4 | 4 | Light grey post, with | | _ | | | |
| Light grey shale | _ | | 2 | | | | shale partings | 2 | 3 | 6 | | |
| White post | | 2 | 8 | | | | Hard white post, | 0 | 0 | 0 | | |
| Dark grey shale, with | | 4 | 10 | | | | with shale partings | ð | 3 | 8 | | |
| post girdles Blue whinstone | | _ | 10 7 | | | | Strong dark grey shale | 3 | 2 | 1 | | |
| Light grey shale, | | 2 | • | | | | Light grey shale, | 0 | _ | • | | |
| with thin girdles | 1 | 4 | 7 | | | | with ironstone | | | | | |
| Soft grey shale | | | 6 | | | | balls | 2 | 2 | 6 | | |
| Strong dark grey | | | | | | | Grey post, with shale | | | | | |
| post, with thin | | | | | | | partings | | 1 | 9 | | |
| shale partings and | | | | | | | Dark grey shale, | | | | | |
| water | 0 | | | | | | with thin post | | _ | | | |
| Soft dark grey shale | | | | | | | girdles | 3 | 2 | 8 | | |
| Hard white post | | 2 | 2 | | | | Hard grey post, with | 0 | | 11 | | |
| Gullet, with loose | | - | , | | | | thin post girdles | 3 | | 11 11 | | |
| stone and water | | 1 | 4 | | | | Black shale | | U | 11 | | |
| Hard grey post, with | 1 | 0 | 6 | | | | Strong grey shale, with post girdles | | 3 | 0 | | |
| Shale | | | | | | | with post gridles | | | | | |
| Carried forward | . 8 | 3 | 1 | 13 | 2 | 0 | Carried forward | 38 | 0 | 9 25 | 2 | 11 |

No. 2,855.—MIDGEHOLME.—CONTINUED.

| Brought forward | | | | Fs. | | | Fs. Ft. In. Fs. Ft. In. |
|---------------------------------------|----------|---|----|------|---|----|------------------------------|
| | 30 | U | ð | 20 | 4 | 11 | Brought forward 12 0 371 3 5 |
| Hard grey post, with | 2 | 0 | 8 | | | | Hard white post, |
| hard girdles Soft light grey shale | | | | | | | with mild partings |
| | | | | | | | and water 6 2 1 |
| | .0 | | | | | | Dark shale, with iron |
| Dark grey whin Dark grey shale | ň | 1 | 3 | | | | girdles 5 2 10 |
| | Ö | Ţ | 7 | | | | Bastard limestone 0 2 9 |
| | U | U | ' | | | | Soft shale partings 0 0 2 |
| Post, with shale part- | 1 | | ۸ | | | | Hard limestone, with |
| | 1 | | | | | | water 3 0 0 |
| COAL, coarse | 0 | U | 4 | 40 | | 0 | White post, with soft |
| Timbé anna abala | | | | 43 | 3 | 6 | F |
| Light grey shale | ņ | 2 | 10 | | | | Strong dark grey |
| Dark grey post Hard grey post | Ų | 3 | 10 | | | | shale 2 4 6 |
| Hard grey, post | Ţ | 2 | 1 | | | | Very hard post 0 2 1 |
| COAL | U | U | 3 | | | | Grey shale 0 0 4 |
| ** 1 | | _ | - | 2 | 3 | 0 | Very hard post 0 1 2 |
| Hard grey post, with | | | | | | | Grey shale, with |
| thin partings and | | | | | | | hard girdles 0 2 10 |
| water | 4 | 1 | 0 | | | | Hard white post 2 3 2 |
| Strong dark grey | | | | | | | Dark grey metal 3 2 6 |
| _shale | 1 | 5 | 6 | | | | Black shale 0 0 4 |
| Hard limestone, with | | | | | | | GOAL 0 0 41/2 200 1 71 |
| 3 inches of shale 10 | | | | | | | 38 1 74 |
| inches from bottom | 0 | 4 | 0 | | | | Strong dark grey |
| White post, with soft | | | | | | | shale 0 1 $8\frac{1}{3}$ |
| shale partings | 0 | 4 | 6 | | | | Strong light lime- |
| Hard light post, with | | | | | | | stone, with shale |
| mild partings and | | | | | | | partings 2 1 4 |
| water | 0 | 4 | 11 | | | | Dark limestone, with |
| Strong dark grey | | | | | | | shale partings 1 1 7 |
| shale | 0 | 1 | 10 | | | | Very hard limestone 1 0 0 |
| Hard grey post, with | | | | | | | Very hard post, with |
| shale partings and | | | | | | | limestone partings 0 3 10 |
| water | 1 | 1 | 0 | | | | 5 2 5½ |
| Strong shale, with | _ | - | · | | | | 0 2 02 |
| post girdles | 2 | 1 | 6 | | | | |
| Carried forward | 12 | _ | -3 | 71 | 3 | 5 | Total115 1 6 |
| Carriou forward | 14 | U | U | 4.1 | o | U | 10041110 1 0 |

No. 2,856.—MORPETH. TOWNSHIP OF MORPETH, NORTHUMBERLAND.

Sheet 64 of Ordnance Map. Lat. 54° 10' 38", Long. 1° 40' 55".

Account of Strata sunk through in the New Well at the County Lunatic Asylum, Morpeth, 1885.

Approximate surface-level

feet above sea (Ordnance datum).

| Surface soil and clay | 2 | 4 | 0 | Fs. | Ft. 4 | | Brought forward 6 0 9 2 Coarse sandstone 5 2 0 | Ft. In. 4 0 |
|--|---|---|---|-----|----------|---|---|----------------|
| Sandstone Blue metal Hard stone Blue metal, with | 0 | 4 | 0 | | | | Fire-clay 0 2 3 Whinstone 0 2 0 | 5 0 |
| water | 0 | 1 | 3 | | | | 0 | 3 0 |
| Carried forward | 6 | 0 | 9 | 2 | 4 | 0 | Total <u>. 15</u> | 0 0 |

No. 2,857.—MORPETH.

TOWNSHIP OF HEPSCOTT, NORTHUMBERLAND.

Sheet 72 of Ordnance Map. Lat. 55° 9' 2", Long. 1° 39' 34".

Account of Strata passed through in the No. 1 Bore-hole on the Barmoor Estate, near Coal Burn Bridge, 1895.

Approximate surface-level 170 feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. In. Brought forward 3 1 10½ 13 0 0 |
|---|
| Light brown post 0 2 3 |
| Very hard white post 0 4 9 |
| White post 1 1 2½ |
| COAL, with 3 inches |
| soft seggar-clay band 0 2 2 |
| band 0 2 2 |
| 6 0 3 |
| |
| Total <u>. 19 0 3</u> |
| |

No. 2,858.—MORPETH.

TOWNSHIP OF HEPSCOTT, NORTHUMBERLAND.

Sheet 72 of Ordnance Map. Lat. 55° 8′ 57", Long. 1° 39′ 48".

Account of Strata passed through in the No. 2 Bore-hole on the Barmoor Estate, near the Burn side.

| DI I | Fs. | Ft. | In. l | Fs. | Ft. | In. | |
|--|-------------|--------|----------------|--------|-----|------|--------------------------------------|
| Blue clay | 12 | 2 | υ. | 10 | 0 | _ | Brought forward 17 2 5½ |
| ~ | _ | | — . | 12 | 2 | 0 | Dark seggar-clay 0 0 10½ |
| Coarse black seggar- | | _ | _ | | | | Dark post, with mica |
| _ clay, with coal dant | 0 | 1 | 2 | | | | specks 0 3 10 |
| Light seggar-clay Close blue grey post Close yellow post Soft yellow post | 0 | 1 | $\frac{2}{7}$ | | | | Hard white post 0 0 6 |
| Close blue grey post | 0 | 3 | 6 | | | | Dark close post 0 1 0 |
| Close yellow post | 0 | 0 | 6 | | | | Hard white post 0 1 11 |
| Soft yellow post | 0 | 0 | 3 | | | | Dark blue post 0 1 10 |
| maiu post | U | | • | | | | Dark blue metal 0 4 1 |
| Hard white post | 0 | 1 | 10 | | | | Iron band $0 0 1\frac{1}{2}$ |
| Close hard white | | | | | | | Crisp black metal 0 0 $5\frac{1}{2}$ |
| post | 0 | 1 | 11 | | | | Light seggar-clay 0 5 7 |
| Soft dun swad | 0 | 0 | 5 | | | | Dark seggar-clay 0 1 9 |
| Lime and ironstone | | | | | | | Dark grey post, |
| band | 0 | 0 | $3\frac{1}{2}$ | | | | with metal part- |
| Grey post, with dun | | | - | | | | ings 1 4 3 9 |
| joints | 0 | 2 | 1 | | | | Dark seggar-clay 0 0 3 |
| | $\tilde{2}$ | $_0^2$ | 2 | | | | Coarse white post 0 4 5 |
| Seggar-clay | | Õ | 6 | | | | Dark blue metal 0 0 4 |
| Ft. In | | • | ~ | | | | COAL, very strong 0 2 4 |
| COAL 0 11 | | | | | | | 9 3 0 |
| Dark seggar- | | | | | | | |
| clay band 0 3 | | | | | | | |
| COAL 1 6 | | | | | | | |
| 1 0 | 0 | 2 | 8 | | | | |
| | _ | | | 5 | n | 51/2 | |
| | - | | | _ | | —— | |
| Carried forward | | | | 17 | - 2 | 51/2 | Total 26 5 6 |
| Cullica for ward | | | | | | 02 | 10001 |

No. 2,859.—MORPETH.

TOWNSHIP OF MORPETH CASTLE, CATCHBURN, STOBHILL AND PARK HOUSE, NORTHUMBERLAND.

Sheet 72 of Ordnance Map. Lat.

, Long.

Account of Strata passed through in a Bore-hole on Catchburn Farm, 60 yards West of the Newcastle Road, 1900.

Approximate surface-level 190 feet above sea (Ordnance datum).

| | Fs. Ft. | In. Fs. | Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|------------------|----------|------------|---------|---|
| Brown clay | 0 2 | | | Brought forward 17 4 7 3 2 5 |
| | | — 0 | 2 0 | White post 6 0 9 |
| Yellow freestone | 2 3 | 6 | | Yellow freestone 9 1 0 |
| Blue shale | 0 1 | 2 | | Blue shale 0 5 0 |
| COAL | 0 1 | 9 | | COAL 0 0 6 |
| | | 3 | 0 5 | 33 5 10 |
| Seggar-clay | 0 5 | 6 | | Seggar-clay 0 2 0 White post 5 3 0 |
| Brown freestone | 11 2 | | | White post 5 3 0 |
| Blue shale | 3 1 | | | 5 5 0 |
| Grey post | 2 1 | 3 | | |
| | | | | |
| Carried forw | ard 17 4 | 7 3 | 2 5 | Total <u>. 43 1 3</u> |
| | | | | |

No. 2,860.—MORPETH.

TOWNSHIP OF MORPETH CASTLE, CATCHBURN, STOBHILL AND PARK HOUSE, NORTHUMBERLAND.

Sheet 72 of Ordnance Map. Lat. 55° 9' 43", Long. 1° 40' 13".

Account of Strata passed through in the No. 1 Bore-hole, Park House, Morpeth, 1903.

Approximate surface-level

feet above sea (Ordnance datum).

| Open cutting Sand Clay Sand | 4 0 | 0 | Brought forward 10 0 6 Clay 1 0 0 Loam 1 0 0 12 0 6 |
|-----------------------------|-----------|---|---|
| Carried for | ward 10 0 | 6 | Total 12 0 6 |

No. 2,861.—MORPETH.

TOWNSHIP OF MORPETH CASTLE, CATCHBURN, STOBHILL AND PARK HOUSE, NORTHUMBERLAND.

Sheet 64 of Ordnance Map. Lat. 55° 9′ 55″, Long. 1° 40′ 7½″.

Account of Strata passed through in the No. 4 Bore-hole, Park House, Morpeth, 1903.

| Clay Sand Loam Clay | | • • • | | 0 3 4 | 2 0 0 | 0 0 0 | Ft. In. | Brought Sand | | | 15 0 | 2 3 | 0 | | |
|------------------------------|--------|--------|------|-------------|-------------|-------------|---------|-----------------|---|------|---------|--------|----|---|---|
| C | Carrie | d forv | ward | 15 | 2 | 0 | | | т | otal | | | 15 | 5 | 0 |

No. 2,862.—MORPETH.

TOWNSHIP OF MORPETH CASTLE, CATCHBURN, STOBHILL AND PARK HOUSE, NORTHUMBERLAND.

Sheet 72 of Ordnance Map. Lat. 55° 9' 51", Long. 1° 40' 8".

Account of Strata passed through in the No. 7 Bore-hole, Park House, Morpeth, 1903.

Approximate surface-level

feet above sea (Ordnance datum).

| Clay Sand Loam | | 0 0 | Ft. In. | Brought forward 7 2 0 Blue clay 1 0 0 | |
|----------------------|----------|--------|---------|---------------------------------------|--|
| Carried for | ward 7 2 | 0 | | Total 8 2 0 | |

No. 2,863.—MORPETH.

TOWNSHIP OF MORPETH CASTLE, CATCHBURN, STOBHILL AND PARK HOUSE, NORTHUMBERLAND.

Sheet 72 of Ordnance Map. Lat. 55° 9′ 44″, Long. 1° 40′ $4\frac{1}{2}$ ″.

Account of Strata passed through in the No. 8 Bore-hole, Park House, Morpeth, 1903.

Approximate surface-level

feet above sea (Ordnance datum).

| Sand Clay Sand | 0 0 6 | Brought forward 11 0 6 Clay 5 0 0 — 16 0 | |
|----------------------|------------|--|---|
| Carried forwa | ard 11 0 6 | Total 16 0 | 6 |

No. 2,864.—MORPETH.

TOWNSHIP OF MORPETH CASTLE, CATCHBURN, STOBHILL AND PARK HOUSE, NORTHUMBERLAND.

Sheet 72 of Ordnance Map. Lat. 55° 9' 51", Long. 1° 39' 47".

Account of Strata passed through in the No. 9 Bore-hole, Park House, Morpeth, 1903.

Approximate surface-level

feet above sea (Ordnance datum).

| Sand Loam Clay | | ••• | 4 2 6 | 0 0 0 | 0 | | | Brought forward Freestone | 0 | | 0 | 0 |
|----------------------|--------|------|-------------|-------------|-----------------|---|---|------------------------------|---|----|---|---|
| Carrie | d forv | vard | | | $\overline{12}$ | 0 | 0 | Total | | 12 | 2 | 6 |

No. 2,865.—MORPETH.

TOWNSHIP OF MORPETH CASTLE, CATCHBURN, STOBHILL AND PARK HOUSE, NORTHUMBERLAND.

Sheet 72 of Ordnance Map. Lat. 55° 9' 50", Long. 1° 39' 44".

Account of Strata passed through in the No. 10 Bore-hole, Park House, Morpeth, 1903.

Approximate surface-level

feet above sea (Ordnance datum).

| Sand Gravel Sand Loam | | 0 0 1 | 3 3 | 0 0 0 | Ft. In. | l B | Brough | t for | | 2 | 0 | 0 | | | |
|--------------------------------|---------|-----------------|-----|-------------|---------|-----|--------|-------|---------------|---|---|-------------|---|---|---|
| | ied for | | | _ | | | | ' | C otal | l | | ·· <u>·</u> | 6 | 3 | 0 |

No. 2,866.—MORPETH.

TOWNSHIP OF MORPETH CASTLE, CATCHBURN, STOBHILL AND PARK HOUSE, NORTHUMBERLAND.

Sheet 72 of Ordnance Map. Lat. 55° 9' 4", Long. 1° 40' 9".

Account of Strata passed through in the No. 1 Bore-hole on the Stobhill Estate, near Morpeth, 1897.

| Soil and clay 0 4 6 Boulder-clay 5 4 7 6 3 1 COAL 0 0 | | | | | | | |
|--|---------------------|-----|---|-----|------|--------|-------------------------|
| Light grey shale 0 0 0 0 0 0 0 0 0 | Cail and also | | | | s. F | t. In. | |
| Freestone, with water 7 4 8 Water 7 4 8 Ft. In. Black stone and coal 0 1½ COAL, hard 0 9½ COAL, bright 1 5 | | | | | | | |
| Freestone, with water 7 4 8 Black stone and coal 0 1½ COAL, hard 0 9½ COAL, bright 1 5 | Boulder-clay | . 5 | 4 | | | | |
| Water 7 4 8 Ft. In. Black stone and coal 0 1½ COAL, hard 0 9½ COAL, bright 1 5 | | _ | | | 6 | 31 | COAL 0 0 2 |
| Nater 10 10 10 10 10 10 10 1 | Freestone. with | l | | | | | 6 0 2 |
| Very strong light grey post 4 2 3 | | | 4 | 8 | | | Light grey shale 1 0 0 |
| Black stone and coal 0 1½ | | | - | • | | | |
| COAL, hard 0 9½ Strong white post 5 0 8 COAL, bright 1 5 I 5 Light grey shale 1 0 8 I 0 8 Light grey shale 3 5 1 Dark grey shale and coal 0 0 3 Light grey shale 3 5 1 Dark grey shale and coal 0 0 3 Light grey shale 0 2 0 Strong white post 5 10 Dark grey shale and coal 0 0 3 Light grey shale and coal 0 0 3 Light grey shale 0 2 0 Strong white post 5 10 Dark grey shale and coal 0 0 3 Coal 0 0 3 Light grey shale 0 0 3 Light grey shale 0 3 6 Very hard light grey post 0 2 9 Light grey shale 2 2 2 Light grey shale 2 2 2 Light grey shale 2 2 2 | | 1. | | | | | |
| COAL, hard 0 9½ COAL, bright 1 5 | | | | | | | grey post 4 2 3 |
| COAL, bright 1 5 | | | | | | | Strong white post 5 0 8 |
| COAL, bright 1 5 | COAL, hard 0 9 | 1 | | | | | Light grey shale, |
| | COAL, bright 1 5 | , | | | | | |
| Light grey shale 1 0 8 8 1 0 Dark grey shale and coal 0 0 3 Light grey shale 3 5 1 Light grey shale 3 5 1 COAL 0 0 2 Coal threads 0 0 6 Light grey shale 0 2 0 Coal threads 0 0 6 Freestone 4 1 10 COAL, coarse at top 0 1 7 COAL, coarse at top 0 1 7 Light grey shale 0 2 9 Light grey shale, with post girdles 3 4 5 Light grey shale 0 2 9 Light grey shale, with post girdles 3 4 5 Light grey shale 2 2 2 2 Light grey shale 2 2 2 2 Light grey shale 2 3 4 Light grey shale and coal 0 0 3 Light grey shale 0 0 3 Light grey shale 0 0 6 Light grey shale 0 2 9 Light grey shale 2 2 2 2 Light grey shale 3 4 5 Lig | | . 0 | 2 | 4 | | | |
| Light grey shale 1 0 8 Light grey post 1 1 3 Dark grey shale 3 5 1 COAL 0 0 2 Light grey shale 0 2 0 Freestone 4 1 10 COAL, coarse at top 0 1 7 Light grey shale, with post girdles 0 0 6 Light grey shale 0 3 6 Very hard light grey post 0 2 9 Light grey shale, 0 2 9 Light grey shale 2 2 2 Light grey shale 2 3 4 5 | | • | _ | | 0 | 1 0 | |
| Light grey post 1 1 3 Light grey shale, with post girdles 1 2 0 Dark grey shale 0 0 2 0 Light grey shale 0 2 0 Ereestone 4 1 10 COAL, coarse at top 0 1 7 Light grey shale, with post girdles 3 4 5 Light grey shale 0 3 6 Very hard light grey post 0 2 9 Light grey shale 2 2 2 Light grey shale 2 3 4 Light grey shale 3 4 5 Light grey shale 3 6 | T 2 . 3 . 4 | | _ | _ | 0 | 1 0 | |
| Dark grey shale, with Coal threads Coal threa | Light grey shale | . 1 | U | 8 | | | 1 |
| Dark grey shale, with Coal threads Coal threa | Light grey post | . 1 | 1 | 3 | | | |
| Dark grey shale, with Coal threads Coal threa | Dark grev shale | . 3 | 5 | 1 | | | with post girdles 1 2 0 |
| Light grey shale 0 2 0 Freestone 4 1 10 COAL, coarse at top 0 1 7 Light grey shale, with post girdles 3 4 5 | COAL | 0 | 0 | 2 | | | |
| Light grey shale 0 2 0 Freestone 4 1 10 COAL, coarse at top 0 1 7 Light grey shale, with post girdles 3 4 5 | | • | | | G. | 1 2 | |
| Freestone 4 1 10 COAL, coarse at top 0 1 7 Light grey shale, with post girdles 3 4 5 4 5 5 | Links man abala | _ | | | 0 | . 4 | |
| COAL, coarse at top 0 1 7 | | | | | | | |
| Light grey shale, 4 5 5 Light grey shale 2 2 2 2 with post girdles 3 4 5 | | | | | | | Very hard light grey |
| Light grey shale, 4 5 5 Light grey shale 2 2 2 2 with post girdles 3 4 5 | COAL, coarse at top | 0 | 1 | 7 | | | post 0 2 9 |
| Light grey shale, ———————————————————————————————————— | • | | | | 4 | 5 5 | Light grev shale 2 2 2 |
| | | | 4 | E | | | |
| Carried forward 3 4 5 25 4 8 Total 55 3 | with post girdles | | 4 | 3 | | | |
| | Carried forward | 3 | 4 | 5 2 | 5 4 | 1 8 | Total 55 3 0 |
| | Current to ward | | - | | | | 1 |

No. 2,867.—MORPETH.

TOWNSHIP OF MORPETH CASTLE, CATCHBURN, STOBHILL AND PARK HOUSE, NORTHUMBERLAND.

Sheet 72 of Ordnance Map. Lat. 55° 8' 57½", Long. 1° 40' 31".

Account of Strata passed through in the No. 2 Bore-hole on the Stobhill Estate, near Morpeth, 1897.

Approximate surface-level 250 feet above sea (Ordnance datum).

| Soil | Fs. : | | In. Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In. Brought forward 23 0 0 |
|---------------------|-------|---|-----------------|--|
| Boulder-clay | . 1 | 2 | 8 | Rough sand and clay, |
| Running sand | | | | with thin partings |
| Boulder-clay | | ð | U | of freestone and |
| Sand, with a little | | | | water 1 2 6 |
| water | | | | 24 2 6 |
| Boulder-clay | . 16 | 4 | 11 | Freestone 0 2 6 |
| v | | | | 0 2 6 |
| Carried forward | 23 | 0 | 0 | Total 24 5 0 |

No. 2,868.—MORPETH.

TOWNSHIP OF MORPETH CASTLE, CATCHBURN, STOBHILL AND PARK HOUSE, NORTHUMBERLAND.

Sheet 72 of Ordnance Map. Lat. 55° 8′ 48″, Long. 1° 40′ 10″.

Account of Strata passed through in the No. 3 Bore-hole on the Stobhill Estate, near Morpeth, 1897.

| FF | |
|---|---|
| Fs. Ft. In. Fs. Ft. In Soil and stones 0 1 6 | Fs. Ft. In. Fs. Ft. In Brought forward 11 1 3 2 8 1 10 |
| Gravel, with water 2 3 0 | Dark grey shale 0 2 41 |
| | COAL STORY SHALE 0 2 45 |
| Sand, with water 2 4 10 | COAL 0 2 3 |
| Boulder-clay 0 2 0 | 11 5 1 |
| 5 5 4 | |
| Light grev shale 1 4 6 | Light grey shale 1 2 10 |
| Light grey shale 1 4 6 Dark grey shale 0 1 3 | Grey post, with shale |
| Ft. In. | partings 1 5 0 |
| COAL, coarse 0 10 | Dark gray chala 3 3 6 |
| Black stone 0 6 | partings 1 5 0 Dark grey shale 3 3 6 Black shale 0 1 9 |
| | COAL 0 1 9 |
| COAL 0 5 | COAL 0 0 2 Dark grey shale 0 2 4 |
| Dark shale | |
| ba nd 0 5 | COAL and dant 0 0 3 |
| COAL 0 7½ | 7 5 8 |
| $$ 0 2 $9\frac{1}{2}$ | Freestone 3 0 6 |
| $^2 2 2 6\frac{1}{2}$ | |
| Seggar-clay $0 2 8\frac{1}{2}$ | COAL 0 0 4 |
| | |
| Grey shale 0 2 6 Light grey post 1 4 0 | |
| Light grey post 1 4 0 | Light grey shale, |
| Light grey shale 0 2 0 Black shale 0 1 5 | with post partings 1 0 3 |
| Black shale 0 1 5 | Dark grey shale 1 5 4 |
| Black stone, with a | Light grey shale, |
| little coal 0 0 6 | with post girdles 1 0 9 |
| Light grey shale 1 3 10 | 4 0 4 |
| Freestone, with | |
| | |
| shale partings 6 2 4 | |
| | |
| Carried forward 11 1 $3\frac{1}{2}$ 8 1 $10\frac{1}{2}$ | Total 35 3 0 |
| _ | |

No. 2,869.—MUGGLESWICK.

TOWNSHIP OF MUGGLESWICK, DURHAM.

Sheet 17 of Ordnance Map. Lat. 54° 49′ 8″, Long. 2° 0′ 15″.

Account of Strata sunk through at Feldon.

Approximate surface-level 1,100 feet above sea (Ordnance datum).

| | | | | | | | _ | |
|------------|------------|------|-----|----|-----|-----|-----|------------------------------|
| | | | Ft. | | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
| Low grit | | . 5 | | 0 | | | | Brought forward 27 5 0 8 4 0 |
| Pebbles | | . 2 | 5 | 0 | | | | COAL and hard coat |
| Plate | | . ,, | ,, | ,, | | | | sill 1 4 0 |
| Fell Top | | | 3 | Ő | | | | 29 3 0 |
| COAL | | . 0 | 1 | ŏ | | | | 0 1 1 |
| J | | | • | ٠ | 8 | 4 | 0 | Plate and $coal$ 1 4 0 |
| D1-4- | | | _ | | 0 | 4 | U | |
| Plate | | . 1 | 0 | 0 | | | | 3 0 0 |
| Hard stron | | | 2 | 0 | | | | Low Coal Sill and |
| Plate | | . 1 | 5 | 0 | | | | sandstone 2 3 0 |
| Pattinson' | s Sill | . 2 | 4 | 6 | | | | Plate 1 0 0 |
| Plate | | . 4 | 1 | 6 | | | | Hazle 0 3 0 |
| Hazle | | . 0 | 3 | 0 | | | | Plate 1 0 0 |
| Plate | | | 0 | ŏ | | | | Great Limestone 9 2 0 |
| Hazle | | | 3 | - | | | | |
| | | - | | 0 | | | | |
| Plate | | | 2 | 0 | | | | Grey beds 0 2 6 |
| Little Lim | | 1 | | | | | | Hazle 1 1 3 |
| black be | ds | . 1 | 3 | 0 | | | | Plate 1 1 6 |
| Hazle | | . 0 | 4 | 0 | | | | Hewitson's Limestone 0 4 0 |
| Plate | | 3 | 1 | 0 | | | | 18 3 3 |
| | | | | | | | | 10 0 0 |
| Commi | ed forward | 97 | 5 | 0 | 8 | 4 | 0 | Total 59 4 3 |
| Carrie | d forward | 21 | 3 | U | 0 | 4 | U | 10tal 59 4 5 |
| | | | | | | | | |

No. 2,870.—NETHERTON.

TOWNSHIP OF NETHERTON, NORTHUMBERLAND.

Sheet 37 of Ordnance Map. Lat. 55° 22' 15", Long. 1° 59' 50".

Account of Strata passed through in a Bore-hole at Netherton Pike, 1861.

Approximate surface-level 640 feet above sea (Ordnance datum).

| | Fs. | Ft. | In. | Fs. | Ft. | In. | |
|-----------------------|-----|-----|-----|-----|-----|-----|------------------------------|
| Clay and gravel | 1 | 0 | 6 | | | | Brought forward 5 4 0 1 0 6 |
| - | _ | | | 1 | 0 | 6 | Hard freestone bands, |
| Grey freestone | 0 | 5 | 0 | | | | with metal part- |
| Light blue metal | 0 | 4 | 0 | | | | ings 1 0 0 |
| Light coloured free- | | | | | | | Freestone 0 2 0 |
| stone | 0 | 3 | 6 | | | | Hard bands, with |
| White metal | | | | | | | metal partings 0 2 0 |
| Hard bastard free- | | | | | | | Light blue metal 1 3 0 |
| stone | 0 | 5 | 0 | | | | Hard freestone bands |
| Ironstone bands, with | | | | | | | with metal part- |
| metal partings | 0 | 4 | 6 | | | | ings 1 2 9 |
| White metal | 0 | 2 | 6 | | | | Hard flinty stone 0 2 0 |
| White beddy free- | | | | | | | Hard bands, with |
| stone | 0 | 4 | 0 | | | | light blue metal |
| Hard bastard stone | | | | | | | partings 1 3 0 |
| _ | | | | _ | | | |
| Carried forward | 5 | 4 | 0 | 1 | 0 | 6 | Carried forward 12 0 9 1 0 6 |

No. 2,870.—NETHERTON.—CONTINUED.

| Fs. | Ft | . In. | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
|--|----------|-------|-----|-----|-----|---|
| Brought forward 12 | | | | | | |
| Freestone 0 | 2 | 6 | | | | Light coloured metal 1 2 0 |
| White metal 0 | 4 | 0 | | | | Light coloured metal 1 2 0 Hard white stone 1 0 0 |
| Hard bastard free- | | | | | | Hard bastard sand- |
| stone 0 | 1 | 10 | | | | stone 1 5 8 |
| Green metal 0 | 4 | 0 | | | | Light metal 0 3 6 Hard stone 0 2 6 Grey metal 0 3 0 |
| Bands, with soft | | | | | | Hard stone 0 2 6 |
| partings 0 | 3 | 0 | | | | Grev metal 0 3 0 |
| partings 0 Light coloured metal 0 | 3 | 0 | | | | Hard bastard sand- |
| Freestone bands. | | | | | | stone 0 2 0 |
| with thin partings 0 | 2 | 0 | | | | Hard light blue irony |
| with thin partings 0 Light blue metal 0 | 4 | 0 | | | | limy beds 0 2 0 |
| Beddy freestone, | | | | | | Grey metal 1 5 0 |
| with partings every | | | | | | Hard bands of irony |
| 10 or 12 inches 3 | 1 | 0 | | | | limestone, 3 to 6 |
| Bastard ironstone, | | | | | | inches thick 0 2 0 |
| with metal part | | | | | | Grey metal 0 0 10 |
| ings 1 | 0 | 0 | | | | 29 0 7 |
| | | | | | _ | |
| Carried forward 20 | 2 | 1 | 1 | 0 | 6 | Total 30 1 1 |
| | | | | | | |

No. 2,871.—NEWCASTLE-UPON-TYNE.

TOWNSHIP OF BENWELL, NORTHUMBERLAND.

Sheet 97 of Ordnance Map. Lat.

, Long.

Account of Strata passed through in a Bore-hole in Mr. Douglas' Garden,
North-west of the West Gate, Newcastle-upon-Tyne, for
Mr. Jno. Hodgson, by Messrs. Wake, 1775.

| | | | . Ft. | In. | Daniel francis | | | | | |
|---|---|--|--|---|---|--|--|-------------------------|----------------------------------|--------------------------------------|
| | υ. | . 0 | | | | | | | T | TO |
| | | | | | | 2 | 3 | 0 | | |
| | | | | | | | | | | |
| 0 | 4 | | | | water | 0 | | 0 | | |
| 0 | 0 | 4 | | | Blue stone | 1 | 5 | 0 | | |
| 0 | 3 | 0 | | | Whin | 0 | 2 | 2 | | |
| | | | | | Blue stone | 2 | 0 | 0 | | |
| 0 | 2 | 2 | | | White post: water | | | | | |
| | | | 2 | 6 | | 1 | 0 | 0 | | |
| 0 | 3 | 0 | | | | | | 0 | | |
| 2 | | - | | | | | 0 | 0 | | |
| ñ | | | | | | | Õ | ŏ | | |
| | | | | | | | 3 | ŏ | | |
| ñ | | | | | | | 4 | | | |
| | | | | | | • | | v | | |
| U | - | | 5 | 1. | | ٥ | 2 | 2 | | |
| _ | 1 | _ | J | -30 | | | | | 1 | 5 |
| | | | | | Black stone | _ | ^ | | | J |
| 6 | 0 | | | | | | | - | | |
| | | | | | | 4 | U | U | | |
| | | | | | white post: water | 1 | 0 | ^ | | |
| Ţ | U | U | | | | | ð | Ü | | |
| _ | _ | _ | | | | | 3 | | | |
| 1 | 0 | 0 | | | Whin | U | 2 | б | | |
| 7 | 3 | 0 13 | 1 | 10 | Carried forward | 5 | 3 | 1 34 | 3 | 3 |
| | 6 0 0 0 0 0 0 2 0 1 0 0 0 0 0 0 0 0 0 0 1 0 0 1 1 1 1 | 6 0 0 5 0 4 0 0 0 0 3 2 0 3 2 0 0 3 1 1 0 3 0 1 2 3 2 3 0 2 1 0 | 6 0 0 0 5 0 0 4 0 0 0 4 0 0 0 3 0 0 2 2 0 3 0 2 0 0 3 0 1 1 0 0 3 0 1 1 0 2 3 0 0 1 4 0 1 0 1 0 0 1 0 0 | 6 0 0 0 5 0 0 4 0 0 0 4 0 3 0 0 2 2 0 3 0 2 0 0 0 3 0 1 1 0 0 3 0 1 1 0 2 3 0 0 1 4 0 1 0 2 3 0 1 0 0 0 1 | 0 5 0 0 4 0 0 0 4 0 3 0 0 2 2 0 3 0 2 0 0 0 3 0 1 1 0 0 1 4 0 1 0 2 3 0 0 2 3 0 0 2 0 1 0 0 | Brought forward Grey girdles White post, with water Slue stone Slue stone | Brought forward 7 Grey girdles 2 White post, with water 0 Blue stone 1 Whin 0 Blue stone 1 White post water gone 1 Grey post 0 Blue stone 1 Grey post 0 Blue stone 1 Grey post 0 Black stone 1 Grey stone 1 Grey stone 1 Black stone 0 Grey stone 1 Yard Seam COAL 0 Blue grey stone 2 White post water went away 1 White post 1 | Brought forward 7 3 | Brought forward 7 3 0 13 | Brought forward 7 3 0 13 1 |

No. 2,871.—NEWCASTLE-UPON-TYNE.—CONTINUED.

| Fs. | Ft. | In. Fs. | Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|-----------------------|--------|---------|---------|--|
| Brought forward 5 | 3 | 1 34 | 3 3 | |
| White post: water | | | 1 | Low Main Seam - |
| went away 1 | 0 | 0 | | Ft. In. |
| White post 3 | 3 | 0 | | COAL 3 5 |
| Whin 0 | 3 2 | 0 | | Grey metal 0 4 |
| White post 3 | 0 | 5 | | COAL 1 3 |
| White post: water | | | | COAL, foul 0 8 |
| went away 2 | 0 | 0 | | 0 5 8 |
| Whin 0 | 2 | 6 | | 6 1 11 |
| White post 2 | 0 | 0 | | Grey thill 0 3 0 |
| White post, with coal | | | | Grey stone 4 0 0 |
| pipes 2 | 0 | 0 | | Black stone 1 0 0 |
| Ft. In. | | | | Grey post 3 3 0 |
| COAL 1 7 | | | | Whin 0 3 0 |
| Metal 0 3 | | | | White post, with |
| COAL 1 3 | | | | water 0 3 0 |
| 0 | 3 | 1 | | Whin 0 2 0 |
| | U | | 2 1 | |
| | | 20 | 2 1 | Grey stone 5 0 0 Whin 0 1 0 |
| Black slate 0 | 1 | 8 | | Grey stone 0 3 0 |
| Grey stone 1 | 0 | 0 | | Whin 0 2 0 |
| White post 0 | 2 | 0 | | Grey stone 0 4 0 |
| Grey stone 0 | 1 | 0 | | Whin 0 2 6 |
| Grey post 0 | 5 | 0 | | Grey stone 0 2 0 |
| White post 0 | 2 | 0 | | Whin 0 2 6 |
| Whin 0 | 2 | 0 | | Whin 0 2 6 Grey stone 0 2 0 Whin 0 2 6 Grey stone 0 2 0 |
| White post 0 | 5 | 0 | | Whin 0 0 6 |
| Open parting: water | | | | Blue metal 0 2 3 |
| went away 0 | 0 | 4 | | Whin 0 1 0 |
| Whin 0 | 3 | 0 | | Black metal 0 3 0 |
| White post 0 | 3 | 0 | | Grey stone 2 5 4 |
| Grey metal 0 | 1 | 3 | | 22 3 1 |
| | - | | | |
| Carried forward 5 | 2 | 3 54 | 5 4 | Total 83 4 4 |
| | | | | |

No. 2,872.—NEWCASTLE-UPON-TYNE.

TOWNSHIP OF NEWCASTLE-UPON-TYNE (JESMOND WARD), NORTHUMBERLAND.

Sheet 97 of Ordnance Map. Lat.

, Long.

Account of Strata passed through in a Bore-hole at Messrs. Emerson's Brewery, Sandyford Lane, Newcastle-upon-Tyne, October, 1877.

| | | Ft. | | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
|----------------------|---|-----|---|-----|-----|-----|-------------------------|
| Made ground | 0 | 2 | 0 | | | | Brought forward 8 1 6 |
| Brown stony clay | | | | | | | COAL 0 1 6 |
| Blue clay | 0 | 4 | 9 | | | | —— 0 1 6 |
| Sand, with water | 0 | 2 | 0 | | | | Soft seggar-clay 0 1 0 |
| Strong blue clay | 2 | 4 | 0 | | | | Grey metal 0 2 6 |
| Sand, with water | | | | | | | ——— 0 3 6 |
| Blue clay and stones | 2 | 4 | 7 | | | | |
| • | | | | 8 | 1 | 6 | |
| | | | | | | _ | |
| Carried forward | | | | 8 | 1 | 6 | Total 9 0 6 |

No. 2,873.—NEWCASTLE-UPON-TYNE.

TOWNSHIP OF NEWCASTLE-UPON-TYNE (ALL SAINTS WARD), NORTHUMBERLAND.

Sheet 97 of Ordnance Map. Lat. , Long.

Account of Strata passed through in a Bore-hole on Captain Stephenson's Estate, at the Foot of the Lane leading from the Quarry House to Gallowgate, and near the Spring Garden, Newcastle-upon-Tyne.

| Sunk to the scaffold | | | In. | Fs. | Ft. | In. | Brought forward 3 3 7 33 | | In. 9 |
|---|----------|--------|-----|-----|----------|-----|--------------------------|---|----------|
| | | | _ | | | | Strong white post 3 0 0 | 4 | 0 |
| | | U | U | | | | Whin 0 2 6 | | |
| Grey post, with | | E | 0 | | | | | | |
| water | v | ə 4 | 0 | | | | Open partings 0 0 4 | | |
| Grey metal | U | 4 | 0 | | | | Strong white post 3 0 0 | | |
| Metal Coal Seam— | | | | | | | Whin 0 2 0 | | |
| Ft. In. | | | | | | | Strong white post, | | |
| COAL 0 4 | | | | | | | mixed with whin 7 2 11 | | |
| Grey metal 3 0 | | | | | | | Grey stone 1 0 0 | | |
| COAL 1 10 | | | | | | | Bensham Seam— | | |
| | 0 | 5 | 2 | | | | Ft. In. | | |
| | | | | 8 | 2 | 2 | COAL 1 7 | | |
| Grey thill | 0 | 3 | 0 | | | | Metal 0 3 | | |
| Grey metal | 2 | 0 | 0 | | | | COAL, foul 1 3 | | |
| Grey post | 0 | 3 | 0 | | | | Slate, mixed | | |
| Grey metal | 1 | 1 | 0 | | | | with coal 0 8 | | |
| Black stone | 0 | 3 | 0 | | | | 0 3 9 | | |
| Stone Coal Seam— | | | | | | | 19 | 3 | 1 |
| COAL, with water | 0 | 1 | 5 | | | | Grey stone 1 0 0 | | |
| | | | | 4 | 5 | 5 | White post 0 2 0 | | |
| Black stone | 0 | 1 | 0 | | - | | Grey stone 0 1 0 | | |
| Grey stone | - | ō | Õ | | | | White and grey post, | | |
| Grey post, with | - | • | • | | | | with water 1 1 0 | | |
| water | 0 | 3 | 0 | | | | Strong whin 0 2 0 | | |
| Grey stone | 1 | 0 | ő | | | | Strong white post 0 5 0 | | |
| Grey metal | 2 | 3 | ő | | | | Whin 0 3 4 | | |
| Black metal, mixed | 2 | U | U | | | | Strong white post 0 3 0 | | |
| * | 0 | 2 | 0 | | | | Grev metal 0 1 3 | | |
| | 1 | õ | 0 | | | | | | |
| Grey post | 1 | U | U | | | | COAL, good 3 5 | | |
| Brown and grey post, | 1 | ^ | ^ | | | | Motel 0 4 | | |
| with water | 1 | 0 | 0 | | | | Metal 0 4 | | |
| Grey stone, with | 0 | | _ | | | | COAL, good 1 3 | | |
| post girdles | 2 | 3 | 0 | | | | COAL, foul 0 8 | | |
| White post, with | _ | _ | _ | | | | 0 5 8 | ^ | 0 |
| water | _ | 5 | 0 | | | | | 0 | 3 |
| Blue stone | | 5 | 0 | | | | Strong grey post 4 3 0 | | |
| Whin | _ | 2 | 2 | | | | Black stone 1 0 0 | | |
| Blue stone | _ | 0 | 0 | | | | Grey post, with whin | | |
| White post | _ | 3 | 0 | | | | girdles 4 4 0 | | |
| Black stone | | | 0 | | | | Strong whin 0 2 0 | | |
| Grey stone | | 0 | 0 | | | | Grey stone, with | | |
| Black stone | 0 | 3 | 0 | | | | whin girdles 6 4 0 | | |
| Grey stone | 1 | 4 | 2 | | | | Strong whin 0 2 0 | | |
| Yard Coal Seam- | | | | | | - 1 | Grey post 0 2 0 | | |
| COAL | 0 | 2 | 10 | | | | Strong whin 0 2 6 | | |
| | | | — : | 20 | 1 | 2 | Grey stone 0 2 0 | | |
| Black stone, mixed | | | | | | | Blue metal 0 2 3 | | |
| with coal | 0 | 0 | 7 | | | | Whin 0 1 6 | | |
| Grey stone | | 0 | 0 | | | | Black stone 0 3 0 | | |
| Blue stone | ī | Õ | Õ | | | | Grey stone 3 2 4 | | |
| Brown and white | _ | - | - | | | | 0.200 | 0 | 7 |
| | 1 | 3 | 0 | | | | | | |
| • | _ | | | | | _ | | | _ |
| Carried forward | 3 | 3 | 7 : | 33 | 2 | 9 | Total 82 | 0 | 8 |
| | | | | _ | _ | | - | | = |
| | | | | | | | | | |

No. 2,874.—NEWFIELD.

TOWNSHIP OF NEWFIELD, DURHAM.

Sheet 34 of Ordnance Map. Lat. 54° 41′ 33″, Long. 1° 41′ 24″.

Account of Strata passed through in the No. 3 Bore-hole on Newfield Royalty, situated close to the side of the River Wear and opposite the Furness Mill, 1838.

Approximate surface-level 200 feet above sea (Ordnance datum).

| | | 13. | T34 | T | 11. | 774 | T., | |
|---------------------------------------|------------------------|-----|-----|----|----------|-----|-----|---|
| Soil | | 0 | 3 | | rs. | Pt. | In. | Brought forward Fs. Ft. In. Fs. Ft. In. Brought forward 15 3 11 |
| 0 1 | | 0 | 4 | 0 | | | | |
| C | ••• | 1 | 0 | - | | | | Strong grey thill 0 1 2½ |
| | ••• | 1 | | 0 | | | | Grey metal stone 0 1 2 |
| Strong blue clay | • • • | 0 | 3 | 0 | _ | | _ | Grey metal 0 5 6 |
| | | _ | | | 2 | 4 | 0 | |
| Brown post | • • • | 1 | 5 | 9 | | | | Whin girdle 0 1 4½ |
| Blue metal | | 0 | 4 | 11 | | | | White post, with |
| COAL | | 0 | 0 | 2 | | | | water 1 3 8 |
| | | | | | 2 | 4 | 10 | |
| Grey metal stone | | 1 | 5 | 5 | | | | White post 1 3 5 |
| COAL, very bad | | | Õ | 8 | | | | Grey metal 2 2 6 |
| • • • • • • • • • • • • • • • • • • • | ••• | _ | | | 2 | 0 | 1 | Black metal 0 3 11 |
| Thill | | Λ | 2 | 7 | _ | ٠ | • | 0041 |
| Grey metal stone | • • • • | 4 | | 10 | | | | |
| | ••• | | | 6 | | | | |
| Whin girdle | • • • | 0 | 0 | 7 | | | | Soft grey thill 0 2 8 |
| White post | • • • | - | 4 | | | | | COAL 0 0 6 |
| Blue metal | • • • | | 0 | 9 | | | | 0 3 2 |
| Grey metal stone | • • • | | 1 | 2 | | | | Strong black thill 0 0 3 |
| Dark blue metal | | 0 | 1 | 5 | | | | Soft dark post 0 0 5 |
| COAL, strong a | $\mathbf{n}\mathbf{d}$ | | | | | | | White post 0 0 1 |
| good | | 0 | 4 | 2 | | | | 009 |
| · · | | | | | 8 | 1 | 0 | |
| | | | | | _ | | _ | |
| Carried forwa | ırd | | | | 15 | 3 | 11 | Total 26 5 3 |
| Juliou for wo | | | | | - 0 | • | | 2002111 |

No. 2,875.—NEWFIELD.

TOWNSHIP OF NEWFIELD, DURHAM.

Sheet 34 of Ordnance Map. Lat. , Long.

Account of Strata passed through in a Bore-hole on the West side of the Boundary of the Newfield Cray Estate, and near the Freestone Quarry by the side of the River Wear.

| Ruffy post Fs. Ft. In. Fs. : | Ft. In. | Brought forward | | | In. Fs. 4 5 | |
|------------------------------|---------|-----------------|-----|---|----------------|------|
| Dark metal stone 2 3 9 | | Brown post | . 3 | 4 | 4 | |
| Five-Quarter or Busty | | White post | . 3 | 3 | 0 | |
| Seam- | | COAL | | | | |
| Ft. In. | | | _ | | 8 | 0 10 |
| COAL 0 8 | | Thill | . 0 | 1 | 6 | |
| Band 0 1 | | White post | . 0 | 4 | 0 | |
| COAL 2 3 | | Dark metal | | | | |
| 0 3 0 | | | | 0 | | |
| | 3 9 | | | | 1 | 5 6 |
| Thill 0 4 4 | | Thill | . 0 | 1 | 0 | |
| | | | _ | | | |
| Carried forward 0 4 4 5 | 3 9 | Carried forward | lο | 1 | 0 15 | 4 1 |

No. 2,875.—NEWFIELD.—CONTINUED.

| Brought forward | | | In. 1 0 1 | | | | |
|----------------------------|---|----------|--------------|---|---|---|-------------------------|
| Grey metal stone, | • | _ | • | | - | - | Brockwell Seam— |
| with strong post | | | | | | | COAL 0 4 0 |
| girdles | 6 | 2 | 0 | | | | 9 2 1 |
| Whin girdles White post | 0 | 2 | 0 | | | | Strong dark thill 0 2 0 |
| White post | 0 | 4 | 0 | | | | 0 2 0 |
| Blue metal | 1 | 1 | 1 | | | | |
| Carried forward | 8 | 4 | 1 1 | 5 | 4 | 1 | Total 25 2 2 |
| | | | | | | | |

No. 2,876.—NEWSHAM.

TOWNSHIP OF NEWSHAM AND SOUTH BLYTH, NORTHUMBERLAND.

Sheet 73 of Ordnance Map. Lat. 55° 6′ 50″, Long. 1° 29′ 46″.

Account of Strata passed through in the No. 1 Bore-hole on the Foreshore at Newsham.

Approximate surface-level 3 feet below sea (Ordnance datum).

| Sand Clay | Fs. 0 9 | Ft. 3 1 | In. 9 7 | Fs. | Ft. | In. | Brought forward 0 5 7 9 5 4 Post, into 0 0 3 | |
|-----------------|---------------|---------------|---------------|-----|-----|-----|--|---|
| Blue metal | 0 | 5 | 7 | 9 | Ð | 4 | 0 5 10 | • |
| Carried forward | 0 | 5 | 7 | 9 | 5 | 4 | Total 10 5 2 | } |

No. 2,877.—NEWSHAM.

TOWNSHIP OF NEWSHAM AND SOUTH BLYTH, NORTHUMBERLAND.

Sheet 7° of Ordnance Map. Lat. 55° 6′ 37″, Long. 1° 29′ 47″.

Account of Strata passed through in the No. 2 Bore-hole on the Foreshore at Newsham.

Approximate surface-level 3 feet below sea (Ordnance datum).

| | Fs. Ft. In. 1 0 0 8 4 3 | | | | Brought forward Strong post, into | Ft. | | Fs, 9 | | |
|-----------------|-------------------------------|---|---|---|-----------------------------------|-----|-------------|----------|---|---|
| Carried forward | | 9 | 4 | 3 | Total | | ·· <u>·</u> | 9 | 5 | 3 |

No. 2,878.—NEWSHAM.

TOWNSHIP OF NEWSHAM AND SOUTH BLYTH, NORTHUMBERLAND.

Sheet 73 of Ordnance Map. Lat. 55° 6' 30", Long. 1° 29' 48".

Account of Strata passed through in the No. 3 Bore-hole on the Foreshore at Newsham.

| Sand Clay | Fs. Ft. In 0 4 0 8 0 0 | 1 | | | Brought forward Fs. Ft. In. Fs. Ft. In. 8 4 0 Blue metal, into 0 1 0 0 1 0 |) |
|--------------|------------------------|---|---|---|--|---|
| Carried | forward | 8 | 4 | 0 | Total 8 5 0 |) |

No. 2,879.—NEWSHAM.

TOWNSHIP OF NEWSHAM AND SOUTH BLYTH, NORTHUMBERLAND.

Sheet 81 of Ordnance Map. Lat. 55° 6' 18", Long. 1° 29' 43".

Account of Strata passed through in the No. 4 Bore-hole on the Foreshore at Newsham.

Approximate surface-level 5 feet below sea (Ordnance datum).

| Sand Clay | ••• | | Fs. 0 6 | 4 | 6 | | Ft. | | Brought forward 7 0 6 Blue metal, into 0 1 6 0 1 6 |
|--------------|---------|----|---------------|---|---|---|-----|---|--|
| Carried | l forwa | rd | | | | 7 | 0 | 6 | Total 7 2 0 |

No. 2,880.—NEWTON-ON-THE-MOOR.

TOWNSHIP OF NEWTON-ON-THE-MOOR, NORTHUMBERLAND.

Sheet 38 of Ordnance Map. Lat. , Long.

Account of Strata passed through in a Bore-hole at Newton-on-the-Moor.

Approximate surface-level feet above sea (Ordnance datum).

| Blue clay | Fs. Ft. In. Fs. Ft. In 6 0 0 | Fs. Ft. In. Fs. Ft. In. Brought forward 31 2 0 6 0 0 |
|------------------|------------------------------|--|
| | 6 0 0 | N 4. |
| Red post | 2 0 0 | Blue metal 7 0 0 |
| Blue metal | 15 0 0 | Red stone 0 3 0 |
| Blue limestone | 2 0 0 | Grey metal 2 2 0 |
| Soft seggar-clay | 0 2 0 | Blue metal 2 5 0 |
| Grey metal | | COAL 0 2 6 |
| Blue limestone | 4 0 0 | 44 5 0 |
| Carried forw | vard 31 2 0 6 0 0 | Total 50 5 0 |

No. 2,881.—NORTON.

TOWNSHIP OF NORTON, DURHAM.

Sheet 50 of Ordnance Map. Lat. 54° 35' 57", Long. 1° 19' 54".

Account of Strata passed through in the No. 1 Diamond Bore-hole on the White House Estate, near Norton, by Mr. John Vivian, 1889.

| Fs. Ft. In. Fs. Ft. In | Fs. Ft. In. Fs.Ft. In. |
|------------------------|----------------------------|
| Brown sandy clay 1 2 0 | Brought forward 8 4 0 |
| Blue clay 1 1 0 | Stiff brown clay, with |
| Red clay 1 4 0 | stones 0 2 0 |
| Stiff brown clay 3 3 0 | Stiff brown clay 2 2 0 |
| Muddy sand 0 2 0 | Sand 0 1 0 |
| Brown sandy clay 0 2 0 | Sandy clay 0 1 0 |
| Grey pinnel, with | Strong brown pinnel* 1 1 0 |
| stones* 0 2 0 | Strong brown clay 0 1 0 |
| | |
| Carried forward 8 4 0 | Carried forward 13 0 0 |
| | |

No. 2,881.—NORTON.—CONTINUED.

| 110. 2 | ,00 | J. . | -111 | | TOTY,CONTINCED | • | | | | |
|--|-------|-------------|----------|-------|--|-----|-----|-------------|-----|----|
| Fs. | . Ft. | In. F | s. Ft | . In. | 7 | Fs. | Ft. | In. Fs. | Ft. | In |
| Brought forward 13 | 0 | 0 | | | Brought forward | 13 | 3 | 11 73 | 5 | 11 |
| Strong pinnel, with | | • | | | Blue shale and gyp- | | | | | |
| cobbles* 1 Brown pinnel* | 0 | 0 | | | sum Anhydrite | . 0 | 3 | 0 | | |
| Drown pinner o | 1 | 0 | | | Annyarite | U | 4 | 0 | | |
| Sand 0 | 0 | 6 | | | Red and blue shale, | | | | | |
| Dark gravelly pinnel* 0 | 2 | 0 | | | with veins of gyp- | • | , | | | |
| Grey pinnel, with | ถ | 0 | | | sum Anhydrite | U | 5 | 0 | | |
| cobbles* 0 Brown pinnel* 0 | 2 | 0 | | | Dad and blue abole | U | 1 | 0 | | |
| Brown pinnel* 0 Sandstone 0 | | 10 | | | Red and blue shale | U | 2 | 7 | | |
| Sandstone 0 | 0 | 4 | | | Anhydrite, lime- | | | | | |
| Dark brown pinnel* 2 | 1 | 4 | | | stone and red shale, mixed Anhydrite, with | | 0 | | | |
| Dark red pinnel, with | 1 | c | | | shale, mixed | 0 | 2 | 9 | | |
| sandstone cobbles* 0 | 1 | 6 | | | Anhydrite, with | 0 | 0 | - | | |
| Grey pinnel* 1 Dark red pinnel* 0 | 1 | 0 | | | brown shale joints | | 3 | 5 | | |
| Dark red pinner 0 | 0 | 6 | . 1 | | Anhydrite Anhydrite, with | 1 | 4 | 0 | | |
| 70.1.0 | | 19 |) 1 | 0 | blook shale joints | 0 | 0 | ب | | |
| Red Sandstones and | | | | | black shale joints | 0 | 2 | 5 | | |
| Marls: | _ | | | | Limestone Anhydrite, with | 2 | 1 | 11 | | |
| Red sandstone 3 | 1 | 0 | | | voing of current | 1 | 1 | 0 | | |
| Red sandy marl 1 | 3 | 0 | | | veins of gypsum | 1 | 1 | 0 | | |
| Red marl 0 | 1 | 7 | | | Anhydrite | 2 | 2 | 3 | | |
| neu sanustone 1 | o | 4 | | | Anhydrite, contain- | 9 | 9 | 10 | | |
| Red sandy marl 0 | | 0 | | | ing gypsum Blue marl | 2 | | 10 | | |
| Red sandstone 0 | 4 | 2 | | | Anhadnita | 1 | 2 | 0 | | |
| Red marl 3 | 4 | 0 | | | Anhydrite, with | 0 | 1 | C | | |
| Red sandstone 1 Red marl 3 Red marl, with blue | 1 | 8 | | | gypsum | 0 | 1 | 6 | | |
| Red marl 3 | 3 | 7 | | | Red marl, with veins | 1 | 1 | 7 | | |
| | | _ | | | of gypsum Anhydrite, with gypsum | 1 | 1 | ' | | |
| joints 2 | 1 | 8 | | | Annyurite, with | 0 | 2 | 0 | | |
| Red marl 6 | 5 | 0 | | | Pod morl with own | 0 | 4 | U | | |
| | | <u> </u> | 5 1 | 0 | Red marl, with gyp- | 1 | = | 8 | | |
| $Lower\ Gypseous$ | | | | | Red and blue marl, | 1 | .5 | 0 | | |
| Marls: | | | | | with ownsum | 1 | 9 | 6 | | |
| Red marl, with veins | | | | | with gypsum | 1 | 2 | O | | |
| of gypsum 1 | 2 | 3 | | | Anhydrite, contain- | 0 | 2 | 2 | | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 4 | 0 | | | ing spar | 0 | 4 | 4 | | |
| Red marl, with veins | | | | | Limestone, contain- | 1 | ค | 10 | | |
| of gypsum 2 | 0 | 5 | | | ing spar | | 4 | 10 3 | | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 4 | 2 | | | Red and blue marl | | 3 | 4 | | |
| Red marl, with veins | | | | | Red sandy gritstone Red and blue marl | | | 3 | | |
| of gypsum 12 | 5 | 2 | | | Limestone, broken | | | 10 | | |
| | | — 21 | 4 | 0 | | | | | | |
| $Saliferous\ Beds:$ | | | | | Grey gritstone Grey sandstone | 0 | 1 | 0 | | |
| Anhydrite 1 | 4 | 0 | | | Limestone, broken | 1 | | | | |
| Red marl, with veins | - | • | | | | | | 0 | | |
| of gypsum 2 | 5 | 2 | | | Limestone | 1 | U | — 52 | 4 | ç |
| Anhydrite 2 | 5 | 9 | | | Cambonifonous | | | — 32 | 4 | č |
| ypsum 0 | 3 | ő | | | Carboniferous Magazines | | | | | |
| - JP | | _ 7 | 5 | 11 | Measures: | Δ | ĸ | 2 | | |
| Magnasian Timestana | | • | U | | Dark blue shale | 0 | 5 | 4 | | |
| Magnesian Limestone | | | | | Light grey sand- stone | 1 | 9 | 2 | | |
| and Lower Red | | | | | Dark gands shale | 1 | 2 | | | |
| Sandstone: | | | | | Dark sandy shale | 1 | 0 | 0 | | |
| imestone, with veins | 1 | 0 | | | Light grey sand- | 1 | 1 | 2 | | |
| of gypsum 2 | 1 | 8 | | ļ | stone | | Ţ | 3 | | |
| imestone 9 | 1 | 4 | | Ì | Dark sandy shale | 1 | 3 | 9 | | |
| Blue shale, with | ۳ | 11 | | | Dark shale | | 4. | 5 | | |
| veins of gypsum 1 | 5 | 11 | | 1 | White sandstone | 0 | 4 | 0 | | |
| Dark limestone and | 4 | • | | - 1 | Light grey sand- | 1 | 1 | 0 | | |
| gypsum 0 | 1 | 0 | | | stone | 1 | 1 | 2 | | |
| Carried forward 13 | 3 | <u></u> | <u> </u> | 11 | Carried forward 1 | ın | 3 | 11 126 | 1 | 8 |
| Carriou for ward 10 | 0 | TT (0 | · | TT [| Carriou for waru | | υ. | | -35 | O |

No. 2,881.—NORTON.—CONTINUED.

| Fs. Ft. In. Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|---------------------------------|--------------------------------|
| Brought forward 10 3 11 126 4 8 | Brought forward 33 5 8 126 4 8 |
| Coarse light grey | Dark grey sand- |
| sandstone 0 3 11 | stone and black |
| Dark shale 0 2 0 | shale, mixed 2 1 0 |
| Black shale, with | Coarse light grey |
| bands and balls of | sandstone 3 0 0 |
| ironstone 3 5 7 | Dark grey sandy |
| Black shale, with | shale 0 2 8 |
| balls of ironstone 1 2 3 | Black shale, with |
| Black shale 1 4 8 | iron nodules 0 3 4 |
| Black shale, with | Dark grey sandy |
| veins of gypsum 0 4 0 | shale 0 1 3 |
| Dark grey limestone 0 3 7 | Black shale, with |
| Black shale 2 1 6 | iron nodules 0 5 3 |
| Grey limestone 0 5 11 | Dark grey sandy |
| Dark limestone 0 5 11 | shale 0 3 0 |
| Dark limestone, very | Black shale, with |
| jointy 1 0 8 | dark limestone balls 2 4 0 |
| Dark limestone 0 3 0 | Grey limestone 1 4 4 |
| Dark grey sandy | Black shale 0 1 1 |
| shale 1 4 0 | Blue shale 0 5 8 |
| Black shale 2 4 9 | Grey sandy shale 1 1 6 |
| Grey sandstone 0 3 0 | Dark grey sandy |
| Black shale 1 1 6 | shale, with veins |
| Grev sandstone 0 3 0 | of spar 3 0 0 |
| Black shale 1 2 0 | Dark grey saudy |
| Dark grey sand- | shale 1 3 0 |
| stone, with black | Black shale 0 1 1 |
| joints 0 0 6 | 53 0 10 |
| | . 20 0 10 |
| Carried forward 33 5 8 126 4 8 | Total179 5 6 |
| | |

* Pinnel is coarse clayey gravel.

No. 2,882.—NORTON.

TOWNSHIP OF NORTON, DURHAM.

Sheet 50 of Ordnance Map. Lat. 54° 36′ 3″, Long. 1° 20′ 5″.

Account of Strata passed through in the No. 2 Diamond Bore-hole on the White House Estate, near Norton.

| | Fs. | Ft | In. | Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|------------------|------|----|----------|-------------|------------------------------|
| Soil | 0 | 1 | 0 | | Brought forward 16 1 10 |
| Red sandy clay | 0 | 4 | 0 | | Brown pinnel* 0 5 10 |
| Blue clay | 2 | 3 | 2 | | Grey sandstone 0 0 3 |
| Sand | . 0 | 1 | 4 | | Brown pinnel* 1 4 11 |
| Sand and gravel | 0 | 1 | 6 | | Grey loamy sand 0 2 0 |
| Sand | . 0 | 5 | 1 | | Dark brown pinnel* 0 2 11 |
| Red clay | 2 | 3 | 5 | | Dark brown pinnel |
| Dark brown sandy | , | | | | and cobbles* 2 2 9 |
| clay | | 0 | 3 | | 22 2 6 |
| Soft brown clay | | | | | Red Sandstones and |
| mixed with sand | | 4 | 0 | | Marls: |
| Brown pinnel* | . 2 | 4 | 1 | | Red sandstone 4 0 8 |
| Red loamy sand | | | | | Red marl 0 1 0 |
| | | | | | |
| Carried forward | l 16 | 1 | 10 | | Carried forward 4 1 8 22 2 6 |

No. 2,882.—NORTON.—CONTINUED.

| | Fe | Tirt. | In. | Fe | IFt. | ln. | Fs. Ft. In. Fs. Ft. | Too |
|---------------------------|----|-------|-----|----|------|-----|-------------------------------------|-----|
| Brought forward | | | | | 2 | | Brought forward 13 3 8 48 3 | |
| Red sandstone | | | | | | | Red marl, with blue | |
| Red marl | | | | | | | joints 1 5 0 | |
| Red sandstone | 1 | 3 | 2 | | | | Red marl, with blue | |
| Red marl Red sandstone | 1 | 1 | 0 | | | | spots 2 5 1 | |
| Red sandstone | 0 | 3 | 6 | | | | spots 2 5 1 Red sandy marl 1 4 7 | |
| Red sandy marl | 6 | 4 | 0 | | | | Red marl, with veins | |
| Red sandstone | 0 | 5 | 6 | | | | of gypsum 1 0 0 | |
| | 1 | | | | | | 21 0 | 4 |
| Red marly sandstone | | | | | | | Saliferous Beds: | |
| marry summerous | | | | 26 | 1 | 0 | Anhydrite 1 0 3 | |
| Lower Gypseous | | | | | _ | - | Red marl, with blue | |
| Marls: | | | | | | | spots and gypsum 0 3 0 | |
| Red marl, with gyp- | | | | | | | Red marl, with gyp- | |
| sum and blue joints | | 1 | 7 | | | | sum (compact) 2 4 8 | |
| Red marl, with blue | | _ | • | | | | Anhydrite 3 2 6 | |
| joints and gypsum | | 0 | 0 | | | | 7 4 | |
| Red marl, with veins | | • | · | | | | Magnesian Limestone | |
| of gypsum | | 1 | 8 | | | | and Lower Red | |
| Red marl, with blue | | _ | • | | | | Sandstone: | |
| joints and gypsum | | 5 | 0 | | | | Limestone 9 1 9 | |
| Red marl, with veins | | • | · | | | | 9 1 | |
| of gypsum | | 1 | 5 | | | | | |
| 01 6J P5II | _ | | _ | | | | | |
| Carried forward | 13 | 3 | 8 | 48 | 3 | 6 | Total 86 4 | |
| | | - | _ | | ., | _ | | |

* Pinnel is coarse clayey gravel.

No. 2,883.—NORTON. TOWNSHIP OF NORTON, DURHAM.

Sheet 50 of Ordnance Map. Lat. , Long.

Account of Strata passed through in a Bore-hole at Norton Brewery, by Mr. William Coulson, 1876.

| | | Ft. | In. | Fs. | Ft. | In. | | | | | | Ft. | |
|--------------------------|---|-----|-----|-----|-----|-----|----------------------|-------|----|-------|-----|-----|----|
| Black sand, damp | 0 | 4 | 10 | | | - 1 | Brought forward | | | | 15 | 5 | 2 |
| Light coloured sand, | | | | | | - | Hard red sandstone, | | | | | | |
| with water | 0 | 2 | 0 | | | | with water | 4 | 1 | 0 | | | |
| with water Loamy clay | 5 | 2 | 6 | | | | Red sandstone, with | | | | | | |
| Dark brown clay, | | | | | | | metal partings and | | | | | | |
| with thin partings | | 0 | 6 | | | | water | 2 | 3 | 6 | | | |
| Dark coloured sand, | | | | | | | Soft red metal | 1 | 0 | 0 | | | |
| with water | | 4 | 0 | | | | Hard red sandstone, | | | _ | | | |
| Brown stony clay | | | | | | | with water | | 5 | 6 | | | |
| Loamy sand, with | | | | | | | Soft red metal, with | - | | | | | |
| water | | 3 | 0 | | | | strong sandstone | | | | | | |
| Dark brown stony | - | _ | | | | | partings | 1 | 4. | 6 | | | |
| clay | 2 | 0 | 0 | | | | Hard red sandstone, | | _ | · | | | |
| Yellow freestone, | | Ŭ | · | | | | with water | | 5 | 4 | | | |
| with water | | 2 | 6 | | | | | | | | 17 | 1 | 10 |
| Rough gravel and | | _ | · | | | | | | | | | _ | |
| sand, with water | | 1 | 6 | | | | | | | | | | |
| sala, with water | | | | 15 | 5 | 2 | | | | | | | |
| | | | | 10 | | | | | | | | | |
| Carried forward | | | | 15 | 5 | 2 | Total | | | | 33 | 1 | 0 |
| Carred for ward | | | | 10 | 9 | 4 | Total | • • • | | • • • | -00 | | |

No. 2,884.—OSMONDCROFT.

TOWNSHIP OF WINSTON, DURHAM.

Sheet 53 of Ordnance Map. Lat. 54° 32' 35", Long. 1° 48' 2".

Account of Strata sunk through at Osmondcroft, 1875.

Approximate surface-level 490 feet above sea (Ordnance datum).

| | | | | _ | _ | | |
|---|----|-----|-----|-----|-----|-----|------------------------------|
| | | Ft. | In. | Fs. | Ft. | In. | |
| Earth, with limestone | | | | | | | Brought forward 16 2 1 3 0 0 |
| boulders | 3 | 0 | 0 | | | | Grey metal 2 4 11 |
| | _ | | | | 0 | 0 | |
| Grey metal | 1 | | | | ŭ | Ŭ | 19 4 9 |
| Soft freestone, with | | _ | | | | | Soft laminated black |
| metal partings | | 0 | 9 | | | | shale 0 0 9 |
| Grev metal | 10 | 4 | 0 | | | | Very hard gannister 0 1 3 |
| Iron girdle Grey metal Iron girdle Grey metal | Ō | 0 | 2 | | | | Soft gannister 0 1 31 |
| Grey metal | 0 | 1 | 2 | | | | Hardish gannister 0 3 21 |
| Iron girdle | 0 | 0 | 2 | | | | Grey post 0 2 6 |
| Grey metal | 0 | 0 | 5 | | | | 1 3 0 |
| Iron girdle | 0 | 0 | 2 | | | | |
| | _ | | | _ | | _ | |
| Carried forward | 16 | 2 | 1 | 3 | 0 | 0 | Total 24 1 9 |
| | | | | | | | |

No. 2,885.—OUSEBURN.

TOWNSHIP OF NEWCASTLE-UPON-TYNE (ALL SAINTS WARD), NORTHUMBERLAND.

Sheet 97 of Ordnance Map. Lat. , Long.

Account of Strata passed through in the No. 1 Bore-hole at the Ouseburn, near the Glass House Bridge, by Mr. William Coulson, 1875.

Approximate surface-level feet above sea (Ordnance datum).

| Ashes Sand Gravel, with water | 0 1 0 | 2 3 | 6 6 | | Ft. | In. | Fs. Ft. In. Fs. Ft. In Brought forward 0 0 6 3 2 9 Soft blue clay, with pieces of wood 4 0 9 |
|-------------------------------|-------------|-----|-----|---|-----|-----|--|
| Dark sandy clay | | | | 3 | 9 | 0 | Broken freestone 0 4 6 |
| Freestone | | | | _ | Z | 9 | 4 5 9 |
| Carried forward | 0 | 0 | 6 | 3 | 2 | 9 | Total 8 2 6 |

No. 2,886.—OUSTON.

TOWNSHIP OF OUSTON, DURHAM.

Sheet 13 of Ordnance Map. Lat. 54° 53' 14", Long. 1° 35' 9".

Account of Strata sunk through in the Ouston E Pit, near Birtley, July 19th, 1888.

| Fa. Ft. Ir | n. Fs. Ft. In. | Fg. Ft. In. Fg. Ft. In. | | | |
|-----------------------|----------------|---------------------------|--|--|--|
| Brown soil 0 1 | 3 | Brought forward 11 0 3 | | | |
| Yellow clay 0 3 | 0 | Strong clay, with | | | |
| Blue clay, with sandy | | small gravel 1 0 0 | | | |
| beds 1 2 | 0 | Extra strong clay, | | | |
| Clean blue clay 6 0 | | with large boulders 4 1 0 | | | |
| Loamy clay 3 0 | | Fine sand 1 4 6 | | | |
| | | | | | |
| Carried forward 11 0 | 3 | Carried forward 17 5 9 | | | |

No. 2,886.—OUSTON.—Continued.

| | _ | | _ | | | , | |
|--|----|----------|----|-----|-----|-----|--------------------------------------|
| | | Ft. | | Fa. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
| Brought forward | 17 | 5 | 9 | | |] | Brought forward 3 3 353 3 9 |
| Strong blue clay | 0 | 1 | 3 | | | l | Blue metal 0 4 6 |
| Sandy rough gravel | 1 | 4 | 0 | | _ | . | COAL, shaly 0 0 9 |
| | | | | 19 | 5 | 0 | 4 Z b |
| Soft shaly blue metal | 1 | 3 | 0 | | | | Seggar-clay 0 1 0 |
| White post | 3 | 2 | 6 | | | | Post girdle 0 0 3 |
| COAL | 0 | 1 | 6 | | | | Strong blue metal 0 5 0 |
| · | | | | 5 | 1 | 0 | COAL 0 0 9 |
| Seggar-clay | 0 | 3 | 0 | | | | 1 1 0 |
| Blue metal, with post | | | | | | | Seggar-clay 0 4 0 |
| girdles | 4 | 0 | 0 | | | 1 | Post girdle 0 3 0 |
| Strong white post | 0 | 5 | 6 | | | | Blue metal, with iron |
| Grey metal, with post | | | | | | | balls 0 5 0 |
| girdles | 1 | 0 | 6 | | | | Grey metal 2 2 0 |
| Strong white post | 3 | 5 | 0 | | | | COAL 0 0 2 |
| Blue metal | 0 | 5 | 0 | | | | 4 2 2 |
| Strong post girdle | | 1 | 0 | | | | Strong posty seggar- |
| Blue metal | 0 | 4 | 6 | | | | clay 0 4 0 |
| Hutton Seam- | | | | | | | Grey metal, with iron |
| Ft. In. | | | | | | | balls 1 3 0 |
| COAL 4 6 | | | | | | | White post 1 4 0 |
| COAL, coarse 0 6 | | | | | | | COAL 0 0 10 |
| | 0 | 5 | 0 | | | | 3 5 10 |
| | | | | 12 | 5 | 6 | Dark shaly seggar- |
| Black shale | 0 | 0 | 6 | | | | clay 0 1 0 |
| Socran olaw | 0 | 2 | 6 | | | | Grey post 0 3 0 |
| Post girdle | Õ | 1 | ō | | | | Grey metal, with thin |
| Strong white post | 1 | 3 | 9 | | | | posty bands 0 3 0 |
| Blue metal | _ | 2 | 0 | | | | COAL 0 1 8 |
| COAL | Õ | ō | 1 | | | | 1 2 8 |
| | _ | | | 2 | 3 | 10 | |
| Seggar-clay | 0 | 2 | 8 | | | | Grey metal, with thin |
| Seggar-clay Blue metal, with iron | • | _ | _ | | | | post bands 0 4 0 |
| girdles | 1 | 0 | 0 | | | | post bands |
| Strong grey metal, | - | • | · | | | | Grey metal, with iron |
| with post girdles | 3 | 0 | 0 | | | | girdles 1 3 0 |
| COAL, coarse | Õ | | 6 | | | | Seggar-clay and post, |
| •••••••••••••••••••••••••••••••••••••• | _ | | | 4 | 3 | 2 | mixed 1 1 6 |
| Grey metal | 0 | 5 | 8 | | | | Grey metal 0 3 6 |
| Hard whin girdle | | | 4 | | | | Grey post 0 4 6 |
| Blue metal | | | 2 | | | | Strong grey metal. |
| COAL | | | 10 | | | | Strong grey metal, with thin post |
| | _ | | | 1 | 5 | 0 | girdles 1 2 8 |
| Seggar-clay, very | | | | | _ | | Blue metal 0 4 2 |
| posty | | 2 | 9 | | | | Busty Seam— |
| Strong post girdle | Õ | | 3 | | | | Ft. In. |
| Grey metal | Ő | ō | 3 | | | | COAL 2 7 |
| White post | ő | 4 | ő | | | | Band 0 134 |
| Dark grey post | 0 | 3 | 9 | | | | COAL 0 23 |
| Close brown whin | | | 9 | | | | COAL 0 23 Band 0 11 |
| White flaggy post | | _ | 9 | | | | COAL 1 7½ |
| Grey metal | | | ō | | | | 0 5 6 |
| Blue metal | 1 | | 7 | | | | 10 0 1 |
| COAL | | Ö | - | | | | Posty seggar-clay 0 2 8 |
| 30AL | _ | | | 6 | 4 | 3 | |
| Seggar-clay | 0 | 2 | 3 | | | , | White post 2 3 4 Grey metal 0 0 2 |
| Strong grey metal | | | J | | | | Very strong white |
| Strong grey metal, with post girdles | 1 | 0 | 0 | | | | 1 7 4 |
| | | | | | | | post 1 5 4 5 6 |
| White post Whin girdle | | | | | | | · |
| gridio | | | | _ | | | |
| Carried forward | 3 | 3 | 3 | 53 | 3 | 9 | Total 83 5 6 |
| Sazzioa 101 Wara | , | | , | - | | ٠ | |
| | | | | | | | |

No. 2,887.—OUSTON. TOWNSHIP OF OUSTON, DURHAM.

Sheet 13 of Ordnance Map. Lat. 54° 53' 14", Long. 1° 35' 2".

Account of Strata sunk through below the Busty Seam in the Upcast Shaft of the Ouston E Pit, situated 130 yards East of the Downcast Shaft, 1896.

Approximate surface-level 105 feet above sea (Ordnance datum).

| Coarse seggar-clay | Fs. | Ft. 2 | In. 2 | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. Brought forward 2 4 3 7 5 0 |
|----------------------------------|-----|-------|-------|-----|-----|-----|---|
| White post | 5 | 3 | 0 | | | | Grey metal 0 2 3 |
| Grey post Blue metal | 1 | 1 | 7 | | | | Blue metal 0 4 0 |
| Blue metal | 0 | 3 | 6 | | | | Supposed Brockwell |
| Supposed Three- Quarter Seam— | | | | | | | Seam- |
| Quarter Seam— | | | | | | | COAL 0 1 6 |
| COAL | 0 | 0 | 9 | | | | 4 0 0 |
| | | | | 7 | 5 | 0 | Seggar-clay 0 2 9 |
| Coarse seggar-clay Grey post | 0 | 2 | 6 | | | | 0 2 9 |
| Grey post | 2 | 1 | 9 | | | | |
| | _ | | —. | | | | |
| Carried forward | 2 | 4 | 3 | 7 | 5 | 0 | Total 12 1 9 |

Note: This is within 10 yards of the 10 fathoms Rise North Trouble.

No. 2,888.—OVINGHAM.

TOWNSHIP OF OVINGHAM, NORTHUMBERLAND.

Sheet 96 of Ordnance Map. Lat. 54° 58′ 9″, Long. 1° 51′ 53″.

Account of Strata passed through in a Bore-hole for the Horsley Coal Company, on the West side of Garden House, at Ovingham, 1877.

Approximate surface-level 70 feet above sea (Ordnance datum).

| | | Fs | Ft | . In. | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
|------------------|-----|----|----|--------|-----|-----|-----|------------------------------|
| Soil and gravel | | | 4 | | | | | Brought forward 1 4 11 8 4 1 |
| Strong blue clay | | 5 | 1 | 0 | | | | Post girdle 0 0 10 |
| | | | | | 5 | 5 | 0 | White post 0 0 10 |
| Grey freestone | | 0 | 0 | 8 | | | | Grey metal 0 1 2 |
| Whin girdle | | 0 | 0 | 5 | | | | Blue metal 0 0 2 |
| Grey post | | 0 | 0 | 9 | | | | Grey post 0 3 0 |
| Soft freestone | | 0 | 5 | 9 5 | | | | Blue metal 1 4 4 |
| Grey metal | | | 1 | | | | | Ft. In. |
| Grey post | | 0 | 2 | 0 | | | | COAL 1 10 |
| Soft freestone | | 0 | 1 | 3 | | | | Seggar-clay 0 6 |
| Post girdle | | 0 | 0 | 10 | | | | Grey post 1 6 |
| Grey metal | | 0 | 1 | 0 | | | | COAL 1 2 |
| Blue metal | | 0 | 0 | 9 | | | | 0 5 0 |
| Post girdle | | 0 | 0 | 2 | | | | 5 2 3 |
| Blue metal | | 0 | 1 | 7 | | | | Black metal 0 1 0 |
| COAL | | 0 | 1 | 0 | | | | Dark grey metal 0 1 11 |
| | | | | | 2 | 5 | 1 | Post girdle 0 0 7 |
| Seggar-clay | | 1 | 4 | 11 | | | | Grey metal 0 1 8 |
| Carried forw | ard | 1 | 4 | 11 | 8 | 4 | 1 | Carried forward 0 5 2 14 0 4 |
| Cullica for w | ulu | - | - | | 0 | - | - | , |

No. 2,888.—OVINGHAM.—Continued.

| Brought forward Post girdle Grey metal Blue metal Blue metal COAL Seggar-clay Grey metal Post girdle Grey metal Post girdle Grey metal Grey metal Post girdle Grey metal | | Ft. In. 5 2 2 11 0 9 7 0 0 0 1 2 1 2 5 2 11 0 4 0 8 0 4 1 8 1 8 0 4 0 8 0 1 1 8 | 114 | 3 | In. 4 7 | Brought forward 6 1 120 4 9 COAL 0 0 6 |
|---|--|---|---------------------------------|---|------------|---|
| Post Blue metal Post girdle Grey metal Blue metal Iron girdle Blue metal Post girdle Post girdle Strong grey post Blue metal Carried forward | 0 0 0 1 0 0 0 0 0 0 | | 1 3 5 5 2 9 8 | 4 | 9 | Black band, mixed with coal 1 3 COAL, splint 1 5 |

No. 2,889.—OVINGHAM.

TOWNSHIP OF OVINGHAM, NORTHUMBERLAND.

Sheet 96 of Ordnance Map. Lat. 54° 58' 18", Long. 1° 51' 26".

Account of Strata passed through in a Bore-hole on the North side of the River Tyne, for the Horsley Coal Company, by Messrs. William Coulson and Son. Commenced August 19th, 1878.

Approximate surface-level 55 feet above sea (Ordnance datum).

| Rough freestone | Brought forward 2 1 0 Sand and gravel, with water 1 0 0 Strong dark grey clay and freestone 1 5 6 |
|-----------------------|---|
| Carried forward 2 1 0 | Carried forward 5 0 6 |

No. 2,889.—OVINGHAM.—CONTINUED.

| Brought forward 5 0 6 6 Freestone boulders 0 2 2 1 5 1 5 6 | | | | | | | | | | | | | |
|---|-----------------------|---|-----|-----|-----|-----|-----|-----------------------|--------|--------|----------------|---|-----------------------------|
| Black shale 0 0 0 0 0 0 0 0 | Brought forward | | | | Fs. | Ft. | In. | Brought forward | Fs. | Ft. | | | |
| Hard strong brown Clay 2 5 0 | | | | | | | | | o | Ω | | 1 | $\mathcal{J}_{\widehat{2}}$ |
| Clay | | | _ | _ | | | | | | | | | |
| Strong grey shale, with water 1 2 2 3 3 5 5 5 5 5 5 5 5 | | | 5 | 0 | | | | | | | | | |
| Seggar-clay 1 | 0143 | _ | • | • | 0 | | 0 | | · | · | -Tr | | |
| Strong grey shale 0 | | _ | | | 0 | 1 | 0 | | n | Λ | 4.1 | | |
| Strong grey shale | Grey shale, with post | | | | | | | | | | | | |
| Seggar-clay 0 0 8 | | | 2 | | | | | Strong grey nost | ñ | | | | |
| Seggar-clay | | _ | | | | | | Hard white nest | ٠ | T | U | | |
| Seggar-clay 0 | COAL | 0 | 0 | 8 | | | | | 1 | 5 | 10 | • | |
| Seggar-clay 0 | | | | | 1 | 4 | 1 | | | J | 10 | | |
| Strong grey shale 0 5 3 | Sargar-alay | Δ | 4 | Q | | | | | | | | | |
| Hard white post 0 4 1 1 8 1 8 1 8 1 8 1 8 8 | | | | _ | | | | 31 | 9 | Λ | 11 | | |
| Post girdles | | | J | ., | | | | | | | | | |
| Soft black shale 0 0 3 | | | ^ | 2 | | | | | | | | | |
| COAL 0 9 Splint band 0 1 COAL 0 9 Grey shale thill 0 1 2 Grey shale thill 0 1 2 Strong grey shale, with water 0 3 1 White post, with much water, which rose 18 feet 0 1 0 1 3 8 Black shale, with scares of coal 0 2 2 2 3 5 5 5 6 2 6 | | | U | 9 | | | | Soft blook shale | | | | | |
| Splint band 0 1 | | | | | | | | | | | | | |
| Strong grey shale Strong grey post, with water 1 3 8 | T T | | | | | | | COAL | U | U | _ | 0 | e 1 |
| Strong grey shale, with water 0 3 11 | | | | | | | | Strong light ager | | | — о | Z | 0_{2} |
| Strong grey shale, with water 0 3 11 11 12 13 8 | | | - 1 | 7 | | | | | ^ | 9 | 4 | | |
| Strong grey shale, with water 0 3 11 White post, with much water, which rose 18 fect 0 1 0 Ft. In. | | U | 1 | - 1 | 0 | - | 0 | snate | U | 3 | 4 | | |
| Strong grey shale, with water | Cuan abala Abill | _ | 7 | | 3 | Э | 9 | | | | | | |
| White post, with much water, which rose 18 feet 0 1 0 retained by the scares of coal 0 2 retained by the slate partings 0 7 retained by the slate partings 0 7 retained by the shale, with scares of coal 0 9 retained by the shale, with scares of coal 0 9 retained by the shale, with scares of coal 0 9 retained by the shale, with soft partings and water 2 3 0 retained by the shale, with soft partings and water 2 3 0 retained by the shale, with soft partings and water 2 3 0 retained by the soft partings and water 2 1 0 retained by the soft parting sand water 2 1 0 retained by the soft parting sand water 2 2 2 retained by the | | | 1 | Z | | | | | | | 0 | | |
| White post, with much water, which rose 18 feet 0 1 0 Ft. In. Black shale, with scares of coal 0 2 COAL, with slate partings 0 7 Dark brown shale, with much coal 0 9 Dark grey shale, with ironstone girdles 2 2 2 2 COAL, coarse, with much dant and splint 0 0 9 Light grey thill 0 1 10 Strong grey post, with soft partings and water 2 3 0 Strong dark grey shale with water 1 1 2 Very soft grey shale 0 0 5 11 Gullet, with large feeder of water 0 0 3 Very hard white post 0 0 3 Very soft grey shale, with a 4 inches gullet 0 2 0 Strong grey shale, with water 2 1 0 Dark grey shale 0 0 9 Light grey thill 0 1 10 Strong grey post, with water 2 1 0 Dark grey shale 0 3 4 Black shale 0 1 11 Strong grey shale, with water 2 1 0 Dark grey shale 0 3 7 Grey post 1 3 0 Hard grey post, with gullets and pyrites, and much water 0 5 4 The dark grey shale 0 5 5 11 The dark grey shale 0 5 5 11 The dark grey shale 0 5 5 11 The dark grey shale 0 5 11 The dark grey shale 0 5 5 11 The dark grey shale 0 5 11 The dark grey shale 0 5 5 11 The dark grey shale 0 | | | | 11 | | | | | 1 | ı, | 8 | | |
| much water, which rose 18 feet | | U | .3 | 11 | | | | | | | | | |
| Strong grey post, with soft partings and water 2 3 0 | | | | | | | | | | | | | |
| Strong grey shale, with ironstone girdles | | - | _ | | | | | | 3 | 2 | 2 | | |
| Black shale, with scares of coal 0 2 COAL, with slate partings 0 7 Dark brown shale, with much coal 0 9 | | - | 1 | 0 | | | | | | | | | |
| Strong dark grey shale Strong grey shale | | | | | | | | with soft partings | | | _ | | |
| Shale, with water 1 1 2 | | | | | | | | | 2 | 3 | 0 | | |
| COAL, with slate partings 0 7 Dark brown shale, with much coal 0 9 0 1 6 Strong grey shale 0 5 11 0 0 4 Dark grey shale, with ironstone girdles 2 2 2 1 1 7 Very hard white post 0 0 3 Very hard white post 2 1 10 COAL, coarse, with much dant and splint 0 0 9 Strong grey shale, with a 4 inches gullet 0 2 0 Strong grey shale, with a 4 inches gullet 0 2 0 Strong grey shale, with a 4 inches gullet 0 2 0 Strong grey shale, with a 4 inches gullet 0 2 0 Strong grey shale, with a 4 inches gullet 0 2 0 Strong grey shale, with a 4 inches gullet 0 3 4 Black shale 0 3 4 Black shale 0 3 7 To a 4 Black shale 0 1 11 Strong grey shale, with post girdles 0 3 7 Grey post 1 3 0 Hard grey post, with gullets and pyrites, and much water 0 5 4 Hard grey post, with gullets and pyrites, and much water 0 5 4 19 5 0 | | | | | | | | | | _ | | | |
| Salate partings 0 7 Dark brown shale, with much coal 0 9 | | | | | | | | | 1 | 1 | 2 | | |
| Dark shale, with shale, with much coal 0 9 0 1 6 Hard white post 0 5 11 0 5 11 Dark grey shale, with ironstone girdles 2 2 2 1 1 7 7 Very hard white post 0 0 3 2 1 10 COAL, coarse, with much dant and splint 0 0 9 0 0 9 Strong grey shale, with a 4 inches gullet 0 2 0 Strong grey shale, with water 2 1 0 Dark grey shale 0 3 4 Black shale 0 3 4 Black shale 0 3 11 Strong grey shale, with water 0 3 7 Grey post 1 3 0 Hard grey post, with gullets and pyrites, and much water 0 5 4 The dark grey shale 0 5 4 1 3 0 The dark grey post, with gullets and pyrites, and much water 0 5 4 1 9 5 0 | | | | | | | | Very soft grey shale | | | | | |
| Hard white post 0 5 11 | | | | | | | | | _ | | | | |
| Much coal 0 9 | Dark brown | | | | | | | Strong grey shale | 0 | | | | |
| The late of the | shale, with | | | | | | | Hard white post | 0 | 5 | 11 | | |
| Dark grey shale, with ironstone girdles 2 2 2 2 COAL, coarse, with much dant and splint 0 0 9 Light grey thill 0 1 10 Strong grey post, with thin partings 1 0 3 Hard white post, with water 3 0 1 Dark grey shale 0 0 4 COAL, coarse, with much dant near bottom 0 0 11½ 7 0 4½ To Alight grey shale 0 5 4 COAL, coarse, with much dant near bottom 0 0 11½ 7 0 4½ To Alight grey shale 0 5 4 COAL, coarse, with much dant near bottom 0 0 11½ 7 0 4½ To Alight grey shale 0 5 4 To Alight grey shale, with a 4 inches gullet 0 2 0 Strong grey shale, with water 2 1 0 Dark grey shale 0 3 4 Black shale 0 1 11 Strong grey shale, with post girdles 0 3 7 Grey post 1 3 0 Hard grey post, with gullets and pyrites, and much water 0 5 4 To Alight grey shale, with a 4 inches gullet 0 2 0 Strong grey shale, with water 2 1 0 Dark grey shale 0 3 4 Black shale 0 3 7 Grey post 1 3 0 Hard grey post, with gullets and pyrites, and much water 0 5 4 | much coal 0 9 | | | | | | | | | | | | |
| Dark grey shale, with ironstone girdles 2 2 2 2 0 | | 0 | 1 | 6 | | | | feeder of water | | | | | |
| with ironstone girdles 2 2 2 GOAL, coarse, with much dant and splint 0 0 9 Light grey thill 0 1 10 Strong grey post, with thin partings 1 0 3 Hard white post, with water 3 0 1 Dark grey shale 0 1 11 Strong grey shale, with post girdles 0 3 7 Grey post 1 3 0 Hard grey shale 0 3 7 Grey post 1 3 0 Hard grey post, with gullets and pyrites, and much water 0 5 4 TOAL, coarse, with much dant near bottom 0 0 11½ 7 0 4½ | | - | | | 1 | 1 | 7 | Very hard white post | 2 | 1 | 10 | | |
| with ironstone girdles 2 2 2 GOAL, coarse, with much dant and splint 0 0 9 Light grey thill 0 1 10 Strong grey post, with thin partings 1 0 3 Hard white post, with water 3 0 1 Dark grey shale 0 1 11 Strong grey shale, with post girdles 0 3 7 Grey post 1 3 0 Hard grey shale 0 3 7 Grey post 1 3 0 Hard grey post, with gullets and pyrites, and much water 0 5 4 TOAL, coarse, with much dant near bottom 0 0 11½ 7 0 4½ | Dark grey shale, | | | | | | | Very soft grey shale, | | | | | |
| COAL, coarse, with much dant and splint 0 0 9 9 Light grey thill 0 1 10 Strong grey post, with thin partings 1 0 3 Hard white post, with water 3 0 1 Dark grey shale 0 3 7 Grey post 1 3 0 Hard grey shale 0 3 7 Grey post 1 3 0 Hard grey post, with gullets and pyrites, and much water 0 5 4 COAL, coarse, with much dant near bottom 0 0 11½ 7 0 4½ | with ironstone gir- | | | | | | | with a 4 inches | | | | | |
| COAL, coarse, with much dant and splint 0 0 9 Strong grey shale, with water 2 1 0 Light grey thill 0 1 10 Dark grey shale 0 3 4 Strong grey post, with thin partings 1 0 3 Black shale 0 1 11 Hard white post, with water 3 0 1 Strong grey shale, with post girdles 0 3 7 Dark grey shale 0 0 4 Grey post 1 3 0 Hard grey shale 0 0 4 Hard grey post, with gullets and pyrites, and much water 0 5 4 COAL, coarse, with much dant near bottom 0 0 11½ 7 0 4½ | dles | 2 | 2 | 2 | | | | gullet | 0 | 2 | 0 | | |
| Dark grey shale 0 0 9 | COAL, coarse, with | | | | | | | | | | | | |
| Dark grey shale 0 0 9 | much dant and | | | | | | | with water | 2 | 1 | 0 | | |
| Light grey thill 0 1 10 Strong grey post, with thin partings 1 0 3 Hard white post, with water 3 0 1 Dark grey shale 0 0 4 COAL, coarse, with much dant near bottom 0 0 11½ 7 0 4½ Black shale 0 1 11 Strong grey shale, with post girdles 0 3 7 Grey post 1 3 0 Hard grey post, with gullets and pyrites, and much water 0 5 4 | conline. | 0 | 0 | 9 | | | | Dark grey shale | 0 | 3 | 4 | | |
| Strong grey post, with thin partings 1 0 3 Hard white post, with water 3 0 1 Dark grey shale 0 0 4 COAL, coarse, with much dant near bottom 0 0 11½ | Light grey thill | 0 | 1 | 10 | | | | | 0 | 1 | 1 1 | | |
| with thin partings 1 0 3 Hard white post, with water 3 0 1 Dark grey shale 0 0 4 COAL, coarse, with much dant near bottom 0 0 11½ 7 0 4½ The post girdles 0 3 7 Grey post 1 3 0 Hard grey post, with gullets and pyrites, and much water 0 5 4 19 5 0 | | | | | | | | | | | | | |
| Hard white post, with water 3 0 1 Dark grey shale 0 0 4 COAL, coarse, with much dant near bottom 0 0 11½ | with thin partings | 1 | 0 | 3 | | | | | 0 | 3 | 7 | | |
| with water 3 0 1 Dark grey shale 0 0 4 COAL, coarse, with much dant near bottom 0 0 11½ 7 0 4½ The dark grey post, with gullets and pyrites, and much water 0 5 4 | Hard white post. | | | | | | | Grey post | 1 | 3 | 0 | | |
| Dark grey shale 0 0 4 COAL, coarse, with much dant near bottom 0 0 11½ | - 11 1 | 3 | 0 | 1 | | | | Hard grey post, with | | | | | |
| COAL, coarse, with much dant near bottom 0 0 11½ and much water 0 5 4 19 5 0 | | | | | | | | gullets and pyrites, | | | | | |
| much dant near bottom 0 0 11½ 7 0 4½ | | | | _ | | | | | 0 | 5 | 4 | | |
| bottom 0 0 11½ 7 0 4½ | | | | | | | | | | _ | 19 | 5 | 0 |
| 7 0 41 | | 0 | 0 | 11- | ŀ | | | | | | | | |
| | *** | _ | | | 7 | 0 | 41 | | | | | | |
| Carried forward 22 1 5½ Total 48 3 0 | | | | | | _ | | | | | | | |
| | Carried forward | | | | 22 | 1 | 51 | Total | | | 48 | 3 | 0 |
| | | | | | | _ | - 2 | • | | | | | |

No. 2,890.—OVINGHAM.

TOWNSHIP OF OVINGHAM, NORTHUMBERLAND.

Sheet 96 of Ordnance Map. Lat. 54° 58' 17", Long. 1° 51' 30".

Account of Strata passed through in the No. 5 Bore-hole, situated in the South-west corner of the West Bank Field, for the Horsley Coal Company, by Messrs. William Coulson and Son, 1878.

Approximate surface-level 55 feet above sea (Ordnance datum).

| Soil | | | | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. Brought forward 8 4 9 |
|-------------------|----------|---|---|-----|-----|-----|---|
| Freestone gravel, | | | • | | | | Yellow freestone 0 3 6 |
| sand and clay | | | 0 | | | | Black shale 0 0 6 |
| Leafy blue clay | 0 | 1 | 6 | | | | COAL, cannel, coarse |
| Red sand, with a | | | | | | | at top 0 2 0 |
| little water | 0 | 3 | 9 | | | | 1 0 0 |
| Hard stony brown | | | | | | | Seggar-clay 0 2 1 |
| clay | 4 | 4 | 0 | | | | Dark grey shale, |
| Freestone | 0 | 1 | 3 | | | | with post girdles 0 3 6 |
| Hard stony brown | | | | | | | Light grey shale 1 1 3 |
| clay | 2 | Ú | 9 | | | | Hard white post 0 0 5 |
| | | | - | 8 | 4 | 9 | 2 1 3 |
| Carried forward | | | | 8 | 4 | 9 | Total 12 0 0 |

No. 2,891.—OXCLOSE.

TOWNSHIP OF WASHINGTON, DURHAM.

Sheet 13 of Ordnance Map. Lat. 54° 53′ 53″, Long. 1° 32′ 21″.

Account of Strata sunk through in the Oxelose Engine or B Pit.—Supplementary to No. 1,503.

Approximate surface-level 220 feet above sea (Ordnance datum).

| Depth from surface Fs. Ft. In. Fs. Ft. In. 68 0 0 | Fs. Ft. In. Fs. Ft. In. Brought forward 78 4 8 |
|---|--|
| Main Coal Seam— | Strata 12 0 0 |
| Ft. In. | Low Main Seam— |
| COAL, top 2 2 | Ft. In. |
| Band 0 3 | COAL, coarse |
| COAL, kirv- | brassy 0 4 COAL 3 0 |
| $\lim_{n \to \infty} \dots \frac{1}{n} \frac{2}{n}$ | |
| Band 0 1 COAL, good 2 4 | 0 3 4 |
| | 0.00 |
| $$ $\frac{1}{}$ $\frac{0}{1}$ $\frac{0}{0}$ | Hutton Seam— |
| 0 0 0 | Ft. In. |
| Maudlin Seam— | COAL, good 3 9 |
| Ft. In. | COAL, bot- |
| COAL, top 3 4 | tom coarse 0 10 |
| COAL, splint 0 6 | 0 4 7 |
| COAL, bot- | 9 4 7 |
| tom 0 10 | |
| —— 0 4 8 | |
| 9 4 8 | |
| | 401:0 7 |
| Carried forward 78 4 8 | Total <u>101 0 7</u> |
| | |

No. 2,892.—PALLION.

TOWNSHIP OF PALLION, SUNDERLAND, DURHAM.

| Sheet 8 of | Ordnance | Map. | Lat. | , Long. | |
|------------|----------|------|------|---------|--|
| | | | | | |

Account of Strata passed through in the No. 1 Bore-hole on the bank of the River Wear, near Messrs. Paynter's Works, 1895.

Approximate surface-level feet above sea (Ordnance datum).

| Forced ground Gravel and sand Running sand | 1 0 0 | Brought forward 7 3 9 Rough sandstone gravel 0 4 3 8 2 0 |
|--|-----------|---|
| Carried forward | ard 7 3 9 | Total 8 2 0 |

No. 2,893.—PALLION.

TOWNSHIP OF PALLION, SUNDERLAND, DURHAM.

Sheet 8 of Ordnance Map. Lat. , Long.

Account of Strata passed through in the No. 3 Bore-hole on the bank of the River Wear, near Messrs. Paynter's Works.

Approximate surface-level feet above sea (Ordnance datum).

| Forced ground Rough gravel and | 3 | 1 | In. Fs. Ft. In. | Brought forward Yellow sand, with | 7 | Ft. 5 | In. 6 | Fs. | Ft. | In. |
|-----------------------------------|---|---|-----------------|--------------------------------------|-----|----------|----------|-----|-----|-----|
| Rough gravel and black mud | 1 | 4 | 0 | water at bottom | | 4 | 0 | | | |
| Running sand, with | | | | | _ | | | | 3 | 6 |
| rotten wood and | | | | Grey post Yellow sandstone | 0 | 4 | 6 | | | |
| water | 2 | 0 | 0 | Yellow sandstone | 1 | 2 | 0 | | | |
| water Loamy sand | 1 | 0 | 0 | | | _ | _ | 2 | 0 | 6 |
| Carried forward | 7 | 5 | 6 | Total | ••• | | | 11 | 4 | |

No. 2,894.—PELTON. TOWNSHIP OF PELTON, DURHAM.

Sheet 12 of Ordnance Map. Lat. 54° 51′ 39″, Long. 1° 36′ 32″.

Account of Strata passed through in a Bore-hole below the Busty Seam, Busty Pit, Pelton Colliery, 1893.

Approximate surface-level 220 feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. In. Pit dirt and seggar | Fs. Ft. In. Fs. Ft. In. Brought forward 9 2 11 |
|---|---|
| clay 0 0 9 | White post 1 1 7 Grey shale, with post |
| White most 7 5 4 | Grey shale, with post |
| Grey shale 0 3 9 | girdles 1 4 0 COAL 0 0 4 |
| Black shale, mixed | COAL 0 0 4 |
| with coal 0 1 1 | 12 2 10 |
| with coal 0 1 1 Grey shale 0 4 0 | Soft seggar-clay 0 1 3 |
| | G 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |
| Carried forward 9 2 11 | Carried forward 0 1 3 12 2 10 |

No. 2,894.—PELTON.—Continued.

| Brought forward | | | | | | In. 10 | Brought forward 3 5 6 16 4 5 |
|---------------------|---|---|---|----|---|-----------|--|
| Grey shale | 0 | 5 | 0 | | | | COAL 0 0 51 |
| White and grey post | 2 | 5 | 0 | | | | 3 5 113 |
| Grey shale | 0 | 1 | 3 | | | | Black stone 0 0 $7\frac{1}{2}$ White post 2 1 6 Grey post, with hard |
| Supposed Brockwell | | | | | | | White post 2 1 6 |
| Seam- | | | | | | | Grey post, with hard |
| COAL | 0 | 1 | 1 | | | | girdles 7 1 0 |
| | | | | 4 | 1 | 7 | 9 3 1 |
| Grey post | 3 | 5 | 6 | | | | |
| Carried forward | 3 | 5 | 6 | 16 | 4 | 5 | Total 30 1 6 |

No. 2,895.—PELTON.

TOWNSHIP OF PELTON, DURHAM.

Sheet 12 of Ordnance Map. Lat. 54° 51' 37", Long. 1° 36' 36".

Account of Strata passed through in a Bore-hole in a Field to the West of Pelton Cottage, on the site of the Main Coal Pit, Pelton Colliery, 1899.

Approximate surface-level 233 feet above sea (Ordnance datum).

| Fs. | Ft. | In. | Fe. | 174 | - | | | | | | | |
|------|---------|-----------------------|---|---|---------|----------------------|--|---|----------------|---|------------------|--|
| | 1 | | T. 9+ | гt. | In. | Dronabt formend | Fs. | Ft. | In. | Fs. | Ft. | In. |
| . , | 4 | 6 | | | | Brought forward | 19 | U | U | Z | Z | 3 |
| . 0 | 4 | 4 | | | | Five-Quarter Seam- | | | | | | |
| , , | 1 | 4 | | | | | | _ | _ | | | |
| | 0 | 9 | | | | stone | U | Ð | | 10 | _ | ^ |
| | 2 | 4 | | | | Timbt amon mostal am | _ | _ | | 13 | Э | 0 |
| . 0 | Э | 4 | | | | Light grey metal or | | | _ | | | |
| , , | 1 | ۸ | | | | seggar-clay | 1 | 4 | U | | | |
| . 0 | 1 | 9 | 6 | 0 | 2 | Post and metal, | _ | | _ | | | |
| | | _ | 4 | 4 | ð | mixed | Ü | 3 | p | | | |
| , | | | | | | Grey post | U | 2 | 9 | | | |
| | - | ^ | | | | | | | | | | |
| . т | 1 | 9 | | | | | | | | | | |
| | | | | | | with iron and post | | _ | _ | | | |
| 7 | | _ | | | | girdles | 4 | 1 | 6 | | | |
| | 3 | U | | | | Grey metal, with | | | | | | |
| , . | _ | _ | | | | iron and post gir- | _ | _ | _ | | | |
| . т | U | 7 | | | | dles | 2 | 3 | 8 | | | |
| , | _ | _ | | | | Black shale | 0 | 1 | 1 | | | |
| . 4 | 1 | 2 | | | | | | | | | | |
| | _ | _ | | | | | | | _ | | | |
| . 1 | 5 | 3 | | | | stone | 0 | 4 | 7 | | | |
| t | | | | | | | | | | | 3 | 1 |
| | | _ | | | | Iron girdle | 0 | 0 | 8 | | | |
| | | | | | | | | | | 0 | 0 | 8 |
| | 0 | 4 | | | | | | | | | | |
| | | | | | | | | | | | | |
| . 3 | 0 | 8 | | | | | | | | | | |
| 1 13 | 0 | 0 | 2 | 2 | 3 | Total | | | | 26 | 5 | 0 |
| | . 0 . 0 | . 0 2 . 0 3 . 0 1 1 1 | . 0 2 2 2 2 3 4 4 1 9 7 1 1 9 7 1 1 9 7 1 1 5 3 1 1 5 3 1 1 5 3 1 1 1 5 3 1 1 1 1 | 2 2 2 2 3 4 4 5 4 5 4 5 4 5 4 5 6 5 6 5 6 6 6 6 6 | . 0 2 2 | . 0 2 2 | stone Stone | stone 0 Light grey metal or seggar-clay 1 Post and metal, mixed 0 Grey metal, mixed with freestone, with iron and post girdles 4 Grey metal, with iron and post girdles 4 Grey metal, with iron and post girdles 0 Grey metal, with iron and post girdles 4 Grey metal, with iron and post girdles 0 Main Coal Seam— COAL and black stone 0 Iron girdle 0 | stone 0 5 1 | stone 0 5 0 Light grey metal or seggar-clay 1 4 0 Post and metal, mixed 0 3 6 Grey post 0 2 9 Grey metal, mixed with freestone, with iron and post girdles 4 1 6 Grey metal, with iron and post girdles 2 3 8 Black shale 0 1 1 Main Coal Seam— COAL and black stone 0 4 7 Iron girdle 0 0 8 | stone 0 5 0 1 13 | stone 0 5 0 13 5 Light grey metal or seggar-clay 1 4 0 Post and metal, mixed 0 3 6 Grey post 0 2 9 Grey metal, mixed with freestone, with iron and post girdles 4 1 6 Grey metal, with iron and post girdles 2 3 8 Black shale 0 1 1 Main Coal Seam— COAL and black stone 0 4 7 Iron girdle 0 0 8 Iron girdle 0 0 8 |

No. 2,896.—PLAINMELLER.

TOWNSHIP OF PLAINMELLER, NORTHUMBERLAND.

Sheet 92 of Ordnance Map. Lat.

, Long.

Account of Strata passed through in the No. 1 Bore-hole, Plainmeller Colliery, 1845.

Approximate surface-level feet above sea (Ordnance datum).

| Clay | | | | | 6 | | Ft. | | Brought forward 1 3 0 4 4 2 |
|--------------------|---------|-------|---|--------|---|---|-----|---|---|
| Plate | • • • | | 0 | 5 | 8 | _ | 2 | 6 | Coom or soft blue plate 0 1 6 Coom Roof Seam— |
| COAL | ••• | • • • | | | | | 1 | 8 | COAL 0 3 7 |
| Plate Grey beds | ••• | ••• | 0 | 3 5 | 8 | | | | 2 2 I |
| | l forwa | | | _ | | _ | 4 | 2 | Total 7 0 3 |

No. 2,897.—PLAINMELLER.

TOWNSHIP OF PLAINMELLER, NORTHUMBERLAND.

Sheet 92 of Ordnance Map. Lat.

3 0 0

2 0

6

4 1 6

, Long.

Account of Strata passed through in the No. 3 Bore-hole, Plainmeller Colliery, 1845.

Approximate surface-level feet above sea (Ordnance datum).

> Fs. Ft. In. Fs. Ft. In. Brought forward Hard grey post 0 - 0 4 6 Spars 0 1 0 Blue stone ... 0 Black stone ...

2 Thill stone ... 0 0 Carried forward 0 2 0 6 1

Moss ...

COAL

Grey freestone

Blue stone ...

... 16 Total ...

10 2 6

0

No. 2,898.—PLAINMELLER.

COAL

TOWNSHIP OF PLAINMELLER, NORTHUMBERLAND.

Sheet 92 of Ordnance Map. Lat.

, Long.

Account of Strata sunk through in the Engine Pit, Plainmeller Colliery. Approximate surface level feet above sea (Ordnance datum).

| | Fa | Ft. | In. Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|----------------------|-----|-----|-----------------|-------------------------|
| Walling | 2 | 0 | 0 | Brought forward 8 4 0 |
| White freestone | 2 | 2 | 0 | COAL 0 2 0 |
| Grey beds | | | | 9 0 0 |
| Black plate | . 1 | 3 | 0 | Plate, with balls of |
| Coom or light blue | | | | ironstone 2 4 6 |
| plate | . 1 | 3 | 0 | Seven-Quarter Seam- |
| plate Black plate | 0 | 4 | 0 | COAL 0 4 6 |
| • | | | | 3 3 0 |
| | _ | | | |
| Carried forward | 8 | 4 | 0 | Total <u>. 12 3 0</u> |

NOTE: This pit was worked out and the pumps drawn on December 13th, 1856.

No. 2,899.—PLAINMELLER.

TOWNSHIP OF PLAINMELLER, NORTHUMBERLAND.

Sheet 92 of Ordnance Map. Lat. 54° 56' 22", Long. 2° 24' 20".

Account of Strata sunk through at Plainmeller Colliery, by Mr. George Reed, 1858.

Approximate surface-level 1,000 feet above sea (Ordnance datum).

| Moss Clay | 0 0 0 0 0 0 0 0 1 0 0 | 1 5 3 0 0 3 2 | $ \begin{array}{c} 6 \\ 6 \\ 3 \\ $ | 1 | | 3 | Brought forward 4 2 6 5 0 10 COAL 0 1 10 Grey beds 2 0 4 COAL 0 1 7 Thill stone or plate Grey beds, with metal partings and water 2 2 3 Coom or soft blue plate 0 1 8 COAL 0 1 7 Strong grey beds 0 3 0 Fig. Ft. In. Fs. Ft. I |
|-----------------|---|---------------------------------|--|---|---|----|--|
| Carried forward | | | — | 5 | 0 | 10 | Total 16 5 0 |

No. 2,900.—PLAINMELLER.

TOWNSHIP OF PLAINMELLER, NORTHUMBERLAND.

Sheet 92 of Ordnance Map. Lat. 54° 57′ 31″, Long. 2° 27′ 33″.

Account of Strata passed through in a Bore-hole at West Plainmeller.

Approximate surface-level 450 feet above sea (Ordnance datum).

| | | _ | Fα | Rt. | In. | Fa | Ft. | Tn | Fs. Ft. In. Fs. Ft. In. |
|---------------|--------|-----|--------|-----|-----|----|-----|----|--|
| Gravel . | | ' | 1 | 5 | 6 | | | | Brought forward 28 5 0 4 0 11 |
| Boulder stone | | | ō | ĭ | ō | | | | Shaly sandstone 14 0 3 |
| C J - 4 | | • | ŏ | î | 6 | | | | Sandstone 0 4 8 |
| | •• | • • | ŏ | 4 | 11 | | | | 7. |
| | •• | • | - | - | | | | | 0 14 |
| | | | 0 | 5 | 5 | | | | Sandstone 1 1 6 |
| COAL . | | | 0 | 0 | 7 | | | | Shale 2 0 8 |
| | | _ | | | | 4 | 0 | 11 | Ft. In. |
| Sandstone . | | | 4 | 2 | 5 | | | | COAL, good 0 10 |
| T | | | 2 | 0 | 2 | | | | COAL, inferior 0 9 |
| 0 11 | | • • | õ | 1 | 6 | | | | 0 1 7 |
| | •• | • | · | _ | | | | | 9 • • • • • • • • • • • • • • • • • • • |
| | | | 0 | 0 | 7 | | | | |
| Sandstone . | | | 7 | 2 | 6 | | | | Soft dark shale 0 2 8 |
| Shale . | | | 1 | 4 | 11 | | | | Dark sandstone 0 1 0 |
| 0 1 | | | 4. | 2 | 6 | | | | Dark shale 0 2 5 |
| C1 1 | | • | ô | 4. | 8 | | | | Shale 0 3 6 |
| | | • | 2 | 1 | 10 | | | | COAL 0 0 3 |
| Sandstone . | •• | • | _ | _ | | | | | |
| Shaly sandsto | one | | 2 | 3 | 4 | | | | 1 3 10 |
| Sandstone . | | | 2 | 4 | 7 | | | | Shale 0 1 0 |
| | | _ | | | | | | | |
| Carried : | forwar | d 2 | 28 | 5 | 0 | 4 | 0 | 11 | Carried forward 0 1 053 2 5 |

No. 2,900.—PLAINMELLER.—CONTINUED.

| Brought forward | | Ft. | | Fs. 53 | Ft. | In. 5 | Fs. Ft. In. Fs. Ft. In Brought forward 25 4 6 76 1 0 |
|----------------------|----|-----|----|--|-----|----------|---|
| Seggar-clay | 1 | ō | 6 | | ~ | 0 | Saudstone, with bands |
| Sandstone | 8 | 3 | ĭ | | | | of shale 1 5 11 |
| Shale | ő | 5 | Ô | | | | Shaly sandstone 0 1 3 |
| Shale and iron, with | • | • | ٠ | | | | Sandstone, with bands |
| band | 2 | 0 | 0 | | | | of shale 0 3 6 |
| Shale | - | 3 | 9 | | | | Shaly sandstone 2 2 10 |
| Sandstone | ī | 1 | 3 | | | | Shale 0 3 0 |
| Shaly sandstone | _ | 4 | 5 | | | | Shaly sandstone 0 0 9 |
| Soft shale | ŏ | Ô | 7 | | | | Limestone 0 2 6 |
| COAL | Õ | | 10 | | | | Hard sandstone 0 1 3 |
| | _ | | | 16 | 2 | 5 | Sandstone 7 3 0 |
| Sandstone | 0 | 0 | 3 | | _ | · | Sandstone, with bands |
| Seggar-clay | _ | ĭ | 3 | | | | of shale 4 1 6 |
| Shaly sandstone | ĭ | ō | 8 | | | | Strong shale 2 5 0 |
| Grey and white sand- | • | • | | | | | Sparry shale 1 4 0 |
| stone | 1 | 4. | 1 | | | | Little Limestone— |
| Sandstone | ī | 3 | 11 | | | | Ft. In. |
| Sandstone, with coal | - | - | | | | | Limestone, Pr. In. |
| pipes and lead-ore | 1 | 4 | 0 | | | | bastard 3 0 |
| Papes and read ore | _ | | | 6 | 2 | 2 | Limestone 10 8 |
| Shaly sandstone | 0 | 3 | 2 | | _ | _ | 2 1 8 |
| Dark sandstone | ĭ | 5 | 4 | | | | Shale 0 0 2 |
| Fine sand | ō | 0 | 6 | | | | Ft. In. |
| Shaly sandstone | ŏ | ŏ | 6 | | | | COAL, good 0 31 |
| Sandstone | 6 | 4 | 6 | | | | Brown band 0 1 |
| Light sandstone | ŏ | 3 | 6 | | | | COAL, good 0 8} |
| Dark sandstone | ĭ | 4 | 6 | | | | 0 1 1 |
| Hard sandstone | _ | ô | ő | | | | 50 5 1 |
| Sandstone | _ | 5 | 6 | | | | Shaly sandstone 1 4 7 |
| Shaly sandstone | - | 1 | 6 | | | | COÁL 0 2 31 |
| Broken sandstone | 1 | 4 | Õ | | | | 2 0 10 |
| Hard sandstone | 0 | 1 | 9 | | | | Shaly sandstone 2 0 0 |
| Limestone | 0 | 2 | 3 | | | | Shale 2 0 4½ |
| Dark sandstone | ĭ | ī | ŏ | | | | COAL 0 0 8 |
| Limestone | ō | ī | 9 | | | | 4 1 0 |
| Dark sandstone | ĭ | 2 | 3 | | | | Sandstone, into 0 3 8 |
| Shale | ō | 4 | 6 | | | | 0 3 |
| Carried forward | 25 | 4 | 6 | $\phantom{00000000000000000000000000000000000$ | | _ | Total134 0 |
| Carried forward | 20 | 4 | O | 10 | 1 | 0 | 10001104 0 |

No. 2,901.—PLASHETTS. TOWNSHIP OF PLASHETTS, NORTHUMBERLAND.

Sheet 40 of Ordnance Map. Lat. 55° 17' 20'', Long. 2° 35' 34''.

Account of Strata passed through in the No. 27 Bore-hole on Peel Fell.

Approximate surface-level 1,820 feet above sea (Ordnance datum).

| Peaty soil | Fa. | Ft. | In. | Fs. | Ft. | In. | Brought forward 2 2 4 | Ĺ |
|---------------------|-----|-----|-----|-----|-----|-----|------------------------|----------|
| Yellow clay | ŏ | 2 | 6 | | | | Strong freestone 0 1 2 | E |
| Blue clay, with | | | | | | | Freestone, with part- | |
| tumbling freestones | 0 | 3 | 10 | | | | ings 0 3 0 | |
| Clay, mixed with | | | | | | | 0 4 2 | 2 |
| gravel | 1 | 1 | 6 | | | | | |
| | _ | | | 2 | 2 | 4 | | |
| | | | | | | _ | m + 1 | |
| Carried forward | | | | 2 | 2 | 4 | Total 3 0 6 | <u> </u> |

No. 2,902.—PLASHETTS.

TOWNSHIP OF PLASHETTS, NORTHUMBERLAND.

Sheet 40 of Ordnance Map. Lat. 55° 18' 20", Long. 2° 33' 45".

Account of Strata passed through in the No. 28 Bore-hole on Carter Fell.

Approximate surface-level 1,500 feet above sea (Ordnance datum).

| Red clay | 0 0 0 | $\frac{2}{1}$ | Fs. | Ft. | | Brought forward 0 3 6 1 2 0 Strong freestone 1 3 4 Freestone 5 1 1 Strong red clay 0 3 5 |
|---|-------------|---------------|-------|-----|---|--|
| Fire-stone, with part- ings Carried forward | 0 | | 1 | 2 | 0 | Freestone 0 5 6 Total 10 0 10 |

No. 2,903.—PLASHETTS.

TOWNSHIP OF PLASHETTS, NORTHUMBERLAND.

Sheet 40 of Ordnance Map. Lat. 55° 19' 3", Long. 2° 33' 24".

Account of Strata passed through in the No. 29 Bore-hole on Carter Fell.

Approximate surface-level 1,520 feet above sea (Ordnance datum).

| Peaty soil Sandy gravel | 0 0 | Ft. 2 3 | 0 | | | | Brought forward | 3 0 | 1 | 4 (8 | s. Ft.) 5 | In. 0 |
|----------------------------|--|---------------|---|---|---|---|-----------------|--------|---|----------|---------------|----------|
| Red clay | $\begin{array}{ccc} \dots & 2 \\ \dots & 0 \\ \dots & 0 \end{array}$ | 4 | 0 | | | | Limestone | | | | 5 5 | 11 |
| Carried forwa | ard 3 | 4 | 4 | 0 | 5 | 0 | Total | ••• | | | 3 4 | 11 |

No. 2,904.—PLASHETTS.

TOWNSHIP OF PLASHETTS, NORTHUMBERLAND.

Sheet 40 of Ordnance Map. Lat. 55° 19' 23", Long. 2° 31' 8".

Account of Strata passed through in the No. 30 Bore-hole on Carter Fell.

Approximate surface-level 1,800 feet above sea (Ordnance datum).

| Peaty soil | 0 | 2 | 0 | | | | Fs. Ft. In. Fs. Ft. In. Brought forward 2 3 3 1 1 0 |
|---|---|----------|---|---|---|---|---|
| Blue clay | 0 | 5 | 0 | 1 | | 0 | Grey metal, with post girdles 1 3 7 |
| Grey metal, with post girdles Whin girdle | 2 | 2 | 0 | | | | Whin 0 0 10 4 1 8 |
| Carried forward | | | | | 1 | 0 | Total 5 2 8 |

No. 2,905.—PLASHETTS.

TOWNSHIP OF PLASHETTS, NORTHUMBERLAND.

Sheet 40 of Ordnance Map. Lat. 55° 18' 44", Long. 2° 29' 19".

Account of Strata passed through in the No. 31 Bore-hole on Carter Fell.

Approximate surface-level 1,675 feet above sea (Ordnance datum).

| Fs. Ft. In. I | |
|---|-----------------------|
| Sandy clay, mixed | Brought forward 1 1 7 |
| with whin and | Sandy clay 0 3 4 |
| sandstone 0 0 11 | Grey metal 0 5 0 |
| Whin tumblers 0 1 0 | Gravel 0 1 0 |
| Sandy clay 0 1 2 | 2 4 11 |
| Whin tumblers 0 0 10 | Freestone 2 0 0 |
| Sandy clay 0 3 0 | 2 0 0 |
| Sandy clay 0 3 0 Whin tumblers 0 0 8 | |
| | |
| Carried forward 1 1 7 | Total 4 4 11 |
| | |

No. 2,906.—PLASHETTS.

TOWNSHIP OF PLASHETTS, NORTHUMBERLAND.

Sheet 58 of Ordnance Map. Lat. 55° 12' 40", Long. 2° 30' 6½".

Account of Strata passed through in a Bore-hole at Cloven Crag, Plashetts, 1882.

Approximate surface-level 1,000 feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. I | n. Fs. Ft. In. Fs. Ft. In. |
|-------------------------|----------------------------|
| Yellow freestone 14 4 8 | Brought forward 28 2 2 |
| Grey metal 2 3 3 | Grey metal, with post |
| Bastard whin 0 2 10 | girdles 1 0 9 |
| Red freestone 1 0 9 | Blue metal 0 5 8 |
| Blue metal 0 2 8 | Little Coal Seam— |
| Red freestone 0 3 6 | COAL 0 1 0 |
| Grey metal, with iron | 30 3 7 |
| girdles 0 5 5 | Blue metal 1 2 6 |
| White and yellow | Grey post, with iron |
| freestone 2 3 0 | girdles 0 0 9 |
| Blue metal 3 3 4 | Plashetts Seam— |
| Black metal and | COAL 0 4 6 |
| whin 0 1 6 | 2 1 9 |
| Blue metal 1 1 3 | |
| | |
| Carried forward 28 2 2 | Total 32 5 4 |
| • | |

No. 2,907.—PLASHETTS. TOWNSHIP OF PLASHETTS, NORTHUMBERLAND.

Sheet 58 of Ordnance Map. Lat. , Long

Account of Strata sunk through in Plashetts Colliery.

Approximate surface-level 800 feet above sea (Ordnance datum).

| Soil and clay Freestone | Fs. 2 | Ft. 0 | In. 0 0 | Fs. 2 | Ft. | In. 0 | Brought forward Shale Whin or limestone | Fs. 5 3 0 | Ft. 0 4 2 | In. 0 0 0 | Fs. 2 | Ft. 0 | In. 0 |
|----------------------------|-------|----------|---------------|-------|-----|----------|---|--------------------|--------------------|--------------------|----------|----------|----------|
| Carried forward | 5 | 0 | 0 | 2 | 0 | 0 | Carried forward | 9 | 0 | 0 | 2 | 0 | 0 |

No. 2,907.—PLASHETTS.—CONTINUED.

| Brought forward | Fs. 9 | Ft. | In. Fs. 0 2 | Ft. | In. | Brought | t for | rward | Fs. | Ft. | In. | Fs. 14 | Ft. | In. 10 |
|--------------------------|--------|-----|----------------|-----|-----|---------------|-------|-------|-------|---------------|---------------|-----------|-----|-----------|
| Shale COAL | 1 0 | | | 1 | 3 | Grey shale | | | 0 | $\frac{2}{0}$ | $\frac{0}{2}$ | 0 | 2 | 2 |
| Shale Plashetts Seam— | 2 | 0 | 0 | 1 | a | Shale COAL | | | 3 | 0 | 0 | U | Z | Z |
| COAL | 0 | 4 | $\frac{7}{2}$ | 4 | 7 | | | | _ | _ | - | 3 | 1 | 0 |
| Carried forward | | | 14 | 5 | 10 | | | Total | • • • | | <u>:</u> | 18 | 3 | 0 |

No. 2,908.—PLAWSWORTH. TOWNSHIP OF PLAWSWORTH, DURHAM.

Sheet 19 of Ordnance Map. Lat. 54° 49' 44", Long. 1° 35' 57".

Account of Strata passed through in the No. 1 Bore-hole at Plawsworth, for the Owners of Waldridge Colliery. Commenced March 11th, 1898.

Approximate surface-level 300 feet above sea (Ordnance datum).

| Soil Fs. Ft. In. Fs. Ft. In | Fs. Ft. In. Fs. Ft. In. Brought forward 15 0 1 5 3 6 |
|--------------------------------------|--|
| Yellow sandy clay 0 3 6 | Mild post 0 4 3 |
| Sand, with loam part- | White post 0 4 0 |
| ings 2 4 3 | Grey metal, with post |
| ings 2 4 3 Sand, with water 0 5 6 | girdles 0 3 0 |
| Yellow sandy clay 0 1 0 | girdles 0 3 0 White post 6 5 3 |
| Loamy sand 1 0 0 | Grey shale 0 1 1 |
| 5 3 6 | Ft. In. |
| Freestone, with water 3 2 6 | COAL 0 6 Shale 0 1½ |
| Dark shale 0 1 3 | Shale 0 1½ |
| Post 0 4 10 | COAL $1 \ 6\frac{1}{2}$ |
| Post 0 4 10 Grey shale 4 2 0 | 0 2 2 |
| Grey post 0 3 0 | 24 1 10 |
| Grey metal, with post | Very dark grey shale 0 1 10 |
| girdles 5 1 0 | Light grey shale 1 1 7 |
| Grey post 0 3 6 | 1 3 5 |
| 0 110 111 1 1 1 1 | |
| Carried forward 15 0 1 5 3 6 | Total 31 2 9 |
| | |

No. 2,909.—PLAWSWORTH.

TOWNSHIP OF PLAWSWORTH, DURHAM.

Sheet 19 of Ordnance Map. Lat. 54° 49′ 56″, Long. 1° 35′ 50″.

Account of Strata passed through in the No. 2 Bore-hole, near Plawsworth Cottage, for the Owners of Waldridge Colliery, 1898.

Approximate surface-level 280 feet above sea (Ordnance datum).

| Soil Fs. Ft. In. Fs. Ft. In. Valley and a class 0 2 2 2 | Brought forward 2 5 6 |
|---|--|
| Yellow sandy clay 0 3 0 Sand, with loamy partings 2 1 6 | Running sand, with loamy partings 0 3 6 Laminated clay 0 1 6 |
| Carried forward 2 5 6 | Carried forward 3 4 6 |

No. 2,909.—PLAWSWORTH.—CONTINUED.

| Fs. Ft. In. Fs. Ft. | n. Fs. Ft. In. Fs. Ft. In |
|---|---|
| Brought forward 3 4 6 | Brought forward 17 5 10 7 2 10 |
| Silts 2 1 6 | Dark grey shale, |
| Silts 2 1 6 Sandy clay 0 1 0 Loamy sand 0 3 0 | with post girdles 0 4 6 Very dark grey shale 1 0 6 |
| Loamy sand 0 3 0 | Very dark grey shale 1 0 6 |
| Brown clay 0 4 10 | Black stone, with |
| 7 2 | 0 coal threads 0 1 8 |
| Freestone 4 5 6 | Strong light grey |
| Grey shale, with post | shale 1 5 10 |
| girdles 3 3 0 | COAL 0 1 9 22 2 |
| Freestone 1 0 0 | 22 2 |
| Dark grey shale, with | Light grey shale, |
| post girdles 1 2 0 | with post girdles 0 5 8 |
| post girdles 1 2 0 Hard white post 1 2 10 | COAL 0 1 0 |
| Grey shale, with post | 1 0 |
| girdles 0 3 0 White post 3 2 6 | Grey shale, with post |
| White post 3 2 6 | girdles 0 1 3 |
| Light grey shale, | 0 1 |
| with post girdles 1 5 0 | |
| · · · | |
| Carried forward 17 5 10 7 2 | Total 31 0 1 |
| | 1 |

No. 2,910.—PLESSEY.

TOWNSHIP OF PLESSEY AND SHOTTON, NORTHUMBERLAND.

Sheet 80 of Ordnance Map. Lat.

, Long.

Account of Strata passed through in a Bore-hole at Plessey.

Approximate surface-level feet above sea (Ordnance datum).

| | Fa | Ft. | In. | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
|-----------------------|----|-----|-----|-----|-----|-----|-----------------------------|
| Soil and clay | 0 | 3 | 0 | | | | Brought forward 0 2 023 1 1 |
| Sand | 0 | 2 | 0 | | | | White and grey post 0 4 0 |
| Stony clay | 4 | 0 | 0 | | | | Grey and blue post 0 4 6 |
| | | | | 4 | 5 | 0 | |
| Grey metal, with post | | | | | | | foul 0 0 7 |
| girdles | 3 | 0 | 0 | | | | 1 5 1 |
| Black metal | | 1 | | | | | Grey and blue metal, |
| COAL, foul | .0 | 0 | 9 | | | | with hard lumps 0 5 0 |
| | | | | 3 | 1 | 9 | Grey and white post 0 3 0 |
| Black metal, with | | | | | | | Grey metal 0 1 6 |
| scares of coal | 0 | 3 | 9 | | | | Grey and white post 1 3 0 |
| Grey metal, with post | | | | | | | Whin 1 0 0 |
| girdles | 1 | 1 | 6 | | | | Post and whin 0 2 0 |
| Grey post, with part- | | | | | | | Grey metal stone, |
| ings and water | 8 | 5 | 0 | | | | with girdles 1 4 0 |
| COAL, hard and | | | | | | | Black metal 0 0 6 |
| splinty | 0 | 0 | 9 | | | | Blue grey metal, |
| | | | | 10 | 5 | 0 | |
| Blue grey metal | 3 | 4 | 6 | | | | Grey metal stone, |
| Five-Quarter Seam- | | | | | | | with post girdles 1 1 0 |
| COAL, coarse | 0 | 2 | 10 | | | | Low Main Seam— |
| | _ | | | 4 | 1 | 4 | COAL 0 5 9 |
| Blue metal | 0 | 2 | 0 | | | | 9 0 9 |
| | _ | | | _ | | | |
| Carried forward | 0 | 2 | 0 | 23 | 1 | 1 | Total 34 0 11 |
| | | | | | | | |

No. 2,911.—PONTOP.

TOWNSHIP OF COLLIERLEY, DURHAM.

Sheet 11 of Ordnance Map. Lat.

, Long.

Account of Strata sunk through in the Cresswell Pit, Pontop Colliery, Lanchester Common Royalty.

Approximate surface-level

feet above sea (Ordnauce datum).

| | E. | E4 | In. F | · 1 | D4 | In | Fs. Ft. In. Fs. Ft. In. |
|--------------------|---------------|----|-------|------|------|------|-------------------------------|
| Clay and gravel | 4 | 5 | 2 | 8. 1 | r u. | 111. | Brought forward 0 1 0 29 4 10 |
| story amangement | | | _ | 4 | 5 | 2 | Brass Thill Seam— |
| Freestone post | 3 | 4 | | • | • | _ | COAL 0 5 6 |
| Shield Row Seam- | - | - | , | | | | 1 0 6 |
| Ft. In. | | | | | | | Seggar-clay 0 1 8 |
| COAL, top 3 2 | | | | | | | White post 1 1 6 |
| Band 0 5 | | | | | | | Blue metal 4 4 6 |
| COAL 0 3 | _ | | | | | | Grey post 1 1 6 |
| Band 0 2 | | | | | | | Blue metal 1 1 6 |
| COAL 1 4 | • | | | | | | Iron girdle 0 0 6 |
| 1 | 0 | 5 | 5 | | | | Dl., |
| | | | | 4 | 3 | 11 | White and grey post, |
| Seggar-clay | 0 | 3 | 8 | _ | 0 | | with blue metal at |
| Blue metal | ~ | 0 | Õ | | | | bottom 16 0 6 |
| White post | 1 | 2 | 6 | | | | Hutton Seam— |
| Blue metal | î | ī | 5 | | | | Ft. In. |
| White post | î | î | 6 | | | | COAL 2 101 |
| Blue metal | 3 | 2 | 9 | | | | Band 1 3 |
| Grey metal | 3 | õ | 4 | | | | Jet 0 2 |
| Blue metal | _ | 0 | 9 | | | | Stone 0 03 |
| Grey metal | $\frac{1}{2}$ | 0 | 0 | | | | 0041 1 27 |
| Blue metal | $\frac{2}{2}$ | 1 | 3 | | | | 5 7 6 6 |
| Five-Quarter Seam— | _ | 1 | | | | | 0011 |
| | ٥ | 5 | 7 | | | | |
| COAL | U | J | | 0 | 1 | Э | |
| Seggar-clay | 0 | 1 | 0 2 | U | 1 | 3 | $28 0 3\frac{3}{4}$ |
| 2088-1-0203-111 | | | | | | _ | |
| Carried forward | 0 | 1 | 02 | 9 | 4 | 10 | Total 58 5 73 |
| | - | | | | - | _• | |
| | | | | | | | |

No. 2,912.—PORT CLARENCE.

TOWNSHIP OF BILLINGHAM, DURHAM.

Sheet 51 of Ordnance Map. Lat. 54° 35' 26", Long. 1° 12' 56".

Account of Strata passed through in a Diamond Bore-hole on Salt Holme Farm, near Port Clarence, for Messrs. Bell Brothers, Limited, 1874.

Approximate surface-level 12 feet above sea (Ordnance datum).

| | | | Fe | Ft | In F | Te F | t. In. | | Τa | Et. | In. Fs. | 764 | In |
|-------------------|--------|------|----|----|------|------|--------|-----------------|----|-----|---------|------|------|
| Soil | | | | | | | | Brought forward | 2 | 1 | 0 | 1.0. | 111. |
| | | | | | | | | Clean sand | | | | | |
| Clay Dark sand | | | 1 | | | | | Red clay | | | | | |
| Carrie | d forv | vard | 2 | 1 | | | | Carried forward | 7 | 0 | 0 | | |

No. 2,912.—PORT CLARENCE.—Continued.

| Prought forward 7 | Ft. In. Fs. | Ft. In. | D | s. I | Ft. In | . Fs. | Ft. | In, |
|----------------------------------|---|---------|-----------------------|------|--------|------------|------|-----|
| Brought forward 7 | | | Brought forward | | | 153 | Э | 0 |
| | $\begin{array}{ccc} 2 & 0 \\ 2 & 0 \end{array}$ | | Lower Gypseous | | | | | |
| Boulder-clay 4 | 3 0 | - 0 | Marls: | | | | | |
| D. 1 St. 1 | 12 | 5 0 | Strong marl, with | | | | | |
| Red Sandstones and | | | | 1 | 1 0 | | | |
| Marls: | | | Mixed marl and sand- | | ٠. | | | |
| Red marl 12 | 1 0 | | stone | Į. | 3 0 | | | |
| Red sandstone, with | | | Marly sandstone, | | | | | |
| veins of marl 24 | 0 0 | | with veins of gyp- | | | | | |
| White sandstone 0 | 1 3 | | sum 23 | 3 | 3 0 | | | |
| Red sandstone, with | 2 0 | | Gypsum (|) | 4 0 | | | |
| veins of marl 25 | 3 9 | | G 114 TO 1 | _ | | 29 | 5 | 0 |
| Red sandstone 1 | 4 0 | | Saliferous Beds: | | | | | |
| Soft marl 0 | 3 0 | | Hard white stone, | _ | | | | |
| Red sandstone 1 | 0 0 | | |) | 3 9 | 1 | | |
| Blue vein 0 | 0 10 | | |) | 3 6 | | | |
| Red sandstone 5 | 1 2 | | Marly sandstone, very | | | | | |
| Red sandstone, with | _ | | | | 2 1 | | | |
| veins of marl 4 | 3 0 | | | l | 4 3 | | | |
| Soft marl 0 | 4 0 | | Red rock, with 4 per | | | | | |
| Red sandstone 4 | 5 0 | | cent. of salt, only | | | | | |
| Red sandstone, with | | | 3 feet of core, be- | | | | | |
| veins of marl 8 | 1 0 | | cause fresh water | | | | | |
| Soft marl 1 | 0 0 | | | | 3 0 | | | |
| Red sandstone, with | | | | | 4 0 | | | |
| veins of marl 5 | 1 0 | | | 3 | 0 5 | 1 | | |
| Red sandstone 1 | 0 0 | | Rock salt, with marl | | | | | |
| Marl, with blue veins | | | and gypsum | 5 | 5 0 | | | |
| of sandstone 2 | 5 0 | | | | | $\cdot 22$ | 2 | 0 |
| Red sandstone, with | | | Maynesian Limestone | | | | | |
| veins of marl 11 | 0 0 | | and Lower Red | | | | | |
| Blue vein 0 | 0 7 | | Sandstone: | | | | | |
| Red sandstone, with | | | Soft shale and gyp- | | | | | |
| veins of marl 2 Strong marl 1 | 1 5 | | | | 2 0 | | | |
| | 3 6 | | | 2 | 1 0 | 1 | | |
| Red sandstone, with | | | Gypsum and lime- | _ | | | | |
| veins of marl 4 | 2 6 | | | 2 | 0 0 | , | | |
| Blue vein 0 | 0 3 | | Limestone: carbur- | | | | | |
| Strong marl 1 | 0 3 | | ctted hydrogen gas | _ | _ | | | |
| Red sandstone, with | | | was liberated here | | 3 0 | | | |
| veins of marl 5 | 0 6 | | | I | 3 0 | | | |
| Strong red marl and | | | Grey limestone and | | | | | |
| sandstone 2 | 5 0 | | 1 00 1 | - | 5 0 | | | |
| Red sandstone, with | | | Gypsum | 0 | 2 0 | | | |
| veins of marl 2 | 4 0 | | Gypsum, containing | _ | | | | |
| Strong marl 3 | 2 0 | | | | 1 0 | | | |
| Red sandstone and | | | | | 2 0 | | | |
| marl 0 | 5 0 | | Marl, containing salt | | 2 0 | | | |
| Red sandstone, with | | | Marl, with gypsum |) | 1 0 | | | |
| veins of marl 2 | 2. 0 | | Salt, impure |) | 1 0 | | J | _ |
| Strong marl, with | | | _ | | | 19 | 5 | 0 |
| veins of sandstone 1 | 0 0 | | | | | | | |
| Strong marl 3 | 5 0 | | | | | | | |
| | 141 | 0 0 | 1 | | | | | |
| | | | | | | | | _ |
| Carried forward | 153 | 5 0 | Total | | | 225 | 5 | _0 |
| | | | • | | - | | | _ |

No. 2,913.—PORT CLARENCE.

TOWNSHIP OF BILLINGHAM, DURHAM.

Sheet 51 of Ordnance Map. Lat. 54° 35' 45", Long. 1° 13' 12".

Account of Strata passed through in the No. 1 Diamond Bore-hole at Salt Holme Salt Works, near Port Clarence, for Messrs. Bell Brothers, Limited, 1881.

Approximate surface-level 12 feet above sea (Ordnance datum).

| Blue clay | Peat, earth and clay | | Ft. 2 | In. Fs. 0 | Ft. | In. | Fs. Ft. In. Fs. Ft. Brought forward 105 2 0 16 0 | In. |
|--|----------------------|---------------------------------------|----------|--------------|-----|-----|--|-----|
| Red Sandstone Striped Red Sandstone Striped Sandstone Sandstone Striped Sandstone Sandstone Striped Sandstone Striped Sandstone Striped Sandstone Sandstone Striped Sandstone Sandstone Striped Sandstone Sandstone Sandstone Striped Sandstone Sa | | | | | | | | ٠ |
| Boulder-clay 9 2 0 | | _ | _ | · | | | Di li | |
| Red Sandstone and Marls | | | 9 | n | | | | |
| Red Sandstones and Marls: Red sandstone 48 3 0 Red sandstone 0 5 0 Red sandstone 1 4 2 Striped red and grey sandstone sandy band 1 4 2 Striped red and grey sandstone sandy band 1 1 1 10 Red sandstone 2 1 1 0 Red sandstone 3 0 0 Red sandstone 3 0 0 Red sandstone 3 0 0 Red sandstone 1 1 0 Red sandstone 1 1 0 Red sandstone 1 2 6 Red sandy marl, with with think with think with the stripes and 2 inches Saliferous Beds: Red sandy marl, with with with with with with s | bourder-cray | | | | 0 | 0 | | |
| Red sandstone 48 3 0 0 0 0 0 0 0 0 0 | Red Sandstones an | d | | | • | • | Ded ment | |
| Red sandstone 48 3 0 0 0 0 0 0 0 0 0 | Marls: | | | | | | Red sandstone 0 5 0 | |
| Inches of grey Sandy band Striped red and grey Sandstone 9 3 0 | Red sandstone | . 48 | 3 | 0 | | | | |
| Striped red and grey Striped red and grey Sandstone 0 2 0 Red sandstone 0 3 0 Red sandstone 0 4 0 Red sandstone 0 5 0 Red sandstone | Grey sandstone | . 0 | 2 | 0 | | | inches of grey | |
| Red sandstone 0 2 0 0 0 0 0 0 0 0 | | . 9 | 3 | 0 | | | | |
| Red sandstone 0 2 0 Red sandstone 3 1 0 Red sandstone 2 1 0 Red sandstone 2 1 0 Red sandstone 2 1 0 Red sandstone 0 5 6 Red sandstone 0 5 6 Red marl, with grey stripes and veins of gypsum 30 5 0 Red sandstone 0 5 0 Red sandstone 0 5 0 Red sandstone 0 0 6 Red sandstone 0 0 6 Red sandstone 0 0 6 Red sandstone 1 1 0 Red sandstone 1 2 0 Red sandstone 1 2 0 Red sandstone 1 1 0 Red sandstone 0 3 0 Red sandstone 0 4 0 Red sandstone 0 2 0 Red sandstone 0 | | | | | | | | |
| Red sandstone 3 1 0 0 0 0 0 0 0 0 0 | | _ | 2 | 0 | | | | |
| Carey sandstone 1 3 0 Carey sandstone 1 3 0 Carey sandstone, with 6 inches of red marl 0 5 6 Carey sandstone 0 3 6 Carey sandstone 0 3 6 Carey sandstone 0 3 6 Carey sandstone 0 4 0 Carey sandstone 0 0 6 Carey sandstone 0 0 0 Carey sandstone 0 0 | | d sandstone 3 1 0 Red sandstone 2 1 0 | | | | | | |
| Lower Gypseous Marls : Red marl 0 5 6 | | . 0 | 2 | 0 | | | | 0 |
| Marls : Red marl with grey stripes and veins of gypsum 3 3 0 | | - | | | | | | Ŭ |
| 6 inches of red marl Red diarl Red marl, with grey stripes and veins of gypsum stripes and veins of gypsum stripes and veins of gypsum 30 5 0 Red marl, with white stripes 1 5 0 Hard red marl, with grey stripes and veins of gypsum 3 3 0 Red sandstone 6 2 0 Hard red marl, with grey stripes and veins of gypsum 3 3 0 Red sandstone 0 4 0 Hard red marl, with thicker vein of pure gypsum 0 1 6 Red sandstone 2 0 6 Pure gypsum 0 1 6 Red sandstone 1 1 0 Saliferous Beds: Red marl, with white stripes 1 1 0 Red sandy marl, rather hard 0 4 6 Red marl, with white stripes and 2 inches of grey sandy band of grey sandy ban | | | | | | | | |
| Stripes and veins of gypsum 30 5 0 | | | | | | | | |
| Reddish grey sand-stone 0 3 6 | 1 | | 5 | 6 | | | stripes and veins of | |
| Hard red marl, with with grey stripes and veins of gypsum 3 3 0 | | | _ | - | | | | |
| Red marl, with white stripes 1 5 0 0 0 0 0 0 0 0 0 | | | 3 | 6 | | | | |
| Stripes | | | | | | | | |
| Hard red marl, with thicker vein of pure gypsum 1 0 6 | | - 4 | 5 | 0 | | | | |
| Carey sandstone 0 4 0 0 0 0 0 0 0 0 | | | | | | | | |
| Red sandstone | | | | | | | | |
| Pure gypsum | | | | | | | | |
| Red sandstone 2 0 6 Grey sandstone 1 1 0 | | _ | | | | | Pure gyngum 0 1 6 | |
| Saliferous Beds : Hard white stone 1 2 6 | | | | | | | | |
| Red marl, with white stripes 2 2 0 Red sandy marl, rather hard 0 4 6 Red marl 1 2 0 Red sandy marl, rather hard 0 4 6 Red sandstone 1 1 0 8 Red sandy marl, very soft 0 5 0 Red marl, with white stripes and 2 inches of grey sandy band of grey sandy band of grey sandy band end and sandstone 2 2 2 2 2 2 2 2 2 2 2 2 2 2 3 0 3 | | _ | | | | | | · |
| stripes 2 2 0 Red sandstone 3 0 0 Red marl 1 2 0 Red sandstone 1 1 0 Red sandy marl, rather hard 0 4 6 Red sandstone 1 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 2 0 0 2 0 2 0 2 0 2 0 0 2 0 0 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | | | _ | v | | | | |
| Red sandstone 3 0 0 rather hard 0 4 6 Red marl 1 2 0 Red sandy marl, very soft 0 5 0 Red sandstone 1 1 0 0 5 0 Red sandstone 0 3 10 Red sandy marl, with vein of gypsum 0 4 0 Red sandstone 0 3 0 Red and dark brown marl 0 5 0 Red marl 0 4 0 0 Red and dark brown marl 0 5 0 Red marl 0 4 0 0 Red and dark brown marl, with salt 2 0 0 Red and dark brown marl, with salt 2 0 0 Red sandstone 0 2 0 0 Rock salt and red clay 0 0 Red sandstone < | | - | 9 | 0 | | | | |
| Red marl 1 2 0 Red sandstone 1 1 0 Red marl, with white stripes and 2 inches of grey sandy band 2 2 2 Red sandstone 0 3 10 Red sandstone 0 3 0 Red marl 0 3 0 Red sandstone 4 5 0 Red sandstone 4 0 0 0 2 0 0 Red sandstone 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<> | | | | | | | | |
| Red sandstone 1 1 0 soft 0 5 0 Red marl, with white stripes and 2 inches of grey sandy band of grey sandy band soft of grey sandy band and soft of greys sandy band soft of greys sandy soft of greys soft of | 73 1 1 | - | | | | | | |
| Red marl, with white stripes and 2 inches of grey sandy band 2 2 2 2 Red sandy marl, hard, with vein of gypsum 0 4 0 Red sandstone 0 3 10 Red and dark brown marl 0 5 0 Red sandstone 4 5 0 Red and dark brown marl, with salt 2 0 0 Red sandstone 4 0 0 Red and dark brown marl, with salt 2 0 0 Red sandstone 4 1 0 0 Red and dark brown marl, with salt 2 0 0 Red sandstone 4 0 0 Rock salt and red clay 10 5 0 Red sandstone 0 2 0 Rock salt and gypsum 2 0 0 Red sandstone 0 2 0 Rock salt and gypsum 2 0 0 Red sandstone 0 2 0 Rock salt and gypsum 2 0 0 | | - | | | | | | |
| stripes and 2 inches of grey sandy band 2 3 10 10 2 2 3 2 2 2 3 3 3 3 3 3 3 3 4 | | - | 1 | U | | | | |
| of grey sandy band 2 2 2 2 Red sandstone 0 3 10 Red and dark brown Red sandstone 4 5 0 Red sandstone 4 0 0 Red sandstone 4 0 0 Red sandstone 0 2 0 Red sandstone 0 2 0 Red sandstone 0 2 0 Red sandstone 1 1 0 Red sandstone 1 1 0 Red sandstone 0 2 0 Red sandstone 1 1 0 Red sandstone 0 2 0 Red sandstone 1 1 0 Red sandstone 0 2 0 | | | | | | | | |
| Red sandstone 0 3 10 Red marl 0 3 0 Red sandstone 4 5 0 Red marl 0 4 0 Red sandstone 4 0 0 Red sandstone 0 2 0 Red sandstone 0 2 0 Red sandstone 1 1 0 Red sandstone 0 2 0 Red sandstone | | | 9 | 9 | | | | |
| Red marl 0 3 0 marl 0 5 0 Red sandstone 4 5 0 0 Red and dark brown marl, with salt 2 0 0 0 Rock salt and red clay 10 5 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<> | | | | | | | | |
| Red sandstone 4 5 0 Red and dark brown Red marl 0 4 0 marl, with salt 2 0 0 Red sandstone 4 0 0 Rock salt and red Red sandstone 0 2 0 Rock salt and gypsum Red marl 1 1 0 Rock salt and gypsum Red sandstone 2 0 0 | | _ | | | | | 1 | |
| Red marl 0 4 0 Red sandstone 4 0 0 Red marl 0 2 0 Red sandstone 0 2 0 Red marl 1 1 0 Red sandstone 0 2 0 Red sandstone 0 2 0 marl, with salt 2 0 0 Rock salt and red clay 10 5 0 Rock salt and gyp- sum 2 0 0 | | | | - | | | | |
| Red sandstone 4 0 0 Rock salt and red clay 10 5 0 Red marl 0 2 0 Rock salt and gyp-sum 2 0 0 Red marl 1 1 0 Rock salt and gyp-sum 2 0 0 | TO 1 | _ | | | | | | |
| Red marl 0 2 0 clay 10 5 0 Red sandstone 0 2 0 Rock salt and gypsum 2 0 0 Red marl 1 1 0 sum 2 0 0 Red sandstone 0 2 0 | | | | - | | | | |
| Red sandstone 0 2 0 Rock salt and gypsum sum 2 0 | D. J1 | | _ | - | | | | |
| Red marl 1 1 0 sum 2 0 0 Red sandstone 0 2 0 | T) 1 1 . | | | - | | | | |
| Red sandstone 0 2 019 2 (| 70.1 1 | | | - | | | | |
| | 70 1 1 | | | - | | | | |
| | | | _ | | | | 19 2 | (|
| Red marl 2 3 0 | Red marl | 2 | 3 | 0 | | | | |
| Carried forward 105 2 0 16 0 0 Total 186 4 | Carried former | 1 100 | (0 | 0.10 | | | m-1 1 100 1 | _ |
| Carried forward 105 2 0 16 0 0 Total186 4 | Carried forward | 1 100 | , 2 | 0 10 | , 0 | U | Total 186 4 | _ |

No. 2,914.—PORT CLARENCE.

TOWNSHIP OF BILLINGHAM, DURHAM.

Sheet 51 of Ordnance Map. Lat. 54° 35' 27", Long. 1° 14' 17".

Account of Strata passed through in the No. 1 Diamond Bore-hole at Port Clarence, for Messrs. C. Allhusen and Sons, by Mr. John Vivian, 1883.

Approximate surface-level 10 feet above sea (Ordnance datum).

| Peat and muddy | Ft. | In. Fs. | Ft. | In. | Brought forward | Fs. | Ft. | In. Fs. | Ft. | In. |
|-----------------------|-----|---------|--------|--------------|--------------------------------|----------|--------|---------|-----|-----|
| sand 1 | 4 | 0 | | | Strong red shale | 1 | 5 | | 0 | 9 |
| Dark muddy sand 1 | 0 | ŏ | | | Red shale, with beds | 1 | 3 | 0 | | |
| Dark sand 0 | 4 | ő | | | _C 1.4 | 1 | 2 | ٥ | | |
| Sand and gravel 0 | | ő | | | Red sandstone | _ | 5 | 0 | | |
| | 4 | Ö | | | Red sandstone, with | | U | U | | |
| Sandy clay 2 | | ŏ | | | 1 1 1 0 1 1 | 10 | 1 | 0 | | |
| Running sand 5 | | ŏ | | | Strong red shale | | | 6 | | |
| Sand and gravel 0 | 4 | ŏ | | | | | 2 5 | 6 | | |
| Hard bound gravel 0 | | ő | | | 7) 1 1 1 | 4 | 3 | 6 | | |
| Strong red pinnel* 1 | | ŏ | | | Red snale Red sandstone and | T | a | O | | |
| Grey sandy clay 0 | i | ő | | | abala | 9 | 1 | e | | |
| | 4 | o | | | | 3 | 1 | 6 | | |
| Red pinnel* 0 | * | | 3 | 0 | Strong red shale | 1 | 4 | 0 | | |
| 77 C | | 16 | 3 | 0 | Strong red shale, | | | | | |
| Upper Gypseous | | | | | with light blue | | | | | |
| Marls: | , | 0 | | | spots | 1 | 0 | 6 | | |
| Red and blue shale 2 | 5 | 0 | | | Red sandstone, with | | _ | | | |
| Red sandy shale, | ^ | | | | light blue spots | 0 | 5 | 0 | | |
| with gypsum 3 | 0 | 0 | | | Red shaly sandstone | | 4 | 6 | | |
| Red and grey sandy | | 0 | | | Red sandy shale | 1 | 3 | 0 | | |
| shale, with gypsum 0 | 3 | 6 | | | Red sandy shale, | | | | | |
| Grey sandy shale, | | | | | with light blue | _ | _ | | | |
| with gypsum 1 | 0 | 6 | | | spots | 2 | 5 | 0 | | |
| Red and grey sandy | | | | | Red sandstone, with | | | | | |
| shale, with gypsum 4 | 5 | 0 | | | red shale beds | 3 | 4 | 0 | | |
| Grey sandy shale, | | _ | | | | | | 115 | 4 | 3 |
| with gypsum 0 | 4 | 6 | | | Lower Gypseous | | | | | |
| Red and grey sandy | | | | | Marls: | | | | | |
| shale, with gypsum 0 | -3 | 0 | | | Red shale, with veins | | | | | |
| Red shale 2 | 5 | 0 | | | of gypsum | 3 | 0 | 0 | | |
| Red and grey sandy | | | | | Red shale, with beds | | | | | |
| shale 2 | 0 | 3 | | | of sandstone | 7 | 4 | 0 | | |
| | | 18 | 2 | 9 | Red shale, with small | | | | | |
| Red Sandstones and | | | | | blue joints and | | | | | |
| Marls: | | | | | veins of gypsum | 10 | 0 | 6 | | |
| Soft red sandstone 19 | 5 | 6 | | | Red sandstone, with | | | | | |
| Red sandstone 32 | 1 | 9 | | | veins of gypsum | 2 | 0 | 0 | | |
| Red shale 0 | 5 | 6 | | | Red and grey shale | | | | | |
| Red sandstone 5 | 3 | 0 | | | | 2 | 0 | 0 | | |
| Red shale, with beds | | | | i | Gypsum | 0 | 1 | 0 | | |
| of sandstone 0 | 5 | 0 | | | | | | -24 | 5 | 6 |
| Red sandstone 6 | 5 | 0 | | | Saliferous Beds : | | | | | |
| Strong red shale 0 | 1 | 6 | | | Hard grey stone, | | | | | |
| Red sandstone 0 | 4 | 0 | | | with thin veins of | | | | | |
| | 5 | 0 | | | gypsum | 2 | 2 | 0 | | |
| Red sandstone 5 | | 0 | | | Hard grey stone | | 4 | 0 | | |
| Strong red shale 0 | 1 | 0 | | | Hard grey stone, | | | | | |
| Red sandstone 0 | 1 | Õ | | | | 1 | 0 | 6 | | |
| Carried forward 74 | 0 | 3 34 | 5 | - | | 5 | 0 | 6 175 | 3 | 6 |
| Carried forward 74 | U | 3 34 | O | 9 | Carried forward | U | U | 0 1/0 | J | U |

No. 2,914.—PORT CLARENCE.—CONTINUED.

| Brought forward Fs. Ft. In. Fs. Ft. In | Ft. Ir |
|--|--------|
| Grey stone, with veins and spots of gypsum 1 3 0 Magnesian Limestone and Lower Red Sandstone: Limestone and gypsum 0 4 0 Limestone and gypsum 0 4 0 Limestone 4 4 0 Limestone, with gypsum and black joints 1 1 0 Dark grey limestone, with gypsum and black joints 1 1 0 Dark grey limestone, with gypsum and black joints 1 1 0 Dark grey limestone, with gypsum and black joints 1 1 0 Dark grey limestone, with gypsum and black joints 1 1 0 Dark grey limestone, with gypsum and black joints 0 1 0 Dark grey limestone, with gypsum 0 3 0 Dark grey limestone, with gypsum 0 3 0 Dark grey limestone, with gypsum 0 3 0 | : 1 |
| veins and spots of gypsum veins of gypsum 1 0 0 gypsum 1 3 0 Limestone 1 5 0 Magnesian Limestone and Lower Red Sandstone: Dark grey limestone, with gypsum and black joints Dark grey limestone 1 1 0 Limestone and gypsum 0 4 0 Limestone 1 1 0 Limestone with gypsum and black joints 1 1 0 Dark grey limestone Anhydrite 0 1 0 Limestone, with gypsum and black joints 1 1 0 Limestone, with gypsum and black joints 0 1 0 Limestone, with gypsum and black joints 0 1 0 Limestone, with gypsum and black joints 0 3 0 Limestone, with gypsum and black joints 0 1 0 Limestone, with gypsum and black joints 0 3 0 Limestone, with gypsum and black joints 0 3 0 | |
| gypsum 1 3 0 Magnesian Limestone and Lower Red Sandstone: 0 4 0 Limestone and gypsum 0 4 0 Limestone 4 0 Limestone, with gypsum 0 3 0 Limestone, with gypsum 0 3 0 Dark grey limestone 0 5 0 Anhydrite 0 1 0 Limestone, with gypsum 0 3 0 Dark grey limestone 0 3 0 Limestone, with gypsum 0 3 0 | |
| Magnesian Limestone and Lower Red Sandstone: Limestone and gyp- sum 0 4 0 Limestone, with gyp- sum 0 3 0 Anhydrite 0 3 0 Dark grey limestone, with gypsum and black joints 1 1 0 Dark grey limestone 0 5 0 Anhydrite 0 1 0 Limestone, with gyp- sum 0 3 0 Dark grey limestone, Limestone, with gyp- sum 0 3 0 | |
| Magnesian Limestone and Lower Red Sandstone: Limestone and gyp- sum 0 4 0 Limestone, with gyp- sum 0 3 0 Dark grey limestone, with gypsum and black joints 1 1 0 Dark grey limestone, or 1 1 0 Dark grey limestone, with gypsum and black joints 1 1 0 Dark grey limestone, with gypsum and black joints 1 1 0 Dark grey limestone, with gypsum and black joints 1 1 0 Dark grey limestone, with gypsum and black joints 1 1 0 Dark grey limestone, with gypsum and black joints 1 1 0 Dark grey limestone, with gypsum and black joints 1 1 0 Dark grey limestone, with gypsum and black joints 1 1 0 Dark grey limestone, with gypsum and black joints 1 1 0 Dark grey limestone, with gypsum and black joints 1 0 Dark grey limestone, with gypsum and black joints 1 0 Dark grey limestone, with gypsum and black joints 1 0 Dark grey limestone, with gypsum and black joints 1 0 Dark grey limestone, with gypsum and black joints 0 3 0 | |
| Magnesian Limestone and Lower Red Sandstone: Dark grey limestone, with gypsum and black joints 1 1 0 Dark grey limestone, of 1 1 0 Dark grey limestone, with gypsum and black joints 1 1 0 Dark grey limestone, or 1 1 0 Dark grey limestone, with gypsum and black joints 1 1 0 Dark grey limestone, with gypsum and black joints 1 1 0 Dark grey limestone, with gypsum and black joints 1 1 0 Dark grey limestone, with gypsum and black joints 1 1 0 Dark grey limestone, with gypsum and black joints 1 1 0 Dark grey limestone, with gypsum and black joints 1 1 0 Dark grey limestone, with gypsum and black joints 1 1 0 Dark grey limestone, with gypsum and black joints 1 1 0 Dark grey limestone, with gypsum and black joints 1 0 0 3 0 | |
| and Lower Red Sandstone: Limestone and gypsum and black joints 1 1 0 Dark grey limestone 0 5 0 Anhydrite 0 1 0 Limestone, with gypsum and black joints 1 1 0 Dark grey limestone, with gypsum and black joints 1 1 0 Dark grey limestone, with gypsum and black joints 1 1 0 Dark grey limestone, with gypsum and black joints 1 1 0 Dark grey limestone, with gypsum and black joints 1 1 0 Dark grey limestone 0 5 0 Anhydrite 0 1 0 Limestone, with gypsum and black joints 1 1 0 Dark grey limestone 0 5 0 Anhydrite 0 1 0 Limestone, with gypsum and black joints 1 1 0 Dark grey limestone, 0 1 0 Limestone, with gypsum and black joints 1 1 0 Dark grey limestone, 0 1 0 Limestone, with gypsum and black joints 1 1 0 Dark grey limestone 0 5 0 Anhydrite 0 1 0 Limestone, with gypsum and black joints 1 1 0 Dark grey limestone, 0 1 0 Limestone, with gypsum and black joints 1 1 0 Dark grey limestone, 0 1 0 | |
| Sandstone : Limestone and gyp- Sum | |
| sum 0 4 0 Limestone 4 4 0 Limestone, with gypsum 0 3 0 Dark grey limestone 0 3 0 | |
| sum 0 4 0 Limestone 4 0 Limestone, with gypsum 0 3 0 Dark grey limestone 0 3 0 | |
| imestone 4 4 0 Limestone, with gyp- sum 0 3 0 Limestone, with gyp- sum 0 3 0 Dark grey limestone, with gyp- sum 0 3 0 | |
| sum 0 3 0 sum 0 3 0 Dark grey limestone, with gyp- sum 0 3 0 | |
| sum 0 3 0 Dark grey limestone, | |
| sum 0 5 0 with grangum and | |
| | |
| | |
| White gray 2 1 6 Dark grey limestone 0 4 0 | |
| Control of the cont | |
| White rock 1 5 0 sum 0 2 0 | |
| imestone 346 | 5 |
| | 5 |
| Carried forward 20 0 0 182 1 0 Total210 | |
| Carried forward 20 0 0 182 1 0 Total210 | 0 |

* Pinnel is coarse clayey gravel.

No. 2,915.—PRESTON.

TOWNSHIP OF CHIRTON, NORTHUMBERLAND.

Sheet 89 of Ordnance Map. Lat. 55° 0′ 50″, Long. 1° 27′ 52″.

Account of Strata sunk through below the Low Main Seam, Preston Colliery, 1905.

Approximate surface-level 100 feet above sea (Ordnance datum).

| Blue metal | Fs. 12 | Ft. | In. Fs. | Ft. | In. | Brought forward Fs. Ft. In. Fs. Ft. In. |
|-----------------------|-----------|-----|----------|-----|-----|---|
| Post, with iron gir- | 12 | 1 | U | | | 1 70 / |
| 41 | 4 | 2 | 0 | | | 0041 |
| | 4 | 4 | U | | | |
| Blue metal, with post | - | 0 | | | | 2 0 7 |
| girdles | | 3 | 0 | | | Seggar-clay 0 0 9 |
| Soft blue metal | | 2 | 9 | | | Post 0 4 0 |
| COAL | 0 | 0 | 3 | | | Hard grey post 0 1 10 |
| | | | 22 | 3 | 0 | White post 1 0 2 |
| Seggar-clay | | 0 | 0 | | | Whin 0 2 0 |
| Post | 3 | 0 | 0 | | | Post 3 2 9 |
| Blue metal | 1 | 4 | 0 | | | Top Busty Seam— |
| Iron girdle | 0 | 1 | 6 | | | Ft. In. |
| Blue metal | 1 | 1 | 2 | | | COAL 0 11 |
| Post girdle | 0 | 1 | 6 | | | Band 0 3 |
| Blue metal | 0 | 4 | 0 | | | COAL 0 9 |
| Beaumont Seam— | _ | _ | • | | | Splint 0 1 |
| Ft. In | | | | | | COAL 0 7 |
| COAL 1 5 | | | | | | Seggar-clay |
| Band 0 6 | | | | | | band 0 8 |
| COAL 1 3 | | | | | | COAL 1 1 |
| Seggar-clay | | | | | | |
| 1 1 1 1 | | | | | | |
| 0041 | | | | | | 6 3 10 |
| COAL 0 10 | | ~ | | | | Blue metal 1 4 7 |
| | 0 | 5 | 3 | ~ | _ | Post 1 0 8 |
| | | | 8 | 5 | 5 | Blue metal 0 3 0 |
| Carried forward | | | 31 | 2 | 5 | Carried forward 3 2 3 40 0 10 |

No. 2,915.—PRESTON.—Continued.

| Fs. Ft. In. Fs. Ft. In. | |
|-------------------------------|---|
| Brought forward 3 2 3 40 0 10 | Brought forward 59 3 8 |
| Post 0 1 0 | Blue metal 5 0 2 |
| Blue metal 0 0 10 | Brockwell Seam- |
| Rottom Busty Seam- | Ft. In. |
| Ft. In. | COAL 1 6 |
| COAL 2 0 | Band 0 1 |
| Band 0 8 | COAL 1 3 |
| COAL 0 4 | Band 2 0 |
| 0 3 0 | COAL 0 4 |
| 4 1 1 | 0 5 2 |
| Seggar-clay 2 1 2 | 5 5 4 |
| Post 1 4 6 | Iron girdle 0 1 0 |
| Metal band 0 2 3 | Blue metal 0 4 0 |
| White post 6 3 6 | Blue metal, with post |
| COAL 0 0 3 | girdles 4 1 0 |
| 10 5 8 | Post, with thin blue |
| *** | partings 2 0 0 |
| | White post 2 5 0 |
| | Blue metal 0 4 0 |
| Three-Quarter Scam— | COAL 0 0 2 |
| COAL 1 3 | Post 0 3 0 |
| T) 1 | COAL 0 0 2 |
| 0041 | 11 0 4 |
| G. | Blue metal 0 2 8 |
| 0041 | Grey post 1 4 0 |
| CUAL 0 6 | White post 1 1 0 Close grey post 1 1 0 |
| 4 2 1 | 1 |
| 4 2 1 | 4 2 8 |
| Carried forward 59 3 8 | Total 81 0 0 |
| Carried forward 55 5 6 | Total of 0 0 |
| | |

No. 2,916.—PRESTWICK.

TOWNSHIP OF PRESTWICK, NORTHUMBERLAND.

Sheet 88 of Ordnance Map. Lat. 55° 2' 33", Long. 1° 42' 41".

Account of Strata sunk through in the Lizzie Ann Shaft, Prestwick Colliery.

Approximate surface-level 220 feet above sea (Ordnance datum).

| | Fs. | Ft. | In. Fs. | Ft. | In. | |
|-------------------|-----|-----|---------|-----|-----|------------------------------|
| Clay | . 3 | 3 | 0 | | | Brought forward 3 5 0 11 1 0 |
| Sand and gravel | . 1 | 0 | 0 | | | Clean white stone 1 2 0 |
| Stiff blue clay | . 3 | 0 | 0 | | | Red sandstone 4 0 0 |
| Sandstone | . 1 | 0 | 0 | | | Three-Quarter or Main |
| Ramble | . 1 | 1 | 0 | | | Coal Seam— |
| COAL | . 0 | 1 | 6 | | | COAL 021 |
| | | | 9 | 5 | 6 | 9 3 1 |
| | . 0 | 4 | 0 | | | Seggar-clay 0 4 6 |
| | . 0 | -3 | 0 | | | Post 2 3 0 |
| COAL | . 0 | 0 | 6 | | | Blue metal 2 0 0 |
| | | | _ 1 | 1 | 6 | COAL 0 1 2 |
| Clean white stone | . 1 | 1 | 0 | | | 5 2 8 |
| Blue metal, mixed | I | | | | | , |
| with white post | 5 | | | | | Blue metal 1 2 0 |
| band | . 2 | 4 | 0 | | | Post 1 0 0 |
| | | | | | - | |
| Carried forward | 1 3 | 5 | 0 11 | 1 | 0 | Carried forward 2 2 026 0 9 |

No. 2,916.—PRESTWICK.—Continued.

| Brought forward | | | Ft. In. | Fs. Ft. In. Fs. Ft. In. Brought forward 5 1 0 29 4 1 |
|-----------------|-----|------------|---------|--|
| Blue metal | 1 1 | . 0 | | Brockwell Seam— |
| COAL | 0 (| 4 | | Ft. In. |
| | | — 3 | 3 4 | COAL 1 0 |
| Post | 1 1 | l 0 | | Band 0 7 |
| Blue metal | 1 (| 0 (| | COAL 3 2 |
| Post | 2 (| 0 (| | 0 4 9 |
| Blue metal | 1 (| 0 (| | 5 5 9 |
| Carried forward | 5 1 | 0 29 | 4 1 | Total <u>. 35 3 10</u> |

No. 2,917.—RADCLIFFE.

TOWNSHIP OF HAUXLEY, NORTHUMBERLAND.

Sheet 47 of Ordnance Map. Lat. 55° 19' 21", Long. 1° 33' 16".

Account of Strata sunk through in the Newbrough Pit, Radcliffe Colliery.

Approximate surface-level 35 feet above sea (Ordnance datum).

| Strong clay | | | | | Fs. | Ft. | | Fs. Ft. In. Fs. Ft. In. Brought forward 6 5 6 23 0 8 Radcliffe Steam Coal |
|---|---------|---|--|------------------|-----|-----|----|--|
| Blue metal, mix with grey post | xed | 4 0 | 3 | 0 6 | ·O | J | U | Seam— Ft. In. COAL, can- |
| Seggar-clay Post | | 0 | 0 2 | 6 | 4 | 3 | 6 | rel 0 9 COAL 6 0 — 1 0 9 |
| Dark blue metal Grey metal Hard post Dark blue metal | | 1 1 0 1 | $\begin{matrix} 1 \\ 1 \\ 4 \\ 2 \end{matrix}$ | 0 0 0 | | | | Seggar-clay 0 2 0 Post 1 0 0 Blue metal 5 5 0 |
| Grey metal | | 1 0 | $\frac{2}{4}$ | 0 5 | 7 | 4 | 11 | Blue metal 5 5 0 Black metal, mixed with coal, and water 1 2 0 |
| Seggar-clay White post Dark grey metal | | $\begin{matrix} 0 \\ 1 \\ 1 \end{matrix}$ | 0 4 3 | 6 0 0 | | | | Blue metal 4 4 0 Post, with partings, and water 4 3 0 |
| Post Dark grey metal Post girdles | | 0 0 0 | 2 4 5 1 | 0 0 4 0 | | | | Blue metal 0 2 0 Albert Seam— Ft. In. |
| Seggar-clay Dark metal and co | al, | 0 | 0 2 | 6 3 | | | | COAL 3 3 Band 0 3 COAL 1 6 |
| Seggar-clay Light blue metal | | 0 | 2 3 | 0 | 5 | 4 | 7 | Seggar-clay 0 3 0 |
| Dark grey metal COAL | | 0 | 3 0 | 0 3 | 1 | 2 | 3 | Brown post 4 3 0 Blue metal 0 4 6 COAL 0 0 6 |
| Light grey metal Hard post girdle Blue metal | | 1 0 5 | $\frac{3}{1}$ | 0 6 0 | | | | Blue metal 0 4 0 Post, with water 5 0 0 |
| Carried forwa | ard – | 6 | 5 | 6 | 23 | 0 | 3 | Carried forward 5 4 0 55 4 6 |

No. 2,917.—RADCLIFFE.—Continued.

| | | | | _ | | | |
|---------------------------------|---|---|---|----|-------|---|---|
| Brought forward | | | | | Ft. 4 | | Fs. Ft. In. Fs. Ft. In Brought forward 7 1 0 70 0 |
| Soft post, with part- | - | _ | - | • | _ | Ů | Dark grey metal, |
| ings, and water | 4 | 0 | 0 | | | | with post girdles 1 4 0 |
| Queen Seam— | | | | | | | Post 0 1 3 |
| Ft. In. | | | | | | | Princess Seam— |
| COAL 3 0 COAL,splint 1 0 | | | | | | | COAL 0 5 |
| OOAL, spring 1 0 | ٥ | 4 | 0 | | | | Band 0 8 |
| | | | _ | 10 | 2 | 0 | COAL 0 11 |
| Samon alam | | 9 | | 10 | _ | U | Band 0 6 |
| Seggar-clay Post, with partings | | | | | | | COAL 3 9 |
| Blue metal | | | | | | | 1 0 3 |
| Little Wonder Seam- | - | | | | | | Soggar alay 10 0 0 |
| COAL | 0 | 1 | 8 | | | | Seggar-clay 1 0 9 Grey metal and seg- |
| | | | _ | 3 | 5 | 8 | gar-clay 1 0 0 |
| Blue metal | 1 | 1 | 0 | | | | Post, with partings 2 3 0 |
| Post, with partings | | | | | | | Post 3 0 6 |
| Blue metal | 2 | 0 | 0 | | | | 7 4 : |
| Carried forward | 7 | 1 | _ | 70 | 0 | | Total 87 4 1 |
| Carried forward | ' | 1 | U | 10 | U | - | 10tal 67 4 1. |
| | | | | | | | |

No. 2,918.—RAINTON.

TOWNSHIP OF WEST RAINTON, DURHAM.

Sheet 20 of Ordnance Map. Lat. 54° 49′ 3″, Long. 1° 30′ 34″.

Account of Strata passed through in a Bore-hole below the Hutton Seam, near the bottom of the Adventure Pit, Rainton Colliery, 1883 and 1892.—Continuation of No. 1,582.

Approximate surface-level 206 feet above sea (Ordnance datum).

| | Fs. | Ft. | In. | Fs. | Ft. | In. | |
|------------------------|--------|--------|-----|-----|-----|-----|---|
| Depth from surface | | | | | | | Brought forward 11 0 2 75 2 4 |
| to bottom of Hut- | | | | | | | Very hard white post 0 4 2 |
| ton Seam | | | | 61 | 2 | 0 | Dark grey shale 0 1 4 |
| Grey shale | 1 | 3 | 2 | | | | Supposed Harvey Seam— |
| Grey post, with a | | | | | | | Ft. In. |
| little water at top | 6 | 4 | 0 | | | | COAL, with |
| White post | | | | | | | alittledant 1 111 |
| Grey shale | 0 | | 11 | | | | Black stone, |
| COAL | Õ | | 4 | | | | mixed with |
| | | | _ | 14 | 0 | 4 | coal $0 \ 3\frac{1}{2}$ |
| Grey shale, with iron- | | | | | | _ | |
| stone balls | Λ | 9 | 9 | | | | 12 1 11 |
| White post | | | 5 | | | | Grey shale, with post |
| | U | O | J | | | | girdles 1 4 7 |
| Grey shale, with iron- | 0 | | _ | | | | Light grey shale, |
| stone girdles | | | | | | | with ironstone |
| Very dark grey shale | Û | 3 | O | | | | |
| Black shale | | 1 | 9 | | | | balls 2 1 11 |
| | 0 | 1 | 3 | | | | Hard ironstone gir- |
| Grey post, with shale | | | | | | į | dle 0 0 9 |
| partings Grey shale | 2 | 2 | 8 | | | | Strong grey shale 1 4 10 |
| Grey shale | 1 | 0 | 10 | | | | Grey post 0 3 1 |
| Light grey post | 1 | 4 | 0 | | | | Hard white post 11 2 4 |
| Carried forward | 11 | 0 | 2 | 75 | 2 | 4 | Carried forward $\overline{17}$ $\overline{5}$ $\overline{6}$ $\overline{87}$ $\overline{4}$ $\overline{3}$ |

No. 2,918.—RAINTON.—CONTINUED.

| · . | | | | | | | |
|---|--|--|---------------|-----|----------------------------------|----|----------------|
| Fs. Brought forward 17 | Ft. In. Fs. Ft. In 5 6 87 4 | | Fs. | Ft. | In. Fs. 125 | | In. |
| Supposed Top Busty Seam— | | Strong dark grey shale | 0 | 1 | 1 | | Ĭ |
| Ft. In. | | Dark grey post, with | | | | | |
| COAL 0 8 | | | 1 | 2 | 3 | | |
| Grey shale band 0 0½ | | | 0 | | | | |
| | | | _ | | — 1 | 4 | 2 |
| 0 | 1 0 | Strong dark grey | | | _ | - | _ |
| | | i shale | | 1 | 4 | | |
| Dark grey shale 0 | 0 2 | Dark grey post | 0 | | 0 | | |
| White post 0 Strong grev shale 2 | $\begin{array}{ccc} 3 & 6 \\ 1 & 11 \end{array}$ | Strong white post Strong dark grey | 8 | 4 | 6 | | |
| Strong grey shale 2 Grey post, with shale | 1 11 | shale | 0 | 0 | 6 | | |
| partings 0 | 3 8 | White post | ŏ | ŏ | 8 | | |
| Dark grey shale 0 | 1 5 | Dark grey shale, | | | | | |
| Black shale, with a | 0.10 | with post girdles | 1 | | 0 | | |
| little coal 0 | 0 10 | | 0 | 0 | 6 | | |
| COAL 0 | $\frac{0\ 11\frac{1}{2}}{4\ 0\ 5}$ | | 0 | 0 | $\frac{3}{-11}$ | 2 | 9 |
| Dark grey shale 0 | 1 0 | Light grey shale, | | | | 4 | J |
| Strong post 6 | 4 0 | with post girdles | 0 | 3 | 6 | | |
| Light grey shale, | | Strong white post | 1 | 3 | 1 | | |
| with post girdles 2 | $\frac{1}{2}$ | Dark grey shale | | - | 2 | | |
| Black metal 0 | 0 4 | Black metal | _ | 0 | $rac{2rac{1}{2}}{1rac{1}{2}}$ | | |
| Supposed Lower Busty Seam— | | COAL | | 0 | $-\frac{1}{2}$ 2 | 4 | 1 |
| Ft. In. | | Light grey shale | 0 | 3 | 3 ~ | - | _ |
| COAL, strong, | | White post, with | | | | | |
| like cannel 0 7 | | shale partings | 1 | 3 | 4 | | |
| COAL 0 6 | | Dark grey shale | | | 3 4 | | |
| Hard band 0 $0\frac{1}{2}$ COAL 0 $1\frac{1}{2}$ | | Black shale | 0 | 0 | 4 | | |
| — 0 | 1 3 | | _ | | 3 | 5 | 6 |
| | 9 2 4 | | | | 3 | | |
| Grey shale 0 | 1 5 | Strong grey post, with a little water | | _ | | | |
| Strong grey post 1 Dark grey shale 1 | 5 0 3 0 | | 4 | 2 | 2 | | |
| Dark grey shale 1 Strong grey post 0 | 0 9 | Supposed Brockwell Seam— | | | | | |
| Strong dark grey | 0 0 | Ft. In | | | | | |
| shale 1 | 0 0 | COAL 0 11 | $\frac{1}{2}$ | | | | |
| Grey post 0 | 1 0 | Band 0 8 | | | | | |
| Strong dark grey | 4 0 | COAL 0 6 | | ด | $1\frac{1}{2}$ | | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 4 3 0 3 | _ | | | 4 | 4. | 6 1 |
| Whin 0 | 0 9 | Very strong dark | | | • | • | V ₂ |
| | 2 0 | grey and light grey | • | | | | |
| Grey post 0 Light grey shale 0 | 1 0 | post Dark grey shale | 2 | 3 | 2 | | |
| Black shale 0 | 0 2 | Dark grey shale | 3 | 1 | 4. | 1 | c |
| COAL 0 | 1 10 ——————————————————————————————————— | 5 | _ | | — 5 | 4 | 6 |
| | 0 3 | _ | | | | | |
| Carried forward | 125 5 | Total | | | 156 | 0 | $6\frac{1}{2}$ |
| | | 1 | | | | | _ |

No. 2,919.—RAINTON.

TOWNSHIP OF EAST RAINTON, DURHAM.

Sheet 20 of Ordnance Map. Lat. 54° 48' 39", Long. 1° 28' 56".

Account of Strata passed through in a Bore-hole below the Low Main Seam, in the South-west Cross-cut Wagon-way, about 17 yards from the Shaft, Alexandrina Pit, Rainton Colliery, 1896.—
Supplementary to No. 1,589.

Approximate surface-level 300 feet above sea (Ordnance datum).

| | _ | | | | | | |
|-------------------------------|-----|----------|-----|-----|-----|----------------|--|
| | Fs. | Ft. | In. | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
| Depth at shaft from | | | | | | | Brought forward 4 2 11 76 4 8 |
| surface to bottom | | | | | | | Ft. In. |
| of Low Main Seam | | | | 62 | 0 | 11 | COAL, coarse, |
| Pipe sunk into grey | | | | | | | mixed with |
| shale | 0 | 3 | 9 | | | | black stone 0 3 |
| Grey shale, with post | | | | | | | Grey shale 0 $2\frac{1}{2}$ |
| girdles | 0 | 4 | 3 | | | | Black stone, |
| Hard grey post, with | | | | | | | mixed with |
| shale partings | 1 | 1 | 11 | | | | coal 0 5 |
| Grey post | ō | 3 | | | | | 0 0 10½ |
| Grey post, with shale | Ŭ | | • | | | | 4 3 9 |
| | 1 | 4 | 7 | | | | Seggar-clay 0 0 4 |
| 4 0 | 7 | -1 | • | | | | |
| Plack stone | | | | | | | Grey shale, with post |
| Black stone 0 8 | | | | | | | girdles 1 5 3 |
| COAL 0 6 | | | | | | | Black shale 0 0 3 |
| Black stone 0 8 | | | | | | | Grey shale, with post |
| COAL 0 4 | | ~ | ~ | | | | girdles 0 1 7 |
| | 0 | 2 | 2 | | | | Black stone 0 0 2 |
| | | | — | 5 | 2 | 3 | COAL 0 0 1½ |
| Soft blue shale | 0 | 1 | 2 | | | | 2 1 8 |
| Strong blue shale, | | | | | | | Seggar-clay 0 1 0½ |
| with light partings | 0 | 2 | 4 | | | | Grev shale, with post |
| | | | | | | | girdles 1 2 10 |
| COAL 0 6 | | | | | | | girdles 1 2 10 Hard grey post 1 5 0 Dark grey shale 0 1 11 Block styre |
| Rlug chala 0 10 | | | | | | | Dark grey shale 0 1 11 |
| COAL 0 8 | | | | | | | Black stone 0 0 2 |
| 0 0 | 0 | 2 | 0 | | | | 0041 |
| | U | | U | 0 | 5 | 6 | 3 5 5 |
| Grow nest | 1 | 4 | 8 | | J | U | |
| Grey post Dark grey shale, | - | | G | | | | |
| Dark grey share, | • | | | | | | Post girdles 0 0 10 |
| with post girdles | 1 | 0 | 4 | | | | Very dark grey shale 0 2 11 |
| Grey post, with shale | | | | | | | Grey post 0 1 5 |
| partings | | | 7 | | | | Grey shale, with post |
| Dark grey shale | 0 | 2 | 1 | | | | girdles 0 1 5 Grey post 1 3 2 |
| Hutton Seam— | | | | | | | |
| Ft. In. | | | | | | | Dark grey shale 0 3 9 |
| COAL 4 4 | | | | | | | Grey post 0 1 1 |
| COAL, bot- | | | | | | | Grey metal, with post |
| tom 0 9 | | | | | | | girdles 0 1 8 |
| | 0 | 5 | 1 | 1 | | | Dark grey shale 0 3 5 |
| | _ | | | . 8 | 2 | $9\frac{1}{2}$ | |
| Grey shale, with | | | | J | _ | 0.9 | Dark grey shale, |
| ironstone girdles | 0 | 4 | 1 | | | | with post girdles 0 5 10 |
| White nest | 0 | | _ | | | | |
| White post with | U | 4 | 0 | | | | |
| White post, with | 0 | 0 | | , | | | Very light grey shale 0 0 8 |
| thin shale partings | | | | | | | Very dark grey shale, |
| White post | | | _ | | | | with fossil shells 0 4 0 |
| Black stone | 0 | 0 | 11 | | | | Very dark grey shale 1 2 1 |
| 0 | _ | | _ | | | | 0 110 10000000000 |
| Carried forward | 4 | 2 | 11 | 76 | 4 | 8 | ! Carried forward 8 0 101 87 3 7 |
| | | | | | | | |

No. 2,919.—RAINTON.—Continued.

| 110. 2,010. 1011 | | 2011. 001.111.011 | • | | | | _ |
|--|-------|----------------------------|----------|-----|---------------------|-------|-----|
| Brought forward 8 0 10½ 87 | . լո. | D 14 6 1 | Fs. | Ft. | In. Fs. | Ft. I | ln. |
| | 3 7 | Brought forward | 6 | 3 | 8 120 | 5 (| 0 ½ |
| Light grey shale 0 0 9 | 1 | Coarse white post, | | | | | |
| Grey post 0 5 3 | | with veins of coal | _ | _ | _ | | |
| Grey shale, with post | | and ironstone balls | 2 | 1 | 8 | | |
| and post girdles 2 1 9 | - 1 | Grey shale, with | | | | | |
| Grey post 0 1 3 | - 1 | ironstone balls | 1 | 3 | 7 | | |
| Dark grey shale 0 3 0 | - 1 | Soft black shale | 0 | 1 | 4 | | |
| Harvey Šeam— | - 1 | Black stone and coal | 0 | 1 | 3 | | |
| COÁL 0 1 11 | | Dark grey shale | 0 | 2 | 7 | | |
| | 91 | COAL | | 0 | $0\frac{1}{2}$ | | |
| Seggar-clay 0 0 3 | - 2 | | | | | 2 | 11 |
| Very dark grey shale 2 1 11 | | Doub and hale with | | | | | ~2 |
| | - 1 | Dark grey shale, with | - | | 0 | | |
| Ft. In. | | ironstone girdles | 1 | | 0 | | |
| COAL, with a | ł | Soft grey shale | U | | 11 | | |
| little black | - 1 | Black stone Seggar-clay | 0 | 2 | 3 | | |
| stone 0 $2\frac{1}{2}$ | | Seggar-clay | 0 | 0 | 5 | | |
| Darkgreyshale 0 6 | 1 | Strong dark grey | | | | | |
| COAL, with a little black | | shale, with iron- | | | | | |
| | - 1 | stone balls | 0 | 4 | 7 | | |
| stone $0 5\frac{1}{2}$ | 1 | Strong light post | 1 | 4 | 7 | | |
| 0 1 2 | | Dark grey shale | | 0 | 6 | | |
| 2 3 | 4 | Lower Busty Seam- | | | | | |
| Very dark grey shale 0 1 4 | | Ft. In. | | | | | |
| Soft light grey | - 1 | Black stone 0 2 | ٠. | | | | |
| shale, with iron- | - 1 | COAL, soft 1 10 | | | | | |
| stone balls 0 4 6 | | Black stone 0 1 | | | | | |
| Dark grey shale, | | Diack stone 0 1 | 0 | 2 | 1 | | |
| with ironstone | | | U | 2 | _ 5 | 3 | 4 |
| 1.11. 1.0.0 | - 1 | | | | | J | -# |
| | - 1 | Dark grey shale | 0 | 1 | 4 | | |
| White post, mixed with grey shale 1 2 9 | | Light grey post | 1 | 3 | 2 | | |
| | - 1 | Dark grey shale | 1 | 1 | 1 | | |
| | | Seggar-clay, with | | | | | |
| very strong grey | | ironstone balls | 0 | 3 | 2 | | |
| L. Prince L. Hills and T. Hills | | Dark grey shale, | | | | | |
| Grey shale parting 0 1 0 | ŀ | with threads of | | | | | |
| Strong grey post 4 0 0 | | post | 2 | 1 | 3 | | |
| Grey shale, with | - 1 | Strong light post, | | | | | |
| ironstone balls 0 1 6 | | with occasional gir- | | | | | |
| Grey post, mixed | } | dles | 5 | 2 | 2 | | |
| with shale 1 0 3 | - 1 | Strong light post, | | | | | |
| Dark grey shale 0 0 7 | | mixed with dark | | | | | |
| Dark grey shale, | 1 | grey shale | 0 | 5 | 8 | | |
| mixed with $post$ 1 1 2 | | Strong grey post | Ō | 3 | 2 | | |
| Strong white post 2 4 0 | İ | Strong grey post, | • | • | _ | | |
| Dark grey shale 0 0 5 | | mixed with shale | 0 | 3 | 2 | | |
| Strong white post, | | Strong dark grey | U | 9 | - | | |
| with coal threads 0 2 10 | | | 0 | 5 | 3 | | |
| Fine conglomerate, | | post | | | 9 | | |
| with coal threads 1 3 6 | | Very dark grey shale | | 4 | | | |
| COAL 0 0 2 | | COAL | 0 | 0 | 8 | | 10 |
| Fine conglomerate, | | | | | 14 | 4 | τO |
| with coal threads 0 0 10 | | Grey shale | 0 | 0 | 5 | | |
| Busty Seam— | | Very dark grey post | 1 | 5 | 9 | | |
| COAL 0 2 0 | | Very dark grey shale | 0 | 2 | 0 | | |
| | 10 | COAL | ^ | 0 | $1\frac{1}{2}$ | | |
| | - 10 | | | | 2 | 2 : | 31 |
| Grey shale, with post girdles 0 3 4 | | Seggar-clay | 0 | 1 | $0^{\frac{1}{2}}$. | | |
| | | Dark grey shale, | ٠ | - | 0 2 | | |
| | | with iron balls | 0 | 3 | 0 | | |
| Very coarse sand- | | | | 4 | 0 | | |
| stone 1 2 1 | | Light grey post | 0 | * | | | _ |
| Carried femund 6 2 9 190 E | 61 | Carried forward | 1 | 2 | 01 155 | 0 | 11 |
| Carried forward 6 3 8 120 5 | Uş (| Oarried forward | - | - | J ₂ 100 | | -3 |
| | | | | | | | |

No. 2,919.—RAINTON.—CONTINUED.

| Brought forward | | | |
|---|--|----------------------------|-----------------|
| Dark grey post, with shale partings 0 3 2 Grey shale 0 4 8 Grey shale, with threads of post 1 0 8 Grey shale 0 1 2 Grey shale 0 3 2 Hard light grey post 5 4 8 Grey shale 0 3 3 2 Hard light grey post 5 5 4 Grey shale 0 3 3 2 Hard light grey post 2 2 2 4 Very coarse post 0 3 3 2 Hard light grey post 2 2 2 4 Very coarse post 0 5 0 The dark post, with shale partings and coal threads near bottom 1 0 7 Conglomerate 0 2 0 Dark grey shale 1 3 10 The dark post, with dark threads 0 4 0 The dark post 0 4 5 Dark grey shale 0 4 0 The dark post 0 2 6 The dark post 0 2 6 The dark post, with dark threads 8 0 4 Grey post 0 4 5 Dark grey shale 0 3 0 The dark post, with dark threads 8 0 4 Grey post 0 2 0 The dark post, with dark threads 8 0 4 Grey post 0 2 0 The dark post, with dark threads 8 0 4 Grey post 0 5 3 The dark post, with dark threads 8 0 4 Grey post 0 5 3 The dark post, with dark threads 8 0 4 Grey post 0 5 3 The dark post, with dark threads 8 0 4 Grey post 0 5 3 The dark post, with dark threads 8 0 4 Grey post 0 5 3 The dark post, with dark threads 8 0 4 Grey post 0 5 3 The dark post, with dark threads 8 0 4 Grey post 0 5 3 The dark post, with dark threads 8 0 4 Grey post 0 5 3 The dark post, with dark threads 8 0 4 The dark post, with dark threads 8 0 4 The dark post, with dark threads 8 0 4 The dark post, with dark threads 8 0 4 The dark post, with dark threads 8 0 4 The dark post, with dark threads 8 0 4 The dark post, with dark threads 8 0 4 The dark post, with dark threads 8 0 4 The dark post, with dark threads 8 0 4 The dark post, with dark | | | |
| Ings 0 3 2 Grey shale, with threads of post 0 4 <th c<="" td=""><td></td><td></td></th> | <td></td> <td></td> | | |
| Ings 0 3 2 Grey shale, with threads of post 0 4 <th c<="" td=""><td>with chale part-</td><td>Gray noct 0 4 8</td></th> | <td>with chale part-</td> <td>Gray noct 0 4 8</td> | with chale part- | Gray noct 0 4 8 |
| Very dark grey shale 2 4 0 Black stone and coal Ft. In. Gannister 0 1 2 COAL, coarse 0 5½ COAL 0 3½ Hard light grey post 5 4 8 Gory shale 0 2 4 4 6 5 0 Fine dark post, with shale partings and coal threads near bottom 1 0 7 Conglomerate 0 2 0 1 3½ 2 4 4 6 5 0 Fine dark post, with shale partings and coal threads near bottom 1 0 7 Conglomerate 0 2 0 0 2 0 | inger of 3 9 | Grey chale: with | |
| Ft. In. Gannister 0 1 2 COAL 0 4½ COAL 0 3½ Hard light grey post 5 4 8 Grey shale 0 3½ Hard light grey post 2 2 4 Very coarse opt 6 5 0 Fine dark post, with shale partings and coal threads near bottom 1 0 7 Conglomerate 0 2 0 Dark grey shale 1 1 5 Soft grey shale 1 1 3 10 Hard grey shale 1 1 3 10 Grey shale 1 1 3 10 Grey shale 0 1 5 Grey shale 0 1 5 Grey shale 0 1 0 7 Grey shale 0 2 6 White post with dark threads 8 0 4 Grey post with coal threads 8 0 4 Grey post, with coal threads | Vore dork ener chale 2 4 0 | thread, of nort 1 0 9 | |
| COAL 0 3½ Black stone and coal 0 2 — 0 1 3½ — 0 1 3½ Dark grey shale 0 2 4 4 6 5 0 Cry shale 0 2 4 4 6 5 0 2 0 2 0 1 0 2 0 0 2 0 0 2 0 0 2 0 0 0 2 0 0 0 2 0 0 0 2 0 0 0 2 0 0 0 0 2 0 0 0 0 4 5 0 0 0 0 2 0 0 0 0 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | | Convictor 0 1 9 | |
| COAL 0 3½ Black stone and coal 0 2 — 0 1 3½ — 0 1 3½ Dark grey shale 0 2 4 4 6 5 0 Cry shale 0 2 4 4 6 5 0 2 0 2 0 1 0 2 0 0 2 0 0 2 0 0 2 0 0 0 2 0 0 0 2 0 0 0 2 0 0 0 2 0 0 0 0 2 0 0 0 0 4 5 0 0 0 0 2 0 0 0 0 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | Plackstone and | Hand light ones next 5 4 9 | |
| COAL 0 3½ Black stone and coal 0 2 — 0 1 3½ — 0 1 3½ Dark grey shale 0 2 4 4 6 5 0 Cry shale 0 2 4 4 6 5 0 2 0 2 0 1 0 2 0 0 2 0 0 2 0 0 2 0 0 0 2 0 0 0 2 0 0 0 2 0 0 0 2 0 0 0 0 2 0 0 0 0 4 5 0 0 0 0 2 0 0 0 0 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | | Cross chale | |
| COAL 0 3½ Black stone and coal 0 2 — 0 1 3½ — 0 1 3½ Dark grey shale 0 2 4 4 6 5 0 Cry shale 0 2 4 4 6 5 0 2 0 2 0 1 0 2 0 0 2 0 0 2 0 0 2 0 0 0 2 0 0 0 2 0 0 0 2 0 0 0 2 0 0 0 0 2 0 0 0 0 4 5 0 0 0 0 2 0 0 0 0 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | | Hand light man mark 0 0 4 | |
| Black stone and coal 0 2 2 | | | |
| Shale partings and coal threads near bottom 1 0 7 | | | |
| Coal threads near bottom 1 0 7 | | | |
| Dark grey shale 0 2 4 4 6 Grey post 2 4 0½ Dark grey shale, with threads of post 1 1 5 5 Grey shale 1 3 10 Dark grey shale 0 1 5 Grey post 0 4 0 Dark grey shale 0 1 0 7 Grey shale 0 4 0 Dark grey shale 0 2 6 Dark grey shale 0 2 6 Dark grey shale 0 4 0 Dark grey shale 0 4 0 Dark grey shale 0 4 0 Uvery hard dark grey post 0 2 6 Dark grey shale 0 4 9 Grey post, with threads of shale 0 5 3 Dark grey shale 0 5 3 Dark grey shale 0 5 3 Coarse light grey post 0 4 7 Grey post, with threads of shale 0 5 3 Coarse light grey post 0 4 7 Grey post, with threads of shale 3 3 1 Light grey post 1 2 10 Grey shale, with ironstone balls 0 5 0 Grey post 0 3 2 — 30 3 10 | | | |
| Dark grey shale 0 2 4 Very coarse grey post 0 5 4 Grey post 2 4 0½ Grey shale, with threads of post 1 1 5 Dark grey shale 1 3 10 Hard grey shale 1 0 7 Grey shale 0 4 0 Uvery hard dark grey post 0 2 6 White post, with dark threads 8 0 4 Grey post, with coal threads 8 0 4 Grey post, with coal threads 0 4 9 Dark grey shale 0 4 9 Dark grey shale 0 4 9 Grey post, with coal threads 0 4 9 Grey post, with coal threads 0 10 Black stone 0 1 | | | |
| Very coarse grey post 0 5 4 Bark grey shale, with threads of post 0 4 5 4 5 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 7 7 6 7 7 7 7 7 7 7 7 7 7 7 8 7 8 8 1 1 9 <t< td=""><td></td><td></td></t<> | | | |
| Grey post 2 4 0½ with threads of post 1 1 5 Soft grey shale post 1 3 10 Bark grey shale post 1 3 10 Hard grey shale 0 1 5 Bark grey shale post 0 2 0 Grey post 0 4 0 Bark grey shale 0 2 0 Very hard dark grey post 0 2 6 Bark grey shale 0 3 0 White post with dark threads 8 0 4 Grey post, with threads of shale 0 5 3 Grey post, with coal threads 0 5 10 Bark grey shale 0 5 3 Dark grey shale 0 4 9 Coarse light grey post 0 4 7 Grey post, with chreads of shale 0 5 3 Coarse light grey post 0 4 7 Grey post, with chreads of post 0 4 0 Bark grey shale, with threads of shale 0 3 0 Light grey shale 0 5 3 Coarse light grey post 0 4 7 Grey post, with threads of shale 0 5 3 Coarse light grey post 0 4 7 Grey post, with threads of shale 0 5 0 Grey post, with threads of shale 0 5 0 Grey post, with threads of shale 0 5 0 Grey post, with threads of shale 0 5 0 Grey post, with threads of shale 0 5 0 Grey post, with threads of shale 0 5 0 Grey post, with threads of shale 0 5 0 Grey post, with threads of shale 0 5 0 Grey post, with threads of shale 0 5 0 Grey po | Dark grey shale 0 2 4 | Conglomerate 0 2 0 | |
| Dock Cook very coarse grey post 0 5 4 | Dark grey shale, | |
| threads of post 1 1 1 5 Soft grey shale 1 3 10 Hard grey shale 1 3 10 Grey post 0 4 0 Very hard dark grey post 0 2 6 White post, with dark threads 8 0 4 Grey post, with coal threads 0 5 10 Dark grey shale 0 5 3 Dark grey shale 0 5 3 Coarse light grey post 0 4 7 Grey post, with coal threads 0 5 10 Dark grey shale 0 5 3 Coarse light grey post 0 4 7 Grey post, with threads of shale 3 3 1 Light grey post 1 2 10 Grey shale, with ironstone Grey post, with threads of shale 0 5 3 Coarse light grey post 0 4 7 Grey post, with threads of shale 3 3 1 Light grey post 1 2 10 Grey shale, with ironstone Grey post 0 4 7 Grey post, with threads of shale 3 3 1 Light grey post 1 2 10 Grey shale, with ironstone Grey post 0 4 7 Grey post, with threads of shale 3 3 1 Coarse light grey post 0 4 7 Grey post 0 4 7 Grey shale, with ironstone | | | |
| Soft grey shale 1 3 10 Hard grey shale 0 1 5 Grey post 1 0 7 Grey shale 0 4 0 Very hard dark grey post 0 2 6 White post, with dark threads 8 0 4 Grey post, with coal threads 0 5 10 Dark grey shale 0 4 9 Ft. Ia. COAL 0 10 Black stone 0 1 ——————————————————————————————————— | | post 0 4 5 | |
| Hard grey shale 0 1 5 5 Grey post 1 0 7 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 7 | | | |
| Grey post 1 0 7 Grey shale 0 4 0 Very hard dark grey post 0 2 6 White post, with dark threads 8 0 4 9 Grey post, with coal threads 0 5 10 Dark grey shale 0 5 3 Dark grey shale 0 5 3 Coarse light grey post 0 4 7 Grey post, with threads of shale 0 4 7 Grey post, with threads of shale 0 4 7 Grey post, with threads of shale 0 4 7 Grey post, with threads of shale 0 4 7 Grey post, with threads of shale 0 4 7 Grey shale, with ironstone balls 0 5 0 Grey post, with threads of shale 0 5 0 Grey post, with threads of shale <t< td=""><td></td><td></td></t<> | | | |
| Grey shale 0 4 0 Very hard dark grey post 0 2 6 White post, with dark threads 8 0 4 Grey post, with coal threads 0 5 10 Dark grey shale 0 5 10 Dark grey shale 0 5 3 Coarse light grey post 0 4 7 Grey post, with threads of shale 0 3 3 Coarse light grey post 0 4 7 Grey post 0 4 7 Grey post 0 4 7 Grey post 0 4 7 Grey post 0 4 7 Grey post 0 4 7 Grey post 0 4 7 Grey post 0 4 7 Grey shale 0 5 3 1 Light grey shale 0 5 3 Grey post 0 4 7 Grey shale 0 5 0 Grey post 0 5 0 Grey post 0 3 2 </td <td>Hard grey shale 0 1 5</td> <td></td> | Hard grey shale 0 1 5 | | |
| Very hard dark grey post Grey post Grey post, with threads of shale 0 5 3 White post, with dark threads 8 0 4 Dark grey shale 0 5 3 Grey post, with coal threads 0 5 10 Dark grey shale 0 4 9 Dark grey shale Ft. Ia. Grey post, with threads of shale 3 3 1 Light grey post 1 2 10 Grey shale, with ironstone balls 0 5 0 Grey post 0 5 0 Grey post 0 5 0 Grey post 1 2 10 Grey post 0 5 0 Grey post 0 5 0 Grey post 0 5 0 Grey post 0 5 0 Grey post 0 3 2 | Grey post 1 0 7 | | |
| Dark prey shale 1 | | Tangare grey street | |
| White post, with dark threads 8 0 4 Grey post, with coal threads 0 5 · 10 Dark grey shale 0 5 · 10 Dark grey shale 0 4 9 Ft. In. Grey post, with threads of shale COAL 0 10 Black stone 0 1 Grey shale, with ironstone balls 0 5 0 Grey post 1 2 10 Grey shale, with ironstone balls 0 3 2 Grey post 0 3 2 30 3 10 | | | |
| White post, with dark threads 8 0 4 Grey post, with coal threads 0 5 · 10 Dark grey shale 0 5 · 10 Dark grey shale 0 4 9 Ft. In. Grey post, with threads of shale COAL 0 10 Black stone 0 1 Grey shale, with ironstone balls 0 5 0 Grey post 1 2 10 Grey shale, with ironstone balls 0 3 2 Grey post 0 3 2 30 3 10 | post 0 2 6 | | |
| dark threads 8 0 4 Grey post, with coal threads 0 5 10 Dark grey shale 0 4 9 Ft. In. Grey post, with threads of shale COAL 0 10 Black stone 0 0 11 | White post, with | Dark grey shale 0 5 3 | |
| coal threads 0 5·10 10 Grey post, with threads of shale 3 3 1 1 Light grey post 1 2 10 Grey post shale 1 2 10 Grey shale, with ironstone balls 0 5 0 0 Grey post 0 3 3 1 1 2 10 Grey post 1 2 10 Grey post 0 5 0 0 3 3 1 1 1 10 1 1 1 2 10 0 1 10 1 3 3 1 1 1 2 10 0 1 1 3 3 1 1 1 2 10 0 10 1 1 10 1 1 1 2 10 0 1 1 1 2 10 0 3 3 1 1 1 1 2 10 0 1 1 1 2 10 0 1 1 2 1 2 <td></td> <td>Coarse light grey</td> | | Coarse light grey | |
| COAL threads 0 5·10 Grey post, with threads of shale 3 3 1 Light grey shale 0 10 Light grey post 1 2 10 Black stone 0 1 Grey shale, with ironstone balls 0 5 0 Grey post 0 3 2 Grey post 0 3 2 | | | |
| Dark grey shale 0 4 9 Ft. Ia. COAL 0 10 Black stone 0 1 | coal threads 0 5.10 | Grey post, with | |
| COAL 0 10 Black stone 0 1 | Dark grey shale 0 4 9 | threads of shale 3 3 1 | |
| Grey shale, with ironstone balls 0 5 0 Grey post 0 3 2 30 3 10 | Ft, In. | Light grey post 1 2 10 | |
| Black stone $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | | | |
| $\frac{ 0 0 11}{$ | Black stone 0 1 | ironstone balls 0 5 0 | |
| | | Grev post 0 3 2 | |
| <u> </u> | | 30 3 10 | |
| Carried forward 178 5 11 Total209 3 9 | | | |
| | Carried forward 178 5 1 | Total209 3 9 | |
| | | | |

No. 2,920.—RAINTON.

TOWNSHIP OF MOORSLEY, DURHAM.

Sheet 20 of Ordnance Map. Lat. 54° 48′ 39", Long. 1° 28′ 56".

Account of Strata passed through in a Bore-hole below the Main Coal Seam, three-quarters of a mile from the Shaft, Alexandrina Pit, Rainton Colliery, 1891.—Supplementary to No. 1,589.

Approximate surface-level 300 feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|-------------------------------|---|
| Depth at shaft from | Brought forward 0 4 840 4 11 |
| surface to bottom | Mild grey post and |
| of Main Coal Seam 40 4 11 | metal 0 5 11 |
| From top of scaffold | Dark grey metal, with ironstone gir- |
| to stone head 0 2 3 | with ironstone gir- |
| Fire-clay 0 2 5 | dles 0 4 8 |
| · | |
| Carried forward 0 4 8 40 4 11 | Carried forward 2 3 3 40 4 11 |

No. 2,920.—RAINTON.—CONTINUED.

| Fs. | Ft. | In. Fs. | Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|----------------------|--------|---------|---------|--|
| Brought forward 2 | 3 | 3 40 | 4 11 | Brought forward 12 5 8 40 4 11 |
| Mild grey metal, | | | | Mild grey metal 2 3 4 |
| with iron post gir- | | | | Mild grey metal 2 3 4 Seggar-clay 1 0 0 Dark grey metal 0 1 9 Light mild grey post 1 4 3 |
| dles 1 | 2 | 4 | | Dark grey metal 0 1 9 |
| Strong dark grey | | | | Light mild grey post 1 4 3 |
| metal 0 | 3 | 11 | | Mild laminated post, |
| Mild grey metal, | | | | with metal part- |
| with iron post gir- | | | | ings 1 3 3 8 |
| dles 1 | 4 | 7 | | Strong grey metal, |
| Mild grey post, with | | | | with post girdles 0 2 0 |
| metal partings 1 | 3 | 8 | | Soft grey metal 0 3 9 |
| Strong grey metal 2 | -3 | 6 | | Strong grey metal, |
| Mild grey metal, | | | | with post girdles 0 2 9 |
| with post girdles 1 | 5 | 11 | | Soft grey metal 0 1 10 |
| Mild grey post 0 | 2 | 6 | | 23 5 0 |
| 0 1 | | | | |
| Carried forward 12 | 5 | 8 40 | 4 11 | Total 64 3 11 |
| Carried Torward 12 | | - 10 | | |

No. 2,921.—RAINTON.

TOWNSHIP OF PITTINGTON, DURHAM.

Sheet 20 of Ordnance Map. Lat. 54° 48′ 39″, Long. 1° 28′ 56″.

Account of Strata passed through in a Bore-hole below the Main Coal Seam, at the South side of the Shaft, about three-quarters of a mile from the No. 1 Bore-hole, Alexandrina Pit, Rainton Colliery, 1891.—Supplementary to No. 1,589.

Approximate surface-level 300 feet above sea (Ordnance datum).

| | Fs. | Ft. | In. | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. Ir |
|--------------------------------------|--------|------|-----|-----|--------|-----|---|
| Depth at shaft from | | | | | | | Brought forward 3 3 5 47 1 |
| surface to bottom | | | | | | | Light grey metal 0 1 3 |
| of Main Coal Seam | | | | 40 | 4 | 11 | Ft. In. 1 9 |
| From top of scaffold | | | | | | | COAL 1 9 |
| to stone head | 0 | 3 | 0 | | | | Grey post 2 1 |
| rire-clay | 0 | 2 | 4 | | | | COĂĹ 1 8 |
| strong grey post, | | | | | | | . ——— 0 5 6 |
| with metal part- | | | | | | | 44 |
| ings | 1 | 0 | 5 | | | | Grey metal, with post |
| strong dark grey | | | | | | | girdles 0 3 8 |
| metal, with iron | | | | | | | Strong laminated . |
| post girdles | 1 | 0 | 3 | | | | post, with metal |
| Mild grey metal, | | | | | | | partings 1 2 10 |
| with iron post gir- | | | | | | | Grey metal 0 5 11 |
| dles | 1 | 3 | 6 | | | | Grey metal 0 5 11 Very hard grey post 0 1 2 Strong grey metal 3 2 0 Dark grey metal 0 2 8 Very hard grey post 0 3 7 |
| strong dark grey | | | | | | | Strong grey metal 3 2 0 |
| Strong dark grey metal, with iron | | | | | | | Dark grey metal 0 2 8 |
| post girdles | 1 | 4 | 1 | | | | Very hard grey post 0 3 7 |
| CÒAL | 0 | 1 | 0 | | | | Strong grey metal, |
| | | | _ | 6 | 2 | 7 | with post girdles 1 1 5 |
| Clay | 1 | 1 | 4 | | | | 8 5 |
| Mild laminated post, | | | | | | | |
| with metal part- | | | | | | | |
| ings | 2 | 2 | 1 | | | | |
| | | | _ | | | | |
| Carried forward | 3 | 3 | 5 | 47 | 1 | 6 | Total 60 4 1 |

No. 2,922.—RAISBY HILL.

TOWNSHIP OF GARSMONDWAY MOOR, DURHAM.

Sheet 35 of Ordnance Map. Lat.

, Long.

Account of Strata passed through in the No. 1 Bore-hole at Raisby Hill Limestone Quarries, for The Raisby Hill Limestone Company, 1899.

Approximate surface-level

feet above sea (Ordnance datum).

| Soil Fs. Ft. In. Fs. Ft. In. Yellow clay 0 1 9 | Fs. Ft. In. Fs. Ft. In. Brought forward 12 4 9 1 1 3 Hard brown lime- |
|--|---|
| Brown stony clay 0 4 0 | stone, with white |
| 11; | spar 1 1 6 |
| Marl 0 5 3 | Hard brown lime- |
| Yellow limestone 0 1 6 | stone 0 3 0 |
| Marl, with limestone | Yellow limestone, |
| girdles 1 3 9 | with hard girdles 0 4 0 |
| White limestone, | Hard brown lime- |
| with thin partings 0 3 3 | stone, with thin |
| Limestone, with marl | partings 0 3 6 |
| partings 3 5 0 | Yellow limestone, |
| Limestone, with hard | with thin partings 3 2 6 |
| girdles 1 2 6 | Hard brown lime- |
| Limestone, with marl | stone 1 0 6 |
| partings 4 0 0 | 20 1 9 |
| Hard limestone 0 1 6 | |
| | |
| Carried forward 12 4 9 1 1 | Total 21 3 0 |
| | |

No. 2,923.—REAYGARTH.

TOWNSHIP OF BLENKINSOPP, NORTHUMBERLAND.

Sheet 91 of Ordnance Map. Lat. 54° 58′ 30″, Long. 2° 31′ 50″.

Account of Strata exposed in Angerton Quarry, Reaygarth.

Approximate surface-level 600 feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In. Brought forward 16 3 2 |
|--|---|
| tom part 3 0 11 Plate 1 2 0 Quarry Hazle 4 3 2 Plate 1 0 10 Grey beds 2 3 4 Plate 2 1 11 Till beds 1 3 0 | Four Fathoms Lime- stone 7 1 9 Plate 0 0 6 COAL 0 0 2 Yellow freestone ,, ,, ,, |
| Carried forward 16 3 2 | Total <u>23 5 7</u> |
| | 27 |

No. 2,924.—REAYGARTH.

TOWNSHIP OF BLENKINSOPP, NORTHUMBERLAND.

Sheet 91 of Ordnance Map. Lat. 54° 57′ 32″, Long. 2° 33′ 32″.

Account of Strata passed through in a Bore-hole at Eadley Hole, Reaygarth, 1874.

Approximate surface-level 840 feet above sea (Ordnance datum).

| | H'e | Ft. | In | H's | IFt. | In | | F. | 174 | In. I | To. | Er. | Tm |
|-----------------------|-----|----------|--------|-----|------|------|-----------------------|-------------|-----------|----------|--------|-----|----------|
| Strong blue clay | | | | · D | Z U. | 411. | Brought forward | Lp. | 5 | 7 2 | | | ın. 3 |
| | | 7 | _ | | | | | | | | | 0 | o |
| Blue clay, with post | | 4 | c | | | | White post | | 3 | 9 | | | |
| girdles | 0 | 4 | 6 | 0 | 0 | 0 | White post | ^ | 0 | 9 | | | |
| 73. (| | | | 3 | 2 | 8 | Grey beds | | 0 | 7 | | | |
| Blue stone or shale | 0 | 3 | 7 | | | | White post | 0 | 1 | 3 | | | |
| Strong grey post | 0 | 2 | 8 | | | | Grey beds | 0 | 1 | 2 | | | |
| Blue stone | 0 | 2 | 9 | | | | Blue metal stone | 0 | 1 | 0 | | | |
| Strong post | 1 | 0 | 8 | | | | White post, with gul- | | | | | | |
| Blue stone | 0 | 4 | 6 | | | | lets and water | 0 | 3 | 7 | | | |
| Blue stone, with coal | Õ | 1 | 7 | | | | Blue stone | ŏ | ĭ | 5 | | | |
| Dine Brone, with com | | | | 3 | 3 | 9 | 7777.14 | ŏ | 1 | ő | | | |
| Strong white next | _ | 3 | 5 | o | 0 | J | | | | | | | |
| Strong white post | ^ | | 2 | | | | | 0 | 4 | 0 | | | |
| Blue stone | | 2 | | | | | White post | 0 | 0 | 9 | | | |
| Strong white post | | 4 | 4 | | | | Blue stone | 1 | 0 | 9 | | | |
| Soft blue stone | 0 | | | | | | White post | 0 | 0 | 5 | | | |
| Whin or hazle | 0 | 2 | 2 | | | | Blue metal stone | 2 | 0 | 1 | | | |
| Strong grey post | 0 | 3 | 2 | | | | Grey post | 0 | 0 | 7 | | | |
| Mild blue stone, | | | | | | | Blue stone | 0 | 4 | 7 | | | |
| with coal | 0 | 0 | 10 | | | | Grey post | 0 | 2 | 6 | | | |
| | | | | 2 | 4. | 11 | Blue metal stone | $\tilde{2}$ | $\bar{2}$ | 2 | | | |
| Grey post | 0 | 2 | 0 | - | | | Grey post | õ | 3 | õ | | | |
| | _ | 3 | 2 | | | | Blue metal stone, | U | U | U | | | |
| Strong white post | 0 | | | | | | | Λ | 1 | | | | |
| Mild blue stone | 0 | 0 | 8 | | | | with coal | 0 | 1 | 0 | | | |
| Whin, with scares of | _ | _ | _ | | | | | | | 1 | 1 | 3 | 11 |
| limestone | 1 | 2 | 0 | | | | White post | 0 | 1 | 4 | | | |
| Strong white post | 0 | 2 | 6 | | | | | _ | | | | | |
| Mild grey post | 0 | 0 | 7 | | | | | 0 | 3 | 9 | | | |
| Grey post | ^ | 3 | 0 | | | | Grey post | _ | 5 | 6 | | | |
| White post | ^ | 3 | 0 | | | | Blue stone | 0 | 3 | 2 | | | |
| Grey post | Õ | 1 | 6 | | | | COAL | 0 | 0 | 10 | | | |
| | ŏ | 5 | 2 | | | | | | _ | | 2 | 2 | 7 |
| White post | U | J | 4 | | | | White post | 0 | 4 | 6 | | | |
| Grey post, with red | ^ | | m | | | | Blue metal stone | ŏ | 3 | ŏ | | | |
| girdles | 0 | 2 | 7 | | | | 3371. 24 | _ | _ | 4 | | | |
| Grey girdle beds | 1 | 1 | 11 | | | | | 0 | 1 | | | | |
| White post | 1 | 2 | 5 | | | | Blue stone | 0 | 1 | 7 | | | |
| Blue metal stone | 0 | 4 | 5 | | | | Hard white post | 1 | 1 | 0 | | | |
| White post | 0 | 3 | 0 | | | | Blue metal parting | 0 | 0 | 2 | | | |
| Blue stone | 0 | 3 | 0 | | | | Hard white post | 1 | 2 | 2 | | | |
| White stone | 0 | 2 | 0 | | | | Grey beds | 1 | 0 | 0 | | | |
| White girdle beds | Õ | 2 | 7 | | | | COAL, mixed with | | | | | | |
| 0 711 1 1 | ŏ | 4 | 3 | | | | slate | 0 | 0 | 10 | | | |
| 0011 | - | 0 | 2 | | | | | | | | 5 | 2 | 7 |
| COAL | 0 | U | | 11 | 1 | 11 | Carre bada | ^ | 0 | | • | _ | • |
| 701 4 | | | | 11 | T | 11 | Grey beds | | 2 | 0 | | | |
| Blue stone | 0 | - | 10 | | | | Soft grey post | 1 | 1 | 4 | | | |
| Whin | 0 | 0 | 5 | | | | Hard white post | 0 | 3 | 0 | | | |
| Blue stone | 0 | 3 | 9 | | | | Blue stone | 0 | 0 | 6 | | | |
| COAL | 0 | 1 | 0 | | | | Strong white post | 0 | 3 | 0 | | | |
| | | | | 1 | 5 | 0 | Grey beds | 0 | 3 | 0 | | | |
| Grey post | 0 | 1 | 7 | | | - | Blue metal stone | 0 | 5 | í | | | |
| White post | ŏ | ī | 9 | | | - | Strong white post | | | 10 | | | |
| | 0 | 2 | 3 | | | | Blue stone | ő | ō | 6 | | | |
| whin girdles | | | | | | | Dine stone | | | <u> </u> | | | |
| Carried forward | 0 | 5 | 7 | 23 | 0 | 3 | Carried forward | 0 | 2 | 34 | 2 | 3 | 4 |
| Carried forward | U | U | ' | ല | U | 9 | Carried forward | υ | 4 | J 4 | 4 | 0 | 4 |

No. 2,924.—REAYGARTH.—Continued.

| Fs. Ft. In. Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|--------------------------------|-------------------------------|
| brought forward 9 2 3 42 3 4 | Brought forward 13 4 3 42 3 4 |
| White post and grey | Strong white post 0 2 0 |
| White post and grey beds 1 1 4 | White post 0 2 9 |
| Blue stone 0 1 0 | Grey beds 0 5 3 |
| Blue plate 1 3 0 | Blue metal stone 0 1 0 |
| Grey post 0 4 2 | 15 3 3 |
| Hard white post 0 4 6 | |
| | |
| Carried forward 13 4 3 42 3 4 | Total 58 0 7 |
| | • |

No. 2,925.—REAYGARTH.

TOWNSHIP OF THIRLWALL, NORTHUMBERLAND.

Sheet 91 of Ordnance Map. Lat. 54° 58' 16", Long. 2° 33' 40".

Account of Strata sunk through at Reaygarth Colliery.

Approximate surface-level 795 feet above sea (Ordnance datum).

| Little Limestone COAL | 4 | 1 | 0 3 | | | | Brought forward 3 0 6 4 2 3 Plate 2 3 0 COAL 0 3 6 |
|-----------------------|---|---|--------|---|---|---|--|
| Freestone | | | | • | - | " | 6 1 0 |
| Carried forward | 3 | 0 | 6 | 4 | 2 | 3 | Total 10 3 3 |

No. 2,926.—RICKNALL GRANGE.

TOWNSHIP OF RICKNALL, DURHAM.

Sheet 43 of Ordnance Map. Lat. 54° 36′ 49″, Long. 1° 31′ 33″.

Account of Strata passed through in the No. 1 Diamond Bore-hole at Ricknall Grange, North of Aycliffe, 1874.

Approximate surface-level 290 feet above sea (Ordnance datum).

| | Fs. Ft. | In. Fs | . Ft. In. | | Fs. | Ft. | In. Fs. | Ft. | In. |
|-----------------|---------|--------|-----------|----------------------|-----|----------|----------|-----|-----|
| Soil | | 0 | | Brought forward 2 | 21 | 1 | 6 | | |
| Clay | | 6 | | Sand and gravel | 0 | 3 | 9 | | |
| Marl | | 0 | | - | | | -21 | 5 | 3 |
| Marl and gravel | | 0 | | Bastard limestone | 0 | 0 | 9 | | |
| Rubble | | | | Broken grained lime- | | | | | |
| Marl and gravel | | | | stone | 0 | 4 | 7 | | |
| Freestone | 0 0 | 6 | | Bastard limestone | 0 | 1 | 6 | | |
| Marl and gravel | | 6 | | Limestone | 1 | 0 | 7 | | |
| Sand | | 6 | | Bastard limestone | 0 | 3 | 8 | | |
| Marl | | 0 | | Broken limestone | 8 | 4 | 0 | | |
| Marl and gravel | 0 4 | 6 | | Yellow limestone | 4 | 3 | 2 | | |
| Limestone and c | lav 0 2 | 0 | | Limestone | 0 | 2 | 8 | | |
| Marl and gravel | 0 2 | 0 | | Yellow limestone | 7 | 2 | 0 | | |
| Carried forw | | 6 | | Carried forward | 23 | 4 | 11 21 | 5 | 3 |

No. 2,926.—RICKNALL GRANGE.—CONTINUED.

| | | _ | | | | |
|-------------------------|-----|--------|-----------|---|---|----------------------------------|
| 75 14 6 | | | . In. Fs. | | | Fs. Ft. In. Fs. Ft. In. |
| Brought forward | | 4 | | 5 | 3 | |
| Limestone | _ | 2 5 | 0 | | | Grey post 0 5 2 |
| Dark limestone | | | | | | Grey metal 1 0 0 |
| Yellow limestone | | 1 | | | | Blue metal 2 2 0 |
| Dark limestone | . 1 | 5 | | | | Dark limestone 0 2 0 |
| | | | 34 | 1 | 5 | Grey sandstone 0 1 0 |
| Fish bed | . 0 | 2 | 0 | | | White post 1 3 1 |
| White post | . 1 | 0 | 0 | | | Blue metal 4 2 11 |
| Dark shale | . 0 | 4 | 6 | | | Dark post 1 3 11 |
| Dark sandstone | . 0 | 1 | 1 | | | White post 1 5 4 |
| Dark shale | . 0 | 3 | 6 | | | Blue metal 1 1 6 |
| Dark sandstone | . 3 | 0 | 5 | | | COAL 0 0 1 |
| Yellow sandstone | | 1 | Õ | | | 34 4 9 |
| Grey post | - | 3 | 10 | | ĺ | Grey post 3 3 9 |
| Blue metal | - | 1 | 0 | | | Blue metal 4 1 3 |
| Bastard limestone | _ | 4 | ŏ | | | Dark post 0 2 6 |
| White post | _ | 3 | 1 | | | Blue metal 0 3 6 |
| Blue metal | • | 0 | _ | | | Grey metal 3 5 10 |
| Blue metal, with post | | U | 10 | | | Dark metal 1 2 11 |
| | - | 3 | 11 | | | Grey post, with coat |
| | _ | 4 | 0 | | | |
| Grey post Blue metal | ^ | | 0 | | | pipes 1 2 5 Grey post 1 4 0 |
| | _ | 2 | | | | T |
| White post | - | 2 | 4 | | | |
| Grey metal | _ | 2 | 0 | | | During poor in the contract of |
| Blue metal | - | 4 | 0 | | | Cherty limestone, with |
| Post | . 0 | 0 | 6 | | | metal partings 1 4 0 |
| Blue metal | | 1 | 4 | | | White post, into 2 2 9 |
| White post | . 2 | 4 | 5 | | | 25 0 11 |
| Cannied formani | 10 | 1 | 0.50 | _ | - | Total116 0 4 |
| Carried forward | 19 | 1 | 9,56 | 0 | 8 | 10.21110 0 4 |

No. 2,927.—ROACHBURN.

TOWNSHIP OF EAST FARLAM, CUMBERLAND.

Sheet 18 of Ordnanee Map. Lat. 54° 55′ 53½", Long. 2° 35′ 49".

Account of Strata sunk through in the Roachburn Pumping Shaft.

Approximate surface-level 680 feet above sea (Ordnance datum).

| | | | Fs. | Ft. | In. Fs. Ft. In | | | | | | In. Fs. | Ft. | In. |
|-----------|---------|-------------|----------|-----|----------------|-------------|------|-------|-----|---|---------|-----|-----|
| Grey beds | | | 2 | 1 | 6 | Brough | t fo | rward | 20 | 4 | 0 | | |
| Freestone | | | 2 | 4 | 6 | Plate | | | 4 | 0 | 6 | | |
| Plate | | | 2 | 4 | 6 | Little Lime | ston | e | 2 | 3 | 0 | | |
| Freestone | | | 1 | 1 | 6 | Freestone | | | 3 | 3 | 0 | | |
| Plate | | | 1 | 4 | 0 | COAL | | | 0 | 5 | 2 | | |
| Grey beds | | | 2 | 3 | 6 | | | | | | 31 | 3 | 8 |
| Plate | | | 1 | 1 | 0 | Plate | | | . 0 | 0 | 4 | | |
| Freestone | | | 4 | 0 | 0 | Freestone | | | 0 | 3 | 0 | | |
| Grey beds | | | 2 | 1 | 6 | | | | | | 0 | 3 | 4 |
| - | | | | | | | | | | | | | |
| Carrie | d forwa | $^{\rm rd}$ | 20 | 4 | 0 | | | Total | | | 32 | 1 | 0 |
| | | | | | | • | | | | | | | _ |

No. 2,928.—RODRIDGE.

TOWNSHIP OF HUTTON HENRY, DURHAM.

Sheet 36 of Ordnance Map. Lat. 54° 42' 16", Long. 1° 21' 40".

Account of Strata passed through in a Bore-hole at South Wingate, about 400 yards South of Hartbushes Farm House, 1840.

Approximate surface-level 400 feet above sea (Ordnance datum).

| Strong blue clay 7 | F | t. In | Fs. | Ft. In. | Brought forward | Fs. | Ft. | In. Fs. | Ft. | In. |
|-------------------------|----|-------|-----|---------|-----------------------------------|-----|-----|----------------|-----|--------------------------|
| Dry loamy clay, with | ٠ | , , | | | Grev nost | ν. | ິລ | 111 | О | 02 |
| thick sandy part- | | | | | Grey post | v | 3 | 113 | | |
| ings 2 | | | | | Grey metal Soft white and grey | U | 1 | Э | | |
| Strong blue stony | • | , , | ' | | post with metal | | | | | |
| clay 2 | | | | | post, with metal | ~ | | 41 | | |
| Loomy olow with | 4 | | | | partings and water | Э | 3 | 4-2 | | |
| Loamy clay, with | | | | | Strong grey post, | | | | | |
| sandy partings and | | | | | with metal part- | | | | | |
| | 1 | | | | ings | 1 | T | $3\frac{1}{2}$ | | |
| Strong brown clay 0 | 3 | 3 4 | | | Mild grey post, with | _ | | | | |
| G 61 11 | _ | | 18 | 3 4 | | 0 | 4 | $3\frac{1}{2}$ | | |
| Soft limestone marl 2 | | | | | Grey metal, with post | | | | | |
| Soft white limestone 30 | 2 | ? 7 | | | girdles | 1 | 1 | 11 | | |
| Strong yellow lime | | | | | Red metal | 0 | 4 | 11 | | |
| stone, with water 37 | 5 | 0 | | | Blue metal | 0 | 2 | 0 | | |
| Strong blue lime- | | | | | Grey post | 1 | 0 | $1\frac{1}{2}$ | | |
| stone, with soft | | | | | Grey and brown | | | | | |
| partings 0 | -4 | - 6 | i | | | 0 | 0 | 84 | | |
| Strong brown sandy | | | | | Black metal | 0 | 0 | 9 | | |
| limestone, with | | | | | Soft dark grey metal | | | | | |
| water 4 | 5 | 1 | | | COAL | 0 | 0 | 91 | | |
| Soft yellow sandy | | | | | | | | 12 | 3 | 0 |
| limestone, with | | | | | Black metal | 0 | 0 | 4 | | |
| water 0 | 2 | 6 | | | Soft silvery metal, | • | Ť | _ | | |
| Strong yellow sandy | _ | | | | with grey and red | | | | | |
| limestone, with | | | | | partings | 1 | 0 | 21 | | |
| water 1 | 9 | 1 | 1 | | Strong red post | ñ | 2 | 4 | | |
| Blue limestone 1 | ĩ | 7 | | | Soft grey post, with | ٠ | - | - | | |
| Diac illiestone 1 | • | • | | 5 111 | red metal partings | 1 | Λ | 21 | | |
| Grey metal 0 | 0 | | | 5 112 | red metar partings | | | 2 | 3 | 2 |
| Consid forward 0 | ^ | C) | 07 | 2 21 | Total. | | | 112 | 2 | 51 |
| Carried forward 0 | U | 03 | 91 | 0 94 | Total . | •• | | 112 | 3 | $\frac{5\frac{1}{2}}{2}$ |

No. 2,929.—RYHOPE. TOWNSHIP OF SEAHAM, DURHAM.

Sheet 14 of Ordnance Map. Lat. 54° 52′ 30″, Long. 1° 22′ 44″.

Account of Strata passed through in a Bore-hole below the Hutton Seam, Ryhope Colliery, 1901.—Continuation of No. 1,627.

Approximate surface-level 174 feet above sea (Ordnance datum).

| Depth from surface to bottom of Hut- | | Ft. | In. Fs. | Ft. | | Brought forward Grey post, with shale | Fs. 2 | Ft. 3 | In. Fs. 1 6 271 | Ft. 1 | in. 1 |
|---|---|-----|---------|-----|---|--|----------|----------|----------------------------|-------|----------|
| ton Seam | | | 271 | 4 | 1 | partings | 3 | 1 | 11 | | |
| Grey shale | 1 | 1 | 6 | | | Black stone | 0 | 0 | 5 | | |
| Grev post, with water | 1 | 0 | 0 | | | Grey shale | 0 | 2 | 7 | | |
| Grey post, with water Ironstone girdle | 0 | 2 | Õ | | | Ironstone girdle | 0 | 1 | 1 | | |
| Carried forward | , | 3 | 6 271 | 4 | 1 | Carried forward | 6 | 3 | $\frac{-}{6}\frac{-}{271}$ | 4 | 1 |

No. 2,929.—RYHOPE.—Continued.

| | Fs. | Ft. | In. Fs. | Ft. | In. | | Fs. | Ft. | In. Fs. | Ft. | In. |
|-------------------------|-----|----------|----------|-----|-----|-----------------------------|-----|-----|---------|-----|-----|
| Brought forward | 6 | 3 | $6\ 271$ | 4 | 1 | Brought forward | | | 305 | 0 | 8 |
| Hard grey post, with | | | | | | Grey shale | | | 6 | | |
| ironstone balls | 1 | 1 | 4 | | | Hard grey post | 0 | 3 | 5 | | |
| Ironstone girdle | 0 | 2 | 7 | | | Grey shale | 0 | 3 | 0 | | |
| Grey post | | | 10 | | | Hard grey post, with | | | | | |
| Dark grey shale | 0 | 2 | 10 | | | water | 1 | 0 | 6 | | |
| Grey post | 1 | 0 | 3 | | | Dark grey shale, with | | | | | |
| Grey post, with shale | _ | - | - | | | post girdles | 0 | 4 | 10 | | |
| partings | 1 | 4 | 6 | | | Hard grey post | | ī | | | |
| Hard grey post | 1 | 4 | 4 | | | Grey post, with shale | • | - | _ | | |
| Grey shale | ō | ŝ. | 3 | | | partings | 1 | 3 | 4 | | |
| Hard grey post | | 5 3 | ő | | | Grey post, with shale | - | • | - | | |
| Grey post, with shale | ~ | O | v | | | partings and thin | | | 9 | | |
| | 1 | 2 | 0 | | | coal threads | Λ | Λ | G | | |
| partings | 1 | 4 | U | | | | U | U | O | | |
| Grey post, with iron- | ^ | 1 | 0 | | | Grey post, with shale | 0 | 1 | c | | |
| stone balls | 0 | 1 | 9 | | | partings | | 1 | 6 | | |
| Grey post, with shale | ^ | | | | | Hard grey post | | | 2 | | |
| partings | 0 | 2 | 6 | | | Dark grey shale | | 1 | 2 6 | | |
| Grey shale, with iron- | _ | ~ | | | | Hard grey post | 1 | 3 | 6 | | |
| stone balls | | 5 | 6 | | | Grey post, with shale | _ | | | | |
| Hard grey post | 5 | 5 | 6 | | | partings | | | 0 | | |
| Hard grey post, with | | | | | | Strong grey shale | 0 | 5 | 6 | | |
| shale partings | 1 | 3 | 0 | | - 1 | Grey post, with shale | | | | | |
| Ft. In. | | | | | | partings | 3 | 0 | 6 | | |
| COAL 0 5 | | | | | | Black stone, with | | | | | |
| COAL, cannel 0 2 | | | | | - | thin <i>coal</i> pipes near | | | | | |
| Grey metal 0 1 | | | | | | top | 0 | 3 | 0 | | |
| COAL 1 4 | | | | | | Grey post | 0 | 5 | 8 | | |
| Band $0 	 0\frac{1}{2}$ | | | | | - 1 | Grey shale | | 0 | 0 | | |
| COAL 1 6 | | | | | - ! | Hard grey post | | 3 | 0 | | |
| COAL, coarse 0 2 | | | | | - 1 | Grey shale | Ô | 3 | 1 | | |
| Black stone, | | | | | - [| Grey post, with shale | • | | - | | |
| mixed with | | | | | ı | partings | 1 | 2 | 0 | | |
| $coal$ 0 $2\frac{1}{2}$ | | | | | - 1 | Hard white post, into | ñ | | | | |
| | 0 | 3 | 11 | | - 1 | maru white post, into | U | * | 20 | 1. | 9 |
| | | | 33 | 2 | 7 | _ | | | 20 | 7 | 3 |
| 0. 110 | | | 0.62 | | _ | m · • | | | | | |
| Carried forward | | | 305 | 0 | 8] | Total | • | | 325 | 5 | 5 |
| | | | | | | | | | - | | |

No. 2,930.—RYHOPE.

TOWNSHIP OF RYHOPE, DURHAM.

Sheet 14 of Ordnance Map. Lat. 54° 52′ 30″, Long. 1° 22′ 44″.

Account of Strata sunk through in a Staple put down below the Hutton Seam at Ryhope Colliery, 1905.—Supplementary to No. 1,627.

Approximate surface-level 174 feet above sea (Ordnance datum).

| Depth at shaft to bottom of Hutton | Brought forward 7 0 10 271 4 1 Black shale 0 1 6 |
|------------------------------------|--|
| | Black stone and coal 0 1 8 |
| Strata 0 3 6 | Seggar-clay 0 1 9 |
| Grey metal, with | Mild grey post 1 3 6 |
| iron balls 6 3 4 | Hard grey post 0 4 6 |
| · | |
| Carried forward 7 0 10 271 4 1 | Carried forward 10 1 9 271 4 1 |

No. 2,930.—RYHOPE.—Continued.

| Brought forward | Fs | . Ft. | In. | Fs. | | | |
|-----------------------|-----|--------|-----|-----|---|-----|--|
| Mild green post | 110 | 1 | | 271 | 4 | 1 | Brot. forward 2 6 2 5 11 298 4 |
| Mild grey post | | . 3 | 0 | | | | COAL, can- |
| Black stone and | | | _ | | | | nel 0 3 |
| | . 0 | | | | | | COAL 3 2 |
| Grey metal | | 1 | 6 | | | | 0 5 11 |
| Blue metal, with iron | 1 | | | | | | 3 5 10 |
| balls | | | 0 | | | | Thill 0 1 0 |
| COAL | . 0 | 0 | 6 | | | | Seggar-clay 0 2 0 |
| | _ | | | 15 | 1 | 3 | |
| Thill stone | 0 | 0 | | 10 | - | U | White post 4 0 0 |
| | | | 7 | | | | Blue metal 1 4 6 |
| Seggar-clay | | | 0 | | | | White |
| Blue metal | | | 0 | | | | |
| Strong grey metal | | - | 5 | | | | Busty Seam— |
| Blue metal | . 0 | _ | 8 | | | | COAL 1 2 |
| COAL | . 0 | 0 | 9 | | | | |
| | | | | 2 | 1 | 5 | Blue metal 1 0 |
| Coarse seggar-clay | 0 | 1 | 0 | | | | COAL, mixed |
| Grey metal, with post | · | • | • | | | | with black |
| girdles post | | 3 | 0 | | | | band 0 9 |
| Blue metal | - | | 6 | | | | Grey post 3 0 |
| Grey metal, with post | | J | U | | | | COAL 1 2 |
| | | 9 | 0 | | | | 1 1 1 |
| D1 1 | 4 | 3 | 9 | | | | 12 1 4 |
| | | 0 4 | 1 | | | | Grey metal 1 3 0 |
| Strong grey metal | _ | | | | | | White post 1 2 6 |
| Post panel | _ | 3 | 9 | | | | Hard grey post 0 2 0 |
| Blue metal | - | 0 | 3 | | | | Grey metal, with coal |
| COAL | 0 | 0 | 3 | 4. | | _ | pipes 6 0 5 |
| | | | _ | 9 | 3 | 7 | Blue metal $2 3 10\frac{1}{2}$ |
| Seggar-clay | 0 | 3 | 9 | | | | Brockwell Seam— |
| Post | | 2 | 3 | | | | Ft. In. |
| Blue metal | 0 | 3 | 2 | | | | COAL $1 0\frac{3}{4}$ |
| Grey metal | 0 | 1 | | | | - 1 | Band 0 11 |
| Grey post | ŏ | 4 | 4 | | | | COAL 1 93 |
| Blue metal | ő | 2 | 6 | | | | $\frac{1}{}\frac{3_4}{0}$ 0 3 9½ |
| | U | _ | 9 | | | | $\phantom{00000000000000000000000000000000000$ |
| Harvey Seam- | | | | | | - 1 | |
| Harvey Seam— . | | | | | | | |
| Ft. In | • | | | | | | |
| COAL 2 4 | | | | | | | White post, into 1 3 6 |
| Ft. In | | | | | | | White post, into 1 3 6 1 4 0 |
| COAL 2 4 | | | | | _ | _ | |

No. 2,931.—SEAHAM HARBOUR.

TOWNSHIP OF DAWDON, DURHAM.

Sheet 21 of Ordnance Map. Lat. 54° 50' 2", Long. 1° 19' 49".

Account of Strata passed through in a Bore-hole at the Blast Furnaces, near Scaham Harbour, 1898.

Approximate surface-level 80 feet above sea (Ordnance datum).

| Stony clay 1 0 0 Sand and gravel 0 4 0 | | | | Brought forward 1 4 0 Limestone, with marl |
|--|---|---|---|---|
| | 1 | 4 | 0 | partings 4 5 6 |
| Carried forward | 1 | 4 | 0 | Carried forward 4 5 6 1 4 0 |

No. 2,931.—SEAHAM HARBOUR.—CONTINUED.

| Brought forward | Fs. | Ft. | In. | Fs. | Ft. 4 | | | In. |
|-----------------------------------|----------|--------|-----|-----|-------|---|--|-----|
| Marl | | | | 1 | * | U | Brought forward 34 1 1 1 4 Yellow limestone, | U |
| Limestone, with marl | | - | 0 | | | | with marl partings 3 3 2 | |
| partings | 3 | 3 | 0 | | | | Soft yellow marl 0 4 6 | |
| Very hard limestone | 2 | 3 | 0 | | | | Hard grey metal 0 4 2 | |
| Very hard limestone Hard marl | 2 | 1 | 0 | | | | Hard limestone 2 1 8 | |
| Soft marl | 5 | 2 | 6 | | | | Very hard limestone, | |
| Hard limestone | 2 | 1 | 6 | | | | with spar partings 6 3 7 | |
| Limestone, with marl | | | | | | | Soft limestone and | |
| partings | 1 | 0 | 6 | | | | marl 0 4 6 | |
| partings Grey marl Red marl | 0 | 3 | 8 | | | | Hard limestone 0 3 9 | |
| Red marl | 0 | 1 | 5 | | | | Broken limestone, | |
| Yellow limestone, | _ | | | | | | into 1 0 9 | |
| with marl partings | 0 | 3 | 6 | | | 1 | 50 3 | 2 |
| Soft limestone | 1 | 4 | U | | | | | |
| Carried forward 8 | 34 | 1 | 1 | 1 | 4 | 0 | Total 52 1 | _2 |

No. 2,932.—SEATON CAREW.

TOWNSHIP OF SEATON CAREW, DURHAM.

Sheet 45 of Ordnance Map. Lat. 54° 39′ 51″, Long. 1° 11′ 45″.

Account of Strata passed through in a Diamond Bore-hole near Seaton Carew, by Mr. John Vivian, for Mr. C. T. Casebourne, 1887-1888.

Approximate surface-level 20 feet above sea (Ordnance datum).

| | Fs | Ft. | In. | Fa | Ft. | In | 1 | To | E4 | In. | Te _a | E'+ | In |
|---------------------|----|----------------|-----|----|------|----|----------------------|------|----|-----|-----------------|-----|----|
| Brown elay | | 0 | 0 | | - 0. | | Brought forward | | | | | | 0 |
| Red clay | | 0 | 0 | | | | Red marl, with blue | | _ | - | _ | _ | Ī |
| Red pinnel and | | | | | | | joints and beds of | | | | | | |
| cobbles* | 1 | 0 | 0 | | | | grey sandstone | 4 | 0 | 0 | | | |
| Soft red sandy marl | - | ŏ | | | | | Red marl, with beds | | • | • | | | |
| Red sandy marl | | | Õ | | | | of grey marl | | 3 | 0 | | | |
| area saray marr vii | | | _ | 5 | 3 | 0 | Red marl, with blue | • | 0 | ٠ | | | |
| Red Sandstones and | | | | • | • | Ŭ | joints | 4 | 0 | 0 | | | |
| Marls: | | | | | | | Joines | - | • | ٠ | 40 | 4 | ^ |
| Red and grey sand- | | | | | | | * 0 | | | | 44 | 4 | U |
| stone | 1 | 1 | 0 | | | | Lower Gypseous | | | | | | |
| Red marl | | $\overline{2}$ | ő | | | | Marls: | | | | | | |
| Grev sandstone | _ | 5 | Õ | | | | Red marl, with blue | | | | | | |
| Red marl, with beds | • | · | ٠ | | | | joints and veins of | | | | | | |
| of sandstone | 1 | 4 | 0 | | | | gypsum | 28 | 3 | 0 | | | |
| Red sandstone | | 2 | ő | | | | Red marl, with veins | | | | | | |
| Grey sandstone | | $\tilde{2}$ | ő | | | | of gypsum | 1 | 1 | 5 | | | |
| Red sandstone | | ĩ | ő | | | | Anhydrite | 2 | 1 | 0 | | | |
| Grey sandstone | | i | 0 | | | | Blue marl, with | | | | | | |
| Red sandy marl | | 5 | ő | | | | veins of gypsum | 0 | 3 | 0 | | | |
| Red and grey sand- | • | U | U | | | | | | | ; | 32 | 2 | 5 |
| stone | 1 | 4 | 0 | | | | Saliferous Beds: | | | | | | |
| Red marl | _ | 3 | 0 | | | | Anhydrite | Λ | 1 | 0 | | | |
| Red marl, with beds | _ | U | U | | | | Red marl, with veins | v | 1 | U | | | |
| of grey and red | | | | | | | | | | | | | |
| sandstone | 1 | 2 | 0 | | | | of gypsum (rotten | 1 | 4 | ٥ | | | |
| Red marl, with blue | L | 4 | U | | | | marl) | 1 | 4 | U | | | |
| joints | 5 | K | 0 | | | | Dark marl and gyp- | 0 | 2 | 7 | | | |
| joines | J | J | U | | | | sum, mixed | U | 4 | - | | | |
| Carried forward | 29 | 1 | 0 | 5 | 3 | _ | Carried forward | 2 | 1 | 7 8 | 20 | 3 | 5 |
| carried for ward. | | 1 | U | J | J | U | Carried forward | 4 | 1 | " | 30 | 3 | 9 |

No. 2,932.—SEATON CAREW.—CONTINUED.

| | t. In | . Fa. | Ft. | In. 5 | Brought forward | Fs. 123 | Ft. | In. Fs. 0 87 | Ft. | Ir |
|--------------------------------------|-------|-------|-----|----------|--|------------|-----|-----------------|-----|-----|
| nhydrite, with | | | | | Light grey limestone, | | | | | |
| black joints 4 | 1 (|) | | | with a little gyp- | | | | | |
| | | - 6 | 2 | 7 | sum | 3 | 5 | 0 | | |
| 36 3 7 | | _ | _ | • | Dark grey limestone, | | | | | |
| Magnesian Limestone | | | | | with gypsum | 2 | 5 | 6 | | |
| and Lower Red | | | | | Dark grey limestone, | | | | | |
| Sandstone: | | | | | with veins of gyp- | | | | | |
| imestone, with spots | | | | | sum | 3 | 1 | 6 | | |
| of gypsum 4 | 3 (|) | | | Dark limestone, with | ٠ | - | • | | |
| ight grey lime- stone, with spots | | | | | | 6 | 4 | 0 | | |
| stone, with spots | | | | | spots of gypsum Dark grey limestone | 6 | | 0 | | |
| and veins of gyp- | | | | | | U | 4 | U | | |
| sum 6 | 2 (|) | | | | 1 | 4 | 0 | | |
| ark greylimestone, | | | | | sandstone | 1 | 4 | 0 | | |
| with spots and | | | | | | | | — 14 8 | 0 | - (|
| veins of gypsum 2 | 4 (|) | | | Carboniferous | | | | | |
| Dark blue shale | • ` | | | | Measures: | | | | | |
| (with small feeder | | | | | Red and grey shaly | | | | | |
| of rock oil and | | | | | 1 4 | 2 | 5 | 6 | | |
| | 9 (| | | | | | | 6 | | |
| | 3 (| ' | | | | 0 | _ | | | |
| nhydrite, with beds | | | | | Dark grey shale | | 1 | 0 | | |
| of dark blue shale | | | | | Dark grey sandstone | 0 | 1 | 0 | | |
| | 5 (|) | | | Grey sandstone, with | _ | _ | _ | | |
| ight grey lime- | | | | | black joints | | 0 | 0 | | |
| stone and gypsum 1 | 1 (|) | | | Grey sandstone | 1 | 4 | 0 | | |
| | 2 0 |) | | | Very coarse grey | | | | | |
| ight grey limestone 1 | 5 (|) | | | sandstone | 2 | 3 | 0 | | |
| | 0 0 |) | | | Dark grey sandstone | 0 | 0 | 6 | | |
| Iard white lime- | | | | | Black shale | 0 | 0 | 6 | | |
| stone, with gypsum 2 | 0 (|) | | | Red and grey sand- | | | | | |
| lark grey lime- | | | | | 1 | 0 | 1 | 7 | | |
| stone and anhy- | | | | | Black shale | | 0 | 4 | | |
| | 2 (| 1 | | | Shaly sandstone | | 2 | 6 | | |
| ight grey lime- | - ` | | | | Black shale | 1 | 4 | Ō | | |
| stone, with gyp- | | | | | Grey sandstone | | 4 | ŏ. | | |
| | 0 (| | | | Dark grey sandy | ٠ | Ŧ | v | | |
| | 0 (| ' | | | shale | Λ | 0 | 7 | | |
| ight grey lime- | | | | | COAL | | | | | |
| stone 4 | 5 (| , | | | COAL | 0 | 0 | | | |
| imestone and gyp- | • • | | | | Dark brown fire-clay | | 1 | 2 | | |
| | 1 0 | , | | | Black sandy shale | 0 | 2 | 8 | | |
| rey limestone, with | | | | | Dark grey sandy | _ | _ | _ | | |
| | 5 (|) | | | shale | | 1 | 8 | | |
| light grey limestone | | | | | White sandstone | | 2 | 8 | | |
| and gypsum 5 | 3 0 |) | | | Dark grey sandstone | 0 | 5 | 0 | | |
| ight greylimestone 8 | 2 (|) | | | Light grey sandstone | 2 | 0 | 8 | | |
| ight grey limestone, | | | | | Dark shaly sand- | | | | | |
| with spots of gyp- | | | | | stone, with coal | | | | | |
| | 3 (|) | | | joints | 0 | 1 | 4 | | |
| | 5 (|) | | | Black shale | 1 | 3 | 6 | | |
| | 5 (| | | | COAL | 0 | 1 | 2 | | |
| Broken light grey | - ` | | | | Dark black shale and | | _ | | | |
| limestone and brine | | | | | fire-clay | 0 | 0 | 4 | | |
| • | 5 0 | | | | White and grey | , | , | • | | |
| | | | | | vandetore | 1 | 0 | 0 | | |
| | 3 (| , | | | sandstone | 1 | 2 | - | | |
| ight grey limestone, | 0 6 | | | | Diack shale | | | 0 | | |
| | 3 (| | | | Fine grey sandstone | | 0 | 0 | | |
| | 1 (| | | | Dark grey sandstone | | 3 | 6 | | |
| Vhite limestone 13 | 4 (|) | | | Black shale | 1 | 1 | 0 | | |
| | | _ | | | | | | | | |

No. 2,932.—SEATON CAREW.—Continued.

| Fs. I Brought forward 33 | t. In. Fs. Ft. In. | | In, |
|---|--------------------|----------------------------|-----|
| | 2 0 255 0 0 | | 0 |
| Black shale, with | | Dark grey sandy | |
| beds of dark grey | 0 0 | shale 0 3 0 | |
| sandstone 1 | | Dark blue shale 1 1 0 | |
| Black shale 1 | 0 0 | Black shale 0, 4 0 | |
| Black shale, with | | Dark brown shale 0 3 0 | |
| beds of grey sand- | | Grey shaly sandstone 1 4 0 | |
| stone 1 | | Coarse grey sand- | |
| COAL and shale 0 | 0 1 | stone, with coal | |
| Dark brown fire-clay 0 Dark grey sandstone 1 Dark shaly sandstone 0 | 2 0 | pipes 4 0 0 | |
| Dark grey sandstone 1 | 0 0 | Dark grey shaly | |
| Dark shaly sandstone 0 | 5 0 | sandstone 0 5 0 | |
| Yellowish sandstone 1 | 2 - 9 | Yellowish shaly sand- | |
| Coarse light grey | | stone 1 0 0 | |
| sandstone 2 | 4 6 | Dark shaly sand- | |
| Hard yellowish sand- | | stone 1 2 0 | |
| stone, with lime | | Black shale 4 0 0 | |
| veinule 0 | 2 3 | Grey sandstone, with | |
| Coarse light grey | - 0 | beds of black shale 1 4 0 | |
| sandstone 0 | 3 6 | Coarse grey sand- | |
| Coarse grey sand- | , 0 | stone, with black | |
| stone 0 | 1 6 | | |
| | . 0 | joints 1 4 0 | |
| Dark grey shaly sandstone 0 | 1 6 | Grey sandstone 2 2 6 | _ |
| Black shale 1 | 2 0 | | 6 |
| Diack Shale 1 | 2 U | | |
| Carried forward 46 | 0.995 0.0 | TP 4-1 200 0 | _ |
| Carried forward 40 U | 0 255 0 0 | Total302 2 | 6 |

* Pinnel is coarse clayey gravel.

No. 2,933.—SEATON DELAVAL.

TOWNSHIP OF HORTON, NORTHUMBERLAND.

Sheet 81 of Ordnance Map. Lat. 55° 6′ 0″, Long. 1° 32′ 21″.

Account of Strata sunk through in the Relief Pit, Seaton Delaval Colliery, 1884-1885.

Approximate surface-level 80 feet above sea (Ordnance datum).

| Strong blue clay, Fs. Ft | t. In. Fs. | Ft. In. | Brought forward Fs. Ft. In. Fs. Ft. In. 19 2 4 |
|-----------------------------------|------------|---------|--|
| with sandy part- | | | Grey and dark |
| $ings \dots 5 4$ | | | metal, with scares |
| Gray motal with next | 5 | 4 0 | |
| Grey metal, with post girdles 4 1 | 9 | | COAL, with water 0 2 6 |
| COAL, foul 0 0 | 3 | | Dark grey metal 0 3 8 |
| Grey metal, with post | . 0 | | Dark grey metal, |
| girdles 4 1 | . 0 | | with whin girdle 8 5 4 |
| GÖAL 4 1 COAL 0 1 | 1 | | Grey post, with metal |
| • | 8 | 4 1 | 1 |
| Grey metal, with post | | | Strong white post, |
| girdles 3 2 | 0 | | with coal pipes 3 4 5 |
| Dark grey metal 1 3 COAL 0 1 | 9 | | Blue metal 0 5 10 |
| OOAL 0 1 | | 0 3 | Strong white post, with coal pipes 2 0 5 |
| | | | with com pipes 2 0 3 |
| Carried forward | 19 | 2 4 | Carried forward 24 4 6 22 1 2 |

No. 2,933.—SEATON DELAVAL.—CONTINUED.

| Brought forward 24 4 | . In. F | s. Ft. | In. | Brought forward Fs. Ft. In. Fs. Ft. In. 57 0 0 |
|--|---------|--------|-----|--|
| Dark blue metal 3 2 | 7 | _ 1 | 2 | Seggar-clay 0 3 8 Whin girdle 0 1 6 |
| Dark grey metal 1 1 White post, with blue | | | ł | Grey post, mixed with |
| metal partings 5 0 Yard Seam— | 2 | | | blue partings 0 5 0 |
| COAL 0 2 | | | 10 | |
| | — 3 | 4 4 | 10 | |
| Carried forward | 5 | 7 0 | 0 | Total 58 4 2 |

No. 2,934.—SEDGEFIELD. TOWNSHIP OF SEDGEFIELD, DURHAM.

Sheet 43 or 44 of Ordnance Map. Lat. , Long.

Account of Strata sunk and bored through in the Well at Sedgefield Asylum, by Mr. William Coulson, 1866.

Approximate surface-level feet above sea (Ordnance datum).

| Sinking: — Fs. Ft. In. Fs. Ft. In. | Brought forward 20 0 0 |
|--|---|
| Soil, clay and free- | Hard limestone, with soft partings and a |
| stone 15 0 0 Limestone 2 4 0 Bored further :— | gullet near the bottom, with water 0 4 11 |
| Hard limestone, with | Hard duffy lime- |
| soft partings 1 1 7 Soft marl, with hard girdles and three | stone, with soft partings 2 1 6 23 0 5 |
| gullets, with water 1 0 5 | |
| Carried forward 20 0 0 | Total <u>23 0 5</u> |

No. 2,935.—SEGHILL.

TOWNSHIP OF SEGHILL, NORTHUMBERLAND.

Sheet 81 of Ordnance Map. Lat. 55° 4' 4", Long. 1° 32' 53".

Account of Strata sunk through in the Major Pit, Seghill Colliery, 1888.

Approximate surface-level 130 feet above sea (Ordnance datum).

| Soil Brown clay | Fs. Ft. In. Fs. Ft. In. 0 1 0 11 1 9 High Main Seam— Fs. Ft. In. Brought forward 1 3 11 Blue metal 0 2 9 | |
|--|--|--------|
| Grey metal | 1 0 4 0 1 3 O 2 0 Seggar-clay 0 5 6 | 2 2 8 |
| Seggar-clay Iron balls Seggar-clay | 0 2 0 Blue metal 1 3 10 0 0 4 Hard metal 1 0 0 Blue metal 2 0 0 | |
| Carried forwa | rd 1 3 11 12 4 4 Carried forward 5 3 4 | 15 1 0 |

No. 2,935.—SEGHILL.—CONTINUED.

| Post girdle Blue metal Post Blue metal | d 5 0 0 0 | 3 2 0 1 1 1 0 | 0 8 0 2 0 | | Brought forward 21 4 9 15 1 0 Grey Seam— COAL 3 7 Band 1 3 COAL 2 4 — 1 1 2 — 22 5 11 |
|---|---------------|---------------------------------|-----------------------|---|---|
| Blue metal | 0 | 2 | 3 | 1 | |

No. 2,936.—SHERIFF HILL.

TOWNSHIP OF GATESHEAD (SOUTH WARD), DURHAM.

Sheet 7 of Ordnance Map. Lat. 54° 55' 34", Long. 1° 34' 10".

Account of Strata sunk through in the King Pit, Sheriff Hill Colliery.— Supplementary to No. 1,744.

Approximate surface-level 490 feet above sea (Ordnance datum).

| Soil | | | In. 0 | Fs. | Ft. | In. | Brought forward | | | In. Fa. 1 40 | | |
|--------------------------------------|---|--------|----------|-----|------|-----|---------------------------------------|---|---------------|-----------------|---|----|
| Clay | 4 | 1 | 0 | 4 | 3 | 0 | Post, mixed with | 9 | 3 | 0 | | |
| Freestone : The Grindstone Post | | | | 111 | J | U | Blue metal stone, mixed with white | ۵ | Э | U | | |
| Blue metal stone | | | 0 | | | | | 4 | 3 | 6 | | |
| Grey metal stone | | | 0 | | | | Whin | | | 6 | | |
| COAL | 0 | 0 | 8 | 13 | 3 | 8 | Blue metal stone, mixed with white | | | | | |
| Thill | 0 | 2 | 4 | | | | | | 1 | | | |
| White post | 4 | 2 | 4 | | | | White post | 4 | $\frac{3}{2}$ | 0 | | |
| COAL | 0 | 0 | 8 | | ,- | 4 | COAL | U | 2 | — 18 | 3 | 8 |
| rm :11 | _ | | | 4 | 5 | 4 | Grey metal stone | 1 | 0 | | o | Ü |
| Thill Strong white post | | 5 4 | 0 | | | | Black stone | 0 | 3 | 9 | | |
| Blue metal stone | | 1 | 0 | | | | Grey metal girdles | | 3 | 3 | | |
| Grey post | | 5 | 2 | | | | Grey metal stone | | 0 | 8 | | |
| White post | | 1 | 4 | | | | Post girdles | 0 | 0 | 7 | | |
| Blue metal stone | | 2 | 8 | | | | Grey post, with white post girdles | 9 | 1. | 6 | | |
| White post | | 4 | 3 | | | | Grey metal | | | 0 | | |
| Blue metal stone | - | 0 | 0 | | | | Grey post | | | 3 | | |
| COAL | 0 | 1 | 8 | 5 | 1 | 1 | High Main Seam— | | | | | |
| Thill | 0 | 0 | 4 | | | | COAL Ft. In. | | | | | |
| White post | _ | 1 | 0 | | | | Band 0 1 | | | | | |
| Blue metal stone | 0 | 5 | 8 | | | | COAL, top 2 9 | | | | | |
| COAL | 0 | 1 | 2 | _ | - | | Band 0 7 | | | | | |
| | | | | 1 | 2 | 2 | COAL, coarse 0 5 | | | | | |
| Thill | | 4 | 0 | | | | COAL, fine 0 7 | | | | | |
| Post girdles and blue metal stone | | 1 | c | | | | Band 0 $6\frac{1}{2}$ | Ĭ | | | | |
| COAL stone | | _ | | | | | COAL, bottom 1 $1\frac{1}{2}$ | | | | | |
| | | | | 11 | 1 | 4 | I I ₂ | | 0 | 5 | | |
| Thill | 0 | 1 | 1 | | | _ | | | | 7 | 1 | 7 |
| Carried forward | 0 | 1 | 1 | 40 | 4 | 7 | Carried forward | | | 66 | 3 | 10 |

No. 2,936.—SHERIFF HILL.—CONTINUED.

| | | | | | | | - Continues. | _ |
|---|------|-----|----------|------|--------|--------|--|----|
| | Fs. | Ft. | In. | Fs. | Ft. | In. | Ft. In. Fs. Ft. In. Fs. Ft. Ir | n. |
| Brought forward | | | | 66 | | 10 | Ft. In. Fs. Ft. In. Fs. Ft. Ir. Brot. forward 1 6½ 10 3 3 90 1 6 | į. |
| Thill | 0 | 5 | 0 | | | | COAL 0 111 | * |
| Blue metal stone | | 4 | 0 | | | | COAL, seary 0 3 | |
| Grey metal stone | | 4 | Õ | | | | Band $1 	 7\frac{1}{2}$ | |
| | | -10 | ٠ | | | | | |
| Light grey metal | | | | | | | COAL 1 5 | |
| stone | 1 | 4 | 0 | | | | Band 0 0½ | |
| Dark grey metal | | | | | | | COAL 0 6 | |
| stone | 0 | 3 | 0 | | | | 1 0 4 | |
| COAL | 0 | 0 | 5 | | | | 11 3 | 7 |
| | | | | 5 | 2 | 5 | Thill 0 2 0 | |
| Thill | 1 | 2 | 0 | | | | Thill 0 2 0 Grey metal stone 1 2 0 | |
| Thill | | | ő | | | | | |
| Grey post | 1 | 3 | | | | | White post 1 2 4 | |
| White post | Ú | 2 | 0 | | | | Whin and post, | |
| Grey metal stone | | 1 | 0 | | | | mixed 0 4 0 | |
| Grey post Metal Coal Seam— | 1 | 4 | 7 | | | | mixed 0 4 0 Grey metal 0 3 0 Blue metal stone 0 4 2 | |
| Metal Coal Seam- | | | | | | | Blue metal stone 0 4 2 | |
| COAL | 0 | 1 | 7 | | | | Six-Quarter Seam— | |
| | _ | | | 5 | 2 | 2 | COAL 0 4 4 | |
| Thill | 0 | 4 | 0 | | | | 5 3 1 | 0 |
| | U | ** | U | | | | (F) (1) | - |
| Blue stone, mixed | _ | | _ | | | | Thill 0 1 10 | |
| with post girdles Stone Coal Seam— | U | 3 | 0 | | | | Blue stone and grey | |
| Stone Coal Seam- | | | | | | | metal 0 2 6 | |
| COAL | 0 | 1 | 3 | | | | milite post v 5 v | |
| | | | | 1 | 2 | 3 | Whin 0 1 0 Grey post 1 0 0 | |
| m,:11 | Λ | 1 | 0 | | | | Grev post 1 0 0 | |
| Thill | 0 | - | U | | | | Grey metal stone 1 0 0 | |
| Strong white post, | - | 0 | ^ | | | | Five-Quarter Seam- | |
| with partings | I | 2 | 0 | | | | COAL 0 3 2 | |
| Strong grey metal | 2 | 1 | 0 | | | | | 0 |
| Whin and post, | | | | | | | | U |
| mixed | 0 | 2 | 0 | | | | Thill 0 1 6 | |
| Strong grey metal | 1 | 5 | 0 | | | | Blue stone 0 3 0 | |
| Whin | 0 | 4 | 6 | | | | Grey metal 0 1 6 | |
| Whin Blue metal | 3 | 4 | 4 | | | | Grey post 0 4 0 | |
| Yard Coal Seam- | • | _ | _ | | | | White post 0 3 0 | |
| | | | | | | | Grey post 0 5 0 | |
| COAL ton 2 0 | | | | | | | | |
| COAL, top 2 0 Band 0 11 | | | | | | | | |
| Dand 0 11 | | | | | | | | 9 |
| Grey metal 0 10 | | | | | | | | ย |
| COAL, good 0 11 | | | | | | | Thill 0 2 5 | |
| Band 0 1 | | | | | | | White post 1 5 10 Whin and post, | |
| COAL, bot- | | | | | | | Whin and post, | |
| tom 2 3 | 1 | | | | | | mixed 1 2 0 | |
| | 1 | 1 | 0 | 1 | | | mixed 1 2 0 White post 0 4 0 | |
| | | | | | 2 1 | 101 | Grey metal stone 0 4 0 | |
| Thill and grow motal | 0 | 4 | 0 | | | • | l -: • | |
| Thill and grey metal | | | | | | | Grey post girdles 0 1 5 Grey metal stone 0 1 5 | |
| White post | 0 | 3 | 0 | | | | | |
| Grey metal, with | | ~ | _ | | | | Grey metal, with post | |
| thin girdles | 1 | 5 | 0 | | | | girdles 0 3 3 | |
| thin girdles Black stone | 0 | 2 | 6 | | | | Blue metal stone 0 2 2 | |
| Grey metal, with | | | | | | | Low Main Seam— | |
| whin girdles | 4 | 3 | 6 | | | | COAL 0 5 2 | |
| Whin | 0 | 1 | 0 | | | | 7 1 | 8 |
| whin girdles Whin Grey metal stone, | | | | | | | | _ |
| with girdles | 2 | 2 | 3 | | | | 122 5 4 | 1 |
| Bensham Seam- | _ | _ | | | | | Sunk further to | • |
| | | | | | | | Beaumont Seam (see | |
| COAL top 1 6 | • | | | | | | 37 4 844) ' 00 4 4 | 3 |
| COAL, top 1 6 | | | | | | | No. 1,744) 23 1 4 | 4 |
| Band 0 0 | Σ | | | | | _ | | _ |
| Con formand 1 C | 11/ | ` ' | <u> </u> | 2 00 | 1 | 61 | Total146 0 | 9 |
| Car, forward 1 6 | 2 10 | , , | , , | ט פ | , 1 | 04 | 10tai140 U | = |

No. 2,937.—SHILDON.

TOWNSHIP OF SHILDON, DURHAM.

Sheet 42 of Ordnance Map. Lat. 54° 37' 54", Long. 1° 39' 15".

Account of Strata sunk through at Shildon Lodge Colliery, 1861.

Approximate surface-level 460 feet above sea (Ordnance datum).

| ** | | | | | | | | | | | | | |
|------------------------|-----|--------|--------|-----|-----|-----|----------------------|----------|----------|-------|---|---|------------|
| T | Fs. | Ft | In. | Fs. | Ft. | In. | Propel t formend | | Ft. | In. F | | | |
| Loamy soil | U | 1 | | | | | Brought forward | | 0 | | 7 | o | 0 |
| Loamy brown clay | | 1 | 6 | | | | Fire-clay | U | 3 | 0 | | | |
| Brown and blue | | | | | | | Grey metal stone, | | | | | | |
| clay, mixed with | | | | | | | with scares of post, | | | | | | |
| coal | | 1 | 6 | | | | and water | 3 | 0 | 0 | | | |
| Rubble brown post | _ | 5 | | | | | Light post, with | | - | - | | | |
| Killable brown post | + | | · | 4 | 3 | 0 | about 15 gallong of | | | | | | |
| 0 1 6 4 | ~ | | _ | 4 | ., | U | about 15 gallons of | | 0 | | | | |
| Good freestone post | | 0 | 0 | | | | water per minute | U | 3 | 6 | | | |
| Grey metal stone, | | | | | | | Strong grey metal | | | | | | |
| with thin post | | | | | | | stone | 3 | 2 | 4 | | | |
| girdles | 4 | 0 | 0 | | | | Strong light grey | | | | | | |
| | | | | | | | post, with 310 gal- | | | | | | |
| Mild grey post, in- | | | | | | | | | | | | | |
| clining to metal | | | | | | | lons of water per | 4 | - | 4 | | | |
| stone | 4 | 0 | 0 | | | | minute | | | 4 | | | |
| Strong post | 5 | 2 | 6 | | | | COAL | U | 0 | 4 | | | |
| Very soft argillaceous | | | | | | | | | | 1 | 1 | 4 | ϵ |
| metal | 0 | 1 | 0 | | | | l a | | | - | - | ~ | • |
| Low Main Seam- | | | | | | | Strong grey metal | | | | | | |
| | Λ | 3 | 0 | | | | stone, with post | | | | | | |
| COAL | U | υ | | 19 | Λ | 6 | girdles | 2 | 1 | 0 | | | |
| | _ | | | 19 | 0 | О | Hard white post, | | | | | | |
| Strong fire-clay | 0 | 2 | 9 | | | | | | | | | | |
| Grey post girdle | 0 | 0 | 7 | | | | with whin, and 50 | | | | | | |
| Dark grey metal, | | | | | | | gallons of water | _ | | _ | | | |
| with thin post gir- | | | | | | | | 0 | | 0 | | | |
| 11 | 0 | 3 | 8 | | | | Dark grey metal | 0 | 2 | 0 | | | |
| dies | U | ., | O | | | | COAL, coarse | | | 8 | | | |
| Dark grey metal, | | | | | | | , | | | | 3 | 1 | c |
| with shell bed at | | | | | | | | | | _ , |) | 1 | 8 |
| bottom | 0 | -3 | 6 | | | | Grey metal, with | | | | | | |
| Very dark blue | | | | | | | hard post girdles | 2 | 3 | 0 | | | |
| metal, with thin | | | | | | | | - | | - | | | |
| post girdles | 1 | 1 | 0 | | | | Strong grey post, | | | | | | |
| | • | - | v | | | | with whin, and 68 | | | | | | |
| Light grey metal, | | | | | | | gallons of water | | | | | | |
| with nodules of | | | | | | | per minute | 0 | 3 | 0 | | | |
| ironstone, and | | | | | | | Dark grey metal | 4 | 3 | 9 | | | |
| water | -3 | 1 | 2 | | | | COAL | | 0 | 1 | | | |
| Grey metal, with | | | | | | | | • | • | | _ | _ | |
| scares of coal, and | | | | | | | | | | ′ | 7 | 3 | 10 |
| a little water | 2 | 2 | 0 | | | | Grey metal stone | 1 | 3 | 0 | | | |
| | 2 | 4 | U | | | | | | 0 | U | | | |
| Dark grey metal | _ | | | | | | Dark metal stone, | | | | | | |
| stone | . 1 | 4 | 0 | | | | with coarse nodules | | _ | _ | | | |
| drey metal stone, | | | | | | | of ironstone | 3 | 3 | 8 | | | |
| with large nodules | | | | | | | Strong grey metal | | | | | | |
| of ironstone in the | | | | | | | stone, with post | | | | | | |
| | | | | | | | girdles | 1 | 0 | 2 | | | |
| upper part and | | | | | | | Timbe most | | U | _ | | | |
| scares of post in | | | ^ | | | | Light grey post, | | | | | | |
| the bottom part | 3 | 3 | 0 | | | | with 80 gallons of | _ | | | | | |
| Supposed Hutton | | | | | | | water per minute | 2 | 5 | 0 | | | |
| Seam— | | | | | | | Yard Coal or Beaumo | | | | | | |
| COAL, with 100 | | | | | | | Seam— | | | | | | |
| gallons of water | | | | | | | | | | | | | |
| | 0 | 1 | 10 | | | | Ft. In. | | | | | | |
| per minute | U | 1 | | 10 | - | | COAL 0 2 | | | | | | |
| | | | | 13 | 5 | 6 | Band 0 2 | | | | | | |
| | | | | | | _ | | _ | | | | _ | - |
| Carried forward | | | | 37 | 3 | 0 | Car. forward 0 4 | 8 | 5 | TO 60 |) | 1 | 0 |
| | | | | | | | | | | | | | |

No. 2,937.—SHILDON.—CONTINUED.

| Ft. In. Brot. forward 0 4 | Fs. 8 | Ft. | In. 10 | Fs. | Ft 1 | In. | Brought forward | | | | | Ft. | |
|------------------------------|----------|---------------|-----------|-----|---------|-----|---------------------------------------|---|---|----|-----|-----|----|
| COAL, with | | | | | _ | • | Dark grey metal | | - | , | ٠. | - | |
| 350 gallons | | | | | | | stone | 0 | 4 | 8 | | | |
| of water | | | | | | | Hard white post | | | Õ | | | |
| per minute 2 10 | | | | | | | | ō | | 4 | | | |
| | 0 | 3 | 2 | | | | | | | _ | 5 | 3 | 0 |
| | | _ | | 9 | 3 | 0 | Fire-clay | 0 | 2 | 0 | Ū | • | ٠ |
| Fire-clay | 0 | 2 | 0 | | | | Dark grey metal | 1 | | ŏ | | | |
| Grey metal | _ | 4 | Õ | | | | Grey post, mixed | • | 0 | ٠ | | | |
| White post | | | 0 | | | | | 1 | 1 | 5 | | | |
| Brown whin | | $\frac{2}{2}$ | Õ | | | | | õ | | 7 | | | |
| Hard white post | | 4 | 0 | | | | | ő | | 2 | | | |
| Grey metal stone | ĭ | | ŏ | | | | Sprint | U | ٠ | | 3 | 4 | 2 |
| Blue metal stone | | $\tilde{3}$ | 8 | | | | Dark metal, with | | | _ | J | *36 | 4 |
| COAL, coarse | | 0 | 4 | | | | nost girdles | 1 | 5 | 7 | | | |
| | | _ | | 17 | 2 | 0 | post girdles COAL, good | 7 | 1 | 'n | | | |
| Dark blue metal, | | | | Τ. | | U | OOAL, good | U | | U | 2 | 0 | 7 |
| with post girdles | | 1 | 2 | | | | Strong fire-clay | _ | 9 | _ | 2 | U | • |
| COAL, with a little | | T | O | | | | | | | 0 | | | |
| water | 0 | 2 | 9 | | | | Grey metal stone | U | 3 | 0 | | | |
| water | U | ند | 9 | 2 | 1 | 0 | Blue metal, mixed with balls of iron- | | | | | | |
| Grey metal stone | 1 | 9 | | _ | 1 | U | | - | | ^ | | | |
| Blue metal stone | | | 0 | | | | | 1 | | | | | |
| | ·± | ئد | U | | | | COAL, good | U | T | U | | _ | _ |
| COAL, with 3 inches | | | | | | | G. 6 1 | | | | 2 | 3 | 8 |
| of splint at bot- | | | 10 | | | | Strong fire-clay, very | | ~ | | | | |
| tom | 0 | 2 | 10 | | | | coarse | 0 | 3 | 0 | | | |
| Character Carriella | | - | _ | 6 | U | 10 | White post | 2 | 0 | U | | | |
| Strong fire-clay | U | 2 | 0 | | | | White post, with | _ | _ | | | | |
| Grey post, with metal | | _ | _ | | | | metal partings | 2 | 3 | 11 | | | |
| partings | 1 | 1 | 2 | | | | Brockwell Seam— | | | | | | |
| COAL, with a little | _ | _ | | | | | COAL, with 50 | | | | | | |
| water | 0 | 2 | 10 | | | | gallons of water | | | | | | |
| | | | _ | 2 | 0 | 0 | per minute | 0 | 5 | 4 | | | |
| Strong fire-clay | 0 | 2 | 0 | | | | | | | | 6 | 0 | 3 |
| Blue metal, with post | | | | | | | Grey post, with part- | | | | | | |
| girdles | 0 | 3 | 0 | | | | ings | 1 | 2 | 4 | | | |
| White post, with | | | | | | | | | - | _ | 1 | 2 | 4 |
| metal partings | 2 | 5 | 0 | | | | | | | | | | |
| | _ | | _ | _ | | | | | | | | | _ |
| Carried forward | 3 | 4 | 0 | 97 | 1 | 10 | Total | | | | 118 | 3 | 10 |
| | | | | | | | I | | | = | _ | | = |
| | | | | | | | | | | | | | |

No. 2,938.—SHINCLIFFE. TOWNSHIP OF SHINCLIFFE, DURHAM.

Sheet 27 of Ordnance Map. Lat. , Long.

Account of Strata passed through in a Bore-hole near Shincliffe Colliery, 1840.

Approximate surface-level 303 feet above sea (Ordnance datum).

| Soil Yellow clay Blue clay Yellow sand Soft brown clay Yellow sand | 0 1 0 0 3 6 0 1 0 0 0 6 | Brought forward 1 2 4 Soft blue clay 0 1 0 Brown sand 0 1 6 Blue clay, rather loamy 0 2 0 Yellow sand 0 1 3 |
|---|----------------------------------|---|
| Carried forwa | ard 1 2 4 | Carried forward 2 2 1 |

No. 2,938.—SHINCLIFFE.—Continued.

| Fs. Ft. In. Fs. Ft. | |
|-----------------------------------|--------------------------------|
| Brought forward 2 2 1 | Brought forward 19 0 7 |
| Very strong blue | Strong blue clay 1 4 0 |
| clay, with stones 2 1 10 | Fine leafy clay 3 3 4 |
| Fine sand and loam 0 4 10 | Strong stony blue |
| Loam 0 1 7 | clay 0 2 0 |
| Sand and loam 0 5 6 Loam 0 4 4 | Loamy clay 0 4 5 Loam 1 3 6 |
| Loam 0 4 4 | Loam 1 3 6 |
| Sand and loam 4 4 10 | Fine loamy sand 1 2 8 |
| Fine sand 2 1 10 | Wet sand 0 1 5 |
| Fine leafy clay 1 2 1 | Clay, with tumbling |
| Strong stony clay 2 5 1 | stones 1 0 5 |
| Wet sand 0 1 4 | 29 4 4 |
| Soft brown clay 0 0 5 | Blue metal stone 0 1 0 |
| Sharp sand, wet 0 0 2 | 0 1 0 |
| Loam 0 0 8 | |
| 100m 0 0 0 | |
| Carried forward 19 0 7 | Total 29 5 4 |
| Callied for ward to 0 7 | 10(41 20 0 4 |
| | |

No. 2,939.—SHINCLIFFE.

TOWNSHIP OF SHINCLIFFE, DURHAM.

Sheet 27 of Ordnance Map. Lat. 54° 44' 46", Long. 1° 32' 1".

Account of Strata passed through in a Diamond Bore-hole at Bowburn, near Shincliffe, 1905.

Approximate surface-level 325 feet above sea (Ordnance datum).

| | | | In. Fs. | Ft. | In. | | | | In. Fs. | | |
|--------------------------|---|---------------|---------|-----|-----|---------------------------------------|---|---|---------|---|----|
| Clay and cobbles | _ | | | | | Brought forward | | | | T | 3 |
| Brown clay | | | | | | Dark grey shale | Ţ | ī | 6 | | |
| Loam | | 0 | 9 | | | Grey sandy shale | | 5 | 10 | | |
| Brown clay | 0 | 1 | 9 | | | White post, with | | _ | _ | | |
| Blue clay | 0 | 1 | 7 | | | sandstone girdles | | 3 | | | |
| Brown loamy clay | 1 | | 3 | | | | 0 | 3 | 6 | | |
| Loam | | | 3 | | | | 3 | 5 | 3 | | |
| Brown loamy clay | 0 | 0 | 8 | | | COAL | 0 | 0 | 7 | | |
| Sandy brown clay | 4 | 0 | 4 | | | | | | 12 | 0 | 10 |
| Brown clay | | 4 | 6 | | | Seggar-clay | 0 | 0 | 8 | | |
| Loamy sand | 1 | 0 | 1 | | | | 0 | | | | |
| Sand and loam | | 1 | 7 | | | Gray shale with | | | | | |
| Sand | ^ | 3 | 6 | | | sandstone girdles | 2 | 2 | 6 | | |
| Sand, mixed with | | | | | | sandstone girdles Grey sandy shale | 1 | 4 | 2 | | |
| coal | 0 | 2 | 3 | | | Grey shale, with | _ | - | _ | | |
| Loamy sand | ŏ | 1 | 0 | | | sandstone girdles | 3 | 3 | 8 | | |
| Brown clay | _ | | ŏ | | | Grey shale, with | • | • | 0 | | |
| Loamy sand | | $\frac{3}{3}$ | 9 | | | | 0 | 3 | 1 | | |
| Brown clay | _ | 5 | 3 | | | | ŏ | | î | | |
| | | 3 | ő | | | Seggar post | _ | î | 8 | | |
| Brown loamy clay Sand | 1 | 1 | 1 | | | Grey shale, with post | v | - | O | | |
| Sand Sand and loamy clay | _ | 3 | Ô | | | | 1 | 0 | 0 | | |
| | U | a | U | | | partings | | | 7 | | |
| Clay, with sandstone | 0 | ~ | 0 | | | Black shale | | 0 | 8 | | |
| cobbles | Z | Э | 2 | - | _ | COAL, good | U | 0 | | | |
| G 1.1 301 | | | 36 | 1 | 3 | | | | 10 | 3 | 11 |
| Grey shale, with | | | | | | | 0 | | | | |
| sandstone girdles | U | 4 | 9 | | | Black shale | U | 1 | 7 | | |
| Carried forward | 0 | 4 | 9 36 | 1 | 3 | Carried forward | 0 | 4 | 4 59 | 0 | 0 |
| | - | | - 74 | | - 1 | 5 | - | _ | _ •• | - | • |

No. 2,939.—SHINCLIFFE.—Continued.

| | CONTINUED. |
|--|---------------------------------------|
| Property formal Fs. Ft. Jn. Fs. Ft. Jr. | Propert for Fs. Ft. In. Fs. Ft. In. |
| Brought forward 0 4 4 59 0 | Trought forward is 4 101 so 2 101 |
| Grey sandstone, with | Diack shale |
| shaly bands 3 3 8 | Seggar-elay 0 4 8 |
| Low Main Seam- | Grey shale 0 2 0 |
| COAL 0 1 10½ | GICY SHALLY SANGSTONE II A. A. |
| 4 3 10 | Grey sandstone, with |
| Seggar-clay 0 0 10½ | shale bands 1 5 1 Grey shale, with |
| Grey metal, with | Grey shale, with |
| ironstone nodules 0 3 6 | sandy bands and |
| Grey post, jointy 4 4 4 | ironstone 1 0 0 |
| Hutton Seam- | Black shale 0 0 6 |
| Ft. In. | Grey sandy shale 0 1 3 |
| COAL 2 61 | Grey shalv sandstone 0 3 0 |
| COAL, splint 0 5 | Grey sandy shale 0 5 0 |
| COAL' 0 4 | Black shale 0 0 5 |
| — 0 3 3 <u>}</u> | Harrey Seam- |
| 6 0 (| O COÂL 0 1 8 |
| Seggar-clay 0 1 7½ | $\frac{1}{2}$ 23 3 $1\frac{1}{2}$ |
| Blue shale, with | Seggar-elay 0 2 0 |
| ironstone balls 0 3 0 | Seggar-elay 0 2 8 Grey shale, with |
| Grey shaly sand- | ironstone balls 1 2 11 |
| Stone 0 1 3 Grey post 0 4 11 | |
| Grey post 0 4 11 | Grey sandy shale 0 0 1 |
| Grey shaly post 0 4 6 Grey post 0 1 2 | Seggar-clay 1 0 3 |
| Grey post 0 1 2 | 101. 1 1 1 |
| Grey shaly post 0 1 11 | Sandy seggar-clay 0 0 4 |
| Grey post 0 0 10 Whin, basalt 0 2 0 | |
| Whin, basalt 0 2 0 | |
| Grey sandstone 0 0 3 | 3 2 2 |
| Whin, softer 0 0 3 | Seggar-elay 0 5 5 |
| Black shale 0 2 2 | Grey shale, with |
| Black coaly shale 0 0 5 | sandstone partings 0 5 0 |
| Grey shale 0 3 8 Grey shale, with | Grey sandstone 3 1 3 |
| Grey shale, with | Coarse sandstone 1 1 2 |
| ironstone bands 0 1 5 | Grey sandstone 0 0 9 |
| Grey shale 0 1 6 | Grey sandy shale 0 2 3 |
| Grey shale, with | Grey sandstone 6 4 10 |
| ironstone balls 1 0 0 | COAL 0 0 10 |
| Grey sandstone 0 1 1 | 13 3 6 |
| Grey shaly sandstone 0 1 8 | Seggar-elay, with |
| Grey shale, with | ironstone balls 0 3 6 |
| sandstone partings 1 4 7 | Grey sandy shale 1 0 11 |
| Grey sandstone 0 4 9 | Grey sandstone 0 1 4 |
| Grey shaly sandstone 0 2 5 | Grey sandy shale 3 1 0 |
| Grey shale, with | Busty Seam— |
| sandstone partings 0 2 3 | Ft. In. |
| Grey shale 0 1 4 | COAL 2 0 |
| Soft black shale 0 0 2 | Plate band $0 	1\frac{3}{4}$ |
| Grey shale 0 4 6 Grey sandstone 0 4 1 | COAL 0 4 |
| Grey sandstone 0 4 1 | Seggar-clay |
| Grey shale, with | band 0 3 |
| sandstone partings 2 2 8 | $COAL 2 1_{\frac{1}{2}}$ |
| Grey sandy shale 0 1 8 | $$ 0 4 10 $\frac{1}{4}$ |
| Grev shale, with | $\frac{}{}$ 5 5 $7\frac{1}{4}$ |
| sandy bands 0 3 9 Black shale 0 1 3 | Soft seggar-clay 0 0 93 |
| Black shale 0 1 3 | Posty seggar-clay 0 4 0 |
| Grey shale, with | |
| sandy bands 1 3 10 | 0 4 5 ₄ |
| 1 0 10 | |
| Commind formers 10 4 101 00 0 111 | W-1-1 110 # 1 |
| varried forward 16 4 104 69 3 104 | Total 116 5 1 |
| Carried forward 16 4 10½ 69 3 10½ | Total $\frac{116 - 5 \cdot 1}{28}$ |

No. 2,940.—SHIREMOOR.

TOWNSHIP OF EARSDON, NORTHUMBERLAND.

Sheet 89 of Ordnance Map. Lat. 55° 1' 57", Long. 1° 30' 35".

Account of Strata sunk through below the High Main Seam in the Algernon Pit, Shiremoor Colliery, 1892.

Approximate surface-level 225 feet above sea (Ordnance datum).

| | Fa | Ft | In. F | g | Ft | In | Fs. Ft. In. Fs. Ft. In. |
|-----------------------|------|--------|-------|---|----|----|-------------------------------|
| Depth from surface | - 0. | | | | | | Brought forward 1 5 2 59 1 11 |
| to bottom of High | | | | | | | Grey metal, with |
| Main Seam | | | 4 | 4 | 3 | 0 | white post girdles 5 2 0 |
| Clay and blue stone | 1 | 3 | 6 | | | | Strong post girdles 0 4 2 |
| Mild grey post | 1 | 0 | 6 | | | | Blue metal 3 1 2 |
| Blue clay | 0 | 0 | 4 | | | | Ft. In. |
| Strong grey post | 0 | 3 | 8 | | | | COAL 1 73 |
| Plate | 0 | 0 | 2 | | | | Band 0 6 |
| Strong grey post | 0 | 4 | 4 | | | | COAL, coarse 0 $6\frac{1}{2}$ |
| Mild grey post | 0 | 4 | 0 | | | | 0 2 8 |
| Blue plate | 1 | 3 | 0 | | | | 11 3 2 |
| Post girdles | 0 | 3 5 | 2 | | | | Stone 0 3 10 |
| Grey post | 0 | 2 | 6 | | | | Yard Seam— |
| Blue plate | 0 | 4 | 4 | | | | COAL 0 2 10 |
| Metal Coal Seam- | | | | | | | 1 0 8 |
| COAL | 0 | 2 | 7 | | | | Seggar-clay 0 4 3 |
| | | | | 8 | 4 | 1 | Blue plate 2 1 0 |
| Fire-clay | 0 | 1 | 7 | | | | Grey post, with |
| Grey metal, with post | | | | | | | brown whin 1 3 6 |
| girdles | 3 | 5 | 11 | | | | Grey post 1 0 0 |
| Blue plate | 1 | 4 | 5 | | | | Blue plate 3 5 0 |
| Ft. In | | | | | | | Bensham Seam— |
| COAL, splint 0 2 | 1 2 | | | | | | Ft. In. |
| COAL 0 8 | į. | | | | | | COAL 2 5 |
| | 0 | 0 | 11 | | | | Band 0 3½ |
| | | | | 6 | 0 | 10 | COAL 1 7 |
| Seggar-clay | 0 | 1 | 2 | | | | $ 0 4 3\frac{1}{2}$ |
| White post, with | | | | | | | 10 0 01 |
| whin | 1 | 4 | 0 | | | | |
| | | | | | | | |
| Carried forward | 1 | 5 | 25 | 9 | 1 | 11 | Total 81 5 9½ |
| | | | | | | | |

No. 2,941.—SILKSWORTH.

TOWNSHIP OF SILKSWORTH, DURHAM.

Sheet 14 of Ordnance Map. Lat. 54° 52' 48", Long. 1° 24' 50".

Account of Strata passed through in a Bore-hole below the Hutton Seam, near the Downcast Shaft at Silksworth Colliery, 1887.—

Continuation of No. 1,822.

Approximate surface-level 240 feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. In. | Fs. Ft In. Fs. Ft. In. |
|---|--|
| Depth from surface | Brought forward 19 0 5 290 0 51/2 |
| to bottom of Hut- | Dark grey shale 1 1 9 |
| ton Seam 290 0 $5\frac{1}{2}$ | Grey shale 0 4 4 |
| To bottom of pipe 0 3 3 | Soft grey post 2 1 3 Dark grey post 4 1 0 |
| Grey shale 6 1 8 | Dark grey post 4 1 0 |
| Grey post 12 1 6 | Grey shale 2 5 2 |
| | |
| Carried forward 19 0 5 290 0 $5\frac{1}{2}$ | Carried forward 30 1 11 290 0 5½ |

No. 2,941.—SILKSWORTH.—Continued.

| Fs. Ft. In. Fs. Ft. I | n. Fs. Ft. In. Fs. Ft. I |
|--|---|
| Brought forward 30 1 11 290 0 5 | |
| Harvey Seam— | COAL 0 0 1 |
| • | |
| Ft. In. | 2 3 |
| COAL and | Grey shale 0 4 10 |
| black stone 0 3 | COAL, with black |
| COAL 2 7 | stone 0 0 8 |
| 2 · 0 · 2 · 10 · | |
| | 0 5 |
| | 9 Coarse dark grey |
| Frey shale 2 0 11 | seggar-clay 0 0 10 |
| White post 1 4 5 | Grey shale 0 3 2 |
| | Grey post, with shale |
| | |
| 3 5 1 | I I I I I I I I I I I I I I I I I I I |
| Grey shale, with post | Strong grey post 12 0 2 |
| girdles 3 4 1 | Grey shale 1 4 1 |
| Top Busty Seam- | Grey post 0 5 1 |
| • | |
| Ft. In. | |
| COAL 0 3 | Grey shale, with post |
| Grey shale 0 4 | partings 0 4 0 |
| COAL 1 5 | Grey post, with shale |
| 0 2 0 | partings 1 1 6 |
| | 1 Grey post 2 0 0 |
| | - Sieg Posse III = - |
| Grey shale 1 4 6 | Grey shale 0 0 11 |
| Strong grey post 7 1 4 | COAL, rather coarse 0 1 2 |
| Bottom Busty Seam— | 23 3 |
| | Coarse seggar-elay 0 1 6 |
| COAL 2 2 | |
| | Grey shale 1 0 4 |
| Shale band 0 1 | Black stone, with a |
| COAL 0 5 | little coal 0 0 10 |
| 0 2 8 | 1 2 |
| | 6 Grey shale 3 1 8 |
| | |
| V | |
| COAL 0 1 9 | Coarse grey post 2 0 10 |
| 3 5 1 | 0 Grey shale 0 1 10 |
| Grey shale 0 4 2 | Grey post, with shale |
| | |
| | |
| post 10 2 0 | a zej szame |
| | Very soft dark grey |
| COAL, coarse 0 0 10 | |
| | 0 shale 0 0 10 |
| COAL, coarse 0 0 10 11 1 | 0 shale 0 0 10 |
| COAL, coarse 0 0 10 Soft grey shale 0 1 0 | 0 shale 0 0 10 Soft black shale, |
| Soft grey shale 0 1 0 1 0 Hard grey shale 0 1 7 | 0 shale 0 0 10 Soft black shale, with a little coal 0 1 4 |
| Soft grey shale 0 0 10 Hard grey shale 0 1 0 Grey post, with shale | 0 shale 0 0 10 Soft black shale, with a little coal 0 1 4 |
| COAL, coarse 0 0 10 Soft grey shale 0 1 0 Hard grey shale 0 1 7 Grey post, with shale partings 1 3 4 | 0 shale 0 0 10 Soft black shale, with a little coal 0 1 4 Grey shale 0 2 1 |
| COAL, coarse 0 0 10 Soft grey shale 0 1 0 Hard grey shale 0 1 7 Grey post, with shale partings 1 3 4 | 0 shale 0 0 10 Soft black shale, with a little coal 0 1 4 Grey shale 0 2 1 |
| COAL, coarse 0 0 10 Soft grey shale 0 1 0 Hard grey shale 0 1 7 Grey post, with shale partings 1 3 4 | 0 shale 0 0 10 Soft black shale, with a little coal 0 1 4 Grey shale 0 2 1 |
| COAL, coarse 0 0 10 Soft grey shale 0 1 0 Hard grey shale 0 1 7 Grey post, with shale partings 1 3 4 | 0 shale 0 0 10 Soft black shale, with a little coal 0 1 4 Grey shale 0 2 1 - 0 2 1 |

No. 2,942.--SILKSWORTH.

TOWNSHIP OF SILKSWORTH, DURHAM.

Sheet 14 of Ordnance Map. Lat. 54° 52′ 59″, Long. 1° 24′ 20″.

Account of Strata passed through in a Bore-hole on Low Newport Farm, Silksworth, 1867.

Approximate surface-level 208 feet above sea (Ordnance datum).

| Soil Clay | Fs 0 0 | 1 | | Brought forward | 0 | 3 | In. Fs. 0 0 | Ft. In. |
|--------------|--------|-----|---|-----------------|---|---|-------------------|---------|
| Carried forv | vard 0 | 3 (| 0 | Carried forward | 1 | 1 | 0 | |

No. 2,942.—SILKSWORTH.—CONTINUED.

| Fs. Ft. In, Fs. 1 | Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|--------------------------|---------|---|
| Brought forward 1 1 0 | | Brought forward 47 1 8 3 4 0 |
| Clay or marl 2 3 0 | | Dark grey metal 0 2 1 |
| 3 | 4 0 | |
| Hard light coloured | | limestone 1 4 2 |
| limestone, with | | Dark grev metal 0 1 10 |
| soft seamy part- | | Hard crust 0 0 6 Mild blue post 0 0 10 Strong blue post 0 2 9 |
| ings, and water at | | Mild blue post 0 0 10 |
| 27 fathoms 23 4 0 | | Strong blue post 0 2 9 |
| Hard limestone, with | | Soft parting 0 0 3k |
| soft scamy part- | | Mild blue post 0 3 0 |
| ings 19 3 8 | | Mild blue post 0 3 0 Light grey shale 0 1 4 Dark grey shale 0 0 6 Red metal 0 2 8 |
| Hard brown lime- | | Dark grey shale 0 0 6 |
| stone, with water 1 3 0 | | Red metal 0 2 8 |
| Strong light coloured | | $51 3 7\frac{1}{2}$ |
| limestone $2 3 0$ | | |
| | | |
| Carried forward 47 1 8 3 | 4 0 | Total <u>. 55 1 7½</u> |
| | | |

No. 2,943.—SILKSWORTH.

TOWNSHIP OF SILKSWORTH, DURHAM.

Sheet 14 of Ordnance Map. Lat. 54° 52′ 48″, Long. 1° 24′ 50″.

Account of Strata passed through in a Bore-hole at High Newport, Silksworth, 1867.

Approximate surface-level 240 feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. In. | Fs. Ft. Iu. Fs. Ft. In, |
|-------------------------------------|---|
| Soil 0 1 0 | Brought forward 41 5 0 5 1 0 |
| Blue clay 3 0 0 | Hard brown lime- |
| Strong stony clay 2 0 0 | stone, with soft |
| 5 1 0 | nartings 3 1 6 |
| Marl 2 0 0 | partings 3 1 6 Dark grey shale 0 0 9 |
| Strong limestone: | Light grow chale 0 0 0 |
| | Light grey shale 0 0 6 |
| got water at 22 | Hard blue limestone, |
| fathoms 16 0 0 | with soft partings, |
| Mild yellow lime- | and water 0 4 0 |
| stone 1 3 0 | Dark grey shale 0 5 2 |
| Strong brown lime- | Hard post: top of |
| stone 0 2 8 | sand 0 0 4 |
| Mild yellow lime- | Mild post or sand, |
| stone 1 3 0 | with a little water 1 2 5 |
| Strong yellow lime- | Very coarse hard |
| stone 0 2 0 | crust, with a little |
| | |
| Mild yellow lime- | water 0 0 5 48 2 1 |
| stone: got more | |
| water at 30 fath- | Soft grey shale 0 1 6 |
| oms 2 2 0 | Soft dark red metal 2 1 10½ |
| oms 2 2 0 Strong limestone 6 4 0 | COAL, soft danty, |
| Strong brown lime- | with water 0 0 6 |
| stone 7 0 0 | $2 3 10\frac{1}{2}$ |
| Blue limestone 0 2 7 | Soft light metal, |
| Light coloured lime- | with hard girdles 3 3 7 |
| stone 2 3 11 | 3 3 7 |
| Grey limestone 0 5 10 | 0 0 1 |
| Grey fillestone 0 0 10 | |
| Carried forward 41 5 0 5 1 0 | Total 50 4 61 |
| Carried forward 41 9 0 9 1 0 | Total 59 4 6½ |
| | V |

No. 2,944.—SOUTH HETTON.

TOWNSHIP OF HASWELL, DURHAM.

Sheet 21 of Ordnance Map. Lat. 54° 48' 2", Long. 1° 24' 25".

Account of Strata *unk through below the Hutton Seam in the Engine Pit, South Hetton Colliery, 1902.—Continuation of No. 1,828.

Approximate surface-level 420 feet above sea (Ordnance datum)

| Donth from our | Fs. | Ft. | In. Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
|--------------------------------------|-----|--------|----------------|--------|-----|--|
| Depth from surface to bottom of Hut- | | | | | | Brought forward 7 4 9\frac{1}{2} 183 2 6 |
| ton Comm | | | 1 22 22 | | ~ | Strong grey metal, |
| | | | 177 | 0 | 5 | with post girdles 1 3 3 |
| Blue seggar-clay | 0 | 0 | | | | White post 4 0 0 |
| Blue metal | | 4 | | | | Whin 1 0 0 |
| Black stone | | 0 | 8 | | | White post 3 0 0 |
| COAL | 0 | 0 | 5 | | | Blue metal 0 5 1 |
| | | | _ 2 | 5 | 10 | Black stone 0 0 1 |
| Grey metal, with post | | | | | | Harvey Scam— |
| girdles | | 4 | 0 | | | COÄL 021 |
| Grey whinstone | | | 8 | | | $18 3 3\frac{1}{2}$ |
| a | _ | 0 | 0 | | | Seggar-elay 0 2 0 |
| Black metal, with | 4 | U | U | | | Grey metal, with post |
| | 0 | -1 | 4.1 | | | girdles 1 1 3½ |
| | | | | | | Black stone 0 0 3 |
| COAL | U | 0 | $2\frac{1}{2}$ | | | Seggar-elay 0 4 3 |
| | | | - 3 | 2 | 3 | Grey metal, with post |
| Seggar-clay | 0 | 2 | 0 | | | girdles 3 2 $0\frac{1}{2}$ |
| Black shale | ō | ō | 2 | | | Black stone 0 2 10 |
| Light and dark grey | | • | - | | | Blue metal 1 4 4 |
| post girdles | 1 | 1 | 2 | | | Busty Seam— |
| White post, with | _ | - | _ | | | Ft. In. |
| whin | 1 | 1 | 5 | | | COAL 0 11 |
| Blue metal | ō | 2 | ő | | | 5 |
| COAL | Ô | ő | 51 | | Ì | |
| Grey post panels, | U | U | σ_2 | | - | |
| with dark post gir- | | | | | | |
| dles | 0 | - | • | | - [| COAL 0 81 |
| | | 5 3 | 0 | | į | Band 0 4 |
| Shivery post | 0 | 3 | 7 | | | COAL 0 9 |
| Blue metal, with | | | | | | 0 3 6 |
| ironstone girdles | 3 | 0 | 0 | | | 8 2 6 |
| Carried forward | 7 | 4 9 | 183 | 2 | 6 | Total $210 \ 2 \ 3\frac{1}{2}$ |
| | | | | | | |

No. 2,945.—SOUTH HETTON.

TOWNSHIP OF HASWELL, DURHAM.

Sheet 21 of Ordnance Map. Lat. , Long.

Account of Strata passed through in the West Bore-hole in Mr. Shepperdson's Ground, in a large pasture field, near to a Bog, at South Hetton Colliery, 1836-1837.

Approximate surface-level feet above sea (Ordnance datum).

| Soil | 0 | | | Ft. In. | Brought forward | 0 | | | Ft. In. |
|----------------------------------|---|---|---------|---------|-----------------------------|---|---|---|---------|
| Gravel, with water at the bottom | | 3 | 0 | | Loamy clay, mixed with sand | 0 | 5 | 0 | |
| Carried forward | 0 | 4 | <u></u> | | Carried forward | 1 | 3 | 6 | |

No. 2,945.—SOUTH HETTON.—CONTINUED.

| Fs. | E't | In | Fo. | TF+ | In | Fs. Ft. In. Fs. Ft. n. |
|-----------------------|-----|--------|-----|-----|------|---|
| Brought forward 1 | | | 1 | | 111. | Brought forward 67 2 6 5 5 6 |
| Strong brown clay 4 | | | | | | Grey metal 0 2 3 |
| - | | | 5 | 5 | 6 | |
| Marl 15 | 1 | 2 | | | | Brown sand, mixed |
| Soft marly limestone, | | | | | | with post 0 3 0 |
| with water at 31 | | | | | | Soft whitish yellow |
| fathoms 30 | 4 | 0 | | | | $\operatorname{sand} \dots \dots 3 4 0$ |
| Gullety limestone 3 | 4 | 4 | | | | Dirty yellow sand 1 0 6 Strong yellow sand 0 3 0 |
| Hard gullety lime- | | | | | | Strong yellow sand 0 3 0 |
| stone, with some | | | | | | Grey metal 0 3 6 |
| partings and water 14 | 3 | 0 | | | | Red metal, with post |
| Soft marly limestone, | | | | | | girdles 1 0 6 |
| with much water | | | | | | girdles 1 0 6 White post 0 0 9 Grey metal 0 1 7 |
| at 72 fathoms 2 | | | | | | Grey metal 0 1 7 |
| Blue metal 0 | 0 | 4 | | | | 75 3 9 |
| Strong white lime- | _ | | | | | |
| stone 1 | 1 | 8 | | | | |
| Carried forward 67 | 2 | 6 | 5 | 5 | 6 | Total 81 3 3 |
| | - | 0 | | | | 10001 |

No. 2,946.—SOUTH HETTON.

TOWNSHIP OF EASINGTON, DURHAM.

Sheet 21 of Ordnance Map. Lat. 54° 47' 41", Long. 1° 23' 50".

Account of Strata passed through in a Bore-hole below the Low Main Seam, about three-quarters of a mile South-east of the Shaft, South Hetton Colliery, 1891.

Approximate surface-level 411 feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. In. | Fs. | Ft. | In. Fs. | Ft. | In. |
|--|-------------------------------|----------|---------|-----|-----|
| Grey shale, with | Brought forward 24 | 0 | 4 | | |
| ironstone girdles 5 1 6 | Grey metal, with | | | | |
| White post 1 2 6 | iroustone balls 3 | 1 | 0 | | |
| Blue shale, with hard | Strong grey post, | | | | |
| panels \dots 257 | with water 2 | 2 | 0 | | |
| panels 2 5 7 Strong grey post 1 5 3 | Hard white post, | | | | |
| Blue shale 0 1 3 | with much water 3 | 2 | 3 | | |
| Very dark grey shale 3 0 11 | Strong grey metal 3 | 5 | 5 | | |
| Light grey shale 1 5 3 | Ft. In. | | | | |
| Blue shale 0 3 6° | COAL 0 4 | | | | |
| Shale, mixed with | Hard parting 0 5 | | | | |
| coal 0 0 6 | COAL 0 9 | | | | |
| Blue shale 0 1 0 | 0 | 1 | 6 | | |
| Grey post, with shale | | | 37 | 0 | 6 |
| partings 2 0 8 | Strong light grey | | | | |
| Blue shale 1 0 0 | metal 0 Strong grey post 0 | 3 | 9 | | |
| Very dark blue shale 0 1 6 | | 2 | 8 | | |
| Strong grey shale 1 0 3 | Strong grey metal, | | | | |
| Bastard post or whin 0 2 8 | with post girdles, | | | | |
| White post 0 4 0 | and water 1 | 1 | 3 | | |
| Strong grey post, | Grey post 0 | 4 | 6 | | |
| with thin metal | Very dark grey | | | | |
| partings 1 0 0 | metal 0 | 0 | 6 | | |
| Carried forward 24 0 4 | Carried forward 3 | 0 | 8 37 | 0 | 6 |

No. 2,946.—SOUTH HETTON.—CONTINUED.

| Brought forward Strong grey metal Ironstone girdles Strong grey shale White post, with water | 3 1 0 2 | 0 5 1 5 | 11 3 0 | Ft. 0 | In. 6 | Brought forward Blue shale Hard white post Bastard post Mild white post | 9 0 2 0 3 | 0 1 3 1 0 | 8 1 8 | 0 | In. 6 |
|---|------------------|------------------|--------------|-------|----------|---|-----------------------|-----------------------|-------------|---|----------|
| water | Ÿ | Э | 9 | | | | | _ | 15 | 1 | 8 |
| Carried forward | 9 | 0 | 7 37 | 0 | 6 | Total | ••• | | <u>52</u> | 2 | 2 |

No. 2,947.—SOUTH MOOR.

TOWNSHIP OF TANFIELD, DURHAM.

Sheet 12 of Ordnance Map. Lat. 54° 52' 3'', Long. 1° 42' 0''.

Account of Strata sunk through below the Hutton Seam in the Louisa Pit, South Moor Colliery.

Approximate surface-level 745 feet above sea (Ordnance datum).

| | | | | | | | | _ |
|--------------------|-----|----------|--------|-----|-----|-----|---|-----|
| Depth from surface | Fs. | Ft. | In. | Fs. | Ft. | In. | Brought forward 3 2 6 124 2 | n. |
| to bottom of Hut- | | | | | | | COAL 0 1 10 | -25 |
| ton Seam | | | | 102 | 2 | 0 | | 4 |
| Black stone | 0 | 1 | 0 | -02 | _ | ٠ | Seggar-elay 0 4 0 | 70 |
| Seggar-clay | ő | 5 | ŏ | | | | Dark blue metal 1 4 0 | |
| Post girdles | ō | | 10 | | | | Seggar-clay 0 1 9 | |
| Strong blue metal | 2 | 0 | 2 | | | | Black stone 0 0 9 | |
| Grey metal | 2 | 2 | 0 | | | | Seggar-clay 0 1 6 | |
| Strong white post | 1 | 3 | 0 | | | | Post and whin 1 4 0 | |
| Blue metal | 0 | 0 | 9 | | | | Blue metal 1 1 3 | |
| White post | 0 | 0 | 6 | | | | COAL 0 0 6 | |
| Blue metal | 0 | 1 | 10 | | | | 5 5 5 | 9 |
| White post | 0 | 3 | 0 | | | | Seggar-elay 0 5 0 | |
| Blue metal | 0 | 0 | 6 | | | | Strong grey metal 1 0 3 | |
| Strong white post | 5 | 4 | 6 | | | | Whin girdle 0 1 0 | |
| COAL | 0 | 1 | 0 | | | | Strong grey metal 1 1 1 | |
| | | | | 14 | 0 | 1 | | |
| Soggar-clay | 0 | 1 | 9 | | | | Blue metal 0 0 4 | |
| Grey post | 0 | 1 | 0 | | | | Hodge Seam— | |
| Grey metal | 0 | 1 | 6 | | | | Ft. In. | |
| Grey post | 0 | 3 | 6 | | | | COAL 1 01/2 | |
| Blue metal | 0 | 3 | 0 | | | | Slate band 0 1 | |
| Strong grey metal | 0 | 2 | 0 | | | | $COAL 1 4\frac{1}{2} \qquad \qquad \qquad \qquad \qquad \qquad \qquad \qquad \qquad \qquad \qquad \qquad \qquad \qquad \qquad \qquad \qquad \qquad \qquad$ | |
| Blue metal, with | | | | | | | 0 2 6 | • |
| ironstone girdles | 1 | 3 | 3 | | | i | 3 4 6 |) |
| Dark leafy post | | 3 | 4 | | | | Seggar-clay 0 3 0 | |
| Soft blue metal | 2 | 3 | 6 | | | | Blue metal 0 4 11 | |
| COAL | 0 | 0 | 5 | | | | Black stone 0 1 0 | |
| Seggar-clay | 0 | 5 | | | | 1 | Blue metal 0 4 6 | |
| COAL | 0 | 1 | 2 | | | | Dark grey post 0 3 0 | |
| g (1) | | | | 8 | 0 | 3 | White post 1 1 2 | |
| Grey metal, with | | | | | | - 1 | Top Busty Seam— | |
| ironstone girdles | | 2 | 9 | | | | COAL 0 5½ | |
| Blue metal | 0 | 1 | 5 4 | | | | | |
| Grey metal | 0 | 4 | _ | | | | Band stone 0 $4\frac{1}{2}$ COAL 2 10 | |
| Strong grey post | 0 | 1 | 2 | | | | 0 3 8 | |
| Whin girdle | 1 | 0 | 0 | | | | 4 3 3 | |
| Strong grey post | T | <u> </u> | U | | | _ | 1 0 0 | |
| Carried forward | 3 | 2 | 61 | 24 | 2 | 4 | Carried forward 142 2 2 | |
| | | | | | | 1 | | |

No. 2,947.—SOUTH MOOR.—CONTINUED.

| Brought forward | Fs. | Ft. | In. Fs. 142 | Ft. | In. | Fs. Ft. In. Fs. Ft. n. Brought forward 0 3 6 156 3 10 |
|-------------------|-----|-----------|----------------------|-----|-----|---|
| Seggar-clay | 0 | 0 | 9 | _ | - | White post 0 2 4 |
| Grey post | | ĭ | ŏ | | | Blue metal 0 1 8 |
| White post | | $\hat{2}$ | | | | COAL 0 1 2 |
| Blue metal | ō | | 10 | | | 1 2 8 |
| Ft. In. | ٠ | - | 10 | | | G |
| COAL 3 0 | | | | | | Post, with blue metal |
| Dark seggar- | | | | | | girdles 0 2 6 |
| clay 0 8 | | | | | | White post 2 2 5 |
| COAL 0 1 | | | | | | Grey metal 0 1 10 |
| 5 1 | 0 | 3 | 9 | | | Grey metal, with post |
| | | | <u> </u> | 3 | 9 | girdles 0 5 7 |
| Seggar-clay | 0 | 4 | 3 | | U | Black stone 0 1 3 |
| Black stone | Õ | $\hat{2}$ | 2 | | | Brockwell Seam— |
| Blue metal | ĭ | 5 | ō | | | Ft. In. |
| Grey metal | Ô | 3 | 5 | | | COAL 1 8 |
| Blue metal | ő | 2 | ő | | | Splint 0 8 |
| Grey metal, with | ٠ | - | v | | | 0 2 4 |
| ironstone girdles | 3 | 5 | 6 | | | 4 5 11 |
| Post girdles | 0 | | 11 | | | Seggar-clay 0 3 4 |
| COAL | 0 | ĭ | 2 | | | COAL 0 0 3 |
| | | | <u> </u> | 0 | 5 | 0012 0 0 0 0 3 7 |
| Seggar-clay | 0 | 2 | 0 | 0 | U | Seggar-clay, with post |
| Blue metal | ő | 1 | $\overset{\circ}{2}$ | | | girdles 0 4 9 |
| White post | 0 | 3 | $ar{4}$ | | | COAL 0 0 3 |
| Blue metal | ŏ | 2 | ō | | | 0 5 0 |
| Post girdle | ő | ī | ŏ | | | Seggar-clay, with post |
| Blue metal | 0 | _ | 11 | | | girdles 0 1 6 |
| COAL | ñ | 0 | 1 | | | |
| COAL | | | _ 2 | 3 | 6 | White post 1 0 0 |
| Seggar-clay | 0 | 3 | 6 | J | U | 110 |
| Carried forward | | 3 | 6 156 | 3 9 | 10 | Total165 4 6 |
| Carried forward | U | o | 0 190 | , , | 10 | Total <u>165 4 6</u> |

No. 2,948.–-SOUTH MOOR.

TOWNSHIP OF KYO, DURHAM.

Sheet 12 of Ordnance Map. Lat. 54° 51′ 26", Long. 1° 43′ 2".

Account of Strata sunk through in the New Upcast Shaft, near the Charley Pit, South Moor Colliery, 1893.

Approximate surface-level 720 feet above sea (Ordnance datum).

| Surface soil | | | | | Ft. | In. | Fs. Ft. In. Fs. Ft. In. Brought forward 11 3 8 1 0 0 |
|------------------------------------|------|---|---|---|-----|-----|--|
| Clay | 0 | 5 | 0 | | | | Grey metal, with post |
| | | | | 1 | 0 | 0 | girdles 3 0 0 |
| Soft grey metal | 2 | 1 | 7 | | | | White post, with |
| Post girdles, with | | | | | | | metal partings 3 2 8 |
| metal partings | | 3 | 8 | | | | Shield Row Seam— |
| Soft grey metal | 0 | 5 | 5 | | | | Ft. In. |
| Soft black stone | | | | | | | COAL 5 4 |
| Grey metal, with post | | | | | | | Band 0 3 |
| girdles | | 0 | 9 | | | | COAL 1 8 |
| White post girdles | 0 | 2 | 0 | | | | 1 1 3 |
| White post girdles Soft blue metal | 3 | 2 | 6 | | | | 19 1 7 |
| Carried forward | 11 | 3 | 8 | 1 | 0 | 0 | Carried forward 20 1 7 |

No. 2,948.—SOUTH MOOR.—CONTINUED.

| Brought forward | Ft. 4 | |
|--|----------|----|
| Seggar-clay 0 2 6 Soft grey metal 2 4 $4\frac{1}{2}$ Post girdle 0 3 11 Mild blue metal 3 4 Leafy post 0 3 Strong grey metal 0 4 0 | 4 | : |
| Soft grey metal 2 4 4½ Leafy post 0 3 0 Post girdle 0 3 11 Strong grey metal 0 4 0 | | |
| Post girdle 0 3 11 Strong grey metal 0 4 0 | | |
| | | |
| | | |
| Grey metal 0 1 7 Hard white post 2 3 2 | | |
| | 3 | |
| organ only U 2 U | | |
| Buttong grey metal, | | |
| | | |
| TT | | |
| dlo | | |
| Clean I I I I I I I I I I I I I I I I I I I | | |
| The state of the s | | |
| Five-Quarter Seam | | |
| The T | | |
| COAL 2 9 COAL 2 9 | | |
| Band 1 1 Metal band 2 10 | | |
| COAL 0 8 COAL 1 10 | | |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | | |
| 14 1 8 COAL 3 43 | | |
| Seggar-clay $0 3 0$ Band $0 5^2$ | | |
| Grey metal, with COAL 0 113 | | |
| ironstone girdles 5 3 0 | | |
| Strong grey metal 0 1 3 | 3 | e |
| Hard ironstone gir- | o | • |
| dle 0 0 9 Leafy post and metal 2 1 3 | | |
| Main Coal Seam- Whin, with post gir- | | |
| COAL 0 5 0 dle 0 1 0 | | |
| —— 7 1 0 Thin post girdles 0 2 8 | | |
| Hard hre-clay, mixed Hutton Seam— | | |
| with much iron 0 3 0 COAL 0 2 3 | | |
| Whin and post, | 3 | 6 |
| mixed 0 5 0 Seggar-elay 0 5 0 | | |
| Post, with metal gir- Grey post, with iron 0 3 10 | | |
| dles 0 2 0 | 2 | 10 |
| | | |
| | | |
| Carried forward 1 4 0 41 4 3 Total 75 | 5 | 9 |

No. 2,949.—SOUTH MOOR.

TOWNSHIP OF GREENCROFT (DETACHED NO. 9), DURHAM.

Sheet 12 of Ordnance Map. Lat. 54° 51′ 14", Long. 1° 43′ 48".

Account of Strata sunk through in the Morrison Staple, near the Morrison Pit, South Moor Colliery, 1898.

Approximate surface-level 765 feet above sea (Ordnance datum).

| Clay | | | | | | | Ft. | Iυ. | Brought 1 | forwa rd | Fs. | Ft. | In. | Fs. 7 | Ft. | In. |
|------------|--------|-----|---|---|----|---|-----|-----|--------------|-----------------|-----|----------|-----|----------|-----|-----|
| | | | | | | | 1 | 10 | Blue stone . | | | | | | | |
| Shale | | | 2 | 1 | 4 | | | | Grey post . | | 0 | 2 | 10 | | | |
| Post | | | 1 | 4 | 4 | | | | Blue stone . | | 0 | 2 | 8 | | | |
| Shield Row | Seam- | * | | | | | | • | Grey post . | | 1 | 1 | 10 | | | |
| COAL | | | 1 | 3 | 10 | | | | Blue stone . | | 0 | 4 | 0 | | | |
| | | | _ | | _ | 5 | 3 | 6 | Hard post . | | 3 | 0 | 3 | | | |
| ~ . | | | | | | | | | | | | _ | _ | | | |
| Carrie | d forw | ard | | | | 7 | 5 | 4 | Carried 1 | forward | 10 | 2 | 7 | 7 | 5 | 4 |

No. 2,949.—SOUTH MOOR.—Continued.

| Prought forward | | Ft. 2 | In. Fs. 7 7 | Ft. In. 5 4 | Fs. Ft. In. Fs. Ft. In. Brought forward 2 4 6 37 5 11 |
|--------------------|---|---------------|----------------|-------------|---|
| Brought forward | | | | 9 4 | |
| | 2 | 1 | 2 | | Post 12 3 6 |
| | 0 | 2 | | | Blue metal 2 5 0 |
| | 4 | 4 | 1 | | Maudlin Seam— |
| Five-Quarter Seam— | | | | | COAL 0 3 0 |
| COAL | 0 | 5 | 0 | | 18 4 0 |
| | | | 18 | 3 4 | Metal band 0 1 11 |
| Band | 0 | 1 | 8 | | Low Main Seam- |
| Main Coal Seam- | • | _ | • | | COÂL 1 1 0 |
| | 0 | 5 | 2 | | 1 2 11 |
| OOAL | U | J | 1 | 0 10 | |
| G | _ | 0 | - | 0 10 | |
| | 0 | 2 | 8 | | Grey post 1 0 6 |
| White post | | 5 | 7 | | White post 0 2 3 |
| Grey post | | 2 | 4 | | Grey post 0 1 10 |
| White post | | $\frac{2}{2}$ | $\tilde{2}$ | | White post 0 1 10 |
| Blue stone | 4 | 2 | 7 | | Grey post 1 2 11 |
| Whin | 0 | 1 | 3 | | Hutton Seam— |
| White post | | 1 | 6 | | COAL 0 3 5 |
| Grey metal | 0 | 4 | 0 | | 4 4 3 |
| White post | ŏ | 4 | ŏ | | Blue metal 7 0 0 |
| | | Õ | ŏ | | Grey post 0 4 8 |
| | | 0 | 4 | | |
| COAL | U | U | - | 0 5 | r and r |
| 731 | | | 10 | 2 5 | Grey post 0 1 6 |
| Blue metal | 2 | 4 | 6 | | 8 2 0 |
| Carried forward | 9 | 4 | 6 37 | 5 11 | Total 71 1 1 |
| Carried forward | Δ | * | 0 37 | 9 11 | 10(41 11 1 1 |

* The Shield Row Seam was very much disturbed at this point, as after driving 4 or 5 yards the seam turned to its normal height of 5 feet 3 inches.

No. 2,950.—SOUTH PELAW.

TOWNSHIP OF CHESTER-LE-STREET, DURHAM.

Sheet 13 of Ordnance Map. Lat. 54° 51′ 53″, Long. 1° 35′ 16″.

Account of Strata sunk through at South Pelaw Colliery, 1890. Approximate surface-level 185 feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|--|--------------------------------|
| Soil 0 0 10 | Brought forward 13 0 11 15 1 8 |
| Strong clay 0 4 0 | Blue metal, with |
| Blue clay 1 4 3 Gravel 3 5 5 | ironstone bands 1 4 9 |
| Gravel 3 5 5 | High Main Seam— |
| Blue stone and | COAL 0 4 7 |
| gravel 0 5 0 | 15 4 3 |
| Gravel 1 2 8 | Seggar-clay 0 2 0 |
| Blue clay 1 2 0 | Black thill stone 1 2 0 |
| —————————————————————————————————————— | Post 0 1 2 |
| Grey metal, with post | Grey metal, with |
| girdles 4 5 0 | ironstone girdles 2 3 10 |
| Five-Quarter Seam— | Blue metal 4 0 0 |
| COAL 0 2 6 | Ft. In. |
| 5 1 6 | |
| Seggar-clay 0 3 4 | Post 1 6 |
| Grey metal, with post | COAL 0 5 |
| girdles 12 3 7 | Band 1 0 |
| girdies 12 5 . | 11 2 0 |
| Carried forward 13 0 11 15 1 8 | Car. forward 4 5 8 3 0 30 5 11 |

No. 2,950.—SOUTH PELAW.—CONTINUED.

| | | | | | | | | 00111 | | 01 | ъ. | | | | |
|-----------------------|-----|---|-----|-----|---|-----|--------------------------|---------|-------------|----------|----------|----------------|----------|-----|-----|
| Ft. I | | | | | | | | | | Fs. | Ft. | In. | Fe | Ft | In. |
| | 5 8 | 3 | 3 0 | 30 | 5 | 11 | | t forwa | $^{\rm rd}$ | 9 | 5 | | 62 | ĩ | 9 |
| | 6 | | | | | | Grey post | | | 3 | 5 | 2 | | | _ |
| Band 0 1 | | | | | | | COAL | | | 0 | ō | 9 | | | |
| | 6 | | | | | | | | | | | | 13 | 5 | 3 |
| Black stone 0 | 8 | | | | | | Seggar-clay | | | 0 | 1 | 3 | • | • | · |
| | - 1 | 0 | 11 | | | | Grey post | | | ĭ | 2 | 6 | | | |
| | | | | . 9 | 3 | 11 | Blue metal | | | ô | õ | 9 | | | |
| Post | . 0 | 4 | . 0 |) | | | Grey post | | | 3 | 4 | 6 | | | |
| Grey metal | . 3 | 2 | 0 | , | | | Blue metal | | • • • | 2 | 5 | 3 | | | |
| Maudlin Seam- | | | | | | | Grey post | | | 3 | - | 11 | | | |
| COAL | . 0 | 2 | 4 | | | | COAL | | | 0 | 0 | 6 | | | |
| | _ | | | 4 | 2 | 4 | OOAL | ••• | • • • | U | U | - | 11 | 9 | 0 |
| Grey metal, with post | t. | | | - | ~ | 2 | Seggar-olay | | | 0 | 2 | | тT | 3 | 8 |
| 11 | . 6 | 3 | 9 | | | | Seggar-clay Grey post | | • • • | $0 \\ 1$ | 0 | 0 | | | |
| Post | - | | | | | | COAL | ••• | • • • | | | 3 | | | |
| Low Main Seam- | | | , , | | | | COAL | ••• | • • • | 0 | 2 | 3 | | | |
| COAL | . 0 | 3 | 0 | | | | Common alasa | | | | | | 1 | 4 | 3 |
| COAL | . 0 | 9 | U | 8 | 3 | 0 | Seggar-clay | | | 0 | 1 | 3 | | | |
| Thill stone | | 0 | 7 | | 3 | 9 | , 11100 POL | | | _ | _ | | | | |
| Character 1 | | 2 | | | | | metal par | rtings | | 5 | 1 | 9 | | | |
| Desi | | | 11 | | | | COAL | | | 0 | 1 | 6 | | | |
| COAL | | 3 | | | | | | | | | | _ | 5 | 4 | 6 |
| COAL | . 0 | 0 | 9 | | | | Seggar-elay | | | 0 | | 0 | | | |
| D11- 4 | | _ | | 1 | 3 | 11 | | | | 1 | 2 | 6 | | | |
| Black stone | . 0 | 2 | 10 | | | | Harvey Scal | m— | | | | | | | |
| Grey metal, with post | | _ | | | | | COAL | | | 0 | 3 | 0 | | | |
| girdles | | 5 | 1 | | | | | | | | | | 2 | 1 | 6 |
| Post | | 2 | 0 | | | | Seggar-elay | | | 0 | 1 | 8 | | | |
| Grey metal | | 4 | | | | | White post | | | 1 | 2 | 6 | | | |
| Post | | 1 | 2 | | | | Blue stone | | | 2 | 1 | 0 | | | |
| Blue metal | . 0 | 4 | 0 | | | | Grey post | | | 1 | 4 | 8 | | | |
| Hutton Seam— | | | | | | | Busty Seam- | | | | | | | | |
| COAL | 0 | 4 | 10 | | | 1 | ., | Ft. I | n. | | | | | | |
| | _ | | | 6 | 5 | 11 | COAL | 2 | 6 | | | | | | |
| White post | 2 | 2 | 6 | | | | Band | 0 | 3 | | | | | | |
| Blue metal | | 1 | 6 | | | | COAL | 11 | 01 | | | | | | |
| Grey post | | 4 | 6 | | | | | | 2 | 0 | 4 | $7\frac{1}{2}$ | | | |
| Blue metal | | 2 | 10 | | | - | | | _ | _ | | | 6 | 2 8 | 51 |
| • | _ | _ | | | | _ ! | | | | | | _ | | | -2 |
| Carried forward | 9 | 5 | 4 | 62 | 1 | 9 | | Total | | | | . 10 | 3 | 5 4 | 4.1 |
| | - | - | _ | - | ~ | - | | 10001 | • • • • | | ••• | ` ≘` | <u> </u> | | - 2 |
| | | | | | | | | | | | | | | | |

No. 2,951.—SOUTH SHIELDS.

TOWNSHIP OF WESTOE, DURHAM.

Sheet 4 of Ordnance Map. Lat. , Long.

Account of Strata passed through in the No. 1 Bore-hole at the Tyne Shipbuilding Company's Yard, Wapping Street, South Shields, 1899.

Approximate surface-level feet above sea (Ordnance datum).

| Forced ground 0 4 8 | Brought forward 5 2 11 |
|--------------------------|------------------------|
| Sandstone 0 2 6 | Stony clay 1 0 0 |
| Gravel, with water 0 1 9 | Laminated clay 0 5 0 |
| River mud and sand 1 3 3 | 7 1 11 |
| Laminated clay 1 3 0 | Freestone 0 0 8 |
| Stony clay 0 5 0 | 0 0 8 |
| Very hard boulder 0 0 9 | |
| | |
| Carried forward 5 2 11 | Total 7 2 7 |

No. 2,952.—SOUTH TANFIELD. TOWNSHIP OF KYO, DURHAM.

Sheet 12 of Ordnance Map. Lat. 54° 52′ 10″, Long. 1° 43′ 15″.

Account of Strata sunk and bored through below the Brass Thill Seam in the A Pit, South Tanfield Colliery.—Continuation of No. 1,847. Approximate surface-level 790 feet above sea (Ordnance datum).

| 11 | | | | | | |
|-----------------------|-----|-----------|-------------|-----|-----|--|
| T) (1 0 0 | Fs. | Ft. | In. Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
| Depth from surface | | | | | | Brought forward 3 3 0 79 1 7 |
| to bottom of Brass | | | | | | Main Coal Seam— |
| Thill Seam | | | 49 | 4 | 1 | Ft. In. |
| | | | | | | COAL 2 7 |
| Sinking:— | | | | | | Band 0 1½ |
| Seggar-clay | 0 | 2 | 0 | | | COAL, in- |
| Post | _ | 0 | 0 | | | ferior 0 5½ |
| Blue metal | | Ō | ō | | | 0 3 2 |
| Blue metal and post | | 3 | ŏ | | | - 4 0 2 |
| Post | | 3 | Ö | | | Common olars 0 4 0 |
| Blue metal | | 4 | 2 | | | Strong grow motel |
| 0041 | _ | _ | $\tilde{4}$ | | | Strong grey metal, |
| COAL | U | 0 | | | | with ironstone gir- |
| | | | 12 | 0 | 6 | dles 10 1 6 |
| Blue metal and post | 0 | 2 | 6 | | | White post 3 3 10 |
| Post | 0 | $\bar{2}$ | Ö | | | COAL 008 |
| Grey post, with metal | 3 | _ | • | | | 14 4 0 |
| 7. | 1 | 4 | 3 | | | Black stone 0 0 6 |
| Post, with metal | 1 | -36 | 9 | | | Grey post 1 2 9 |
| | 0 | | n | | | Blue metal 5 2 2 |
| partings | | 3 | 9 | | | White post 7 0 5 |
| Post | 1 | 2 | 0 | | | Beaumont Seam— |
| Post, with metal | _ | _ | _ | | | COAL 0 1 8 |
| partings | | 3 | 0 | | | |
| Post | 0 | 3 | 6 | | | Strong seggar-clay 0 2 5 |
| Post, mixed with | | | | | | |
| whin | 0 | 3 | 0 | | | |
| Post | 0 | 4 | 10 | | | Blue metal 2 4 4 |
| Post, mixed with | | | | | | Grey metal 1 3 9 |
| whin | 1 | 2 | 6 | | | Whin 0 1 0 |
| Post | ī | 3 | $\tilde{2}$ | | | Grey metal 1 2 0 |
| Post, mixed with | - | 0 | ~ | | | COAL 0 0 5 |
| 1. | 0 | 3 | 1 | | | 9 1 5 |
| TD / | _ | | 11 | | | Post, with blue metal |
| T31 / 1 | 1 | 3 | | | | girdles 1 0 0 |
| | T | а | 8 | | | Tilley or Townsley |
| Hutton Seam— | | | | | | Šeam— |
| Ft. In. | | | | | | Ft. In. |
| COAL, good 3 1 | | | | | | COAL 1 0 |
| Band 1 0 | | | | | | Band 0 2½ |
| COAL, jet 0 6 | | | | | | COAL 0 42 |
| COAL, good 1 9 | | | | | | Black band 0 03 |
| Band 0 6 | | | | | | COAL, can- |
| COAL, good 3 6 | | | | | | |
| Band 0 2 | | | | | | nel 0 21 |
| COAL, good 1 4 | | | | | | COAL 1 01/2 |
| | 1 | 5 | 10 | | | 0 2 10 |
| | - | 9 | | 9 | 0 | 1 2 10 |
| | | | 17 | 3 | 0 | Seggar-clay 0 3 0 |
| Seggar-clay | 0 | 1 | 0 | | | Post girdles, with |
| Post, with blue metal | | | | | | metal partings 1 4 0 |
| partings | 3 | 0 | 0 | | | Whin 0 1 8 |
| Strong white post | 0 | 2 | 0 | | | Dark blue metal 1 5 0 |
| S | - | _ | | | | Strong grey metal 0 2 6 |
| | | | | | | |
| Carried forward | 3 | 3 | 0 79 | 1 | 7 | Carried forward 4 4 2 122 5 6 |
| outside for natu | 9 | O | 0 10 | - | • | Control to the first that the state of the s |

No. 2,952. SOUTH TANFIELD.—CONTINUED.

| Brought forward Top Busty Seam— | | | ln. I 2 1 | | | | Brought forward 1 5 7 140 0 11 Brockwell Seam— |
|---|------------------|------------------|-------------------|---|-----|------|---|
| COAL 0 6 Stone band 0 1½ COAL 3 2½ Band 0 1 | | | | | | | COAL 2 10. COAL, splinty 0 6 |
| COAL 0 3 | 0 | 4 | 2 | 5 | 2 | 4 | Seggar-elay 0 2 0 Post, with metal partings 0 2 9 |
| Seggar-clay Strong grey metal | 0 0 0 | 1 3 4 3 | 2 0 7 0 | | | | Blue metal 0 0 3 COAL 0 0 6 White post 0 2 0 |
| Black slate Bottom Busty Seam— | 0 | 0 | 3 | | | | White post 0 2 0 Soft grey post 0 0 5 White post 0 2 5 Blue metal 0 1 0 |
| Stone band 0 1 COAL 1 0 | | | | | | | White post 0 1 0 Blue metal 0 3 6 Grey whin 0 3 0 |
| Band 0 1½ COAL 0 2½ | 0 | 4 | 0 | 2 | 4 | 0 | White post 0 3 0 Blue metal 2 0 10 Seggar-clay 0 2 0 White post 0 4 2 |
| Black slate Seggar-clay Blue metal | 0 0 2 0 | 1 2 5 | 0 0 2 11 | | | | <u>5 5 4</u> <u>149 1 10</u> |
| Seggar-clay Strong white post | 0 0 | 3 | 0 0 | 3 | 3 | 1 | Bored further:— Post girdles, with blue partings 0 2 11 Blue metal 1 0 6 |
| Post girdles, with metal partings | 0 1 0 | 3 1 | 11 0 0 | | | | COAL 0 0 6 Seggar-clay 0 2 0 Strong post 1 2 5 |
| COAL Seggar-clay | 0 | 1 | 6 | 2 | 5 | 1 | Blue metal 0 0 4 |
| Seggar-clay | 0 | 2 1 | 4 0 8 | 0 | 1 | 10 | Post girdles, with metal partings 1 2 11 Strong white post 1 4 9 Blue metal 0 3 0 |
| Grey post, with metal partings Ft. In. | 0 | 3 | 6 | | | | Seggar-elay 0 3 0 0 0 0 0 0 0 0 |
| COAL 0 6 Band 0 1 COAL 0 7 Band 0 6 | | | | | | | Black slate 0 0 5 Blue metal 0 1 10 Post girdles, with |
| Band 0 6 COAL 0 3 | 0 | 1 | 11 | 2 | 3 | 1 | Blue metal 0 2 0 Post and blue metal, mixed 3 4 3 |
| Seggar-clay Strong grey metal Grey whin Blue metal Post girdle | 0 0 0 0 0 | 0 | 6 | | | | Ironstone girdle 0 0 8 |
| Grey post, with metal partings | 0 | _2 | 4 | |) (|) 11 | Blue metal, with ironstone girdles 2 1 4 ————————————————————————————————— |
| | | | | | | | |

No. 2,953.—SOUTHWICK.

TOWNSHIP OF SOUTHWICK, DURHAM.

Sheet 8 of Ordnance Map. Lat. , Long.

Account of Strata passed through in the No. 1 Bore-hole in Messrs. G. Clark,
Limited's, Yard, on the North side of the River Wear,
and in a line with the proposed bridge, 1902.

Approximate surface-level feet al

feet above sea (Ordnance datum).

| Ballast River mud Sand, with water Grey clay Brown limestone Hard brown limestone | 1 0 4 1 | 1 2 1 3 | 6 6 0 0 — | | Ft. | | Brought forward 2 2 0 7 2 0 Dark shale 1 0 0 Grey sandstone 0 4 6 Yellow sand 1 0 0 White freestone 0 3 6 Light seggar-clay 0 2 6 Red sandstone, into 2 3 0 8 3 6 |
|---|------------------|------------------|-----------------------|---|-----|---|--|
| Carried forward | | | | 7 | 2 | 0 | Total 15 5 6 |

No. 2,954.—SPRINGWELL.

TOWNSHIP OF USWORTH, DURHAM.

Sheet 7 of Ordnance Map. Lat. 54° 55′ 30", Long. 1° 32′ 45".

Account of Strata passed through in a Bore-hole below the Hutton Seam, 715 yards South, 634° East, from the Shaft, Springwell Colliery, 1902.

Approximate surface-level 455 feet above sea (Ordnance datum).

| Fs | . Ft | . In. Fs. | Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|--|------|-----------|---------|--|
| From bottom of | | | | Brought forward 13 4 7 |
| $Hutton Seam \dots 0$ | 2 | 1 | | Strong grey metal, |
| Hard grey post, | | | | with iron post gir- |
| with a little water 2 | 2 | 1 | | dles 3 5 11 |
| | | | | Strong leafy post, |
| Strong dark grey metal post, with | | | | with metal part- |
| iron girdles 1 | 2 | 5 | | ings and coal pipes 0 5 9 |
| Strong leafy post, | | _ | | Strong grey post 0 4 2 |
| with metal part- | | | | Strong leafy post, |
| ings 3 | 4 | 1 | | with metal part- |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | í | 11 | | ings 0 3 0 |
| Strong leafy post, | ^ | | | Strong dark grey |
| with metal part- | | | | metal post, with |
| ings 0 | 3 | 10 | | iron girdles 2 2 6 |
| Mild grey metal, | | 10 | | Strong grey post 0 2 4 |
| with iron post gir- | | | | Strong grey post 0 2 4 Dark grey metal 1 2 7 |
| dles 1 | 0 | 6 | | Beaumont Seam— |
| Black stone 0 | 9 | š | | Ft. In. |
| Strong dark grey | _ | o | | COAL and realist |
| metal post, with | | | | stone brat 0 7 |
| iron girdles 1 | 9 | 4. | | COAL 2 3 |
| Uard grow nest | 4 | T | | Stone band 1 8 |
| Hard grey post, | | | | COAL 1 5 |
| with metal part- | | | | 0 5 11 |
| ings and whin girdles 1 | 2 | 0 | | 25 0 9 |
| Hand white post | - a | 1 | | 20 0 3 |
| Hard white post 0 | 4 | 1 | | |
| Carried forward 13 | Λ | 7 | | Total 25 0 9 |
| Carried forward 15 | 4 | 1 | | 10041 25 0 5 |

No. 2,955.—STAGSHAW.

TOWNSHIP OF PORTGATE, NORTHUMBERLAND.

Sheet 85 of Ordnance Map. Lat. 55° 0' 47", Long. 2° 1' 22".

Account of Strata sunk through in the Working Shaft at Stagshaw Bank Colliery.

Approximate surface-level 730 feet above sea (Ordnance datum).

| Soil | | | Fs. 0 | Ft. | In. Fa | . Ft | . Ir | n. | Brough | t forv | vard | Fs. | Ft. | | Fs. 15 | Ft. | In. |
|---|----------|----|-----------------------|-----------------------|-----------------|------|------|----|---------------------------------|--------|-------|---------------|-------------|------------------|-----------|-----|-----|
| Freestone Blue plate Little Limes Freestone Plate | tone | | 4 7 3 1 0 | 0 1 0 0 1 | 0 0 6 |) 1 | | 0 | Freestone Plate COAL Freestone, | ••• | | $\frac{2}{0}$ | 4 3 1 | 6 0 8 — | 4 0 | 3 | 2 0 |
| Carried | forwar | rd | 0 | 1 | $-\frac{0}{15}$ | | | 6 | | т | 'otal | | | · · <u>- ·</u> | 20 | 2 | 8 |

No. 2,956.—STANHOPE. TOWNSHIP OF FOREST QUARTER, DURHAM.

Sheet 23 of Ordnance Map. Lat. 54° 46′ 43", Long. 2° 5′ 52".

Account of Strata sunk through in the Boltsburn Mine, Rookhope Valley.

Approximate surface-level 1,200 feet above sea (Ordnance datum).

| | | Fs | Ft. | In. Fs. | Ft. | In. | | | Fs. | Ft. | In. Fs. | Ft. | In. |
|--------|---------|---------|----------|---------|-----|-----|----------------|--------|--------|-----|-------------|----------|-----|
| Plate | | 2 | 1 | 6 | | | Brought f | orward | 14 | 2 | 0 26 | 4 | 0 |
| Hazle | | 1 | 0 | 3 | | | Hazle | | . 0 | 2 | 6 | | |
| Plate | | 5 | 4 | 6 | | | Plate | | 1 | 4 | 0 | | |
| Hazle | | 1 | 0 | 0 | | | Hazle | | 1 | 4 | 6 | | |
| Plate | | 1 | 2 | 6 | | | Plate | | 2 | 4 | 0 | | |
| Hazle | | 1 | 0 | 0 | | | Limestone | | 1 | 4 | 0 | | |
| Plate | | 0 | 2 | 0 | | -0 | Plate | | . 3 | 5 | 6 | | |
| Hazle | | 3 | 3 | 0 | | | COAL | | 0 | 0 | 6 | | |
| Plate | | 5 | 0 | 0 | | | | | | | — 26 | 3 | 0 |
| Hazle | | 0 | 2 | 3 | | | Hazle | | 11 | 5 | 0 | | |
| Plate | | 4 | 5 | 0 | | | Great Limeston | e | 11 | 0 | 0 | | |
| COAL | | 0 | 1 | 0 | | ĺ | Hazle | | 0 | 5 | 0 | | |
| | | | | 26 | 4 | 0 | Plate | | 2 | 1 | 0 | | |
| Hazle | | 6 | 4 | 0 | | | Quarry Hazle | | 3 | 4 | 0 | | |
| Plate | | 1 | 2 | 6 | | | Plate | | 7 | 3 | 6 | | |
| Hazle | | 0 | 3 | 6 | | | Limestone | | 3 | 1 | 0 | | |
| Plate | | 5 | 4 | 0 | | | | | | | 40 | 1 | 6 |
| | | | | | | | | | | | | | |
| Carrie | ed forv | vard 14 | 2 | 0 26 | 4 | 0 | | Total | • • • | | 93 | 2 | 6 |
| | | | | | | , | | | | | - | | _ |

No. 2,957.—STANHOPE.

TOWNSHIP OF FOREST QUARTER, DURHAM.

Sheet 23 of Ordnance Map. Lat. 54° 46′ 42″, Long. 2° 5′ 42″.

Account of Strata sunk through in the Engine Shaft, Boltsburn Mine, Rookhope Valley.

Approximate surface-level 1,100 feet above sea (Ordnance datum).

| | | | Fs. | Ft. | In. | Fs. | Ft. | In. | Fs. Ft. In. Fs. | Ft. | In. |
|--------------|--------|---|-----|----------|-----|-----|--------|-----|---------------------------|-----|-----|
| Gravel | | | 0 | 4 | 0 | | | | Brought forward 12 0 0 6 | 2 | 0 |
| Clay | | | 0 | 4 | 0 | | | | Upper Quarry Hazle 1 1 0 | | |
| Sand bed | | | 5 | 0 | 0 | | | | Plate 0 2 6 | | |
| | | | | | | 6 | 2 | 0 | | | |
| Great Limest | one . | | 6 | 4 | 0 | | | | Plate 7 1 6 | | |
| Tuft | | | 0 | 5 | 0 | | | | Four Fathoms Lime- | | |
| Plate | | | 0 | 3 | 6 | | | | stone 3 0 0 | | |
| Quarry Hazl | le . | | 2 | 1 | 6 | | | | Plate 0 5 0 | | |
| Plate | | | 0 | 5 | 0 | | | | Nattrass Gill Hazle 4 4 0 | - | |
| Limestone | | | 0 | 3 | 0 | | | | Plate and grey beds 3 2 0 | | |
| Girdle bed | | | 0 | 2 | 0 | | | | 33 | 4 | 0 |
| Carried | forwar | d | 12 | 0 | 0 | 6 | 2 | 0 | Total 40 | 0 | 0 |

No. 2,958.—STANHOPE.

TOWNSHIP OF FOREST QUARTER, DURHAM.

Sheet 22 of Ordnance Map. Lat. 54° 46′ 14″, Long. 2° 13′ 3″.

Account of Strata sunk through in the Level Head Engine Shaft, Burtree Pasture Mine, Wear Valley.

Approximate surface-level 1,500 feet above sea (Ordnance datum).

| | | | In. Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. | |
|--------------------|------|-----|---------|-----|-----|-------------------------------|--|
| Fire-stone | 5 | | 6 | | | Brought forward 44 2 6 22 5 9 | |
| Plate | E | 5 | 6 | | | Three Yards Lime- | |
| Pattinson's Sill . | 1 | . 1 | 0 | | | stone 1 4 0 | |
| Plate | 2 | 0 | 0 | | | Till bed 0 3 0 | |
| Little Limestone . | 1 | . 3 | 3 | | | Six Fathoms Hazle 4 4 0 | |
| Hazle | (| 1 | 6 | | | Plate 2 5 0 | |
| Plate | 8 | 3 1 | 6 | | | Five Yards Lime- | |
| High Coal Sill . | 1 | . 3 | 6 | | | stone 2 3 0 | |
| Plate | 1 | . 5 | 6 | | | Plate 0 1 0 | |
| 0011 | (| 0 | 6 | | | Hazle 1 0 0 | |
| | | | 22 | 5 | 9 | Plate 1 5 6 | |
| Low Coal Sill . | 0 | 5 | 0 | | | Hazle 1 0 6 | |
| 75.7 | 1 | . 2 | 6 | | | COAL 0 0 3 | |
| | 10 | 2 | 0 | | | 60 4 9 | |
| mm o . | 1 | | 0 | | | Grey beds 0 4 0 | |
| | 2 | | 0 | | | Hazle 0 5 6 | |
| 0 77 1 | 2 | 4 | 3 | | | Plate 4 4 6 | |
| ~ · · | 1 | | 0 | | | Scar Limestone 5 4 0 | |
| To 1 | 6 | 3 | 6 | | | Plate 0 1 0 | |
| Four Fathoms Lim | | | | | | Hazle 0 2 0 | |
| | 3 | 0 | 3 | | | Plate 1 5 6 | |
| M111 1 1 | 0 | 3 | 0 | | | Hazle 0 5 6 | |
| Nattrass Gill Haz | | - | Ŏ | | | Plate 0 1 0 | |
| man 4 . | 8 | _ | 0 | | | Hazle 2 2 6 | |
| 2 | | | | | | | |
| Carried forwar | d 44 | 2 | 6 22 | 5 | 9 | Carried forward 17 5 683 4 6 | |

No. 2,958.—STANHOPE.—CONTINUED.

| Fs. Ft. In. Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|-------------------------------|------------------------------|
| Brought forward 17 5 6 83 4 6 | Brought forward 23 1 983 4 6 |
| Grey beds 0 1 3 | Tyne Bottom Lime- |
| Plate 1 1 0 | stone 0 4 0 |
| Hazle 1 2 0 | Whetstone 7 4 0 |
| Grey beds 0 3 0 | Whin Sill (Basalt) 39 4 6 |
| Cockle-shell Limestone 0 1 0 | Whetstone bed 5 0 0 |
| Hazle 1 0 6 | Jew Limestone 0 4 0 |
| Plate 0 2 3 | |
| Hazle 0 3 3 | |
| | |
| Carried forward 23 1 9 83 4 6 | Total160 4 9 |
| | |

No. 2,959.—STANHOPE.

TOWNSHIP OF FOREST QUARTER, DURHAM.

Sheet 22 of Ordnance Map. Lat. 54° 44' 10", Long. 2° 12' 54".

Account of Strata sunk through in Carrick's Ironstone Mine, Weardale.

Approximate surface-level 1,374 feet above sea (Ordnance datum).

| | Fs. F | | | Ft. | In. | | | Ft. Ir | | | |
|------------------|--------|-----|---|-----|-----|-----------------|--------|--------|------|---|---|
| Clay and stones | 5 | 0 (| | | | Brought forw | ard 12 | 5 (|) 5 | 0 | 0 |
| | | | 5 | 0 | 0 | High Coal Sill | 1 | 4 | 0 | | |
| Freestone | 3 | | | | | Plate | 0 | | | | |
| Plate | 2 | 3 0 | | | | Low Coal Sill | 1 | | | | |
| White sill | 1 | 0 | | | | Plate | 3 | 2 | 0 | | |
| Plate | 1 | 3 0 | | | | Great Limestone | 12 | 0 (|) | | |
| Little Limestone | 0 | ŀ 0 | | | | | _ | | - 32 | 0 | 6 |
| Plate | 3 | 3 0 | | | | | | | | | |
| Carried forw | ard 12 | 5 0 | 5 | 0 | 0 | T | otal | | . 37 | 0 | 6 |

No. 2,960.—STANHOPE.

TOWNSHIP OF BOLLIHOPE COMMON, DURHAM.

Sheet 32 of Ordnance Map. Lat. 54° 41′ 45″, Long. 2° 0′ 3″.

Account of Strata sunk through in the Air Shaft, Cornish Hush Mine, Upper Weardale.

Approximate surface-level 1,100 feet above sea (Ordnance datum).

| Grindstone Sill 4 0 0 0 Plate 9 5 0 Fell Top Limestone 0 2 0 Hazle and grey beds 2 5 0 Plate 1 5 0 Slaty hazle 4 4 3 Plate 2 5 3 High Slate Sill 2 4 0 | Fs. Ft. In. Fs. Ft. In. Brought forward 31 3 6 Plate 1 0 0 High Slate Sill 4 4 0 Plate 4 1 0 Low Slate Sill 10 2 0 Plate and grey beds 3 1 0 Freestone Sill 15 5 0 Plate 0 4 0 Vancer Little Limes |
|--|--|
| High Slate Sill 2 4 0 Plate 0 3 0 High Slate Sill 2 0 0 Carried forward 31 3 6 | |

No. 2,960.—STANHOPE.—Continued.

| | | | | s. Ft. In. | |
|--------------------|-----|---|---|------------|------------------------|
| Brought forward | .72 | 1 | 6 | | Brought forward 98 5 9 |
| Plate | | | | | Plate 1 5 6 |
| Pattinson's Sill | . 3 | 5 | 9 | | Great Limestone 10 0 0 |
| Plate | . 8 | 5 | 0 | | Plate 0 4 0 |
| Lower Little Lime- | | | | | Quarry Hazle 12 5 0 |
| stone | . 0 | 5 | 0 | | Plate 0 4 0 |
| White sill | 1 | 0 | 0 | | Four Fathoms Lime- |
| High Coal Sill | | | | | stone 5 5 0 |
| Plate | . 0 | 5 | 6 | | Nattrass Gill Hazle |
| High Coal Sill | | | | | and grey beds 2 1 0 |
| Plate | | | | | 133 0 3 |
| | 0 | 5 | 0 | | |
| Carried forward | 98 | 5 | 9 | | Total <u>133 0 3</u> |

No. 2,961.—STANHOPE.

TOWNSHIP OF PARK QUARTER, DURHAM.

Sheet 23 of Ordnance Map. Lat. 54° 43′ 32″, Long. 2° 10′ 52″.

Account of Strata sunk through in the Greenlaws Mine, Wear Valley.

Approximate surface-level 1,400 feet above sea (Ordnance datum).

| | | | Fs. | Ft. | In. Fs. | Ft | In. | | | Fs. | Ft. | In. Fs. | Ft. | In. |
|------------|---------|---------|-----|----------------|---------|----|-----|---------------------|---|-----|-----------|---------|-----|-----|
| Plate | | | 7 | 3 | 9 | | | Brought fo | rward | 45 | 4 | 0 25 | 1 | 3 |
| Hazle | | | 1 | 3 | 6 | | | Hazle | | 6 | 1 | 0 | | |
| Plate | | | 5 | 4 | 0 | | | Plate | | 2 | 4 | 0 | | |
| Limestone | | | 1 | 1 | 0 | | | Limestone | | 3 | 5 | 0 | | |
| Plate | | | 0 | 5 | 0 | | | Plate | | 1 | 5 | 0 | | |
| Hazle | | | 1 | $\overline{2}$ | 0 | | | Hazle | | 6 | 1 | 6 | | |
| Plate | | | 3 | $\bar{2}$ | 0 | | | Plate | | 1 | 5 | 0 | | |
| Hazle | | | 2 | 4 | Ō | | | Scar Limestone | | 3 | 5 | 0 | | |
| Plate | | | ö | 5 | 6 | | | Hazle | | 0 | 3 | 0 | | |
| COAL | | | Õ | Õ | 6 | | | Plate | | 0 | 3 | 0 | | |
| OOAL | ••• | | _ | | 25 | 1 | 3 | Hazle | | 0 | 2 | 0 | | |
| Hazle | | | 0 | 2 | 0 | _ | - | Plate | | 1 | 5 | 0 | | |
| Plate | | ••• | ŏ | $\bar{2}$ | Ö | | | Hazle | | 0 | 1 | 0 | | |
| Hazle | | | ŏ | 1 | 6 | | | Plate | | Ô | 5 | 0 | | |
| Plate | | | ĭ | ô | 0 | | | Hazle | | ō | 1 | 6 | | |
| Great Lime | | ••• | 9 | 3 | 6 | | | Plate | | 1 | $\bar{2}$ | 0 | | |
| Hazle | | | 4 | 5 | ő | | | Hazle | | ō | $\bar{2}$ | 0 | | |
| Plate | | | 1 | 4 | ŏ | | | Plate | | 0 | 4 | 0 | | |
| Limestone | | | 0 | 2 | ŏ | | | Limestone | | 1. | 2 | ŏ | | |
| Hazle | ••• | | 2 | ī | 6 | | | Hazle | | ō | 3 | 3 | | |
| Plate | • • • • | | 5 | Ô | 0 | | | Plate | • | 12 | 2 | Õ | | |
| Limestone | | | 3 | ő | 6 | | | Limestone | | 8 | 4 | 6 | | |
| Plate | | • • • • | 0 | 2 | 0 | | | Plate | | 0 | ō | 6 | 40 | |
| Hazle | • • • • | ••• | 5 | $\frac{2}{2}$ | 0 | | | 1 1410 | ••• | | | 101 | 5 | 3 |
| Plate | • • • • | • • • • | 9 | 3 | 0 | | | Whin Sill, into | | | | | • | |
| Limestone | ••• | | 1 | 5 | 0 | | i | Willia 15111, 11100 | , | ,, | ,, | ,, | | |
| Limestone | ••• | • • • | | J | U | | | | | | | - ,, | ,, | ,, |
| Carrie | 1 forw | ard 4 | 5 | 4 | 0 25 | 1 | 3 | | Tota | al | | 127 | 0 | 6 |

No. 2,962.—STANHOPE.

TOWNSHIP OF FOREST QUARTER, DURHAM.

Sheet 15 of Ordnance Map. Lat. 54° 46' 59", Long. 2° 17' 35".

Account of Strata sunk through in the Day Rise, Killhopehead Mine, East End.

Approximate surface-level 1,700 feet above sea (Ordnance datum).

| ml. 4 - | | | In. Fs. | Ft.] | ín. | Fs. Ft. In. Fs. Ft. In |
|------------------|--------|-----|---------|-------|-----|-------------------------------|
| Plate | | | 0 | | 1 | Brought forward 10 4 0 30 5 0 |
| Low Slate Sill | 4 | | 0 | | | Hazle 1 4 0 |
| Plate | : | 3 2 | 0 | | | High Coal Sill, drift 1 3 0 |
| Hazle | 1 | 0 | 0 | | | Hazle 1 0 0 |
| Plate | : | 3 0 | 0 | | | Plate 3 1 0 |
| Fire-stone | 6 | 3 2 | 0 | | | Great Limestone: Trent |
| Plate | (| | Ŏ | | | 1. 1. |
| TT 1 | | ĺ | ő | | | |
| | ••• | - | - | | | |
| Plate | 4 | 4 | 0 | | | Plate 3 0 0 |
| | _ | | 30 | 5 | 0 | Quarry Hazle 5 4 0 |
| Plate | 5 | 3 0 | 0 | | | Grey beds 3 0 0 |
| Hazle | (| 4 | 0 | | | Plate 4 1 0 |
| Plate: Pattins | on's | | | | | Four Fathoms Lime- |
| Drift | ' | 4 0 | 0 | | | stone 3 3 0 |
| Little Limestone | | 1 2 | 0 | | | Nattrass Gill Hazle 2 4 0 |
| Hazle | | | 0 | | | 51 2 |
| Plate | | 2 0 | 0 | | | <u> </u> |
| | | | | | _ | m + 1 00 1 |
| Carried forw | ard 10 | 4 | 0 30 | 5 | 0 | Total <u>82 1</u> |
| | | | | | | |

No. 2,963.—STANHOPE. TOWNSHIP OF FOREST QUARTER, DURHAM.

Sheet 23 of Ordnance Map. Lat. 54° 45′ 20″, Long. 2° 8′ 53″.

Account of Strata sunk through at Middlehope, near Westgate, Weardale.

Approximate surface-level 1,200 feet above sea (Ordnance datum).

| | | | | | _ | 1 |
|-------------------|-------|---|---------|-----|-----|-------------------------------|
| | Fs. | | In. Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In |
| Upper Slate Sill | 1 | 2 | 0 | | | Brought forward 19 3 0 43 0 0 |
| Plate | 0 | 4 | 0 | | | Tuft 1 0 0 |
| Lower Slate Sill | 7 | 0 | 0 | | | Plate 1 0 0 |
| Plate and grey be | | 3 | 0 | | | Grey beds 0 5 0 |
| | 3 | 3 | 0 | | | Plate 1 0 0 |
| | 14 | | 0 | | | Limestone 0 2 0 |
| Pattinson's Hazle | | ő | Õ | | | Hewitson's Sill 8 2 0 |
| | 0 | 2 | ŏ | | | Plate 4 3 0 |
| | 1 | _ | Õ | | | Four Fathoms Lime. |
| | 1 | 0 | Ö | | | stone 3 5 0 |
| | | | 0 | | | Nattrass Gill Hazle 3 2 0 |
| | 2 | 3 | - | | | 1100010000 |
| COAL | 0 | 1 | 0 | - | | 11400 |
| | | | 41 | 1 | 0 | Traine III |
| Upper Coal Sill | 1 | | 0 | | | 11110 |
| COAL | 0 | 1 | 0 | | | Three Yards Lime- |
| | | | _ 1 | 5 | 0 | stone 1 0 0 |
| Lower Coal Sill | 9 | 3 | 0 | | | Plate 1 3 0 |
| Plate | 0 | 2 | 0 | | | Six Fathoms Hazle 7 0 0 |
| Great Limestone | 9 | 4 | Ö | | | Plate 1 0 0 |
| Carried forwa | rd 19 | 3 | 0 43 | 0 | 0 | Carried forward 60 3 0 43 0 0 |

No. 2,963.—STANHOPE.—Continued.

| Brought forward 60 3 0 43 0 0 Five Yards Lime- | Brought forward 67 4 0 43 0 0 |
|--|--|
| stone 2 3 0 Plate 2 0 0 Hazle 2 4 0 | Plate 5 2 0 Kitty Crag or Scar Limestone 5 4 0 ——— 78 4 0 |
| Carried forward 67 4 0 43 0 0 | Total <u>121 4 0</u> |

No. 2,964.—STANHOPE.

TOWNSHIP OF FOREST QUARTER, DURHAM.

Sheet 23 of Ordnance Map. Lat. 54° 46' 46", Long. 2° 8' 25".

Account of Strata sunk through in the Rispey Engine Shaft, 1857.

Approximate surface-level 1,260 feet above sea (Ordnance datum).

| Coal Sill 1 3 0 Plate 6 3 8 Great Limestone 11 3 0 Tuft, or water sill 1 1 6 Plate 3 1 4 Cockle Post, or limestone 0 2 6 | Brought forward 24 3 0 Plate 0 5 0 Quarry Hazle 7 5 0 Plate, into 0 5 0 |
|--|---|
| Carried forward 24 3 0 | Total 34 0 0 |

No. 2,965.—STANHOPE.

TOWNSHIP OF FOREST QUARTER, DURHAM.

Sheet 23 of Ordnance Map. Lat. , Long.

Account of Strata sunk through in the Engine Shaft, Slitt Mine, Weardale.

Approximate surface-level 1,200 feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|--|------------------------------|
| Nattrass Gill Hazle 6 1 6 | Brought forward 41 0 11 |
| Plate 5 4 9 | Plate 0 3 5 |
| Three Yards Lime- | Hazle 0 2 0 |
| stone 1 3 0 | Plate 0 4 9 |
| Six Fathoms Hazle 5 2 9 | Sill and grey beds 0 4 7 |
| Plate 3 2 4 | Hazle 0 4 4 |
| Fire Yards Lime- | Cockle-shell Limestone 0 1 4 |
| 0 1 0 | Plate 2 0 7 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | Stone bed 0 1 0 |
| Slaty hazle 3 5 2 | Plate 0 2 3 |
| Staty hazie 5 5 2 | Hazle 1 2 6 |
| Plate 5 2 2 | |
| Scar Limestone 4 5 5 | |
| Hazle 0 1 6 | Hazle 1 2 8 |
| | |
| Carried forward 41 0 11 | Carried forward 50 4 4 |

No. 2,965.—STANHOPE.—CONTINUED.

| | | | | | Ft. ln. | Fs. Ft. In. Fs. Ft. In. |
|-----------|---------|---------|---|----|---------|---------------------------|
| Brough | ıt forv | vard 50 | 4 | 4 | | Brought forward 57 4 0 |
| Plate | | : 0 | 4 | 9 | | Hazle 0 1 10 |
| | | 1 | | | | Plate and stone bed 1 4 3 |
| Till bed | | | | | | Hazle 1 2 0 |
| Plate | | | | | | Hazle and grey beds 0 5 2 |
| Limestone | | 0 | | | | Plate 1 4 9 |
| | whets | | • | 10 | | Tyne Bottom Lime- |
| bed | | 1 | 0 | 1 | | stone 5 4 0 |
| Plate | | 0 | 1 | 8 | | Pencil, or whetstone |
| Hazle | | 1 | 1 | 0 | | bed 0 2 0 |
| Plate | | 1 | 3 | 4 | | 69 4 0 |
| | | | | | | |
| Carrie | d forv | vard 57 | 4 | 0 | | Total 69 4 0 |
| | | | | | | |

No. 2,966.—STANLEY.

TOWNSHIP OF CROOK AND BILLY ROW, DURHAM,

Sheet 26 of Ordnance Map. Lat. 54° 44′ 38", Long. 1° 44′ 15".

Account of Strata sunk through below the Main Coal or Brockwell Seam, in the Josephine Pit, Stanley Colliery, 1901.—Continuation of No. 1,859.

Approximate surface-level 755 feet above sea (Ordnance datum).

| | Ft. | In. Fs. | Ft. | ln. | |
|-----|-------------------------|---|--|---|--|
| | | | | | Brought forward 8 2 1 36 3 11 |
| | | | | | Seggar-clay 0 3 6 |
| | | | | | Victoria Seam— |
| | | 36 | 3 | 11 | |
| . 0 | 2 | 1 | | | 9 1 2 |
| | 1 | 4 | | | Post 2 1 0 |
| | | | | | Blue metal 1 2 0 |
| | | | | | Dark gravel 0 3 0 |
| | 3 | 8 | | | Post 1 1 0 |
| - | 3 | 6 | | | Blue metal 0 0 10 |
| _ | 0 | | | | Post 1 4 7 |
| | | | | | Blue metal 0 2 0 |
| ő | ī | | | | Marshall Green Seam- |
| 1 | ō | | | | Ft. In. |
| | | | | | COAL 0 9 |
| | | | | | Seggar-clay 2 4 |
| - | 4 | | | | COAL 0 7 |
| _ | 1 | - | | | Band 0 2 |
| | | | | | COAL 0 6 |
| _ | U | U | | | 0 4 4 |
| | 1 | a | | | 8 0 9 |
| | | | | | Post 0 5 0 |
| | - | | | | 0 5 0 |
| _ | _ | | | | |
| U | 1 | U | | | |
| 8 | 2 | 1 36 | 3 | 11 | Total <u>54 4 10</u> |
| | 0 0 0 0 0 0 0 0 0 0 0 0 | 0 2 0 1 0 0 0 0 1 0 0 0 0 0 1 0 0 0 0 1 | 0 2 1 0 1 4 0 3 8 1 3 6 0 0 6 0 2 0 0 1 0 1 0 0 0 2 9 0 0 0 3 0 4 0 0 1 0 2 0 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 | 36 3 0 2 1 0 1 4 0 3 8 1 3 6 0 0 6 0 2 0 0 1 0 1 0 0 2 9 0 0 3 0 4 0 0 1 0 2 0 0 0 1 9 0 0 9 0 0 6 0 1 0 | 36 3 11 0 2 1 0 1 4 0 3 8 1 3 6 0 0 6 0 2 0 0 1 0 1 0 0 2 9 0 0 3 0 4 0 0 1 0 2 0 0 0 1 0 2 0 0 0 1 0 1 0 2 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 |

No. 2,967.—STANNINGTON.

TOWNSHIP OF STANNINGTON, NORTHUMBERLAND.

Sheet 72 of Ordnance Map. Lat. 55° 6' 28", Long. 1° 38' 45".

Account of Strata sunk and bored through in the Briery Hill Pit, Stannington, 1874.

Approximate surface-level 190 feet above sea (Ordnance datum).

| | Fs. | Ft | . In. | Fs. | Ft. | In. | | Fs. | Ft. | In. Fs. | Ft. | In |
|----------------------|--------|--------|----------|-----|-----|-----|-----------------------|-----|---------------|-----------------|-----|----------------|
| Sinking: | | | | | | | Brought forward | 6 | 0 | 10 10 | 1 | 9 |
| Soil | 0 | 1 | _ | | | | Grey post, mixed | _ | _ | | | |
| Yellow clay | | 4 | | | | | with freestone | | | 11 | | |
| Gravel | 0 | 4 | 0 | | | | Grey metal parting | 0 | 0 | 3 | | |
| Loamy clay | 0 | 1 | 6 | | | | Brown freestone gir- | | | | | |
| Strong stony blue | | | | | | | dles | 0 | 4 | 6 | | |
| | 2 | 5 | 6 | | | | Brown freestone, | | | | | |
| | | | | 4 | 4 | 6 | with gullets and | | | | | |
| Post girdles, with | | | | | | | water | 1 | 5 | $11\frac{1}{2}$ | | |
| | 0 | 0 | 8 | | | | Bastard whin | 0 | 2 | 8 | | |
| | | 1 | | | | | Dark brown sand | 0 | 0 | 4 | | |
| | | | 11 | | | | Brown post | 1 | 5 | 8 | | |
| COAL | U | U | TT | 0 | | 11 | Blue metal, with | | - | - | | |
| | | | | U | 4 | 11 | ironstone girdles | 1 | 1 | 6 | | |
| Light seggar-clay | 0 | 2 | 0 | | | | Grey metal, with post | - | _ | · · | | |
| Brown and white | | | | | | | girdles | 1 | 3 | 0 | | |
| post | 0 | 4 | 0 | | | | White and grey | _ | U | U | | |
| Bastard post, with | | | | | | | post, with water | Λ | 2 | 0 | | |
| whin girdles | 0 | 0 | 8 | | | | | _ | $\frac{2}{2}$ | | | |
| Mild brown and | | | | | | | Brown post | 0 | | 6 | | |
| white post | 1 | 4 | 9 | | | | Blue metal parting | 0 | 0 | 2 | | |
| Ft. In. | | | | | | | Grey and white | ^ | 0 | 10 | | |
| COAL 1 4 | | | | | | | post, with whin | 0 | | 10 | | |
| Oark seggar- | | | | | | | Blue metal parting | 0 | 0 | 4 | | |
| elay 1 9 | | | | | | | Brown and white | _ | _ | | | |
| COAL 0 6 | | | | | | | post, with water | 0 | 3 | 6 | | |
| • • | 0 | 3 | 7 | | | | Blue metal parting | 0 | 0 | 2 | | |
| | | - | | 3 | 3 | 0 | Grey post, with coal | | | | | |
| | _ | | | 0 | O | · | pipes | 0 | 4 | 6 | | |
| eggar-elay | 0 | 0 | 8 | | | | Dark blue metal, | | | | | |
| Mild post, with seg- | _ | _ | | | | | with post girdles | 0 | 4 | 0 | | |
| gar-elay | 0 | 1 | 4 | | | | COAL | 0 | 0 | 2 | | |
| Posty seggar-clay, | | | | | | | | | | 17 | 3 | 94 |
| with iron balls | 0 | 3 | 0 | | | | Fire-elay | 0 | 0 | 4 | | 1 |
| Posty seggar-clay | 0 | 4 | 0 | | | | Grey metal | | 1 | 0 | | |
| COAL | 0 | 0 | 4 | | | | Blue metal | 0 | 0 | 6 | | |
| | | | | 1 | 3 | 4 | COAL | ō | 0 | 6 | | |
| Seggar-elay | 0 | 0 | 8 | | | | | | _ | 0 | 2 | 4 |
| Mixed freestone | ĭ | 3 | 4 | | | | Fire-clay | 0 | 3 | 6 | _ | • |
| Hard freestone, with | - | • | - | | | | | ŏ | | 10 | | |
| gullets | 2 | 4 | 0 | | | | Slaty band | Ö | Õ | 4 | | |
| rey metal | õ | 4 | 3 | | | | | Ö | 2 | | | |
| Brown freestone gir- | U | ** | J | | | | COAL, good | U | 4 | $6\frac{1}{2}$ | 0 | តារ |
| 11 | Λ | ٥ | 0 | | | | Common alum and | _ | _ | 1 | Z | $2\frac{1}{2}$ |
| | 0 | 0 | 8 | | | | Seggar-clay, good | U | 4 | 0 | | |
| Mild post | 0 | 1 | 7 | | | | Seggar-clay, with | _ | _ | | | |
| rey metal parting | 0 | 0 | 2 | | | | ironstone balls | U | 5 | 9 | | |
| Brown freestone post | | 2 | 0 | | | | | | | 1 | 3 | 9 |
| rey metal parting | 0 | 0 | 2 | | | | | | | _ | | _ |
| Oark grey post | 0 | 1 | 6 | | | | | | | 31 | 1 | 10 |
| Brown freestone gir- | | | | | | | $Bored\ further:$ — | | | | | |
| dle | 0 | 0 | 4 | | | | Post girdles, with | | | | | |
| Grey metal parting | 0 | 0 | 2 | | | | water | 0 | 1 | 6 | | |
| | | | | 10 | | _ | | | | | | _ |
| Carried forward | 6 | 0 | 10 | 10 | 1 | 9 | Carried forward | 0 | 1 | 6 31 | 1 | 10 |

No. 2,967.—STANNINGTON.—CONTINUED.

| Brought forward | Fs. | Ft 1 | In. Fs | | | Fs. Ft. In. Fs. Ft. In. |
|-------------------|-----|---------|--------|---|----|--|
| C1 - P4 1 1 1 | | | | 1 | 10 | Brought forward 0 2 051 5 11 |
| | 1 | 1 | | | | Grey metal 0 4 0 |
| Soft grey metal | | | 10 | | | Soft post 0 3 0 |
| Mild grey post | 0 | 3 | | | | Grey metal 0 0 9 |
| Grey metal | 0 | 4 | 0 | | | Black band or loam |
| Mild grey post | 1 | 0 | 0 | | | |
| Grey metal | 2 | 0 | 0 | | | |
| Grey post | ī | 2 | ŏ | | | Cross matel |
| White post | î | ĩ | ŏ | | | Grey metal 2 0 0 |
| COAL | • | 0 | 6 | | | Mild white post 2 4 4 |
| COAL | 0 | U | - | _ | _ | Grey post 0 4 0 |
| C | | _ | 10 | 5 | 7 | Dark seggar-clay 1 1 6 |
| | 0 | 2 | 0 | | | Grey post 2 1 5 |
| White post, with | | | | | | Gullety sandstone 0 0 4 |
| water | 0 | 1 | 6 | | | Strong post 2 1 7 |
| Dark blue metal | 0 | 4 | 10 | | | Dark metal 0 0 3 |
| COAL | Ō | 0 | 2 | | | |
| | | | 1 | 2 | G | Grey metal 3 0 0 |
| Grey metal | 1 | 1 | _ | 4 | U | Grey post 1 2 2 |
| Grey metal | 1 | 1 | 3 | | | Dark metal 1 2 2 |
| Strong post | 3 | 1 | 9 | | | COAL 008 |
| Whin girdle | | 2 | 8 | | | |
| Strong white post | 2 | 4 | 0 | | | Seggar-clay 0 2 6 |
| COAL | 0 | 4 | 4 | | | White post, into 1 0 10 |
| | | | 8 | 2 | 0 | —————————————————————————————————————— |
| Seggar-clay, good | 0 | 2 | 0 | _ | | 1 5 4 |
| Carried forward | 0 | 2 | 0 51 | 5 | 11 | Total 72 1 9 |
| | , | _ | 0 01 | 0 | | 10tal 12 1 9 |

No. 2,968.—STANNINGTON.

TOWNSHIP OF STANNINGTON, NORTHUMBERLAND.

Sheet 72 of Ordnance Map. Lat. 55° 6' 31", Long. 1° 40' 23".

Account of Strata sunk through in the Church Pit, near Stannington Village, 1878.

Approximate surface-level 200 feet above sea (Ordnance datum).

| Soil 0 1 0 Yellow clay 0 3 0 Gravel 0 1 0 Gravelly clay 4 0 0 Erim light freestone | | | | | | | | |
|---|------------------|-----|-----|-----|-----|-----|-----|-----------------------------|
| Yellow clay 0 3 0 Gravel 0 1 0 Gravelly clay 4 0 0 1 Firm light freestone Loose brown freestone stone 2 3 0 4 0 White post 3 4 0 0 1 3 Seggar-clay 1 0 0 5 11½ 11½ 0 0 5 11½ 11½ 0 0 3 0 0 0 3 0 0 0 3 0 0 0 3 0< | | Fs. | Ft. | In. | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In |
| Yellow clay 0 3 0 Gravel 0 1 0 Gravelly clay 4 0 0 Firm light freestone 2 3 0 Loose brown freestone 2 3 4 0 Stone 3 4 0 White post 0 1 0 Seggar-clay 0 5 11½ Post 0 3 0 | Soil | 0 | 1 | 0 | | | | Brought forward 6 2 8 4 5 0 |
| Gravel 0 1 0 | Yellow clay | 0 | - 3 | 0 | | | | |
| | | | | | | | | |
| Firm light freestone 2 3 0 Loose brown free- stone 3 4 0 White post 0 1 0 Seggar-clay 1 0 Seggar-clay 1 0 Seggar-clay 1 0 Seggar-clay 1 0 Post 0 5 11½ Post 0 3 0 | | | | | | | | |
| Firm light freestone 2 3 0 Loose brown free- stone 3 4 0 White post 0 1 0 Seggar-clay 1 3 COAL 1 0 — 0 5 11½ — 0 5 11½ Post 0 3 0 | Gravery clay | T | U | U | | = | Λ | |
| Loose brown free-stone 3 4 0 White post 0 1 0 Seggar-clay, with Post 0 5 $11\frac{1}{2}$ Post 0 3 0 | T3: 1:-1 4 C = 4 | -0 | | _ | 4 | o | U | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | | | 3 | U | | | | Seggar-clay 1 3 |
| White post 0 1 0 Seggar-clay, with Post 0 3 0 | | | | | | | | |
| Seggar-clay, with Post 0 3 0 | stone | 3 | 4 | 0 | | | | |
| Seggar-clay, with Post 0 3 0 | White post | 0 | 1 | 0 | | | | $727\frac{1}{9}$ |
| | | | | | | | | Post 0 3 0 |
| | brown band | 0 | 0 | 8 | | | | |
| | month mana | | | | | | | |
| Carried forward 6 2 8 4 5 0 Total 12 4 7 | Carried farmand | c | 9 | 0 | 4 | 5 | 0 | Total 12 4 71 |
| Carried forward 6 2 6 4 5 6 | Carried forward | O | 4 | 0 | | J | U | 10141 12 4 12 |

No. 2,969.—STELLA AND TOWNELEY.

TOWNSHIP OF RYTON WOODSIDE, DURHAM.

Sheet 5 of Ordnance Map. Lat. 54° 57' 8", Long. 1° 47' 3".

Account of Strata sunk through in the A Pit, Greenside, 1795-1796. Approximate surface-level 497 feet above sea (Ordnance datum).

| - Ipproxim | | | | | | | | cer asore sea (oranane | e u | avı | ш | • | | |
|-------------------------|---------|-----|--------|-----|--------|-----|----------|------------------------------|-----|-------------|----------|-----|------|-----|
| | | Fs. | Ft. | In. | Fs. | Ft. | In. | | Fs. | Ft. | In. | Fs. | Ft. | In. |
| Pit refuse | | 0 | 1 | 6 | | | | Brought forward | | | | 42 | | 10 |
| Clay | | 1 | 0 | 0 | | | | Thill | 0 | 1 | 4 | | | |
| Gravel | | - | 5 | 6 | | | | Grey post | Õ | 4 | 4 | | | |
| Post | | _ | | 2 | | | | Brown post and whin | ŏ | $\hat{2}$ | 4 | | | |
| Hard grey post | | _ | | 10 | | | | l = | ő | 1 | 1 | | | |
| Brown post | | - | ī | 6 | | | | | | | _ | | | |
| | .:41. | | | O | | | | Brown post | 0 | 1 | 0 | | | |
| | vith | | - | | | | | Brown post and whin | 0 | 0 | 8 | | | |
| grey partings | • • • | 2 | 5 | 0 | | | | Grey metal | | 1 | 6 | | | |
| Blue metal | • • • • | 0 | 1 | 6 | | | | Brown post | 0 | 2 | 1 | | | |
| Main Coal Seam- | _ | | | | | | | Blue metal | 1 | 0 | 3 | | | |
| COAL | | 1 | 0 | 6 | | | | Towneley Seam— | | | | | | |
| | | | | | 11 | 1 | 6 | | 0 | 3 | 1 | | | |
| Thill | | 0 | 4 | 0 | | | | | | | | 3 | 5 | 8 |
| Blue metal | | 6 | 0 | 0 | | | | Thill | 0 | 2 | 6 | • | • | Ŭ |
| White post | | 0 | | 10 | | | | 737 4 1 | ŏ | 4 | 3 | | | |
| Blue metal | | ŏ | 3 | 0 | | | | | | | 9 | | | |
| | | 3 | | 9 | | | | COAL | 0 | 0 | ย | - | - | |
| Brown post | • • • | o | 1 | υ | | | | m :11 | | | | 1 | 1 | 6 |
| Craw Coal Seam- | | | 0 | 0 | | | | Thill | 0 | 0 | 7 | | | |
| COAL | • • • | 0 | 2 | 3 | | _ | | Blue metal | 1 | | 10 | | | |
| | | | | | 11 | 0 | 10 | COAL | 0 | 0 | 5 | | | |
| Blue metal | | 1 | 0 | 6 | | | | | | | | 1 | 2 | 10 |
| COAL | | 0 | 0 | 9 | | | | Thill | 0 | 1 | 4 | | | |
| | | | | | 1 | 1 | 3 | Brown post | 0 | 0 | 8 | | | |
| Blue metal | | 0 | 4 | 2 | | | | Grey post | 0 | | 10 | | | |
| Candle Coal Sean | | | | | | | | White post, with | · | • | 10 | | | |
| COAL | | 0 | 3 | 6 | | | | | Λ | 2 | 6 | | | |
| 00AL | • • • • | v | U | U | 1 | 1 | 8 | partings | 0 | | | | | |
| Dlug motul | | _ | | | 1 | 1 | O | Cash partings | 0 | 0 | 2 | | | |
| Blue metal | • • • | 0 | 1 | 6 | | | | White post, with black stone | _ | | | | | |
| Old Five-Quarter | | | | | | | | black stone | 3 | 1 | 5 | | | |
| Seam— | | | | | | | | Tilley Seam— | | | | | | |
| COAL | | 0 | 3 | 8 | | | | COAL | 0 | 2 | 2 | | | |
| | | | | | 0 | 5 | 2 | | | | | 5 | 2 | 1 |
| Thill | | 0 | 1 | 8 | | | | Thill | 0 | 2 | 10 | | | |
| Blue metal | | 1 | 3 | 7 | | | | Blue metal | 0 | | 10 | | | |
| White post | | 3 | 3 | 9 | | | | Grey post | ĭ | 5 | 7 | | | |
| Ruler Seam— | | _ | - | _ | | | | 7.1 ~ ~ | ō | ő | 7 | | | |
| COAL | | 0 | 1 | 10 | | | | | 3 | 2 | í | | | |
| JUAL | *** | v | | 10 | 5 | 4 | 10 | Grey post | | | 2 | | | |
| Thill | | - | 1 | | J | 4 | ΤÛ | Blue metal | 0 | 3 | 4 | | | |
| | • • • | 0 | 1 | 9 | | | | Stone Coal Scam— | _ | | | | | |
| Blue stone | ••• | 0 | 5 | 0 | | | | COAL | 0 | 2 | 6 | _ | | _ |
| Brown post | • • • | 0 | 1 | 4 | | | | | | | _ | 7 | 0 | 7 |
| White post | | 0 | 1 | 0 | | | | Thill | 0 | 3 | 0 | | | |
| Brown post | | 5 | 0 | 0 | | | | Grey post | 1 | 2 | 4 | | | |
| Black metal | | 1 | 4 | 6 | | | į | Blue metal | 0 | 1 | 6 | | | |
| Thill | | 0 | 2 | 3 | | | | Grey post | Ŏ | $\tilde{2}$ | 4 | | | |
| COAL | | ō | ō | 7 | | | | Blue metal | ŏ | $\bar{2}$ | 1 | | | |
| | | | _ | | 8 | 4 | 5 | | v | 4 | 1 | | | |
| Thill | | 0 | 2 | -8 | O | -E | J | 0041 | Λ | 0 | 4 | | | |
| Grov poet | • • • • | | | | | | | COAL | 0 | 3 | 4 | | | - |
| Grey post Blue metal | ••• | | 4 | 9 | | | | | | _ | _ | 3 | 2 | 7 |
| | ••• | 0 | | 11 | | | | Seggar-clay | 0 | 1 | 9 | | | |
| COAL | | 0 | 0 | 10 | | | | Grey post | 0 | 4 | 11 | | | |
| | | | | | 2 | 0 | 2 | Blue metal | 0 | 1 | 3 | | | |
| | | | | | | | [| | | | | | | |
| Carried forwa | ırd | | | | 42 | 1 | 10 | Carried forward | 1 | 1 | 11 (| 64 | 5 | 1 |
| | | | | | | _ | ' | Carron 101 mart | - | _ | ' | | , | - |

No. 2,969.—STELLA AND TOWNELEY.—CONTINUED.

| | | | In. I | | | | Fs. Ft. In. Fs. Ft. In. |
|---------------------|---|---------------|-----------|-----------|---|-----|--|
| Brought forward | | | 11 (| j4 | 5 | 1 | Brought forward 78 0 0 |
| Post | 0 | 3 | 6 | | | | Seggar-clay 0 2 9 |
| Parting | 0 | 0 | 3 | | | | Posty seggar-clay 1 0 0 |
| COAL | 0 | 0 | 3 | | | - 1 | Grey leafy post 1 1 3 |
| Thill | 0 | 1 | 3 | | | | Grey leafy post 1 1 3 Fine white post 3 5 4 |
| Black metal | 0 | - 3 | 0 | | | | Very fine black |
| Blue metal | 1 | 0 | 10 | | | | metal 0 0 8½ |
| Three-Quarter Seam- | - | | | | | | Soft metal and seg- |
| - COĂL | _ | 2 | 6 | | | | gar-elay 0 1 9 |
| | | | | 4 | 1 | 6 | Very hard blue |
| Thill | 0 | 2 | 4 | | | | stone 3 1 9 |
| Brown post | _ | 2 | 3 | | | | Soft blue stone 0 2 1 |
| Whin | 0 | $\frac{2}{1}$ | 3 | | | | COAL 0 1 6 |
| Brown post | 0 | 2 | 6 | | | | 10 5 1 |
| Black metal | 0 | 5 | 1 | | | | Seggar-elay 0 2 4 |
| Brown post | 0 | 3 | 2 | | • | | Soft blue metal 0 3 6 |
| Blue metal | Õ | 3 | $\bar{3}$ | | | | COAL 0 0 1½ |
| Thill and coal | ő | 0 | 7 | | | | 0 5 114 |
| White post | 4 | 4. | 3 | | | | Metal and seggar- |
| Brockwell Seam- | - | - | | | | | elay 0 1 11 |
| Ft. In. | | | | | | | Blue metal stone 0 1 1 |
| COAL 0 8 | | | | | | | Coarse white post 1 1 6 |
| Blue metal 0 10 | | | | | | | Grey metal stone 0 2 6 |
| COAL 3 3 | | | | | | | Soft grey metal, |
| OOAL 0 0 | 0 | 1. | 9 | | | | bored into 2 0 0 |
| | U | -1 | 3 | 8 | 5 | 5 | 4.1 n |
| | | | _ | o | 0 | 0 | 4 1 0 |
| Carried forward | | | 7 | 78 | 0 | 0 | Total 94 0 1 |
| | | | | | | | |

No. 2,970.—STELLA AND TOWNELEY.

TOWNSHIP OF STELLA, DURHAM.

Sheet 2 of Ordnance Map. Lat. 54° 57' 50". Long. 1° 44' 20".

Account of Strata sunk and bored through in the Stella Freehold Pit, on the South side of the Ninety Fathons Dyke. Sinking finished April 28th, 1835; and boring finished August 8th, 1840.

Approximate surface-level 200 feet above sea (Ordnance datum).

| | | _ | | - | | | _ |
|--------------------------------------|---------------------------|------|--------|-------|-----------|-----|----------------|
| Sinking: — Fs. Ft. In. Fs. Ft. In. | Brought forward | F's. | Ft. | In. 1 | гъ. 18 | Ft. | 1n 64 |
| Sand and gravel 1 2 0 | Grey thill | | | | | - | 0.2 |
| Strong gravelly clay, | Blue stone | 1 | U | U | | | |
| with rumbling | Black stone | 0 | 0 | 7 | | | |
| stones and courses | COAL | 0 | 0 | 5 | | | |
| of sand 13 2 0 | - | | | | 2 | 0 | (|
| Blue stone, with | Grey thill Black stone | 0 | 2 | 0 | | | |
| post girdles 3 0 0 | Black stone | 0 | 3 | 4 | | | |
| Five-Quarter Seam— | Grey post | 0 | 3 | 8 | | | |
| Ft. In. | Three-Quarter Seam— | | | | | | |
| COAL, coarse 0 6 | Ft. In. | | | | | | |
| Band 0 $0\frac{1}{2}$ | COAL 1 5 | | | | | | |
| COAL 0 21 | Band 0 3 COAL 0 5 | | | | | | |
| Band 0 0 ¹ / ₄ | | | | - | | | |
| COAL, good 2 94 | | U | Z | 1 | | - | |
| $-$ 0 3 $6\frac{1}{2}$ | G 41-111 | _ | 9 | | 1 | 5 | J |
| $18 	 1 	 6\frac{1}{2}$ | Grey thill | U | J | U | | | |
| Carried forward 18 1 6½ | Carried forward | 0 | 3 | 0 : | 22 | 0 | $7\frac{1}{2}$ |

No. 2,970.—STELLA AND TOWNELEY.—CONTINUED.

| | | | | | | 1 | _ |
|-------------------|---|---------------|-----------------|--------|----------------|---------------------------------|------|
| Brought forward | | | In. Fs. 0 22 | | | | |
| | | | | U | $7\frac{1}{2}$ | Brought forward 0 3 0 45 2 | 9 |
| | 2 | - 0 | | | | Grey post 0 3 8 | |
| | 6 | 3 | 3 | | | Blue stone 1 2 0 | |
| Brockwell Seam— | | | • | | | COAL 0 2 0 | - |
| COAL | 0 | 3 | 0 | _ | | 2 4 | 8 |
| | | | | 0 | $8\frac{1}{2}$ | Clay 0 0 6 | |
| | 0 | | 0 | | | Blue stone, with | |
| Grey metal post | | | | | | post girdles 0 5 $5\frac{1}{2}$ | |
| COAL | 0 | 1 | 0 | | | Blue metal, with | |
| | | | 2 | 1 | 0 | grey post girdles 1 1 10 | |
| | | | | | | COAL 0 0 6 | |
| | | | 34 | 2 | 4 | 2 2 3 | 31 |
| $Bored\ further:$ | | | | | | Thill 0 0 10 | 2 |
| Mild grey post | 0 | 1 | 9 | | | Grey post 0 3 0 | |
| | 0 | 2 | 0 | | | Blue metal 0 2 8 | |
| White post | 1 | 3 | 4 | | | White post, with | |
| Mild parting | | 0 | 4 | | | partings 1 1 8 | |
| White post | | 3 | 9 | | | COAL 0 1 1 | |
| White post, with | _ | | | | | - 2 3 | 3 |
| partings | 1 | 3 | 0 | | | Thill 0 1 0 | J |
| Blue stone | _ | 2 | ő | | | Blue metal, with post | |
| Grey post | 0 | 3 | 2 | | | girdles and black | |
| White post, with | U | O | 2 | | | | |
| | 3 | 5 | 5 | | | | |
| **** | 0 | 2 | 0 | | | White post 1 1 2 | |
| | U | 4 | U | | | Blue metal 0 0 9 | |
| Black stone, with | _ | | | | | Strong white post 1 0 7 | |
| coal pipes | | $\frac{2}{1}$ | 2 | | | Strong white post, | |
| COAL | U | 1 | 6 | _ | _ | with partings 0 3 3 | |
| O/1 | | | - 11 | 0 | 5 | 4 1 | 8 |
| Clay | 0 | 3 | 0 | | | | |
| | | _ | | _ | _ | | |
| Carried forward | 0 | 3 | 0 45 | 2 | 9 | Total <u>57 2 7</u> | 71/2 |
| | | | | | | | = |
| | | | | | | | |

No. 2,971.—STELLA AND TOWNELEY.

TOWNSHIP OF STELLA, DURHAM.

Sheet 2 of Ordnance Map. Lat. 54° 58' 11", Long. 1° 43' 46".

Account of Strata passed through in a Bore-hole, near the Brewery, at Stella.

Approximate surface-level 50 feet above sea (Ordnance datum).

| | Fs. | Ft. | In. Fs. | Ft. | Ia. | Fs. Ft. In. Fs. Ft. In. | |
|----------------------|-----|--------|---------|----------|-----|--------------------------------------|--|
| Black dirt | 0 | 2 | 6 | | | Brought forward 0 4 0 10 2 6 | |
| Strong brown clay | 2 | 0 | 0 | | | Grey post 0 0 10 | |
| Clay, with sand beds | | 5 | 0 | | | Yellow post 0 0 9 Grey post 1 3 6 | |
| Clay, with tumbler | | | | | | Grey post 1 3 6 | |
| stones | 4 | 2 | 8 | | | Blue metal 0 3 6 | |
| Sand | | 4 | 0 | | | Supposed Brockwell | |
| Dark brown sandy | | | | | | Seam— | |
| clay | 1 | 0 | 4 | | | COAL 0 3 1 | |
| v | | | 10 | 2 | 6 | 3 3 8 | |
| Grey post | 0 | 1 | 3 | | | Grey metal 1 5 7 White post 0 1 7 | |
| Soft yellow post | | | | | | White post 0 1 7 | |
| Hard white post | 0 | 1 | 9 | | i | Blue metal 0 1 7 | |
| Soft yellow post | | | 7 | | | Hard white post 0 0 11 | |
| | | | | | | 1 | |
| Carried forward | 0 | 4 | 0 10 | 2 | 6 | Carried forward 2 3 8 14 0 2 | |

No. 2,971.—STELLA AND TOWNELEY.—CONTINUED.

| Fs. Ft. In. Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|------------------------------|-------------------------------|
| Brought forward 2 3 8 14 0 2 | Brought forward 7 1 7 16 4 11 |
| Blue metal 0 0 9 | Grey post 0 2 4 |
| COAL 0 0 4 | Blue metal parting 0 0 3 |
| 2 4 9 | Grey post 0 0 10 |
| Blue metal 1 1 1 | Blue metal 0 4 7 |
| Hard grey girdles 0 1 0 | COAL 0 1 1 |
| Blue metal 1 2 3 | |
| Post girdles 0 0 9 | Blue metal 0 1 3 |
| Blue metal 0 1 11 | Grey metal 2 1 9 |
| Grey post 1 0 1 | COAL 0 1 6 |
| White post 0 3 6 | 2 4 6 |
| Grey post 0 3 2 | Blue metal 0 1 2 |
| Strong white post 1 1 10 | 0 1 2 |
| Extra hard post 0 4 0 | |
| | |
| Carried forward 7 1 716 4 11 | Total 28 3 3 |
| | |
| | |

No. 2,972.—STOBSWOOD. TOWNSHIP OF STODSWOOD, NORTHUMBERLAND.

Sheet 55 of Ordnance Map. Lat. , Long.

Account of Strata passed through in the No. 1 Bore-hole in the Guide Post Field, Stobswood, for the Stobswood Coal Company, by Messrs. William Coulson and Son.

Approximate surface-level 180 feet above sea (Ordnance datum).

| | | | | | | | _ | | | | |
|--------------------------------|---|--------|----------------|-----|-----|------------------------------------|---|--------|----------------|---|----|
| | | | In. Fs. | Ft. | In. | | | | In. Fs. | | |
| Yellow clay | | | 6 | | | Brought forward | | | | 4 | 7 |
| Brown clay | 1 | 4 3 | 6 | | | Dark grey shale | 0 | 0 1 | 6 | | |
| Soft red clay | 1 | -3 | 7 | | | Mild light grey post | 0 | 1 | 2 | | |
| Sand, with a little | | | | | | Hard grey post gir- | | | | | |
| water | 2 | 0 | 8 | | | | 0 | 0 | 8 | | |
| Strong brown clay | 5 | 4 | 8 | | | Mild light grev post | 0 | | | | |
| accomp account and the | _ | | 11 | 4 | 11 | Mild light grey post Grey shale | 0 | 3 | 3 | | |
| Dark grey shale | Ω | 2 | | _ | | Ft. In. | · | • | | | |
| COAL | ň | õ | 3 | | | Hard splint, | | | | | |
| OOAL | ٠ | U | <u> </u> | 3 | 1 | with threads | | | | | |
| Light mild grow | | | — " | U | | of eoal 0 10 | | | | | |
| Light mild grey | | | | | | | | | | | |
| post, with shale | 0 | ~ | 0 | | | COAL, coarse 0 10 | | 1 | i) | | |
| | | 5 | o o | | | | 0 | 1 | | | |
| Dark grey shale | T | 3 | U | | | , | _ | - | _ 2 | 3 | 3 |
| Grey post, with shale | | | | | | Seggar-clay | U | 2 | 10 | | |
| partings | 0 | 3 | 2 | | | Grey shale, with post | _ | _ | | | |
| Ft. In. | | | | | | girdles | | 1 | 4 | | |
| COAL 0 3 | | | | | | Hard grey whin | | | $6\frac{1}{2}$ | | |
| Grey shale | | | | | | Soft mild post | 0 | 1 | $1\frac{1}{2}$ | | |
| band 0 3 | | | | | | Soft grey post, with | | | | | |
| COAL, coarse, | | | | | | shale partings | 1 | 2 | 0 | | |
| with splint 1 0 | | | | | | Soft grey shale | 0 | 0 | 5 | | |
| COAL, coarse 0 5 | | | | | | Ft. In. | | | | | |
| COAL, coarse 0 5 Splint 0 4 | | | | | | Black shale, | | | | | |
| COAL, coarse 0 5 | | | | | | with much | | | | | |
| | 0 | 2 | 8 | | | coal 0 6 | | | | | |
| | | | 3 | 2 | 7 | Seggar-clay 0 8 | | | | | |
| Very dark shale | 0 | 0 | - | _ | | COAL 0 8 | | | | | |
| Light grey shale, | 9 | , | 0.0 | | | | 0 | 1 | 10 | | |
| | 1 | 0 | $0\frac{1}{2}$ | | | | _ | | _ 3 | 5 | 1 |
| with coal pipes | 1 | U | 0-3 | | | | | | _ 0 | , | |
| Carried forward | 1 | 0 | 4 15 | 4 | 7 | Carried forward | | | 22 | 0 | 11 |
| Carried forward | 1 | U | 4 19 | -35 | ٠, | Carried forward | | | 22 | U | 11 |
| | | | | | | | | | | | |

No. 2,972.—STOBSWOOD.—Continued.

| Brought forward | Ft. In. Fs. Ft. In. 22 0 11 | Fs. Ft. In. Fs. Ft. In. Brought forward 1 0 11 29 2 10 |
|----------------------------------|--------------------------------|--|
| Seggar-clay 0 | 2 1 | Grey post, with shale |
| Strong grey post, | | partings 0 3 0 |
| with metal part- | | Dark grey shale 0 5 0 |
| ings 0 | 4 6 | Black shale 0 0 4 |
| Mild dark grey | | COAL 0 0 3 |
| metal, with black | | 2 3 6 |
| | 1 9 | Light grey shale 0 1 7 |
| partings 0 Light grey shale 0 | 1 2 | White post, with |
| Mild grey post, with | | shale partings and |
| metal partings 1 | 5 2 | coal pipes 3 4 11 |
| Whinstone 0 | 0 6 | Ft. In. |
| Strong grey metal, | • • | Black shale 0 2 |
| with post girdles 1 | 2 10 | COAL 0 3½ |
| Whin 0 | 0 6 | Band 0 4 |
| Grey shale, with post | 0 0 | COAL 1 1 |
| girdles 1 | 2 0 | $\frac{1}{}$ 0 1 $10\frac{1}{2}$ |
| | | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| White post 0 | 0 2 | |
| Soft grey shale 0 | 0 2 | |
| COAL, with Ft. In. | | Grey metal 0 1 11 |
| whole ment | | COAL 0 0 3 0 4 71 |
| shale part- | | 0 4 7½ |
| ings 1 0 | | Strong dark grey |
| Shale, mixed | | metal 0 0 10 |
| with $coal \dots 0 4$ | | Seggar-clay, with |
| | 1 4 | coal pipes 0 2 3 |
| C1 81 1 1 | 7 1 11 | J 1 |
| Soft grey shale 0 | 0 2 | partings and coal |
| Grey post, with shale | | pipes 2 4 8 |
| partings 0 | | 3 1 9 |
| Whin 0 | 2 0 | |
| | | |
| Carried forward 1 | 0 11 29 2 10 | Total 40 3 1 |
| | | |

No. 2,973.—STOBSWOOD.

TOWNSHIP OF STOBSWOOD, NORTHUMBERLAND.

Sheet 55 of Ordnance Map. Lat. , Long.

Account of Strata passed through in the No. 3 Bore-hole at Stobswood, about half-a-mile West of the previous Bore-holes, 1891.

Approximate surface-level 150 feet above sea (Ordnance datum).

| CI21 | | | In. I | Fs. I | Ft. 1 | ln. | | |
|---------------------|--------|--------|-------|-------|-------|-----|-----------------------------|---|
| Soil | U | T | U | | | | Brought forward 0 2 9 10 0 | U |
| Yellow clay, mixed | | | | | | | COAL, with a little | |
| with sand | 0 | 4 | 0 | | | | water 0 0 6 | |
| Brown clay | | | | | | | 0 3 | 3 |
| Sand, with water | | | | | | | Soft light grey metal 0 5 4 | |
| Brown stony clay | 3 | 3 | 0 | | | | Dark grey metal, | |
| Dark stony clay | 2 | 3 | 0 | | | | with post girdles 2 4 6 | |
| | | | | LO | 0 | 0 | White post, with | |
| Dark grey metal, | | | | | | | water 4 1 5 | |
| with a little coal | 0 | 2 | 6 | | | | Black metal, with a | |
| Brown metal, with a | | | | | | | little $coal$ 0 0 9 | |
| little $coal$ | 0 | 0 | 3 | | | | Dark grey shale 0 1 2 | |
| | | | | | | _ | | |
| Carried forward | 0 | 2 | 9 1 | l0 | 0 | 0 | Carried forward 8 1 2 10 3 | 3 |

No. 2,973.—STOBSWOOD.—CONTINUED.

| Pa I | Ft. In. Fs | Er In | TO THE TAX TO THE |
|--|-----------------|-------|--|
| Brought forward 8 | 1 2 10 | 3 3 | Brought forward Fs. Ft. In. Fs. Ft. In. 27 1 2 |
| White post 2 | | ., ., | Dark grey metal 0 2 8 |
| Dark grey shale 0 | 5 7 | | Dark grey post, with |
| COAL, with 1 inch | | | metal partings 10 2 9 |
| of band in middle, | | | Light grey shale 0 1 0 |
| and water 0 | 0 7 | | White post 5 0 8 Very dark grey metal 0 0 3 |
| | 1 1 | 4 4 | Very dark grey metal 0 0 3 |
| Dark grey shale 1 Hard white post 3 | 2 9 | | Blue metal 2 0 1 White post 0 2 3 |
| Hard white post 3 | 1 0 | | White post 0 2 3 |
| Dark grey shale 0 | 0 4 | | 18 3 8 |
| COAL, with water 0 | 1 6 | | |
| | 4 | 5 7 | |
| | | | |
| Carried forward | 27 | 1 2 | Total 45 4 10 |
| | | | |

No. 2,974.—STOBSWOOD.

TOWNSHIP OF STORSWOOD, NORTHUMBERLAND.

Sheet 55 of Ordnance Map. Lat. , Long.

Account of Strata passed through in a Bore-hole in the Ten-and-a-half acres Field, 6 yards from the Hedge and 100 yards West by North from the Northwood Farm Lane End, Stobswood Royalty, 1882.

Approximate surface-level feet above sea (Ordnance datum).

| Brought forward 14 2 0 | | |
|---|--|---|
| Dark grey shale 0 0 2 2 3 | | Fs. Ft. In. Fs. Ft. In |
| Light grey shale 1 5 11 | | Brought forward 14 2 0 |
| Dark grey shale | Sandy brown clay 1 4 6 | |
| Dark grey shale | Soft blue clay 0 5 9 | |
| Sandy brown clay 0 2 7 3 3 0 White post, with water 3 4 0 Mild grey post 2 1 0 White post 3 4 0 Milt post 3 4 0 Dark grey shale 0 4 4 Ft. In. COAL, hard splint 0 4½ COAL, with thin layers of shale 0 5½ COAL, with 1 inch brass near the bottom 1 3 Black stone and coal 0 0 7 Light grey shale 0 4 7 Black metal 0 1 5 White post 0 7 Light grey shale 0 7 Light grey shale 1 1 COAL 0 7 Light grey shale 1 1 COAL 0 7 Light grey shale 1 1 COAL 0 7 Light grey shale 1 1 Light grey shale 1 1 Light grey shale 0 2 3 Mild grey post 1 1 2 Light grey shale, with mild partings 2 3 0 Mild grey post 3 4 3 Light grey shale, with post girdles 1 4 8 Black metal, with coal pipes 0 0 10 COAL 0 0 2 COAL 0 0 4 COAL 0 0 1 COAL 0 0 COAL 0 0 1 COAL 0 0 COAL | Sand, with water 0 1 6 | |
| White post, with water 3 4 0 Mild grey post 2 1 0 White post 3 4 0 Dark grey shale 0 4 4 Dark grey shale 0 4 4 COAL, hard splint 0 4½ COAL, with thin layers of shale 0 4½ COAL, with 1 inch brass near the bottom 1 3 Black stone and coal, mixed 0 4 COAL 0 2 Black stone and coal, mixed 0 4 COAL 0 1½ COAL 0 1½ COAL 0 2 Black stone and coal, mixed 0 4 COAL 0 1½ COAL 0 1½ COAL 0 0 1½ COAL 0 0 1½ COAL 0 2 Black stone and coal, mixed 0 4 COAL 0 0 1½ COAL 0 1½ COAL 0 0 1½ COAL 0 1½ COAL 0 1½ COAL 0 0 1½ COAL 0 1½ COAL 0 0 1½ COAL 0 1½ COAL 0 0 1½ COAL 0 0 1½ COAL 0 0 1½ COAL 0 0 1½ COAL 0 0 1½ COAL 0 0 1½ COAL 0 0 1½ COAL 0 0 4 COAL 0 1½ COAL 0 0 4 COAL 0 1½ COAL 0 0 4 COAL 0 1½ COAL 0 0 4 COAL 0 0 1½ COAL 0 0 4 COAL 0 0 1½ COAL 0 0 4 COAL 0 0 1½ COAL 0 0 4 COAL 0 0 4 COAL 0 0 1½ COAL 0 0 4 COAL 0 0 4 COAL 0 0 10 COAL 0 0 4 COAL 0 0 4 COAL 0 0 4 COAL 0 0 10 COAL 0 0 4 COAL 0 0 3 8½ COAL 0 0 3 8½ COAL 0 0 4 COAL 0 0 2 COAL 0 0 4 COAL 0 0 1½ COAL 0 0 3 8½ COAL 0 0 3 8½ COAL 0 0 4 COAL 0 1½ COAL 0 0 4 COAL 0 0 1½ COAL 0 0 4 COAL 0 0 1½ COAL 0 0 4 COAL 0 0 1½ COAL 0 0 4 COAL 0 0 1½ COAL 0 0 4 COAL 0 0 1½ COAL 0 0 2 | Sandy brown clay 0 2 7 | |
| White post, with water 3 4 0 Mild grey post 2 1 0 White post 3 4 0 Dark grey shale 0 4 4 Ft. In. COAL, hard splint 0 4½ COAL, with thin layers of shale 0 4½ COAL, with 1 inch brass near the bottom 1 3 Black stone and coal, mixed 0 4 COAL 0 2 Black stone and coal, mixed 0 4 COAL 0 1½ COAL 0 2 Black stone and coal, mixed 0 2¼ COAL 0 1½ COAL 0 1½ COAL 0 2 Black stone and coal, mixed 0 2¼ COAL 0 1½ COAL 0 1½ COAL 0 1½ COAL 0 2 Black stone and coal, mixed 0 24 COAL 0 1½ COAL 0 2 Black stone and coal, mixed 0 24 COAL 0 1½ COAL 0 2 Black stone and coal, mixed 0 24 COAL 0 1½ COAL 0 1½ COAL 0 0 10 COAL 0 0 4 | 3 3 0 | Light grey shale 2 0 10 |
| Light grey shale 0 4 7 7 8 7 8 8 8 8 8 8 | White post, with | Hard white post 0 2 0 |
| Mild grey post 2 1 0 White post 3 4 0 Dark grey shale 0 4 4 Ft. In. COAL, hard splint 0 4½ COAL, hard 0 5¾ COAL, with thin layers of shale 0 4½ COAL, with 1 inch brass near the bottom 1 3 Black stone and coal, mixed 0 4 COAL 0 2 Black stone and coal, mixed 0 4 COAL 0 2 Black stone and coal, mixed 0 4 COAL 0 1¾ COAL 0 1¾ COAL 0 2 Black stone and coal, mixed 0 4 COAL 0 1¾ COAL 0 1¾ COAL 0 2 Black stone and coal, mixed 0 4 COAL 0 2 Black stone and coal, mixed 0 2¼ COAL 0 1¾ COAL 0 1¾ COAL 0 14 COAL 0 2 Black stone and coal, mixed 0 4 COAL 0 2 Black stone and coal, mixed 0 2¼ COAL 0 14 COAL 0 0 14 COAL 0 0 0 10 COAL 0 0 0 10 COAL 0 0 0 4 Dark grey metal, with post girdles 2 3 3 | water 3 4 0 | Light grev shale 0 4 7 |
| COAL | Mild grey nost 2 1 0 | Black metal 0 1 5 |
| COAL | White post 3 4 0 | White post 5 3 9 |
| Ft. In. COAL 0 7 Light grey shale 1 1 1 2 4 4 4 4 4 4 4 4 4 | Dark gray shale 0 4 4 | Ft. In |
| COAL, hard splint 0 4½ Light grey shale 1 1 COAL, hard 0 5¾ Black stone and coal 0 7 COAL, with thin layers of shale 0 4¼ Light soft grey shale 0 2 0 COAL, with 1 inch brass near the bottom 1 3 Mild grey post 1 1 2 Black stone and coal , mixed 0 4 Mild grey post 3 4 3 COAL 0 2 Light grey shale, with mild partings 2 3 0 Black stone and coal , mixed 0 2¼ With post girdles 1 4 8 COAL 0 1½ Black metal, with coal pipes 0 0 10 COAL 0 1½ COAL 0 0 4 Light grey shale of 2 3 0 Dark grey metal, with post girdles 2 3 3 | | COAL 0 7 |
| splint 0 4½ COAL, hard 0 5¾ COAL, with thin layers of shale 0 4¼ COAL, with 1 inch brass near the bot- tom 1 3 Black stone and coal, mixed 0 4 COAL 0 2 Black stone and coal, mixed 0 4 COAL 0 1¾ COAL 0 1¾ COAL 0 1¾ COAL 0 1¾ COAL 0 1¾ COAL 0 1¾ COAL 0 1¾ COAL 0 1¾ COAL 0 1¾ COAL 0 1¾ COAL 0 1¾ COAL 0 1¾ COAL 0 0 4 COAL 0 1¾ COAL 0 1¾ COAL 0 1¾ COAL 0 1¾ COAL 0 1¾ COAL 0 1¾ COAL 0 14 COAL 0 0 4 COAL 0 0 4 COAL 0 0 4 COAL 0 0 4 COAL 0 10 COAL 0 0 4 COAL 0 0 4 COAL 0 10 COAL 0 0 4 COAL 0 10 COAL 0 0 4 COAL 0 10 COAL 0 0 4 COAL 0 10 COAL 0 2 COAL 0 2 COAL 0 2 COAL 0 3 8¾ COAL 0 10 COAL 0 2 COAL 0 2 COAL 0 3 8¾ COAL 0 10 COAL 0 2 COAL 0 3 8¾ COAL 0 2 COAL 0 3 8¾ COAL 0 5 0¾ COAL 0 5 0¾ COAL 0 5 04 COAL 0 | | Light grey |
| Black stone and | | shale 1 1 |
| COAL, with thin layers of shale 0 4½ 0 4½ Light soft grey shale 0 2 0 0 Mild grey post 1 1 2 Light grey shale, with mild partings 2 3 0 Mild grey post 3 4 3 Light grey shale, with mild partings 2 3 0 Mild grey post 3 4 3 Light grey shale, with mild partings 2 3 0 Mild grey post 3 4 3 Light grey shale, with mild partings 2 3 0 Mild grey post 3 4 3 Light grey shale, with post girdles 1 4 8 Black metal, with coal pipes 0 0 10 COAL 0 0 4 COAL 0 1½ 0 1½ 0 0 10 COAL 0 0 4 COAL 0 1½ 0 1½ 0 0 4 COAL 0 1½ 0 0 0 10 COAL 0 0 4 COAL 0 1½ 0 0 10 COAL 0 0 4 COAL 0 1½ 0 10 5 0¾ | | |
| COAL, with thin layers of shale 0 4\frac{1}{4} COAL, with 1 inch brass near the bottom 1 3 Black stone and coal, mixed 0 4 COAL 0 2 Black stone and coal, mixed 0 0 2\frac{1}{4} COAL 0 1\frac{1}{4} COAL | COAL, natu 0 54 | |
| thin layers of shale 0 44 COAL, with 1 1 inch brass near the bottom 1 3 Black stone and coal, mixed 0 4 COAL 0 2 Black stone and coal, mixed 0 0 24 COAL 0 13 Black stone and coal, mixed 0 24 COAL 0 13 | COAL with | |
| Light soft grey shale 0 2 0 0 0 0 0 0 0 0 | thin lamana of | |
| COAL, with 1 inch brass near the bottom 1 3 Mild grey post 1 1 2 Light grey shale, with mild partings 2 3 0 Mild grey post 3 4 3 Light grey shale, with mild partings 2 3 0 Mild grey post 3 4 3 Light grey shale, with mild partings 2 3 0 Mild grey post 3 4 3 Light grey shale, with post girdles 1 4 8 Black metal, with coal pipes 0 0 10 COAL 0 0 10 COAL 0 0 4 Dark grey metal, with post girdles 2 3 3 | | |
| inch brass near the bot- tom 1 3 Black stone and coal, mixed 0 4 COAL 0 2 Black stone and coal, mixed 0 2½ COAL 0 1½ | | Mild grov post 1 1 2 |
| mear the bottom 1 3 Black stone and coal, mixed 0 4 COAL 0 2 Black stone and coal, mixed 0 24 COAL 0 13 COAL 0 13 COAL 0 13 COAL 0 13 COAL 0 13 COAL 0 13 COAL 0 13 COAL 0 13 COAL 0 10 COAL 0 24 COAL 0 24 COAL 0 24 COAL 0 24 COAL 0 24 COAL 0 0 4 Dark grey metal, with post girdles 2 3 3 | | Light grov shale |
| tom 1 3 Black stone and coal, mixed 0 4 COAL 0 2 Black stone and coal, mixed 0 2½ COAL 0 13 | | |
| Black stone and coal, mixed 0 4 COAL 0 2 Black stone and coal, mixed 0 24 COAL 0 13 COAL 0 3 83 Dark grey shale, with post girdles 1 4 8 Black metal, with coal pipes 0 0 10 COAL 0 0 4 Dark grey metal, with post girdles 2 3 3 | | Mild grow post 2 4 2 |
| coal, mixed 0 4 With post girdles 1 4 8 Black stone and coal, mixed 0 2½ COAL 0 1½ COAL 0 1½ Dark grey metal, with post girdles 2 3 3 | | |
| COAL 0 2 Black stone and coal, mixed 0 24 COAL 0 13 | | |
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | | |
| coal, mixed 0 2½ 0 2½ COAL 0 1½ 0 0 1½ | | |
| COAL 0 13/4 Dark grey metal, with post girdles 2 3 3 | Blackstone and | |
| Dark grey metal, with post girdles 2 3 3 | | COAL 0 0 4 |
| 0 3 83 10 5 03 with post girdles 2 3 3 | COAL $0 	 1\frac{3}{4}$ | |
| | 0 3 83 | Dark grey metal, |
| Carried forward 14 2 03 Carried forward 2 3 3 38 2 8 | 10 5 0 ³ ₄ | with post girdles 2 3 3 |
| Carried forward 14 2 0 ³ ₄ Carried forward 2 3 3 38 2 | | 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 |
| | Carried forward 14 2 0 ³ ₄ | Carried forward 2 3 338 2 8 |

No. 2,974.—STOBSWOOD.—CONTINUED.

| Brought forward | | | | | | In. 8 | Fs. Ft. In. Fs. Ft. In. Ss. Ft. In. Ss. Ft. In. Brought forward 0 5 10 44 2 0 |
|--|---|---|----|----|---|----------|---|
| Grey shale | | | | | | | Soft light grey shale 0 3 6 White post 5 3 5 |
| Black stone, mixed with | | | | | | | COAL 1 7 |
| coal 0 4 COAL, coarse near the bot- | | • | | | | | Shale band 1 5½ COAL, mixed with black |
| tom 1 8 | 0 | 2 | 0 | | | | stone $0 	 7\frac{1}{2}$ COAL, coarse $0 	 11$ |
| Dark grey metal, with ironstone balls | 9 | - | | 3 | 2 | 0 | Grey shale 0 6½ COAL, coarse 0 7 |
| COAL, tender near the bottom | | | | | | | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| | | _ | | 2 | 3 | 4 | Dark grey shale 0 0 3½ |
| Dark grey metal Black stone and coal | | 0 | 8 | | | | White post 1 2 1 1 3 6 |
| Carried forward | 0 | 5 | 10 | 44 | 2 | 0 | Total 54 0 0 |

No. 2,975.—STOBSWOOD.

TOWNSHIP OF STOBSWOOD, NORTHUMBERLAND.

Sheet 55 of Ordnance Map. Lat. , Long.

Account of Strata passed through in the No. 1 Bore-hole, Stobswood Colliery, 1891.

| Approximate s | urfa | ce-l | eve: | l | f | eet above sea (Ordnanc | e d | atı | ım). | | | |
|--|--|----------------|------|-----|-----|--|-----|---------------|--|---------|-----|----------------|
| Soil | s. Ft 0 1 | 0 | Fs. | Ft. | In. | Brought forward | | | In. 1 | | | |
| Quicksand, with | 3 0 | | | | | Shale, or dark grey metal Strong dark grey | 0 | 2 | 4 | | | |
| Stony clay | $\begin{array}{cccc} 2 & 2 \\ 0 & 0 \end{array}$ | 5 | | | | | 0 | | | | | |
| Stony elay | 0 0 | 6 | 7 | 0 | 5 | Black metal, with a little coal | 0 | 0 | 7 | | | |
| Dark metal | $ \begin{array}{ccc} 0 & 5 \\ 0 & 1 \\ 0 & 0 \end{array} $ | 6 | | | | COAL, bright Dark grey metal | | 1 | | 2 | 4 | 2 |
| Dark metal | | | 1 | 1 | 2 | Strong dark grey metal | 0 | | 10 | | | |
| Light grey metal Very dark metal | $\begin{bmatrix} 1 & 0 \\ 0 & 0 \end{bmatrix}$ | 3 4 | | | | Dark metal, with a little coal | 0 | 0 | $2\frac{1}{2}$ | | | |
| - | $\frac{0}{0}$ | | 1 | 3 | 9 | COAL, with water | | | 9 | 1 | 1 | $9\frac{1}{2}$ |
| Light grey metal Dark grey metal Black metal, with | | | | | | Dark grey metal Light grey metal Dark grey metal | 0 | 4 | 4 10 3 | | | |
| coal Light grey metal | 0 0 0 3 | _ | | | | Strong dark grey metal, with coal | • | • | ., | | | |
| Strong dark grey metal | 0 1 | | | | | threads | | $\frac{2}{1}$ | $\begin{array}{c} 3 \\ 2\frac{1}{2} \end{array}$ | | 0.1 | 01 |
| Soft light grey metal Carried forward | | $\frac{6}{11}$ | 9 | 5 | 4 | Çarried forward | | | : | 3 17 | 0 1 | 2 |
| | | | | | | | | | | | | |

No. 2,975.—STOBSWOOD.—CONTINUED.

| Fs. Ft. In. Fs. Ft. In. | |
|------------------------------------|---|
| Brought forward 17 0 2 | Brought forward 0 1 81 19 5 10 |
| Light grey metal 0 2 0 | White post 0 3 9 |
| COAL $0 \ 0 \ 2\frac{1}{2}$ | Dark grey metal 0 0 3 |
| $ 0 2 2\frac{1}{2}$ | Dark post 2 0 6 |
| Dark grey metal 2 2 4 | Light post 0 2 0 |
| Ft. In. | Light post 0 2 0 White post 6 5 2, |
| COAL 0 3 | Light grey metal 0 0 3 |
| Dark grey | COAL 0 1 0 |
| metal 0 $6\frac{1}{2}$ | $\frac{}{}$ 10 2 $7\frac{1}{3}$ |
| COAL 0 4 | Brown shale 0 0 1 |
| $ 0 1 1\frac{1}{2}$ | Black stone, with |
| $2 3 5\frac{1}{2}$ | $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| Strong light grey | White post 0 1 3 |
| metal $0 \ 1 \ 8\frac{1}{2}$ | 0 1 9 |
| G | T () |
| Carried forward 0 1 8½ 19 5 10 | Total $0.30 	ext{ 4 } 2\frac{1}{2}$ |
| | |

No. 2,976.—STOBSWOOD.

TOWNSHIP OF STOBSWOOD, NORTHUMBERLAND.

Sheet 55 of Ordnance Map. Lat. , Long.

Account of Strata passed through in the No. 2 Bore-hole, Stobswood Colliery. Commenced July 24th, 1891.

 ${\bf Approximate~surface\text{-}level} \qquad \text{feet above sea (Ordnance datum)}.$

| | | | In. | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In |
|---------------------|---|----|-----|-----|-----|-----|--|
| Soil | | 1 | 0 | | | | Brought forward 12 1 |
| Stony clay | 4 | 0 | 4 | | | | Dark grey metal 0 1 0 |
| Quicksand, with | | | | • | | | Dark and light grey |
| water | 0 | 5 | 6 | | | | metal 1 1 8 |
| Stony clay | 2 | 1 | 0 | | | | Dark grey metal, with |
| | _ | | | 7 | 1 | 10 | a little coal 0 0 3 |
| Corn motel | 0 | 1 | 0 | • | | | Ft. In. |
| Grey metal | 0 | 1 | U | | | | COAL 0 6 |
| Black metal, with a | | - | 0 | | | | COAL and |
| little coal | | 1 | 0 | | | | stone 0 4 |
| Grey metal | 1 | 2 | 8 | | | | COAL 0 2 |
| Grey metal, with a | | | | | | | Stone and coal 0 2 |
| little coal | 0 | 0 | 2 | | | | COAL 0 8 |
| Ft. In. | | | | | | | Stone and coal 0 4 |
| COAL, strong 0 9 | | | | | | | COAL 0 2 |
| Grey metal 0 10 | | | | | | | Stone and coal 0 4 |
| COAL 0 8 | | | | | | | 0 2 8 |
| | 0 | 2 | - 3 | | | | 1 5 |
| | | | | 2 | 1 | 1 | Dark grey metal 0 0 4 |
| Light arow metal | 0 | Q | 7 | | | | Light grey metal 1 1 7 |
| Light grey metal | | ., | ' | | | | Harddark grey stone 0 1 0 |
| Strong dark grey | _ | 0 | 9 | | | | Strong dark grey |
| metal | - | 4 | | | | | 1 0 0 |
| Dark grey metal | | 4 | ئد | | | | Black metal, with a |
| Black band, with a | | | 0 | | | | |
| little coal | 0 | 0 | | | | | Trees and the same |
| COAL | 0 | 0 | 11 | | | - | Dair grey metal |
| | _ | | | 2 | 4 | 1 | Black stone 0 0 2 |
| | | | | 10 | 1 | _ | Carried forward 2 4 9 14 0 |
| Carried forward | | | | 12 | 1 | 0 | Cattled forward 2 4 5 14 0 |
| | | | | | | | |

No. 2,976.—STOBSWOOD.—CONTINUED.

| Fs | . Ft | . In. Fs | . Ft. | In. | Fs. Ft. In. Fs. Ft. In |
|--|------|---------------|-------|-----|---|
| Brought forward 2 | 4 | 9 14 | 0 | 7 | Brought forward 2 5 117 1 (|
| COAL 0 9 Shale band 0 1 COAL 0 10 | 1 | 8 3 | | | COAL 0 5 Dark grey metal 0 3 COAL 0 6 COAL and black stone 0 3 |
| COAL 0 Dark grey metal 2 Black metal, with a little coal 0 | 3 | $\frac{2}{0}$ | | | Light grey metal 2 0 0 2 0 0 |
| Carried forward 2 | 5 | 1 17 | 1 | 0 | Total 22 1 6 |

No. 2,977.—STOBSWOOD. TOWNSHIP OF STOBSWOOD, NORTHUMBERLAND.

Sheet 55 of Ordnance Map. Lat. , Long.

Account of Strata passed through in a Bore-hole put down from the Two-feet Seam met with in the Shaft at 38 fathoms 3 feet 9 inches from the Surface, 1883.

Approximate surface-level feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. Dark grey shale, with | Brought forward 7 4 2 1 4 8 |
|---|-----------------------------|
| post girdles 1 3 2 | Ft. In. |
| COAL 0 1 6 | COAL 1 7 |
| 1 4 | 8 Seggar-clay 1 6 |
| Grey shale, with post | COAL, coarse, |
| girdles 1 1 8 | with threads |
| Black stone and coal 0 0 10 | of shale 0 7 Band, mixed |
| Light grey shale 0 3 0 White post, with | with coal 0 5 |
| water 5 3 6 | COAL 1 10 |
| Dark grey shale 0 1 2 | 0 5 11 |
| | 8 4 1 |
| | Dark grey shale 0 1 7 |
| | 0 1 7 |
| Carried forward 7 4 2 1 4 | 8 Total 10 4 4 |

No. 2,978.—STOBSWOOD.

TOWNSHIP OF STOBSWOOD, NORTHUMBERLAND.

Sheet 55 of Ordnance Map. Lat. , Long.

Account of Strata passed through in a Bore-hole from a Thin Seam in the Exploring Drift, Stobswood Colliery Bore-hole.

Commenced May 15th, 1905.

Approximate surface-level feet above sea (Ordnance datum).

| Grey metal | 1 | 4 | 4 | | | | Brought forward | 1 0 | 0 | 9 | 0 | 2 |
|---------------|------|---|---|---|---|-----|-----------------|--------|-----|------|---|---|
| Grey metal | 1 | 0 | 6 | 2 | 0 | . 2 | Grey metal | | | _ 1 | 1 | 3 |
| Carried forwa | rd 1 | 0 | 6 | 2 | 0 | 2 | Carried forward | 0 | 4 1 | .0 3 | 1 | 5 |

No. 2,978.—STOBSWOOD. CONTINUED.

| Brought forward 0 4 10 3 1 | In. | Brought forward 2 4 3 14 5 11 |
|------------------------------|------------|-------------------------------|
| White post 5 2 4 | 17 | Two-Feet Seam— |
| Ft. In. | | COAL 0 1 10 |
| COAL 1 8 | 1 | 0 1 10 |
| Seggar-elay 1 6 | - 10 | 9 |
| COAL 0 6 | li | |
| Seggar-clay 0 2 | | |
| COAL 1 2 | 1 | Grey metal 0 1 9 |
| Camera 1 | | Blue metal 0 0 6 |
| | - (| COAL 0 0 2 |
| 0 0 | | 0 4 1 |
| 0 5 11 | S | Seggar-clay 0 0 6 |
| 7 1 | $1 \mid G$ | Frey metal 0 3 6 |
| Grey metal 0 1 7 | | Frey metal, with post |
| Grey metal, with post | | girdles 0 1 6 |
| girdles 1 1 11 | P | Blue metal, with post |
| Whinstone 0 1 6 | | • • • • |
| Grey metal, with post | . 13 | 11 4 1 |
| | 1.1 | |
| | 0 | COAL 1 7 |
| White post 0 2 6 COAL 0 0 3 | 1 | |
| | | eggar-clay 1 7 |
| 3 2 | | OAL 0 6 |
| Seggar-elay 0 1 6 | | Band 0 1 |
| Grey metal 0 4 3 | | COAL 1 10 |
| Post 0 0 9 | B | Band 0 0½ |
| COAL 0 0 1 | C | COAL 0 4 |
| | . B | Band 0 2 |
| 1 0 | 7 C | COAL 0 5½ |
| Blue metal 1 1 1 | 1 | 1 0 7 |
| Post 0 0 7 | - 1 | 4 1 8 |
| Grey metal, with post | B | Black stone, mixed |
| girdles 0 2 6 | D | 143 |
| Blue metal 0 5 4 | cr. | |
| Change market | | eggar-clay 0 0 6 |
| Grey metal 0 0 9 | | 0 1 0 |
| Carried forward 2 4 3 14 5 1 | - | m . 1 |
| Carried forward 2 4 3 14 5 1 | 1 | Total 23 0 9 |
| | | |

No. 2,979.—STOCKTON.

TOWNSHIP OF STOCKTON, DURHAM.

Sheet 50 of Ordnance Map. Lat. , Long.

Account of Strata passed through in a Bore-hole at Kirk's Brewery, Stockton, by Mr. William Coulson, July, 1872.

Approximate surface-level feet above sea (Ordnance datum).

| Depth from surface | Fs. | Ft. | ln. | Fs. | Ft. | In. | Bros |
|-----------------------|-----|-----|-----|-----|-----|-----|----------------------|
| to bottom of wel | l | | | 4 | 3 | 0 | |
| Tough yellow clay | 6 | 2 | 4 | | | | Soft red Strong r |
| Stonyclay, with sand | 0 | 3 | 6 | | | | andwa |
| Fine sand, with water | 0 | 1 | 6 | | | | Soft red |
| | | | | 7 | 1 | 4 | Strong re |
| Soft red sandstone | 1 | 1 | 6 | | | | and wa |
| Carried forward | 1 | 1 | 6 | 11 | 4 | 4 | Car |

| Brought forward | 1 | 1 | 6 | Fs. 11 | |
|---------------------------------------|---|---|----|-----------|-------|
| Soft red metal Strong redsandstone | U | 2 | 10 | | |
| and water | 0 | 4 | 7 | | |
| Soft red metal | 0 | 1 | 6 | | |
| Strong red sandstone and water | 0 | 2 | 0 | | _ |
| ~ | | _ | ~ | | |

Carried forward 3 0 5 11 4

No. 2,979.—STOCKTON.—CONTINUED.

| Fs. Ft. In. Fs. Ft. In. | |
|---|--------------------------|
| Brought forward 3 0 5 11 4 4 | |
| Hard red sandstone, | Soft red metal, with |
| with soft red metal | girdles and water 0 5 0 |
| partings,and water near the bottom 9 5 6 | Hard red sandstone 1 1 3 |
| near the bottom 9 5 6 | Soft red metal and |
| Hard white rock or | veins of gypsum 1 0 1 |
| gypsum 0 1 4 | Hard red sandstone, |
| gypsum 0 1 4 Hard red sandstone 0 5 0 | with water 3 1 2 |
| | 20 1 9 |
| | |
| Carried forward 14 0 3 11 4 4 | Total 32 0 1 |
| | |

Note: Well was repaired in June, 1879, when the small tubes were drawn out and found to have been eaten through by the water.

No. 2,980.—STONECROFT.

TOWNSHIP OF NEWBROUGH, NORTHUMBERLAND.

Sheet 84 of Ordnance Map. Lat. 55° 0′ 57", Long. 2° 13′ 13".

Account of Strata sunk through in the Greyside Shaft, Stonecroft Mine.

Approximate surface-level 495 feet above sea (Ordnance datum).

| Clay | | | 9 | 5 | 0 | | | | Brought forward 12 5 0 9 5 0 Whetstone 0 5 0 |
|--------------------|---------|--------------|----------|---|---|---|---|---|--|
| Plate Limestone | | | 7 | 5 | 0 | | Ū | Ĭ | Whin 29 2 3 Plate 1 1 6 |
| Plate | | | 2 | | | | | | 44 1 9 |
| Tyne Bott stone | | | | 1 | 0 | | | | |
| Carrie | ed forv | va rd | 12 | 5 | 0 | 9 | 5 | 0 | Total 54 0 9 |

No. 2,981,—STONECROFT.

TOWNSHIP OF NEWBROUGH, NORTHUMBERLAND.

Sheet 84 of Ordnance Map. Lat. , Long.

Account of Strata sunk through in the Stonecroft New Shaft.

Approximate surface-level feet above sea (Ordnance datum).

| Clay Fs. Ft. In. Fs. Ft. In. | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
|--|--|
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | Limestone |
| Limestone 1 4 0 Carried forward 41 4 0 10 0 0 | 52 1 0 |

Note: There are strong veins near the shaft, and consequently the above section is not very reliable.

No. 2,982.—STONECROFT.

TOWNSHIP OF NEWBROUGH, NORTHUMBERLAND.

| Sheet 84 of O | rdnance Map. | Lat. | , Long. |
|---------------|--------------|------|---------|

Account of Strata sunk through in the New Shaft, Stonecroft Mines, Newbrough, March 24th, 1893.

Approximate surface-level feet above sea (Ordnance datum).

| | | | | | | | | · · | , | | |
|--------------------|--------|---------|--------|---|---|---|---|--------------------------------------|------------|--------|-------|
| Clay | ••• | 4 | 1 | 0 | | | | Brought forward 12 Limestone, into 1 | Ft. In. I | s. Ft. | . In. |
| Freestone Plate | | 1 | 2 | 0 | | | | | 1 | 3 2 | 0 |
| Carrie | d forv | vard 12 | 2 | 0 | 4 | 1 | 0 | Total | <u>. 1</u> | 7 3 | 0 |

No. 2,983.—STUBLICK.

TOWNSHIP OF WEST QUARTER, ALLENDALE, NORTHUMBERLAND.

Sheet 93 of Ordnance Map. Lat. , Long.

Account of Strata sunk through in the West Pit, Stublick Colliery.

Approximate surface-level feet above sea (Ordnance datum).

| Gravel Clay Post | 0 4 2 | 3 | 0 | Ft. | In. | Brought forward Fig. Ft. In. Fs. Ft. In. F | |
|-------------------------------------|-------------|---|-----------------|-----|------|--|---|
| | 0 | 0 | 6 _ 9 | 1 | 1 | Three-Quarter Seam— COAL 0 2 8 Blue metal 3 3 4 5 2 11 | L |
| Yard Coal Seam— COAL Carried forwa | 0 | 2 | $-\frac{8}{10}$ | 0 | 8 -9 | Main Coal Seam— COAL 0 3 8 Total 19 5 8 | - |

No. 2,984.—SUNDERLAND.

TOWNSHIP OF SUNDERLAND, DURHAM.

Sheet 8 of Ordnance Map. Lat. , Long

Account of Strata passed through in the No. 1 Bore-hole in Messrs. S. P. Austin and Son, Limited's Wear Dock Yard, Sunderland.

Commenced May 20th, 1901.

Approximate surface-level — feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|-------------------------|-------------------------|
| From scaffold to quay | Brought forward 5 1 10 |
| wall 0 2 4 | Marl 1 2 0 |
| Forced ground 1 3 0 | Limestone girdle 0 0 2 |
| Marl and broken | Hard marl, into 1 0 0 |
| limestone 3 0 6 | 7 4 0 |
| Strong limestone 0 2 0 | |
| Carried forward 5 1 10 | Total 7 4 0 |

No. 2,985.—SUNDERLAND. TOWNSHIP OF SUNDERLAND, DURHAM.

Sheet 8 of Ordnance Map. Lat. , Long.

Account of Strata passed through in the No. 2 Bore-hole in Messrs. S. P. Austin and Son, Limited's Wear Dock Yard, Sunderland.

Commenced May 20th, 1901.

Approximate surface-level feet above sea (Ordnance datum).

| From scaffold to quay Fs. Ft. In. Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In. Brought forward 3 3 9 |
|---|---|
| wall 0 3 5 | Marl and broken |
| Forced ground 2 1 6 | limestone, into 4 1 4 |
| River mud 0 4 10 | 7 5 1 |
| | |
| Carried forward 3 3 9 | Total 7 5 1 |
| | |

No. 2,986.—SUNDERLAND. TOWNSHIP OF SUNDERLAND, DURHAM.

Sheet 8 of Ordnance Map. Lat. , Long

Account of Strata sunk through in the No. 6a Bore-hole in Messrs. S. P. Austin and Son, Limited's Wear Dock Yard, Sunderland.

Commenced June 3rd, 1901.

Approximate surface-level feet above sea (Ordnance datum).

| From seaffold to |) | | | s. Ft. | In. | Brought forward 8 5 6 Marl, with broken |
|---|-----|---|---|--------|-----|---|
| quay wall From quay wall to river bed | | | | | | limestone 0 1 6 Limestone, into 0 2 6 |
| River mud Sand | . 0 | 3 | 6 | | | 9 3 6 |
| Carried forward | 1 8 | 5 | 6 | | | Total 9 3 6 |

No. 2,987.—SUNDERLAND. TOWNSHIP OF SUNDERLAND, DURHAM.

Sheet 8 of Ordnance Map. Lat , Long.

Account of Strata passed through in the No. 9 Bore-hole in Messrs. S. P. Austin and Son, Limited's Wear Dock Yard, Sunderland, August, 1901.

Approximate surface-level feet above sea (Ordnance datum).

Fs. Ft. In. Fs. Ft. In.

From scaffold to quay

wall

O 1 10

Brought forward

Jumestone and marl 1 3 5

| From scaffold to quay | | | | | •••• | Brought forward | 9 4 | 4 |
|-----------------------|---|----|---|---|------|--------------------------|------|----|
| wall 0 | 1 | 10 | | | | Limestone and marl 1 3 5 | | |
| From quay wall to | | | | | | Soft grey mud 0 3 5 | | |
| river bed 3 | 1 | 6 | | | | Limestone and marl 0 4 4 | | |
| Sand and gravel 1 | 4 | 0 | | | | Limestone, into 0 3 0 | | |
| Light sand, with | | | | | | | 3 2 | 2 |
| water 2 | 5 | 8 | | | | | | |
| Dark grey sand, with | | | | | | | | |
| water 1 | 3 | 4 | | | | | | |
| | | | 9 | 4 | 4 | | | |
| | | | | | | | | _ |
| Carried forward | | | 9 | 4 | 4 | Total | 13 0 | _6 |
| | | | | | | | | _ |

No. 2,988.—SUNDERLAND.

TOWNSHIP OF SUNDERLAND, DURHAM.

Sheet 8 of Ordnance Map. Lat. , Long.

Account of Strata sunk through in a Well at Messrs. Thompson and Sons, Limited's Yard, Sunderland, by Messrs. C. Isler and Company, Limited, London, September 4th, 1895.

Approximate surface-level feet above sea (Ordnance datum).

| | | Ft. | In. l | Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|----------------------|----|-----|-------|-------------|--------------------------|
| Dug well (made | | | | | Brought forward 15 0 0 |
| ground) | 1 | 4 | 0 | | Limestone 0 4 0 |
| Limestone | 1 | 3 | 0 | | Limestone layers and |
| Limestone layers and | | | | | sand 0 5 0 |
| | 3 | 3 | 0 | | Limestone 2 4 0 |
| Live sand | 0 | 3 | 0 | | Limestone layers and |
| Limestone | | | | | sand 0 3 0 |
| Live sand | 0 | 1 | 0 | | |
| Limestone | | | | | Limestone 9 0 0 |
| Limestone layers and | | | | | Marl and limestone 0 5 0 |
| sand | | 4 | 0 | | 9 5 0 |
| Carried forward | 15 | 0 | 0 | | Total 29 3 0 |

Note: Yield, 1,650 gallons per hour at 50 feet water level.

No. 2,989.—SUNDERLAND. TOWNSHIP OF SUNDERLAND, DURHAM.

Sheet 8 of Ordnance Map. Lat. , Long.

Account of Strata passed through in a Bore-hole at South Dock, Sunderland, for The North Eastern Marine Engineering Company, Limited.

Commenced May 27th, 1899.

Approximate surface-level feet above sea (Ordnance datum).

| | - | | | - | T1: | - | D. D. Y. D. D. Y. |
|-----------------------------------|----|---|-------|------|-----|-----|--|
| Yellow marl | | | In. I | r's. | Ft. | In. | Fs. Ft. In. Fs. Ft. In Brought forward 19 1 2 4 1 4 |
| Gravel | | | | | | | Limestone and marl 1 5 2 |
| | 9 | 0 | c | | | | Soft yellow limestone |
| Sand and gravel | 2 | 3 | 0 | | | | |
| Very dark sand Sand and gravel | U | 1 | 4 | | | | and marl 0 3 1 |
| Sand and gravel | U | 4 | 4 | | | | Soft yellow marl 0 1 9 |
| ** ** | _ | | | 4 | 1 | 4 | Hard yellow lime- |
| Yellow marl | | | | | | | stone 1 2 2 |
| Hard grey limestone | 0 | 0 | 9 | | | | Soft yellow limestone 0 3 0 |
| Yellow marl, with | | | | | | | Soft yellow limestone |
| hard panels | 5 | 4 | 9 | | | | . and marl 0 4 0 |
| Yellow limestone, | | | | | | | Hard brown lime- |
| with soft partings | 2 | 5 | 0 | | | | stone 2 4 4 |
| Hard yellow lime- | | | | | | | Marl and sand 0 2 0 |
| stone | 1 | 0 | 6 | | | | Soft brown limestone 1 2 0 |
| Hard yellow lime- | _ | - | - | | | | Hard brown lime- |
| stone, with soft | | | | | | | stone 2 5 3 |
| partings | G | Λ | 2 | | | | Open space 1 2 0 |
| Yellow limestone and | U | U | U | | | | —————————————————————————————————————— |
| | 1 | 4 | G | | | | Hard brown lime- |
| marl | 1 | 4 | O | | | | stone, into 0 4 3 |
| Hard yellow lime- | 4 | | 0 | | | | 0 4 3 |
| stone | 1 | 1 | 3 | | | | 0 4 3 |
| <i>a</i> | | | | _ | | _ | Tratal 27 E C |
| Carried forward | 19 | 1 | 2 | 4 | 1 | 4 | Total <u>. 37 5 6</u> |
| | | | | | | | |

No. 2,990.—SWALWELL.

TOWNSHIP OF WHICKHAM, DURHAM.

Sheet 6 of Ordnance Map. Lat. about 54° 56′ 41″, Long. about 1° 41′ 56″.

Account of Strata passed through in a Bore-hole in the Cowhill Field, Woodhouse, near Swalwell. Commenced March 16th, 1871; and stopped June 10th, 1871.

Approximate surface-level about 120 feet above sea (Ordnance datum).

| Soil | Fs. | | In. | Fs. | Ft. I | in. | Brought forward | | | | | Ft. | |
|----------------------|-----|-----------|-----|-----|-------|-----|-----------------------|---------|-----|-------|----------|-----|----|
| Yellow clay | _ | 4 | | | | l | Soft light grey metal | | | | <u>_</u> | - | U |
| Hard dark stony | U | -32 | U | | | - [| Mild grey post, with | _ | _ | U | | | |
| clay, with thin | | | | | | - 1 | coal pipes and thin | | | | | | |
| beds of sand | 6 | 9 | 10 | | | - 1 | partings | 1 | 1 | 3 | | | |
| Yellow freestone | | | 5 | | | - ! | Mild white post, | - | 1 | U | | | |
| Hard stony blue clay | | 2 | | | | - 1 | with a gullet near | | | | | | |
| Grey whin | | | 11 | | | - 1 | the bottom | 1 | 1. | 7 | | | |
| Hard stony blue clay | | 3 | | | | | Dark grey or blue | • | -32 | • | | | |
| Soft yellow free- | o | U | | | | 1 | | 0 | 2 | 0 | | | |
| stone, with strong | | | | | | - 1 | | ő | | 5 | | | |
| girdles | - | 2 | 10 | | | | | ٠ | ٠ | U | 10 | 1 | 11 |
| Soft blue metal | _ | | 6 | | | | | | | | 12 | 1 | 11 |
| Soft light freestone | | $\bar{2}$ | 0 | | | | Soft grey metal | 0 | 1 | 6 | | | |
| Soft yellow free- | · | _ | · | | | - | Hard white post, | | | | | | |
| stone, with strong | | | | | | | with soft grey post | | | | | | |
| girdles | | 5 | 9 | | | | | 6 | | | | | |
| Hard yellow free- | | _ | - | | | | | 0 | | 6 | | | |
| stone, with a gul- | | | | | | | Soft grey metal | 0 | | 10 | | | |
| let three feet from | | | | | | | Hard white post | 0 | 3 | 6 | | | |
| the top: lost the | | | | | | | Strong grey metal, | | | | | | |
| water | | 4 | 0 | | | | with post girdles | | | | | | |
| Dark grey metal | 0 | 2 | 6 | | | | and coal pipes | | | | | | |
| Black metal | | 3 | 1 | | | | COAL | 0 | U | 6 | | | |
| COAL | 0 | 0 | 7 | | | | | _ | | | 9 | 0 | 2 |
| | | | | 24 | 1 | 3 | Light thill | 0 | 0 | 2 | | | |
| Grey metal thill | 0 | 0 | 3 | | | | Strong grey post | | | 4 | | | |
| Dark grey metal | | 2 | 3 | | | | Hard white post, | | | | | | |
| Dark brown metal | 0 | 0 | 9 | | | | with thin partings | | | | | | |
| Mild grey post, with | | | | | | | and water | | 3 | 1 | | | |
| thin metal part- | | | | | | | | | | | . 4 | 5 | 7 |
| ings | . 1 | 2 | 0 | | | | | | | | | | |
| Hard white post, | | | | | | | | | | | | | |
| with thin yellow | 7 | | | | | | Į. | | | | | | |
| partings and iron- | | | | | | | | | | | | | |
| stone balls, coal | | | | | | | | | | | | | |
| pipes and water | . 5 | 4 | 8 | | | | | | | | | | |
| 0 170 | _ | | | _ | | | | | | | | _ | |
| Carried forward | . 7 | 3 | 11 | 24 | 1 | 3 | Total | • • • • | | • • • | 50 | 2 | 11 |
| | | | | | | | • | | | • | | | |

No. 2,991.—SWALWELL. TOWNSHIP OF WHICKHAM, DURHAM.

Sheet 6 of Ordnance Map. Lat. about 54° 56′ 38″, Long. about 1° 42′ 10″.

Account of Strata passed through in the No. 2 Bore-hole at Woodhouse, near Swalwell, in the Banks near the Railway, 1871.

Approximate surface-level about 100 feet above sea (Ordnance datum).

No. 2,991.—SWALWELL.—CONTINUED.

| n :1 | | | | Fs. | Ft. | In. | |
|----------------------|---|-----|-------------|-----|-----|-----|----------------------------|
| | 0 | 1 | 10 | | | | Brought forward 9 1 8 25 1 |
| Running gravel, sand | | | | | | | Strong grey metal. |
| and water | | 4 | | | | | with thin post gir- |
| Dark strong clay | 5 | 0 | 5 | | | | dles 1 0 4 |
| Yellow freestone, | | | | | | | COAL 0 0 61 |
| | 3 | 2 | 11 | | | | 10 2 6 |
| Blue metal | 0 | 5 | 9 | | | | Grey metal, with post |
| Black metal | 0 | 1 | 0 | | | | girdles 2 2 0 |
| Mild grey metal, | | | | | | | COAL 0 0 3 |
| with scares of coal | 0 | 5 | 2 | | | | 111 0 0 |
| Mild white post | | 5 2 | $\tilde{9}$ | | | | |
| Dark grey metal | | ĩ | 3 | | | | Strong grey post, |
| COAL | | | | | | | with metal part- |
| | U | U | _ | 16 | 1 | 10 | ings, and a whin |
| Light grey metal | _ | 1 | | 10 | T | 10 | |
| | U | 1 | 2 | | | | the top 2 5 0 |
| White and grey post, | | | | | | | Strong dark grey |
| with metal part- | | | | | | | metal, with thin |
| ings, whin balls | | | | | | | post girdles 1 1 5 |
| and water | 7 | 3 | 10 | | | | Mild grey post 1 1 4 |
| strong grey metal, | | | | | | | Dark grey metal, |
| with thin post gir- | | | | | | | with 1 inch of coal |
| dles | | | 10 | | | | at bottom 0 5 6 |
| OAL | 0 | 0 | 7 | | | | Mild white post, with |
| | | | _ | 8 | 5 | 5 | |
| oft grey metal | 0 | 1 | 8 | | - | • | Dark grey metal, |
| rey post, with metal | - | _ | _ | | | | with grey post gir- |
| partings | 0 | 3 | ß | | | | dlas 4 2 c1 |
| Hard white post, | • | ., | U | | | | dles 4 3 6½ |
| with thin metal | | | | | | | 12 0 0 |
| | | | | | | | |
| partings, a feeder | | | | | | | |
| of spar water 9 feet | | | | | | | |
| from the top, and | | | | | | | |
| 1 foot of whin at | | | | | | | |
| the bottom | 8 | 2 | 6 | | | | |
| Carried forward | q | 1 | 8 | 25 | 1 | 3 | Total 50 0 1 |

No. 2,992.—SWALWELL. TOWNSHIP OF WHICKHAM, DURHAM.

Sheet 6 of Ordnance Map. Lat. 54° 56' 28", Long. 1° 41' 47".

Account of Strata passed through in the No. 3 Bore-hole at Woodhouse, near Swalwell, in the West Bank Field, 20 yards from the North Hedge, and 50 yards from the Back Lane.

Approximate surface-level 300 feet above sea (Ordnance datum).

| Soil 0 1 0 Gravel, sand and clay 1 1 6 Soft shivery yellow freestone 2 2 0 | Brought forward 3 4 6 Light metal, with 3 inches of black metal at the top, and 2 inches of coal in the middle 0 2 6 |
|--|--|
| Carried forward 3 4 6 | Carried forward 4 1 0 |

No. 2,992.—SWALWELL.—CONTINUED.

| | | _ | | | | | 1 | | | | | | |
|---------------------------------------|-----|-----|-----|-----|-----|-----|------------------------|---|-----|-----|--------|-----|-----|
| Brought forward | Fs. | Ft. | In. | Fs. | Ft. | In. | Brought forward | | Ft. | Iņ. | Fs. 22 | Ft. | In. |
| Strong yellow free- | 4 | 1 | U | | | | Grey metal or fire- | | | | 22 | 9 | • |
| stone, with soft | | | | | | | clay | n | 3 | G | | | |
| yellow partings | 7 | 1 | Û | | | | Strong grey post, | U | 0 | U | | | |
| A gullet with dark | • | | | | | | with metal part | | | | | | |
| thill | 1 | 4 | 6 | | | | ings | 3 | 0 | Λ | | | |
| COAL, mixed with | - | | | | | | Dark grey metal | ő | 1 | 10 | | | |
| grey metal | 0 | 1 | 3 | | | | COAL | ŏ | 3 | 7 | | | |
| grey metter | | | | 13 | 1 | 9 | | | | | 4 | 2 | 11 |
| Light grey metal | | | | 10 | - | | Dark grey metal, | | | | - | ~ | - 1 |
| thill | 1 | 0 | 0 | | | | with scares of coal | 0 | 1 | 2 | | | |
| Soft grey and yellow | ^ | • | • | | | | Grey metal thill | | | | | | |
| freestone | 0 | 2 | 4 | | | | Dark grey metal, | • | - | 1 | | | |
| Light and dark grey | • | _ | - | | | | with girdles | 0 | 3 | 6 | | | |
| post, with yellow | | | | | | | | ő | | 3 | | | |
| partings | 3 | 1 | 9 | | | | COAL | ŏ | | 6 | | | |
| Ft. In. | Ü | - | U | | | | 00AL | _ | | _ | 1 | 4 | 9 |
| COAL, splint, | | | | | | - | Dark shale, mixed | | | | - | - | J |
| coarse 0 11 | | | | | | | with coal | n | 1 | 3 | | | |
| Grey metal, | | | | | | - 1 | Fire-clay | | 4 | | | | |
| with iron- | | | | | | | Yellow freestone, | Ü | 1 | - | | | |
| stone, strong 1 2 | | | | | | | with metal part- | | | | | | |
| COAL, danty 0 9 | | | | | | | ings | n | 4 | 9 | | | |
| | 0 | 2 | 10 | | | | Mild white and grey | U | - | U | | | |
| | | _ | | 5 | 0 7 | 11 | post, with hard | | | | | | |
| Light grey metal | | | | 0 | 0 | | | 1 | 4 | n | | | |
| Light grey metal thill, with a little | | | | | | | Strong yellow free- | 1 | - | 0 | | | |
| dant 2 feet from | | | | | | | stone, with a 3 | | | | | | |
| the bottom | 1 | 2 | 4 | | | | inches gullet 8 feet | | | | | | |
| Light and dark grey | - | - | - | | | | 9 inches from the | | | | | | |
| post, with yellow | | | | | | | top: lost the water | 4 | Λ | 5 | | | |
| scares and metal | | | | | | | Mild yellow free- | - | • | • | | | |
| partings | 2 | 1 | 8 | | | | stone, with metal | | | | | | |
| Dark grey metal | ñ | | 7 | | | | partings | Λ | 2 | 1. | | | |
| Ft. In. | 0 | | • | | | | Hard white post | | | - | | | |
| COAL 1 113 | | | | | | - 1 | COAL | | 2 | | | | |
| Grey shale band 0 0 | | | | | | | | 0 | 4 | | 9 | 2 | 4 |
| COAL 0 4 | : | | | | | | Grey metal thill, into | Λ | 1 | | J | 2 | -3' |
| | 0 | 2 | 4 | | | | orey metar thin, mo | | .1 | | 0 | 1 | 1 |
| | | - | -T | 4 | 2 1 | п | | | | | U | 1 | 1 |
| | | | | x | ا ت | | | | | | | | |
| Carried forward | | | | 22 | 5 | 7 | Total | | | | 38 | 4 | 8 |
| Carried forward | | | | | | | | | | | | | |

No. 2,993.—SWALWELL. TOWNSHIP OF WHICKHAM, DURHAM.

Sheet 6 of Ordnance Map. Lat. 54° 56′ 29″, Long. 1° 41′ 50″.

Account of Strata passed through in the No. 4 Bore-hole at Woodhouse Farm, Swalwell, in the West Bank Field, 60 yards from the West Hedge, and 10 yards from the North Hedge.

Approximate surface-level 225 feet above sea (Ordnance datum).

| Soil Fs. Ft. In. Fs. Ft. In. Soil O 1 6 | Fs. Ft. In. Fs. Ft. In. Brought forward 11 3 9 |
|---|--|
| Soft yellow leafy clay 0 3 0 | Hard yellow free- |
| Hard stony blue clay, | stone, with thin |
| with thin sand | girdles 1 3 6 |
| beds, and water 10 5 3 | ——————————————————————————————————— |
| Carried forward 11 3 9 | . Total 13 1 3 |

No. 2,994.—SWALWELL.

TOWNSHIP OF WHICKHAM, DURHAM.

Sheet 6 of Ordnance Map. Lat. 54° 56′ 30½″, Long. 1° 41′ 55″.

Account of Strata passed through in the No. 5 Bore-hole at Woodhouse Farm, Swalwell, in the West Bank Field, 80 yards above the No.4 Bore-hole, and 9 yards from the North Hedge.

Approximate surface-level 205 feet above sea (Ordnance datum).

| Soil 0 1 0 0 Gravel 0 2 0 | Brought forward 2 0 6 Hard stony blue clay 4 5 11 Loamy sand, with water, into 1 3 7 8 4 0 |
|---------------------------|--|
| Carried forward 2 0 6 | Total 8 4 0 |

No. 2,995.—TANFIELD LEA.

TOWNSHIP OF TANFIELD, DURHAM.

Sheet 12 of Ordnance Map. Lat, 54° 52' 47", Long. 1° 42' 40".

Account of Strata sunk through in the Old Engine Pit, Tanfield Lea Colliery, 1831.

Approximate surface-level 520 feet above sea (Ordnance datum).

| Yellow clay | Fs. 7 | Ft. | In. | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. Brought forward 22 1 9 17 5 0 |
|--------------------------|-------|-----|-----|-----|-----|-----|---|
| | • | U | U | | | | |
| Blue clay, with | 0 | | 10 | | | | Blue metal, with |
| tumbling stones | 3 | 4 | 10 | 10 | | 10 | water 0 1 6 |
| | _ | | | 10 | 4 | 10 | Very strong grey |
| Yellow freestone | 2 | 0 | 0 | | | | post 0 5 6 |
| Five-Quarter Seam- | | | | | | | Grey post, with coal |
| COAL | 1 | 0 | 6 | | | | partings, and water 1 3 6 |
| | | _ | _ | 3 | 0 | 6 | Grey post, with metal |
| D1 4 . 1 | | | 10 | - | • | - | partings: 1,000 |
| | 3 | 0 | 10 | | | | gallons of water |
| Brass Thill Seam— | _ | | - | | | | per hour 0 5 10 |
| COAL | 0 | 4 | 10 | | | | Grey metal 0 0 8 |
| | | | | 3 | 5 | 8 | Grey post 1 4 8 |
| Blue metal, with post | | | | | | | Grey post, with coal |
| girdles | 7 | 0 | • | | | | |
| girdles | 6 | ő | 3 | | | | |
| White post Blue metal | 2 | | | | | | |
| Blue metal | 2 | 1 | 6 | | | | Grey post 0 1 0 |
| Strong white post | 2 | 2 | 4 | | | | Blue metal 0 3 0 |
| White post, with | | | | | | | Grey post 0 1 7 |
| metal partings | 1 | 2 | 2 | | | | Blue metal 0 2 1 |
| Very strong white | | | | | | | Grey post 0 1 9 |
| post | 1 | 0 | 6 | | | | Blue metal 0 4 0 |
| White post, with | | | | | | | Hutton Scam— |
| partings | 1 | 1 | 0 | | | | Ft. In. |
| Strong white post | | | ŏ | | | | COAL 7 4 |
| White post, with | - | _ | • | | | - | Band 0 2 |
| | 1 | 1 | 0 | | | | COAL 2 2 |
| 1 | 1 | 1 | v | | | | — 1 3 8 |
| White post, with | 0 | 0 | ٥ | | | 1 | 33 2 1 |
| scares of coal | 2 | 3 | 0 | | | | 55 2 1 |
| Carried forward | | - | 9 | | 5 | | Carried forward 51 1 1 |

No. 2,995.—TANFIELD LEA.—CONTINUED.

| Brought forward | Fs. | Ft. | In. Fs. 51 | Ft. | In. | Fs. Ft. In. Fs. Ft. In. Brought forward 1 4 6 51 1 1 |
|-------------------------|-----|-----|---------------|-----|-----|--|
| Thill stone | 0 | 2 | 3 | | | White post 0 4 0 |
| Blue metal | 0 | 3 | 0 | | | White post 0 4 0 Blue metal, with post |
| White post | 0 | 1 | 10 | | | girdles 1 1 6 |
| Blue metal | | | | | | Main Coal Seam- |
| Grey post Blue metal | 0 | 0 | 8 | | | COAL 0 3 8 |
| Blue metal | 0 | 1 | 0 | | | 4 1 8 |
| | | | | | | |
| Carried forward | 1 | 4 | 6 51 | 1 | 1 | Total 55 2 9 |
| | | | | | | |

No. 2,996.—TANFIELD LEA.

TOWNSHIP OF TANFIELD, DURHAM.

Sheet 12 of Ordnance Map. Lat. 54° 52′ 56", Long. 1° 41′ 57".

Account of Strata passed through in a Bore-hole below the Brass Thill Seam, Tanfield Lea Colliery, for Messrs. James Joicey and Company, Limited. Commenced December, 1891.

Approximate surface-level 460 feet above sea (Ordnance datum).

| Soft thill | Fs. | | | | Ft. | In. | Fs. Ft. In. Fs. Ft. In Brought forward 3 2 0 10 0 0 |
|----------------------|-----|----|---|----|-----|-----|--|
| | | | U | | | | |
| Seggar-clay, with | L | | | | | | Blue metal, with post |
| iron balls or gir- | • | _ | | | | | girdles 1 0 9 |
| dles | | | | | | | Grey whin panel 0 1 0 |
| Metal | . 0 | 5 | 0 | | | | Strong grey post 5 1 3 |
| Post, with metal | | | | | | | Grey metal 0 1 6 |
| | | 5 | 0 | | | | Post 0 1 10 |
| partings Post | 1 | 1 | Õ | | | | Very strong grey |
| Metal, with iron- | | | ٠ | | | | neet strong grey |
| | | ۳. | 0 | | | | post 2 2 6 |
| stone girdles | . 2 | 9 | b | | | | Grey post, with coal |
| COAL | · U | U | 2 | | | | partings 1 2 8 |
| _ | | | | 6 | 3 | 8 | Post, with metal |
| Strong post | . 2 | 0 | 6 | | | | partings 2 4 0 |
| Grey metal | 1 | 1 | 6 | | | | Mild post, with coal |
| GOĂL | | | | | | | and metal partings 0 5 6 |
| | | | | 3 | 2 | 4 | White post, with |
| Seggar-clay | 0 | 3 | 0 | o | _ | Ŧ | motel neutings 0 5 0 |
| | 0 | | - | | | | metal partings 0 5 0 |
| | 0 | | 0 | | | | Metal, with post gir- |
| | 0 | | 0 | | | | dles 2 1 0 |
| Metal | | | | | | | Hutton Seam— |
| \mathbf{Mild} post | 1 | 0 | 6 | | | | COAL 0 4 6 |
| | | | | | | | 21 3 6 |
| | | | | _ | | | |
| Carried forward | 3 | 2 | 0 | 10 | 0 | 0 | Total 31 3 6 |
| | 9 | _ | • | 13 | 3 | ٠ | 100a1 01 0 U |
| | | | | | | | |

No. 2,997. TANFIELD LEA.

TOWNSHIP OF TANFIELD, DURHAM.

Sheet 12 of Ordnance Map. Lat. 54° 52′ 50″, Long. 1° 41′ 54″.

Account of Strata passed through in a Bore-hole below the Brass Thill Seam in the Ann Pit, Tanfield Lea Colliery, for Messrs. James Joicey and Company, Limited. Commenced July 15th, 1895.

Approximate surface-level 470 feet above sea (Ordnance datum).

No. 2,997.—TANFIELD LEA.—CONTINUED.

| Strong dark shale, | Fs. | Ft. | In. I | Fs. Ft. In. | Brought farmand | Fs. | Ft. | In. | Fs. I | 't.] | ľn. |
|---|-----|-----|-------|-------------|------------------------|-----|------|-----|-------|-------|-----|
| with ironstone gir- | | | | | Brought forward | (| 0 | U | | | |
| dles | 0 | 4 | 9 | | Hard white post | U | Z | b | | | |
| dles Hard grey post, with metal part- | U | * | -0 | | Strong dark grey metal | | _ | | | | |
| with motal post, | | | | | metai | Z | U | 0 | | | |
| in metal part- | • | | 0 | | Very hard white | | _ | | | | |
| ings | 1 | U | 9 | | post, with water | 6 | 1 | 10 | | | |
| Strong grey metal, | | | | | Very hard white | | | | | | |
| with partings and | | | | | post: lost water at | | | | | | |
| ironstone girdles | 0 | 1 | 11 | | 17 fathoms 3 feet | | 1 | 3 | | | |
| Very hard grey whin | | | | | Very hard white | | | | | | |
| girdles | 0 | 0 | 9 | | post | 0 | 2 | 6 | | | |
| Strong leafy post, | | | | | Grey post, with metal | | | | | | |
| with metal part- | | | | | partings | 0 | 5 | 6 | | | |
| ings and ironstone | | | | | Very hard grey post, | | | | | | |
| girdles | 1 | 1 | 7 | | with water and gir- | | | | | | |
| Dark grey metal, | | | | | dles | 1 | 1 | 9 | | | |
| with post and | | | | | Very hard white post | | | | | | |
| ironstone girdles | 1 | 0 | .1 | | Grey post, with metal | | ., | U | | | |
| Light grey metal, | • | | • | | | | Ω | .3 | | | |
| with post and iron- | | | | | partings | ő | - 1) | G | | | |
| stone girdles | 1 | 4 | 0 | | | U | 4 | | 31 | 0 | 9 |
| Dark grey metal | • | 1 | 11 | | | | | |) [| U | · O |
| Strong loofs nort | U | 1 | 11 | | | | | | | | |
| Strong leafy post, | | | | | | | | | | | |
| with metal part- | , | 0 | 0 | | | | | | | | |
| ings | I | U | 6 | | | | | | | | |
| Carried forward | 7 | 3 | 0 | | Total | | | - 3 | 31 | 0 | -3 |

No. 2,998.—TANFIELD LEA.

TOWNSHIP OF TANFIELD, DURHAM.

Sheet 12 of Ordnance Map. Lat. 54° 52′ 46″, Long. 1° 42′ 39″.

Account of Strata sunk through below the Main Coal Seam in the Wind Pit, Tanfield Lea Colliery, 1898 to 1900.

Approximate surface-level 518 feet above sea (Ordnance datum).

| Depth from surface | Fa. | Ft. | In. Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. Brought forward 82 3 0 |
|--------------------|-----|-----|---------|-----|-----|--|
| to bottom of Main | | | | | | Seggar-clay 0 2 9 |
| Coal Seam | | | 55 | 5 | 6 | Strong white post 5 0 0 |
| Seggar-clay | 0 | | | | | COAL 0 0 6 |
| Blue metal | 1 | | 1 | | | |
| Dark grey post | | | 7 | | | Seggar-clay 0 4 0 |
| COAL | 0 | 1 | | | | Blue metal 2 4 9 |
| *** | | | 11 | 3 | 6 | Ft. In. |
| Blue metal | | | | | | COAL 1 0 |
| | 3 | | | | | Band 0 3 |
| 00 1 | 6 | ð | 10 | | | COAL 1 2 |
| COAL 0 8 | | | | | | 0 2 5 |
| Band 0 2 | | | | | | 3 5 2 |
| COAL 1 4 | | | | | | Seggar-clay 0 3 0 |
| | 0 | 2 | 2 | | | Grey metal, with post |
| | _ | | 15 | 0 | 0 | girdles 1 2 10 |
| | | | | | | |
| Carried forward | | | 82 | 3 | 0 | Carried forward 1 5 10 91 5 5 |

No. 2,998.—TANFIELD LEA.—CONTINUED.

| Brought forward Top Busty Seam— | | | In. 10 | Fв. 91 | Ft. 5 | | Brought forward 5 2 4 103 3 9 Five-Quarter Seam— |
|---|---------------|---------------|-----------|-----------|----------|----|---|
| COAL 0 6 Band 0 8 COAL 2 11 | | | | | | | COAL 0 1 7 Seggar-elay 0 1 6 Grey post 1 5 11 |
| | 0 | 4 | 1 | 2 | 3 | 11 | Blue metal 2 1 10 Brockwell Seam— |
| Seggar-clay Dark grey metal, with iron girdles White post | 1 | 4 4 4 | 0 | | | | COAL 2 4 Band 2 0 COAL 1 10 |
| Bottom Busty Seam— Ft. In COAL 2 8 | | 4 | J | | | | $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| Band 0 2 COAL 0 5 | ! | 3 | 3 | | | | Grey metal 4 1 1 Strong grey post 2 0 0 Black stone 0 0 6 |
| Seggar-clay White post | | 1 1 | 5 | 6 | 4 | 0 | **** ** |
| Blue metal COAL | 1 | 5 0 | 6 | 2 | 2 | 5 | COAL 0 1 7 9 2 8 |
| Seggar-clay Grey metal | 1 | 0 | 0 | | 4 | Ð | Grey metal 4 0 0 White post 2 1 3 |
| Post, with whin Carried forward | $\frac{4}{5}$ | $\frac{0}{2}$ | | 103 | 3 | 9 | 6 3 4 Total <u>.130 5 1</u> |

No. 2,999.—TARSET.

TOWNSHIP OF TARSET, NORTHUMBERLAND.

Sheet 59 of Ordnance Map. Lat. 55° 12' 37", Long. 2° 21' 21".

Account of Strata exposed at Gilliehill Clints, Black Burn, North Tynedale.

Approximate surface-level 680 feet above sea (Ordnance datum).

| , | Fs. Ft. In. Fs Ft. | n. Fs. Ft. In. Fs. Ft. In. |
|--------------|--------------------|----------------------------|
| Shale | 3 1 6 | Brought forward 17 0 6 |
| Limestone | 0 5 0 | Ft. In. |
| Grey beds | \dots 1 4 0 | COAL 0 9 |
| Sandstone | \dots 4 0 0 | Band 1 6 |
| Shale | 5 4 0 | COAL 0 10 |
| Black band | 0 1 0 | 0 3 1 |
| Shale | 1 3 0 | 17 3 7 |
| | | |
| Carried forw | ard 17 0 6 | Total 17 3 7 |
| | | |

No. 3,000.—TEAM. TOWNSHIP OF LAMESLEY, DURHAM.

Sheet 6 of Ordnance Map. Lat. 54° 55' 17", Long. 1° 36' 3".

Account of Strata passed through in a Bove-hole below the Beaumont Seam in the Allerdean Shop Pit, 1850.—Continuation of No. 1,961.

Approximate surface-level 88 feet above sea (Ordnance datum).

| | | Fs. F | . In. Fs. | Ft. In. | | | 1 | Fs. F | In | Fσ | Tr+ | In |
|----------|---------|----------|-----------|---------|--------|---------|---------|-------|-----|-----|-----|-----|
| Depth fr | | | | | Brong | ht forv | vard | 7 1 | 11 | 73 | 4 | - 6 |
| to botto | om of I | Beau- | | | COAL | , | | | 4 | ••• | - | , |
| mont Se | am | | 57 | 4 6 | | • • • | • • • • | 0 1 | - | 7 | 3 | 9 |
| Strata | | 4 3 | | | Strata | | - | 1 2 | 6 | • | ð | e |
| COAL | | 0 2 | | | COAL | | • • • | | • | | | |
| | ••• | 0 2 | - 4 | 5 11 | OOAL | • • • • | • • • • | 0 0 | 6 | _ | | |
| Strata | | 4 5 | - | 9 11 | C1 1 | | - | | | 1 | 3 | 0 |
| COAL | • • • • | | 3 | | Strata | | | 1 4 | _ | | | |
| COAL | • • • | 0 1 | 10 | | COAL | | | 0 0 | 5 | | | |
| ~· · | | | 4 | 5 1 | | | _ | | | 1 | 4 | 6 |
| Strata | • • • | 5 5 | 2 | | Strata | | | 3 5 | - 3 | | | |
| COAL | | 0 1 | 10 | | COAL | | | 0 1 | 5 | | | |
| | | | 6 | 1 0 | | | _ | | | 4 | 0 | 8 |
| Strata | ••• | 7 1 | 11 | | | | | | | - | · | |
| Carri | ed forv | vard 7 1 | 11 73 | 4 6 | | т | otal. | | | 88 | 3 | 11 |
| | | | | | | - | | • • | | | | |

No. 3,001.—TEAM. TOWNSHIP OF LAMESLEY, DURHAM.

Sheet 6 of Ordnance Map. Lat. 54° 54′ 48", Long. 1° 36′ 46".

Account of Struta sunk through in a Staple below the Beaumont Seam, 1,100 yards West of the Allerdean Shop Pit.

Approximate surface-level 55 feet above sea (Ordnance datum).

| Strata | | | Fs. Ft. 8 4 | | Ft. In. | Fs. Ft. In. Fs. Ft. In. Brought forward 16 0 64 |
|----------|---------|------------|----------------|----|------------------|---|
| COAL | | | 0 2 | 0 | | Strata 2 3 3 |
| | | - | | 9 | 0 0 | Lower Busty Seam— |
| Strata | | | 6 3 | 9 | | COAL 0 2 11 |
| Upper Bu | stu Sec | <i>m</i> — | | | | 2 5 41 |
| COAL | | | 0 2 | 91 | | Strata 1 0 14 |
| | | | | | $0.6\frac{1}{4}$ | 1 0 11 |
| Carri | ed forv | vard | | 16 | 0 61 | Total 20 0 0 |

No. 3,002.—TEAM. TOWNSHIP OF LAMESLEY, DURINAM.

Sheet 6 of Ordnance Map. Lat. 54° 54′ 54½″, Long. 1° 35′ 46″.

Approximate surface-level 284 feet above sea (Ordnance datum).

| Depth from surface Fs. Ft. In. Fs. Ft. In. High Main Seam— | Ft. In. Fs. Ft. In. Fs. Ft. In. Brot. forward 3 5 12 2 6 |
|--|--|
| COAL 2 6 Band 0 11 | Strata 0 5 6 |
| Car. forward 3 5 12 2 6 | Carried forward 6 4 0 13 2 0 |

No. 3,002.—TEAM.—CONTINUED.

| Brought forward 6 Metal Coal Seam— | Ft. 1 | n. F. 0 13 | | i. In. | Brought forward Fs. Ft. In. Fs. Ft. In. Strata 8 2 31 |
|---|---------------|----------------|-----|--------|--|
| | 2 | 0 / | 7 (| 0 | Five and Six-Quarter Seams— |
| Stone Coal Seam— | 4 | 3 | | | COAL: Upper |
| COAL 0 Strata 12 | $\frac{1}{3}$ | 9 (| 3 (| 0 | Top 2 9½ Cannel 1 0 Band 0 2½ |
| Yard Coal Seam— Ft. In. | • | • | | | COAL: Low Top 1 4½ |
| $\begin{array}{ccccc} \textbf{COAL} & \dots & 2 & 0\frac{1}{2} \\ \text{Band} & \dots & 0 & 2\frac{1}{2} \\ \textbf{COAL} & \dots & 1 & 4\frac{1}{2} \end{array}$ | | | | | COAL: Five- Quarters 3 4 ——————————————————————————————————— |
| Band $0 	 1$ COAL $2 	 3\frac{1}{3}$ | | | | | Strata 7 2 5 9 5 0 |
| <u>1</u> Strata 12 | | $\frac{0}{-1}$ | 3 3 | 0 | Low Main Seam— Ft. In. COAL, good 3 9 |
| Bensham Seam— Ft. In. | - | | | | COAL, coarse 0 10 0 4 7 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | | | | | Sump 8 1 0 0 2 0 |
| Band 0 1 COAL 1 0 | 0 | 3 | | | |
| | | – 13 – | 5 | 0 | |
| Carried forward | | 53 | 3 4 | 0 | Total <u>. 72 0 0</u> |

No. 3,003.—THICKLEY.

TOWNSHIP OF EAST THICKLEY, DURHAM.

Sheet 42 of Ordnance Map. Lat. , Long.

Account of Strata passed through in the No. 1 Bore-hole, New Shildon, in Second Sunny Dale, half way along the West hedge. Commenced October 6th, 1884.

Approximate surface-level feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. In | Fs. Ft. In. Fs. Ft. In. |
|-----------------------------|------------------------------|
| Soil 0 1 0 | Brought forward 1 0 0 4 4 0 |
| Broken freestone, | Soft light grey metal 0 4 9 |
| danty <i>coal</i> , and | Strong light grey |
| clay 0 3 0 | metal 2 0 6 |
| Loamy sand, with a | Mild grey post 0 4 3 |
| little water 0 3 0 | White post, with |
| Brown stony clay 0 5 6 | metal partings 1 4 10 |
| Running sand—loamy | Dark grey metal, with |
| near bottom, with | ironstone girdles 2 2 8 |
| much water 1 3 6 | Grey and white post |
| Stony clay and sand 1 0 0 | with a little water 1 1 0 |
| 4 4 0 | |
| Yellow freestone 0 2 0 | post girdles 1 2 3 |
| Grey freestone 0 4 0 | post girdles |
| Carried forward 1 0 0 4 4 0 | Carried forward 11 2 6 4 4 0 |

No. 3,003.—THICKLEY.—Continued.

| Brought forward 11 2 6 4 4 0 Ft. In. Ft. In. COAL, soft, danty 0 2 Soft grey and | Brought forward 5 5 0 16 2 6 Very dark grey shale 0 4 0 Strong grey post 1 1 10 Grey shale and post girdles, with coal |
|--|--|
| black metal 1 4 COAL, soft, | pipes 6 5 6 |
| danty, and grey metal 0 6 0 2 0 11 4 6 | Strong dark grey post 1 3 0 Strong dark grey shale, with post |
| Dark grey metal 1 1 4 White and grey post 1 0 11 Dark grey shale, with | girdles 1 1 6 Hard grey whin 0 3 1 Strong dark grey |
| ironstone girdles: lost water at top 1 4 10 Light grey shale, with ironstone gir- | post, with shale partings 4 3 7 7 5 2 |
| dles 1 3 11 Carried forward 5 5 0 16 2 6 | Total 39 0 0 |

No. 3,004.—THICKLEY.

TOWNSHIP OF SHILDON, DURHAM.

Sheet 42 of Ordnance Map. Lat. 54° 37' 48", Long. 1° 38' 6".

Account of Strata passed through in an Upover Staple from the Bottom Busty Seam, New Shildon Colliery, 1885.

Approximate surface-level feet above sea (Ordnance datum).

| Ps. Ft. In. Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In. Brought forward 4 3 0 7 1 7 |
|--------------------------------------|---|
| Grey post, with metal partings 2 0 0 | COAL 0 1 0 |
| Top Busty Seam— | |
| COAL" 0 2 6 | Grey post 3 4 0 Whin 0 1 10 |
| 2 2 6 | |
| Blue metal stone 4 0 3 | White post, with |
| Fire-elay thill 0 2 9 | metal partings 4 0 0 |
| Ft In. | 7 5 10 |
| COAL 0 5 | |
| Band 0 5 | 19 5 5 |
| COAL 1 13 | Bored up further:— |
| Band $0 1\frac{1}{4}$ | White and grey post, |
| | with partings 8 0 6 |
| 4 5 1 | Very soft light grey |
| Grey metal stone, | metal 5 5 0 |
| with post girdles 4 3 0 | 13 5 6 |
| Carried forward 4 3 0 7 1 7 | Total <u>. 33 4 11</u> |

No. 3,005.—THIRLWALL.

TOWNSHIP OF THIRLWALL, NORTHUMBERLAND.

Sheet 82 of Ordnance Map. Lat. 54° 59′ 42″, Long. 2° 33′ 14″.

Account of Strata passed through in a Bore-hole near the Barn House, Gilsland Commenced March 30th, 1899.

Approximate surface-level 450 feet above sea (Ordnance datum).

| 1 | 17 | 174 | In. l | 12 | T34 | In I | 70- 70- I 70- 70- I |
|-----------------------|----|-----------|--------|-----|-----|------|--|
| α 1 . 1 .1 | 2 | 4 | 0 | rs. | rt. | ти. | Brought forward 1 2 0 38 2 8 |
| Brown stony clay | ĩ | 4 | 0 | | | | Very hard grey post 0 2 6 |
| TD 11. | 0 | 3 | 0 | | | | |
| | | | | | | | |
| Brown elay | 0 | 4 | 8 | _ | | _ | Dark grey shale, |
| | | | _ | 5 | 3 | 8 | with very hard |
| Freestone | 3 | 2 | 2 | | | | post girdles 0 3 0 |
| Blue shale | 0 | 3 | G | | | | Ironstone girdle 0 1 1 |
| Hard limestone | 1 | 1 | 6 | | | | Grey shale, with |
| Grey shale, with | | | | | | | ironstone balls 1 3 4 |
| ironstone | 1 | 3 | 8 | | | | Dark grey shale 1 1 6 |
| Grey post | ĭ | 0 | 2 | | | | Dark grey shale, |
| Very hard grey post, | - | · | _ | | | | with ironstone |
| with iron balls | ۸ | 1 | 5 | | | | 1 11 |
| | 0 | 1 | | | | | |
| Hard limestone | 0 | 4 | 9 | | | | Very dark grey shale 3 1 6 |
| Grey shale | 2 | | 10 | | | | Ironstone girdle 0 1 10 |
| Grey post | 0 | 4 | 0 | | | | Hard limestone 1 4 10 |
| White post | 3 | 2 | 10 | | | | Grey shale, with hard |
| Grey post | 1 | 2 | 9 | | | | panels 0 3 0 |
| Grey shale | 0 | 3 | 0 | | | | Grey shale, with |
| Grey shale, with post | | | | | | | ironstone balls 0 1 6 |
| girdles | 6 | 4 | 6 | | | | Grey shale 0 2 9 |
| | ĭ | $\hat{3}$ | 8 | | | | Greyshale, with hard |
| | 0 | 2 | 2 | | | | |
| Dark grey shale | | 1 | õ | | | | |
| Hard grey post | 0 | | | | | | |
| Iron girdle | 0 | 0 | 6 | | | | Hard limestone 2 1 1 |
| Hard grey post | 0 | 1 | 10 | | | | Dark grey metal 0 3 0 |
| Hard grey post, with | | | | | | | COAL 0 0 3 |
| ironstone panels | 0 | 0 | 11 | | | | 17 1 0 |
| Grey post | 0 | 1 | 6 | | | | Black stone 0 0 2 |
| Hard limestone | 0 | 5 | 1 | | | | Grey metal 0 1 6 |
| Grey shale | 0 | 1 | 3 | | | | Hard grey post 0 1 11 |
| Hard limestone | ŏ | ô | 6 | | | | Hard limestone 2 5 4 |
| Dark grey shale | 2 | | 10 | | | | |
| | _ | U | 10 | | | | Tr 7 7 1 1 0 0 0 0 |
| Dark grey shale, | ^ | - | 0 | | | | |
| with post girdles | | 1 | 6 | | | | Grey metal 0 3 10 |
| Hard limestone | 0 | | 11 | | | | Hard limestone 0 5 0 |
| Dark grey post | 1 | 0 | 4 | | | | Grey metal 0 0 10 |
| Grey metal | 0 | 0 | 3 | | | | Hard limestone 0 1 5 |
| COAL | 0 | 0 | 8 | | | | Grey post 0 2 4 |
| _ | | | ; | 32 | 5 | 0 | Grey metal 2 1 4 |
| Dark grey metal | 1 | 1 | 6 | | | | Hard limestone, into 6 3 2 |
| Ironstone girdle | | Ô | 6 | | | | —————————————————————————————————————— |
| - Itomotone gridie | | | | | | | 10 1 0 |
| Carried forward | 1 | 2 | 0 8 | 38 | 2 | 8 | Total 70 5 4 |
| Carried forward | 1 | 4 | V é | 'n | 4 | 0 | 100a1 10 0 4 |
| | | | | | | | |

No. 3,006.—THIRLWALL.

TOWNSHIP OF THIRLWALL, NORTHUMBERLAND.

Sheet 82 of Ordnance Map. Lat. 55° 0' 32", Long. 2° 32' 0".

Account of Strata passed through in the No. 1 Bore-hole on Thirlwall Common, 1900-1901.

Approximate surface-level 695 feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. In. Fs. Ft. In. Fs. Ft. In. Fs. Ft. In. Fs. Ft. In. Fs. Ft. In. Fs. Ft. In. Fs. Strong stony clay 3 4 8 Very hard limestone, with water 0 1 1 1 Very hard limestone, with water 0 3 2 Limestone — not so hard, with water 0 1 3 Hard limestone, with water 0 1 3 Hard limestone, with water 0 1 3 Hard limestone or guilet 0 3 10 Hard white post 0 3 6 Very hard post 0 1 2 Very hard post 0 3 4 5 Grey metal 0 3 4 5 Grey metal, with post | s. Ft. In k 1 (|
|--|--------------------|
| Strong stony clay 3 4 8 Freestone 0 1 1 Strong clay, with water 0 0 6 Freestone 0 0 6 Hard limestone with water 0 1 Broken limestone or 1 2 Broken limestone or 2 Broken limestone or 2 Broken limestone or 2 Broken limestone or 3 Broken limestone or< | 1 (|
| Strong clay, with water Limestone—not so hard, with water Limestone—not so hard, with water Strong clay, with water Limestone hard, with water I ad limestone, with water User limestone or gullet I ard limestone or gullet < | |
| Strong clay, with water Limestone—not so hard, with water Limestone—not so hard, with water Strong clay, with water with water Limestone hard, with water I and limestone, with water User limestone or gullet I ard limestone or gullet <td></td> | |
| Strong clay, with water 0 0 6 water 0 0 6 0 1 10 Freestone 0 1 10 0 0 5 GOAL 0 0 5 Broken limestone or gullet 0 1 2 Light grey metal 0 3 10 gullet 0 1 2 Hard white post 0 3 6 Very hard post 3 4 5 | |
| Freestone 0 1 10 COAL 0 0 5 Light grey metal 0 3 10 Hard limestone, with water 0 4 1 Broken limestone or gullet 0 1 2 Very hard post 3 4 5 | |
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | |
| GOAL 0 0 5 Broken limestone or gullet 0 1 2 Hard white post 0 3 6 Very hard post 3 4 5 | |
| Light grey metal 0 3 10 gullet 0 1 2 Hard white post 0 3 6 Very hard post 3 4 5 | |
| Light grey metal 0 3 10 gullet 0 1 2 Hard white post 0 3 6 Very hard post 3 4 5 Light grey metal 1 1 9 Grey metal with post | |
| Hard white post 0 3 6 Very hard post 3 4 5 Light grey metal 1 1 9 Grey metal with post | |
| Light grey metal 1 1 9 Grey metal with nost | |
| The project of the property of | |
| Hard white post 0 2 8 girdles 0 3 5 | |
| Light grey metal 0 1 3 Grey metal 0 2 3 | |
| Mild white post, with Very hard post 0 3 8 | |
| metal partings 0 5 9 Mild white post. | |
| Soft light grey with metal part- | |
| metal 0 1 1 ings 0 4 2 | |
| Hard white post 2 2 8 Blue metal 0 2 3 | |
| Grey metal, with post Freestone band 0 0 4 | |
| girdles 0 5 9 Blue metal 2 1 3 | |
| Limestone 0 3 10 Mild freestone 0 0 9 | |
| Grey metal 0 5 3 Dark blue metal 0 2 31 | |
| Hard white post 0 5 2 Very hard black | |
| Grev metal 0 0 2 metal 0 0 9 | |
| Very hard post 0 2 9 Mild freestone 0 3 0 | |
| Grey metal 0 0 7 Dark blue metal 0 1 5 | |
| Very hard post 0 0 11 Very hard post 0 2 4 | |
| Grey metal, with Light grey metal, | |
| ironstone girdles 1 3 2 with freestone gir- | |
| Limestone 0 2 8 dles 1 4 3 | |
| Blue metal 0 3 0 Very dark blue metal 0 4 2 | |
| White freestone, with COAL 0 3 4 | |
| grey metal part- | 3 1 0 1 |
| ings 13 3 6 | - 2 |
| Soft grey metal, with | |
| post girdles 3 5 10 | |
| Providence and the providence an | |
| Carried forward 31 1 4 4 1 0 Total 50 | 2 0 3 |
| | |

No. 3,007.—THORNLEY. TOWNSHIP OF WINLATON, DURHAM.

Sheet 6 of Ordnance Map. Lat. , Long.

Account of Strata passed through in a Bore-hole at Thornley, in the third place in Garesfield Ground, 1765.

Approximate surface-level feet above sea (Ordnance datum).

| Soil and stony clay 5. Ft. In. Fs. Ft. In. Sand 0 1 2 | Brought forward 3 5 8 Stony clay 0 1 0 | | | |
|---|--|---|---------|---|
| Carried forward 3 5 8 | Carried forward | _ | 0 81 | 8 |

No. 3,007.—THORNLEY.—Continued.

| | Fa | TGY. | In. | Fa | Ft | In | Ft. In. Fs. Ft. In. Fs. Ft. In. |
|----------------------|----|---|--------|----|----|----|---------------------------------|
| Brought forward | | 1.0. | . 111. | | | 8 | Brot. forward 3 1 1 0 0 20 3 11 |
| Brown and grey | | | | | • | - | Bluegrey metal 1 10 |
| stone | 0 | 1 | 8 | | | | COAL, with |
| Brown and grey | · | - | _ | | | | hard brass |
| ramble, mixed | | | | | | | lumps 0 4 |
| with strong clay | 1 | 4 | 8 | | | | COAL 3 3 |
| Black metal | | 0 | | | | | Grey metal 0 7 |
| COAL | _ | 2 | ĩ | | | | COAL, fonl 0 5 |
| | | | | 2 | 9 | 11 | Grey metal, |
| Grey metal | _ | 3 | 0 | - | 4 | 11 | mixed with |
| Brown thready post: | U | • | U | | | | |
| | 0 | ด | 0 | | | | coal 0 6 |
| set away the water | | 2 | | | | | COAL, foul 0 5 |
| Grey metal stone | | | 3 | | | | 1 4 5 |
| COAL | 0 | U | 10 | 0 | | - | 2 4 5 |
| 0 | _ | | _ | 2 | 3 | 1 | Blue metal 0 2 8 |
| | 0 | 3 | 0 | | | | Black slate or jet, |
| Brown and grey post, | | | | | | | with a mixture of |
| with seamy part- | _ | | | | | | coal 0 1 6 |
| ings | | | | | | | Blue grey metal 0 1 0 |
| COAL | 0 | 1 | 7 | | | | Black slate or jet, |
| | _ | | | 4 | 3 | 7 | with a mixture of |
| Grey metal | 1 | 3 | 0 | | | | coal 0 2 6 |
| Grey post | 0 | 4 | 6 | | | | Blue grey metal and |
| COĂL | 0 | 0 | 11 | | | | metal stone 3 5 0 |
| | | | | 2 | 2 | 5 | Whin girdle 0 0 6 |
| Grey metal stone | 3 | 2 | 9 | | | | Grey metal stone 0 4 9 |
| Strong grey and | | | | | | | Ft. In. |
| | 1 | 0 | 0 | | | | COAL 0 7 |
| | 0 | 0 | -6 | | | | Blue grey metal |
| | | | | 4 | 3 | 3 | stone 3 6 |
| Grey metal stone, | | | | | | | COAL 1 3 |
| with girdles or | | | | | | | Grey metal 0 2 |
| lumps | 1 | 0 | 0 | | | | COAL 1 10 |
| Ft. In. | - | | • | | | | 1 1 4 |
| COAL 2 6 | | | | | | | 7 1 3 |
| Hard brass lump | | | | | | | Grey metal, into 0 1 6 |
| or slate 0 1 | | | | | | | ——— 0 1 6 |
| COAL 0 6 | | | | | | | 0 1 0 |
| 0 0 | | | | | _ | | |
| Car. forward 3 1 | 1 | 0 | 0 | 20 | 3 | 11 | Total 30 5 1 |
| | • | ٠ | v | -5 | , | | 10000 |
| | | | | | | | |

No. 3,008.—THROCKLEY.

TOWNSHIP OF THROCKLEY, NORTHUMBERLAND.

Sheet 87 of Ordnance Map. Lat. , Long.

Account of Strata sunk through in the Good Luck Pit, March View, Throckley.

Approximate surface-level feet above sea (Ordnance datum).

| Strata 10 5 0 Engine Coal Seam 0 4 0 | Brought forward 6 3 6 11 3 0 Hodges Coal Seam 0 2 6 |
|---|---|
| Strata 6 3 6 11 3 0 | Strata 4 3 6 |
| Carried forward 6 3 6 11 3 0 | Carried forward 4 3 6 18 3 0 |

No. 3,008.—THROCKLEY.—CONTINUED.

| Brought forward | Fs. | Ft. | In. | Fs. 18 | Ft. | In. | Brought forward Fs. Ft. In. Fs. Ft. In. Br. Ft. In. |
|---------------------------------------|-----|-----|-----|-----------|-----|-----|---|
| Brought forward Three-Quarter Seam | 0 | 2 | 6 | | | Ī | |
| | | | — | 5 | 0 | 0 | Strata 13 5 8 Splint Coal Seam 0 3 4 |
| Strata Five-Quarter or Main | 1 | 5 | 6 | | | | 14 3 0 |
| Coal Seam | 0 | 3 | 6 | | | | |
| | _ | | | 2 | 3 | 0 | |
| Carried forward | | | | 26 | 0 | 0 | Total 40 3 0 |

No. 3,009.—THROCKLEY.

TOWNSHIP OF THROCKLEY, NORTHUMBERLAND.

Sheet 87 of Ordnance Map. Lat. 55° 0' 10", Long. 1° 46' 20".

Account of Strata passed through in a Bore-hole in the Whin Pit, Throckley Fell, October 25th, 1775.

Approximate surface-level 300 feet above sea (Ordnance datum).

| Depth from surface | | | In. l | Fs. 1 | Ft 1 | In. | Brought forward 10 5 0 33 3 0 |
|--------------------------------|-----|---|-------|-------|------|-----|------------------------------------|
| to bottom of Main Coal Seam | | | | 33 | 3 | 0 | White post, with a great feeder of |
| Soft grey metal | 0 | 1 | 6 | | | | water at top 1 5 6 |
| Strong grey metal | | | | | | | Whin 0 1 0 |
| stone, with hard | | | | | | | White post and whin |
| girdles or lumps | 7 | 3 | 6 | | | | mixture 0 1 0 |
| White and grey | | | | | | | White post 2 4 6 |
| metal | 0 | 1 | 3 | | | | Ft. In. |
| Strong grey metal | | | | | | | COAL, with |
| stone | 0 | 3 | 9 | | | | water 2 11 |
| Black metal, with | • | | | | | | COAL, splinty 0 7 |
| scares of coal | 0 | 0 | 6 | | | | 0 3 6 |
| Strong grey metal | - | - | - | | | | 16 2 6 |
| stone, with girdles | 2 | 0 | 6 | | | | Grey metal, into 0 0 10 |
| stone, with girares | _ | Ŭ | • | | | | 0 0 10 |
| | | | | | | _ | |
| Carried forward | 10 | 5 | 0 : | 33 | 3 | 0 | Total 50 0 4 |
| | - 0 | • | | | • | • | |

No. 3,010.—THROCKLEY.

TOWNSHIP OF THROCKLEY, NORTHUMBERLAND.

Sheet 87 of Ordnance Map. Lat. , Long.

Account of Strata passed through in a Bore-hole on the East part of Throckley Fell, about 180 yards West from Dewley Gate. Commenced September 6th, 1779; and stopped October 12th, 1779.

Approximate surface-level feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. In. Soil and stony clay, with whin tumblers 7 0 6 Sand, with water 0 0 8 | Brought forward 7 1 2 Mixture whin tumb- bler 0 1 2 |
|--|--|
| Carried forward 7 1 2 | Carried forward 7 2 4 |

No. 3,010.—THROCKLEY.—Continued.

| Brought forward | | | | Fs. | Ft. | In. | Brought forward | Fs. | Ft. | In. Fs. 22 | Ft. In. 1 8 |
|---------------------|------|---------------|---------------|-----|-----|-----|----------------------------------|-----|-----|---------------|----------------|
| Strong clay | | | | | | | Grey metal | 0 | 0 | 6 | |
| | | | | 7 | 3 | 6 | Grev metal stone | | | 7 | |
| Brown and grey post | 1 | 5 | 0 | • | ., | • | White post | _ | | Ö | |
| Dark grey metal | | | | | | | Whin | | ō | 7 | |
| | 0 | | $\frac{3}{3}$ | | | | White post, with water at bottom | 0 | 1 | 6 | |
| | | | | 2 | 2 | 6 | Grey metal, with | | | | |
| Grey metal | 0 | 0 | 6 | | | | girdles | 4 | 1 | 2 | |
| COAL | 0 | 0 | 5 | | | | COAL, soft, with | | | | |
| | | | | 0 | 0 | 11 | | 0 | 1 | 0 | |
| Grey metal | 0 | 3 | 6 | | | | Soft blue metal | 0 | 1 | | |
| COAL | 0 | 0 | 5 | | | | Grey post | 0 | 0 | 9 | |
| | | | | 0 | 3 | 11 | Blue grey metal | | | | |
| Soft grey metal | 0 | 1 | 6 | | | | stone | 0 | 1 | 0 | |
| Strong grey metal | | | | | | | White post, with | | | | |
| stone, with post | | | | | | | water | 0 | 2 | 3 | |
| girdles | 1 | 4 | 8 | | | | Ft. In. | | | | |
| COAL | | | | | | | COAL, with | | | | |
| | | | | 2 | 3 | 3 | water 3 1 | | | | |
| Grey metal | 0 | 1 | 3 | - | ", | ٠, | COAL, hard | | | | |
| Grey metal stone | 0 | 1 | 0 | | | | foul splinty, | | | | |
| White post: set | U | T | U | | | | with water 1 1 | | | | |
| | 9 | 1 | Ω | | | | | 0 | 1 | 9 | |
| away the water | | | 8 5 | | | | | U | -1 | 4 | |
| White post | | $\frac{5}{2}$ | 0 | | | | Grey post, with | ٥ | 2 | c | |
| Whin | 0 | 2 | U | | | | | U | 2 | O | |
| Strong white post, | - | _ | | | | | Grey metal, with hard | | | | |
| with water | 2 | 2 | 1 | | | | girdles | | | | |
| Blue grey metal | | | _ | | | | COAL | 0 | 0 | | 0.10 |
| | 1 | 4 | 9 | | | | - | | | | 2 10 |
| Ft. In. | | | | | | | Soft grey metal | 0 | 0 | 7 | |
| COAL 1 6 | | | | | | | Strong grey metal | | | | |
| Grey metal 3 4 | | | | | | | stone, into | 0 | 1 | 0 | |
| COAL 0 7 | | | | | | | - | | | 0 | 1 7 |
| | 0 | 5 | 5 | | | | | | | | |
| | | | | 8 | 5 | 7 | | | | | |
| | | | | | | | | | | | |
| Carried forward | | | | 22 | 1 | 8 | Total | | | 31 | 0 1 |
| | | | | | | | | | | | |

No. 3,011.—TINDALE FELL.

TOWNSHIP OF BRAMPTON, CUMBERLAND.

Sheet 18 of Ordnance Map. Lat. 54° 55′ 45″, Long. 2° 37′ 9″.

Account of Strata sunk through in the Howard Pumping Shaft, Tindale Fell.

Approximate surface-level feet above sea (Ordnance datum).

| Soil and cla | y | | Fs. F 3 | t. In | | Ft. | In. | Brought | fo | rward | Fs. | Ft. | In. Fs. 14 | Ft. | In. 4 |
|--------------|--------|-----|------------|-------|------|-----|-----|---------|----|-------|-----|-----|---------------|-----|----------|
| | • | _ | | | . 3 | 0 | 0 | Plate | | | 0 | 3 | 0 | | |
| Freestone | | | 1 |) (|) | | | | | | 3 | 5 | 8 | | |
| Plate | | | 6 | 0 (|) | | | Plate | | | 1 | 1 | 0 | | |
| Limestone | | | 4 | 0 (|) | | | COAL | | | 0 | 4 | 6 | | |
| COAL | | | 0 | 0 4 | Ļ | | | | | | | | 6 | 2 | 2 |
| | | - | | | - 11 | 0 | 4 | | | | | | | | |
| Carrie | d forw | ard | | | 14 | 0 | 4 | | | Total | | | 20 | 2 | 6 |

No. 3,012.—TINDALE FELL.

TOWNSHIP OF BRAMPTON, CUMBERLAND.

Sheet 18 of Ordnance Map. Lat. , Long.

Account of Strata passed through in a Bore-hole at Black Sike on Tindale Fell, situated 2\frac{1}{3} miles South and 3 miles West of Roachburn Shaft, March, 1876.

Approximate surface-level feet above sea (Ordnance datum).

| | Fs. | Ft. | In. | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
|-----------------------|-----|-----|-----|-----|-----|-----|-------------------------|
| Soil and clay | 2 | 0 | 0 | | | | Brought forward 22 5 3 |
| • | | | | 9 | Ω | 0 | |
| T1 - 1 4- | | | | - | U | U | |
| Blue plate | | U | U | | | | COAL 0 1 0 |
| Strong dun freestone, | | | | | | | 1 1 0 |
| mixed with whin | 2 | 4 | 0 | | | | Strong dun plate 0 3 0 |
| Blue plate | 1 | 0 | 0 | | | | Freestone 3 0 0 |
| Slaty freestone | | | | | | | Strong grey post 2 3 0 |
| Strong blue plate | | | | | | | COAL 0 3 3 |
| Little Limestone | | | | | | | 6 3 3 |
| COAL | 0 | 0 | 4 | | | | |
| | | _ | _ | 20 | 5 | 3 | |
| | | | | | | | |
| Carried forward | | | | 22 | 5 | 3 | Total 30 3 6 |
| | | | | | - | _ | |

No. 3,013.—TURSDALE.

TOWNSHIP OF HETT, DURHAM.

Sheet 35 of Ordnance Map. Lat. 54° 43′ 25″, Long. 1° 33′ 20″.

Account of Strata passed through in a Bove-hole below the Busty Scam, Tursdale Colliery, 18½ chains East of Hett Village.

Approximate surface-level 350 feet above sea (Ordnance datum).

| | | Fs. | Ft. | In. Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
|---------------------|---------------|-----|-----|---------|-----|-----|-------------------------------|
| Depth at shaft from | om | | | | | | Brought forward 3 3 1 100 2 9 |
| surface to botte | | | | | | | Blue metal 2 2 10 |
| of Busty Seam | | | | 91 | 2 | 9 | |
| Seggar-clay | | 0 | 1 | 3 | | | Post 0 1 8 |
| White post | | | 1 | 3 | | | Blue metal 0 0 7 |
| | ••• | | 2 | 5 | | | Strong post 1 0 5 |
| | | | 1 | 1 | | | Blue metal 0 2 0 |
| | | | | 9 | 0 | 0 | Post 0 4 2 |
| Seggar-elay | | 0 | 2 | 0 | | | Blue metal 0 0 8 |
| Blue metal | | | 0 | 7 | | | Post 0 2 6 |
| Strong girdle | | | 2 | 7 | | | Blue metal 0 3 3 |
| Blue metal | | | 2 | 6 | | | Brockwell Seam— |
| Post girdle | | | ō | 6 | | | COAL, bored into 0 3 4 |
| Blue metal | | | 0 | 6 | | | 10 1 10 |
| Post girdle | | Õ | Õ | 5 | | | |
| root grate m | | | | | | | |
| Carried forwa | \mathbf{rd} | 3 | 3 | 1 100 | 2 | 9 | Total <u>110 4 7</u> |

No. 3,014.—TWEEDMOUTH.

TOWNSHIP OF TWEEDMOUTH, NORTHUMBERLAND.

Sheet 4 of Ordnance Map. Lat. , Long.

Account of Strata passed through in a Bore-hole near Tweedmouth Works for Malting, 1903.

Approximate surface-level feet above sea (Ordnance datum).

| | Fs. | Ft. | In. | Fs. | Et. | Tn | Fs. Ft. In. Fs. Ft. In. |
|---------------------------------------|-------|------|-----|-----|------|----|--|
| Forced ground com- | 2 55. | - 0. | ~ | | - 0. | | Brought forward 14 4 0 1 5 6 |
| posed of broken | | | | | | | |
| sandstone | 1 | 5 | 6 | | | | Conglomerate 0 3 0 Marl bed 0 1 6 |
| | | | | 1 | 5 | 6 | |
| Soft red marl | 0 | 4 | 6 | | | | Blue marl 1 2 0 |
| Red marl: sandy and | | | | | | | Soft blue marl 2 1 0 |
| broken | 0 | 3 | 0 | | | | Blue marl 0 4 0 |
| Sandy marl | | | | | | | Hard sandstone 1 2 6 Red marl 0 1 6 |
| Soft sandy mud | 0 | 1 | 6 | | | | Red marl 0 1 6 |
| Red sandstone: very | | | | | | | Very hard sandstone 0 3 6 |
| hard and cuttery, | | | | | | | Blue marl, with hard |
| and badly broken | 1 | 2 | 0 | | | | ribs 1 5 6 |
| Very coarse hard | _ | _ | • | | | | Coarse and hard |
| sandstone, with | | | | | | | sandstone 6 4 0 |
| marl beds | 2 | 1 | 6 | | | | Blue marl 1 0 0 |
| Very coarse hard | | - | • | | | | Variegated marl, |
| | 2 | 4 | 0 | | | | with very hard |
| Very coarse hard | ~ | -10 | · | | | | limey ribs 2 1 0 |
| sandstone: hard | | | | | | | Marl, with very hard |
| and flinty | 1 | Λ | 0 | | | | ribs 0 2 0 |
| Very coarse hard | | v | · | | | | Coarse and hard |
| sandstone: flinty | | | | | | | sandstone 0 5 0 |
| | 1 | 0 | 0 | | | | |
| and badly broken Very coarse sand- | 49 | U | U | | | | Very coarse hard sandstone 4 2 0 |
| | 1 | 1 | c | | | | |
| stone | 1 | 4 | 6 | | | | 39 1 6 |
| Carried forward | 14 | 4 | 0 | 1 | 5 | 6 | Total 41 1 0 |

No. 3,015.—TWIZELL.

TOWNSHIP OF EDMONDSLEY, DURHAM.

Sheet 12 of Ordnance Map. Lat. 54° 51′ 56″, Long. 1° 39′ 5″.

Account of Strata sunk and bored through below the Hutton Seam in the Gate Pit, Twizell Colliery, 1896.

Approximate surface-level 470 feet above sea (Ordnance datum).

| Depth from surface to bottom of Hut- | Brought forward 15 0 6 55 3 $9\frac{1}{2}$ Strong grey metal 8 0 7 | |
|--|---|---|
| ton Seam 55 3 9 | Dark grey metal 0 3 2 | |
| Sinking:— Depth from Furnace | COAL 0 11 | |
| $\hat{S}eam$ to stone drift | Seggar-clay 1 2 | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | COAL 0 2 0 2 3 | |
| drift to underlevel | 24 0 6 | |
| drift 1 2 6 | Grey metal 0 1 0 COAL, coarse 0 0 6 | |
| Strong grey post, with whin 5 2 0 | OAL, coarse 0 0 6 | _ |
| Carried forward $\overline{15}$ 0 6 $\overline{55}$ 3 $9\frac{1}{2}$ | Carried forward 79 5 9½ | |

No. 3,015.—TWIZELL.—CONTINUED.

| Brought forward | Fs. | Ft. | In. | Fs. 79 | | In. 91 | Fs. Ft. In. Fs. Ft. In Brought forward 2 4 6 93 4 45 |
|------------------------|-----|-----|--------|-----------|---|-----------|---|
| Strong grey metal | 1 | 0 | 0 | | | - | Post 4 3 7 |
| Harvey Seam— | | | | | | | Black stone 0 0 1 |
| COAL | 0 | 1 | 6 | | | | Busty Seam- |
| | | | | 1 | 1 | 6 | COAL 1 0 01 |
| Seggar-clay | 0 | 2 | 0 | | | | |
| Strong grey metal | 0 | 5 | 0 | | | | Seggar-clay 0 0 10 |
| Strong grey post | 2 | 3 | 0 | | | | Strong post, with |
| Dark slate stone | 0 | 1 | 0 | | | | partings 6 3 2 |
| COAL | 0 | 0 | 6 | | | | Grey metal 0 1 9 |
| | | | | 3 | 5 | 6 | |
| Dark metal | 0 | 0 | 9 | | | | COAL 0 1 10 |
| Seggar-elay | 0 | 1 | 6 | | | | 7 1 7 |
| White post | 0 | 3 | 6 | | | | Grey post 1 4 8 |
| COAL | 0 | 0 | 3 | | | | Grey metal, with coal |
| | | - | | 1 | 0 | 0 | |
| Strong seggar-clay | 0 | 1 | 6 | | | | Grey post 2 0 0 |
| Grey metal | 1 | 0 | 6 | | | | Top Brockwell Seam- |
| COAL | 0 | 0 | 4 | | | | COAL 0 2 0 |
| | _ | | | 1 | 2 | 4 | 5 1 5 |
| Strong grey post | 1 | 3 | 2 | | | | Strong grey metal 1 5 10 |
| Tilley or Constantine | | | | | | | Bottom Brockwell |
| Seam— | | | | | | | Seam- |
| COAL | 0 | 1 | 6 | | | | COAL 0 2 1 |
| | | | _ | 1 | 4 | 8 | 2 1 11 |
| Seggar-clay | 0 | 3 | 9 | | | | Seggar-clay 0 1 4 |
| COAL | 0 | 0 | 2 | | | | Strong bastard post 0 4 8 |
| Grey metal | 0 | 3 | 4 | | | | 1 0 0 |
| Strong white post | 3 | 1 | 0 | | | | |
| COAL | 0 | 0 | 4 | | | | 117 5 3 |
| | | | _ | -1 | 2 | 7 | Bored further:— |
| Seggar-clay, with iron | | | | | | | Strong post, into 3 3 0 |
| balls | 1 | 0 | 0 | | | | 3 3 0 |
| Grey metal | 1 | 4 | 6 | | | | |
| Carried forward | 2 | 4 | 6 | 93 | 4 | 41 | Total121 2 3 |

No. 3,016.—TWIZELL.

TOWNSHIP OF TWIZELL, NORTHUMBERLAND.

Sheet 9 of Ordnance Map. Lat. , Long.

Account of Strata passed through in a Bore-hole in a Quarry on the Twizell Estate, belonging to Sir F. Blake, Bart.

Approximate surface-level feet above sca (Ordnance datum).

| Earth | | | In. 0 | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. Brought forward 7 3 7 0 4 0 | |
|----------------------|---|---|----------|-----|-----|-----|---|--|
| | | | | 0 | 4 | 0 | Limestone 0 2 0 | |
| Grey freestone | 2 | 2 | 6 | | | | Blue metal 0 2 0 | |
| Grey whin | | | | | | | Limestone 0 0 9 | |
| Blue metal | | | | | | | Blue metal 0 3 3 | |
| Red freestone | | | | | | | Brown metal 1 5 6 | |
| Hard white freestone | | | | | | | Freestone bands 0 2 6 | |
| Blue metal | | | | | | | Blue metal 0 2 9 | |
| Blue metal, with | Ū | | 0 | | | | White metal stone 0 5 0 | |
| freestone bands | 1 | 4 | 5 | | | | White whin 0 2 0 | |
| Carried forward | 7 | 3 | 7 | 0 | 4 | 0 | Carried forward 12 5 4 0 4 0 | |

No. 3,016.—TWIZELL.—Continued.

| Fs. Ft. In. Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|--|---|
| Brought forward 12 5 4 0 4 0 | Brought forward 26 2 4 0 4 0 |
| Blue metal 0 0 5 | Limestone 0 2 11 |
| | Blue band 0 0 6 |
| 33777700000 | White whin 0 1 4 |
| | 77 11100 111111 1111 |
| 1111100010110 111 | |
| THE METAL SCORE III | 3711 14 0 4 0 1 0 |
| and the contract of the contra | 77.11100 12.00000000 |
| 1111111 1111111111111111111111111111111 | 3317700010100 111 111 0 = - |
| Blue thill 0 2 4 | True metal stone |
| Brown metal stone 0 1 2 | Dio ii ii iii ii ii ii ii ii ii ii ii ii |
| Red freestone 0 1 6 | White freestone 0 1 10 |
| Brown metal stone 0 1 2 | Blue whin 0 0 10 |
| Blue metal stone 0 3 6 | Blue metal stone 1 1 5 |
| Grey freestone 0 2 0 | Brown metal 0 4 0 |
| Blue metal, with free- | Blue metal, with |
| stone bands 0 5 0 | hard bands 4 5 1 |
| White whin 0 1 3 | Limestone 0 1 2 |
| Blue metal, with free- | Blue metal 0 1 4 |
| stone bands 0 5 0 | Limestone 0 0 6 |
| White freestone 0 1 7 | Blue metal, with |
| White whin 0 0 9 | bands 1 2 2 * |
| White freestone 0 1 1 | Brown metal 0 3 9 |
| Whin 0 1 3 | Red freestone 0 1 10 |
| White freestone 0 1 6 | Brown metal 1 2 8 |
| Blue metal stone 0 0 9 | Limestone 0 1 3 |
| Limestone 0 0 7 | Blue metal 1 2 9 |
| White metal stone 0 2 8 | Limestone 0 0 4 |
| Hard band 0 0 5 | Ft. In. |
| Blue metal stone 0 1 1 | COAL mixture 0 4 |
| Hard band 0 0 3 | Black stone and |
| Blue metal 0 0 6 | brass 1 2 |
| 0 110 | COAL mixture 0 2 |
| 7)1 | 0 1 8 |
| 23.11.6 | 43 4 0 |
| | Blue metal 0 0 4 |
| | |
| 27110 11101111 111 | 71 |
| | 252110 122002 111 |
| White whin 0 1 7 | Trula Militaria |
| White freestone 0 2 10 | Old Old |
| Blue metal 0 0 10 | 1 3 0 |
| 0 110 100 0 1 0 1 0 | m . 1 |
| Carried forward 26 2 4 0 4 0 | Total 45 5 0 |
| | |

No. 3,017.—ULGHAM.

TOWNSHIP OF ULGHAM GRANGE, NORTHUMBERLAND.

Sheet 64 of Ordnance Map. Lat. 55° 12′ 52″, Long. 1° 37′ 36″.

Account of Strata passed through in a Bore-hole at Crowden Hill, Northumberland, 1874.

Approximate surface-level 140 feet above sea (Ordnance datum).

| Clay, miz | | with | | | Ft. | In. | Brought forward Brown post 2 2 9 | | Ft. 0 | In. 7 |
|-----------|-------|-------|--|---|-----|-----|----------------------------------|---|----------|----------|
| Gravel | | ••• | | | 0 | 7 | COAL 0 0 5 | 2 | 3 | 2 |
| Carrie | d for | rward | | 5 | 0 | 7 | Carried forward | 7 | 3 | 9 |

No. 3,017.—ULGHAM.—CONTINUED.

| The second secon | |
|--|--|
| Brought forward Fs. Ft. In. Fs Ft. In. 7 3 9 Light grey metal 3 4 7 Dark grey metal 0 1 3 COAL 0 1 1 Grey metal and metal stone 4 2 8 Grey post 4 3 9 | Brought forward 5 3 7 21 4 2 Grey post 11 5 11 COAL 0 0 4 Grey metal stone 1 1 3 Blue metal 1 1 6 Dark metal 0 4 0 |
| Grey post 4 3 9 Light blue metal 0 1 11 COAL 1 7 Grey metal 0 9 COAL 0 10 | Grey post 1 1 2 Blue metal 0 3 11 COAL, good 0 7 COAL, bad 0 11 Metal band 0 7 COAL 0 3 |
| Grey metal stone 0 5 1 White post 1 1 10 Grey metal stone 2 2 2 Blue metal 1 0 6 | Grey metal, into 7, 7, 7, 7, 7, 7, 7, 7, 7, 7, 7, 7, 7, |
| Carried forward 5 3 7 21 4 2 | Total 44 4 2 |

No. 3,018.—ULGHAM GRANGE.

TOWNSHIP OF ULGHAM GRANGE, NORTHUMBERLAND.

Sheet 55 of Ordnance Map. Lat. 55° 14′ 8½″, Long. 1° 36′ 32″.

Account of Strata passed through in the No. 2 Bore-hole in a Well opposite Ferney Beds Farm House, for the Owners of Ulyham Grange Colliery.

Approximate surface-level 120 feet above sea (Ordnance datum).

| Yellow freestone 6 2 6 Black metal 1 2 6 | In. | Brought forward 2 5 6 13 1 11 Whin 0 1 10 |
|--|-----|--|
| Blue metal 3 0 6 | | White post 0 1 1 |
| COAL 0 4 Band 0 7 | | Grey metal, with iron band 1 4 3 |
| COAL 0 6 | | COAL 1 1 Black band 0 2 |
| Band 0 4 COAL 1 2 | | COAL 0 5 |
| $ 0 2 11 \\ 11 2$ | 5 | Black band 0 3 COAL 0 7 |
| Fire-clay, with iron 0 2 9 White post 0 1 3 | | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| Blue metal, with iron | | Grey metal, with iron |
| beds 0 5 10 COAL 0 1 8 | | bands 2 3 2 COAL, good 0 2 9 |
| Fire-clay 0 2 3 | 6 | 2 5 11 |
| rock 2 3 3 | | |
| Carried forward 2 5 6 13 1 | 1 | Total 21 5 0 |

No. 3,019.—ULGHAM GRANGE.

TOWNSHIP OF ULGHAM GRANGE, NORTHUMBERLAND.

Sheet 55 of Ordnance Map. Lat. 55° 13' 52½", Long. 1° 36' 36½".

Account of Strata passed through in the No. 3 Bore-hole, situated in the West corner of the Field in which Ferney Beds Farm House stands, for the Owners of Ulgham Grange Colliery.

Approximate surface-level 130 feet above sea (Ordnance datum).

| Blue clay 0 3 0 Sand 1 0 0 Blue clay 1 1 6 Yellow freestone 5 1 6 | Brought forward 4 1 4 14 2 3 Strong white post 0 2 4 Blue metal, with iron |
|---|--|
| Black metal, with | bands 1 0 9 Iron bands 0 2 10 |
| iron 0 3 2 | Ft. In. |
| Blue metal 2 4 6 | COAL 1 1 |
| Black metal 0 0 8 | Blue metal 0 3 |
| COAL 0 4 | COAL 0 3 Blue metal band 0 3 |
| Fire-clay 1 5 | COAL 0 5 |
| COAL 0 3 | 0 2 3 |
| Blue metal 0 11 | 6 3 6 |
| COAL 0 9 | Fire-clay 2 3 11 |
| 0 3 8 $-$ 12 0 0 | COAL 0 4 |
| Blue metal 0 2 0 | Black band 0 1 |
| Fire-clay 0 1 2 | COAL 0 6 |
| Post girdle 0 0 5 | 0 0 11 |
| Blue metal 0 0 11 | 2 4 10 |
| Irou band 0 0 3 Blue metal 0 4 7 | Blue metal 0 0 8 Iron band 0 0 6 |
| Grey post girdle 0 0 6 | Iron band 0 0 6 Blue metal 0 1 6 |
| Blue metal 0 2 0 | COAL 0 0 7 |
| Black metal 0 0 10 | 0 3 3 |
| COAL 0 1 7 | Blue metal 0 4 0 |
| 2 2 3 | Blue metal, with iron |
| Fire-clay 0 1 2 | bands 1 0 7 |
| Blue metal, with post 1 0 10 Brown metal 0 1 3 | Blue metal, with post 1 2 7 White post 2 1 7 |
| 111 | 73 |
| Whin 0 3 11 | White post 0 5 3 |
| White and grey post 1 4 0 | 6 2 8 |
| Bastard whin 0 1 2 | 0 2 0 |
| G : 16 1 4 4 4 4 9 9 | TD 4.1 |
| Carried forward 4 1 414 2 3 | Total 30 4 6 |

Note: A Boring was made 450 yards North from the Old Pit, and close to the marsh edge, to a depth of 33 fathoms 3 feet, which proved seams of coal to be of same thickness as found in other holes, and unworkable.

No. 3,020.—ULGHAM GRANGE.

TOWNSHIP OF ULGHAM GRANGE, NORTHUMBERLAND.

Sheet 55 of Ordnance Map. Lat. 55° 14' 27", Long. 1° 36' 56".

Account of Strata passed through in the No. 5 Bore-hole on Ulgham Grange Farm, at the West side of the Railway Bridge, near Widdrington Station.

Approximate surface-level 159 feet above sea (Ordnance datum).

No. 3,020.—ULGHAM GRANGE.—CONTINUED.

| P- P- I- T | | 1 |
|-----------------------------|---------|------------------------------|
| Clay Fs. Ft. In. Fs. 1 | rt. In. | Brought forward 0 3 4 11 2 0 |
| - 0 | 4 6 | Brought forward 0 3 4 11 2 0 |
| Yellow freestone 0 1 9 | 4 0 | Metal, with post 0 5 8 |
| T01 | | Blue and white post, |
| | | with metal 0 5 4 |
| | | Whin 0 1 4 |
| Blue metal 2 2 7 | | White post 0 3 0 |
| Metal 0 2 10 | | Metal, with post 2 2 6 |
| Ft. In. | | Ft. In. |
| Black band, | | COAL 1 1 |
| with coal 1 6 | - 1 | Black band 0 3 |
| COAL 0 4 | 1 | COAL 0 4 |
| Blue metal | - 1 | Black and clay |
| band 0 1 | | band 0 5 |
| COAL 1 1 | | |
| - 0 3 0 | | |
| | 3 9 | 0 2 6 |
| | 0 0 | 5 5 8 |
| | | Fire-clay 0 1 0 |
| Post, with metal 0 3 2 | - | Post, with metal 0 1 8 |
| Blue metal, with iron 0 5 7 | | Whin 0 0 4 |
| COAL 0 1 7 | - 1 | Metal, with post 0 4 0 |
| 1 | 5 9 | Blue metal 0 5 0 |
| Black metal 0 0 10 | | COAL 0 2 0 |
| Fire-clay 0 2 6 | | 2 2 0 |
| | | 2 2 0 |
| Carried forward 0 3 4 11 | 2 0 | Total 19 3 8 |
| | - " | 10td1 19 3 8 |
| | | |

No. 3,021.—ULGHAM GRANGE.

TOWNSHIP OF ULGHAM GRANGE, NORTHUMBERLAND.

Sheet 55 of Ordnauce Map. Lat. 55° 14' 6", Long. 1° 36' 23".

Account of Strata passed through in a Bore-hole at the East side of the Field in which Ferney Beds Farm House stands, for the Owners of Ulyham Grange Colliery.

Approximate surface-level 150 feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. | In. | | In. |
|-----------------------------|-----|--|-----|
| Clay 1 1 0 | | Brought forward 15 1 | 5 |
| Sand 0 5 0 | | Fire-clay 0 2 9 | |
| Clay 0 3 0 | | Blue metal 0 3 1 White post 0 2 6 Blue metal 0 2 9 | |
| 2 3 | 0 | White post 0 2 6 | |
| | U | Dlue metal 0 0 0 | |
| White and yellow | | Bille metal 0 2 9 | |
| post 7 0 9 | | COAL 0 1 9 | |
| Blue metal, with post 1 0 8 | | 2 0 | 10 |
| Black metal, with | | Blue metal 0 3 10 | |
| iron 1 0 4 | | Blue post 0 3 0 | |
| Blue metal 2 5 5 | | Whin 0 0 7 | |
| Ft. In. | | White post 0 1 10 | |
| COAL 0 4 | | Blue post, with metal 0 3 10 | |
| Black band 0 7 | | Whin 0 0 4 | |
| COAL 0 5 | | Blue metal 1 0 5 | |
| Black band 0 7 | | Blue post 0 5 8 | |
| COAL 1 4 | | Bastard whin 0 1 6 | |
| 0 3 3 | | Blue post, with | |
| 12 4 | 5 | water 0 3 2 | |
| | | | _ |
| Carried forward 15 1 | 5 | Carried forward 5 0 2 17 2 | 3 |

No. 3,021.—ULGHAM GRANGE.—CONTINUED.

| Brought forward | | | In. Fs. 2 17 | | | Fs. Ft. In. Fs. Ft. In. Brought forward 0 0 8 24 2 10 |
|-------------------|---|----------|-----------------|---|----|---|
| Post | 0 | 1 | 2 | | | Strong white post 2 1 7 |
| Black metal, with | | | | | | Whin 0 2 0 |
| iron beds | 1 | 2 | 0 | | | White post 0 1 10 |
| Ft. In. | | | | | | Dark blue metal 0 0 6 |
| COAL 1 2 | | | | | | Black metal 0 1 3 Grey metal 0 2 9 |
| Black band 0 3 | | | | | | Grey metal 0 2 9 |
| COAL 0 5 | | | | | | COAL0 0 7 |
| Black band 0 4 | | | | | | 3 5 2 |
| COAL 1 1 | | | | | | Grey metal 0 2 5 |
| | 0 | 3 | 3 | | | Blue post, with metal 0 5 4 |
| | _ | | — 7 | 0 | 7 | Blue and white post 2 1 0 |
| Blue metal | 0 | 0 | 8 | | | 3 2 9 |
| Carried forward | 0 | 0 | 8 24 | 2 | 10 | Total 31 4 9 |

No. 3,022.—ULGHAM GRANGE.

TOWNSHIP OF ULGHAM GRANGE, NORTHUMBERLAND.

Sheet 55 of Ordnance Map. Lat. 55° 14′ 19″, Long. 1° 36′ 40″.

Account of Strata passed through in a Bore-hole, 350 yards North from Wood's House and 50 yards East of Main line, Ferney Beds Farm, for the Owners of Ulgham Grange Colliery.

Approximate surface-level 150 feet above sea (Ordnance datum).

| Sandy soil Soft brown clay Wash sand and much water Blue clay and small pebbles Clay, with tumblers Blue whin Blue clay Whin tumbler Strong blue clay and | 0 0 0 0 0 0 | 3 | - | Fs. | Ft. | In | Brought forward 6 2 7 3 4 7 Iron girdle 0 0 2 Light blue metal 0 3 4 Iron girdle 0 0 2 Light blue metal 0 11 Iron girdle 0 0 1 Iron girdle 0 0 1 Light blue metal 0 2 3 Iron girdle 0 0 1 Light blue metal 0 2 3 Iron girdle 0 0 1 Light blue metal 0 4 0 Fire-clay 0 1 4 COAL 0 0 7 |
|---|------------------|---|-----------------------|-----|-----|----|---|
| pebbles Grey post Grey post, with metal Grey metal Mild white post White and yellow | 0 1 0 0 | 0 0 5 1 | 0 4 0 0 0 | 3 | 4 | 7 | Fire-clay 0 0 9 Iron girdle 0 0 2 Fire-clay 0 0 8 Iron girdle 0 0 2 Fire-clay 0 0 2 Fire-clay 0 0 2 Fire-clay 0 0 2 COAL 0 1 10 COAL 0 0 9 |
| post White post Blue post, with metal White post Grey post Blue metal Blue metal, with iron balls Fire-clay Iron girdle Light blue, metal | 0 0 1 | 4 1 0 3 0 0 0 0 2 0 0 | 6 3 0 9 5 | | | | Fire-clay 0 1 5 Blue post 0 1 3 Blue metal 0 0 3 Blue metal 0 2 0 Strong white post 0 5 1 Blue metal 0 0 9 Iron girdle 0 0 9 Iron girdle 0 0 8 |
| Carried forward | 6 | 2 | 7 | 3 | 4 | 7 | Carried forward 2 1 5 13 0 5 |

No. 3,022.—ULGHAM GRANGE,—CONTINUED.

| COAL | ot. forward 1 c band 0 L 0 r metal clay metal, with p | 4 | 2 | | 5 3 | 7 |
|--|---|--------|----------------|---------------|-----|-----|
| COAL 1 3 Black stone, mixed with coal 0 0 5 Black Fire-Grey Stron Grey Stron Grey Stron Grey Grey Grey Stron Grey Grey Grey Blue Blue Grey Grey Grey Blue Blue Blue Blue Blue Blue Blue Blue Stron Grey Grey Blue Blue Blue Blue Blue Blue Blue Blue COA Blue Blue Blue Blue COA Blue Blue Blue COA COA Blue Blue COA COA COA COA Blue COA C | r metal | 6 0 | 2 | | | |
| Black stone, mixed with coal 0 6 | r metal cłay | 0 | 2 | | | |
| mixed with coal 0 6 Fire-clay 0 0 5 Blue metal 0 0 9 Iron band 0 0 9 Blue metal 0 0 9 Blue metal 0 2 7 Post, with metal 0 2 7 Post, with metal 0 2 1 Whin 0 1 4 Blue post 0 2 4 Whin 0 2 4 Dark with iron bands 0 3 10 Iron bands 0 4 1 Fire-glay metal 0 4 1 Fire-glay metal 0 4 1 Blue post 0 3 10 | cłay | | 4 | | | |
| Tire-clay | cłay | 0 | | 6 — 5 | 5 2 | 10 |
| Fire-clay 0 0 5 5 Blue metal 0 0 9 9 Iron band 0 0 1 10 Fire-clay 0 2 7 Blue metal 0 1 10 Fire-clay 0 2 7 Post, with metal 0 5 8 Strong white post 0 2 11 Whin 0 1 4 Blue post 0 2 4 Whin 0 1 10 Grey post 0 2 4 Grey metal, with iron bands 0 3 10 Iron bands 0 0 3 Grey metal 0 4 1 Fire Blue Ft. In. COAL 1 3 Black band 0 3 Blue Strong Strong Grey | cłay wotal with p | | 0 | 3 | | |
| Fire-clay 0 0 5 5 Blue metal 0 0 0 9 Iron band 0 0 1 10 Fire-clay 0 2 17 Blue metal 0 2 17 Fire-clay 0 2 7 Post, with metal 0 5 8 Strong white post 0 2 11 Whin 0 1 4 Blue post 0 2 4 Whin 0 1 10 Grey post 0 2 4 Grey metal, with iron bands 0 3 10 Iron bands 0 3 10 Iron bands 0 0 3 Grey metal 0 4 1 Ft. In. COAL 1 3 Black band 0 3 Black band 0 3 | matal with n | 0 | $\cdot 0$ | 5 | | |
| Fire-clay 0 0 5 Strong Blue metal 0 0 9 Grey Grey Blue metal 0 0 2 Grey Blue metal 0 1 10 Blue Strong Blue Strong white post 0 2 7 Strong Blue Strong white post 0 2 11 COA Blue post 0 1 4 Dark Whin 0 1 10 Grey post 0 2 4 Dark Manda 0 3 10 Incompany Grey metal, with iron bands 0 0 3 3 Grey metal Fire Blue Good Fire Blue Good Blue Blue Blue Blue Blue Blue Blue Blue | metal, with p | ost 0 | 5 | 8 | | |
| Blue metal | g white post | | 1 | 2 | | |
| Iron band | post, with me | | 4 | $\frac{2}{7}$ | | |
| Blue metal 0 1 10 Blue Stroi Ft. In. COAL 0 1 10 Stroi Stroi Blue Stroi Blue Stroig Blue | post | 0 | 0 | 7 | | |
| Post, with metal 0 5 8 Strong white post 0 2 11 Whin 0 1 4 Blue post 0 2 4 Whin 0 1 10 Grey post 0 2 4 Grey metal, with iron bands 0 3 10 Iron bands 0 0 3 Grey metal 0 4 1 Ft. In. COAL 1 3 Black band 0 3 Blue Blue COAL 1 3 Black band 0 3 | metal | 0 | 1 | 1 | | |
| Post, with metal 0 | g white post | · 0 | 1 | 6 | | |
| Strong white post 0 2 11 Whin 0 1 4 Blue post 0 2 4 Whin 0 1 10 Grey post 0 2 4 Grey metal, with iron bands 0 3 10 Iron bands 0 0 0 3 Grey metal 0 4 1 Ft. In. Fire Blue COAL 1 3 Black band 0 3 | metal | 0 | 4 | 6 | | |
| Whin 0 1 4 COA Blue post 0 2 4 Dark Whin 0 1 10 mc Grey post 0 2 4 iro Grey metal, with iron 0 3 10 Iron bands 0 0 3 Grey metal 0 4 1 Fire Blue Black 1 3 Black band 0 3 | Ft | . In. | | | | |
| Whin 0 1 10 Grey post 0 2 4 Grey metal, with iron bands 0 3 10 Iron bands 0 0 3 Grey metal 0 4 1 Ft. In. COAL 1 3 Black band 0 3 Stro | ۱ o | 3 | | | | |
| Whin 0 1 10 Grey post 0 2 4 Grey metal, with iron bands 0 3 10 Iron bands 0 0 3 Grey metal 0 4 1 1 Ft. In. Ft. In. Blue 1 2 1 1 2 1 2 1 2 1 2 1 2 1 3 1 1 3 1 1 3 1 1 3 1 1 3 1 1 3 1 3 1 1 3 1 3 1 3 1 3 1 | grey | | | | | |
| Grey metal, with iron bands 0 3 10 Iron bands 0 0 3 Grey metal 0 4 1 Fire Blue COAL 1 3 Black band 0 3 Fire Blue Blue Blue Blue Blue Blue Blue Blu | tal, with | | | | | |
| Grey metal, with iron bands 0 3 10 Iron bands 0 0 3 Grey metal 0 4 1 Fire Blue GOAL 1 3 Black band 0 3 | n bands 1 | . 8 | | | | |
| bands 0 3 10 Iron bands 0 0 3 Grey metal 0 4 1 Fire Ft. In. Blue Iron 1 3 Iron Stro Stro Stro | L 0 | 7 | | | | |
| Grey metal 0 4 1 Fire Blue Ft. In. Ft. In. Fto Blue Ft. In. Ftrong Ft. In. Ftrong Ft. In. Ftrong Ftro | _ | 0 | 2 | 6 | | |
| Grey metal 0 4 1 Fire Blue Ft. In. Ft. In. Fto Blue Iron Stro | | | | ; | 3 4 | . 3 |
| COAL 1 3 Black band 0 3 | -1 | 0 | 1 | 8 | | |
| Black band 0 3 | elay | 0 | 3 | 8 | | |
| | elay metal | 0 | | 4 | | |
| COAL, with Whi | | | 5 | 0 | | |
| | metal | 0 | | 5 | | |
| middling 0 2 | metal band | 1 | 0 | | 2 5 | 1 |
| | metal band ng blue post | | _ 0 | | | |
| Car. forward 1 8 5 0 4 15 3 7 | metal band ng blue post | | | | | |

No. 3,023,—ULGHAM GRANGE.

TOWNSHIP OF ULGHAM GRANGE, NORTHUMBERLAND.

Sheet 55 of Ordnance Map. Lat.

, Long.

Account of Strata passed through in the No. 2 Bore-hole, Stobswood Colliery, Ulgham Grange Royalty, February, 1895.

Approximate surface-level 160 feet above sea (Ordnance datum).

| | Fs. | Ft. | In. | Fs. | Ft. | In. | | Fs. | Ft. | In. I | 8. | Ft. | In. |
|------------------------------|-----|-----|-----|-----|-----|-----|-----------------------------|-----|--------|-------|----|-----|-----|
| Soil | | | | | | | Brought forward | 1 | 4 | 6 | 9 | 5 | 5 |
| Yellow sandy elay | 1 | 4 | 0 | | | | Grey post, with | | | | | | |
| Hard stony clay | 2 | 4 | 6 | | | | water | | 2 | U | | | |
| | _ | | | 4 | 3 | 6 | | | - | ^ | | | |
| Grev shale | 0 | -3 | 0 | | | | girdles, and water | | Э | U | | | |
| Grey shale COAL and black | | | | | | | Grey post, with | | | | | | |
| stone, with water | | | | | | | water | 1 | 0 | 0 | | | |
| stone, with water | | | | Λ | 4 | 0 | Grev shale | 0 | 5 | 0 | | | |
| Commahala with past | | | | 0 | • | | Grey shale COAL, with water | 0 | 2 | 0 | | | |
| Grey shale, with post | | 0 | c | | | | 30,12, | _ | | | 6 | 0 | 6 |
| girdles | 4 | 2 | О | | | | Grey shale | 1 | | | | | |
| COAL and black | | | | | | | Grey shale | | | · | | | |
| stone, with water | 0 | - 1 | 5 | | | | Hard white post, | | | | | | |
| • | _ | | | -4 | - 3 | 11 | with water | 4 | 3 | U | | | |
| Grey shale | 1 | 4 | 6 | | | | | | | | | | |
| Carried forward | 1 | 4 | G | 9 | 5 | 5 | Carried forward | 5 | 4 | 0 | 15 | 5 | 11 |

No. 3,023.—ULGHAM GRANGE.—CONTINUED.

| Brought forward | | | | | | In. 11 | Brought forward Fs. Ft. In. Fs. Ft. In. 52 1 4 |
|-----------------------|---|---------------|---------------|-----|--------|-----------|--|
| COAL and Ft. In. | | | | | | | Grey shale, with post girdles, and water 1 4 9 |
| black stone 2 0 | | | | | | | Dark grey shale 0 5 9 |
| Hard white | | | | | | | COAL 0 1 0 |
| post, with | | | | | | | 2 5 6 |
| water 4 0 | | | | | | | Dark grey shale 0 4 6 |
| COAL and | | | | | | | Ironstone 0 0 9 |
| black stone 4 6 | | | | | | | Dark grey shale 1 0 6 |
| | 1 | 4 | 6 | | | | COAL 0 0 3 |
| | | | - | 7 | 2 | 6 | 2 0 0 |
| Grey shale | 1 | 2 | 0 | | | | Hard white post 1 1 0 |
| COAL and black | | | | | | | Very hard white |
| stone | 0 | 3 | 6 | | | | post, with water 2 5 4 |
| | | | _ | 1 | 5 | 6 | White post, with |
| Grey shale, with post | | | | | | | metal partings 4 1 5 |
| girdles | 5 | 1 | 0 | | | | Dark grey shale 0 0 9 |
| COAL and black | | | | | | | Ft. In. |
| stone | 0 | 1 | 0 | | | | COAL 0 9 |
| | | | | 5 | 2 | 0 | Grey shale 2 2 |
| Grey shale, with post | _ | | | | | | COAL 1 1 |
| girdles | _ | 0 | | | | | Grey shale 1 9 |
| Black stone | | 1 | 0 | | | | Black stone |
| Hard grey post | | 0 | 0 | | | | and coat 0 8 |
| Hard white post | | $\frac{3}{2}$ | 0 | | | | Black stone 0 3 |
| Black stone and coal | 0 | 2 | 0 | | | | COAL, coarse 0 8 |
| Grey shale, with post | | _ | | | | | 1 1 4 |
| girdles | 4 | 5 | 6 | | | | 9 3 10 |
| White post, with | 0 | - | 9 | | | | Grey shale 0 1 2 |
| water | 3 | 5 0 | $\frac{3}{2}$ | | | | Grey post, with metal |
| COAL | 0 | U | | 17 | 4 | 11 | partings 1 1 0 |
| Darle apor abala | 1 | 2 | 0 | 17 | 4 | 11 | Grey shale 0 2 6 Hard white post 0 4 4 |
| Dark grey shale | 1 | 4 | U | | | | |
| Grey post, with | 1 | 5 | 0 | | | | |
| | _ | 2 | 0 | | | | |
| Dark grey shale COAL | n | 1 | 6 | | | | Grey shale, into 0 2 5 |
| | | | | 3 | 4 | 6 | 3 0 6 |
| | | | | | 4 | | |
| Carried forward | | | | 52 | 1 | 4 | Total 69 5 2 |
| Carried for while | | | | -52 | - | - | 10001 |

No. 3,024.—UNTHANK.

TOWNSHIP OF PLAINMELLER, NORTHUMBERLAND.

Sheet 92 of Ordnance Map. Lat. , Long.

Account of Strata passed through in the No. 1 Bore-hole, Unthank, for Mr. R. Pearson, August 26th, 1820.

Approximate surface-level feet above sea (Orduance datum).

| Fs. Ft. In. Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|-------------------------|-----------------------------|
| Soil 0 1 0 | Brought forward 3 4 6 |
| Red clay 0 3 0 | Blue stony clay 3 5 6 |
| Blue stony clay 2 5 0 | 7 4 0 |
| Sand and gravel, | Dark metal 0 4 6 |
| with water 0 1 6 | Grey metal 0 0 6 |
| | |
| Carried forward 3 4 6 | Carried forward 0 5 0 7 4 0 |

No. 3,024.—UNTHANK.—Continued.

| COAL 0 2 3 . | Brought forward 0 2 5 8 5 3 Black metal 2 0 0 |
|---|--|
| Dark grey metal and coal Slaty black stone and coal | Black metal and coal 0 4 10 White post, with |
| Dark grey metal 0 1 2 Grey metal, with hard girdles 0 0 3 | partings 0 1 6 1 0 4 |
| Carried forward 0 2 5 8 5 3 | Total 12 2 6 |

No. 3,025.—UNTHANK.

TOWNSHIP OF PLAINMELLER, NORTHUMBERLAND.

Sheet 92 of Ordnance Map. Lat.

, Long.

Account of Strata passed through in the No. 2 Bore-hole, Unthank, near Haltwhistle, 140 yards South from No. 1 Bore-hole, September, 1820.

Approximate surface-level

feet above sea (Ordnanee datum).

| | Fs. | Ft. | In. | Fs. | Ft. | In. | | Fs. | Ft. | In. I | ľs. | Ft. | In. |
|---|-----|-----|-----|--------|-----|-----|--|-------------|-----|-------------|-----|-----|-----|
| Soil | 0 | 1 | 0 | | | | Brought forward | | | | 21 | | G |
| Red clay Blue stony clay Brown stony clay | 0 | 2 | 0 | | | | Dark grey metal and | | | | | | |
| Blue stony clay | 2 | 0 | D | | | | coal | | | | | | |
| Brown stony clay | 3 | 5 | 0 | | | | Grey metal | 0 | 2 | 0 | | | |
| Blue stony clay | 2 | 4 | 6 | | | | Strong white post, | | | | | | |
| | | | _ | 9 | 0 | 6 | with whin girdles | 2 | 0 | 0 | | | |
| White post, with | | | | | | | Whin | 0 | 3 | 0 | | | |
| partings | 0 | 5 | 0 | | | | White post | 0 | 2 | 0 | | | |
| partings Grey metal | Ō | 1 | 6 | | | | Dark stone, scared | | | | | | |
| COAL | | õ | 8 | | | | with coal | 0 | 3 | 0 | | | |
| | | | | 1 | 1 | 2 | Grey post | | | | | | |
| Grey metal stone | 0 | 2 | 0 | - | - | _ | Strong white post, | | | | | | |
| Strong white post, | ŭ | - | · | | | | with whin girdles | 1 | 3 | 0 | | | |
| with partings | 6 | 2 | Λ | | | | with whin girdles Strong white post | î | 5 | ŏ | | | |
| Grey metal stone, | • | - | ٠ | | | | Strong white post, | _ | • | • | | | |
| with post girdles | 1 | 5 | n | | | | with whin girdles | 0 | 4 | 0 | | | |
| Black stone, with | • | J | U | | | | Grey metal stone | $\tilde{2}$ | 2 | Õ | | | |
| hard girdles | 1 | 3 | Λ | | | | Dark grey metal, | _ | _ | • | | | |
| Grey metal, with | 1 | U | U | | | | with hard girdles | O | 2 | Λ | | | |
| hard girdles | Λ | 1. | Λ | | | | Dark grey metal, | v | - | ٠ | | | |
| Dark metal, with | v | Ŧ | v | | | | scared with coal | O | 1 | 0 | | | |
| hard girdles | Λ | 4 | Λ | | | | Strong grey post | | | ŏ | | | |
| | | 1 | | | | | Whin, into | ñ | õ | | | | |
| COAL | U | • | | 11 | 2 | 10 | 77 IIII, 1110 | | | | 3 | 1 | 0 |
| - | | | _ | 11 | o | 10 | | | | | | _ | _ |
| Carried forward | | | | ${21}$ | 5 | 6 | Total . | | | 3 | 5 | 0 | 6 |
| Carried forward | | | | 1 ت | Ü | U | 10001 | • • • | | ·· <u>·</u> | _ | | |

No. 3,026.—URPETH. TOWNSHIP OF URPETH, DURHAM.

Sheet 12 of Ordnance Map. Lat. 54° 52′ 54″, Long. 1° 36′ 12″.

Account of Strata sunk through below the Hutton Seam in the B Pit, Urpeth Colliery, 1865.—Continuation of No. 2,084.

Approximate surface-level 273 feet above sea (Ordnance datum).

| Depth fron | ı surfacı | | | In. Fs. 72 | | | |
|-------------|-----------|------|----|---------------|---|--------------------------|-------------------------|
| COAL, bo | | | | | • | 10.2 | Strong post and grey |
| thill | | . 1 | 0 | 0 | | | metal 8 5 3 |
| Post | | . 1 | | | | | COAL, very coarse 0 2 5 |
| Grey metal | | . 11 | | | | | 9 1 8 |
| COAL | | . 0 | | | | | Grey metal 0 5 0 |
| | | | | 13 | 4 | 2 | COAL 0 0 6 |
| Grey metal | | . 4 | 2 | 0 | | | 0 5 6 |
| Blue metal, | | | | | | | Grey post, with part- |
| girdles | | . 4 | 2 | 0 | | | ings 2 5 1 |
| CÒAL | | . 0 | 0 | 8 | | | Strong brown post 4 0 0 |
| | | | | 8 | 4 | 8 | Bustybank Seam— |
| Thill | | . 0 | -3 | 2 | | | Ft. In. |
| Grey metal, | | | | | | | COAL, top 2 7 |
| girdles | | . 2 | | | | | Band 0 4 |
| COAL | | . 0 | 1 | | | | COAL 0 3 |
| | | | | — 3 | 3 | 2 | Soft clay band 0 1 |
| Thill | | | 5 | | | | COAL, bot- |
| Grey post | | | 1 | | | | tom 2 0 |
| COAL | | . 0 | 0 | 6 | | | 0 5 3 |
| | | - | | 1 | 0 | 6 | 7 4 4 |
| Carried | forward | l | | 100 | 0 | $\frac{1}{4\frac{1}{2}}$ | Total |

No. 3,027.—URPETH. TOWNSHIP OF URPETH, DURHAM.

Sheet 12 of Ordnance Map. Lat. 54° 52′ 54″, Long. 1° 36′ 12″.

Account of Strata sunk through in a Staple below the Bustybank Seam, B Pit, Urpeth Colliery.—Continuation of Nos. 2,084 and 3,026.

Approximate surface-level 273 feet above sea (Ordnance datum).

| | Fs. | Ft. | In. Fs. | Ft. In. | Fs. Ft. In. Fs. F | |
|---------------------------|-----|-----|---------|--------------------|-----------------------------|-----------------|
| Depth from surface | | | | | Brought forward 9 4 0 117 5 | $10\frac{1}{2}$ |
| to bottom of Busty- | | | | | COAL 0 0 3 | |
| bank Seam | | | 117 | $5\ 10\frac{1}{2}$ | 9 | 4 3 |
| Seggar-clay | 0 | 3 | 0 | _ | Grey and blue metal 0 5 0 | |
| Seggar-clay Grey metal | 0 | 3 | 0 | | COAL 0 1 4 | |
| Very strong white | | | | | 1 | 0 4 |
| post, with occasion- | | | | | Seggar-clay and metal 1 1 5 | |
| al blue metal post- | | | | | Hard whinney girdle 0 1 4 | |
| ings, and irregular | | | | | Blue metal 0 2 0 | |
| coal pipes | 8 | 4 | 0 | | | |
| | | | | | | |
| Carried forward | 9 | 4 | 0 117 | $5\ 10\frac{1}{2}$ | Carried forward 1 4 9 128 | 4 51 |

No. 3,027.—URPETH. CONTINUED.

| Brought forward | Fs. 1 | Ft. | In. 9 | Fs. 128 | Ft. | In. 51 | Fs Ft, In. Fs. Ft. In Brought forward 1 4 6 131 1 10: |
|----------------------|----------|-----|----------|------------|-----|----------------|--|
| COAL, with small | | | | | | - 3 | Blue metal 0 0 6 |
| bands | | 0 | 8 | | | | Ft. In. |
| | | | | 1 | 5 | 5 | COAL 0 6 |
| Seggar-clay and grey | | | | | | | Dark band 0 3 |
| metal | 0 | 3 | 8 | | | | COAL 1 2 |
| COAL, with small | | | | | | | Seggar - clay |
| band | 0 | 0 | 4 | | | | band 1 8 |
| | | | _ | 0 | 4 | 0 | |
| Seggar-clay and grey | | | | | | | 0 4 7 |
| metal | 0 | 5 | 6 | | | | 2 3 7 |
| Strong grey post | | | | | | | 2 0 . |
| | | | _ | | _ | _ | |
| Carried forward | 1 | 4 | 6 | 131 | 1 1 | $0\frac{1}{2}$ | Total133 5 5½ |

No. 3,028.—USHAW MOOR.

TOWNSHIP OF ESH, DURHAM.

Sheet 26 of Ordnance Map. Lat. 54° 46′ 45″, Long. 1° 39′ 30″.

Account of Strata sunk through at Ushaw Moor Colliery, Approximate surface-level 370 feet above sea (Ordnance datum).

| Blue clay | • • • | Fs. 19 | | | | | | Brought forward 6 5 4 37 4 0 |
|--|--------|-----------|--------|-----|----|-----|----|-------------------------------|
| Brown post Blue metal Harvey Seam— | | 5 | 4 0 | 0 |) | 0 | 0 | COAL 1 10 Band 0 6 |
| COAL | • • • | 0 | 2 | - 3 | 7 | 0 | 5 | 0 5 6 |
| Seggar-clay | | 0 | 4 | 0 | | | | 7 4 10 |
| Grey post and | whin | 0 | 2 | -6 | , | | | COAL, with dirt |
| Blue metal | | -3 | 0 | 0 | | | | partings 0 0 6 |
| COAL | | 0 | 0 | 2 | | | | Seggar-clay 0 5 10 |
| | | | | | -4 | 1 | 2 | COAL 0 0 4 |
| Grey post and | metal | 0 | 5 | 0 |) | | | 1 0 8 |
| COAL | | 0 | 0 | 4 | | | | Seggar-clay, with iron |
| | *** | | | _ | 0 | 5 | 4 | girdles 0 5 8 |
| Grey post | | 1 | 2 | 0 | _ | | * | Post 0 1 8 |
| Yard Seam- | | 7 | - | U | | | | Bastard whin 0 3 0 |
| | | 0 | | :3 | | | | Blue metal, with iron |
| COAL | *** | 0 | 2 | ٠) | | | 3 | |
| | | | | _ | ı | -1 | ı) | |
| Seggar-elay | | 0 | 2 | 0 | | | | |
| Grey metal | | I | 1 | 0 | | | | |
| COAL | | 0 | 0 | 6 | | | | Seggar-clay 0 2 8 |
| | | | | | 1 | 3 | 6 | Grey post 0 1 1 |
| Grey metal, with | h post | | | | | | | Bastard seggar-clay 0 4 4 |
| girdles | | 3 | 0 | 2 | | | | Grey whin 0 1 2 |
| COAL | | 0 | 1 | 2 | | | | White post 0 1 0 |
| | | | | _ | 3 | 1 | 4 | Leafy post 0 2 0 |
| Grey metal | | 1 | 5 | 2 | - | - | | Blue metal 0 2 0 |
| **** | ••• | ō | 3 | 7 | | | | White post 0 0 3 |
| | | 1. | 2 | 7 | | | | Blue metal 0 2 4 |
| Grey post | | .44 | - | • | | | | |
| Cominal Co. | | c | - | 4 | 37 | 4 | 0 | Carried forward 2 4 10 51 3 4 |
| Carried for | ward | 6 | 5 | 4 | 01 | 120 | U | |
| | | | | | | | | 32 |

No. 3,028.—USHAW MOOR.—CONTINUED.

| | Fs. | Ft. In. Fs. | Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|-----------------|--------|-------------|---------|-----------------------------|
| Brought forward | 2 | 4 10 51 | 3 4 | Brought forward 7 3 951 3 4 |
| White post | 0 | 0 6 | | White post 0 4 0 |
| Blue metal | 0 | 1 8 | | Blue metal 0 0 2 |
| Seggar-clay | 0 | 14 | | White post |
| White post | 1 | 1 0 | | Blue metal 0 1 7 |
| Whin | 0 | 0 10 | | Brockwell Seam— |
| | 0 | 1 2 | | Ft. In. |
| | | 2 2 | | COAL 0 9 |
| | | 2 8 | | Band 0 1 |
| Leafy post | 0 | 0 8 | | COAL 2 2 |
| White post | 0 | 2 4 | | 0 3 0 |
| Blue metal | 1 | 0 6 | | 9 3 6 |
| Grey metal | 0 | 1 7 | | Seggar-clay 0 3 0 |
| Leafy post | 0 | 0 6 | | 0 3 0 |
| | | | | |
| Carried forward | 7 | 3 9 51 | 3 4 | Total 61 3 10 |
| | | | | |

No. 3,029.—USWORTH. TOWNSHIP OF USWORTH, DURHAM.

Sheet 7 of Ordnance Map. Lat. 54° 55′ 7″, Long. 1° 30′ 30″.

Account of Strata sunk through in a Staple below the Hutton Seam, Usworth Colliery, 1902 and 1903.—Continuation of No. 2,094.

Approximate surface-level 170 feet above sea (Ordnance datum).

| Tipproximate sarrace level 110 | reet above sea (Ordnance dabum). |
|--|----------------------------------|
| Fs. Ft. In. Fs. Ft. In | Brought forward 4 0 6½ 175 2 6½ |
| Depth at shaft from surface to bottom | |
| | |
| of Hutton Seam 172 0 1 | |
| Seggar-clay 1 4 0 | Iron girdle 0 2 0 |
| Blue metal, mixed | Strong blue metal 0 2 5 |
| with iron \dots 1 0 6 | Black stone 0 2 3 |
| Ft. In. | Post, with blue |
| Black stone, | partings 2 0 2 |
| with $coal$ | COAL 0 1 1 |
| pipes 0 6 | 7 5 31 |
| COAL 0 3 | Blue metal 2 2 3 |
| Band 0 1 | Whin 0 0 4 |
| COAL 0 1 | Grey metal, with post |
| Band 1 0 | girdles 1 0 0 |
| COAL 0 71 | Whin 0 0 6 |
| Band 1 3 | Grey metal, with post |
| COAL, coarse 0 2 | girdles 1 1 2 |
| 0 3 111 | Blue metal, with iron |
| 3 2 5 | |
| 731 1 1 | 1 _ 0 |
| | Grey metal, with iron |
| | girdle 1 4 0 |
| | COAL 0 0 8 |
| Blue metal 0 3 3½ | 8 2 11 |
| Blue metal, with iron 0 4 0 | Seggar-clay 0 1 0 |
| Iron girdle 0 2 0 | Grey metal, with iron |
| Black stone 0 1 10 | girdle 2 0 0 |
| Iron girdle 0 1 1 | Post 1 2 0 |
| Blue metal 0 0 3 | Blue metal 0 0 5 |
| Iron girdle 0 0 11 | Post 0 0 5 |
| Blue metal, with iron 0 3 11 | Blue metal 0 5 6 |
| Carried forward 4 0 61 175 2 6 | Carried forward 4 3 4 191 4 9 |
| 2 0 0 1 1 1 2 0 1 2 1 1 2 0 1 | g Calliculor walth 4 9 4 131 4 7 |

No. 3,029.—USWORTH.--CONTINUED.

| Brought forward | | Ft. | In. I 4 1 | | | | Brought forward 4 0 0 201 4 5 |
|------------------------|---|-----|--------------|----|----|----|-----------------------------------|
| Beaumont Seam- | | | | _ | | | |
| | 0 | 9 | 9 | | | | |
| | | | | 5 | 0 | 1 | |
| Seggar-clay, with iron | | | | 0 | 0 | 1 | Ft. In. |
| balls | 0 | 2 | 0 | | | | COAL 0 11 |
| Blue shale | | 5 | ŏ | | | | Band 0 10 |
| | 0 | | 9 | | | | COAL 0 7 |
| | _ | | | 3 | 1 | 9 | Band 0 1\frac{1}{2} |
| Seggar-clay | 0 | 4 | 0 | 0 | | | COAL 1 3 |
| Post | 0 | 5 | 3 | | | | Band 0 41 |
| COAL | | 0 | 7 | | | | |
| OONE | | | | 1 | '2 | 10 | |
| Seggar-clay | 0 | 1 | 8 | 1 | ., | 10 | $ 0 5 8\frac{1}{2} \\ 6 3 0$ |
| Grey metal, with iron | | | | | | | Seggar-elay 0 1 6 |
| | 2 | 3 | 9 | | | | COAL 0 0 3 |
| Bastard whin | | | 3 | | | | 0 1 9 |
| Blue metal | | 0 | 6 | | | | Blue shale 0 2 5 |
| Post | | - | 10 | | | | ——— 0 2 5 |
| Carried forward | 4 | 0 | 0 20 | 01 | 4 | 5 | Total208 5 7 |

No. 3,030.—WALBOTTLE.

TOWNSHIP OF WHORLTON, NORTHUMBERLAND.

Sheet 88 of Ordnance Map. Lat. 55° 0' 46", Long. 1° 42' 28".

Account of Strata passed through in a Bore-hole in Whorlton Park, North Walbottle Royalty, by The Vivian Diamond Boring Company.

| 73 D. 7 T. D. 7 | | | | _ | | | |
|---|-------|----|--------|---|-----|-----|----------|
| Soil Fs. Ft. In. Fs. Ft. In. Brought for | ward | | Ft. | | Fs. | Ft. | In. 0 |
| Sand, with gravel 0 2 0 Grey sandstone | | | | ŏ | | • | Ů |
| Fine sand 0 3 0 Dark blue shale | | | 2 5 | 0 | | | |
| Clay, with gravel 0 0 6 Grey sandstone | | _ | 5 | 6 | | | |
| Blue clay, with Blue shale | | 1 | 0 | 0 | | | |
| cobbles 1 5 6 Grey sandstone | | ō | ĭ | ŏ | | | |
| Fine sand 0 2 6 Blue shale | | | 3 | 6 | | | |
| Blue clay, with Dark grey sands | | | 5 | Õ | | | |
| cobbles 1 4 6 Blue sandy shal | | | 4 | 6 | | | |
| Blue clay 0 1 6 Grey sandstone | | _ | 4 | 0 | | | |
| 5 2 6 Blue shale | | 0 | 4 | 0 | | | |
| Blue shale 0 1 6 Black shale | | 0 | 2 | 6 | | | |
| High Main Seam— Blue sandy shall | e | 0 | 2 | 6 | | | |
| COAL 1 0 0 Grey sandstone | | 3 | 0 | 0 | | | |
| 1 1 6 Blue shale | | 1 | 4 | 6 | | | |
| Grey shale 0 2 0 Blue shale, | with | | | | | | |
| Black shale 0 2 0 small balls of i | ron- | | | | | | |
| Grey sandy shale 0 1 3 stone | | 1 | | | | | |
| Black shale 0 2 3 Blue shale | | 0 | 3 | 6 | | | |
| Grey sandstone 0 0 4 Black shale, | with | | | | | | |
| Black shale 0 0 10 thin beds of co | al | 1 | 0 | 6 | | | |
| Grey sandstone 0 1 10 Dark blue sl | ıale, | | | | | | |
| Blue shale 3 1 6 with irons | tone | | | | | | |
| Grey sandstone 0 1 0 balls | | | 3 | 0 | | | |
| Blue shale 0 2 0 Blue shale | | 1 | 3 | 0 | | | |
| Carried forward 5 3 0 6 4 0 Carried forward | o rd | 92 | 2 | 0 | 6 | 4 | 0 |
| Carried forward 5 3 0 6 4 0 Carried forward | valu | au | 44 | v | U | -1 | Ų |

No. 3,030.—WALBOTTLE.—Continued.

| 77- 774 | T., The | T24 T | | 73. 704 To 73. 774 To |
|---------------------------------------|-----------------|----------|---|--|
| Fs. Ft. 3 Brought forward 23 2 | 0 6 | | | Fs. Ft. In. Fs. Ft. In. Brought forward 95 5 0 |
| | | .1 | U | 0 |
| Black shale 0 1 | 0 | | | Blue sandy shale 0-4 0 |
| Blue shale 0 5 | 0 | | | Grey sandstone 0 1 6 |
| Black shale 0 2 | 0 | | | Fire-clay 0 1 6 |
| Blue shale 0 3 | 0 | | | Blue sandy shale 0 4 0 |
| Blue sandy shale 0 2 | 6 | | | Grey sandstone 0 1 0 |
| Grey sandstone 10 1 | 6 | | | Blue shale 1 2 0 |
| α (1.) | ,, | | | Grey sandy shale 0 1 0 |
| Fire-clay 0 2 | 6 | | | Grey sandstone 0 4 0 |
| | 36 | 1 | 6 | Blue shale 0 5 0 |
| Grey sandy shale 3 0 | 6 | | | Grey sandstone 0 1 7 |
| Grey sandstone, with | | | | Blue shale 0 1 10 |
| small beds of shale 2 2 | 0 | | 1 | Stone Coal or Three- |
| Grey sandstone 5 2 | Õ | | | Quarter Seam— |
| | ŏ | | | |
| | 0 | | | COAL 2 9 |
| Grey sandstone, with shale joints 3 2 | 0 | | | Fire-clay 0 7 |
| J | 0 | | | |
| | 6 | | | COAL 0 3 0 3 7 |
| COAL 0 2 | _ 21 | 3 | 0 | |
| Blue shale 2 0 | 6 | Ü | U | |
| 2 1 | - | | | |
| Grey sandstone 5 0 | 0 | | | Grey sandstone 0 3 0 |
| Dark blue shale 1 1 | 6 | | | Blue shale 2 2 0 |
| Grey sandstone 0 1 | 6 | | | Grey sandstone 0 1 3 |
| Grey sandy shale 0 3 | 0 | | | Blue shale 0 1 0 |
| Dark blue shale 4 3 | 6 | | | Grey sandstone 0 2 6 |
| $ Ironstone \dots \dots 0 0 $ | 6 | | | Blue shale 0 4 0 |
| Black shale 1 0 | 0 | | | Main Coal Seam— |
| Fire-clay 0 2 | 0 | | | COAL 0 3 0 |
| Grey sandstone, with | | | | 4 5 9 |
| shale joints 1 4 | 0 | | | Fire-clay 0 1 6 |
| Blue sandy shale 0 3 | 0 | | | Grey sandstone 3 1 0 |
| Fire-clay 0 4 | 0 | | | Blue shale 2 1 0 |
| Blue sandy shale 1 0 | 0 | | | COAL 0 1 5 |
| Black shale, full of | | | | 5 4 11 |
| roal 0 1 | 0 | | | Fire-clay 0 2 1 |
| Grey sandstone 0 1 | 0 | | | COAL 0 0 4 |
| Blue shale 0 0 | 6 | | | Blue shale 0 0 8 |
| Grey sandstone 0 0 | 6 | | | Fire-clay 1 0 0 |
| Blue sandy shale 0 5 | ŏ | | | Blue sandy shale 1 0 0 |
| Grey sandstone 0 1 | 6 | | | Grey sandstone 1 0 0 |
| Blue shale 1 3 | Ö | | | |
| Grey sandstone 1 4 | 0 | | | |
| | $\frac{0}{2}$ | | | |
| | $\frac{2}{6}$ | | | = = · · - |
| | 4 | | | |
| | -14 | | | 1 = 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - |
| Engine or Beaumont | | | | Blue shale 0 5 0 |
| Neam- | c | | | Grey sandstone, with |
| COAL 0 3 | $\frac{6}{-24}$ | 1 | 6 | shale joints 0 4 0 |
| Fine class | | 4 | U | Blue shale 0 3 0 |
| Fire-clay 0 1 | 6 | | | Fire-clay 0 2 0 |
| Grey sandstone 2 5 | 0 | | | COAL 0 0 6 |
| Hodge Seam— | | | | Blue shale 0 1 5 |
| COAL 0 1 | 3 | | 0 | COAL 0 3 6 |
| D1 | _ 3 | 1 | 9 | 9 2 6 |
| Blue sandy shale 1 4 | 7 | | | Fire-clay 0 1 4 |
| Grey sandstone 0 4 | 8 | | | Blue shale 0 1 3 |
| Blue sandy shale 0 3 | 6 | | | 0 2 7 |
| COAL 0 1 | 6 | | _ | |
| | 3 | 2 | 3 | |
| G | | | | m . 1 |
| Carried forward | 95 | 5 | Ò | Total <u>122 3 9</u> |
| | | | | |

No. 3,031.—WALBOTTLE.

TOWNSHIP OF WALBOTTLE, NORTHUMBERLAND.

Sheet 87 of Ordnance Map. Lat. 55° 0' 27", Long. 1° 42' 59".

Account of Strata sunk and bored through in the Betty Pit, North Walbottle Colliery.

| Clare | | | | Fs. | Ft | J11. | Fs. Ft. In. Fs. Ft. 1 | |
|---------------------------------|---|----|---------------|-----|-----|-----------------|---|-------|
| Clay | 1 | 5 | 6 | 1 | 5 | 6 | Brought forward 2 4 2 42 5 1 | 1 2 |
| Grav nost | 3 | = | c | 1 | J | O | Grey post, very open 0 3 8 | |
| Grey post | - | 5 | 6 | | | | Blue metal 0 0 6 | |
| COAL | 0 | 4 | 0 | | | 0 | Grey metal, with post | |
| D1111- | _ | | | 4 | 3 | 6 | threads 0 2 0 | |
| Black shale | 0 | 2 | 0 | | | | Blue metal 0 0 9 | |
| Splint | 0 | 1 | 5 | | | | Dark grey post 1 1 3 | |
| Blue metal, with post | | | | | | | Blue metal 0 0 6 | |
| girdles | 2 | 1 | 3 | | | | White post, with | |
| COAL | 0 | 0 | 6 | | | | blue metal girdle 0 4 3 | |
| G 1 | | | _ | 2 | 5 | 2 | Dark grey post, with | |
| Seggar-clay | | 5 | 0 | | | | blue metal girdles 1 1 10 | |
| Dark leafy post | | 3 | 6 | | | | Green shale, with | |
| Grey post | 1 | 1 | 0 | | | | white post 2 1 4 | |
| Blue metal | 1 | 4 | 0 | | | | Ironstone girdle 0 0 5 | |
| COAL | | 0 | 2 | | | | Grey metal, with post | |
| Seggar-clay | 1 | 0 | 6 | | | | threads 3 0 11 | |
| White post | 0 | 5 | 0 | | | | Blue metal, with coal | |
| Blue metal | 1 | 0 | 5 | | | | threads, and iron- | |
| COAL | 0 | 0 | 4 | | | | stone balls 4 0 11 | |
| Sames -1 | _ | | | 7 | 1 1 | $11\frac{1}{2}$ | Blue metal, with iron | |
| Seggar-clay | 0 | 0 | 1 | ř | | | balls 2 0 0 | |
| White and grey post | | 5 | 8 | | | | Blue metal, with | |
| Blue metal | 4 | 3 | 0 | | | | post threads 0 4 2 | |
| Strong post girdle | | 1 | 6 | | | | Whin 0 1 8 | |
| Grey metal | | 5 | 1 | | | | Grey post 2 0 1 | |
| Grey post | | 0 | 6 | | | | Very strong light | |
| Whin | 0 | 1 | 6 | | | | grey post 1 2 8 | |
| Leafy grey post | 3 | 0 | 6 | | | | Grey metal, with post | |
| Dlug matal mith as A | 0 | 0 | 11 | | | | patches 0 4 0 | |
| Blue metal, with post | 0 | | 0 | | | | Fine blue metal 0 3 6 | |
| girdle | 3 | 2 | 6 | | | | COAL 0 0 2½ | |
| White post, with | | ~ | | | | | 24 2 9 | 12 |
| blue metal girdles | 1 | 5 | 9 | | | | Seggar-elay 1 0 3½ | |
| Grey metal, with post | | | | | | | Blue metal 0 1 6 | |
| girdles | 1 | 0 | 0 | | | | Dark grey post 1 1 9 | |
| White post | 0 | 4 | 9 | | | | Very strong light | |
| Grey metal, with coal | 0 | 4 | e | | | | grey post 0 2 6 Ironstone girdle 0 0 2 | |
| Black stone | | 4 | 6 | | | | 1 - 4 | |
| 0041 | 0 | 0 | 6 | | | | | |
| COAL | 0 | 1 | 0 | 96 | 1 | 0 | | 71 |
| Saggar-elaw | | 6) | | 26 | 1 | 0 | 1 | 7 1/2 |
| Seggar-clay | 0 | 2 | 0 | | | | 1 2 2 2 | |
| White post, with | 1 | 9 | 4 | | | | | |
| Gray metal with | 1 | 2 | 4 | | | | Grey post 1 1 8 Soft blue metal 0 5 4 | |
| Grey metal, with | 0 | ٥ | 0 | | | | Black shale 0 4 6 | |
| post threads | 0 | 0 | 9 | | | | | |
| White post, with | 0 | 4 | 0 | | | | - 00 V | |
| very open joints | | 4 | 0 | | | | | |
| Blue metal White post girdle | 0 | 0 | 2 | | | | | |
| White post girdle Blue metal | | 0 | $\frac{9}{2}$ | | | | Light grey post, with whin 7 5 0 | |
| Diag metal | 0 | 0 | | | | | wпп / 0 0 | _ |
| Carried forward | 2 | 4 | 2 | 42 | 5 | $1\frac{1}{2}$ | Carried forward 15 4 5 72 3 6 | 1 |
| | | | | | | | | |

No. 3,031.—WALBOTTLE.—CONTINUED.

| Brought forward | Fs. 15 | Ft. 4 | | 72 | Ft. | In. $6\frac{1}{2}$ | Brough | | | 0 | 4 | 2 | Fs. 103 | | |
|-------------------------------|-----------|----------|----------------|-----|-----|--------------------|----------------------------------|---------|---------|--------|-----|----------|------------|----|----|
| Light grey post, with | ٥ | 5 | 0 | | | | Blue metal | ٠ | | 0 | 5 | 4 | | | |
| grey metal Light grey post | 0 | 5 | $\frac{0}{10}$ | | | | COAL | • • • | • • • | 0 | 1 | 0 | | | |
| Blue metal, with post | U | 4 | 10 | | | | Dl 1 | | | _ | | _ | 1 | 4 | 6 |
| , , | 0 | 3 | 0 | | | | Blue metal | • • • • | • • • • | 0 | 4 | 2 | | | |
| patches Engine or Beaumont | U | J | U | | | | Post | • • • | ••• | 0 | 4 | 8 | | | |
| Seam— | | | | | | | Blue metal <i>Main Coal</i> | | ••• | 0 | Z | 10 | | | |
| COAL | 0 | 1 | 6 | | | | COAL | | | | | | | | |
| OOAL | U | -12 | | 18 | 1 | 9 | COAL | • • • | | 0 | 3 | 1 | 2 | 2 | _ |
| Coarse brown seggar- | | | _ | 10 | 1 | J | Common alam | | | _ | | -8 | Z | Z | 9 |
| | Λ | 0 | 8 | | | | Seggar-clay | • • • • | • • • • | 0 | 4 | | | | |
| | 0 | 0 | 10 | | | | Post | • • • | • • • • | 0 | - | 10 | | | |
| Grey seggary post | 0 | 1 | 10 | | | | COAL | • • • | • • • • | 0 | 0 | 4 | | | |
| White post, with | 1 | E | 0 | | | | Blue metal | | ••• | 0 | - | 10 | | | |
| partings | 1 | 5 1 | 8 | | | | Post | • • • | • • • | 0 | 5 | 0 | | | |
| Grey post | 0 | | 4 | | | | Blue metal | • • • | • • • • | 0 | 2 | 0 | | | |
| White post | 0 | 2 | 7 | | | | Post | • • • | • • • | 0 | 1 | 8 | | | |
| Hodge Seam— | | | _ | | | | Blue metal | • • • | | 1 | 1 | 1 | | | |
| COAL | 0 | 1 | 8 | | | | COAL | • • • | | 0 | 1 | 5 | | _ | |
| · · | _ | _ | _ | 3 | 1 | 9 | | | | | | | 3 | 5 | 10 |
| Seggar-clay | 0 | 1 | 9 | | | | Seggar-clay | • • • | | 0 | 1 | 2 | | | |
| Grey post girdle | 0 | 0 | 4 | | | | COAL | • • • | | 0 | 0 | 4 | | | |
| Blue metal | 0 | 2 | 8 | | | | Blue metal | | | 2 | 2 | 0 | | | |
| White post | 0 | 4 | 3 | | | | COAL | | | 0 | 0 | 5 | | | |
| Tilley Seam— | | | | | | | Blue metal | | | 1 | _ | 10 | | | |
| COAL | 0 | 2 | 10 | | | | COAL | | | 0 | 0 | 3 | | | |
| | | | _ | 1 | 5 | 10 | Blue metal | | | 3 | 1 | 7 | | | |
| Seggar-clay | 0 | 2 | 9 | | | | Brockwell S | eam | — | | | | | | |
| Grey post | 0 | 1 | 5 | | | | | | Ft. In. | | | | | | |
| COAL | 0 | 0 | 2 | | | | COAL | • • • | 0 7 | | | | | | |
| Seggar-clay, with | | _ | _ | | | | Band | | 0 5 | | | | | | |
| ironstone balls | 0 | 2 | 9 | | | | COAL | | 3 2 | | | | | | |
| Blue metal | 1 | 4 | 1 | | | | | | | 0 | 4 | 2 | | | |
| Grey post | 1 | 3 | 8 | | | | | | | | - | _ | 8 | 2 | 9 |
| Whin | 0 | | 10 | | | | White post | | • • • | 0 | 4 | 2 | | | |
| Blue metal | 1 | 0 | 2 | | | | Blue metal | | | 0 | 1 | 2 | | | |
| Post | 0 | 1 | 0 | | | | Post | | | 0 | 2 | 1 | | | |
| Blue metal | 0 | 3 | 6 | | | | Black shale | | | 0 | 1 | 5 | | | |
| Three-Quarter Seam— | | | | | | | COAL | | | 0 | 0 | 4 | | | |
| COAL | 0 | 2 | 6 | | | | | | | | | | 1 | 3 | 2 |
| - | | | _ | 7 | 0 | 10 | Blue metal | | | 0 | 1 : | 10 | | | |
| Seggar-clay | 0 | 3 | 6 | | | | Post | | | 2 | 4 | 6 | | | |
| COAL | 0 | 0 | 8 | | | | | | | | | | 3 | 0 | 4 |
| Carried forward | | 4 | | 103 | 1 | Q1 | | , | Total . | | | 12 | 24. | 3 | |
| | | | | | | | | | | | | | | 13 | 45 |

No. 3,032.—WALBOTTLE. TOWNSHIP OF WHORLTON, NORTHUMBERLAND.

Sheet 88 of Ordnance Map. Lat. 55° 0′ 16″, Long. 1° 42′ 25″.

Account of Strata passed through in a Bore-hole opposite the Gingling Gate Public-house at Gingling Gate. Commenced May 22nd, 1901.

Approximate surface-level 340 feet above sea (Ordnance datum).

| Soil Sand | | | 0 | 2 | 9 | . Ft. In | Brought forward 0 5 6 Stony clay 0 2 8 | a | | |
|--------------|----------|------|---|--------|---|----------|--|---|---|---|
| Carr | ied forv | vard | 0 | 5 | 6 | | Carried forward | 1 | 2 | 2 |

No. 3,032.—WALBOTTLE.—Continued.

| Brought forward Light grey metal Rotten stone Black metal and | Fs. | Ft. | In. | F8. | Ft. In. | Fs. Ft. In. Fs. Ft. Ir |
|--|----------|-----|-----|-----|---------|---|
| Light grey metal | 1 | 1 | Λ | 1 | 2 2 | |
| Rotten stone | ٠,٢ | 7 | 10 | | | very hard grey post 0 1 6 |
| Black metal and | U | Э | 10 | | | Very hard grey post 0 1 6 Strong grey metal 1 0 11 |
| stone | Λ | 0 | 6 | | | very nard grey post 0 1 1 |
| stone Grey metal, with iron | U | Z | Z | | | Mild grey metal, with |
| and post girdles | | | | | | post girdles 0 3 0 |
| and post girdles, and water at 5 | | | | | | Strong leafy post, |
| fathoms 2 feet 6 | | | | | | with metal part- |
| | | - | | | | ings 3 4 3 |
| inches | z | b | 5 | | | Hard grey post, with |
| Dark metal, with | | | | | | metal partings 0 3 11 |
| scares of coal | U | 3 | H | | | Mild leafy post 0 1 6 |
| Grey metal, with post | | | | | | Strong grev post. |
| girdles | 1 | 3 | 8 | | | with metal part- |
| Dark grey metal and | _ | | | | | ings 1 3 3 |
| coal | 0 | 1 | 4 | | | Mild grey metal 0 0 7 |
| Grey metal, with post | | _ | | | | ings 1 3 3 Mild grey metal 0 0 7 Hard white post 1 0 8 |
| girdles Black metal and coal | 0 | 5 | 8 | | | Strong grev post. |
| Mild lands and coal | Ü | I | 7 | | | with metal part- |
| Mild leafy post, with | | | | | | ings 5 4 7 |
| metal partings, | _ | | | | | Hard white post, |
| and a little water | 1 | 3 | 9 | | | with water 2 3 0 |
| Blue metal, with post | | | | | | Mild white post, |
| girdles Black metal | 0 | 5 | 2 | | | with guillets: lost |
| Black metal | 0 | 0 | 4 | | | water 2 2 5 Strong black metal 0 0 9 Seggar-clay 0 4 3 Mild grey post 0 1 3 Mild grey metal 0 5 7 |
| Hard light grey post, with thin metal | | | | | | Strong black metal 0 0 9 |
| with thin metal | | | | | | Seggar-clay 0 4 3 |
| partings, and a | | | | | | Mild grey post 0 1 3 |
| little water | 2 | 0 | 3 | | | Mild grey metal 0 5 7 |
| Grey metal, with post | | | | | | Strong white post, |
| girdles | 0 | 4 | 0 | | | into 0 2 6 |
| Hard grey post | 0 | 1 | 10 | | | 38 3 10 |
| Hard grey metal | 1 | 4 | 11 | | | |
| Carried forward | 16 | 0 | 10 | 1 | 2 2 | Total 40 0 0 |
| - Tarried Tollward | | U | TO | 1 | 2 2 | Total 40 0 0 |

No. 3,033.—WALDRIDGE.

TOWNSHIP OF WALDRIDGE, DURHAM.

Sheet 19 of Ordnance Map. Lat. 54° 50' 0'', Long. 1° 36' 0''.

Account of Strata sunk through in the Busty Pit, Waldridge Colliery, 1875.

Approximate surface-level 351 feet above sea (Ordnance datum).

| Peaty soil Strong loam | 0 | 1 | In. 0 0 | Fs. | Ft. | | Brought forward COAL, bottom, with | | Ft. In. | Fs. 6 | | In. 3 |
|---|---|---|---------------|-----|-----|---|---|----|---------|-------|---|----------|
| Soft metal stone Blue metal, with coal | | 2 | 0 | 1 | 4 | 0 | clay partings Clay and sand, with boulders, and water | | | | | |
| pipes Shield Row Seam- | | 2 | 5 | | | | Gravel, with water Soft blue metal | 0 | 4 6 | | | |
| COAL | 0 | 3 | 10 | 4 | 2 | 3 | | | | | | |
| Carried forward | | | • | 6 | 0 | 3 | Carried forward | 10 | 4 7 | 6 | 0 | 3 |

No. 3,033.—WALDRIDGE.—Continued.

| | | Ft. In. | | | | D | Fs. | Ft. | In. Fs. | |
|---|------|---|----|---|----|-------------------------------------|--------|-----|-------------|------|
| Brought forward I Five-Quarter Seam— | 10 | 4 / | О | U | 3 | Brought forward Dark seggar-clay | ٥ | 3 | 51 6 | 1 9 |
| Ft. In. | | | | | | White post | ñ | 0 | 8 | |
| COAL, good 3 10 | | | | | | COAL and stone | | | 3 | |
| Stone band 0 2 | | | | | | Grey post and metal | | | ĭ | |
| COAL, with | | | | | | Post | 0 | 0 | | |
| water 1 0 | | | | | | Post Blue metal | 0 | 0 | 9 | |
| | 0 | 5 0 | | | | White post, with | | | | |
| | | | 11 | 3 | 7 | metal partings | 1 | 0 | 3 | |
| Thill stone and coal | 0 | 3 1 | | | | Foot Seam— | | | | |
| Seggar-clay, with | 0 | | | | | COAL | 0 | 1 | 0 | |
| iron balls | 2 | $\begin{array}{ccc} 0 & 8 \\ 1 & 2 \end{array}$ | | | | Danis and a | | - | _ 2 | 4 5 |
| Ditto thouse in | - | | | | | Dark seggar-clay | 0 | 1 | 0 | |
| Thill stone and coal | 0 | $\begin{array}{ccc} 1 & 8 \\ 3 & 6 \end{array}$ | | | | Dark grey post Black stone | 0 | 1 | 5 1 | |
| Grey metal Post and whin, | U | 0 0 | | | | Black stone White post and whin | | 1 | Ô | |
| mixed | 0 | 2 6 | | | | Metal and grey post | | î | 8 | |
| | - | 0 6 | | | | Blue metal, with iron | - | • | Ů | |
| Black stone | 0 | 5 4 | | | | balls | 0 | 3 | 1 | |
| Soft blue metal Black stone Blue metal Main Coal Saum | 0 | 2 0 | | | | Hutton Seam— | | | | |
| Main Coal Seam— | | | | | | Ft. In. | | | | |
| Ft. In. | | | | | | COAL, good 3 8 | | | | |
| COAL, good 3 3 | | | | | | COAL, coarse 2 0 | | _ | , | |
| Splint 0 6 | | | | | | | 0 | 5 | 8 | 0 11 |
| Thill stone 1 0 | | | | | | Strong somer slow | | | — 6 | 2 11 |
| COAL 1 0 | 0 | 5 9 | | | | Strong seggar-clay and iron | 0 | 5 | 3 | |
| | | 0 0 | 9 | 2 | 2 | White post | 1 | 0 | 2 | |
| Grey metal | 3 | 4 5 | U | 4 | ~ | White post Blue metal | ñ | 0 | 3 | |
| | 2 | 1 3 | | | | COAL, good | ŏ | ŏ | 3 | |
| Grey post Blue metal | 1 | 5 10 | | | | Grey metal | 4 | ĺ | 2 | |
| Maudlin Seam- | | | | | | White post, with | | | | |
| Ft. In. | | | | | | spar Black stone | 0 | 3 | 7 | |
| COAL, coarse 1 0 | | | | | | Black stone | 0 | 0 | 5 | |
| COAL, good 4 3 | | | | | | Seggar-clay, with | _ | _ | | |
| - | 0 | 5 3 | 0 | | 0 | iron balls | 0 | 3 | 0 | |
| Campanalam | _ | $\frac{1}{2}$ 3 | 8 | 4 | 9 | Metal, with post gir- | 0 | 9 | 10 | |
| Seggar-clay Metal, with post gir- | 0 | <i>4</i> 0 | | | | COAL, good | 3 0 | 1 | 10 0 | |
| dles | 1 | 3 4 | | | | COAL, good | | | — 10 | 5 11 |
| Blue metal | î | $\hat{1}$ $\hat{5}$ | | | | Strong seggar-clay | 0 | 2 | 0 | 0 11 |
| Whin stone | Ö | 1 4 | | | | Black metal | | ō | 7 | |
| Metal, with post gir- | | | | | | Strong white post | | 0 | 0 | |
| dlee | 0 | 4 11 | | | | Grey metal | 0 | 5 | 6 | |
| Blue metal · | 2 | 1 7 | | | | White post | 1 | 5 | 4 | |
| Low Main Seam— | _ | 0 | | | | Soft black stone | 3 | 3 | 0 | |
| COAL, good | 0 | 2 11 | 0 | ~ | 0 | COAL, good | | 0 | 6 | |
| Thill stone 1 | | 1 4 | 6 | 5 | 9 | Seggar-clay, good | | 3 | 0 | |
| Thill stone and coal | | 1 4 | | | | COAL, good | | 0 | 7 7 | |
| Seggar-clay Loose post | 0 | $\begin{array}{ccc} 1 & 6 \\ 5 & 9 \end{array}$ | | | | Blue metal Grey post | | | ó | |
| Hitch leader, altered | U | U J | | | | Grey post Blue metal | 0 | 3 | 0 | |
| post | 2 | 5 3 | | | | Harvey Seam— | J | 9 | U | |
| Post and metal | | 3 7 | | | | COAL, good | 0 | 1 | 9 | |
| Brass Thill Scam— | • | • | | | | , 4,000 | | | 11 | 0 10 |
| Ft. In. | | | | | | Strong seggar-clay | 0 | 3 | 0 | |
| COAL, good 0 10 | | | | | | Grey metal | 1 | 3 | 4 | |
| COAL, coarse 3 0 | | | | | | Blue metal | 0 | 2 | 2 | |
| | 0 | 3 10 | _ | _ | _ | COAL, good | | 0 | 3 | |
| • | | | 8 | 3 | 3 | Seggar-clay | 1 | 0 | 0 | |
| Carried forward | | | 51 | 1 | -0 | Connied femmed | 2 | 9 | 0.00 | 2 10 |
| Carried forward | | | 51 | 1 | 9 | Carried forward | ð | 4 | 9 82 | 3 10 |
| | | | | | | | | | | |

No. 3,033.—WALDRIDGE.—CONTINUED.

| | | | | | - | |
|-----------------------------------|----|----|--------|-----|----|---|
| | | | In. Fa | | | Fs. Ft. In. Fs. Ft. In. |
| Brought forward | 3 | 2 | 9 82 | 3 | 10 | Brought forward 2 1 789 1 2 |
| White post COAL, good Metal stone | 1 | 4 | 0 | | | COAL 0 0 1 |
| COAL, good | 0 | 0 | 8 | | | Black stone 0 1 6 |
| Metal stone | 1 | 0 | 1 | | | Soft dark post 0 2 8 |
| Ft. In. | | | | | | Black stone 0 1 6 Soft dark post 0 2 8 COAL, coarse 0 0 8 |
| COAL, good 0 11 | | | | | | Strong coarse seggar- |
| Band 0 1 | | | | | | clay 0 1 7 |
| COAL, coarse 0 10 | | | | | | Hard grey post gir- |
| | 0 | 1 | 10 | | | dles 5 1 9 |
| | _ | | 6 | 3 | 4 | Busty Seam— |
| Seggar-clay | 0 | 2 | 0 | | | Ft. In. |
| Soft dark post and | | | _ | | | COAL, good 1 11 |
| metal | 1 | 0 | 7 | | | Stone band 0 2 |
| COAL, good | | | | | | COAL, good 1 11 |
| Seggar-clay, with | | • | - | | | - 0 4 0 |
| iron balls | 0 | .1 | 8 | | | 9 1 10 |
| non buils | , | - | | | | 3 1 10 |
| Carried forward | 1) | 1 | 7.89 |) 1 | •2 | Total 98 3 0 |
| Carried for ward | - | | . 0. | , 1 | ~ | 10tal 50 5 0 |
| | | | | | | |

No. 3,034.-WALKER.

TOWNSHIP OF WALKER, NORTHUMBERLAND.

Sheet 98 of Ordnance Map. Lat.

, Long.

Account of Strata passed through in a Bore-hole in a Field called "Cock Shots," near Bill Quay, by Messrs. George and Thomas Rawling, July 17th, 1780.

| | | | | | 77 77 77 77 77 |
|---------------------------|-----|------|-----|-----|---|
| Sunk to the scaffold 15 0 | | | Ft. | In. | Fs. Ft. In. Fs. Ft. In. Brought forward 2 3 9 39 2 1 |
| Box 1 4 | | | | | Grey and blue metal |
| DOA | | - 16 | 5 | 0 | and metal stone, |
| Blue metal stone, | | 20 | | _ | with hard lumps, |
| with post girdles 4 | 1 | O | | | and water near the |
| Brown post, with | r | U | | | bottom 2 4 9 |
| water 2 1 | | 6 | | | Black metal, mixed |
| COAL, soft 0 | | | | | with coal 0 0 10 |
| OUAL, SOIL 0 | , | - 6 | 5 | 11 | Ft. In. |
| Soft blue metal 0 3 | > 1 | 0 | U | | COAL 0 6 |
| | , i | | | | Grey metal 0 1 |
| Sort Broj more | , , | U | | | COAL 0 3 |
| Brown thready post, | | | | | |
| with partings, and | | 0 | | | 0 0 10 |
| water 9 2 | | 0 | | | 5 4 2 |
| White post 0 4 | ł ' | U | | | Grey scamy stone, |
| Blue metal stone, | | | | | with hard girdles, |
| with post girdles 1 | 2 1 | 0 | | | and water 6 3 2 |
| Strong white post, | | | | | Strong white post, |
| with water 2 | | 9 | | | with scamy part- |
| COAL 0 0 |) | 9 | | | ings, and water 1 0 6 |
| | | - 15 | 3 | 2 | Blue stone, with post |
| Grey post, with | | | | | girdles, and water 1 2 8 |
| water 2 3 | 3 | 0 | | | White post, with |
| Blue and black slaty | | | | | partings, and water 1 0 0 |
| metal 0 (|) | 9 | | | partings, and water 1 0 0 |
| Counted forward 9 9 | 2 | 9 39 | 2 | 1 | Carried forward 10 0 4 45 0 3 |
| Carried forward 2 3 | , | 0 00 | - | |] |

No. 3,034.—WALKER.—Continued.

| Brought ferward | | | In. Fs. 4.45 | | | Brought forward | Fs. | Ft. | In. | Fs. | Ft. | In 4 |
|--|--------|------|-----------------|---|---|--------------------------------------|-----|-----|-----|-----|-----|---------|
| Blue metal stone, with girdles, and | | | | ŭ | J | White post Strong white post, | | | õ | | Ĭ | • |
| water | 1 | 0 | 0 | | | mixed with whin | 10 | 0 | | | | |
| Strong white post, | 0 | , | 0 | | | and whin girdles | | | 6 | | | |
| with water | U | 4 | 0 | | | Grey metal stone Post girdle, with | 1 | U | 0 | | | |
| Blue metal stone, with hard lumps | 9 | Æ | 0 | | | metal partings | 1 | 2 | 6 | | | |
| Ft. In | | | υ. | | | Blue grey metal | | 4 | U | | | |
| COAL 0 6 | • | | | | | stone | 0 | 3 | 0 | | | |
| Blue metal 0 2 | | | | | | Blue and black metal | | | ŏ | | | |
| COAL, foul 0 4 | | | | | | COAL | | | 6 | | | |
| | 0 | 1 | 0 | | | | | | | 17 | 1 | 8 |
| | | | 15 | 3 | 4 | Grey metal and | | | | | | |
| Grey metal | 0 | 1 | 0 | | | metal stone, with | | | | | | |
| Grey metal stone, | | | | | | | 1 | 3 | 0 | | | |
| with hard lumps | 2 | 0 | 0 | | | Strong white post, | | | | | | |
| White post, with | | _ | | | | with a mixture of | | | | | | |
| water | T | 2 | 0 | | | whin in places | 9 | 3 | 0 | | | |
| Strong white post, | | | | | | Black grey scamy | | 0 | | | | |
| mixed with whin | 0 | ٠, | 0 | | | post | 0 | 2 | 0 | | | |
| in plates | | 3 | | | | Strong grey metal | °, | 0 | 0 | | | |
| Blue metal COAL, foul | - | 0 | $rac{4}{2}$ | | | stone, with girdles | T | 0 | 0 | | | |
| Grey metal, with post | U | U | ڪ | | | Strong girdly post, | 1 | 4 | 6 | | | |
| girdles | 1 | 2 | 6 | | | with partings | | 4 | O | | | |
| Blue metal stone | | 5 | ő | | | COAL 6 3 | | | | | | |
| Grey metal stone | | 5 | 2 | | | Black metal 0 4 | | | | | | |
| Strong white post, | | - | _ | | | COAL, with | | | | | | |
| mixed with whin | 0 | 5 | 4 | | | sulphur, and | | | | | | |
| Blue metal stone, | | | | | | a small brass | | | | | | |
| with hard lumps | 1 | 0 | 3 | | | lump near | | | | | | |
| Blue metal | 0 | 0 | 4 | | | the bottom 2 11 | | | | | | |
| COAL, with water | 0 | 0 | 8 | | | Black metal 0 4 | | | | | | |
| ~ | _ | | — 11 | 1 | 9 | | | | | | | |
| Grey metal | 0 | 4 | 6 | | | COAL, brassy 0 3 | | | | | | |
| Strong white post, | | | | | | COAL, slaty 0 1 | | | | | | |
| mixed with whin | | 2 | 0 | | | COAL, good 2 7 | | | - 1 | | | |
| Grey scamy stone | | 5 | 6 | | | | 1 | 1 | | 15 | 2 | = |
| Black metal | 0 | 0 | 4 8 | | | Cross motal | | ^ | | 15 | 4 | 5 |
| COAL | 0 | U | _ 2 | 1 | 0 | Grey metal | | | | | | |
| Blue grey metal | 0 | 1 | 0 2 | 1 | U | Grey metal stone White post, into | | | | | | |
| Grey metal Grey metal | | 3 | $\frac{0}{2}$ | | | white post, into | | | | 0 | 4 | 5 |
| Groj motar | | | | | | | | | | | _ | _ |
| Carried forward | 0 | 4 | 2 74 | 0 | 4 | Total . | | | 1 | 07 | 2 | 10 |
| 3 | - | - | | - | _ | | | | = | | | _ |

No. 3,035.—WALKER. township of walker, northumberland.

Sheet 98 of Ordnance Map. Lat. 54° 58′ 30″, Long. 1° 32′ 39″.

Account of Strata sunk and bored through below the Beaumont Seam in the Ann Pit, Walker Colliery.

| Sinking:— Post | | | In. Fs. Ft. In. | Brought forward 3 4 0 COAL 0 0 6 | | | |
|-----------------|---|---|-----------------|----------------------------------|---|---|---|
| Carried forward | 3 | 4 | 0 | Carried forward | 3 | 4 | 6 |

No. 3,035.—WALKER.—CONTINUED.

| D | | Ft. In. | | | | | Fs. | Ft. | In. | | | |
|-------------------|-------|------------|--------|----|-----|-----------------------|-----|-----|------|----|---|----------------|
| Brought forwa | | | 3 | 4 | 6 | Brought forward | | | 1 | 17 | 5 | 5 |
| Black stone | 0 | 0 8 | | | | Seggar-clay | 0 | 0 | 10 | | | |
| Blue metal | 0 | 1 7 | | | | Grey metal | 0 | 4 | 10 | | | |
| Post | 1 | 4 1 | | | | Post | 0 | 3 | 5 | | | |
| COAL | 0 | 0 10 | | | | Grey metal | 1 | 1 | 7 | | | |
| | | | 2 | 1 | 2 | Post | 0 | 3 | 8 | | | |
| Blue metal | 0 | 0 6 | | | | Blue metal | 1 | 1 | 7 | | | |
| Post | 0 | 5 10 | | | | Post | ō | 1 | 3 | | | |
| Blue metal | 1 | 0 4 | ŀ | | | Blue metal | Õ | ī | 1 | | | |
| Black stone | 0 | 0 6 | • | | | COAL | ŏ | î | 3 | | | |
| COAL | 0 | 1 3 | | | | | ٠ | | | 5 | 1 | 6 |
| | 0 | | 2 | ., | 51 | Shale and band | | 1 | 4 | U | 1 | · |
| Grey metal | 0 | 0 6 | ~ | ~ | 0 2 | 0 1 | 0 | 2 | 0 | | | |
| n i | | 1 4 | | | | | 0 | | 10 | | | |
| Blue metal | | 0 9 | | | | White post | U | 1 | 10 | | | |
| COAL | | 1 1 | | | | Blue metal, with post | | | | | | |
| COAL | 0 | 1 1 | | | | girdles | 1 | 4 | 1 | | | |
| n . | | | 2 | 3 | 8 | | _ | _ | | | | |
| Post | 4 | 1 7 | | | | with whin | 0 | 2 | 4 | | | |
| Blue metal | 0 | 0 6 | | | | Blue metal | 0 | 3 | 6 | | | |
| Supposed Busty Se | eam- | | | | | Black stone | 0 | 1 | 2 | | | |
| COAL | 0 | 2 11 | | | | COAL | 0 | 0 | 11 | | | |
| | _ | | 4 | 5 | 04 | | | | | 3 | 5 | 2 |
| | | | | | | Post | 0 | 1 | 7 | | | |
| | | | 15 | 4 | 10 | Coal pipe | 0 | 0 | 0 1 | | | |
| Bored further :- | _ | | | | | Post | 0 | 3 | 0 | | | |
| Grey metal | 0 | 5 9 | | | | Blue metal | 1 | 4 | 9 | | | |
| Post | 0 | 5 10 | | | | Whin, into | ō | 0 | 3 | | | |
| T31 | | 0 6 | | | | | _ | | | 2 | 3 | $7\frac{1}{2}$ |
| COAL | | 0 6 | | | | | | | | - | U | 1 2 |
| COAL | 0 | 0 0 | 0 | | - | | | | | | | |
| | | | 2 | 0 | 7 | | | | | | | |
| Carried forwa | . m.d | | 17 | 5 | 5 | Total | | | 2 | 20 | 3 | 81 |

No. 3,036.—WALKER.

TOWNSHIP OF WALKER, NORTHUMBERLAND.

Sheet 98 of Ordnance Map. Lat. 54° 58′ 10″, Long. 1° 32′ 27″.

Account of Strata passed through in a Bore-hole below the Beaumont Seam in the Jane Pit, Walker Colliery. Commenced December, 1897.

| Fs. Ft. In. Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In. Brought forward 15 3 0 |
|---|--|
| From scaffold to bottom of shaft 2 1 0 | Ft. In. |
| Hard grey post 1 3 0 Grey post, with hard | coarse 0 10 |
| girdles, and water 5 1 9 Black stone 0 3 0 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| Grey post 6 0 3 | 15 5 5 |
| | Grey metal 0 0 4 Dark post 0 2 0 |
| | 0 2 4 |
| Carried forward 15 3 0 | Total <u>. 16 1 9</u> |

No. 3,037.—WALKER.

TOWNSHIP OF WALKER, NORTHUMBERLAND.

Sheet 98 of Ordnance Map. Lat.

, Long.

Account of Strata passed through in the No. 2 Bore-hole below the Beaumont Seam, in the No. 4 West District, one mile from the Shaft, Jane Pit, Walker Colliery.

Approximate surface-level feet above sea (Ordnance datum).

| | Fs. | Ft. | In. | Fs. | Ft. | In. | |
|----------------------|--------|-----|-----|-----|-----|-----|--|
| Hard grey and white | | | | | | | Brought forward 14 1 5 |
| post | 2 | 1 | 6 | | | | Grey post, with iron- |
| Hard white post, | | | | | | | stone girdles 4 1 1 |
| with water | 3 | 5 | 0 | | | | Hard white post 1 4 7 |
| Coal pipes | 0 | 0 | 7 | | | | Ft. In. |
| Grey post, with hard | | | | | | | COAL 1 5½ |
| girdles Whin | 1 | 0 | 6 | | | | Band $0 	 1\frac{1}{3}$ |
| Whin | 0 | 0 | 6 | | | | COAL 0 1 |
| Grey post | 0 | 5 | 0 | | | | Black stone |
| COAL | | | | | | | and coal 0 41 |
| | | | | 8 | 1 | 11 | COAL, coarse $0 	 2\frac{1}{2}$ |
| Grey post | 2 | 0 | 0 | | | | 0 2 3 |
| Hard white post | 3 | 3 | 10 | | | | 6 1 11 |
| Ft. In. | | | | | | | Black stone 0 0 2 Seggar-clay 0 0 2 |
| COAL 1 2 | | | | | | | Seggar-clay 0 0 2 |
| Black stone | | | | | | | 0 0 4 |
| and $coal$ 0 6 | | | | | | | |
| | 0 | 1 | 8 | | | | |
| | | | | 5 | 5 | 6 | |
| | | | | | | | |
| Carried forward | | | | 14 | 1 | 5 | Total 20 3 8 |
| | | | | | - | | |
| | | | | | | | |

No. 3,038.—WALLSEND.

TOWNSHIP OF BENTON, NORTHUMBERLAND.

Sheet 89 of Ordnance Map. Lat. 55° 0' 31", Long. 1° 31' 58".

Account of Strata sunk through in the Rising Sun Pit, Wallsend Colliery. Commenced July 9th, 1906.

| Clay, mixed v | vith | Ft. In. Fs. | Ft. In. | Brought forward | 23 | Ft. In. Fs 2 10 3 | Ft. In. |
|------------------|--------|-------------------|---------|---------------------|----|----------------------|---------|
| gravel | 3 | | | Blue metal | 0 | $4 \ 5\frac{1}{2}$ | |
| | | 3 | 1 0 | Seggar-clay | 2 | $5 \ 3\frac{1}{2}$ | |
| Soft brown post | 1 | 0 4 | | COAL | 0 | 0 104 | |
| Blue metal | 4 | 4 8 | | | | 27 | 1 51 |
| Seggar-clay | 0 | 5 4 | | Seggar-clay | 0 | 1 9 | • |
| Black shale | 0 | $2 10\frac{1}{2}$ | | Grey metal | 1 | 1 10 | |
| COAL | 0 | $0 1\frac{1}{2}$ | | Strong post or whin | 0 | 1 6 | |
| Mild grey metal | 0 | 4 8 | , | Leafy grey metal | 3 | 5 9 | |
| Reddish post | 0 | 4 9 | | Hard seggar-clay | | | |
| White and grey p | ost, | | | Soft seggar-clay | | | |
| mixed | 12 | $2 \frac{1}{2}$ | | Grev metal | 1 | 4 7 | |
| Seggar-clay | | | | Grey metal Whin | 0 | 2 9 | |
| Grey metal | | | | Grey post | 2 | 0 6 | |
| Grey metal, w | | | | Seggar-clay | 2 | 2 3 | |
| partings | 0 | 1 11 | | Grey metal | | | |
| Carried forw | ard 23 | 2 10 3 | 1 0 | Carried forward | 16 | 4 4 30 | 2 51 |

No. 3,038.—WALLSEND.—Continued.

| Brought forward 16 4 | 4 30 2 5 1 | Fs Ft. In. Fs. Ft. In. |
|---|---|---|
| Post 3 2 | | Brought forward 99 0 4½ Soft seggar-clay 0 0 9 |
| COAL 0 0 | | Hard seggar-clay 0 1 6 |
| Seggar-clay 1 2 | | Strong grey metal 0 4 10 |
| Black shale 1 0 | | Hard post 0 3 2 |
| COAL 0 1 | | Blue metal 2 1 1 |
| | 22 4 9 | Ft. In. |
| Seggar-elay 0 5 | 9 | COAL 0 7 |
| | 10 | Band 0 3 |
| Strong grey metal 1 2 | 1 | COAL 0 2 |
| Dark grey metal, | | 0 1 0 |
| with post 2 2 | 3 | 4 0 4 |
| Whin 0 1 | 2 | Seggar-clay 0 3 3 |
| Seggar-clay 0 5 | | Post 0 0 3 |
| COAL 0 0 | 8 | Grey metal 0 0 2 |
| Seggar-clay 0 1 | | Post 0 0 6 |
| COAL 0 0 | 11 | Grey metal, with gir- |
| 0.00 | 6 2 5 | dles 0 5 10 |
| Soft seggar-clay 1 3 | 8 | Blue metal, with coal |
| Hard seggar-clay, | | partings 0 3 0 |
| with post 0 1 | 2 | Post 0 3 6 |
| Hard seggar-clay 1 4 | 6 . | Blue metal 1 3 9 |
| Grey metal 1 0 Soft seggar-elay 0 2 | 8 | COAL 0 0 5 |
| Soft seggar-clay 0 2 COAL 0 0 | 7 | Seggar-clay 0 4 0 Grey post, with hard |
| OOAL 0 0 | 5 1 1 | whin panels 2 5 1 |
| Soft seggar-clay 0 2 | 9 | White post, with |
| Hard seggar-clay 1 4 | 6 | hard whin panels 3 2 0 |
| White post 0 5 | 7 | Blue metal, with iron |
| Grey metal 0 2 | 6 | girdles 1 0 2 |
| White post 3 0 | 3 | Post 0 3 01 |
| Grey metal 0 0 | 6 | Blue metal 0 3 0 |
| Post, with grey metal | į. | Yard Seam— |
| bands 1 3 | 6 | COAL 0 3 0 |
| | 10 | 13 4 11½ |
| White post 1 5 | 8 | Hard seggar-elay 0 1 0 |
| Dark blue metal 2 5 | 2 | Post 2 5 6 Blue metal 0 3 9 |
| COAL 0 0 | 13 | |
| Very hard post, with | | Grey post, with blue |
| whin girdles 11 1 | 4 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| White post, with bands of grey | | Grey metal $0 	 1 	 8\frac{1}{2}$ COAL $0 	 0 	 1\frac{1}{2}$ |
| metal 2 1 | 6 | Grey metal, with |
| High Main Seam— | | ironstone balls 3 1 4 |
| COAL 1 0 | 33 | Grey post 0 1 6 |
| | - 28 0 63 | Whin 0 0 6 |
| Soft seggar-elay 0 2 | 5 | Grey post 1 3 0 |
| Dark blue metal 3 4 | -1 | Grey post 1 3 0 White post 0 1 0 Grey metal 0 3 4 |
| Grey metal, with post | | GICY INCERT 0 5 4 |
| girdles 1 3 | 2 | Seggar-clay 0 0 6 |
| Metal Coal Seam— | | Bensham Seam— |
| Ft. In. | 1 | Ft. In. |
| COAL 0 6 Band 0 21 | | $\begin{array}{ccccc} \textbf{COAL} & \dots & 2 & 9\frac{3}{4} \\ \textbf{Splint} & \dots & 0 & 2\frac{1}{4} \end{array}$ |
| Band $0 - 2\frac{1}{2}$ COAL $2 - 6$ | | COAL 2 3 |
| - 0 3 | $2\frac{1}{2}$ | 0 5 3 |
| - 0 5 | $\frac{2^{\frac{1}{2}}}{6}$ 6 1 1 $\frac{1}{2}$ | 11 1 9 |
| | | |
| Carried forward | $99 0 4\frac{1}{2}$ | Total128 1 5 |
| | = (| |

No. 3,039.—WALLTOWN.

TOWNSHIP OF WALLTOWN, NORTHUMBERLAND.

Sheet 82 of Ordnance Map. Lat. 54° 59′ 33″, Long. 2° 28′ 22″.

Account of Strata sunk through in the Cockmount Hill Mine. Approximate surface-level 650 feet above sea (Ordnance datum).

| | Ea | 1774 | In. Fs. | 1774 | Tes | 73. 734 7. 73 73. 7 |
|-----------------------|-----------|------|-------------|------|------|------------------------------|
| Whin | 23 | 0 | 9 | rt. | 111. | Brought forward 2 4 6 50 3 9 |
| Hazle | - | ŏ | 6 | | | Hazle 4 3 0 |
| Grey beds and | | | | | | Conglomerate 1 0 0 |
| Plate, post and | | 1 | v | | | Hazle 0 3 9 |
| clay | 0 | 3 | 9 | | | Conglomerate 1 3 6 |
| Hazle | 1 | 4 | 9 | | | Plate 5 1 0 |
| Plate | 0 | 2 | 6 | | | Limestone 0 3 6 |
| Hazle | 1 | 5 | ğ | | | Plate 2 1 3 |
| TOTAL I | 3 | 5 | ő | | | Limestone 2 0 9 |
| Hazle | 0 | 2 | ŏ | | | 701 / 1 7 |
| Plate and coal | 5 | 5 | 3 | | | |
| Trave and coar | 0 | 3 | — 40 | 5 | 0 | ** 1 |
| Hazle | c | = | | Э | U | |
| | 6 | | | | | |
| Plate and coal | 2 | 5 | 0 | | | Hazle 2 4 6 |
| Ti: 1 -10 | 1 | | 9 | 4 | 9 | Plate and grey beds 1 2 3 |
| Fire-clay, with v | | | | | | 5 1 0 |
| post | \dots 2 | 4 | 6 | | | |
| | - | | | | | |
| Carried for | ward 2 | 4 | 650 | 3 | 9 | Total 76 3 0 |
| | | | | | | |

No. 3,040.—WALLTOWN.

TOWNSHIP OF WALLTOWN, NORTHUMBERLAND.

Sheet 83 of Ordnance Map. Lat. 55° 0' 37", Long. 2° 27' 43".

Account of Strata passed through in a Bore-hole at High Tippald, 1901.

Approximate surface-level 658 feet above sea (Ordnance datum).

| Fs. | Ft. | In. Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. | |
|------------------------|----------|---------|-----|-----|-------------------------------|---|
| Surface peat 0 | 1 | 0 | | | Brought forward 0 1 623 3 0 |) |
| Clay, with pebbles 2 | 4 | 9 | | | Dark blue limestone 0 5 0 | |
| Broken red sand- | | | | | Soft blue sandstone 0 1 6 | |
| stone and clay 5 | 2 | 3 | | | Soft light grey sand- | |
| Clay, with boulders 10 | 3 | 0 | | | stone 0 3 0 | |
| | | 18 | 5 | 0 | Broken yellow sand- | |
| Variegated sandy | | | | | stone 0 4 6 | |
| shale 2 | 3 | 7 | | | Variegated sandy | |
| Broken limestone 0 | | | | | shale 020 | |
| Broken yellow sand- | | | | | Yellow sandstone 0 1 6 | |
| stone, with water 1 | 4 | 0 | | | Soft dark blue shale 2 1 0 | |
| Ft. In. | | | | | Yellow and grey | |
| COAL 0 9 | | | | | mottled sandstone 1 1 6 | |
| Soft blue shale 0 9 | | | | | Variegated sandy | |
| COAL and dirt 0 3 | | | | | shale 1 2 0 | |
| | 1 | 9 | | | Yellow and grey | |
| _ | | _ 4 | 4 | 0 | mottled sandstone 1 4 6 | |
| Soft dark blue shale 0 | 1 | | - | - | Broken sandy shale 0 2 6 | |
| | _ | | | | | |
| Carried forward 0 | 1 | 6 23 | 3 | 0 | Carried forward 10 0 6 23 3 0 | |

No. 3,040.—WALLTOWN.—Continued.

| | Fs | | | | Ft. | | F | s. I | Ft. I | n. Fs. | Ft. | In |
|-------------------------------|----|------|-----|----|-----|-----|------------------------------------|------|--------|----------|-----|----|
| Brought forward | | 0 | | 23 | 3 | 0 | Drought forward | , | 1 | 7 83 | 3 | 11 |
| Soft dark blue shale | 1 | 4 | 0 | | | | Bine shale (|) | | 4 | | |
| Broken grey sand- | | | | | | | COAL | | 0 | 3 | | |
| stone | 0 | 5 | 6 | | | | · | | | - 9 | 2 | 2 |
| Variegated sandy | | | | | | | Grey shale (|) | 2 ` | 0 | | _ |
| snale | 0 | 3 | 0 | | | | Grev shale | | 0 | 0 | | |
| COAL and soft shale | 0 | 0 | 7 | | | | Blue shale (|) | 4 | 0 | | |
| | | | | 13 | 1 | 7 | Broken shale (| | 1 | 6 | | |
| Dark blue shale | 0 | 2 | 0 | | | | Siliceous sandstone (| | _ | 0 | | |
| Hard grey broken | | | | | | | Grey sandstone 1 | | | Ŏ | | |
| sandstone | 1 | 5 | 0 | | | | Grey sandy shale 1 | | 3 | Ŏ | | |
| Grey and mottled | | | | | | | Limestone | 1 | 4 | ŏ | | |
| sandy shale | 1 | 1 | 0 | | | | Dark blue shale (| , | 4 | 9 | | |
| Dark grey shale | | 4 | 0 | | | | Grey shale 1 | | î | Ö | | |
| Grey sandy shale | 5 | 5 | 6 | | | | Dark blue shale 0 | | 4 | Ö | | |
| Blue shale, with iron- | | | | | | | Dark grey sandy | | | • | | |
| | 2 | 1 | 0 | | | | shale | | 5 | 0 | | |
| stone balls | 1 | 3 | 8 | | | | Shale (Black shale (| | o 0 | 6 | | |
| Grey and blue sandy | - | ., | ~ | | | | COAL | | Ö | 2 | | |
| shale | 3 | 0 | 0 | | | | 33AL | | U | _ 9 | 9 | 11 |
| Blue and grey shale | | 4 | ŏ | | | | Black shale 0 | | 0 | - 3 4 | 4 | 11 |
| Shalu limestone | â | 2 | ő | | | | Strong grey shale 0 | | 4 | | | |
| Shaly limestone Blue shale | n | 5 | ő | | | | Grey sandy shale 0 | | | 0 | | |
| Blue and grey shale, | U | J | U | | | | Broken grow shale (| | 3 | 6 | | |
| with ironstone | | | | | | | Broken grey shale 1 | | 1 | 2 | | |
| 1 1 | 1 | 1 | 0 | | | | Grey sandy shale 1 | | | 0 | | |
| *** | | 1 5 | 9 | | | | Dark blue shale 0 | • | 5 | 6 | | |
| Strong grey shale | 1 | 5 | 0 | | | | Strong grey and blue | | ^ | 0 | | |
| Blue and grey shale | | 4 | 0 | | | | shale 1 | | | 0 | | |
| Broken grey shale | | 3 | 0 | | | | Broken grey shale 1 | | | 0 | | |
| Blue and grey shale | 2 | 4 | 0 | | | | Dark blue shale 0 | | | 8 | | |
| Blue shale, with | | | _ | | | | Grey sandy shale 0 | 4 | 4 | 0 | | |
| ironstone balls | 3 | 1 | 0 | | | | Strong grey sand- | | | _ | | |
| Shaly limestone, with | _ | | _ | | | | stone 5 | | | 7 | | |
| ironstone balls | 0 | 3 | 1 | | | | Blue sandy shale 2 | 2 | 2 | 6 | | |
| Dark blue shale, with | _ | _ | _ | | | | Dark blue shale, | | | | | |
| limestone | 1 | 3 | 0 | | | - 1 | with ironstone | | | | | |
| Inmestone | | 1 | 1 | | | 1 | with ironstone balls 1 Limestone 0 | (| | 6 | | |
| Grey shale | 2 | 4 | 1 | | | | Limestone 0 | - 2 | } | 6 | | |
| Blue shaly limestone, | | | | | | | Hard grey broken | | | | | |
| with ironstone | 2 | 1 | 8 | | | - | sandstone 0 | 4 | į, į | 0 | | |
| Hard grey shale | 0 | 5 | 0 | | | | Blue and grey sandy | | | | | |
| Blue and grey shale | 0 | 3 | 0 | | | | shale 2 | 1 | . (| 9 | | |
| Blue shale | 0 | 2 | 4 | | | | Hard broken grey | | | | | |
| Grey shale | 0 | 4 | U | | | | sandstone 1 | 3 | } (|) | | |
| Hard grey shale | 0 | 3 | 0 | | | | Grey sandy shale 0 | 4 | . (|) | | |
| Light blue shale | 0 | 5 | 0 | | | | Blue metal, with | | | | | |
| Soft grey shale | 0 | 1 | 1 | | | | ironstone balls 2 | 5 | | | | |
| Grey shale | 2 | 0 | 6 | | | | Limestone 0 | 1 | . (|) | | |
| COAL | 0 | 0 | 7 | | | | COAL and dirt 0 | 0 | | 5 | | |
| | | | - 4 | 16 | 5 | 4 | | | | - 26 | 0 1 | 1 |
| Blue and grey sandy | | | | | | | Soft black shale 0 | 0 | 7 | 7 | | |
| shale | 3 | 2 | 7 | | | | Blue and grey sandy | | | | | |
| Broken grey sand- | | | | | | | shale 0 | 5 | - (|) | | |
| stone | 2 | 5 | 0 | | | | Hard broken grey | | | | | |
| Strong grey shale | 1 | 3 | ŏ | | | | shale 0 | 4 | 7 | , | | |
| Grey shale | 0 | 4 | 0 | | | | Grey sandy shale 1 | 1 | 0 |) | | |
| Limestone | ŏ | 1 | ŏ | | | | Broken blue and grey | | | | | |
| Dark blue shale | | 3 | 0 | | | | shale 0 | 5 | 3 | 3 | | |
| Limestone | 0 | i | 0 | | | | Broken ironstone 0 | 0 | _ | | | |
| | | • | | | | _ | | _ | | | | _ |
| Carried forward | 9 | 1 | 7 8 | 33 | 3 1 | 1 | Carried forward 3 | 5 | 2 | 128 | 3 1 | .1 |
| y y | _ | _ | | - | | | | | | | | |

No. 3,040.—WALLTOWN.—CONTINUED.

| Brought forward Blue shale, with | 3 5 | $2\ 128$ | 3 11 | Brought forward Fs. Ft. In. Fs. Ft. In. Light blue shale, |
|-------------------------------------|-----|----------|------|---|
| coal | | 1 | 2 5 | into 0 1 6 |
| Carried forward | | 134 | 0 4 | Total <u>134 1 10</u> |

No. 3,041.—WARDLEY.

TOWNSHIP OF HEWORTH, DURHAM.

Sheet 7 of Ordnance Map. Lat. 54° 56' 21", Long. 1° 30' 51".

Account of Strata sunk through below the Low Main Seam, Wardley Collicry, 12 chains East of North Follingsby Farm House, 1901.

| Fig. Ft. In. Fs. Ft. In. Brought forward 3 5 10 16 5 0 | | | - | | | | - | |
|--|-------------------|-----|---|----|-----|-----|-----|--|
| Grey metal | | | | | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
| Blue stone 0 4 3 3 Blue stone, with ironstone girdles 0 5 0 Blue stone, with ironstone bands 0 2 4 4 COAL 0 0 0 0 Blue stone, with ironstone bands 3 5 0 Blue stone, with ironstone bands 0 2 0 3 0 | Chark seggar-clay | | | | | | | |
| Blue stone, with ironstone girdles | | | | | | | | |
| Stone girdles 0 5 0 | | U | 4 | Ð | | | | D1 4 0 0 0 |
| White post 0 2 6 Blue stone, with ironstone bands 0 2 4 Seggar-clay 0 0 5 0 Blue stone, with ironstone bands 0 2 4 Seggar-clay 0 0 5 0 Blue stone, with ironstone bands 0 2 9 COAL 0 0 3 3 COAL 0 0 3 3 | | 0 | 5 | 0 | | | | |
| Seggar-clay 0 5 0 | | | | | | | | |
| Stone bands | | U | ش | U | | | | Sagger elever 0 5 0 |
| Stone bands | | Δ | 0 | 4 | | | | 98 |
| Blue stone 0 2 2 0 Grey metal 2 2 2 2 Bluestone, withironstone bands 1 0 3 Black stone 0 2 6 Hutton Seam— COAL 1 0 0 Mild seggar-clay 0 1 6 Blue stone 0 0 1 0 Blue stone 0 0 1 0 Blue stone 0 1 0 Blue stone 0 1 0 Blue stone 0 1 0 Blue stone 0 1 0 Blue stone 0 1 0 Blue stone 0 1 0 Blue stone 0 1 0 Blue stone 0 1 0 Blue stone 0 0 1 2 Blue stone 0 1 2 Blue stone 0 1 2 Blue stone 0 0 0 6 Grey post 0 1 2 Blue stone 0 0 0 6 Grey metal 0 5 1 Whin 0 1 1 0 Bastard post 0 5 3 Blue stone 0 1 2 Blue stone 0 0 0 6 Grey post 0 1 2 Blue stone 0 0 0 6 Grey metal 0 4 0 Blue stone 0 0 0 3 Ft. In. COAL 1 0 Seggar - clay 1 3 COAL 1 0 Seggar - clay 1 3 COAL 1 0 Seggar - clay 1 3 COAL 1 0 Seggar - clay 1 3 COAL 1 0 Seggar - clay 1 3 COAL 1 0 Seggar - clay 1 3 COAL 1 0 | | - | | | | | | |
| Grey metal | | | | | | | | |
| Blue stone, with ironstone bands 1 0 3 Blue stone bands 1 0 0 0 Blue stone, with ironstone bands 1 0 0 0 Grey metal 1 5 0 Bastard post 0 5 1 Whin 0 1 0 Bastard post 0 5 3 Blue stone, with ironstone bands 3 5 0 White post, with water 1 4 4 COAL 0 0 0 7 White post 1 1 3 Blue stone, with ironstone bands 1 2 0 Post girdles and blue stone 0 4 0 Blue stone 0 4 0 Blue stone 0 4 0 Blue stone 0 5 4 Blue stone 0 5 5 0 COAL 1 0 Seggar - clay 1 3 COAL 1 0 Seg | | | | | | | | |
| Stone bands | | 4 | 2 | 2 | | | | |
| Stone bands | | 1 | ۸ | 4) | | | | |
| Hutton Seam— | | | | | | | | |
| COAL 1 0 0 | | U | 4 | 0 | | | | |
| Mild seggar-clay 0 1 6 6 5 5 6 Grey post 0 5 0 8 Blue stone, with ironstone bands 3 5 0 White post, with water 1 4 4 COAL 0 0 0 7 White post 1 1 3 Blue stone, with ironstone bands 1 2 0 Post girdles and blue stone 0 4 0 Blue stone 0 4 0 Blue stone 0 4 0 Blue stone 0 5 4 Blue stone 0 5 4 Blue stone 0 5 4 Blue stone 0 5 5 6 Blue stone 0 5 5 6 Blue stone 0 0 0 3 Blue stone | | 1 | ٥ | 0 | | | | |
| Mild seggar-clay 0 1 6 Blue stone 0 5 3 Blue stone 0 1 8 Blue stone 0 1 2 8 Blue stone 0 0 1 2 8 1 2 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 | COAL | 1 | U | U | 0 | ۳ | 7 | |
| Blue stone 0 5 0 Grey post 0 1 0 Blue stone, with ironstone bands 3 5 0 White post, with water 1 4 4 COAL 0 0 7 White post 1 1 3 Blue stone, with ironstone bands 1 2 0 Post girdles and blue stone 0 4 0 Blue stone 0 4 0 Blue stone 0 4 0 Blue stone 0 5 4 Blue stone 0 5 0 Brat 0 0 3 Beaumont Seam— Ft. In. COAL 3 1 Seggar - clay 1 3 COAL 1 0 Grey post 0 1 2 Blue stone 0 5 0 Brat 0 0 3 Beaumont Seam— Ft. In. COAL 3 1 Seggar - clay 1 3 COAL 1 0 Grey post 0 1 2 Blue stone 0 5 0 Brat 0 0 3 Beaumont Seam— Ft. In. COAL 3 1 Seggar - clay 1 3 COAL 1 0 | M:14 | | | c | 9 | Э | " | |
| Grey post 0 1 0 Blue stone, with iron- stone bands 3 5 0 White post, with water 1 4 4 COAL 0 0 7 White post 1 1 3 Blue stone, with iron- stone bands 1 2 0 Post girdles and blue stone 0 4 0 Blue stone 0 4 0 Blue stone 0 5 4 Brat 0 0 3 Brat 0 0 3 Brat 0 0 3 Brat 0 0 3 Brat 0 0 3 Brat 0 0 3 Brat 0 0 3 Brat 0 0 5 0 Brat 0 0 3 Brat 0 0 5 0 Brat 0 0 5 0 Brat 0 0 5 0 Brat 0 0 5 0 Brat 0 0 5 0 Brat 0 0 5 0 Brat 0 0 5 0 Brat 0 0 5 0 Brat 0 0 0 3 | | • | | | | | | Bastard post 0 5 3 |
| Blue stone, with ironstone bands 3 5 0 White post, with water 1 4 4 COAL 0 0 7 Seggar-clay 0 0 7 White post 1 1 3 Blue stone, with ironstone girdles 0 5 0 Blue stone girdles 0 5 0 Blue stone 0 0 3 Brat 0 0 3 Beaumont Seam— Ft. In. COAL 3 1 Seggar - clay 1 3 COAL 1 0 Seggar - clay 1 3 COAL 1 0 Seggar - clay 1 3 COAL 1 0 Seggar - clay 1 3 COAL 1 0 Seggar - clay 1 3 COAL 1 0 Seggar - clay 1 3 COAL 1 0 Seggar - clay 1 3 COAL 1 0 | | - | | - | | | | |
| Stone bands | | U | 1 | U | | | | |
| White post, with water 1 4 4 4 COAL 0 0 7 | | | _ | | | | | |
| water 1 4 4 COAL 0 0 7 Seggar-clay 0 0 7 White post 1 1 3 Blue stone, with ironstone bands 1 2 0 Post girdles and blue stone <t< td=""><td></td><td>- 3</td><td>Ð</td><td>U</td><td></td><td></td><td></td><td> - 10 11 11 1 1 1 1 1 1 </td></t<> | | - 3 | Ð | U | | | | - 10 11 11 1 1 1 1 1 1 |
| COAL 0 0 7 6 5 5 5 Blue stone 0 2 0 Brat 0 0 3 Brat 0 0 3 Brat 0 0 3 Brat 0 0 3 Brat 0 0 0 3 Brat | 1, | - | | | | | | |
| Seggar-clay 0 0 7 7 8 5 5 8 Brat 0 0 3 8 Beaumont Seam— White post 1 1 3 8 Blue stone, with ironstone bands 1 2 0 Post girdles and blue stone 0 4 0 Blue stone 0 4 0 8 1 3 | | | | | | | | stone girdles 0 5 0 |
| Seggar-clay 0 0 7 White post 1 1 3 Blue stone, with ironstone bands 1 2 0 Post girdles and blue stone 0 4 0 Blue stone 0 4 0 Blue stone 0 4 0 | COAL | 0 | 0 | 7 | 0 | - | _ | |
| White post 1 1 3 Blue stone, with ironstone bands 1 2 0 Post girdles and blue stone 0 4 0 Blue stone 0 4 0 | G 1 | | | | b | 5 | Э | |
| Blue stone, with iron- stone bands 1 2 0 Post girdles and blue stone 0 4 0 Blue stone 0 4 0 | | | | | | | | |
| Stone bands 1 2 0 | | 1 | 1 | 3 | | | | 0041 |
| Post girdles and blue stone 0 4 0 Blue stone 0 4 0 | | _ | | | | | | |
| stone 0 4 0 Blue stone 0 4 0 — 0 5 4 — 8 1 3 | | 1 | 2 | U | | | | |
| Blue stone 0 4 0 8 1 3 | | | | _ | | | | |
| | | | - | - | | | | |
| Carried forward 3 5 10 16 5 0 Total 32 5 5 | Blue stone | 0 | 4 | 0 | | | | 8 1 3 |
| Carried tot ward of o to to o o | Carried forward | 3 | 5 | 10 | 16 | 5 | _ | Total 39 5 5 |
| | Carried for ward | J | J | 10 | 10 | J | U | 10vai 32 0 0 |

No. 3,042.—WASHINGTON. TOWNSHIP OF WASHINGTON, DURHAM.

Sheet 13 of Ordnance Map. Lat. 54° 53′ 37″, Long. 1° 29′ 57″.

Account of Strata passed through in a Bore-hole at Washington Chemical Works, by Mr. William Coulson, Jun., April, 1845.

Approximate surface-level 100 feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|-------------------------|--|
| Forced ground 0 5 6 | Brought forward 8 0 2 |
| Brown clay 0 2 0 | Black stone and coal 0 1 2 |
| Sand, with a little | Coarse sand, mixed |
| water 1 1 0 | with clay, and |
| Fine brown clay 1 2 7 | water 2 0 0 |
| Fine sand, with thin | Gravel and sand 1 3 8 |
| layers of clay 1 1 5 | Brown freestone |
| Strong brown clay 0 4 7 | rubble 0 2 6 |
| Black stony clay 0 1 0 | Clay rubble 1 5 31 |
| Small gravel 0 1 3 | Clay rubble |
| Loam and sand 1 4 10 | —————————————————————————————————————— |
| | |
| Carried forward 8 0 2 | Total 14 1 9½ |
| | 1 |

No. 3,043.—WASHINGTON. TOWNSHIP OF WASHINGTON, DURHAM.

Sheet 7 of Ordnance Map. Lat. 54° 54′ 38″, Long. 1° 31′ 40″.

Account of Strata sunk through in the F Pit, Washington Colliery.

Approximate surface-level 246 feet above sea (Ordnance datum).

| Ps. Ft. In. Fs. Ft. In. | Ft. In. Fs. Ft. In. Fs. Ft. In. Fs. Ft. In. Brot. forward 2 10 8 3 2 79 5 111 |
|---|---|
| Cement walling 11 4 0 | |
| Metal tubbing 8 4 0 | Splint 0 2½ |
| Cement walling 6 4 3 | COAL, bot- |
| Post 14 1 6 | tom 1 7 |
| Metal tubbing 15 1 6 | $ 0 4 7\frac{1}{2}$ |
| Grey metal and post 12 2 0 | |
| Five-Quarter Seam— | Stone and walling 10 4 0 |
| COAL 0 1 6 | Low Main Seam. |
| 69 0 9 | Ft. In. |
| Blue metal 9 3 0 | COAL 0 4 |
| Main Coal Seam— | Stone 1 0 |
| | COAL 1 2 |
| Ft. In. | COAL 1 2 Splint 0 2 |
| COAL, top 2 11 | COAL 1 8 |
| Seggar - clay 0 9 | Stone 0 03 |
| COAL, foul 0 7 | |
| COAL, kirv- | |
| $ing \dots 1 2\frac{1}{2}$ | $047\frac{3}{4}$ |
| Stone 0 2 | 11 2 73 |
| COAL, bot- | Stone 10 1 0 |
| tom 2 $6\frac{3}{4}$ | Hutton Seam— |
| 1 2 21 | Ft. In. |
| 10 5 21 | Cannel 0 1 |
| Stone 8 3 2 | COAL 3 8 |
| Maudlin Seam— | 0 3 9 |
| | 10 4 9 |
| Ft. In. | |
| COAL, top 2 8 | |
| COAL, grey 0 2 | |
| 0 0 10 10 0 0 0 70 5 111 | Total111 3 12 |
| Car. forward 2 10 8 3 2 79 5 11 ¹ / ₄ | 10001 |
| | 33 |
| | • |

No. 3,044.—WASHINGTON. TOWNSHIP OF WASHINGTON, DURHAM.

Sheet 7 of Ordnance Map. Lat. 54° 54′ 37", Long. 1° 31′ 41".

Account of Strata sunk through in a Staple below the Hutton Seam in the F Pit, Washington Colliery.—Supplementary to No. 3,043.

Approximate surface-level feet above sea (Ordnance datum).

| Depth at shaft from surface to bottom of Hutton Seam Seggar-clay and bottom coal | Fs. 0 | Ft. | | Fs. | | In. | Brought forward 1 0 0 129 3 7½ Blue metal 1 4 0 Post 0 1 0 Blue metal 0 2 10 Blue metal, with |
|--|----------|--------|--------|-----|-----|----------------|--|
| 701 | | | _ | 0 | 3 | 6 | thin layers of post 0 3 $1\frac{1}{2}$ |
| Blue metal, with ironstone balls | 0 | 1 | 6 | | | | $Harvey\ Seam$ — O O O O O O O O O O |
| Blue metal | 0 | 3 | 0 | | | | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| Post | 0 | 1 | 3 | | | | Seggar-elay, with |
| Blue metal | 0 | 3 | 3 | | | | ironstone balls 0 4 0 |
| Hard post | 0 | 3 | 4 | | | | Blue metal 1 0 0 |
| COAL, cannel | 0 | 0 | 8 | | | | Blue metal, with |
| Dark blue shale | | | _ | 2 | 1 | 0 | thin post panels 3 2 7 |
| Hard post | 1 0 | 0 3 | 0 | | | | COAL 0 1 3 5 1 10 |
| Blue metal | Ö | 3 | 4 | | | | Grey post 0 3 10 |
| Post | õ | ĩ | 9 | | | | COAL 0 1 0 |
| Blue metal | 1 | 3 | 6 | | | | 0 4 10 |
| Hard post | 2 | 4 | 0 | | | | Post 1 0 0 |
| Blue metal | 0 | 3 | 0 | | | | Blue metal 0 4 0 |
| Post | 0 | 2 | 0 | | | | Busty Seam— |
| COAL | 0 | 1 | 2 | 7 | 3 | 9 | COAL 0 113 |
| Blue metal, with | | | _ | ' | J | 9 | $\begin{array}{cccc} & \cdots & \circ & \Pi_{\overline{8}} \\ & \cdots & \circ & \bullet & \Pi_{\overline{8}} \\ & & \cdots & & \bullet & \bullet \\ & & & \cdots & & \bullet \\ & & & & \cdots & & \bullet \\ & & & & & \cdots & & \bullet \\ & & & & & & \cdots & & \bullet \\ & & & & & & & \cdots & & \bullet \\ & & & & & & & & & & \bullet \\ & & & &$ |
| thin layers of post | 2 | 2 | 9 | | | | COAL 0 34 |
| Blue metal | 1 | 0 | 6 | | | | Band 0 21 |
| Post | 0 | 1 | 0 | | | | $COAL 1 4^{\overset{1}{4}}_{4}$ |
| Blue metal | 0 | 0 | 6 | | | | $ 0 3 5\frac{1}{2}$ |
| Post | 0 | 1 | 0 | | | | $\frac{1}{2}$ $\frac{1}{2}$ |
| Dark blue metal | 3 | 4 | 0 6 | | | | Seggar-clay and post |
| COAL | 0 | 0 | U | 7 | 4 | 3 | panels 1 2 6 COAL 0 0 7 |
| Blue metal | 0 | 4 | 0 | ' | -10 | 0 | COAL 0 0 7 |
| Hard post | Ö | 2 | ŏ | | | • | |
| Carried forward | 1 | 0 | 0 | 129 | 3 | $7\frac{1}{2}$ | Total 143 3 10 |

No. 3,045.—WASHINGTON. TOWNSHIP OF WASHINGTON, DURHAM.

Sheet 13 of Ordnance Map. Lat. 54° 53′ 57″, Long. 1° 31′ 4″.

Account of Strata sunk through in the Glebe Pit, Washington Colliery.

Approximate surface-level 190 feet above sea (Ordnance datum).

| Yellow sand Quicksand Boulder-clay | Fs. Ft. II 9 0 6 0 3 5 | 0 0 0 | | | Brought forward Yellow freestone White post Leafy grey post | 1 3 | 0 | 0 | | |
|--|------------------------|-------------|---|---|--|-----|---|------|---|---|
| Carried forw | ard | 18 | 5 | 0 | Carried forward | 4 | 4 | 9 18 | 5 | 0 |

No. 3,045.—WASHINGTON.—CONTINUED.

| | | | | | · GIGIN CONTEN | | <i>-</i> . | | |
|-------------------------|----------|--|---|----------------|-------------------------------|-----|---------------|--------------------------|-------|
| | Fs. | Ft. In. Fs. | | | D 1.4 | Fs. | | In. Fs. | |
| Brought forward | | 4 9 18 | 5 | 0 | | 0 | 1 | 2 42 | 1 1 |
| COAL | 0 | 2 0 | | | Dark grey post, with | | | 21 | |
| G1 | | 5 | 0 | 9 | partings | 1 | 1 | $8\frac{1}{4}$ | |
| Seggar-clay | 0 | $1 0^{\frac{1}{2}}$ | | | Dark grey and white | _ | | 01 | |
| Post band | 0 | 0 4 | | | post | 0 | 1 | $\frac{6\frac{1}{2}}{2}$ | |
| Blue metal | 2 | 0 0 | | | Dark grey post | 0 | 0 | -9 | |
| COAL | 0 | 0 11 | | 91 | White post, with | o | - | 0.1 | |
| | _ | ${3} \frac{2}{6}$ | 2 | 02 | partings | 2 | 5 3 | $\frac{3\frac{1}{2}}{6}$ | |
| Seggar-clay | 0 | - | | | Blue metal | 0 | | _ | |
| Iron band | 0 | 0 3 | | ĺ | COAL | 0 | 0 | 43 — 5 | 2 4 |
| Seggar-clay | 0 | 0 9 | | | Dark grow post with | | | — ə | 2 4 |
| Blue metal | 0 | $\begin{array}{cc}2&11\\0&2\end{array}$ | | | Dark grey post, with partings | 1 | 2 | 6 | |
| Iron band | 0 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | | | Strong grey metal, | 1 | _ | U | |
| Blue metal COAL | 0 | 1 4 | | | with post girdles | 7 | 3 | $5\frac{1}{2}$ | |
| COAL | U | 1 | 5 | 4 | Grey metal | ò | 2 | 5 | |
| Black stone | 0 | 0 4 | 9 | 4 | Black shale | Ö | õ | 2 | |
| | 0 | 3 0 | | | COAL | 0 | 2 | ō | |
| Seggar-clay | 0 | 1 8 | | | | | | 9 | 4 61 |
| Blue metal | 0 | 0 61 | | | Black shale | 0 | 1 | 4 | ¥ 0.2 |
| Post band Blue metal | 0 | 3 3 | | | Seggar-clay | 0 | $\frac{1}{2}$ | 6 | |
| T 1 1 | 0 | $0 \ 1\frac{1}{4}$ | | | Grey metal, with post | | _ | | |
| | 0 | $5 \ 10\frac{1}{3}$ | | | girdles | 6 | 5 | 10 | |
| Blue metal Ft. In. | ٠ | 0 102 | | | White post, with | | | | |
| COAL 1 7 | | | | | metal partings | 9 | 1 | 21 | |
| Seggar-clay 2 10 | | | | | Blue metal | 0 | 1 | 0 | |
| COAL 1 0 | | | | | COAL | 0 | 2 | 0 | |
| | 0 | 5 5 | | | | _ | | | 1 101 |
| | | 3 | 2 | $2\frac{1}{2}$ | Seggar-elay | 0 | 1 | 2 | - |
| White post | 0 | 3 4 | | - 2 | Grey metal, post gir- | | | | |
| Blue metal | ō | 0 4 | | | dles and ironstone | 3 | 1 | 3 | |
| White post | 0 | 3 0 | | | Blue metal | 1 | 0 | 0 | |
| Grey post | 0 | 1 10 | | | COAL | 0 | 1 | 10 | |
| White post | 0 | 2 1 | | | | | | _ 4 | 4 3 |
| Grey post | 0 | 3 1 | | | Seggar-clay | 0 | 2 | 9 | |
| COAL | 0 | 1 9 | | | Grey metal and iron- | | | | |
| | | 2 | 3 | 5 | stone | 2 | 4 | 0 | |
| Dark seggar-clay | 0 | 1 10 | | | COAL | 0 | 0 | 9 | |
| Light seggar-clay | 0 | 2 5 | | | _ | | | 3 | 1 6 |
| White post | 0 | 1 6 | | | Grey metal | 1 | 4 | 0 | |
| Blue metal | 0 | 0 3 | | | Black stone | 0 | 0 | 3 | |
| Blue post | 0 | $1 - 6\frac{1}{2}$ | | | Blue metal | 0 | 2 | 9 | |
| Light seggar-clay | 0 | 3 0 | | | Strong grey post | 0 | 3 | 0 | |
| Blue metal | 1 | $3 \ 4\frac{1}{2}$ | | | Grey metal, with | ~ | | - | |
| Iron band | 0 | $0 \ 2\frac{1}{2}$ | | | hard post girdles | 5 | 4 | 5 | |
| Blue metal | 2 | $2 \ 5\frac{1}{2}$ | | | Blue metal, with | , | = | 0 | |
| COAL | 0 | 0 6 | | _ | ironstone girdles | | 5 | | |
| | | 5 | 5 | 1 | Black stone | 0 | 0 | 3 | |
| Seggar-clay | 0 | 1 5 | | | Main Coal Seam— | | | | |
| White metal | 0 | 0 5 | | | Ft. In. | | | | |
| Grey post | 0 | 2 5 | | | COAL 1 111 | | | | |
| Blue metal | 0 | $0 \frac{7\frac{1}{2}}{2}$ | | | Band 0 44 | | | | |
| White metal | 0 | $2 	 8\frac{1}{2}$ | | | COAL 1 6 | | | | |
| Grey post | 0 | $0 1\frac{1}{2}$ | | | Band 0 13 | | | | |
| White metal | 0 | $1 9\frac{1}{2}$ | | | COAL 2 6 | 1 | 0 | 53 | |
| Blue metal | 0 | 2 8 | | | | | - | — 11 | 2 13 |
| Black metal | 0 | 0 5 | | | D town most | 0 | 4 | 3 | 2 -4 |
| COAL | 0 | 0 5 | | | Bastard post | 0 | 5 | Ö | |
| | _ | 2 | 1 | 0 | Grey metal | 0 | 5 | 2 | |
| Seggar-elay | 0 | 1 2 | | | Dark blue metal | | | | |
| | | | | _ | Carried forward | 2 | 2 | 5 93 | 5 83 |
| Carried forward | 0 | 1 2 42 | 1 | 1 | Carried forward | - | - | 5 50 | 4 |

No. 3,045.—WASHINGTON.—CONTINUED.

| Carried forward | 1 | 5 | 7 11 | 7 4 | $12\frac{3}{4}$ | Total <u>146 0 9</u> |
|----------------------------------|---|----------|----------------|-----|-----------------|------------------------------------|
| Blue metal | 0 | | 10 | | | |
| Bastard seggar-clay Grey post | | | | - | _ | Bastard seggar-clay 0 3 0 |
| COAL | 0 | 0 | $\frac{2}{3}$ | 1 | 1 | COÅL 0 1 3 |
| Blue metal | | 3 | 7 | | | Harvey Seam— |
| White post | 2 | 3 | 4 | | | Black stone 0 0 2 |
| | | | 4 | 2 | 2 | panels 0 3 10 |
| COAL | 0 | 3 | 3 | | | Grey metal, with whin |
| Low Main Seam— | ٠ | •, | • | | | Grey metal 2 3 7 |
| Blue metal | 0 | 3 | 1 | | | Seggar-clay 0 3 0 |
| White post, with partings | 3 | ٥ | 1 | | | COAL 0 0 8 7 1 0 |
| Bastard seggar-clay | 0 | 1 | 6 | | | Black stone |
| | | | _ 1 | 1 | 6 | 1 _ 2 _ |
| COAL | 0 | 1 | 2 | | | Blue metal, with iron |
| Blue metal | 1 | 0 | 4 | | - 2 | 7 3 G |
| | | ., | _ 4 | 5 | $5\frac{1}{3}$ | |
| cannot 0 b | 0 | 3 | 4 | | | Grey metal 0 3 0 |
| Band 0 10 COAL, cannel 0 9 | | | | | | Very hard white post 0 4 0 |
| COAL, cannel 1 9 | | | | | | Blue metal, with post panels 0 5 0 |
| Ft. In. | | | | | | Blue metal 2 2 3 |
| girdles | 3 | 2 | $6\frac{1}{2}$ | | | Black stone 0 2 3 |
| Blue metal, with iron | | 0 | | | | girdles 2 0 0 |
| White post | 0 | 4 | 5 | | | Grey metal, with post |
| Seggar-clay | 0 | 0 | 11 | | | Blue metal 0 4 0 |
| Black stone | 0 | 0 | 3 | | - 2 | 0 3 6 |
| | | | — 10 | 0 | $3\frac{1}{2}$ | Seggar-clay |
| | 0 | 5 | $7\frac{1}{2}$ | | | Seggar-clay 0 2 0 |
| Band 0 13 | 2 | | | | | COAL 036 |
| COAL 1 7 | | | | | | Hutton Seam- |
| Splint 0 2 | | | | | | Blue metal 1 2 0 |
| COAL, top 2 10 | | | | | | Grey post 0 2 7 |
| Ft. In. | | | | | | Blue metal 0 1 5 |
| Maudlin Seam— | U | U | ", | | | Grey post 0 1 6 |
| COAL and metal, mixed | 0 | 0 | 3 | | | Grey post 0 2 9 |
| _ 2 | 6 | 1 | 6 | | | panels 2 3 0 |
| Blue metal, with iron | | | | | | Blue metal, with post |
| | 0 | 2 | 6 | | - | Black stone 0 1 4 |
| Brought forward | ~ | 2 | 5 93 | อ | 83 | Brought forward 1 5 7 117 4 25 |

No. 3,046.—WASHINGTON. TOWNSHIP OF WASHINGTON, DURHAM.

Sheet 13 of Ordnance Map. Lat. 54° 54′ 6″, Long. 1° 30′ 46″.

Account of Strata sunk through in a Staple below the Main Coal Seam, about 300 yards East of the Shaft, in the Glebe Pit, Washington Colliery.

Approximate surface-level feet above sea (Ordnance datum).

| Depth at shaft from | Fs. | Ft. In. Fs | Ft | . In. | В | rought | forwa | ırd | Fs. | Ft. | In. Fs. 93 | Ft. In. 5 83 |
|-------------------------------------|-----|------------|----|-------|---------------|---------|-------|-----|-----|-----|---------------|--------------|
| surface to bottom of Main Coal Seam | | 93 | 5 | 83 | Thill Post | stone | | | 0 | 3 | 0 | |
| Carried forward | | 93 | -5 | 83 | (| Carried | forwa | ırd | 1 | 0 | 9 93 | 5 83 |

No. 3,046.—WASHINGTON.—CONTINUED.

| Brought forward 1 0 9 93 5 83 | Fs. Ft. In. Fs. Ft. In. |
|--------------------------------------|--------------------------------|
| Blue metal, with iron | Brought forward 1 0 4 105 2 03 |
| | Blue metal 1 1 6 |
| girdles 0 2 9 Post girdle 0 1 4 | Whin girdle 0 0 6 |
| | Blue metal 2 0 0 |
| Blue metal, with iron girdles 1 2 11 | COAL, cannel 0 0 10 |
| | Blue metal 0 1 10 |
| Post girdle 0 0 4 | Whin girdle 0 0 4 |
| Grey metal 0 1 7 | Blue metal 0 1 5 |
| Post girdle 0 1 11 | COAL, cannel 0 0 6 |
| Blue metal, with iron | Post 0 3 0 |
| girdles 1 3 10 | Blue metal 0 1 8 |
| Strong grey metal 0 2 0 | COAL 0 1 8 |
| Post girdle 0 1 5 | 6 1 7 |
| Blue metal, with post | Seggar-clay 0 2 6 |
| girdles 0 4 7 | Post 2 2 6 |
| Post girdle 0 1 9 | Blue metal 0 4 2 |
| Whin girdle 0 0 9 | Low Main Seam— |
| Blue metal 0 0 7 | COAL 0 2 11 |
| Grey metal 0 1 9 | 4 0 1 |
| Blue metal 0 0 11 | Thill stone 0 1 6 |
| Post girdle 0 0 9 | Post 1 3 0 |
| Blue metal 0 0 8 | Whin 0 3 0 |
| Post girdle 0 0 5 | Post 1 1 0 |
| Grey metal 0 0 9 | Blue metal 0 1 6 |
| Post girdle 0 0 7 | COAL 0 0 2 |
| Blue metal, with post | Seggar-clay 0 0 8 |
| girdles 1 4 8 | Post 1 3 0 |
| Post girdle 0 0 7 | Blue metal 0 1 4 |
| Blue metal 0 1 0 | Post 2 2 2 |
| Maudlin Seam- | Grey metal 0 0 9 |
| Ft. In. | Strong post 0 3 6 |
| Brat 0 2 | Grey metal 0 0 6 |
| COAL 1 9 | Post 0 3 10 |
| Splint 0 5 | Blue metal, with gir- |
| COAL 2 6 | 11 1 1 1 |
| COAL, bot- | Hutton Seam— |
| tom 0 11 | |
| 0 5 9 | Ft. In. COAL, splint 0 1½ |
| 11 2 4 | COAL 3 21 |
| Thill stone 0 1 4 | 0 3 4 |
| Post 0 5 0 | |
| 1 050 U D U | 11 0 3 |
| Carried forward 1 0 4 105 2 03 | Total126 3 113 |
| Carried forward 1 0 4 105 2 03 | 10tai <u>120 5 114</u> |
| | |

No. 3,047.—WEETSLADE.

TOWNSHIP OF WEETSLADE, NORTHUMBERLAND.

Sheet 88 of Ordnance Map. Lat. 55° 2' 34'', Long. 1° 35' 39''.

Account of Strata sunk through in the Lizzie Pit, Weetslade Colliery. Commenced August 6th, 1900.

| Blue stone | Fs. 4 9 0 | 2 0 | 8 | | | Brought forward 0 2 7 13 3 7 Post 10 5 6 COAL 0 0 10 |
|-----------------|-----------------|--------|---------|---|---|--|
| Seggar-clay | 0 | 2 | 13 7 | 3 | 7 | Seggar-clay 0 2 3 |
| Carried forward | 0 | 2 | 7 13 | 3 | 7 | Carried forward 0 2 3 25 0 6 |

No. 3,047.—WEETSLADE.—Continued.

| | Fs. | | In. Fs. | | | Fs. Ft. In. Fs. Ft. In |
|--------------------------------|----------|--------|-----------------|---|-----|--------------------------------|
| Brought forward | | 2 | 3 25 | 0 | 6 | Brought forward 0 1 389 4 9 |
| Blue stone | 1 | 5 | 0 | | | Grey metal 1 2 0 |
| COAL | 0 | 0 | 6 | | | Seggar-clay 0 2 0 |
| Seggar-clay | 0 | 1 | 5 | | | White post 0 1 0 |
| Grey metal | 2 | 4 | 0 | | | Blue stone 0 3 0 |
| Grey post | 0 | 5 | 0 | | | COAL, bastard 0 3 0 |
| White post | 5 | 0 | 0 | | | 3 0 8 |
| Blue stone | 0 | 2 | 0 | | | Seggar-clay 0 2 0 |
| COAL | 0 | 0 | 6 | | | Grey metal, with |
| Seggar-clay | 0 | 1 | 4 | | | whin boulders 5 2 10 |
| Bastard seggar-clay, | | | | | | COAL, cannel 0 0 6 |
| with 1,122 gallons | | | | | | Blue metal 0 4 4 |
| of water per minute | 0 | 2 | 0 | | | Grey Seam— |
| Grey post | 3 | ō | 5 | | | |
| Blue stone | Ö | ŏ | 9 | | | COAL 0 3 |
| (1 1 1 | ŏ | 5 | 0 | | | D 1 |
| DI 1 | ĭ | 5 | 4 | | | |
| 0041 | | 0 | 7 | | | |
| COAL | 0 | U | | • | 4 | 0 1 1 |
| Common ulum | | _ | 18 | 0 | 1 | 0 5 11 |
| Seggar-clay | 0 | 0 | 9 | | | Blue stone 0 5 11 |
| Panel white post, | | | _ | | | Strong whin 0 1 3 |
| with whin | 0 | 4 | 5 | | | White post stone 3 2 1 |
| White post | 2 | 0 | 0 | | | Grey metal, with post |
| Blue stone | 0 | 5 | 6 | | | girdles 3 1 4 |
| Whin , c | 0 | 2 | 3 | | | White post, with |
| Strong grey post Grey metal | 4 | 0 | 5 | | | whin 4 3 8 |
| Grey metal | 0 | 5 | 4 | | | Grey metal 4 1 5 |
| Black stone and coal, | | | | | | White post, with |
| mixed | 0 | 3 | 7 | | | partings 5 4 7 |
| White post | 2 | 1 | 2 | | | Strong blue metal 0 4 0 |
| Black stone | 0 | 0 | 2 | | | Yard Coal Seam- |
| Ft. In. | | _ | _ | | | COAL 0 3 0 |
| COAL 0 8 | | | | | | 23 3 3 |
| Band 0 7 | | | | | | Seggar-elay 1 1 0 |
| COAL 1 4 | | | | | | COAL 0 0 9 |
| Black band 0 2 | | | | | | |
| COAL 0 7 | | | | | | Taufmant S. O. O. |
| | 0 | 3 | 4 | | | |
| | | U | - 12 | 9 | 11 | |
| Grey metal | 2 | 5 | 7 12 | 4 | 11 | Blue metal 2 0 6 Bensham Seam— |
| 0.0'4.1 | | | _ | | | |
| | 0 | 0 | 6 | | | COAL with Ft. In. |
| White post, with | 4 | ~ | | | | COAL, with |
| | 4 | 5 | 4 | | | dant threads 3 1 |
| 0041 | 2 | 0 | 9 | | | Band 1 0 |
| COAL | 0 | 3 | 6 | | | COAL, clean 2 5 |
| C | | | 10 | 3 | 8 | COAL, can- |
| Seggar-clay | 0 | 1 | 5 | | | nel 0 9 |
| T) , O, | 4 | 1 | 0 | | | 1 1 3 |
| | 6 | 1 | 0 | | | 7 1 9 |
| Grey metal | 1 | 3 | 0 | | | Blue and grey metal 5 1 0 |
| | 3 | 1 | 0 | | | Post 8 0 0 |
| | 6 | 4 | 0 | | | Blue metal 1 1 0 |
| COAL | 0 | 1 | 2 | | | Low Main Seam— |
| _ | | | 22 | 0 | 7 | COAL 0 3 0 |
| Seggar-clay | 0 | 4 | 6 | | | 14 5 0 |
| High Main Seam- | | | | | j | Post 2 0 9 |
| | 0 | 4 | 6 | | | Grey metal 1 3 6 |
| _ | | | _ 1 | 3 | 0 | COAL 0 0 7 |
| Black brat | 0 | 1 | 3 | • | - | 3 4 10 |
| _ | _ | | | | | 3 4 10 |
| Carried forward | 0 | 1 | 3 89 | 4 | 9 | Carried forward 150 2 4 |
| | - | _ | | - | - 1 | |
| | | | | | | |

No. 3,047.—WEETSLADE.—Continued.

| Brought forward - 150 2 4 | Fs. Ft. In. Fs. Ft. In. Brought forward 18 1 0 156 2 11 |
|---------------------------------|---|
| Grey metal 5 5 8 | Post 13 2 5 |
| COAL 0 0 11 | Grey metal 1 2 0 |
| 6 0 7 | Beaumont Seam— |
| Seggar-clay 0 1 0 | COAL 0 2 8 |
| Grey metal 4 5 0 | 33 2 1 |
| Strong post 10 1 0 | Grey metal 0 1 1 |
| Grey metal 3 0 0 | 0 1 1 |
| Carried forward 18 1 0 156 2 11 | Total190 0 1 |
| Carried forward to 1 0 100 2 11 | 10tal130 0 1 |

No. 3,048.—WEST STANLEY.

TOWNSHIP OF TANFIELD, DURHAM.

Sheet 12 of Ordnance Map. Lat. 54° 52' 7", Long. 1° 41' 18".

Account of Strata sunk through in the New Pit, West Stanley Colliery. Commenced August 15th, 1876.

| Outset Fool and gravelly clay | 0 | In. 0 0 | Fs. | Ft. | In. | Brought forward 4 5 8 26 2 6 |
|-------------------------------|------------|---------------|-----|-----|-----|------------------------------|
| Lanning and with a | | 0 | | | | |
| Loamy sand, with a | | | | | | Seggar-clay, mixed |
| little water (| | 0 | | | | with post 0 2 6 |
| Blue clay (| | 0 | | | | Brown post 6 4 0 |
| Freestone rubble |) 3 | 0 | | | | Shield Row Seam— |
| _ | | | 3 | 3 | 0 | Ft. In. |
| Yellow freestone 3 | 3 | 0 | | | | COAL 1 10 |
| COAL |) 1 | 3 | | | | Seggar - clay |
| _ | | | 3 | 4 | 3 | band 0 6 |
| Seggar-elay |) 4 | 9 | _ | _ | - | COAL 4 7 |
| Blue metal | | ő | | | | 1 0 11 |
| Cl., 1.1 | | ő | | | | 13 1 5 |
| 3 | | 2 | | | | l |
| | 1 | | | | | 1 20 |
| Black shale | - | 4 | | | | Table 1 |
| Seggar-clay | | 6 | | | | Grey metal 2 1 6 |
| Blue metal | | 0 | | | | COAL 0 0 6 |
| Brown post | 34 | 0 | | | | Strong seggar-clay 0 3 0 |
| Blue metal | 2 | 3 | | | | Strong grey metal 1 3 0 |
| COAL | 2 | 3 | | | | Strong jointy post, |
| | | | 10 | 4 | 3 | |
| Seggar-clay | 2 | 6 | | | | Grey metal 4 3 0 |
| Blue metal | | | | | | Five-Quarter Seam- |
| | i | - | | | | COAL 0 4 0 |
| 0 | | 6 | | | | 13 3 7 |
| | | | | | | 1 |
| | | | | | | ~ BB/ |
| COAL (| 2 | 6 | _ | - | _ | 12.00 |
| - | | | 8 | 3 | 0 | Ctrong Brey meter |
| Seggar-clay | 4 | 6 | | | | Blue metal 1 5 6 |
| Strong grey leafy | | | | | | Brass Thill Seam— |
| post | 1 | 6 | | | | COAL 0 5 0 |
| Blue metal | 2 5 | 8 | | | | 9 3 0 |
| | | | | | | |
| Carried forward | 4 5 | 8 | 26 | 2 | 6 | Carried forward 62 4 6 |

No. 3,048.—WEST STANLEY.—Continued.

| | ₹s. | Ft. In. Fs. | | | Fs. Ft. In. Fs. Ft. In. |
|---|------|-------------|---|---|---|
| Brought forward | | 62 | 4 | 6 | Brought forward 6 4 3 124 0 5 |
| Hard posty seggar- | ^ | 0 0 | | | White post 1 3 0 |
| | 0 | 3 0 | | | Grey metal, with post |
| | 1 | 3 0 | | | girdles 1 0 0 |
| | 1 | 3 0 | | | Towneley Main Seam— |
| | 0 | 3 0 | | | Ft. In. |
| | 4 | 0 0 | | | COAL 3 3 |
| White post, with | _ | | | | Seggar - clay |
| | 2 | 2 6 | | | band 0 4 |
| | 1 | 1 0 | | | COAL, can- |
| White post | 1 | 1 0 | | | nel 0 10 |
| | 0 | 1 6 | | | 0 4 5 |
| Hard white post | 4 | 4 6 | | | 9 5 8 |
| Strong grey metal | 0 | 4 6 | | | Grey post 1 1 0 |
| | 3 | 0 0 | | | White post, with |
| Maudlin Seam— | | | | | partings 3 2 4 |
| COAL | 0 | 1 6 | | | Busty Seam— |
| _ | | | 4 | 6 | Ft. In. |
| Strong white post, | | | | | COAL, good 0 6 |
| | 7 | 3 0 | | | Black shale |
| | | 0 0 | | | band 0 9 |
| Low Main Seam— | - | | | | COAL 3 4 |
| | 0 | 4 6 | | | Seggar - clay 2 6 |
| OORE | | 9 | 1 | 6 | COAL 3 0 |
| 84 | _ | | • | v | 1 4 1 |
| | 0 | 1 8 | | | |
| | 0 | 4 4 | | | 6 1 5 |
| Blue metal, with iron- | | | | | Seggar-clay 0 4 0 |
| | | 0 0 | | | Grey metal, mixed |
| | 0 | 5 0 | | | with ironstone 3 3 6 |
| Hutton Scam- | | | | | 4 1 6 |
| COAL | 0 | 3 9 | | | |
| - | | 4 | 2 | 9 | 144 3 0 |
| Seggar-clay | 0 | 3 0 | | | 144 5 0 |
| Strong grey metal | 5 | 0 0 | | | Sunk further in 1903:— |
| Strong white post 1 | 0 | 1 0 | | | Light grey metal 0 4 6 |
| Dark brown post | 2 | 0 0 | | | Light grey post, |
| | 0 | 1 0 | | | with ironstone gir- |
| | 2 | 2 0 | | | dles 2 1 0 |
| Blue metal | 2 | 0 6 | | | Dark grey post 3 1 0 |
| | 0 | 0 8 | | | Strong light grey |
| | 0 | 5 4 | | | post 2 4 2 |
| | 0 | 0 8 | | | COAL 0 1 2 |
| | 0 | 2 0 | | | 8 5 10 |
| | 0 | 3 6 | | | |
| | 0 | 3 0 | | | Light grey metal, |
| | | 3 6 | | | with post girdles 3 4 0½ |
| | | 1 0 | | | Light grey post 1 1 6 |
| | | 2 0 | | | Dark grey metal 0 1 8 |
| - | | 25 | 5 | 2 | Brockwell Seam: upper |
| Sorger alar | Λ | 2 6 | - | | portion- |
| ~ ~ ~ ~ | | | | | COAL 014 |
| Grey metal | | | | | $5 2 6\frac{1}{2}$ |
| | | 1 1 | | | Grey metal, with post |
| | | 0 0 | | | |
| | | 1 0 | | | |
| | | 4 1 | | | Dark grey metal, |
| Z - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - | | 0 6 | | | with ironstone gir- |
| | | 0 0 | | | dles 0 4 6 |
| Soft seggar-clay | 0 | 2 1 | | | Black shale 0 1 4 |
| | | | | | Cominal formand 0 0 10 170 7 41 |
| Carried forward (| 5 4 | 4 3 124 | 0 | 5 | Carried forward 3 0 10 158 5 $4\frac{1}{2}$ |

No. 3,048.—WEST STANLEY.—Continued.

| Brought forward 3 Brockwell Seam: lower portion— Ft. In. COAL, good 1 10 COAL, can- nel 0 2 0 | Ft. In. Fs. Ft. In. 0 10 158 5 4½ 2 0 3 2 10 | Brought forward 3 3 8 8 162 2 2½ Dark grey metal 1 4 3 Strong light grey post 1 5 9 Dark grey metal 0 0 1 Supposed Victoria Seam— Fig. 10. |
|---|---|--|
| Dark grey metal 0 Hard girdles 0 | 2 3 | Band 0 41 |
| Dark grey metal 0 | 0 7 | GOAL 0 31 0 2 1 |
| Grey metal 0 | 0 5 | Dunk grown water 7 3 10 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 3 3 | Dark grey metal 0 1 0 Light grey post, into 2 5 0 |
| Dark grey post 2 | 2 6 | 3 0 0 |
| Carried forward 3 | 3 8 162 2 21 | Total <u>173 0 0½</u> |
| | | |

No. 3,049. -WEST STANLEY.

TOWNSHIP OF HOLMSIDE, DURHAM.

Sheet 12 of Ordnance Map. Lat. , Long.

Account of Strata passed through in the No. 2 Bore-hole below the Busty Seam, on the Second West Travelling Way, about 1\frac{1}{2} miles from the Shaft, West Stanley Colliery. Commenced March 3rd, 1896.

| | 1 |
|--|---|
| Light grey metal 6 4 9 | Fs. Ft. In. Fs. Ft. In. |
| | Brought forward 0 0 2 12 3 9 |
| Light grey post 3 1 6 | Dark grey metal 0 2 5 Light grey post 3 5 4 |
| Light grey metal 0 4 3 | Light grey post 3 5 4 |
| Light grey post 1 4 0 | Dark grey metal 0 1 0 |
| Light grey metal 0 1 9 | Ft. In. |
| COAL, strong 0 1 2 | COAL 0 4½ |
| 6 5 5 | |
| Light grey metal, | thin dant |
| with post girdles 3 5 2 | partings 1 2 |
| Light grey post 1 2 4 | COAL, strong 0 91 |
| Deals were model 0 1 4 | — 0 2 4 |
| Dark grey metal 0 1 4 Black stone 0 0 1 | |
| Black stone 0 0 1 | 4 5 3 |
| Ft. In. | Black stone 0 0 3 |
| COAL 0 3 | Dark grey metal 0 3 5 |
| COAL, with | Black stone 0 0 3 |
| dant partings 0 2 | Dark grey metal 0 3 5 Black stone 0 0 3 COAL 0 0 2 Dark grey post 0 4 6 Dark grey shale 0 0 5 |
| COAL 1 0 | Dark grev post 0 4 6 |
| 0 1 5 | Dark grey shale 0 0 5 |
| 5 4 4 | 1 3 0 |
| | 1 0 0 |
| Black stone 0 0 2 | |
| Carried forward 0 0 2 12 3 9 | Total 19 0 0 |
| Carried forward 0 0 2 12 3 9 | Total 19 0 0 |
| | |

No. 3,050.—WESTOE. TOWNSHIP OF WESTOE, DURHAM.

Sheet 4 of Ordnance Map. Lat. , Long.

Account of Strata passed through in a Bore-hole in a Field adjoining the West side of the Cemetery at Westoe, by Mr. William Coulson.

Commenced August 16th, 1873.

Approximate surface-level about 100 feet above sea (Ordnance datum).

| | | | | | | _ | | | | - |
|--------------------|--------|----|---------|---------|---------------------|-----|-----|--------|-----|-----|
| | | | In. Fs. | Ft. In. | TD 14.0 1 | Fs. | Ft. | In Fs. | Ft. | In. |
| Soil | U | 1 | 6 | | Brought forward | 14 | 2 | 1 | | |
| Strong brown clay | 2 | 0 | 6 | | Loamy clay | 0 | 2 | 9 | | |
| Loamy clay, with | | | | | Sand, with a little | | | | | |
| sandy partings, | | | | | water | | | | | |
| and a little water | | | | | Hard red stony clay | | | | | |
| near the bottom | 1 | 3 | 9 | | | | | 15 | 3 | 2 |
| Loamy sand, with | | | | | Red sandstone | 0 | 5 | 2 | | |
| thin beds of clay | 8 | 0 | 7 | | Very soft red metal | 0 | 2 | 1 | | |
| Strong dark stony | | | | | Black metal, with | | | | | |
| clay | 0 | -3 | 5 | | seares of coal | 0 | 1 | 3 | | |
| Limestone: very | | | | | Soft red metal | | | | | |
| much broken | 0 | -3 | 10 | | Red sandstone, with | | | | | |
| Strong brown clay: | | | | | a little water | 2 | 2 | 6 | | |
| rather sandy | 1 | 0 | 6 | | | | | 4 | 0 | 6 |
| Connied formand | 14 | 0 | 1 | | Total. | | | 10 | 2 | |
| Carried forward | 14 | Z | 1 | | Total | ••• | | 19 | - 3 | _8 |

No. 3,051.—WIITBURN. TOWNSHIP OF WHITBURN, DURHAM.

Sheet 8 of Ordnauce Map. Lat. 54° 57′ 20″, Long. 1° 21′ 18″.

Account of Strata passed through in a Bore-hole, about 1½ miles North of Whitburn, ¼ mile South of Souter Point Lighthouse, and East of Hope House Farm, for the Whitburn Coal Company, by Mr. William Coulson. Commenced July 14th, 1873.

| Soil Fs. Ft. I | | Fs. | Ft. 1 | [n. F | rs. | Ft. | In. |
|--|-----------------------------|-----|-----------|-------|-----|-----|-----|
| Brown clay: rather | Strong light coloured | U | | | • | 0 | U |
| sandy 0 4 | 0 limestone, with a 6 | | | | | | |
| o r | - 0 5 0 inches soft parting | | | | | | |
| Soft marl 0 5 | | 5 | 1 | 5 | | | |
| | | J | 1 | 9 | | | |
| Strong limestone 0 3 | o stone met water 15 | | | | | | |
| Soft limestone 1 0 Strong limestone 0 3 Soft marl 0 2 | o stone: got water 15 | | | | | 6. | |
| Strong limestone U 3 | 3 fathoms1 foot from | | _ | | | | |
| | | U | 5 | 8 | | | |
| Strong yellow lime- | Light coloured lime- | | | | | | |
| $\operatorname{stone} \dots 1 2$ | | | | | | | |
| Light coloured lime- | inches soft parting, | | | | | | |
| stone 1 1 | 0 and water at 18 | | | | | | |
| Mild yellow lime- | fathoms 5 feet | 3 | 3 | 6 | | | |
| stone, with hard | Mild yellow lime- | | | | | | |
| girdles 0 4 | | 1 | 2 | 9 | | | |
| Hard light coloured | o stone Soft yellow marl | 2 | $\bar{2}$ | 7 | | | |
| limestone 0 1 | 8 Strong light coloured | _ | _ | • | | | |
| Mild yellow lime- | limestone | 1 | 3 | 2 | | | |
| stone 1 5 | | _ | | o | | | |
| 1 5 | | Λ | 9 | 0 | | | |
| | girdle, and water | U | 4 | 0 | | | |
| Carried forward 8 4 1 | 1 0 5 0 Carried forward | 24 | 2 | 9 | 0 | 5 | 0 |

No. 3,051.—WHITBURN.—Continued.

| Fs. Ft. In. Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|-------------------------------|-------------------------------|
| Brought forward 24 2 9 0 5 0 | Brought forward 34 3 10 0 5 0 |
| Mild light coloured. | Soft limestone 0 2 8 |
| limestone 3 4 7 | Mild light coloured |
| Soft limestone 0 1 8 | limestone 2 5 5 |
| Strong light lime- | Hard limestone 1 0 8 |
| stone, with a 6 | Mild limestone 1 0 7 |
| inches gullet, with | 40 1 2 |
| water 6 0 10 | |
| Carried forward 34 3 10 0 5 0 | Total 41 0 2 |

No. 3,052.—WHITBURN. TOWNSHIP OF WHITBURN, DURHAM.

Sheet 4 of Ordnance Map. Lat. 54° 58′ 7″, Long. 1° 21′ 48″.

Account of Strata sunk and bored through in No. 1 South Pit, Whitburn Colliery, South Shields. Commenced July 14th, 1874.

| at 11 | Fs. | Ft. | In. | FB. | Ft. | In. | 7)1.4.6. 1 | | | In. F | | | |
|----------------------|-----|-----|-----|-----|-----|-----|-----------------------|----|---|----------------|---|---|-----|
| Sinking: - | | | | | | | Brought forward | 38 | 1 | 11 | U | 1 | (|
| Soil | 0 | 1 | 0 | _ | _ | | Soft light marl, with | _ | | | | | |
| | | _ | | 0 | 1 | 0 | strong girdles | 1 | 4 | 6 | | | |
| | 3 | | 0 | | | | Strong limestone, | | | | | | |
| Mild limestone | 1 | 3 | 0 | | | | with hard girdles | 1 | 0 | 1 | | | |
| Hard limestone | | | 8 | | | | Strong yellow lime- | | | | | | |
| Mild limestone | 3 | 2 | 0 | | | | stone, with very | | | | | | |
| Strong limestone | 0 | 2 | 0 | | | | hard girdles, soft | | | | | | |
| Soft yellow marl | | 2 | 10 | | | | partings, and a | • | | | | | |
| Strong platy marl | | 3 | 7 | | | | little water | 1 | 3 | 0 | | | |
| Soft yellow marl | | 3 | 10 | | | | Hard limestone, with | | | | | | |
| Very hard girdle | | 0 | 6 | | | | soft partings, and | | | | | | |
| Strong brown lime- | • | • | | | | | water: stone lies in | | | | | | |
| stone | ì | 1 | 7 | | | | panels about 4 feet | | | | | | |
| Mild light coloured | • | • | ٠ | | | | thick | 3 | 4 | 4 | | | |
| limestone | 3 | 2 | 2 | | | | Strong limestone, | _ | _ | _ | | | |
| Strong marl, inclin- | U | - | ~ | | | | with soft partings, | | | | | | |
| | E | 5 | 0 | | | | and water | 1 | 5 | 10 | | | |
| ing to limestone | o | Ð | U | | | | Mild limestone, with | - | • | 10 | | | |
| Soft yellow lime- | | | | | | | a thin dark parting | Λ | 3 | 0 | | | |
| stone, with hard | | | , | | | | Hard grey limestone, | v | o | ٠ | | | |
| girdle | | 1 | 5 | | | | with soft parting, | | | | | | |
| Hard limestone, with | | _ | _ | | | | | 1 | 4 | 7 | | | |
| hard girdle | 1 | 0 | 9 | | | | and water | | | | | | |
| Open gullet and | | | | | | | Hard grey limestone | | | 11 | | | |
| water | 0 | 0 | 4 | | | | Mild grey limestone | U | 0 | $5\frac{1}{2}$ | | | |
| Strong limestone, | | | | | | | Soft dark partings, | _ | ^ | 0 | | | |
| with hard girdle | 4 | 0 | 6 | | | | with water | | | 6 | | | |
| Soft light limestone | | | 6 | | | | Hard grey limestone | 0 | Û | 10 | | | |
| Strong limestone, | | | | | | | Dark metal parting | U | 0 | 2 | | | |
| with hard girdles | | | | | | | Strong grey lime- | | | | | | |
| and a soft parting, | | | | | | | stone, with hard | | | | | | |
| and a 5 feet gullet | 2 | 1 | 4 | | | | panels, and water | 1 | 1 | 3 | | | |
| Gullet | ō | 0 | 11 | | | | _ | | | | | | |
| * | _ | | | | | | | | | | _ | _ | |
| Carried forward | | | | | 1 | 0 | . Carried forward | 20 | 9 | 77 | 0 | 1 | - (|

No. 3,052.—WHITBURN.—Continued.

| Brought forward | Fs. | Ft. | In. 1 | Fs. | Ft. | | Fs. Ft. In. Fs. Ft. In. Brought forward 5 1 4 68 3 |
|---------------------------------|----------|-----------|----------------|-----|-----|-----|--|
| Grey sandy lime- | 02 | U | • | ٠ | 1 | 0 | |
| ,• | 2 | 3 | 3 | | | | COAL 1 8 |
| stone | 4 | J | o | | | | Light thill |
| Iard grey sandy | | | | | | | stone 2 0 |
| limestone, with | 4 | ^ | 0 | | | | Dark thill |
| soft dark partings | 1 | U | 6 | | | | |
| Tery hard sandy limestone, with | | | | | | | |
| | | | | | | | COAL, splint 1 6 |
| thin metal part- | | _ | | | | | 0 5 10 |
| ings, and water | 0 | 1 | 8 | | | | 6 1 2 |
| | | | — E | 56 | 3 | 0 | Strong thill stone 0 2 2 |
| Very hard sandstone | 0 | 0 | 6 | | | | Strong grey metal, |
| | ŏ | ő | 5 | | | | with ironstone gir- |
| Dark shale parting | _ | - | 9 | | | | dles 8 0 0 |
| strong sandstone | 0 | 0 | | | | | White post 1 3 0 |
| light grey shale | 0 | 0 | 8 | | | | Blue metal 0 0 10 |
| Red shale, inclining | _ | J | | | | | Black stone and |
| to post | 0 | 5 | 3 | | | | splint coal 0 2 6 |
| Dark metal, tinged | | | | | | | Thill stone, with |
| with red | 0 | 3 | 5 | | | | ironstone nodules 0 1 10 |
| trong red and grey | | | | | | | Black stone and |
| shale, with post | | | | | | | f and the second |
| girdles, and water | 2 | 0 | 11 | | | | |
| rey shale, with post | | | | | | | |
| girdles | 0 | 2 | 10 | | | | Light grey metal, |
| ery dark shale | Õ | | 10 | | | | with iroustone balls 1 2 0 |
| trong grey shale, | • | · | 20 | | | | Grey metal and post, |
| with post girdles | | | | | | | mixed 0 4 6 |
| with post girdles, | | | | | | | Dark grey metal, |
| and a 1 inch coal | | 1 | | | | | with post girdles 2 3 8 |
| , p1pe , | | 1 | 9 | | | | Blue metal 0 0 10 |
| ery dark grey shale | | 2 | 7 | | | | COAL 0 1 1 |
| trong grey post | 1 | 5 | 6 | | | | 17 0 |
| Dark metal | | 0 | $3\frac{1}{2}$ | | | | Black thill stone, |
| ost girdle | 0 | 0 | 4 | | | | with ironstone balls 1 0 9 |
| Dark metal | 0 | 0 | 7 | | | | |
| OAL | 0 | 0 | $9\frac{1}{2}$ | | | | |
| | | | - | 8 | 3 | 5 | Dark brown whin |
| | | - | | U | 0 | J | 8 |
| ight thill stone | 0 | 1 | 7 | | | | Dark grey metal 0 5 3 |
| oark shale, with | | | | | | | Strong post girdle 0 3 4 |
| ironstone balls | 0 | 1 | 8 | | | | Grey metal, with |
| Dark grey metal, | | | | | | | ironstone balls 0 2 2 |
| with ironstone | | | | | | | Black stone 0 0 6 |
| balls | 2 | 3 | 4 | | | | Soft dark grev metal 1 3 6 |
| Ft. In. | | | | | | | Strong light grev |
| OAL 0 13 | | | | | | | metal, with post |
| and 0 14 | | | | | | | girdle 1 2 6 |
| OAL 0 5 | • | | | | | | Soft dark grey metal 0 5 6 |
| | | | | | | | Black stone 0 4 3 |
| lack stone | | | | | | | |
| and coal, | | | | | | 1 | Grey post girdle 0 2 6 |
| mixed 0 5 | | | - | | | | Blue metal, with |
| | 0 | 1 | 1 | | | اہ | ironstone girdle 0 2 6 |
| | | | | 3 | 1 | 8 | i - man gray programma |
| ark thill stone, | | | | | | | metal, mixed 0 3 2 |
| with small iron- | | | | | | | Strong post girdle 0 3 2 |
| stone balls | 0 | 1 | 8 | | | | Blue metal 0 1 8 |
| ark grey metal | ŏ | $\hat{2}$ | ő | | | | Ft. In. |
| lack stone and coal, | 9 | _ | 9 | | | | COAL, good 1 21 |
| . 1 | 0 | 9 | 2 | | | | |
| mixed | 0 | 2 | | | | - | COAL, brassy, |
| oft dark grey metal | | 1 | 6 | | | - 1 | and stone 0 3 |
| oft blue metal | 1 | 0 | 0 | | | 1 | COAL, good 0 9 |
| Carried forward | 5 | 1 | 4 6 | 8 | 3 | 1 | Car. forward 2 21/2 10 1 9 91 4 6 |
| | | | | | | | |

No. 3,052.—WHITBURN.—Continued.

| | DUILN.—CONTINUED. |
|--|--|
| Ft. In. Fs. Ft. In. Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In. |
| Brot. forward 2 2½ 10 1 9 91 4 6 Black stone and | Brought forward 119 5 4 |
| dark thill 0 11 | Thill stone, with |
| COAL, splint, | Black stone, with |
| and stone 0 7 | ironstone balls 0 2 3 |
| Dark thill and | Black stone and |
| $coal$ pipes 2 $1\frac{1}{2}$ | coal, with a brass. |
| COAL, good 2 11½ —— 1 2 9½ | pand running |
| 2 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| | Thill stone 0 0 8 7 |
| Light thill 0 1 0 White post 0 1 0 | Post girdles and |
| Darkly laminated | metal 0 5 9 |
| post 0 1 8 | Whin girdle 0 1 2 |
| Brack metal 1 0 4 | Post girdle 0 1 5 |
| Light grey metal 1 0 9 | Metal, with post gir- dles 0 4 1 |
| Black stone, with | Dark grey metal 0 4 1 |
| ronstone girdle $0 	 1 	 1 	 1 	 2$ COAL $0 	 0 	 1 	 1 	 2$ | Black stone 0 0 4 |
| Dark thill 0 0 1½ 0 0 6 | Five-Quarter Seam— |
| Post girdles and | COAL online 0 2 |
| metal partings 2 5 6 | COAL, splint 0 3 COAL, good 1 33 |
| Strong white post 3 0 6 | COAL, splint 0 1 |
| Grey metal, with post girdles 1 3 6 | COAL, good 0 74 |
| White post 1 3 6 White post 0 4 3 | COAL, splint 0 01 |
| Lenty post 0 0 9 | COAL, coarse 0 11 |
| Bensham Seam— | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| COAL 0 101 | Dark thill, with iron- |
| | stone balls 0 2 11 |
| COAL, good 1 0 | Grey metal and post 0 1 11½ |
| Black stone | Black stone and <i>coal</i> , mixed 0 0 1½ |
| and coal 0 51 | Darkthill, with iron- |
| COAL, splint 0 1! | stone balls 0 2 7 |
| COAL, good 0 7½ | Dark grey metal 0 4 0 |
| Dant parting 0 0! | Post girdles, with |
| COAL, coarse | metal partings 0 4 8 White filtering post: |
| and brassy 1 4 | no partings 4 2 0 |
| - 0 5 2 | Hutton Seam— |
| Thill stone 0 1 4 | Plank stone |
| Post girdles and | Black stone and coal, |
| metal partings 0 5 8 | mixed 3 2 |
| COAL 0 0 13 | Dark thill 1 1 |
| Black stone 0 0 5 | 0 4 3 |
| Dark thill 0 1 8 Grey metal, mixed | Light gray motal |
| with ironstone 1 4 5 | Light grey metal, with ironstone balls 5 1 8 |
| Dark blue metal, | |
| with ironstone 0 1 4½ | Strong grey metal, with post girdles 1 1 0 |
| Six-Quarter Seam— | Strong light grey post 3 4 6 |
| COAL, good 0 7 | post 3 4 6 Strong post girdles |
| COAL, coarse 0 4 | and metal 0 5 0 |
| COAL, good 2 2½ | Strong white post 6 1 4 |
| $$ 0 3 $1\frac{1}{2}$ | COAL, splint 0 0 1½ Thill stope 0 3 61 |
| <u>4 0 1½</u> | Thill stone 0 3 6½ |
| Carried forward 119 5 4 | Carried forward 17 5 2 132 4 9 ³ / ₄ |
| | |

No. 3,052.—WHITBURN.—CONTINUED.

| | 00111111011111 |
|---|--|
| Brought forward 17 5 2 132 4 9 Dark grey metal, | Brought forward 1 5 4 175 1 4 1 White post, with a |
| with post girdles 0 3 0 | little water 5 0 2 |
| Strong white post 0 3 2 White girdle 0 1 7 | COAL 0 5 |
| White girdle 0 1 7 White post girdle 0 3 11 | Dark thill and |
| Dark leafy post 0 2 10 | black stone 1 11 |
| Strong white post 0 2 9 | COAL, good 0 10 |
| Dark leafy post 1 0 8 Dark blue metal 1 3 7 | Soft band $0 	 1\frac{1}{2}$ COAL, good $0 	 2\frac{1}{2}$ |
| Black stone $0 \ 0 \ 8\frac{1}{2}$ | COAL, cannel 0 5½ |
| COAL 0 0 2 | $ 0 3 11\frac{1}{2}$ |
| Thill stone 0 0 10 Strong grey post 1 2 2 | Dark thill $0.52\frac{1}{2}$ |
| Strong grey metal, | Brockwell Seam— |
| with post girdle 2 1 7 | Ft. In. |
| mild white filtering post 4 5 7 | COAL, coarse 0 6 Splint band 0 0½ |
| Coarse post 4 5 7 | COAL, good 0 11½ |
| Hard brown post 0 0 8 | Splint band 0 24 |
| Grey metal 0 2 0 Small post girdles 0 1 3 | COAL, good 1 6 0 3 2½ |
| Beaumont or Harvey | 1 1 2 $4\frac{3}{4}$ |
| Seam— | Dark thill 0 2 0 |
| COAL 0 10 | Post 1 4 0 |
| Soft band 0 3 | |
| COAL 0 2 | $186 	ext{ 1} 	ext{ } 2\frac{1}{2}$ |
| 0 1 3 33 5 10 | |
| Dark thill, with iron- | COAL 0 0 8½ |
| stone balls 0 2 7 | $\frac{12 \ 2 \ 3\frac{1}{2}}{2 \ 2 \ 3\frac{1}{2}}$ |
| Light grey metal, mixed with iron- | Black stone $0 0 4$ Thill stone $0 0 9\frac{1}{2}$ |
| stone 0 3 6 | Grey metal 2 0 8 |
| Black stone 0 0 4 | Soft metal 0 5 1 |
| Strong light thill 0 0 10 | COAL $0 \ 0 \ 7\frac{1}{2}$ |
| Strong light girdles and metal part- | Thill stone 0 0 9 |
| ings 1 2 6 | Post and metal, |
| Strong white post 3 0 8 COAL 0 0 7 | mixed 0 4 0 Blue metal 0 0 11 |
| Black stone 0 0 7 | Black stone 0 0 .4 |
| Dark thill stone 0 2 8 | Thill 0 1 2 |
| Post girdles and | Post 1 3 1 Black stone 0 1 0 |
| metal partings 1 2 6 | Dark thill 0 1 8 |
| Upper Busty Seam— | Grey metal and post 2 4 9 |
| COAL 0 8 | Strong grey post 0 1 11 Mild post 0 2 9 |
| Black stone 0 10 | Post, with whin at |
| COAL 0 1 | bottom 7 0 8 |
| Black stone 0 3 COAL 0 7 | Grey post 0 0 9 Blue metal 0 0 3 |
| 0 2 5 | Black stone 0 0 6 |
| 8 2 8 | Dark thill 0 1 7 |
| Thill 0 1 4 Grey metal 0 4 8 | Soft dark grey metal 1 0 11 Light grey metal, |
| Post girdles and | mixed with post 0 4 10 |
| metal partings 0 5 4 | Strong post 1 3 0 |
| Carried forward 1 5 4 175 14 | Carried forward 17 4 10 201 5 0 |

No. 3,052.—WHITBURN.—CONTINUED.

| Brought forward 17 4 10 201 5 0 | Brought forward 27 1 3 243 5 1 |
|---|--------------------------------|
| Post 9 1 9 | Metal, with post gir- |
| Black stone and coal, | |
| mixed 0 1 2 | 0 1 5 |
| 27 1 9 | |
| Strong thill 0 1 0 | |
| Strong white thill, | Post 0 3 2 |
| with whin at bot- | wmn 0 1 11 |
| | Mild white post 0 2 9 |
| 10 0 | Dark leafy post 0 2 0 |
| Grey metal 0 2 6 Dark blue metal 0 2 5 | Dark grey metal 0 2 2 |
| Dark blue metal 0 2 5 | Metal, with post oir- |
| COAL 0 0 8 | dles 0 3 1 |
| 14 4 4 | Whin 0 1 4 |
| Grey metal 0 2 10 | Dark grey metal 0 3 0 |
| Grey metal and post 2 0 0 | Grey metal, with post |
| Strong post 8 3 5 Grey metal and post 2 1 5 Strong post 1 1 3 | girdles 1 3 7 |
| Grev metal and post 2 1 5 | girdles 1 3 7 |
| Strong post 1 1 3 | Mild post, with red |
| Post and metal, | metal partings 1 0 3 |
| wined metal, | Strong post 0 2 8 |
| mixed 0 2 6 | Mild white post 1 0 1 |
| Post 0 2 8 | Grey metal and dark |
| Post and metal 0 2 1 | post 2 5 9 |
| Strong post 1 4 2 | Strong dark grey |
| Grey metal 2 4 11 | metal 0 3 7 |
| Post and metal 2 1 6 | Strong white post 0 3 4 |
| Mild white post 1 1 4 | |
| Dark grey metal 0 3 5 | Strong dark grey |
| White post 1 0 9 | metal 1 2 4 |
| Post and motal | Strong white post 0 3 9 |
| Post and metal, | |
| mixed 1 5 0 | |
| Carried forward 27 1 3 243 5 1 | Total285 1 4 |
| | |

No. 3,053.—WHITBURN.

TOWNSHIP OF WHITBURN, DURHAM.

Sheet 4 of Ordnance Map. Lat. 54° 57′ 33″, Long. 1° 21′ 28″.

Account of Strata passed through in a Bove-hole half-a-mile to the South of Marsden Colliery. Commenced June 28th, 1877.

| Soil Fa. Ft. In. Loamy sand 0 1 6 Loamy sand 0 3 6 Clay 0 2 6 Sharp sand 0 5 7 | Fs. Ft. Iu. | Brought forward 5 2 8 2 4 7 Soft yellow marl 0 2 6 Yellow limestone 1 5 6 |
|--|-------------|---|
| Sand, gravel and large stones 0 1 6 Stony clay 0 2 0 | 2 4 7 | Hard brown lime- stone |
| Strong limestone 1 5 2 Marl 0 5 6 Light brown limestone 2 4 0 | 2 4 1 | marl beds and water 3 3 5 Yellow limestone, with water 6 5 6 |
| Carried forward 5 2 8 | 2 4 7 | Carried forward 22 4 3 2 4 7 |

No. 3,053.—WHITBURN.—CONTINUED.

| Fs. | Ft | In. | Fs. | Ft. | In. | |
|----------------------|----|--------|--------|-----|-----|------------------------------|
| Brought forward 22 | 4 | -3 | 2 | 4 | 7 | Brought forward 36 4 9 2 4 7 |
| Marl, with hard gir- | | | | | | Light coloured lime- |
| dles 2 | 5 | 7 | | | | stone, with hard |
| Gullet 0 | | | | | | girdles 6 4 6 |
| Hard panels of lime- | | | | | | Hard brown lime- |
| stone, with marl 2 | 0 | 2 | | | | stone, with mild |
| Broken limestone, | | | | | | partings, and water 5 3 10 |
| mixed with marl 2 | 4 | 2 | | | | 49 1 1 |
| Honey-combed lime- | | | | | | Dark grey metal 0 2 6 |
| stone, with gullets | | | | | | Light grey metal 0 2 6 |
| and marl beds 6 | 2 | 0 | | | | Light grey post 2 1 4 |
| | | | | | | 3 0 4 |
| G | | _ | _ | | _ | m . 1 |
| Carried forward 36 | 4 | 9 | 2 | 4 | 7 | Total 55 0 0 |
| | | | | | | |

No. 3,054.—WHITBURN.

TOWNSHIP OF HARTON, DURHAM.

Sheet 4 of Ordnance Map. Lat. 54° 58′ 45″, Long. 1° 22′ 42″.

Account of Strata passed through in a Bore-hole 200 yards North of Marsden Rock, on the edge of the Cliff. Commenced February 27th, 1882.

Approximate surface-level 75 feet above sea (Ordnance datum).

| Sandy soil Fs. Ft. In. Fs. Ft. In. 0 1 9 | Brought forward 28 1 2 2 5 6 |
|--|--|
| Brown clay, with sandy partings 0 5 9 Sand and gravel 1 1 6 | Strong brown lime- stone 3 3 11 Very hard lime- |
| Hard brown boulder- | stone 0 2 8 |
| clay 0 2 6 | |
| Yellow limestone, with brown girdles 4 2 6 Marl 7 4 11 | Very hard lime- stone, with a little water 0 0 6 |
| Very hard lime- | 32 4 0 |
| stone 0 4 7 Mild yellow lime- | Dark grey shale 0 0 6 Mild grey and white |
| stone, with water 3 4 6 Very soft marl, with | post 0 2 0 |
| hard brown girdles and large gullets 11 2 8 | |
| Carried forward 28 1 2 2 5 6 | Total 36 0 0 |

No. 3,055.—WHITBURN. TOWNSHIP OF HARTON, DURHAM.

Sheet 4 of Ordnance Map. Lat. , Long.

Account of Strata sunk and bored through at Marsden Paper Works, for The North Eastern Paper Works Company, Limited. Commenced June 20th, 1894.

No. 3,055.—WHITBURN.—CONTINUED.

| | | *** | _ | | | _ | | | | | | |
|----------------------|-----|-----|-----|-----|-----|-----|-------------------------|---|---|--------|---|---|
| Sinking: | Fs. | Ft. | In. | Fs. | Ft. | In. | Brought forward | | | In. Fs | | |
| Blue clay, with | | | | | | | Hard limestone, with | 3 | U | 0 10 | 4 | U |
| stones | 1 | 0 | 0 | | | | water | 1 | Λ | Λ | | |
| Sand | ō | 3 | ŏ | | | | Limestone, with soft | | ٠ | ٠ | | |
| Marl and limestone, | | | _ | | | | partings | 2 | 1 | 6 | - | |
| with gravel | | 0 | 0 | | | | Gullet | ō | 3 | 6 | | |
| Marl and limestone, | | | | ě | | | Marl, with hard gir- | | • | _ | | |
| with clay silt | 5 | 0 | 6 | | | | dles, gullets and | | | | | |
| | | | | 7 | 3 | 6 | water | | 1 | 6 | | |
| Marl and limestone | 2 | 2 | 0 | | | | Grey limestone, with | | | | | |
| Limestone, with a | | | | | | | hard girdles | 7 | 0 | 4 | | |
| little marl, and | | | | | | | Limestone, with | | | | | |
| water | | 0 | 3 | | | | metal partings | 0 | 4 | 6 | | |
| Marl and limestone, | | | _ | | | | Very hard limestone | | 1 | 0 | | |
| with water | 5 | 4 | 3 | | | | Limestone, with marl | _ | _ | _ | | |
| | | | | 9 | 0 | 6 | | 2 | 2 | 3 | | |
| | | | | 10 | 4 | _ | Dark shale, with | ^ | 1 | 0 | | |
| Donal familian . | | | | 10 | 4 | U | water Hard limestone | | 1 | 3 | | |
| Bored further:— Marl | = | ^ | ۸ | | | | nard limestone | U | Т | 27 | 5 | 6 |
| шан | | U | | | | | | | | | | |
| Carried forward | 5 | 0 | 0 | 16 | 4 | 0 | Total | | | 44 | 3 | 6 |
| | Ĭ | Ť | Ť | | _ | | | | | = | | _ |

No. 3,056.—WHITLEY.

TOWNSHIP OF WHITLEY, NORTHUMBERLAND.

Sheet 89 of Ordnance Map. Lat.

, Long.

Account of Strata sunk through in the B Pit, Whitley Colliery, near Hillheads.

Approximate surface-level feet above sea (Ordnance datum).

| Soil | | Ft. | In. Fs. | Ft. | In. | Brought forward | | | In. | | | |
|--|----|-----|----------------|-----|-----|--|---|---|-------------|---|-----|---|
| | 1 | î | | | | Post with whin | 1 | ō | -ŏ- | - | - | Ĭ |
| Sand and tumbling | | • | ٠ | | | Post, with whin Grey metal | ô | 1 | 6 | | | |
| | | 1 | 0 | | | Post girdles | Õ | 2 | 10 | | | |
| Blue clay | 3 | 5 | 6 | | | Grey metal, with post | ٠ | - | -0 | | | |
| Dide clay | | J | — 5 | 2 | 8 | girdles | 0 | 5 | ß | | | |
| Cuam matal with | | | — ə | 4 | 0 | Blue metal stone and | v | U | v | | | |
| Grey metal, with | | 0 | ^ | | | ironstone | Λ | 2 | Λ | | | |
| partings Bastard whin girdle Blue metal and whin | T | 3 | Ü | | | COAL | ۸ | 1 | 0 | | | |
| Bastara whin girdle | U | 1 | U | | | COAL | U | 1 | U | 3 | 1 | 8 |
| Blue metal and whin | 1 | 1 | 0 | | | Guarantal with nost | | | | J | -36 | 0 |
| Black stone | U | 2 | U | | | Grey metal, with post | Λ | 1 | 1 | | | |
| Freestone post, with | | | | | | girdles Post girdles Blue metal stone Grey whin Hard post girdles White post Black stone | V | 7 | 1 2 7 | | | |
| water standing to | | | | | | Post girdles | Ü | ٥ | 7 | | | |
| 4 feet 9 inches from | | _ | | | | Bine metal stone | ŭ | 1 | 4 | | | |
| the top | 11 | 1 | 2 | | | Grey whin | Ü | 1 | 9 | | | |
| Grey metal | 1 | 2 | 2 | | | Hard post girdles | v | ð | 8 | | | |
| Black stone | 0 | 1 | 6 | | | White post | Ü | 2 | 2 | | | |
| Grey metal | 0 | 0 | 7 | | | Black stone | U | 1 | T | | | |
| the top Grey metal Black stone Grey metal COAL, swaddy | 0 | 1 | 1 | | | Grey metal, with post | _ | | ^ | | | |
| | _ | | 16 | 2 | 0 | | Ü | Ţ | 9 | | | |
| Blue metal, with post | | | | | | Blue metal stone | | 0 | 0 | | | |
| girdles | | 0 | 10 | | | Black metal stone | | | 0 | | | |
| Grey metal | 0 | 2 | 0 | | | Soft grey thill | 0 | 0 | 3 — - | | | |
| Carried forward | 9 | 2 | 10 21 | 4 | 8 | Carried forward | 9 | 3 | 1 2 | 5 | 3 | 4 |
| | | | | | | | | | | 3 | 4 | |

No. 3,056.—WHITLEY.—Continued.

| Brought forward 9 3 1 25 3 4 Black metal stone 1 2 3 Grey metal, full of brass 0 0 10 Hard white post 0 1 0 Mild white post 0 2 11 Sand 0 0 4 Blue metal stone 0 2 0 High Main Seam— Ft. In. COAL 2 4½ Soft grey band 0 2 | Ft. In. Fs. Ft. In. Fs. Ft. In. Brot. forward 2 64 12 0 5 25 3 4 COAL 2 71 Grey band 0 3 COAL 1 0 Soft grey band 0 6 COAL, bottom 2 0 12 11 |
|---|---|
| Car. forward 2 6½ 12 0 5 25 3 4 | |

No. 3,057.—WHITTINGTON.

TOWNSHIP OF WEST MATFEN, NORTHUMBERLAND.

Sheet 86 of Ordnance Map. Lat. 55° 2' 44", Long. 1° 58' 18".

Account of Strata sunk through in the Eastern Shaft, near Delight Farm, at the Whittington Tunnel Works, for the Newcastle and Gateshead Water Company.

Approximate surface-level 535 feet above sea (Ordnance datum).

| Loamy clay Fs. Ft. In. Fs. Ft. In. Strong boulder-clay, with some large boulders 10 2 3 | Brought forward 1 2 0 11 4 0 Loose rotten shale 0 2 0 Limestone, with vertical fissures, 1 to 2 |
|---|---|
| Compact whinstone $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | feet apart 5 3 8\frac{1}{2} 7 1 8\frac{1}{2} |
| Carried forward 1 2 0 11 4 0 | Total 18 5 8½ |

No. 3,058.—WHITTONSTALL.

TOWNSHIP OF WHITTONSTALL, NORTHUMBERLAND.

Sheet 104 or 105 of Ordnance Map. Lat.

, Long.

Account of Strata passed through in a Bore-hole in the West corner of the Enterlaw Field on the Whittonstall Estate, the property of the Governors of Greenwich Hospital, April 16th, 1846.

| Soil 0 Brown stony elay 0 Dark brown stony elay 3 | 3 65 0 | | | | Brought forward Grey metal Rambly post Grey post Grey metal stone | 0 0 0 | 5 0 0 | 1 10 6 | Fs. 4 | Ft. 3 | In. O |
|---|-----------------------------------|---|---|---|---|-------------|-------------|--------------|-------|----------|----------|
| Carried forwa rd | | 4 | 3 | 0 | Carried forward | 1 | 5 | 4 | 4 | 3 | 0 |

No. 3,058.—WHITTONSTALL.—CONTINUED.

| | Fs. | Ft | . In. Fs. | Ft. | In. | | Fs. | Ft. | In. | Fs. | Ft. | In. |
|-----------------------|-----|-----|-----------|-----|----------------|--------------------|-----|-----|-----|-----|-----|-----|
| Brought forward | . 1 | 5 | 4 4 | - 3 | 0 | Brought forward | 1 | 1 | 6 | 21 | 0 | 4 |
| COAL | 0 | 0 | 9 | | | Black stone | 0 | 2 | 2 | | | |
| | | | 2 | 0 | 1 | Grey metal stone, | · | _ | _ | | | |
| Seggar-clay | 0 | 1 | 9 | | | mixed with post | 1 | 1 | c | | | |
| Grey metal stone, | | - | | | | COAL | 1 | 1 | 11 | | | |
| with grey post gir- | | | | | | COAL | U | 1 | 11 | | - | |
| alles | 1 | - | F 1 | | | 0 11 | | | | 3 | 1 | 1 |
| dles | 1 | 0 | 0.2 | | | Grey metal stone, | | | | | | |
| COAL | 0 | 3 | | | | with post girdles | 1 | 5 | 3 | | | |
| | | | 2 | 4 | $\frac{21}{2}$ | COAL | 0 | 0 | 10 | | | |
| Grey metal, with post | | | | | | | | | | 2 | 0 | 1 |
| girdles | 1 | 1 | 1 | | | Strong white post, | | | | | | |
| Brown post, with | | | | | | with water | 3 | 2 | 4 | | | |
| water | 0 | 3 | 0.1 | | | Dark grey metal | 2 | 2 | â | | | |
| White post | 2 | - 5 | 5 | | | COAL, mixed with | _ | _ | J | | | |
| Brown post | ~ | | 4 | | | | | ^ | 11 | | | |
| Crown post | U | .) | 4 | | | metal | U | U | 11 | 0 | | _ |
| Grey metal stone, | | | | | | | | | _ | 6 | 0 | 0 |
| with grey post gir- | _ | _ | | | | Grey metal, with | | | | | | |
| dles | 1 | 5 | 11 | | | grey post girdles | 1 | 2 | 6 | | | |
| Brockwell Seam— | | | | | | COAL, with thin | | | | | | |
| COAL | 0 | 2 | 51 | | | metal partings | 0 | 1 | 2 | | | |
| | | | 7 | 3 | 3 | 1 8 | | | | 1 | 3 | 8 |
| Grey metal stone, | | | | | | Dark grey metal | 0 | 3 | 4 | | _ | |
| with grey post gir- | | | | | | COAL | | 0 | | | | |
| dles | 4 | ٥ | 51 | | | Grey metal | | | 10 | | | |
| COAL, fonl, mixed | T | U | 03 | | | Grey post | ų | 1 | 3 | | | |
| with metal | 0 | - | | | | Grey post | 0 | T . | 2 | | | |
| with metal | U | 1 | | | | Dark grey metal | 0 | 3 | 2 | | | |
| | | | 4 | 1 | $9\frac{1}{2}$ | | | | | | | |
| Grey metal stone, | | | | | | mixed with coal | | | | | | |
| with grey post gir- | | | | | | Grey post, into | 3 | 4 | 4 | | | |
| dles | 1 | 1 | 6 | | | | | | _ | 6 | 1 | 5 |
| | | _ | | | | | | | | _ | | |
| Carried forward | 1 | 1 | 6 21 | 0 | 4 | Total | | | | 40 | 0 | 7 |
| | | - | | | - | 1 | | | = | | | |
| | | | | | | | | | | | | |

No. 3,059.—WHITTONSTALL.

TOWNSHIP OF WHITTONSTALL, NORTHUMBERLAND.

Sheet 104 or 105 of Ordnance Map. Lat.

, Long.

Account of Strata passed through in the No. 1 Bore-hole, Whittonstall Royalty, in the corner of the third Field from the turn of the road leading from Ebchester to Whittonstall, May 18th, 1865.

| Clay Dry sand Clay Sand Clay | | | 3 0 0 0 | $0 \\ 2 \\ 2 \\ 1$ | 0 0 0 6 | Brought forward 4 2 6 6 Sand and elay 2 3 6 Quieksand, into 3 0 0 |
|--|---------|----|------------------|--------------------|------------------|---|
| Carrie | d forwa | rd | 4 | 2 | 6 | Total 10 0 0 |

No. 3,060.—WHITTONSTALL.

TOWNSHIP OF WHITTONSTALL, NORTHUMBERLAND.

Sheet 104 or 105 of Ordnance Map. Lat.

, Long.

Account of Strata passed through in the No. 2 Bore-hole, Whittonstall Royalty, 1865.

Approximate surface-level

feet above sea (Ordnance datum).

| Sand . | | | | | Fs. 5 | Ft. | | Fs. | Ft. | In. | Brought forward Fs. Ft. In. Fs. Ft. In. 10 3 1 |
|--------|--------|-----|-----|----------|----------|----------|---|-----|-----|-----|--|
| Clay . | | | | | 1 | 2 | 0 | | | | Metal 0 5 0 |
| Ť | | | | | | | | 6 | 2 | 0 | Post 5 1 0 |
| Metal. | | | | ٠. | 1 | 4 | 0 | | | | Grey metal 1 3 0 |
| Post . | | | | | 1 | 5 | 4 | • | | | Supposed Brockwell |
| Metal. | • • | | | | 0 | 0 | 8 | | | | Seam— |
| COAL | | | | In. 6 | | | | | | | COAL 0 2 3 |
| COAL | , foul | | 0 | 2 | | | | | | | Grey metal 0 3 6 |
| COAL | • | | 1 | 5 | | | | | | | Grey metal 0 3 6 Post, into 0 4 6 |
| | | | | _ | 0 | 3 | 1 | | | | 1 2 0 |
| | | | | | | | _ | 4 | 1 | 1 | |
| Ca | rried | for | war | d | | | | 10 | 3 | 1 | Total 19 4 4 |

No. 3,061.—WHITTONSTALL.

TOWNSHIP OF WHITTONSTALL, NORTHUMBERLAND.

Sheet 104 or 105 of Ordnance Map. Lat.

, Long.

Account of Strata passed through in the No. 4 Bore-hole, Whittonstall Royalty, in the North-east corner of the Field called Old Field Head, and one Field West of the road leading from Ebchester to Whittonstall, 1865.

| Clay | | 0 | | | | In. | Brought forward 2 2 4 5 1 0 Metal 0 3 9 |
|--------------------------------------|---|---------|--------|---|---|-----|--|
| Post Black metal and coal Metal COAL | 0 | ${f 2}$ | 6 2 | | | | Ft. In. COAL 2 0 Black metal 1 0 COAL 0 6 |
| Grey metal Post | 0 | 5 | | 1 | 1 | 0 | 0 3 6 |
| Carried forward | 2 | 2 | 4 | 5 | 1 | 0 | Total 8 4 7 |

No. 3,062.—WHITTONSTALL.

TOWNSHIP OF WHITTONSTALL, NORTHUMBERLAND.

Sheet 104 of Ordnance Map. Lat. 54° 54′ 21″, Long. 1° 52′ 17″.

Account of Strata passed through in the No. 3 Bore-hole at Whittonstall, for The Consett Iron Company, Limited. Commenced September 14th, 1907.

Approximate surface-level 665 feet above sea (Ordnance datum).

| | _ | | | | | _ | |
|-----------------------|---|----|-------|-----|-----|-----|------------------------------|
| Soil | | | . In. | Fs. | Ft. | In. | |
| Yellow clay, with | ٠ | U | 10 | | | | Brought forward 0 2 5 10 0 4 |
| freestone and shale | 0 | 9 | 4 | | | | Grey shale, with post |
| | U | 2 | 4 | | | | girdles 0 2 10 |
| Broken freestone and | _ | | | | | | Grey post, with shale |
| shale | 0 | 3 | 1 | _ | | | partings 1 5 10 |
| a 11 | | | | 1 | 0 | 3 | |
| Grey shale, with | | | | | | | Three-Quarter Seam- |
| traces of coal | 0 | 2 | 0 | | | | Ft. In. |
| Yellow and grey | | | | | | | COAL 0 2 |
| shale | 0 | 3 | 9 | | | | Black stone |
| Grey shale | 0 | 2 | 6 | | | | and coal 0 3 |
| Dark grey shale, | | | | | | | COAL 1 0 |
| with ironstone | | | | | | | Black stone 0 21 |
| | 0 | 3 | 6 | | | | COAL 2 31/2 |
| Black stone | | | | | | | — 0 3 11 |
| Seggar-clay | 0 | 2 | 4 | | | | 3 4 1 |
| Dark grey sandy | Ť | _ | _ | | | | Seggar-clay 0 1 2 |
| shale, with post | | | | | | | Black stone 0 1 5 |
| girdles | 1 | 3 | 6 | | | | Dark grey post, with |
| Dark grey shale | ô | 2 | 5 | | | | |
| Stone Coal Seam- | v | ت | J | | | | Grey post, with |
| | | | | | | | white post windles 1 5 9 |
| COAL 0 5 | | | | | | | white post girdles 1 5 2 |
| - | | | | | | | White post 2 2 3 |
| | | | | | | | Black stone 0 1 10 |
| COAL 1 101 | | | | | | | Brockwell Seam— |
| | 0 | 2 | 4 | | _ | 10 | COAL 0 2 6 |
| Common alone | | -0 | _ | 4 | Э | 10 | Dorlo 6 1 2 |
| Seggar-clay | 0 | 2 | 1 | | | | Dark grey stone 0 0 8 |
| Dark grey sandy | | ^ | | | | | Seggar-clay 0 2 6 |
| shale Seggar-clay | 0 | - | 11 | | | | Dark grey shale, with |
| Seggar-clay | 0 | U | 6 | | | | post girdles 2 0 0 |
| Dark grey shale, with | _ | | | | | | Black shale 0 1 4 |
| post girdles | 0 | 4 | 10 | | | | COAL 0 0 7 |
| Broken shale, with | | | | | | | Black stone and coal |
| a 61 inches cavity | | | | | | - | pipes 0 0 6 |
| at the top | 0 | 1 | 1 | | | - 1 | Seggar-clay 0 0 10 |
| Dark grey shale, with | | | | | | | Soft dark grey post 0 4 0 |
| post girdles | 0 | 4 | 10 | | | | Soft dark grey post, |
| Soft yellow sand- | | | | | | | with grey post gir- |
| stone | 0 | 1 | 4 | | | | dles, and traces of |
| Dark grey shale, with | | | | | | | coal 0 2 3 |
| post girdles | 0 | 4 | 8 | | | | Dark grey shale 0 2 3 |
| Black stone | 0 | 1 | 0 | | | | Black stone, with |
| Five-Quarter Seam- | | | | | | 1 | traces of coal 0 3 3 |
| COAL, with a thin | | | | | | | Seggar-clay 0 1 6 |
| band 6 inches | | | | | | | Dark grey post 0 2 6 |
| from the top | 0 | 3 | 0 | | | | Grey shale 0 0 9 |
| - | | | | 4 | 0 | 3 | Black stone 0 0 9 |
| Dark grey post, with | | | | | | | Victoria Seam— |
| | 0 | 0 | 11 | | | | COAL 0 1 61 |
| Seggar-clay | | ĭ | 6 | | | | 6 1 21 |
| | | | | | | _ | |
| Carried forward | 0 | 2 | 5 1 | lO | 0 | 4 | Carried forward 26 0 9½ |
| Juliica 101 Haid | • | _ | ٠. | | • | | |

No. 3,062.—WHITTONSTALL.—Continued.

| Brought forward | Fs. | Ft. | In. 1 | Fs. 26 | | In. 9½ | Fs. Ft. In. Fs. Ft. In. Brought forward 7 2 2 28 0 4 |
|------------------------|-----|-----|-------|-----------|---|-----------|--|
| Black stone | n | O | 11 | | • | 02 | Dark grey shale 0 1 3 |
| Seggar-clay | 'n | 1 | 12 | | | | Marshall Green Seam— |
| Dark grey post | ñ | 3 | 5 | | | | Ft. In. |
| Grey post, with | U | o | J | | | | COAL 0 10 |
| water | Λ | 4 | 6 | | | | Seggar - clay 0 4 |
| Grey shale | | | | | | | Dark grey |
| | 0 | Ô | 9 | | | | shale 1 5 |
| | • | | | 1 | 5 | 61 | |
| Black shale | n | n | 2 | | J | 02 | 0 3 0 |
| | 0 | 4 | ĩ | | | | 8 0 5 |
| Hard grey post, with | v | .1 | - | | | | Black stone, with |
| white post girdles | 9 | 1 | 5 | | | | coal threads 0 1 7 |
| White post | | | | | | | Dark grey post, with |
| Dark grey post | | | | | | | ironstone girdles 1 5 8 |
| Dark grey shale, with | U | | U | | | | Dark grey shale 0 3 3 |
| post girdles | 1 | 1 | 3 | | | | Black stone, with |
| Black stone | 7 | 1 | 5 | | | | coal threads 0 0 9 |
| COAL | | 0 | 5 | | | | Seggar-clay 0 3 2 |
| | | 4 | 0 | | | | Grey post, into 0 3 10 |
| Seggar-clay Grey shale | ٥. | 4 | 9 | | | | ———— 4 0 3 |
| | U | 4 | Э | | | | 4 0 3 |
| Grey shale, with | ^ | 9 | 9 | | | | |
| ironstone girdles | U | 0 | 2 | | | | |
| Carried forward | 7 | 2 | 2 2 | 28 | 0 | 4 | Total 40 1 0 |

No. 3,063.—WHITTONSTALL. TOWNSHIP OF WHITTONSTALL, NORTHUMBERLAND.

Sheet 104 of Ordnance Map. Lat. 54° 54' 28", Long. 1° 52' 58".

Account of Strata passed through in the No. 4 Bore-hole at Whittonstall, for The Consett Iron Company, Limited. Commenced November 22nd, 1907.

Approximate surface-level 745 feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. In. Soil 0 0 9 Yellow clay 0 2 3 Freestone ramble 0 2 0 Dark and grey shale 1 2 0 Fs. Ft. In. Fs. Ft. In. Brought forward 6 4 11 7 1 Three-Quarter Seam— Ft. In. COAL 1 8 Black stone 0 4 | 1 |
|---|---------|
| Yellow clay 0 2 3 Freestone ramble 0 2 0 | • |
| Freestone ramble 0 2 0 COAL 1 8 | |
| 0 5 0 COAL 1 8 | |
| | |
| | |
| Stone Coal Seam— Drack Stone 0 4 0 2 0 | |
| | 11 |
| | 11 |
| = - ~ cgg | |
| Grey and yellow free- Grey post 2 3 11 | |
| stone 3 5 8 Darkgrey shale, with | |
| Grey shale 0 0 10 post girdles 1 4 9 | |
| Five-Quarter Seam— Brockwell Seam— | |
| COAL 0 2 7 Ft. In. | |
| 4 3 1 COAL 1 5 | |
| Seggar-clay 0 1 11 Black stone 0 2 | |
| Grey sandstone, with —— 0 1 7 | |
| shale partings 1 2 6 4 5 | 9 |
| Yellow sandstone, Seggar-clay 0 1 0 | - |
| with water at 9 Dark grey post, into 1 0 3 | |
| fathoms 4 feet 4 5 3 | 3 |
| Dark grey shale 0 1 3 | . 0 |
| Dark grey share o 1 o | |
| Carried forward 6 4 11 7 1 1 Total 20 3 | |
| Carried forward 6 4 11 7 1 1 Total 20 3 | <u></u> |

No. 3,064.—WHITWELL.

TOWNSHIP OF WHITWELL HOUSE, DURHAM.

Sheet 27 of Ordnance Map. Lat. 54° 45′ 35″, Long. 1° 31′ 7″.

Account of Strata passed through in a Bore-hole on the Bankside, near Whitwell Colliery, 1873.

Approximate surface-level 300 feet above sea (Ordnance datum).

| Fs. Ft. In. Fs. Ft. In. | D. D. T. D. T. T. |
|-----------------------------|--|
| Strong clay 4 0 0 | Brought forward 2 1 1 13 5 4 |
| Quicksand 0 5 0 | |
| | |
| | Black metal, with |
| Quicksand 1 0 0 | coal 0 0 8 |
| Stony clay 2 0 4 | Grey metal 0 1 6 |
| Quicksand 0 3 0 | Grey metal post 0 4 10 |
| Very hard blue clay 0 1 0 | Grey post 0 5 7 |
| 8 4 10 | Grey metal post 1 4 5 |
| Grey metal, mixed | Dark metal, with |
| with coal 0 4 0 | post girdles 0 2 0 |
| Dark metal, mixed | |
| with coal 0 2 1 | Hard grey post 0 2 6 |
| Dark metal 0 5 6 | Brown post 0 2 5 Hard grey post 0 2 6 Brown post 0 2 3 |
| Grey metal stone 0 1 0 | Dark metal post 0 4 6 |
| Soft brown post 0 5 8 | Post girdle 0 0 10 |
| Dark metal 0 2 0 | Black metal, with |
| | |
| COAL 2 4 | |
| | |
| Dark metal 0 4 | 1 J |
| COAL 0 2 | Zata metal stone iii o z z |
| 0 2 10 | Dark metal, mixed |
| 3 5 1 | |
| Dark metal 0 3 5 | Dark metal post 0 5 9 |
| Main Coal Seam— | Grey metal post: |
| COAL 0 4 0 ° | Low Main post 0 3 9 |
| 1 1 5 | 12 4 1 |
| Grey metal 0 5 10 | |
| Grey metal stone, | |
| with post girdle 1 1 3 | , |
| Free Branch at a d | |
| Carried forward 2 1 113 5 4 | Total 26 3 5 |
| 5 | 2002 |
| | |

No. 3,065.—WHITWORTH. TOWNSHIP OF WHITWORTH, DURHAM.

Sheet 34 of Ordnance Map. Lat. 54° 42′ 46″, Long. 1° 38′ 15″.

Account of Strata passed through in a Bore-hole on the Whitworth Estate, about 150 yards South of the River Wear and about 30 yards West of Page Bank Bridge, June 3rd, 1873.

Approximate surface-level 170 feet above sea (Ordnance datum).

| Soil Freestone ramble Grey metal | $\frac{0}{1}$ | 2 | $\frac{6}{11}$ | | | | Brought forward 3 4 11 0 1 6 COAL, soft 0 1 4 |
|----------------------------------|---------------|---|----------------|---|---|---|---|
| Carried forward | 3 | 4 | 11 | 0 | 1 | 6 | Carried forward 2 5 3 4 1 9 |

No. 3,065.—WHITWORTH.—CONTINUED.

| | Fs. | Ft. | In. | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In |
|--------------------|----------|-----|-----|-----|-----|-----|-------------------------------|
| Brought forward | 2 | 5 | 3 | 4 | 1 | 9 | Brought forward 10 4 6 13 1 8 |
| COAL | 0 | 0 | 9 | | | | Dark metal 0 1 0 |
| Grey metal | 2 | 0 | 6 | | | | Busty Seam— |
| Grey post | 3 | 2 | 11 | | | | Ft. In. |
| COAL | Ō | 2 | 6 | | | | COAL 1 10 |
| | _ | | | 8 | 5 | 11 | COAL, foul 0 3 |
| Grey metal | 1 | 4 | 0 | | | | Grey metal 0 3 |
| Grey post | | | 0 | | | | COAL 0 4 |
| Whin | | | | | | | Grey metal 0 9 |
| Grey post | | | | | | | Metal, mixed |
| Grey metal | | | | | | | with coal 2 4 |
| Grey post | | 5 | 9 | | | | COAL 2 2 |
| Black metal, mixed | - | | - | | | | 1 1 11 |
| with coal | 0 | 1 | 0 | | | | 12 1 5 |
| Light grey metal | ŏ | 1 | 3 | | | | Grey metal 0 3 8 |
| Grey post | í | õ | 6 | | | | White post, into 1 2 6 |
| Grey metal stone | | 1 | | | | | 2 0 2 |
| Carried forward | 10 | 4 | 6 | 13 | 1 | 8 | Total 27 3 3 |

No. 3,066.—WIDDRINGTON.

TOWNSHIP OF WIDDRINGTON, NORTHUMBERLAND.

Sheet 55 of Ordnance Map. Lat. 55° 15' 18", Long. 1° 37' 36".

Account of Strata sunk through in the Isabella Pit, Widdrington Colliery.

Approximate surface-level 100 feet above sea (Ordnance datum).

| Clay | Fs. Ft. In. Fs. Ft. In 7 0 0 | Ft. In. Fs. Ft. In. Fs Ft. In. Brot. forward 1 10 2 5 1 10 5 3 |
|--------------|------------------------------|--|
| Olay | 7 0 0 | Metal 0 9 |
| Post | 3 4 0 | COAL 0 6 |
| | Ft. In. | — 0 3 1 |
| COAL | 0 7 | 3 2 2 |
| Metal | 0 3 | Seggar-clay 0 2 5 |
| COAL | 0 5 | Grey metal 1 1 0 |
| | —— 0 1 3 | Ft. In. |
| | 3 5 3 | COAL 1 1 |
| Seggar-clay | 0 1 1 | Band 0 3 |
| Post | 1 3 0 | COAL 2 10 |
| Grey metal . | | 0 4 2 |
| • | Ft. In. | 2 1 7 |
| COAL | 1 10 | |
| ~ . | | m . 1 |
| Car. forwa | ard 1 10 2 5 1 10 5 3 | Total 16 3 0 |
| | | |

No. 3,067.—WIDDRINGTON.

TOWNSHIP OF WIDDRINGTON, NORTHUMBERLAND.

Sheet 55 of Ordnance Map. Lat. 55° 15′ 23″, Long. 1° 37′ $4^{\prime\prime}.$

Account of Strata sunk through in the Sisters Pit, Widdrington Colliery, 1873.

Approximate surface-level 80 feet above sea (Ordnance datum).

| Clay | Fs. Ft. In. | Fs. | Ft. | In. | Brought forward | Fs. | Ft. | In. | Fs. 8 | Ft. 4 | In. 9 |
|------------|-------------|-----|-----|-----|-----------------|-----|-----|-----|----------|----------|----------|
| Carried fo | 9 | | 4 | | | | | | | | _ |

No. 3,067.—WIDDRINGTON.—CONTINUED.

| | Fs. | Ft. | In. | Fs. | Ft. | In. | Fo Ft In Ft It |
|-------------------|-----|-----|-----|-----|-----|-----|------------------------------|
| Brought forward | 0 | 1 | 1 | 8 | 4 | 9 | Brought forward 8 3 3 18 3 1 |
| Grey metal | 0 | 5 | 3 | | | | Ft. In. |
| COAL | | 1 | 3 | | _ | _ | COAL 2 2 |
| Grey metal | 0 | 4 | 0 | 1 | 1 | 7 | Band 0 7 COAL 0 5 |
| White post | 1 | 2 | 0 | | | | 0 3 2 |
| COAL | _ | 0 | 7 | | | | |
| Seggar-clay | _ | 2 | ò | | | | Seggar-clay 0 1 5 |
| Grey metal, mixed | | | | | | | Grey metal 1 3 8 |
| with post | 1 | 5 | 7 | | | | White post 1 0 0 |
| COAL | Õ | 0 | 3 | | | | Ft. In. |
| White post | 1 | 2 | 1 | | | | COAL 1 5 |
| Grey metal, mixed | _ | _ | _ | | | | Band 2 5 |
| with ironstone | 2 | 1 | 6 | | | | COAL 0 10 |
| Ft. In. | | | | | | | Band 0 2 |
| COAL 0 9 | | | | | | | COAL 2 0 |
| Band 0 6 | | | | | | | Seggar-clay 0 8 |
| COAL 1 6 | | | | | | | COAL 0 4 |
| | 0 | 2 | 9 | | | | - 1 1 10 |
| | | _ | _ | 8 | 2 | 9 | 4 0 11 |
| White post | 3 | 4 | 0 | | - | | Grey metal 0 2 6 |
| COAL | 0 | ô | 3 | | | | Blue metal 1 0 6 |
| Grey metal, mixed | • | Ū | | | | | White post 1 0 0 |
| with post | 4. | 5 | 0 | | | | |
| | | | | | | : | 2 3 0 |
| Carried forward | 8 | 3 | 3 | 18 | 8 | 1 | Total 34 1 5 |

No. 3,068.—WIDDRINGTON.

TOWNSHIP OF DRURIDGE, NORTHUMBERLAND.

Sheet 55 of Ordnance Map. Lat. 55° 15' 10", Long. 1° 34' 5".

Account of Strata passed through in the Druridge Bore-hole, Widdrington, in the South-west corner of Grass Field in front of Druridge Farm House.

Commenced February 7th, 1874; and stopped July 14th, 1875.

Approximate surface-level 25 feet above sea (Ordnance datum).

| Clay Fs. Ft. In. Fs. Ft. In. 1 2 0 | Fs. Ft. In. Fs. Ft. In. Brought forward 0 4 10\frac{1}{2} 5 5 8\frac{1}{2} |
|--|--|
| Sand and manel 0 4 0 | |
| Sand and gravel 0 4 0 | Grey post girdle 0 0 2 |
| Blue clay 3 0 0 | COAL 0 1 2 |
| 5 0 0 | $ 1 0 2\frac{1}{2}$ |
| Seggar-clay 0 3 6 | Seggar-clay |
| Ft. In. | Grey post 2 2 9 |
| COAL 0 6 | Leafy post 0 1 3 |
| Coal band 0 2 | COĂL and coal |
| COAL and coal | metal, mixed 0 0 10 |
| metal, mixed 1 6½ | Seggar-clay 0 3 0 Coal metal 0 1 6 |
| $$ 0 2 $2\frac{1}{2}$ | $Coal \text{ metal } \dots $ 0 1 6 |
| $058\frac{1}{2}$ | Leafy post 1 0 11 |
| Blue clay $0 \ 0 \ 7\frac{1}{2}$ | Grey post 2 0 11 |
| Seggar-clay and blue | Leafy post $0 1 0\frac{1}{2}$ |
| clay, mixed 0 3 0 | Hard grey post $3 2 5\frac{3}{4}$ |
| Blue clay 0 0 9 | Coal metal 0 0 9 |
| Sand and gravel 0 0 6 | Seggar-clay 0 0 6 |
| | 0 1 1 0 10 10 10 10 11 |
| Carried forward 0 4 $10\frac{1}{2}$ 5 5 $8\frac{1}{2}$ | Carried forward 10 $4 \cdot 10\frac{1}{4} \cdot 6 \cdot 5 \cdot 11$ |

No. 3,068.—WIDDRINGTON.—CONTINUED.

| Fs. Ft. In. Fs. Ft. In. | Fs. Ft. In. Fs. Ft. In. Brought forward 24, 2, 51, 22, 9, 61 |
|---|---|
| Brought forward 10 4 10 6 5 11 | Brought forward 34 3 5½ 32 2 6½ |
| Grey post $0 	ext{ 4} 	ext{ } 	ext{3} 	ext{3} 	ext{4}$ | Leafy post 1 0 0 |
| Grey metal 0 3 2 | Strong blue metal 0 4 0 |
| COAL 0 10 | COAL 0 11 |
| 0 11 1 0 4 | ~ |
| 0041 | 0041 |
| | COAL 0 8 |
| | 0 2 0 |
| COAL 0 9 | $\phantom{00000000000000000000000000000000000$ |
| 0 2 8 | Seggar-clay 0 0 6 |
| 12 3 0 | Grey metal 1 4 4 |
| Grey metal $0 0 5\frac{1}{2}$ | White post 1 2 8 |
| Seggar-clay 0 2 0 | COAL 0 1 7 |
| Dark grey post $0 	ext{ } 4 	ext{ } 6\frac{1}{2}$ | 3 3 1 |
| White post 0 1 2 | Seggar-clay 0 3 0 |
| COAL 0 0 8 | Grey metal 0 5 6 |
| 1 2 10 | COAL 0 0 3 |
| COAL and coal | Seggar-clay 0 1 6 |
| $metal \dots 0 0 4\frac{1}{2}$ | Grey metal 0 3 0 |
| Seggar-clay $0 0 9\frac{1}{2}$ | COAL 0 0 11 |
| Dark grey metal 0 0 6 | 2 2 2 |
| Seggar-clay 0 1 9 | Seggar-clay 0 1 4 |
| Leafy post 1 4 8 | Grey metal 0 3 1 |
| Grey post 0 1 6 | Grey post 0 1 6 |
| Blue metal 1 4 4 | COAL Ft. In. |
| Leafy post 0 1 8 | COAL 1 1 |
| Dark grey metal 0 0 10 | Band 0 3 |
| COAL 0 1 1 | COAL 0 3 |
| 4 5 6 | Grey metal 0 4 |
| Grey metal band 0 0 4 | COAL 0 6½ |
| Black metal 0 0 7 | $025\frac{1}{2}$ |
| Seggar-clay 0 2 10 | |
| Grey metal 1 2 1 | Seggar-clay 0 0 6 |
| Leafy post 0 1 6 | Grey post 0 4 0½ |
| Grey metal 1 3 11 | White post 8 1 1 |
| Blue metal 2 1 3 | COAL 0 0 6 |
| COAL 0 0 5 | $\phantom{00000000000000000000000000000000000$ |
| COAL and grey | Seggar-clay 0 1 0 |
| metal pipes 0 1 6 | Grey post 0 5 9 |
| Dark metal 0 0 4 | COAL 0 0 3 |
| COAL 0 0 61/2 | Seggar-clay 0 3 0 |
| | Grey post 0 3 6 |
| | |
| Strong grey metal $0 	 2 	 0\frac{1}{2}$ | |
| Leafy post 1 2 9 | Grey metal 0 0 8 Grey post 1 1 6 |
| Grey metal $1 0 6$ White post $0 2 0$ | Y |
| | 0.041 |
| | COAL 0 0 10 9 3 1 |
| White post, with | |
| grey metal part- | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | |
| | |
| | COAL 0 8 |
| | D 1 |
| Grey metal, with soft | 0011 |
| partings 5 2 11 | GOAL 0 8 0 1 5 |
| Grey post, with white post girdles 1 2 6 | 1 3 3 |
| | Dia-14-1 0 0 0 " |
| | |
| whin girdles 15 2 5 | Seggar-clay 0 1 3 |
| Carried forward 34 3 $5\frac{1}{2}$ 32 2 $6\frac{1}{2}$ | Carried forward 0 1 8 96 2 1 |
| 5 | 5 |

No. 3,068.—WIDDRINGTON.—CONTINUED.

| D | | Fs. | | In. I | | | | Fs. Ft. In. Fs. Ft. In. |
|---------------------------|---------|--------|--------|--------|-----|---|-----|---------------------------------------|
| Brought forwa | | | 1 | 8 9 | 70 | 2 | 1 | Brought forward 7 3 10 158 1 1 |
| Grey metal | • • • | 0 | 3 | 7 | | | - } | Grey post 0 4 0 |
| White post | • • • | 0 | 2 | 6 | | | | Dark grey metal 1 0 6 |
| Grey metal | | 0 | 0 | 6 | | | | Grey metal, with post |
| COAL | | 0 | 1 | 4 | | | | girdles 4 0 0 |
| | | | | _ | 1 | 3 | 7 | Grey post 4 1 4 |
| Grey post | | 0 | 1 | 0 | | | 1 | Dark grey metal 0 3 10 |
| White post | | ŏ | 5 | ŏ | | | - 1 | Grey post 0 3 6 |
| | | ŏ | | 11 | | | | Dark metal 0 1 0 |
| Grey metal | • • • | 0 | | | | | | Grey post 0 4 0 |
| COAL | • • • | U | 0 | 9 | 1 | 1 | 0 | Leafy post 0 3 9 |
| | | | | | 1 | 1 | 8 | Blue metal 2 1 0 |
| Seggar-clay | | 0 | 1 | 0 | | | | Grey post 0 5 9 |
| Grey post | | 2 | 5 | 0 | | | | Grey metal 0 5 7 |
| Grey post Black metal | | 0 | 1 | 0 | | | | |
| COAL | | 0 | 0 | 3 | | | | |
| Seggar-clay | | | 1 | 0 | | | | J 1 |
| | | _ | 5 | 4 | | | - | Grey metal 1 1 0 |
| Grey post | • • • | _ | 4 | 6 | | | | Grey post 1 2 8 |
| Grey metal | • • • | - | | 8 | | | | Grey metal 0 4 0 |
| Grey post Black metal | • • • | | 1 | | | | - 1 | Blue metal 0 5 0 |
| | • • • | U | 1 | 3 | | | | Grey post 4 4 11 |
| Grey post | • • • | | 0 | 3 | | | | White post 1 3 0 |
| Black metal | • • • | | 0 | 6 | | | | Dark grey metal 0 4 4 |
| Grey post | | | 4 | 8 | | | | Grey post, with coal |
| White post | | 1 | 0 | 6 | | | | pipes 8 4 0 |
| Black metal | | 0 | 2 | 3 | | | | 1 1 |
| Grey post | | - | 3 | 0 | | | | |
| Dark grey metal | | | 0 | 4 | | | | |
| COAL | | 0 | 1 | 8 | | | | Grey metal 2 0 3 |
| | | _ | | | 16 | 4 | 2 | Grey post 2 0 6 |
| 0 | | _ | - | | | • | - | Grey post 2 0 6 Blue metal 0 5 0 |
| Seggar-clay | • • • | | 1 | 2 | | | | Grey post, with coal |
| Grey metal | • • • | | 2 | 6 | | | | pipes 1 1 6 |
| White post | | | 4 | 0 | | | | White post, with |
| Blue metal | • • • | | 0 | 4 | | | | metal partings 7 5 4 |
| Grey post | | | 0 | 6 | | | | Dark grey metal 4 3 3 |
| Black metal | | | | 6 | | | | Light grey metal, |
| Seggar-clay | | 0 | 2 | 0 | | | | with bed of shells |
| Grey post | | 0 | 5 | 0 | | | | and fish bones on |
| White post | | 9 | | 1 | | | | top, 2 inches thick 1 2 0 |
| Dark metal | | | | 0 | | | | Dark metal 0 2 0 |
| | | _ | | 10 | | | | COAL and dark |
| Seggar-clay Grey metal | | _ | | 0 | | | | |
| Grev nost | | 2 | | 8 | | | | |
| Grey post | | | 2 | | | | | 1 0 0 |
| White post | | | | | | | | |
| Grey post | | | 5 | | | | | Dark metal 1 0 3 |
| White post | • • • | 4 | 5 | 0 | | | | Grey post, with iron- |
| Grey post | • • • • | 2 | 0 | 6 | | | | stone girdles 0 5 0 |
| COAL | | | 0 | | | | | White post, with coal |
| Seggar-clay | • • • | | | | | | | pipes 4 0 2 |
| Grey metal | | 2 | 2 | 2 | | | | Grey metal 0 1 6 |
| • | t. In. | | | | | | | COAL 0 0 5 |
| COAL, good | | | | | | | | 77 4 7 |
| Band (| | | | | | | | Dark grey metal 0 3 0 |
| | 0 10 | | | | | | | Dark grey metal, with |
| , g | | 0 | 2 | 1 | | | | |
| | | _ | | | 42 | 1 | 7 | i i i i i i i i i i i i i i i i i i i |
| α1. | | | | | | - | • | Grey post, with coal nines 3 0 9 |
| Seggar-clay | • • • | | | 10 | | | | - 5150 |
| Grey metal | | | | | | | | CÔÂL 0 0 2 |
| Grey post | | | | 7 | | | | 4 3 6 |
| White post | | | | 11 | | | | Dark post 0 4 0 |
| • | | _ | | | _ | | | |
| Carried forw | ard | 7 | 3 | 10 | 158 | 1 | 1 | Carried forward 0 4 0 240 3 2 |
| | | | _ | | - | | | |

No. 3,068.—WIDDRINGTON.—CONTINUED.

| Brought forward 0 | 's. Ft. In. Fs. Ft. In. | Brought forward 8 | Ft. In. Fs. Ft. In. |
|--------------------------------|-------------------------|----------------------|---------------------|
| | | Dark grey post 2 | |
| Grey post 3 Blue metal 0 | 0 3 5 | Dark grey post, with | U U |
| COAL 0 | 0 0 11 | metal partings 1 | 3 0 |
| _ | 4 3 8 | Blue metal 0 | 5 0 |
| Soft grey metal 0 Dark metal 0 | 0 0 4 | Dark grev metal 1 | |
| Dark metal 0 | 0 1 8 | Dark metal and | |
| Grey post, with coal | | shells 0 | 1 6 |
| pipes 5 | 5 2 10 | Dark metal, into 0 | 1 0 |
| Dark metal 0 Grey post 2 | 0 2 11 | | 15 3 7 |
| Grey post 2 | 2 4 0 | | |
| Carried forward 8 | | Total | 260 4 5 |

No. 3,069.—WILLINGTON.

TOWNSHIP OF WILLINGTON, DURHAM.

Sheet 34 of Ordnance Map. Lat. 54° 42′ 20″, Long. 1° 41′ 32″.

Account of Strata passed through in a Bore-hole on the Willington Estate, to the North-east of Sunnybrow House, at the top of the Brick Yard, near Willington Burn, 1839.

Approximate surface-level 260 feet above sea (Ordnance datum).

| | | T34 | 7 | 77. | 724 | 7 | |
|--------------------------|---|---------------|-----------------------------|-----|-----|-----|--------------------------------------|
| Blue clay, with sand | | | | FB. | Ft. | ın. | Brought forward 9 3 8 7 4 0 |
| Bine clay, with sain | | | | 3 | 3 | 6 | |
| Ballarat Seam- | | | | 0 | 0 | ٠ | B or Seggar Seam— |
| | ^ | 1 | ^ | | | | |
| COAL, foul | U | 1 | U | 0 | 1 | • | |
| 7:14 | | _ | _ | 0 | 1 | 0 | 10 0 6 |
| Light grey metal | | | | | | | Brown thill 0 3 3 |
| Dark grey metal | 0 | 3 | 10 | | | | Brown post 0 3 8 White post 1 4 6 |
| Five-Quarter or Jet | | | | | | | |
| Seam— | | | | | | | White post, with |
| COAL | 0 | 1 | 8 | | | | blue metal part- |
| | | _ | | 3 | 5 | 6 | ings 2 2 3 |
| Grey metal | 2 | 3 | 6 | | | | Strong white post, |
| White post | 1 | 0 | 2 | | | | with water 5 1 5 |
| | | 2 | $\frac{1}{4}$ $\frac{1}{9}$ | | | | Brockwell Seam— |
| Grey metal Brown post | ň | $\frac{2}{2}$ | 9 | | | | Ft. In. |
| Grey metal | | ī | 2 | | | | COAL, strong |
| Brown post | | î | $\tilde{3}$ | | | | and good 4 0 |
| Grey metal stone | | î | - | | | | COAL, splint 0 2 |
| | | | | | | | |
| White post | | | | | | | 0 4 2 |
| Grey metal | _ | 1 | | | | | 11 1 3 |
| Grey whin | 0 | 1 | 4 | | | | |
| Grey metal, with | _ | _ | _ | | | | |
| white post girdles | 0 | 1 | 0 | | | | |
| G1-1 61 | | _ | _ | | | | M-4-1 90 F 0 |
| Carried forward | 9 | 3 | 8 | 7 | 4 | U | Total 28 5 9 |

No. 3,070.—WILLINGTON.

TOWNSHIP OF WILLINGTON, NORTHUMBERLAND.

Sheet 89 of Ordnance Map. Lat.

, Long.

Account of Strata passed through in a Bore-hole in the Venture Pit, Willington Colliery.

Approximate surface-level feet above sea (Ordnance datum).

| | | | | | 1 |
|----------------------|-----|-----------|----------------|--------|------------------------------------|
| | Fs. | Ft. | In. Fs. | Ft. Ir | Fs. Ft. In. Fs. Ft. In. |
| Sunk to the scaffold | - | | | | Drought forward 9 1 0.69 2 10 |
| Boxes | 8 | 0 | | | COAL 0 0 6 |
| | _ | | 37 | 3 | 9 1 6 |
| Grey and brown post, | | | | | Grey metal 0 1 6 |
| with red and brown | | | | | Grey metal stone, |
| scamy partings, | | | | | with girdles 1 5 0 |
| and open gullets | | | | | Black metal 0 1 0 |
| and water | 12 | 2 | 2 | | COAL 0 0 3 |
| Grey metal | 0 | $\bar{2}$ | ō | | Grey metal, with |
| Red and grey metal, | ٠ | _ | • | | girdles 3 1 0 |
| with girdles | 4 | 0 | 0 | | COAL 0 1 3 |
| White post, with | 4 | U | U | | |
| | ^ | 1 | ^ | | Grey metal, with |
| | • | 1 | 0 | | |
| Whin | | 2 | 6 | | girdles 1 2 6 |
| Brown and grey post | | 5 | 6 | | Grey metal stone, |
| Grey metal | | 4 | 0 | | with post girdles 1 5 6 |
| COAL | 0 | 0 | 9 | | White post 1 4 6 |
| a | | | — 19 | 5 1 | Whin 0 3 0 |
| Grey metal | 0 | 1 | 0 | | Whin, with a mix- |
| Grey metal stone, | | | | | ture of strong |
| with post girdles | 4 | 1 | 3 | | white post and |
| Grey metal, with | | | | | several whin gir- |
| girdles | 2 | 3 | 0 | | dles 9 5 0 |
| Grey girdley post, | | | | | Grey metal stone, |
| with water | 1 | 0 | 0 | | with post girdles |
| Grey metal stone, | | | | | and metal part- |
| with post girdles | 1 | 4 | 6 | | ings 3 2 0 |
| Whin | 0 | 2 | 0 | | Blue and black |
| White post, mixed | Ť | _ | _ | | metal, with water 2 1 0 |
| with whin | 0 | 1 | 0 | | COAL 0 0 5 |
| Grey scamy stone | | 3 | 6 | | 20 5 11 |
| COAL, foul | _ | ĭ | ŏ | | Grey metal 0 0 6 |
| | | | 11 | 5 3 | Grey metal stone, |
| Grey metal | | | 6 | υ, | |
| Grey metal stone | | 0 | 6 | | |
| | 0 | J | U | | Strong white post 1 1 0 Whin 0 4 0 |
| Grey metal, with | 0 | | • | | |
| girdles | 3 | 2 | 0 | | Mixture whin and |
| White post | 1 | 4 | 0 | | strong white post, |
| Grey scamy stone, | | | | | with whin girdles 4 4 7 |
| with metal part- | | _ | | | Strong white post, |
| ings | | 0 | | | into 0 3 0 |
| COAL | | 0 | 6 | | 8 0 7 |
| Grey metal | 1 | 0 | 6 | | |
| | | | | | |
| Carried forward | 9 | 1 | 0 69 | 2 10 | Total113 2 10 |
| | | | | | |

No. 3,071.—WILLINGTON.

TOWNSHIP OF WILLINGTON, NORTHUMBERLAND.

Sheet 89 of Ordnance Map. Lat.

, Long.

Account of Strata sunk through below the High Main Seam, Willington Colliery, 1839.

Approximate surface-level

feet above sea (Ordnance datum).

| | | | | | | _ | | | | | | | - |
|------------------------------------|----------|-------------|----------|-----|-------|-----|--------------------|-----|--------|-----|--------|-----|-----|
| | Fs. | Ft | . In. | Fs. | Ft. I | ľn. | 1 | Fs. | Ft. | In. | Fs. | Ft. | In. |
| COAL, ground | 0 | 1 | 6 | | | | Brought forward | 7 | 3 | 7 | 15 | 5 | 5 |
| COAL, ground Thill stone | 0 | 2 | 0 | | | | COAL | 0 | 0 | 4 | | | |
| Blue stone, with | | | | | | | | | | | 7 | 3 | 11 |
| ironstone girdles | 4 | 5 | 2 | | | | Black stone | 0 | 0 | 10 | | | |
| Hard black stone | 0 | 2 | | | | | 73.9 | Ō | | | | | |
| Grey post girdles | ñ | $\tilde{2}$ | 2 | | | | Whin girdle | | | 2 | | | |
| Metal Coal Seam- | · | ~ | ~ | | | | Black stone | ŏ | 2 | 2 | | | |
| | | | | | | | COAL, with sulphur | ٠ | _ | 2 | | | |
| Coal band Ft. In. | | | | | | | | ^ | 0 | -1 | | | |
| | | | | | | | and water | 0 | 3 | 1 | | _ | ~ |
| COAL, good 2 4 | | | 0 | | | | m ::: , | | | _ | 1 | 3 | 7 |
| | 0 | 2 | 8 | 0 | | | Thill stone | | 2 | 6 | | | |
| PRI 111 | | | _ | 6 | 3 | 6 | Whin girdle | | 1 | 4 | | | |
| Thill stone | | 3 | 0 | | | | Post stone | 0 | | 0 | | | |
| Grey metal stone, | | | | | | | Grey metal stone | 0 | 2 | 2 | | | |
| mixed with whin | 2 | 1 | 0 | | | | Blue stone | 1 | 0 | 0 | | | |
| Blue stone | 0 | 2 | 0 | | | | Black stone | | 5 | 2 | | | |
| Whin girdle | 0 | 0 | 2 | | | | Whin girdle | 0 | 2 | 0 | | • | |
| Black stone, with | | | | | | | Grey metal stone, | - | _ | • | | | |
| sulphur and water | 1 | 4 | 10 | | | | with whin girdles | 1 | 1 | 6 | | | |
| COAL, with sulphur | ñ | ń | 41 | L | | | Grey post stone | | | ő | | | |
| CONE, with surplier | | | - 40 | 1 | 5 4 | .1 | Whin | | | | | | |
| Grey post, mixed | | | | -30 | 0 9 | 2 | Whin | U | 4 | U | | | |
| | 1 | 0 | - | | | | Hard grey post, | ^ | | • | | | |
| with whin | | | | | | | mixed with whin | | | 0 | | | |
| Blue stone | 0 | 1 | | | | | Blue stone | 0 | T | 0 | | | |
| Whin girdle | 0 | | 2 | | | | Dark metal stone, | | | | | | |
| | 0 | 1 | 10 | | | | with post girdles | | | | | | |
| Bluestone, with whin | | | | | | | and thin beds of | | | | | | |
| girdles Black stone | 2 | 1 | 8 | | | | blue stone | 3 | 1 | 0 | | | |
| Black stone | 0 | 0 | 5 | | | | Blue stone | 0 | 0 | 4 | | | |
| COAL, with sulphur | 0 | 0 | 41 | 7 | | | Black jet | 0 | 0 | 5 | | | |
| , . | | | | 4 | 2 6 | 3 | Bensham Seam- | | | | | | |
| Thill | 0 | 2 | 0 | | | - | Ft. In. | | | | | | |
| Soft grey metal | | | | | | | COAL 2 9 | | | | | | |
| stone, mixed with | | | | | | | COAL, bad | | | | | | |
| lumps of whin | n | 5 | 0 | | | | and splint 0 7 | | | | | | |
| Strong gray metal | U | U | ٠ | | | j | COAL, good 1 6 | | | | | | |
| Strong grey metal stone, with whin | | | | | | - 1 | OCAL, good 1 0 | 0 | 4 | 10 | | | |
| stone, with while | 1 | ^ | • | | | | | U | |] | 1 1 | = | 9 |
| | 1 | | 0 | | | - 1 | C 3 | | | | LI | 5 | 3 |
| Blue stone | | | 9 | | | | Swad | 0 | 0 : | | | | |
| Post girdle | • | 2 | 2 | | | | Thill stone | | 1 | 5 | | | |
| Black stone | 0 | 2 | 4 | | | - 1 | Post stone | | 4 | | | | |
| Grey post, mixed | | _ | _ | | | | Blue stone | | 1 | 6 | | | |
| with whin | 1 | 3 | 2 | | | | Whin stone | - | 0 | 9 | | | |
| Blue stone, mixed | | | | | | - [| Blue stone | 0 | 4 | 5 | | | |
| with whin | 2 | 0 | 2 | | | | | | | _ | 2 | 0 1 | 1.1 |
| | | | | | | - | | | | - | | | _ |
| Carried forward | 7 | 3 | 7 1 | l5 | 5 | 5 | Total. | | | 3 | 9 | 1 | 1 |
| | | | | | | , | | | | _ | | | = |

No. 3,072.—WILLINGTON. TOWNSHIP OF WILLINGTON, NORTHUMBERLAND.

Sheet 89 of Ordnance Map. Lat. , Long.

Account of Strata sunk through below the Bensham Seam, Willington Colliery.

Approximate surface-level feet above sea (Ordnance datum).

| Strong grey post 0 4 0 | Brought forward 11 0 4 7 2 2½ COAL 0 3 0 Grey metal stone 0 4 1 Blue stone, with ironstone girdles 1 0 0 |
|---|---|
| Hard grey post 5 0 0 Whin 0 5 0 Grey post stone 0 3 0 Blue stone 3 0 0 | Low Main Seam |
| Ironstone girdle 0 0 5 Blue stone, with ironstone girdles 1 3 11 Carried forward 11 0 4 7 2 2½ | $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ |

No. 3,073.—WILLINGTON. TOWNSHIP OF WILLINGTON, NORTHUMBERLAND.

Sheet 98 of Ordnance Map. Lat. , Long.

Account of Strata passed through in the No. 1 Bore-hole at the Wallsend Slipway and Engineering Company, Limited's Wharf, Willington Gut. Commenced September 23rd, 1902.

Approximate surface-level feet above sea (Ordnance datum).

| | Fs. | Ft. | In. Fs. | Ft. In. | Fs. Ft. In. Fs. Ft. In |
|----------------------|-----|-----|---------|---------|------------------------|
| From boring scaffold | | | | | Brought forward 13 0 3 |
| on jetty to bed of | | | | | Gravel 0 5 0 |
| river | 3 | 2 | 0 | | Freestone, into 0 4 0 |
| Sand | 6 | 5 | 3 | | 14 3 3 |
| Loamy sand | 2 | 5 | 0 | | |
| 0 110 1 | | | _ | | m-4-1 14 0 0 |
| Carried forward | 13 | U | 3 | | Total 14 3 3 |

No. 3,074.—WILLINGTON. TOWNSHIP OF WILLINGTON, NORTHUMBERLAND.

Sheet 98 of Ordnance Map. Lat. , Long.

Account of Strata passed through in the No. 5 Bore-hole at the Wallsend Slipway and Engineering Company, Limited's Wharf, Willington Gut, September, 1902.

Approximate surface-level feet above sea (Ordnance datum).

| FF. | |
|---|--|
| From boring seaffold on jetty to bed of river 2 5 0 Small gravel 8 0 9 Gravel 0 3 0 | Brought forward 11 4 9 Sand 2 0 6 Freestone, with water, into 0 1 6 14 0 9 |
| Carried forward 11 4 9 | Total 14 0 9 |

No. 3,075.—WINSTON. TOWNSHIP OF WINSTON, DURHAM.

Sheet 53 of Ordnance Map. Lat. 54° 32' 45", Long. 1° 48' 15".

Account of Strata passed through in a Bore-hole on the Winston Estate.

Commenced October 21st, 1872.

Approximate surface-level 500 feet above sea (Ordnance datum).

| | Fs. | Ft. | In. | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
|------------------------------|-----|-----|-----|-----|-----|-----|------------------------------|
| Strong clay, mixed | | | | | | | Brought forward 3 0 9 18 5 8 |
| with limestone | | | | | | | Grey post 0 4 0 |
| boulders | 3 | 2 | 6 | | | | Iron girdle 0 0 6½ |
| | | | | 3 | 2 | 6 | Grey post 0 4 2½ |
| Soft freestone, with | | | | | | | Dark grey post, |
| metal partings | 3 | 1 | 3 | | | | with metal part- |
| metal partings Blue metal | 0 | 3 | 9 | | | | ings 0 3 2 |
| Grey post Grey metal | 0 | 2 | 8 | | | | Blue metal 0 4 6 |
| Grev metal | 5 | 2 | 2 | | | | Post girdles, with |
| Grey metal, with iron | | | | | | | metal partings 1 3 4 |
| | 5 | 2 | 10 | | | | Blue metal 8 3 6 |
| CÖAL | | | | | | | Blue metal, with |
| | | | | 15 | 3 | 2 | ironstone girdles 10 1 6 |
| Soft black laminated | | | | | | | Dun post 0 1 0 |
| shale | 0 | 0 | 6 | | | | Silicate of alumina 0 4 4 |
| Very hard gannister | | | | | | | Black metal parting 0 0 3 |
| stone | 0 | 1 | 3 | | | | Iron girdle 0 0 3 |
| Soft gannister stone | 0 | 1 | 4 | | | | Post girdle 0 4 10 |
| Medium hard gan- | | | | | | | Blue shale 0 3 9 |
| nister stone | | 3 | 43 | | | | Blue shale, with iron- |
| Dark grey post, | | | 1 | • | | | stone girdles 0 1 9 |
| with white post | | | | | | | Blue metal 2 0 0 |
| girdles | | 4 | 0 | | | | Silicate of alumina 0 4 9 |
| Iron girdle | | | | | | | Strong white post 2 0 5 |
| Grey post | | | ō | | | | 33 4 10 |
| | Ō | | 14 | 1 | | | 55 110 |
| Carried forward | | | | 10 | 5 | 8 | Total 52 4 6 |

No. 3,076.—WINSTON.

TOWNSHIP OF WINSTON, DURHAM.

Sheet 53 of Ordnance Map. Lat. , Long.

Account of Strata passed through in the No. 1 Bore-hole at Winston, by Mesers.
William Coulson and Son.

Approximate surface-level feet above sea (Ordnance datum).

| Soil Fs. Ft. In. Fs. Ft. In. Hard stony clay 1 3 0 Stones, sand and | Brought forward 2 4 0 12 5 6 COAL 0 2 2 2 3 0 2 |
|---|---|
| gravel, and water 0 2 0 Hard stony clay 10 5 0 | Grey metal 0 3 9 Grey post, with water 0 1 0 |
| Soft grey metal 1 1 0 | Whin or ironstone 0 0 7 Grey post 0 2 9 |
| Carried forward 2 4 0 12 5 6 | Total 17 1 9 |

No. 3,077.—WINSTON. TOWNSHIP OF WINSTON, DURHAM.

Sheet 53 of Ordnance Map. Lat.

, Long.

Account of Strata passed through in the No. 2 Bore-hole at Winston, by Messrs. William Coulson and Son.

Approximate surface-level

feet above sea (Ordnance datum).

| Soil | Fs. 0 | Ft. 2 | In. Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In Brought forward 26 4 3 10 4 0 |
|--------------------------|----------|-------|---------|-----|-----|--|
| Sandy clay, with | · | _ | · | | | |
| water at bottom | 0 | 5 | 0 | | | COAL 0 61 |
| Hard strong clay | | | | | | COAL, with |
| Laminated clay | ĭ | ñ | ŏ | | | black part- |
| | _ | | _ 10 | 4 | 0 | $\inf_{\mathbf{mg}} \dots 0 5_{\frac{1}{2}}$ |
| Yellow freestone | 0 | 5 | | ~E | v | Black stone $0 	 2$ |
| Soft grey metal | | | | | | Black stone, |
| Yellow freestone, | | -10 | U | | | with coal 0 2 |
| with water | 4. | Λ | 6 | | | COAL 0 10 |
| with water Grey metal | 9 | 3 | 9 | | | COAL, with |
| Grey post | 1 | 1 | 0 | | | thin black |
| Soft grey metal, | | • | v | | | |
| with coal pipes | | 1 | ٥ | | | partings 1 0 COAL, coarse 0 4 |
| Grey post gullets and | U | 1 | v | | | |
| | | 4 | c | | | 0 3 6 |
| Grey metal, with post | 4 | -36 | U | | | Soft common slop 27 1 9 |
| girdles | 11 | 0 | 1 | | | Soft seggar-clay 0 2 4 |
| girdies | 11 | Z | 1 | | | Grey metal, with post |
| | | | | | | girdles 1 0 0 |
| | | | | | | 1 2 4 |
| Carried forward | 96 | 4 | 2 10 | 4 | _ | Total 39 2 1 |
| | | | | 4 | 0.1 | |

No. 3,078.—WITTON GILBERT.

TOWNSHIP OF WITTON GILBERT, DURHAM.

Sheet 19 of Ordnance Map. Lat. 54° 47' 57", Long. 1° 39' 1".

Account of Strata passed through in a Bore-hole in Witton Gilbert Fox Cover, on the North side of the River. Commenced April 22nd, 1874, and stopped August 18th, 1874.

Approximate surface-level 200 feet above sea (Ordnance datum).

| | | Fs. | Ft. | In. | Fs. | Ft. | In. | |
|---|------|-----|-----|----------|-----|-----|-----|------------------------------|
| Hutton Seam (out | crop | | | | | | | Brought forward 28 0 0 0 4 1 |
| in bankside)- | | | | | | | | Grey metal stone 1 3 0 |
| COAL, good | | | | 1 | | | | Grey metal 0 2 4 |
| .,, | | | | | 0 | 4 | 1 | Harvey Seam— |
| Grey metal | | 0 | 4 | 0 | | | | COAL 0 1 9 |
| Grey metal Grey metal stone Grey post | | 7 | 3 | 2 | | | | 30 1 1 |
| Grey post | | 2 | 3 | 0 | | | | Grey metal 0 3 0 |
| Grey metal stone | | 1 | 3 | 0 | | | | Grey metal stone 2 2 0 |
| -Grey post | | 6 | 4 | 0 | | | | Whin 0 1 0 |
| Grev metal stone | | 3 | 0 | 0 | | | | Grey metal stone 1 3 0 |
| Grey post | | 5 | 3 | 6 | | | | Whin 0 2 0 |
| Grey metal | | 0 | 2 | 10 | | | | Grey post 0 1 6 |
| COAL | | | | | | | | COAL, coarse 0 0 6 |
| | - | | | | | | — | |
| Carried forwa | rd 2 | 28 | 0 | 0 | 0 | 4 | 1 | Carried forward 5 1 0 30 5 2 |

No. 3,078.—WITTON GILBERT.—CONTINUED.

| | | | | | Ft. | | Fs. Ft. In. Fs. Ft. I |
|----------------------|-----|---------------|---|----|-----|---|------------------------------|
| Brought forward | | | 0 | 30 | 5 | 2 | Brought forward 48 2 |
| Grey metal stone | . 1 | $\frac{2}{2}$ | 0 | | | | Grey metal 0 1 0 |
| Grey metal | . 0 | 2 | 0 | | | | Grey metal stone 7 1 0 |
| | . 0 | 1 | 3 | | | | COAL 0 1 6 |
| | | | | 7 | 0 | 3 | 7 3 |
| Grey metal, with | | | | • | • | - | Grey metal, with |
| scares of coal near | | | | | | | scares of coal 0 3 0 |
| the bottom | _ | ۸ | 0 | | | | Grey post and whin 1 4 6 |
| Grey post | | 4. | ő | | | | |
| Grey metal stone | | 7 | o | | | | 1 1 |
| | | 5 5 | 4 | | | | |
| Grey post | | ี 1 | 1 | | | | 0.20 |
| COAL | . 0 | 1 | T | | _ | _ | Whin 0 0 10 |
| | | | _ | 4 | 3 | 5 | Grey metal stone 2 0 0 |
| rey metal, with whir | | | | | | | Dark metal 0 4 6 |
| girdles | | 1 | 0 | | | | Brockwell Seam— |
| Frey post and whin | . 3 | 4 | 3 | | | | COAL 0 1 10 |
| Busty Bank Seam- | | | | | | | 7 2 |
| Ft. In | | | | | | | Grey metal 0 4 0 |
| COAL, good 2 0 | | | | | | | Grey post 2 2 0 |
| Grey band 0 1 | | | | | | | Grey metal 0 1 0 |
| COAL, good 3 6 | | | | | | | COAL 0 0 4 |
| Grey metal | | | | | | | 3 1 |
| and coal 0 4 | | | | | | | |
| | | | | | | | Grey metal stone $0 	 2 	 0$ |
| COAL, coarse 0 4 | | ^ | 0 | | | | 0 2 |
| | 1 | 0 | 3 | _ | - | | |
| | | | | 5 | 5 | 6 | |
| | | | | | | - | |
| Carried forward | | | | 48 | 2 | 4 | Total 66 5 |

No. 3,079.—WITTON PARK.

TOWNSHIP OF WITTON-LE-WEAR, DURHAM.

Sheet 41 of Ordnance Map. Lat. , Long.

Account of Strata passed through in a Bore-hole near Witton Castle, in the Clover Field about 400 yards South from the Lodge, October 25th, 1764.

Approximate surface-level feet above sea (Ordnance datum).

| Soil 5 Ft. In. Fs. Ft. In. Sandy clay 0 0 2 0 | Brought forward Fs. Ft. In. Fs. Ft. In. Grey metal, with |
|---|--|
| Stony clay, with small beds of sand and a siping of | girdles 1 5 0 COAL 0 1 4 |
| water 2 4 6 | Grey metal 0 2 3 White thready post, |
| Soft black metal 0 0 5 Brown rambly post 0 1 0 | with water 0 1 6 Grey metal 0 3 0 |
| COAL, soft foul 1 0 | Grey and white metal $\begin{bmatrix} 0 & 0 & 8 \\ \hline 0 & 2 & 0 \end{bmatrix}$ 1 1 5 |
| Grey metal 0 6 COAL, foul 1 0 | Grey metal stone 2 4 9 White thready post, |
| $\frac{026}{000}$ 0 3 1 | with water 0 1 6 Grey metal 0 1 6 |
| Carried forward 3 4 1: | Carried forward 3 3 9 7 0 8 |

No. 3,079.—WITTON PARK.—Continued.

| Provent f. Fs. Ft. In. Fs. Ft. In. | |
|--|---------------------------|
| Brought forward 3 3 9 7 0 8 | |
| Gullety post, with | Grey metal, with post |
| water 0 2 0 | |
| Grey metal, with | girdles 2 0 4 |
| | COAL 0 0 7 |
| girdles 2 0 9 | Grey metal, with |
| Grey and black metal 0 4 4 | girdles 1 3 5 |
| COAL 0 0 10 | Hand sindle and |
| | Hard girdle or lump 0 0 6 |
| Thready whin 0 0 9 | J metal, with |
| Total and a second seco | girdles 1 1 0 |
| Black metal 0 0 4 | COAL 0 0 11 |
| Grey metal 0 2 0 | |
| COAL, slaty the | Plus 5 0 9 |
| first half yard 0 4 9 | Blue grey metal |
| | stone, with post |
| 1 1 10 | girdles 2 4 8 |
| Grey metal 1 0 0 | Blue metal, with gir- |
| White post 0 4 0 | |
| Brown gullety post 0 4 0 | dles or lumps 0 3 9 |
| White and brown | Black metal 0 0 6 |
| | COAL 0 5 0 |
| post 1 0 0 | 4 1 11 |
| Grey metal 0 1 6 | White grey metal, |
| White post 2 0 0 | into 0 2 0 |
| Grey metal 0 0 6 | |
| | 0 2 0 |
| | |
| | |
| | |
| Carried forward 21 1 4 | Total 31 0 0 |
| | 10001 01 0 0 |
| | |

No. 3,080.—WITTON PARK.

TOWNSHIP OF WITTON-LE-WEAR, DURHAM.

Sheet 41 of Ordnance Map. Lat. , Long.

Account of Strata passed through in a Bore-hole near Witton Castle, about 350 yards to the West of the Lodge, February, 1765.

Approximate surface-level feet above sea (Ordnance datum).

| Fs Ft. In. Fs. Ft. In. | |
|---------------------------|------------------------------|
| Soil 0 1 0 | Brot. forward 2 6 10 2 2 |
| Stony clay 0 3 4 | COAL, hard |
| Grey metal, with post | splinty 0 2 |
| girdles 2 3 3 | COAL 2 2 |
| COAL, foul 0 0 2 | —— 0 4 10 |
| Grey metal 0 4 0 | 11 1 0 |
| COAL, foul 0 0 4 | Grey metal, with post |
| White and brown | girdles 3 0 6 |
| post, with partings 1 3 0 | Brown gullety post, |
| White post 0 4 0 | with water 0 2 0 |
| Grey metal, with post | Blue whin 0 1 6 |
| girdles 3 0 0 | White post 1 0 5 |
| Black metal 0 3 6 | Grey metal 0 1 6 |
| COAL, foul 0 1 4 | Brown gullety post 0 1 6 |
| Grey metal 0 2 3 | White post 0 2 0 |
| Ft. In. | Grey metal 0 0 6 |
| Black stone or | COAL, foul 0 1 2 |
| coal 0 6 | 5 5 1 |
| COAL 2 0 | Grey metal 0 4 0 |
| | |
| Car. forward 2 6 10 2 2 | Carried forward 0 4 0 17 0 1 |
| | |

No. 3,080.—WITTON PARK.—CONTINUED.

| Brought forward | | | In. Fa 0 1' | | | Brought forward 1 0 619 5 0 |
|-----------------------------------|---|---|----------------|-----|----|-------------------------------------|
| White and brown post, with water | 0 | 5 | 0 | | | Grey metal, with post girdles 4 3 5 |
| Grey metal, with girdles or lumps | 1 | 1 | 4 | ٠ | | Ft. In. 1 0 |
| COAL | | | | 2 4 | 11 | Grey metal 0 4 COAL 5 1 |
| Grey metal, with girdles or lumps | 0 | 4 | 6 | | | 1 0 5 6 4 4 |
| White and brown post | 0 | 2 | 0 | | | Grey metal, into 0 1 3 |
| Carried forward | 1 | 0 | 6 19 | 5 | 0 | Total 26 4 7 |

No. 3,081.—WOLSINGHAM.

TOWNSHIP OF WOLSINGHAM, DURHAM.

Sheet 25 of Ordnance Map. Lat. 54° 43′ 49″, Long. 1° 53′ 14″.

Account of Strata passed through in a Bore-hole in a Well at Wolsingham Brewery, for Messrs. Hindmarch and Sons, by Messrs. William Coulson and Son. Commenced December 14th, 1876.

Approximate surface-level 470 feet above sea (Ordnance datum).

| | | | | | 1 | | | | |
|---|---|----|------------------|--------------------|-----------------------|----------|-----|---------|-------------------|
| | | Ft | In. Fs. | Ft. In. | D | Fs. | Ft. | In. Fs. | Ft. In. |
| Depth from surface | | | | | Brought forward | | Т | 0 4 | $3\ 3\frac{1}{2}$ |
| to bottom of well | | | 4 | $3 \ 3\frac{1}{2}$ | Dark grey metal, with | | | | |
| COAL | 0 | 0 | $2\frac{1}{2}$ | | post girdles | | | | |
| Dark grey metal | 0 | 0 | 10 | | Very hard grey post | 0 | 0 | 11 | |
| Hard grey post, with | | | | | Dark grey metal, with | | | | |
| water | 0 | 3 | 0 | | nost girdles | 0 | 2 | 6 | |
| Dark grey metal, | | Ü | v | | Very hard grey post | ñ | ñ | 9 | |
| with post girdles | Λ | 9 | Λ | | Strong dark grey | U | • | U | |
| | U | 4 | U | | metal, with post | | | | |
| Hard grey post, with | _ | - | | | metal, with post | - | - | • | |
| water | | T | 3 | | girdles, and water | Ţ | b | U | |
| Grey metal, with post | | | | | Very hard grey post | 0 | U | 6 | |
| girdles | 0 | 1 | 9 | | Strong dark grey | | | | |
| girdles Very hard whin | 0 | 2 | 0 | | metal, with post | | | | |
| Grey metal | 0 | 0 | 4 | | girdles: very soft | | | | |
| Grev post, with metal | | | | | and much water in | | | | |
| partings, and water Light grey metal | 1 | 3 | 0 | | the last 4 feet- | | | | |
| Light grey metal | ñ | 3 | 9 | | water rose over | | | | |
| Dark grey metal | 1 | 2 | 3 | | top of hole, into | 4. | 4 | 6 | |
| Vany hard grow next | 1 | 4 | U | | top of noic, into | T | - | 16 | 2 81 |
| Very hard grey post, | | | | | | | | 10 | 2 07 |
| with mild girdles, | | | _ | | | | | | |
| and water | 1 | 4 | 8 | | | | | | |
| | | | | | | | | | |
| Carried forward | 7 | 1 | $0\frac{1}{2} 4$ | $3 \ 3\frac{1}{2}$ | Total | • • • | | 21 | 0 0 |
| | | | | | | | | | |

No. 3,082.—WOODHORN.

TOWNSHIP OF HIRST, NORTHUMBERLAND.

Sheet 65 of Ordnance Map. Lat. 55° 11' 20", Long. 1° 32' 46".

Account of Strata sunk through in the No. 1 Shaft, Woodhorn Colliery, May, 1897.

Approximate surface-level 92 feet above sea (Ordnance datum).

| | Fe | Ev | . In. | To. | E¥ | In | To The Last To The Last |
|----------------------|------|----|-----------|-------|------|----|-------------------------------------|
| Soil | . 0 | | | T. D. | r.c. | | D 14.4 |
| | | | 6 | | | | |
| Tellow clay | | · | | 1 | 1 | 4 | |
| 0 | 11 | _ | | T | 1 | 4 | |
| | . 11 | | | | | | Post 0 0 6 |
| Soft blue metal | . 1 | 2 | 0 | | | | Grey metal 0 3 6 |
| COAL | . 0 | 0 | 1 | | | | Strong post 1 2 0 |
| Blue metal | . 0 | 2 | 8 | | | | Grey metal 1 3 0 |
| COAL | . 0 | 0 | 2 | | | | COAL and stone 0 1 4 |
| | . 0 | | | | | | 10 4 10 |
| | Ö | | | | | | Strong grey post 0 4 6 |
| Hard post girdle | | | ō | | | | Gray matel 0 4 6 |
| | | | | | | | Grey metal 0 4 6 Whin 0 1 0 |
| Grey metal | | | | | | | |
| Blue metal | | | | | | | Strong grey metal |
| COAL | | | | | | | and post 2 2 6 |
| Grey metal | . 0 | 5 | 0 | | | | Ft. In. |
| Hard girdles | . 0 | 1 | 2 | | | | COAL 0 6 |
| Grey metal | . 0 | 1 | 10 | | | | Blackstone and |
| | . 1 | 3 | 6 | | | | coal 0 7 |
| Dark grey metal | | | | | | | 0 1 1 |
| Black stone | _ | | 3 | | | | 4 1 7 |
| | Õ | - | 2 | | | | Strong grey metal, |
| | ۰ | - | - | 21 | 2 | 3 | with post girdles 0 3 0 |
| Common alam | _ | 1 | | 21 | 4 | 0 | Crow post gridles 0 3 0 |
| Seggar-clay | | 1 | 3 | | | | Grey post 0 2 6 Grey metal 1 0 0 |
| Black stone and coal | | 0 | 9 | | | | Grey metal 1 0 0 |
| Light grey metal | | 3 | 2 | | | | Dark blue metal 1 5 6 |
| COAL and brass | 0 | 0 | 4 | | | | COAL 0 0 10 |
| Strong grey metal | 0 | 3 | 2 | | | | Grey metal, with post |
| Strong grey post | 0 | 3 | 8 | | | | girdles 2 3 1 |
| Whin | | 4 | 6 | | | | Grey post and metal 0 1 2 |
| Grey post | | 4 | 2 | | | | Whin 0 1 3 |
| Grey metal | _ | ĩ | $\bar{6}$ | | | | White post and grey |
| TO1 | _ | 4 | 2 | | | | metal 1 1 0 |
| | U | ** | 4 | | | | |
| Dark blue metal and | • | | • | | | | |
| splint | 0 | 1 | 0 | | | | High Main Seam— |
| Soft blue metal | 1 | 5 | 6 | | | | COAL 0 2 10 |
| Strong grey metal, | | | | | | | 9 1 8 |
| with post girdles | 1 | 3 | 0 | | | | Seggar-clay 0 1 6 |
| Grey metal | 0 | 3 | 4 | | | i | Strong grey metal 1 2 0 |
| Soft blue metal | | 5 | 9 | | | | Soft grey metal 1 2 6 |
| COAL | 0 | | 3 | | | | COAL and black |
| Coarse seggar-clay | 0 | ì | 3 | | | | stone 0 1 3 |
| Grey post | 2 | î | 4 | | | i | Grey metal 3 2 0 |
| White post, with | _ | • | - | | | | COAL, coarse 0 2 4 |
| metal partings | 3 | 0 | 0 | | | | ——— 6 5 7 |
| | | 4 | | | | | Grey metal and |
| Grey metal | | | | | | | |
| COAL | U | 1 | | c | ٠. | ,, | 00 |
| ~ | | | — 1 | ti | Э. | 11 | Black metal and coal 0 2 3 |
| Grey metal, with | | | | | | | Strong grey metal 1 4 3 |
| thin post girdles | | 3 | 6 | | | | Hard white post 0 5 3 |
| White post | 1 | 1 | 0 | | | | White post and whin 4 4 6 |
| Grey metal | 1 | 3 | 0 | | | | Grey metal 0 1 4 |
| • | | | | | | | |
| Carried forward | 4 | 1 | 6 3 | 9 | 3 | 6] | Carried forward 8 1 170 5 2 |
| | | | | | | | |

No. 3,082.—WOODHORN.—Continued.

| Brought forward | 8 | 1 | | Fs. 70 | | | Brought forward | Fs. 8 | Ft. | In. 10 | Fs. 94 | Ft. | In. 9 |
|--|----------------------|---------------|---------------|-----------|---|----|--------------------------------------|----------|-------------|-----------|-----------|-----|----------|
| ~ *. · · · | 0 | 4 | 0 | | | | Ft. In | | | | | | |
| Grey metal and iron- stone | 1 | 1 | 0 | | | | COAL 1 1 Band 0 b | | | | | | |
| The second secon | ō | 3 | 0 | | | | Band 0 5 | | | | | | |
| Grey or Main Seam- | • | _ | Ŭ | | | | | 0 | 1 | 11 | | | |
| Ft. In. | | | | | | | | | | _ | 8 | 5 | 9 |
| COAL 1 10 | | | | | | | Grey metal | 1 | 1 | 6 | | | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | | | | | | | COAL | 0 | 0 | 7 | | | |
| | 0 | 4 | 6 | | | | Coarse seggar-clay | 0 | 0 | 9 6 | | | |
| _ | | | | 11 | 1 | 7 | Strong grey post Blue metal, with | 1 | 1 | U | | | |
| Band | 0 | 0 | 2 | | | | ironstone girdles | 1 | 3 | 3 | | | |
| | 0 | 1 | 5 | | | | Dark blue metal | 0 | 1 | 2 | | | |
| | 0 | 0 | 4 | | | | COAL | 0 | 1 | 9 | | | |
| COAL 1 3 | | | | | | | Darle matel | | _ | _ | 4 | 4 | 6 |
| Band 0 5 | | | | | | | Dark metal | 0 | 0 | 4 0 | | | |
| COAL, splint 0 3 | | | | | | | Grey metal Grey post and whin | 1 | 44 | 6 | | | |
| COAL, coarse 1 1 | | | | | | | Grey post and with | - | $\tilde{2}$ | 6 | | | |
| | 0 | 3 | 0 | | | | White post | | 4 | 6 | | | |
| | | | _ | 0 | 4 | 11 | Hard grey post | 0 | 5 | 6 | | | |
| 00'11 | 0 | 2 | 9 | | | | Grey metal | 1 | 0 | 0 | | | |
| | 0 | 0 | 7 | | | | Soft blue metal | 0 | 3 | 10 | | | |
| XX71 1 | 0 | | 10 10 | | | | COAL 1 2 | | | | | | |
| | 0 | 3 | 6 | | | | Band 1 2 | | | | | | • |
| | ŏ | 4 | 6 | | | | COAL 1 6 | | | | | | |
| Strong white post | • | • | ٠ | | | | I 0 | 0 | 3 | 2 | | | |
| | 1 | 2 | 6 | | | | | | | _ | 8 | 4 | 4 |
| | 0 | 2 | 6 | | | | Posty seggar-clay | 0 | 2 | 6 | | | |
| Grey metal, with post | | | | | | | Soft grey post | 1 | 2 | 9 | | | |
| _ | 1 | 2 | 6 | | | | COAL | 0 | 1 | 3 | | | |
| COAL 1 0 | | | | | | | Deaths are a large | | _ | _ | 2 | 0 | 6 |
| Band 0 4 | | | | | | | Posty seggar-clay | | 2 | 6 | | | |
| COAL 0 11 | | | | | | 1 | Strong grey post Blue metal | 0 | 4 | 6 9 | | | |
| Band 0 1 | | | | | | | Grey post | _ | 1 | ő | | | |
| COAL 0 5 | | | | | | | Grey metal | ĺ | $\bar{2}$ | Õ | | | |
| | 0 | 2 | 9 | _ | _ | | Grey post and whin | 3 | 3 | 0 | | | |
| Seggar-olar and mad | | | 10 | 6 | 3 | 3 | Strong grey post | 1 | 3 | 0 | | | |
| Seggar-clay and post Grey post | | $\frac{2}{2}$ | 10 | | | | Dark blue metal | 0 | 0 | 9 | | | |
| TT71 '4 | 0 1 | $\frac{2}{2}$ | $\frac{6}{6}$ | | | | Dark splint and | 0 | 0 | 0 | | | |
| Strong grey metal | $\dot{\overline{2}}$ | $\tilde{2}$ | ŏ | | | | stone Low Main Seam— | 0 | 0 | 2 | | | |
| Yard Seam- | | _ | • | | | | Ft. In. | | | | | | |
| COAL | 0 | 4 | 0 | | | | COAL 0 7 | | | | | | |
| Dlock starry 22 | _ | | | 5 | 1 | 10 | COAL and | | | | | | |
| Black stone and brass | 0 | 0 | 2 | | | | splint 1 2 | | | | | | |
| | 0 | 1 | 2 | | | | COAL, good 1 11 | | | | | | |
| Grey metal, with post girdles | 1 | 1 | 6 | | | | Band 0 5 | | | | | | |
| CL. | 0 | 4 | 6 | | | Ì | COAL 1 6 Band 0 1 | | | | | | |
| White post and whin | 2 | 4 | 6 | | | | COAL, good 0 9 | | | | | | |
| Grey post | 0 | 4 | 6 | | | | | 1 | 0 | 5 | | | |
| Mild white post | 2 | 0 | 0 | | | | | | | | 9 | 1 | 1 |
| Hard post, with coal | | c | _ | | | ļ | Grey metal | 0 | 5 | 0 | | | |
| D1:: 1 | 0 | 3 | 0 | | | | Post girdle | 0 | 0 | 5 | | | |
| metal | 0 | 2 | 6 | | | | Grey metal | 1 | 1 | 0 | | | |
| Carried forward | 8 | 3 | 10 9 |)4 | 4 | 9 | Carried forward | 2 | 0 | _ | 128 | 9 | 11 |
| | - | - | | - 2: | - | 9 | Carried 101 ward | 4 | U | J | 140 | 4 | 11 |

No. 3,082.—WOODHORN.—Continued.

| Fs. Ft. In Fs. Ft. In. | De To De De To De To |
|---------------------------------|---|
| Brought forward 2 0 5 128 2 11 | Brot. forward 2 1 7 0 2 128 2 11 |
| Blue metal 0 1 6 | COAL, splinty 0 3 |
| COAL and stone 0 0 6 | 1 |
| COAL 0 0 5 | 1 |
| Seggar-clay 0 0 7 | |
| White post and whin 0 4 10 | Coarse seggar-clay 0 1 6 Dark metal and |
| Grey metal 0 0 5 | |
| | seggar-clay 0 1 7 |
| | COAL 0 0 1 |
| Grey metal and grey | Seggar-clay 0 0 2 |
| post 0 3 6 | Light grey metal 0 4 6 |
| Blue metal, with | Grey post and whin 1 3 0 |
| ironstone girdles 0 1 3 | Grey post and whin 1 3 0 Whin girdle 0 1 4 Hard green post 3 3 0 |
| Mussel bed, in dark | Hard green post 3 3 0 |
| metal 0 0 10 | Strong grey metal 2 0 0 |
| Grey metal, with | Plessey Seam— |
| ironstone girdles 0 2 2 | Ft. In. |
| Ironstone girdle 0 0 9 | COAL 1 0 |
| Blue metal, mixed | Band 0 13 |
| with shell 0 1 6 | COAL 1 $7\frac{1}{2}$ |
| Grey metal, with post | $\begin{array}{cccc} \textbf{COAL} & \dots & 1 & 7\frac{1}{2} \\ \textbf{Band} & \dots & 0 & 4 \end{array}$ |
| girdle 1 3 9 | COAL 1 03 |
| Ft. In. | $\frac{1}{-} \begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| COAL 0 6 | $\frac{3}{2}$ 9 1 33 |
| COAL, coarse | Seggar-clay, into 0 2 3 |
| splinty 0 10 | ⇒ 0 2 3 |
| COAL 0 9 | ——— U Z 3 |
| v 3 | |
| Car. forward 2 1 7 0 2 128 2 11 | (Data) 145 0 113 |
| Car. forward 2 1 7 0 2 128 2 11 | Total $ 145 2 11\frac{3}{4}$ |
| | |

No. 3,083.—WOODIFIELD.

TOWNSHIP OF CROOK AND BILLY ROW, DURHAM.

Sheet 33 of Ordnance Map. Lat. 54° 42' 42", Long. 1° 45' 7".

Account of Strata sunk through below the Main Coal Seam in the B Pit, Woodifield Colliery.—Continuation of No. 2,332.

Approximate surface-level 500 feet above sea (Ordnance datum).

| | | Fs. Ft | . In. Fs. | Ft. In. | Fs. Ft. In. Fs. Ft. In. |
|---|-----------------|--------|-----------|-----------------|-------------------------------|
| to bottom of <i>Main Coal Seam</i> 15 2 0½ COAL COAL Blue stone 16 2 0½ COAL Black seggar-clay 1 1 6 Blue stone 1 2 0½ COAL Black seggar-clay 1 1 6 Victoria Seam— | | | | | Brought forward 7 4 8 15 2 01 |
| Coat Seam | | | | | White seggar-clay 0 4 6 |
| Seggar-clay 1 1 6 Blue stone 3 2 6 Black seggar-clay 1 1 6 Victoria Seam— | $Coal\ Seam$ | | 15 | $20\frac{1}{2}$ | COAL |
| Blue stone 3 2 6 Post 3 0 8 | Seggar-clay | 1 1 | 6 | _ | Black seggar-clay 1 1 6 |
| Post 3 0 8 COAL 0 2 9 | Blue stone | 3 2 | 6 | | Victoria Seam— |
| 10.1 | Post | 3 0 | 8 | | COAL 029 |
| 10 1 | | | | | 10 1 8 |
| | | | | | |
| Carried forward 7 4 8 15 2 01 Total 25 3 8 | Carried forward | 7 4 | 8 15 | $20\frac{1}{2}$ | Total $25 \ 3 \ 8\frac{1}{2}$ |

No. 3,084.—WOODIFIELD.

TOWNSHIP OF CROOK AND BILLY ROW, DURHAM.

Sheet 33 of Ordnance Map. Lat.

, Long.

Account of Strata sunk and bored through in the No. 1 Ironstone Staple in the Main Coal Seam, 233 yards North-west of the Shaft, B Pit, Woodifield Colliery, April, 1847.—Supplementary to Nos. 2,332 and 3,083.

Approximate surface-level 500 feet above sea (Ordnance datum).

| | | | | _ | | |
|----------------------|-----|-----|-----|-----|--------------------|--|
| TO 43 4 1 64 60 | Fs. | Ft. | In. | Fs. | Ft. In | |
| Depth at shaft from | | | | | | Brought forward 5 3 2 16 3 91 |
| surface to bottom | | | | | | Ft. In. |
| of Main Coal Seam | | |] | 15 | $20\frac{1}{2}$ | Ironstone band 0 1 |
| Sinking:— | | | | | | Blue metal 1 0 |
| | 0 | 0 | 6 | | | Ironstone band 0 1½ |
| Seggar - clay, very | | | | | | Soft blue metal 1 2 |
| good | 0 | 1 | 6 | | | Ironstone band 0 2 |
| Seggar - clay, mixed | ٠ | • | ٠ | | | Blue metal 1 9 |
| with nodules of | | | | | | Ironstone band 0 3 |
| | ^ | - | 0 | | | |
| ironstone | 0 | Э | 9 | | | $ 0 4 6\frac{1}{2}$ |
| | _ | | | 1 | 1 9 | 6 1 8 2 |
| | | | _ | | | Blue metal 0 1 0 |
| | | | | | 0.01 | COAL, foul 0 0 3 |
| | | | | 16 | $3 \ 9\frac{1}{2}$ | Black Ithhole brone o o |
| | | | | | | Seggar-clay 0 2 0 |
| Bored further: - | | | | | | Seggar-clay, mixed |
| Grey post, with open | | | | | | with nodules of |
| gullets, and water | 1 | Λ | Ω | | | ironstone 0 4 0 |
| | | U | O | | | The state of the s |
| White post, with a | | | | | | |
| metal parting, and | - | | | | | Grey metal 0 0 6 |
| water | Ţ | 1 | 6 | | | COAL 0 2 9 |
| Grey metal stone, | | | | | | 2 1 0 |
| with post girdles, | | | | | | White post stone, |
| and water | 2 | 3 | 0 | | | into 1 1 0 |
| Dark blue metal | 0 | 4 | 0 | | | 1 1 0 |
| | _ | | | | | |
| Carried forward | 5 | 3 | 2 1 | 16 | 3 91 | Total 26 1 6 |
| | • | • | - | | 0 0 2 | |
| | | | | | | |

No. 3,085.—WOODLAND. TOWNSHIP OF WOODLAND, DURHAM.

Sheet 40 of Ordnance Map. Lat. 54° 38′ 15½″, Long. 1° 53′ 46½″.

Account of Strata sunk through in the Shaft North of Woodland Pit, Woodland Colliery, 1881.

Approximate surface-level 1,100 feet above sea (Ordnance datum).

| Surface and rubble Fs. Ft. In. Fs. Ft. In. | Brought forward 2 5 7 2 0 0 Coal shale 0 0 4 |
|---|--|
| Black shale 1 5 0 Sandstone girdle 0 1 0 Black shale 0 0 10 COAL 0 0 2 | Coarse strong band 0 0 4 Fire-clay 0 0 3 COAL, coarse 0 0 2½ |
| Fire-clay 0 4 7 Carried forward 2 5 7 2 0 0 | Fire-clay 0 3 7 Carried forward 0 3 7 5 0 8½ |

No. 3,085.—WOODLAND.—CONTINUED.

| | | | | | | · · · · · · · · · · · · · · · · · · · | |
|----------------|------------|---|----------|----------------|------------------|---------------------------------------|-----|
| 70 110 | | | | | Ft. In. | Fs. Ft. In. Fs. Ft | In. |
| Brought forwa | | 0 | 3 | 7 5 | $0.8\frac{1}{2}$ | Brought forward 13 3 | 3 |
| Strong girdle | • • • | 0 | 2 | $3\frac{1}{2}$ | | Fire-clay 0 2 10 | Ť |
| Grey sandstone | | 0 | 2 | 0 | | Strong sandstone 1 5 3 | |
| | | | | | | Soft blue shale 0 1 5 | |
| | • • • | | | | | COAL 0 2 0 | |
| | | | | 11/2 | | 2 5 | 6 |
| - | | | | | | | O |
| | | | | | | Fire-clay 0 2 9 | |
| Diey sandstone | • • • | Ū | 4 | U | | Strong sandstone 0 2 9 | |
| | | 0 | 2 | 6 | | Blue shale 0 1 0 | |
| | | 0 | 2 | $6\frac{1}{3}$ | | Strong sandstone 0 1 8 | |
| | • • • | 0 | 1 | 3 | | Blue shale 0 0 5 | |
| Grey sandstone | | 2 | 1 | 5 | | Leafy sandstone 0 4 4 | |
| Blue shale | | 0 | 5 | 4 | | Blue shale 0 0 10 | |
| COAL | | 0 | Ô | 8 | | Strong sandstone 0 4 4 | |
| | _ | | | _ 8 | $26\frac{1}{2}$ | 3 0 | 1 |
| | | | | | _ 02 | 0 0 | - |
| Carried forwa | " A | | | 13 | 3 3 | T-4-1 10 0 | 10 |
| Carried Iorwa | Iu | | | 19 | 0 0 | Total 19 2 | 10 |
| | | | | | | | _ |

No. 3,086.—WOODLAND.

TOWNSHIP OF WOODLAND, DURHAM.

Sheet 40 of Ordnance Map. Lat. 54° 37' 26", Long. 1° 53' 43".

Account of Strata sunk through in the Cowley Shaft, Woodland Colliery, 1896.

Approximate surface-level 980 feet above sea (Ordnance datum).

| Boulder-clay | | Fs. 7 | | . In. 8 | Fs. | Ft. | In. | | | | In. Fs. | | In |
|-------------------|-------|-------|---|------------|-----|-----|-----|------------------------------------|---|-----------------------|---------|---|----------|
| | | 0 | _ | | | | _ | Brought forward | 0 | 4 | 11 16 | 2 | 2 |
| | | | 0 | 9 | 1 | 4 | 8 | Blue shale, with sandstone girdles | 0 | 1 | 9 | | |
| Fire-clay | | - 1 | 0 | 6 | | | | Metal | 0 | $\frac{2}{2}$ | 5 | | |
| Light blue shale | | | 2 | 5 | | | | Grey sandstone | | 2 | 7 | | |
| Hutton Seam- | | _ | _ | Ť | | | | Dark shale | 0 | 0 | 5 | | |
| COAL | | 0 | 3 | 4 | | | | Iron girdles | 0 | 0 | 6 | | |
| | | • | _ | | 2 | 1 | 0 | Grey shale | 0 | 1 | 10 | | |
| | | | | | 2 | 1 | v | COAL | 0 | 0 | 3 | | |
| Fire-clay | • • • | | 4 | | | | | Fire-clay | 0 | 0 | 8 | | |
| Strong grey shale | | - | 1 | | | | | Dark blue shale | 0 | 3 | 0 | | |
| Dark blue shale | | 0 | 0 | 10 | | | | Dark shale, with | | | | | |
| | nd- | _ | _ | • | | | | sandstone girdles | 0 | 0 | 4 | | |
| stone | • • • | 1 | 2 | 2 | | | | | 0 | 3 | 4 | | |
| Shale | • • • | 0 | 1 | 0 | | | | Grey sandstone | 0 | 4 | 0 | | |
| Blue shale | • • • | 2 | 1 | 2 | | | | Blue shale | | 2 | 0 | | |
| | . In. | | | | | | | Sandstone girdles | | 4 2 3 5 2 | 4 | | |
| COAL 0 | | | | | | | | Blue shale | 3 | 5 | 0 | | |
| Band 0 | 2 | | | | | | | Sandstone girdle | 0 | 2 | 4 | | |
| COAL 1 | 0 | | | | | | | Shale | 0 | 1 | 0 | | |
| Band 0 | 4 | | | | | | | COAL | 0 | 0 | 6 | | |
| COAL, $splint$ 0 | 4 | _ | _ | _ | | | - 1 | <u>-</u> | | | — 11 | 4 | 2 |
| - | | 0 | 2 | 7 | | _ | | | 0 | 3 | 2 | | |
| | | | | _ | 6 | 2 | 6 | Strong grey sand- | | | | | |
| Fire-clay | | 0 | | 4 | | | | | | 2 | 5 | | |
| Grey sandstone | ••• | 0 | 1 | 7 | | | | Grey beds | 0 | 3 | 7 | | |
| Carried forwa | ard | 0 | 4 | 11 1 | 6 | 2 | 2 | Carried forward | 1 | 3 | 2 28 | 0 | 4 |

No. 3,086.—WOODLAND.—CONTINUED.

| | 13. | TAL | T T | | T24 | T | Fs. Ft. In. Fs. Ft. In. |
|----------------|-----|--------|----------------|----------|-----|----------|------------------------------|
| Brought forwar | | 3 | . In. F 2 2 | | 0 | 1n. 4 | Brought forward 7 1 1 36 2 3 |
| 732 1 1 | ī | Õ | 10 | • | · | _ | Fault: Dip South 20 |
| 0 1 1 | 0 | ì | 6 | | | | fathoms. |
| 20 1 1 1 | 0 | 0 | 6 | | | | Brockwell Seam- |
| ~ 1. | 0 | 1 | 3 | | | | Ft. In. |
| T 1 1 1 1 1 1 | 0 | 4 | 8 | | | | COAL, can- |
| ~ • | 0 | 1 | 6 | | | | nel 0 3 |
| Blue shale | 1 | 0 | 4 | | | | COAL 3 4 |
| Dark shale | . 0 | 0 | 10 | | | | Band 0 8 |
| COAL | 0 | 2 | 0 | | | | COAL 3 5 |
| | _ | | | 5 | 4 | 7 | 1 1 8 |
| Fire-clay | 0 | 3 | 0 | | | | 8 2 9 |
| Grey shale | 0 | 2 | | | | | Fire-clay 1 1 2 |
| Blue shale | 1 | 2 | | | | | Blue shale 0 2 2 |
| COAL | 0 | 1 | 3 | | | | Sandstone and grey |
| | | | | 2 | 3 | 4 | beds 2 0 10 |
| | 0 | 2 | 9 | | | | Sandstone 1 2 10 |
| | 0 | 2 | 9 | | | | Blue shale 1 4 8 |
| | 1 | 3 | 8 | | | | Fire-clay 2 1 10 |
| | 0 | 1 | 8 | | | | Blue shale 0 5 0 |
| | 0 | 5 | 0 | | | | Hard sandstone 3 2 5 |
| | 2 | 3 | 7 | | | | COAL 0 0 6 |
| | 0 | 0 | 5 | | | | 13 3 5 |
| | 0 | 0 | 7 | | | | Fire-clay 0 4 0 |
| Blue shale | 0 | 4 | 8 | | | | 040 |
| 0 | , – | _ | | _ | _ | | m + 1 |
| Carried forwar | d 7 | 1 | 13 | 6 | 2 | 3 | Total <u>. 59 0 5</u> |
| | | | | | | | |

No. 3,087.—WOODLAND.

TOWNSHIP OF COCKFIELD (DETACHED), DURHAM.

Sheet 40 of Ordnance Map. Lat. 54° 37′ 19", Long. 1° 54′ 23".

Account of Strata passed through in the No. 1 Bore-hole, Woodland Colliery, 363 yards South-east of East Hinden, 1899.

Approximate surface-level 1,030 feet above sea (Ordnance datum).

| Boulder-clay | | Ft. 2 | | Fs. | Ft. | In. | Brought forward | | | In. F | | | |
|------------------------|----|----------|---|-----|--------|-----|-----------------------------------|---|---|-------|-----|---|---|
| | _ | | | 3 | 2 | 0 | Soft blue shale | 1 | 3 | 0 | | | |
| Red sandstone | 0 | 3 | 6 | | | | Blue shale | 1 | 0 | 0 | | | |
| Blue shale | | | 0 | | | | Hard grey sandstone | 0 | 0 | 6 | | | |
| Grey sandstone | | | 9 | | | | Soft blue shale, with | | | | | | |
| | 1 | | 9 | | | | ironstone balls | 0 | 2 | 3 | | | |
| Hard gritty grey | | _ | _ | | | | Hard gritty grey | - | | | | | |
| sandstone | | 1 | 3 | | | | sandstone | 0 | 0 | 3 | | | |
| Blue shale | | | | | | | Soft blue shale, with | • | • | • | | | |
| Black shale | | | 6 | | | | ironstone balls | Ω | 5 | Q | | | |
| Blue shale | | | ő | | | | Whinstone | | | 7 | | | |
| TT 1 11.1 | U | 2 | U | | | | Soft blue shale | ň | | | | | |
| | Λ | 2 | Λ | | | | Soft blue shale Grey whinstone | 0 | 9 | e | | | |
| | U | 4 | U | | | | Discoult | 0 | 4 | 0 | | | |
| Blue shale, with | | | | | | | Blue shale | | | | | | |
| ironstone balls | | | | | | | Fire-clay | _ | | 2 . | | | |
| Grey sandy shale | | 0 | 0 | | | | COAL | 0 | 0 | 5 | | | |
| Blue shale, with iron- | | | | | | | | | | 10 | 3 (| 0 | 4 |
| stone balls | 1 | 5 | 6 | | | | Grey sandstone | 0 | 0 | 4 | | | |
| Carried forward | 10 | 0 | 9 | 3 | 2 | 0 | Carried forward | 0 | 0 | 4 19 | 9 | 2 | 4 |

No. 3,087.—WOODLAND.—CONTINUED.

| Brought forward | Fs. | Ft. | In. Fa | . Ft. | In. 4 | |
|--|-----|-----|--------|-------|----------|---------------------------|
| Fire-clay | | | | , 4 | -16 | |
| | | | | | | Hard gritty sand- |
| Blue shale | U | Ð | Z | | | stone 1 0 0 |
| Hard grey sandstone | 3 | 3 | 2 | | | Grey sandy shale 0 2 0 |
| COAL | 0 | 0 | 9 | | | Dark blue shale 0 3 6 |
| | | | 6 | 3 0 | 6 | |
| Ironstone | 0 | 0 | 3 | | | Grey sandstone 2 2 2 |
| Blue shale | 0 | 0 | 6 | | | COAL 0 1 2 |
| Hard jointy grey | | | | | | 14 3 10 |
| sandstone | 1 | 3 | 6 | | | Blue shale 0 3 0 |
| Grey sandy shale | 1 | 3 | 0 | | | Grey sandy shale 1 3 6 |
| Grev sandstone | 0 | 2 | 6 | | | Hard grey sandstone 0 1 2 |
| Grey sandy shale Grey sandstone Blue shale | 1 | 4 | 6 | | | Hard grey jointy |
| Blue shale, with iron- | | | | | | sandstone 2 4 0 |
| stone balls | 2 | 1 | 0 | | | Grey sandstone 1 4 2 |
| stone balls Blue shale | 1 | 1 | 0 | | | 6 3 10 |
| Carried forward | 8 | 4 | 3 25 | 2 | 10 | Total 46 4 6 |

No. 3,088.—WOODLAND.

TOWNSHIP OF COCKFIELD (DETACHED), DURHAM.

Sheet 40 of Ordnance Map. Lat. 54° 37' 22", Long. 1° 54' 9".

Account of Strata passed through in the No. 3 Bore-hole, Woodland Colliery, 132 yards West of Cowley Farm House, 1899.

Approximate surface-level 1,030 feet above sea (Ordnance datum).

| Boulder-clay | Fs. | | In. | Fs. | Ft. | In. | Brought forward | | | In. | Fs. | | In. |
|---------------------|-----|---------------|-------------|-----|-----|-----|-----------------------------------|---|---|--------|-----|---|-----|
| Boulder-clay | 1 | U | U | 1 | 0 | 0 | Black shale, with | 0 | 1 | Ð | 0 | 4 | 1 |
| Hard grey sandstone | _ | 4 | _ | 1 | U | U | ironstone balls | 1 | 1 | 5 | | | |
| | | | | | | | | | _ | _ | | | |
| Grey sandy shale | | $\frac{2}{2}$ | 0 3 | | | | COAL | U | 0 | 4 | ^ | 0 | |
| Hard grey sandstone | | | | | | | Dina -la- | - | - | _ | 9 | 3 | 2 |
| Soft grey sandstone | | 0 | 9 | | | | Fire-clay | | 1 | U | | | |
| Blue shale | _ | 3 | 9 7 2 | | | | Hard grey jointy | | _ | _ | | | |
| Soft shale | | 2 | | | | | sandstone | | | 9 | | | |
| COAL | 0 | 2 | 1 | | | | Grey sandy shale | | | 9 | | | |
| | | | | 3 | 4 | 10 | | | | 9 | | | |
| Soft fire-clay | 0 | 3 | 6 | | | | Blue shale | | 1 | 6 | | | |
| Grey sandstone | 0 | 3 | 6 | | | | Very hard and jointy | | | | | | |
| Blue shale | 2 | 0 | 10 | | | | grey whin | 0 | 3 | 0 | | | |
| Grey sandstone | 0 | 1 | 6 | | | | Grey sandstone Soft blue shale | 0 | 1 | 6 | | | |
| Blue shale | 0 | 1 | 6 | | | | Soft blue shale | 0 | 3 | 2 5 | | | |
| Dark shale | 0 | 0 | 2 | | | | Very soft blue shale | 0 | 3 | 5 | | | |
| COAL, slaty | Ō | Ŏ | 3 | | | | COAL | | ĭ | 4 | | | |
| | _ | | _ | 3 | 5 | 3 | 1 | | | _ | 5 | 3 | 2 |
| Blue shale | 0 | 2 | 4 | • | • | • | Very soft fire-clay | 1 | Λ | 1 | • | • | _ |
| Grey sandstone | | | 9 | | | | Soft grey sandy | - | · | - | | | |
| Grey sandy shale | | 2 | Õ | | | | shale | 1 | Λ | 3 | | | |
| Blue shale | | ñ | 10 | | | | Soft grey sandstone | | | 9 | | | |
| Grey sandy shale | | 1 | | | | | | | J | 3 | | | |
| | 4 | 1 | 0 | | | | Soft grey sandy shale | ^ | 9 | ^ | | | |
| Grey shale, with | 9 | 4 | ^ | | | | | | 2 | | | | |
| ironstone balls | 3 | 4 | 0 | | | | Soft grey sandstone | 1 | 0 | 0 | | | |
| C | _ | 1 | | | 4 | _ | G | | _ | | | | |
| Carried forward | ŏ | T | 5 | 8 | 4 | 1 | Carried forward | o | 0 | 1 | 23 | 4 | 5 |

No. 3,088.—WOODLAND.—CONTINUED.

| | Fs. | Ft | In. Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
|---------------------|-----|----|---------|-----|-----|---|
| Brought forward | 5 | 0 | 1 23 | 4 | 5 | Brought forward 10 2 1 23 4 5 |
| Hard grey sandstone | 0 | 1 | 6 | | | Soft blue shale 1 1 2 |
| Soft blue shale | 0 | 3 | 3 | | | Brockwell Seam— |
| Grey sandstone | 1 | 1 | 0 | | | COAL 0 5 7 |
| Hard grey sandstone | 1 | 0 | 11 | | | 12 2 10 |
| Soft grey sandstone | 1 | 1 | 1 | | | Fire-clay 0 4 8 |
| Blue shale | | | | | | Fire-clay 0 4 8 Grey sandstone 0 0 6 |
| Soft grey sandstone | 0 | 3 | 1 | | | 0 5 2 |
| Carried forward | 10 | 2 | 1 23 | 4 | 5 | Total 37 0 5 |

No. 3,089.—WOODLAND.

TOWNSHIP OF COCKFIELD (DETACHED), DURHAM.

Sheet 40 of Ordnance Map. Lat. 54° 37' 19", Long. 1° 54' 16".

Account of Strata passed through in the No. 10 Bore-hole, Woodland Colliery, 286 yards South-west of Cowley Farm House, 1896.

Approximate surface-level 1,020 feet above sea (Ordnance datum).

| Boulder-clay | ~ | Ft. | In. | | | | Brought forward | | | In. 1 | | Ft. | In. 6 |
|---|--------|--------|-------------|----|---|---|--------------------------------|---|----------|-------------|----|-----|----------|
| Mild beddy sandstone Light blue shale Dark blue shale, mixed with coal | 0 | 2 0 | 2 6 0 | 2 | 1 | 6 | COAL 0 3 Band 0 2 COAL 0 4 | 0 | 0 | 9 | | | |
| COAL | - | ō | 8 | _ | | | Fire-clay | 0 | 0 | 7 | 5 | 0 | 10 |
| TO . | _ | | _ | 1 | 4 | 4 | Blue shale | 0 | 0 | 4 | | | |
| Fire-clay | 0 | 5 | 7 | | | | Iron girdle | ^ | | 6 | | | |
| Grey sandstone Dark blue shale | - | 0 | 4 0 | | | | Blue shale | 0 | 1 | 4 | | | |
| Dark blue shale Iron girdles | 0 | 0 | 3 | | | | Hard white sand- | | | | | | |
| Grey sandstone | 0 | 3 | 7 | | | | stone | 0 | 4 | 11 | | | |
| Grey beds | ĭ | 2 | 8 | | | | Mild white sand- stone | 0 | 5 | 0 | | | |
| Blue shale | 0 | 2 | 7 | | | | Blue shale, with | U | Ð | U | | | |
| COAL | 0 | 0 | 3 | | | | sandstone girdle | 1 | 2 | 4 | | | |
| Fire-clay | 0 | 0 | 6 | | | | Dark shale | õ | 3 | 4 | | | |
| White sandstone | 0 | 0 | 9 | | | | Black band | ŏ | Õ | 6 | | | |
| Blue shale, with iron | _ | | 0 | | | | Black shale | | Õ | 0 | | | |
| girdles | 5 0 | 4 0 | 6 8 | | | | COAL | 0 | 2 | 2 | | | |
| GOAL | U | U | - | 10 | 9 | | | _ | | _ | 5 | 3 | 0 . |
| T. 1 | | | | ΤΩ | 3 | 8 | Fire-clay | 0 | 1 | 3 | | | |
| Fire-clay | | 1 | 0 | | | | Grey sandstone | 0 | 2 | 5 | | | |
| Grey beds | 0 | 3 | 10 | | | | Brown sandstone | 0 | 1 | 8 | | | |
| Hard white sand- stone | 1 | 1 | 5 | | | | Grey shale Hard white sand- | U | 1 | Ð | | | |
| Grey beds, with blue | T | T | Ð | | | | stone | 0 | 3 | 11 | | | |
| shale | 0 | 4 | 1 | | | | Grev shale | ŏ | 4 | | | | |
| White sandstone | | 4 | 6 | | | | | ŏ | | | | | |
| Blue shale | | ō | 6 | | | | Grey shale | Õ | 3 | | | | |
| White sandstone | | 2 | 4 | | | | Busty Seam— | | | | | * | |
| Shale | 0 | 0 | 5 | | | | | 0 | 3 | 7 | | • | |
| | | | | | | | | | | | 3 | 5 | 6 |
| Carried forward | 5 | 0 | 1 | 14 | 3 | 6 | Total . | | | , . <u></u> | 29 | 0 | 10 |

No. 3,090.—WOODLAND.

TOWNSHIP OF COCKFIELD (DETACHED), DURHAM.

Sheet 40 of Ordnance Map. Lat. 54° 37' 14", Long. 1° 54' 10".

Account of Strata passed through in the No. 26 Bore-hole, Woodland Colliery, 264 yards South-west of Cowley Farm House, 1893.

Approximate surface-level 990 feet above sea (Ordnance datum).

| Boulder-clay | | Fs. 3 | | | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
|-----------------|---------|-------|---|----|-----|-----|-----|--|
| Dourder-clay | ••• | U | - | U | 3 | 1 | 6 | Brought forward 1 2 0 19 2 4 Dark blue shale 1 1 5 |
| Blue shale | | 4 | 2 | 6 | J | 1 | U | |
| | | 4 | | | | | | Dark shale 0 4 1 |
| Brown sandstone | | 1 | 2 | 0 | | | | COAL 0 2 0 |
| Grey sandstone | | | 3 | 9 | | | | 3 3 6 |
| Dark sandstone | | | 4 | 9 | | | | Fire-clay 0 1 2 |
| Light sandstone | | 3 | 4 | 6 | | | | Grey shale 0 0 6 |
| Hard white sa | nd- | | | | | | | COAL 0 0 1 |
| stone | | 1 | 5 | 3 | | | | Blue shale 0 0 5 |
| Blue shale | | | | | | | | Dark grey sandstone 0 3 10 |
| COAL | | | õ | 5 | | | | Light grey sandstone 0 1 6 |
| OOAL | • • • • | v | U | J | 14 | 2 | ^ | |
| 771 15. | | | | _ | 14 | 4 | 0 | Dark sandstone 0 1 9 |
| Fire-clay | • • • | | 3 | | | | | Grey shale, with |
| Grey sandstone | • • • | | | 10 | | | | sandstone girdles 1 1 7 |
| White sandstone | | 0 | 1 | 2 | | | | Busty Seam— |
| Dark blue shale | | 0 | 1 | 3 | | | | COAL 0 3 8 |
| COAL | | | 0 | 11 | | | | 3 2 6 |
| | | | | | 1 | 4 | 10 | Fire-clay 0 0 6 |
| Fire-clay | | 0 | 2 | Q | - | - | 10 | 0 0 6 |
| Grey sandstone | | _ | 5 | 4 | | | | 0 0 0 |
| diey sandstone | ••• | U | Э | 4 | | | | |
| 0 | | _ | _ | | 10 | _ | _ | TI 4.1 00 0.10 |
| Carried forw | ard | 1 | 2 | U | 19 | 2 | 4 | Total 26 2 10 |
| | | | | | | | | |

No. 3,091.—WOODLAND.

TOWNSHIP OF WOODLAND, DURHAM.

Sheet 40 of Ordnance Map. Lat. 54° 37′ 37½″, Long. 1° 54′ 45″.

Account of Strata passed through in the No. 28 Bore-hole, Woodland Colliery, 88 yards North of Pike Stone Farm House, 1873.

Approximate surface-level 1,100 feet above sea (Ordnance datum).

| | Fs. | Ft. | In. | Fs. | Ft. | In. | Ft. In. Fs. Ft. In. Fs. 1 | |
|----------------|-----|-----|-----|-----|-----|-----|---------------------------|------|
| Boulder-clay | 1 | 4 | 0 | | | | Brot. forward 1 4 4 1 1 1 | 4 0 |
| • | | | | 1 | 4 | 0 | COAL and | |
| Sandstone | 1 | 5 | 0 | | | | rubble 0 9 | |
| Blue shale | 0 | 2 | 1 | | | | —— 0 2 1 | |
| Grey sandstone | 0 | 0 | 4 | | | | 4 | 3 2 |
| Blue shale | 1 | 5 | 8 | | | | Grey sandstone 0 1 3 | |
| | In. | | | | | | Blue shale 1 3 5 | |
| COAL 0 | | | | | | | Grey sandstone 0 1 2 | |
| Band 0 | | | | | | | 1 | 5 10 |
| | | | | | | - | | 1 0 |
| Car. forward 1 | 4 4 | 1 | 1 | 1 | 4 | Ó | Total ,., <u>. 8</u> | T 0 |

No. 3,092.—WOODLAND.

TOWNSHIP OF WOODLAND, DURHAM.

Sheet 40 of Ordnance Map. Lat. 54° 38' 17", Long. 1° 54' 0".

Account of Strata passed through in the No. 29 Bore-hole, Woodland Colliery, 528 yards North-west of the Woodland Shaft, 1872.

Approximate surface-level 1,075 feet above sea (Ordnance datum).

| Boulder-clay | | Ft. | In. | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In Brought forward 6 3 8 21 5 |
|--------------------------|----------|-----|-----|----------------|-----|-----|---|
| Doulder-clay | - T | U | | 4 | 3 | 0 | |
| Black shale | 1 | 1 | 3 | - | U | U | COAL and blue |
| T3' 1 | Ô | | 10 | | | | |
| Fire-clay COAL and black | U | - | 10 | | | | 1 2 2 |
| | 0 | 1 | 0 | | | | |
| shale | U | 1 | U | 2 | 1 | 1 | |
| Dina alam | | | 0 | 4 | 1 | 1 | |
| | 0 | 4 | | | | | |
| Leafy sandstone | 0 | 2 | 6 | | | | |
| Blue shale | 0 | 1 | 0 | | | | Leafy sandstone 0 3 10 |
| Grey sandstone | | 5 | 6 | | | | Blue shale 0 4 10 |
| Blue shale | 1 | 2 | 6 | | | | Leafy sandstone 0 1 2 |
| COAL | 0 | 1 | 4 | | | | Blue shale 3 2 10 |
| | | | | 11 | 4 | 10 | Black shale 0 1 7 |
| Fire-clay | 0 | 3 | 0 | | | | Blue shale 0 3 6 |
| Grey sandstone | 1 | 5 | 9 | | | | Leafy sandstone 0 2 6 |
| Blue shale | 0 | 1 | 4 | | | | Blue shale 0 2 5 |
| Ft. In. | | | | | | | Black shale 0 2 6 |
| COAL 1 0 | | | | | | | Leafy sandstone 0 2 6 Blue shale 0 2 5 Black shale 0 2 6 Blue shale 0 5 2 |
| Band 0 2 | | | | | | | Black shale 1 2 7 |
| COAL 2 11 | | | | | | | Blue shale 0 4 7½ |
| | 0 | 4 | 1 | | | | Leafy sandstone 0 1 4 |
| | | | | 3 | 2 | 2 | Grey sandstone 5 0 01 |
| Fire-clay | 0 | 1 | 3 | - | _ | _ | Mild blue shale 0 3 5 |
| Strong grey sand- | ŭ | - | | | | | Leafy sandstone 1 1 0 |
| , | 0 | 3 | 0 | | | | Blue shale 1 5 7 |
| | U | J | U | | | | Leafy sandstone 0 3 0 |
| , • • • | Λ | 1 | 0 | | | | 7 |
| | 0 1 | 1 | 8 | | | | |
| Grey sandstone | | 1 | | | | | 0041 |
| Leafy sandstone | | 1 | 0 | | | | COÅL 0 1 2 |
| Grey sandstone | 1 | 1 | 3 | | | | 30 4 7 |
| Leafy sandstone | 0 | 1 | 0 | | | ĺ | Fire-clay 0 1 10 |
| Strong grey sand- | | | | | | | Grey sandstone 10 3 10 |
| stone | 2 | 0 | 6 | | | | 10 5 8 |
| Blue shale | 0 | 5 | 0 | | | | |
| Carried forward | 6 | 3 | 8 | $\frac{-}{21}$ | 5 | 1 | Total 63 3 4 |

No. 3,093.—WOODLAND.

TOWNSHIP OF LYNESACK AND SOFTLEY, DURHAM.

Sheet 41 of Ordnance Map. Lat. 54° 37′ 45″, Long. 1° 52′ 36″.

Account of Strata passed through in the No. 30 Bore-hole, Woodland Colliery, 35 yards North-east of Lane Head, 1861.

Approximate surface-level 1,000 feet above sea (Ordnance datum).

| Clay and gravel Fs. Ft. In. 3 1 2 | Fs. | Ft. | In. | Brought forward Sandstone | Fs. | Ft. | In. 9 | Fs. 3 | Ft. 1 | In. 2 |
|-----------------------------------|-----|-----|-----|------------------------------|-----|-----|----------|----------|----------|----------|
| Carried forward | 3 | 1 | 2 | Carried forward | 3 | 2 | 9 | 3 | 1 | 2 |

No. 3,093.—WOODLAND.—CONTINUED.

| | TZ. | 17.4 | T | 23- | T24 | In. | T. T. T. T. T. Y. |
|------------------|-----|------|---|-----|-----|-----|-----------------------------|
| Brought forward | | | | | | 2 | Fs. Ft. In. Fs. Ft. In. |
| | | | | | 1 | _ | Brought forward 1 0 011 3 6 |
| Blue shale | | | | | | | Light blue shale 2 2 0 |
| White sandstone | 0 | 2 | 0 | | | | White sandstone 1 1 0 |
| Blue shale | 0 | 4 | 0 | | | | Light blue shale 2 2 9 |
| Grey white sand- | | | | | | | Hutton Seam- |
| stone | 1 | 3 | 0 | | | | COAL 0 3 7 |
| Black shale | 1 | 5 | 5 | | | | 7 3 4 |
| COAL | | | | | | | Fire-clay 0 1 0 |
| | | | | 8 | 2 | 4 | 010 |
| Fire-clay | 1 | | | | _ | _ | • • • |
| | | | | | | | |
| Carried forward | 1 | 0 | 0 | 11 | 3 | 6 | Total 19 1 10 |
| | | | | | | | |
| | | | | | | | |

No. 3,094.—WOODLAND. TOWNSHIP OF WOODLAND, DURHAM.

Sheet 41 of Ordnance Map. Lat. 54° 37' 43", Long. 1° 53' 51/2".

Account of Strata passed through in the No. 31 Bore-hole, Woodland Colliery, 110 yards South-east of Fold Garth Farm House.

Approximate surface-level 1,020 feet above sea (Ordnance datum).

| Clay and gravel | ••• | | | | | Ft. 0 | In. | Brought forward 3 0 4 10 4 6 Strong white sand- |
|--|-----|-------------|-------------|-------------|----|----------|-----|--|
| Grey shale Dark shale | | 0 2 0 | 0 5 1 | 6 0 0 | • | | | stone 0 1 0 Light blue shale 1 3 9 Dark blue shale 0 0 9 Ft. In. |
| Sandstone girdle Black shale COAL Grey shale | ••• | 1 0 | 3 0 | 0 6 | 7 | 4 | 6 | COAL, bad 0 3 0 1 8 5 1 6 |
| Carried forwa | ard | 3 | 0 | 4 | 10 | 4 | 6 | Total 16 0 0 |

No. 3,095.-WOODLAND. TOWNSHIP OF WOODLAND, DURHAM.

Sheet 41 of Ordnance Map. Lat. 54° 37′ 23″, Long. 1° 53′ 0″.

Account of Strata passed through in the No. 36 Bore-hole, Woodland Colliery, 660 yards West of High Trough, 1894.

Approximate surface-level 920 feet above sea (Ordnance datum).

| Sandy loam Stiff brown clay | . 0 | 3 1 | 8 | | Ft. | In. | Brought forward 4 1 4 0 5 0 Fire-clay 0 3 Blue shale 0 5 6 |
|---|-------------------|------------------|------------------|---|-----|-----|---|
| Brown sandstone Hard sandstone Clay bed Brown sandstone Grey beds | . 0 . 0 . 0 | 5 0 5 4 | 6 2 7 1 | | | | Brown sandstone 1 4 5 Grey beds 0 3 5 White sandstone 1 2 1 Blue shale 0 0 4 COAL 0 1 6 |
| Blue shale Carried forward | | | | 0 | 5 | 0 | Total 9 5 10 |

No. 3,096.—WOODLAND.

TOWNSHIP OF WOODLAND, DURHAM.

Sheet 40 of Ordnance Map. Lat. 54° 37' 9", Long. 1° 55' 14".

Account of Strata passed through in the No. 47 Bore-hole, Woodland Colliery, 1893.

Approximate surface-level 1,070 feet above sea (Ordnance datum).

| | 70 Ft Y | | 774 | - | |
|------------------|------------|-----|-----|-----|-----------------------|
| Boulder-clay | Fs. Ft. Ir | | Pt. | ın. | |
| | | | | | |
| Soft clay | 0 2 | j | | | Fire-clay 2 2 0 |
| - | | - 2 | 1 | 0 | Sandstone 1 3 6 |
| COAL | 0 2 6 | 3 | | | Grey bed 2 2 10 |
| | | - 0 | 2 | 6 | Grey sandstone 3 5 9 |
| Fire-clay and gr | rey | | | | Fine blue shale 1 0 0 |
| b ed | 3 1 (| 3 | | | Brockwell Seam- |
| Blue shale | 1 0 6 | 3 | | | Ft. In. |
| Busty Seam— | | | | | COAL 4 9 |
| Ft. | In. | | | | Band 0 2 |
| COAL 3 | | | | | Band 0 2 COAL 1 8 |
| Fire-clay band 5 | 3 | | | | 1 0 7 |
| COAL 1 | | | | | 12 2 8 |
| | 1 4 2 | 2 | | | Fire-clay 0 0 6 |
| | | - 6 | 0 | 2 | 006 |
| | | | | | |
| Carried forwa | ırd | 8 | 3 | 8 | Total 21 0 10 |
| | | • | _ | - | 2000111 |

No. 3,097.—WOODLAND.

TOWNSHIP OF LANGLEYDALE WITH SHOTTON, DURHAM.

Sheet 41 of Ordnance Map. Lat. 54° 36′ 47½", Long. 1° 53′ 0".

Account of Strata passed through in the No. 52 Bore-hole, Woodland Colliery, 638 yards South-east of Burnfoot Leazes, 1903.

Approximate surface-level 950 feet above sea (Ordnance datum).

| Boulder-clay | F | s. Ft. | 1n. 1 | Fs. | Ft. | In. | Brought forw | | | In. Fs. | | 1n. 0 |
|-----------------|--------|--------|-------|-----|-----|-----|-----------------|------|---|---------|---|----------|
| Doulder-clay | | | | 0 | 4 | 0 | Grey sandstone | 0 | | | ~ | Ů |
| Sandstone | 0 | 2 | 6 | | | | Blue shale | 0 | 3 | 7 | | |
| Grey shale | 0 | | | | | | COAL | 0 | 1 | 4 | | |
| COAL | (| 2 | 0 | | | | | | | 11 | 1 | 10 |
| | | | | 1 | 4 | 0 | Fire-clay | 0 | 0 | 6 | | |
| Light sandstone | 1 | 2 | 3 | | | | Grey sandstone | 2 | 3 | 0 | | |
| Blue shale | 1 | . 0 | 3 | | | | Blue shale | 0 | 0 | 6 | | |
| Grey sandstone | 0 |) 1 | 4 | | | | White sandstone | 2 | 0 | 9 | | |
| Blue shale | 0 | 4 | 2 | | | | Blue shale | 0 | 4 | 9 | | |
| Grey sandstone | 0 | 1 | 8 | | | | Grey sandstone | 0 | 0 | 9 | | |
| Blue shale | 0 | 1 | 9 | | | | Blue shale | 2 | 2 | 6 | | |
| Light sandstone | 5 | 3 | 6 | | | | , | | | - 8 | 0 | 9 |
| Blue shale | 0 | 5 | 3 | | | | , | • | | | | |
| Carried forw | ard 10 | 2 | 2 | 2 | 2 | 0 | To | otal | | 21 | 4 | 7 |

No. 3,098.—WYLAM.

TOWNSHIP OF PRUDHOE CASTLE, NORTHUMBERLAND.

Sheet 96 of Ordnance Map. Lat. 54° 58′ 4″, Long. 1° 50′ 25″.

Account of Strata sunk through at West Wylam Colliery, 1866. Approximate surface-level 95 feet above sea (Ordnance datum).

| | | . Ft. | | Fs. | Ft. | ln. | D | | Fs. | Ft. | | Fs. | | |
|--|-----------------------|----------------------------|----------------------------|-----|-----|-----|--|--------------------------------|-----------------------|-----------------------|-----------|-----|------|-----|
| lay, with stone | . z | 4 | 0 | 0 | | ^ | Brought forw | | | | | 46 | 1 | 10 |
| 1 | | | · | 2 | 4 | 0 | Dark grey post, v | | ^ | | ~ | | | |
| lue metal, with | | | | | | | iron girdles | ••• | U | 4 | . 7 | | | |
| | . 4 | 2 | 0 | | | | Five-Quarter Sear | n | | | | | | |
| rey metal, with pos- | t | | | | | | | t. In. | | | | | | |
| girdles | . 1 | 1 | 4 | | | | COAL, splint (| | | | | | | |
| ost girdles | . 0 | 0 | 10 | | | | COAL, good 3 | 30 | | | | | | |
| ost, with grey meta | 1 | | | | | | _ | | 0 | 3 | 8 | | | |
| partings | | 4 | 6 | | | | | | | | | 1 | 2 | - 1 |
| | . 6 | | 0 | | | | Thill | | 0 | 0 | 9 | | | |
| Vhite post | | | | | | | Grey metal, with 1 | nost. | | | | | | |
| | | | 8 | | | | | | 0 | 2 | 6 | | | |
| lue metal | | U | 0 | | | | | | 0 | | 10 | | | |
| OAL, with this | | | | | | | White post | | U | 1 | 10 | | | |
| bands of stone | . 0 | 2 | 4 | | | | Grey post, with h | | | | _ | | | |
| | | | | 13 | 4 | 10 | girdles | | | 3 | 0 | | | |
| eggar-clay | 0 | 3 | 8 | | | | Whin | • • • | 0 | 4 | 6 | | | |
| rey metal, with pos | t | | | | | | Blue metal | ••• | 1 | 0 | 6 | | | |
| 7 11 | 3 | 0 | 0 | | | | Seggar-clay | | 0 | 1 | 3 | | | |
| rey metal | | 1 | 0 | | | | Six-Quarter Seam | i | | | | | | |
| Black slaty stone | | 0 | 11 | | | | COAL, good | | 0 | 4 | 4 | | | |
| OAL, with a band | _ | | | | | | , 8 | | | | | 5 | 0 | |
| OAL, with a ban | | | | 8 | 0 | 8 | Thill | | 0 | 3 | 7 | _ | | |
| owen alast | 0 | 4 | 8 | · | v | | White post | | ŏ | 4 | ö | | | |
| 00 | • | | _ | | | | | | v | - | v | | | |
| rey post | | | | | | | Blue metal, with p | | 4 | ^ | 4 | | | • |
| | 10 | 0 | 0 | | | | girdles | | 4 | 0 | 4 | | | |
| owneley Seam- | | | | | | | Yard Coal Seam- | _ | | | | | | |
| COAL | 1 | . 0 | | | | | 0044 J.F. | t. In. | | | | | | |
| | _ | | | 12 | 3 | 4 | COAL, good | 4 3 | | | | | | |
| eggar-clay | 0 | 4 | 9 | | | | Band (| | | | | | | |
| | 0 | 0 | 5 | | | | COAL, good (| 8 (| | | | | | |
| Blue metal, with | h | | | | | | - | | 0 | 3 | 0 | | | |
| ironstone balls | _ | 4 | 4 | | | | | | | | | 5 | A | 1 |
| ost, with whin gir | | - | - | | | | | | | _ | _ | | - 19 | |
| ost, with while gir | | | | | | | Thill | | 1 | 0 | 0 | Ü | ** | |
| dlas | - | 1 | G | | | | Thill Blue metal, with r | ost | 1 | 0 | 0 | Ü | *# | |
| dles | - | 1 | 6 | | | | Blue metal, with p | | | | | | -90 | |
| Tilley Seam— | 1 | | | | | | Blue metal, with p | ••• | 1 | 0 | 0 | J | ** | |
| | 1 | | 6 4 | | | | Blue metal, with p girdles White post, v | vith | 1 | 2 | 0 | J | -31 | |
| "illey Seam— COAL | 0 | 2 | 4 | 3 | 1 | 4 | Blue metal, with p girdles White post, w blue metal gir | vith dles | 1 2 | 2 | 0 | J | 4 | |
| GOAL | 1 0 0 | 2 | 4 | 3 | 1 | 4 | Blue metal, with p girdles White post, v blue metal gir Blue mctal | vith dles | 1 2 1 | 2 1 3 | 0 | J | *** | |
| GOAL | 1 0 0 | 2 | 4 | 3 | 1 | 4 | Blue metal, with p girdles White post, v blue metal gir Blue metal Grey post | vith dles | 1 2 1 1 | 2 1 3 1 | 0 0 0 0 | J | 4 | |
| GOAL | 1 0 0 | 1 | -4 -6 | 3 | 1 | 4 | Blue metal, with p girdles White post, w blue metal gir Blue metal Grey post Blue metal | vith dles | 1 2 1 1 | 2 1 3 | 0 | J | 43. | |
| "illey Seam— COAL eggar-clay rey post, with whin | 1 0 0 | $\frac{2}{1}$ | -4 -6 0 | 3 | 1 | 4 | Blue metal, with p girdles White post, v blue metal gir Blue metal Grey post | vith dles | 1 2 1 1 | 2 1 3 1 | 0 0 0 0 | J | *** | |
| COAL eggar-clay rey post, with whii girdles | 1 0 0 n 1 0 | 1 2 0 | 4 6 0 4 | 3 | 1 | 4 | Blue metal, with p girdles White post, w blue metal gir Blue metal Grey post Blue metal Brockwell Seam— | vith dles t. In. | 1 2 1 1 0 | 2 1 3 1 | 0 0 0 0 | J | *38 | |
| COAL eggar-clay rey post, with whin girdles COAL Oark grey metal | 1 0 0 n 1 0 0 | 1 2 0 3 | 4 6 0 4 | 3 | 1 | 4 | Blue metal, with p girdles White post, w blue metal gir Blue metal Grey post Blue metal Brockwell Seam— | vith dles t. In. | 1 2 1 1 0 | 2 1 3 1 | 0 0 0 0 | J | 430 | |
| eggar-clay rey post, with whin girdles coAL bark grey metal Vhite post | 1 0 0 n 1 0 0 1 | 1 2 0 3 | 4 6 0 4 6 | 3 | 1 | 4 | Blue metal, with p girdles White post, w blue metal gir Blue mctal Grey post Blue metal Brockwell Seam— FCOAL, good 2 | vith dles t. In. | 1 2 1 1 0 | 2 1 3 1 | 0 0 0 0 | Ü | 430 | |
| rilley Seam— COAL leggar-clay legy post, with whin girdles COAL Oark grey metal Vhite post Post, with blue meta | 1 0 0 n 1 0 1 0 1 | 2 1 2 0 3 1 | 4 6 0 4 6 0 | 3 | 1 | 4 | Blue metal, with p girdles White post, w blue metal gir Blue metal Grey post Blue metal Brockwell Seam— | vith dles t. In. | 1 2 1 1 0 | 2 1 3 1 | 0 0 0 0 | Ü | 430 | |
| eggar-clay eggar-clay irey post, with whin girdles oark grey metal vhite post ost, with blue metal partings | 1 0 0 n 1 0 1 1 2 | 2 1 2 0 3 1 | 4 6 0 4 6 0 | 3 | 1 | 4 | Blue metal, with p girdles White post, w blue metal gir Blue mctal Grey post Blue metal Brockwell Seam— FCOAL, good 2 | vith dles t. In. | 1 2 1 1 0 | 2 1 3 1 2 | 0 0 0 0 | | 0 | |
| eggar-clay eggar-clay erey post, with whin girdles oAL bark grey metal vhite post cost, with blue meta partings slue metal | 1 0 0 n 1 0 1 0 1 0 1 | 2 0 3 1 | 4 6 0 4 6 0 | 3 | 1 | 4 | Blue metal, with p girdles White post, w blue metal gir Blue mctal Grey post Blue metal Brockwell Seam— FCOAL, good 2 | vith dles t. In. | 1 2 1 1 0 | 2 1 3 1 2 | 0 0 0 0 | 8 | | |
| eggar-clay eggar-clay erey post, with whin girdles oAL bark grey metal vhite post cost, with blue meta partings slue metal | 1 0 0 n 1 0 1 1 2 | 2 0 3 1 | 4 6 0 4 6 0 | | | | Blue metal, with p girdles White post, w blue metal gir Blue mctal Grey post Blue metal Brockwell Seam— FCOAL, good 2 | vith dles t. In. | 1 2 1 1 0 | 2 1 3 1 2 | 0 0 0 0 | | | |
| eggar-clay eggar-clay erey post, with whin girdles oAL bark grey metal vhite post cost, with blue meta partings | 1 0 0 n 1 0 1 0 1 0 1 | 2 0 3 1 | 4 6 0 4 6 0 | 3 | 1 | 4 | Blue metal, with p girdles White post, w blue metal gir Blue mctal Grey post Blue metal Brockwell Seam— FCOAL, good 2 | vith dles t. In. | 1 2 1 1 0 | 2 1 3 1 2 | 0 0 0 0 | | | |
| rilley Seam— COAL leggar-clay lerey post, with whing girdles COAL lark grey metal Voite post Post, with blue metal partings Blue metal | 1 0 0 1 0 1 0 1 0 1 0 | 2 0 3 1 | 4 6 0 4 6 0 | | 5 | | Blue metal, with p girdles White post, v blue metal gir Blue metal Grey post Blue metal Brockwell Scam— F COAL, good 2 COAL, splint (| vith dles t. In. | 1 2 1 1 0 | 2 1 3 1 2 | 0 0 0 0 0 | | | |

No. 3,099.—WYLAM.

TOWNSHIP OF WYLAM, NORTHUMBERLAND.

Sheet 96 of Ordnance Map. Lat.

, Long.

Account of Strata passed through in the No. 1 Bore-hole, near Wylam Church.

Approximate surface-level feet above sea (Ordnance datum).

| G.:1 | | Fs. | Ft. | In. | Fs. | Ft. | In. | |
|---|-------|----------|-----|-----|-----|-----|-----|---|
| Soil Yellow clay | • • • | U | Ţ | U | | | | Brought forward 5 5 9 6 3 0 |
| Yellow clay | • • • | 0 | 2 | 0 | | | | COAL 0 1 6 |
| Dark stony clay | | 6 | 0 | 0 | | | | 6 1 3 |
| | | | | | 6 | 3 | 0 | Dark brown seggar- |
| Freestone, with s | oft | | | | | | | clay 0 1 0 |
| partings | | 1 | 4 | 3 | | | | Light grev shale 0 4 6 |
| Dark grey shale | | 2 | 4 | 3 | | | | Dark grey post 2 3 0 Hard white post 0 4 6 |
| Dark grey post | | 0 | 5 | 9 | | | | Hard white post 0 4 6 |
| Dark grey shale Dark grey post White post | | 0 | 3 | 6 | | | | 4 1 0 |
| _ | | | | | | | | |
| Carried forwa | ard | 5 | 5 | 9 | 6 | 3 | 0 | Total 16 5 3 |
| | | | | | | | | |

No. 3,100.—WYLAM.

TOWNSHIP OF WYLAM, NORTHUMBERLAND.

Sheet 96 of Ordnance Map. Lat. 54° 58′ 37″, Long. 1° 49′ 21″.

Account of Strata passed through in the No. 3 Bore-hole, near Wylam Church.

Approximate surface-level 105 feet above sea (Ordnance datum).

| | | Fs. | Ft. | In. | Fs. | Ft. | In. | Fs. Ft. In. Fs. Ft. In. |
|-----------------|----|-----|-----|-----|-----|-----|-----|--------------------------------------|
| Soil | | 0 | 2 | 0 | | | | Brought forward 6 2 613 0 0 |
| Yellow clay | ٠ | 0 | 4 | 0 | | | | COAL 0 0 4 |
| | | | 5 | 0 | | | | Seggar-clay 0 2 0 |
| , , | | | | | 6 | 5 | 0 | Grey post 0 4 7 |
| Dark grey shale | | 2 | 1 | 6 | | | | Grey shale 1 4 5 |
| COAL, hard coar | se | 0 | 3 | 6 | | | | Whinstone 0 1 4 |
| , | | | | | 2 | 5 | 0 | Hard white post 0 0 6 |
| Seggar-clay | | 0 | 2 | 0 | | | | Strong grey shale 0 0 10 |
| | | 1 | 0 | 0 | | | | Grey post 1 1 2 |
| | | 1 | 0 | 0 | | | | Grey shale 0 2 4 |
| | | 0 | | | | | | COAL 0 3 0 |
| | | 0 | 1 | 6 | | | | 11 5 0 |
| | | _ | | | 3 | 2 | 0 | Seggar-clay 0 1 0 Grey post 0 1 4 |
| Grey post | | 3 | 0 | 0 | | | | Grey post 0 1 4 |
| White post | | | 2 | 6 | | | ٠ | 024 |
| Carried forwa | rđ | 6 | 2 | 6 | 13 | 0 | 0 | Total 25 1 4 |
| | | | | | | | | |

ÍNDEX.

EXPLANATIONS.

Names of coal-seams and other beds are in italics. The same name often applies, according to locality, to more than one seam.

The dash (—) or dashes (— —) at the beginning of a line denote the repetition of a word or words.

A.

A pit, Hebburn, 283. ——, Sharnberry, 368. , South Tanfield, 444. , Stella and Towneley, 456. Acklington, 1. Acomb, 2. Adventure pit, Rainton, 411. Aid Crag, 159, 162. — Foal, 159. Air pit, Cornish Hush, 449. -, Dow Gang, 9. Albert Seam, 410. Alexandrina pit, Rainton, 413, 415, 416. Alfred pit, Jarrow, 325. Algernon pit, Shiremoor, 434. Allendale, 2, 3, 4, 5, 6, 467. - Common, 2. - Town, 3. Allenheads, 3.

Allerdean, 6, 477.
Allery Bank, 123.
Alston, 7, 8, 9, 10, 11, 12, 13, 14, 15.
— Common, 7, 8, 9, 10, 11, 12, 13, 14.
Ancroft, 6.
Angerton quarry, 417.
Ann pit, Tanfield Lea, 474.
— —, Walker, 506.
Annie pit, Burnhope, 86.
Annie pit, Burnhope, 86.
Annie pit, Brandon, 73.
Archdeacon Newton, 289.
Arthur pit, Peases' West, 184.
Ashgillhead, 368.
Ashington, 16.
Awarded quarry, 167.
Axwell, 18, 20, 21, 22.
— Park, 18, 20, 23.
Aykley Heads, 255.
Ayleburn, 7.

В.

Bedlington, 267.

B pit, Oxclose, 394. -, Urpetli, 496. , Whitley, 529. -, Woodifield, 551, 552. B Seam, 67, 68, 81, 540. Backworth, 25. Ballarat Seam, 67, 68, 157, 289, 540. Barmoor, 374. Barnard Castle, 26. Barney Crag, 2. Barony, 92, 93, 94, 104, 105, 106, 107, 114. - and Evenwood, 239, 240. Barrington, 27. Beadnell, 28. Beamish, 28, 29, 30. Bearpark, 32. Beaumont Seam, 17, 25, 44, 56, 85, 168, 171, 181, 205, 206, 208, 248, 283, 284, 332, 408, 429, 430, 444, 446, 477, 499, 500, 502, 512, 519, 526. Bebside, 33.

Beechburn, 33, 34, 35, 36, 37, 38. Bcesbauk, 38. Belford, 39. Bellasis, 39. Bellingham, 40, 41, 42, 43. Bellingham Seam, 41. Bell's Holme, 372. - pit, Sunnyside, 256. Belmont, 328. Benfieldside, 64. Bensham Seam, 16, 170, 382, 429, 434, 478, 509, 518, 525, 542. Benton, 43, 508. Bentyfield High Level, 8. Benwell, 44, 380. Berrington, 45. Betsy pit, Cramlington, 179. Betty pit, North Walbottle, 501. ——, Team, 477. Bewicke Main, 45. Biddick, 46, 48.

Big Bondicar Rock, 274. Bigge's Quarter, 124. Bill Quay, 505. Billingham, 49, 130, 131, 171, 172, 173, 174, 275, 276, 277, 278, 279, 280, 404, 406, 407. Billingside, 218. Billy Row, 183, 184, 453, 551, 552. Binchester, 49. Birchfield Gate, 261. Birtley, 51, 52, 53, 54, 56. Bishop Auckland, 57, 153. — Middleham, 57, 58, 59. - Wearmouth, 290. Black Boy, 60. - Burn, 476. - Callerton, 108, 109. Black Dent Coal, 304. Black Sike, 485. Blackett, 364.

— level, Breckon Hill, 4. ----, Collier, 4. ---, Holms Linn, 5. ——, Sipton, 5. ——, Studdon Dean, 3. Blackhalls, 60. Blackhill, 64. Blackhill Seam, 7, 247. Blanchland, 64. Blaydon, 65. - Main, 65. Blenkinsopp, 417, 418. Blyth, 169, 384, 385. Bollihope Common, 449. Boltsburn, 447, 448. Bondicar Rock, 274. Bore-hole pit, Coxhoe, 175. Bothal, 16. Bottom Limestone, 41. Bottom Seam, 80. Bowburn, 66, 432. Bowden, 66, 67. Bradbury and the Isle, 68. Brampton, 484, 485. Brancepeth, 32, 69. Brandling pit, South Gosforth, 259. Brandon, 73. and Byshottles, 69, 70, 71, 73. Brass Thill Seam, 31, 73, 80, 86, 92, 176, 444, 473, 504, 519.

Breckon Hill, 4. Brick Flat, Chesterhope, 159. Briery Hill pit, Stannington, 454. Brinkburn, 73. Broadgate Fell, 160. Brockwell Seam, 17, 20, 22, 32, 34, 37, 44, 50, 65, 67, 68, 69, 70, 71, 72, 81, 85, 88, 90, 91, 95, 100, 104, 105, 106, 108, 192, 198 108, 123, 128, 129, 140, 143, 145, 169, 181, 187, 196, 199, 206, 208, 224, 229, 241, 250, 254, 259, 288, 289, 333, 342, 343, 345, 348, 358, 360, 361, 363, 370, 384, 391, 396, 409, 410, 412, 423, 431, 440, 445, 453, 457, 458, 476, 485, 487, 498, 502, 520, 521, 526, 531, 532, 533, 534, 540, 546, 554, 556, 560, 561. Broom, 72, 80. Broomhill, 74, 76, 77, 79. Broomhope, 158. Broomley, 299, 300. Broompark, 80. Broomridge, 252. Brownley Hill, 9. Brownridge, 82, 83. — Moor, 83, 84. Brusselton, 84. Bulman Main Coal Seam, 247. Burnhope, 86, 87, 88, 90, 91, 92. and Hamsteels, 89, 263. Burtree Pasture, 4, 448. 357, 360, 369, 383, 390, 408, 409, 412, 414, 423, 433, 435, 439, 443, 445, 476, 477, 479, 485, 487, 497, 499, 505, 507, 514, 520, 526, 536, 556, 557, 560. Bustybank Seam, 87, 88, 89, 90, 117, 361, 362, 496, 546. Butterknowle, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107. - fault, 49, 99. Byer Moor, 107. - pit, Byer Moor, 107.

Callerton, 108, 109.
Candle Coal Seam, 456.
Cannel Seam, 21.
Cariteth Moor, 43.
Cariteth Seam, 41.
Carl pit, Ashington, 16.
Carr Edge, 111.
Carrick's Ironstone mine, 449.
Carrycoats, 112, 113.
Carter Fell, 400, 401.
Carterthorne, 114.

Carts Bog, 114.
Cashwell, 15.
Cassop, 115.
— Moor, 115.
Castle Eden, 116.
Castlereagh pit, Dawdon, 191.
Catchburn, 375, 376, 377, 378.
Cator House pit, Framwellgate, 255.
— Second pit, Framwellgate, 254.
Charles pit, Middridge, 369.
Charley pit, South Moor, 440.

Byshottles, 69, 70, 71, 73.

C.

Charlotte pit, Benwell, 44. Chester-le-Street, 116, 442. Chester South Moor, 116. Chesterhope, 159, 160, 161, 162, 164. Chilton, 119, 120, 121. Chirdon, 123. Chirm, 124, 125. Chirton, 408. Chollerton, 125. Chopwell, 125, 126, 128. Christon Bank, 128. Church pit, Stannington, 455. Clara Vale, 129. Clarence Hetton, 132. Clarewood Seam, 261. Cloven Crag, 401. Clover Hill, 351. Coal Burn Bridge, 374. Coalcleugh, 2. Coanwood, 133, 134, 136. Coastley, 137. Coatyards, 138. Cocken, 139, 251. Cockerton, 139. Cockfield, 140, 141, 142, 144, 145, 258, 259, 554, 555, 556, 557. - whin dyke, 100. Cockle Bed Limestone, 313. Cockle-shell Limestone, 4, 14, 15, 449, 452. Cockmount Hill, 510. Coldberry, 367. Coldrife, 146. Coldside, 289. Colepike Hall, 147, 148. Collier, 4. Collierley, 207, 404. Collin Seam, 35. Colt Crag, 148, 149, 150, 151, 152.

Darlington, 191.
David Burn, 113.
Dawdon, 191, 423.
Day drift, Burnhope, 89.
— Rise, Killhopehead, 451.
Deaf Hill, 194.
Dean and Chapter, 249.
— pit, Dean and Chapter, 249.
Deanraw, 114.
Delivery drift, Horden, 308.
Delves, 195.
Denton Fell, 196.

E pit, Ouston, 389, 391. Eadley Hole, 418. Earsdon, 434. Easington, 215, 217, 438. — with Thorpe, 306, 308. East Brunton, 282. — Chevington, 74, 76, 77, 117. — Coanwood, 134.

Colwell, 148, 149, 150, 151, 152. Coniscliffe, 153. Consett, 195, 218. Conside and Knitsley, 311. Constantine Seam, 31, 81, 487. Content pit, Blaydon Main, 65. Coom Roof Seam, 135, 136, 397. Copy Crooks pit, West Durham Wallsend, 153. Coquet Island, 154. Coquetdale, 154. Cornforth, 132, 156. Cornish Hush, 449. Cornsay, 157, 288. Corsenside, 158, 159, 160, 161, 162, 164, 165, 166, 167. Coundon Grange, 60. Cow Lairs Seam, 158. Cowley pit, Woodland, 553. Cowpen, 33, 168, 169. Cowpon Marsh, 171, 172, 173, 174. Coxhoe, 132, 175, 176, 177, 178. Crag Limestone, 313. Crake Scar, 144, 145. Cramlington, 179, 182, 183. Craw Coal Seam, 456. Crawcrook, 129. Cresswell pit, Pontop, 404. Crook and Billy Row, 183, 184, 453, 551, 552. Bank, 184. · Hall, 211. Crossgate, 208, 209, 210. Crowden Hill, 488. Crowtrees, 185. Croxdale, 185, 187, 188. Crummel's Sike, 123. Cullercoats, 190.

D.

Derwent, 198, 199, 312, 313, 314, 315.

— Crook, 199.
Derwenthaugh, 200, 201.
Diamond Coal Seam, 247.
Diamond pit, Butterknowle, 102.
Dinnington, 202, 203, 206.
Dipton, 207.
Druridge, 537.
Dunston, 208.
Durham, 208, 209, 210, 211, 212, 213, 214.

— Main, 214.

E.

East Edmondsley, 222.
— End, 451.
— Farlam, 420.
— Matfen, 360.
— pit, Carr Edge, 111.
— —, Hylton, 322.
— Rainton, 413.

- Thickley, 478.

Eastern pit, Whittington, 530. Eden, 218, 219. air-shaft, Consett, 218. Edmondsley, 222, 223, 224, 486. Eight Yards Limestone, 74, 350. Eldon, 225. Elizabeth pit, Coxhoe, 176. Elsdon, 225, 226. Elsdon and Fourlaws Seam, 225, 226. Elstob, 226. Eltringham, 227, 228, 229. Eltringham Cannel Coal Seam, 287. Elvet, 32, 210, 309, 310. Elwick, 230, 231, 232. Embleton, 128. Engine Coal Seam, 482, 500, 502. Engine pit, Axwell, 18. - —, Boltsburn, 448.

F pit, Washington, 513, 514. Fallowfield, 242. Falstone, 242, 243. Farnacres, 243, 244, 245, 246. Favordale, 139. Featherstone, 133, 134, 136, 246. Feldon, 379. Felkington, 247. Fell pit, Burnhope, 90. Fell Top Limestone, 3, 9, 10, 13, 313, 315, 368, 379, 449. Fenham, 247. Fenwick, 248. Ferry Hill, 248, 249. Finance Hill, 359. Finchale, 251. Fishburn, 251. Five Fathoms Shale, 40, 41. Five-Quarter Seam, 16, 20, 22, 31, 44, 47, 54, 57, 58, 65, 67, 68, 86, 92, 100, 115, 119, 120, 121, 128, 129, 135, 136, 140, 154, 157, 193, 194, 208, 220, 229, 234, 239, 246, 249, 289, 297, 301, 302, 303, 304, 307, 331, 344, 383, 396, 403, 404, 429, 441, 442, 456, 457, 473, 476, 478, 483, 504, 513, 519, 525, 533, 534, 540, 561.

Galligill Syke, 10.
Garesfield, 128, 481.
Garsmondway Moor, 417.
Gate pit, Twizell, 486.
Gateshead-upon-Tyne, 199, 428.
George pit, Derwent Crook, 199.
——, Etherley, 236.
Gibbsneese, 240.
Gilliehill Clints, 476.
Gilsland, 480.
Gingling Gate, 502.
Glebe pit, Washington, 514, 516.
Good Luck pit, Throckley, 482.

Engine pit, Burnhope, 87. — —, Burtree Pasture, 448. --, East Coanwood, 134. ---, Oxclose, 394. --, Plainmeller, 397. ——, Ridsdale, 161. --, Rispey, 452. --, Slitt, 452. —, Tanfield Lea, 473. Engineer pit, North Brancepeth, 69. Eppleton, 233. Escomb, 236, 237, 238. Esh, 235, 342, 497. Eshott, 235, 236. Etal, 83, 84. Etherley, 236, 237, 238. Evenwood, 239, 240.

F.

Five Yards Limestone, 4, 5, 8, 10, 11, 12, 13, 14, 15, 448, 452.
Florence pit, Kepier, 328. Flushie Mere No. 2, 365. Foaly pit, Ridsdale, 161. Folly pit, Ridsdale, 161. Foot Seam, 504. Ford, 252, 319, 320, 321. Moss, 252. Forest and Frith, 364, 365, 369 - Quarter, 316, 447, 448, 449, 451, Four Fathoms Limestone, 2, 4, 5, 8, 9, 10, 11, 12, 13, 14, 15, 366, 367, 368, 417, 448, 450, 451. Four-feet Seam, 99. Fourlaws Fell, 162. Fourlaws Limestone, 41. Fourlaws Seam, 40, 41, 225, 226, 260. Fourstones, 253. Fox Fold, 15. Framwellgate, 211, 214, 254, 255. Frith, 364, 365, 369. Frosterley, 256. Fulwell, 257. Furnace Coal Seam, 40, 41, 163, 486. Furnace pit, Garesfield, 128.

G.

Gordon House, 258, 259.
— pit, Butterknowle, 99.
Gosforth, 259.
Grasshill Common, 368.
Great Chilton, 120.
— Eppleton, 233.
Great Limestone, 3, 4, 5, 6, 8, 9, 10, 11, 12, 13, 14, 65, 74, 314, 315, 316, 365, 366, 367, 368, 379, 417, 447, 448, 449, 450, 451, 452.
Great Swinburn and Colwell, 148, 149, 150, 151, 152.
Greatham, 259.
Greencroft, 86, 218, 441.

Greenhurth, 364. Greenlaws, 450. Green's pit, Derwent, 312. Greenside, 456. Greenwood, 262. Grey Seam, 170, 180, 202, 204, 268, 352,

353, 428, 518, 550. Greyside pit, Stonecroft, 466. Grove Seam, 109, 500. Guddamgill, 10. Gunnerton, 260. Gurney pit, Black Boy, 60.

H.

Hadston, 79. Haining Rig Seam, 40, 41. Hall pit, Gordon House, 259. Halton, 261. Haltwhistle, 261, 262. Hamsteels, 89, 263. Hamsterley, 92, 93, 94, 95, 104, 145. Hand Coal Seam, 129, 219, 362. Hannah pit, Barrington, 27. Harbour House, 264. Hareshaw Head Seam, 40, 41. Harraton, 46. Hart, 265. Hartford, 267. Hartholes, 243. Hartley, 268, 269, 270. Hartleyburn, 372. Harton, 528. Harvey Seam, 31, 33, 66, 67, 68, 71, 73, Hastings pit, Hartley, 268. Haswell, 437. Hauxley, 271, 273, 274, 410. Haverton Hill, 275, 276, 277, 278, 279, 280. Hazlerigg, 282. Hebburn, 283, 286. Hedley, 287, 288. — Hill, 288. Heighington, 289. Helmington Row, 66, 67. Hendon, 290. Henshaw, 291, 336, 337, 363. Heppleheugh, 165. Hepscott, 291, 292, 293, 294, 295, 374. Hepscott Seam, 295. Herdley Bank pit, West Coanwood, 136. Herrington, 296. Hester pit, Dinnington, 206. Hett, 485. Hewitson's Limestone, 379. Heworth, 298, 512. High and Low Highlaws, 299.

High Cariteth, 43. High Cariteth Seam, 43. High Coniscliffe, 153. - Forest, 3, 4. Langley, 341. High Main Seam, 27, 44, 179, 183, 202, 203, 204, 246, 327, 346, 427, 428, 434, 442, 477, 499, 509, 518, 530, 549. High Newport, 436. pit, Allenheads, 4. Raise vein, 11.
 Shaw Fell, 166. — Tippald, 610. Highlaws, 299. Hill Top, 342. Hillheads, 529. Hindley, 299, 300. Hirst, 549. Hodge Seam, 21, 65, 129, 362, 439, 482, 500, 502. Holms Linn, 5. Holmside, 301, 302, 304, 342, 521. Holy Island, 304. Hoppen, 305. Horden, 306, 308. Horse level, Guddamgill, 10. Horsley, 309. — Wood, 309. Horton, 426. Houghall, 309, 310. Howard pit, Tindale Fell, 484. Hownes Gill, 311. Hudgill Burn, 12. Hunstanworth, 312, 313, 314, 315, 316. Hurworth, 316. Hutton Henry, 317, 318, 421.

Hutton Seam, 31, 35, 47, 55, 60, 66, 73, 81, 86, 87, 90, 99, 107, 116, 142, 176, 178, 185, 186, 189, 193, 194, 207, 210, 214, 218, 221, 224, 225, 235, 241, 243, 245, 250, 255, 256, 258, 264, 283, 297, 203, 204, 308, 217, 310, 324, 230, 331 303, 304, 308, 317, 319, 324, 330, 331, 332, 334, 336, 340, 345, 348, 357, 362, 390, 394, 404, 411, 413, 421, 422, 430, 433, 434, 439, 441, 442, 443, 444, 446, 473, 474, 486, 498, 504, 512, 513, 514, 516, 517, 520, 525, 545, 553, 559. Hylton, 319, 320, 321, 322.

I.

Isabella pit, Cowpen, 168.
— —, Hepscott, 295.

Isabella pit, Medomsley, 362.

— —, Widdrington, 536.

J.

Jack pit, Longbenton, 43. Jane pit, Walker, 507, 508. Jarrow, 283, 325, 327, 328. Jeffrey's pit, Derwent, 312. Jerry's Linn, 123. Jet Seam, 540.

Kaysburn pit, Langley Park, 342. Kepier, 328, 329. — Grange, 329. Kibblesworth, 45, 331, 332, 333. Killhopehead, 451. Killingworth, 334. Kiln Coal Seam, 74.

Lady Alice pit, Littletown, 348. Lady's Rake, 369. Lambley, 246. Lamesley, 477. Lanchester, 147, 148, 337, 359. Langley, 87, 88, 89, 90, 91, 92, 338, 340, 341.- Park, 338, 340, 341, 342. Langleydale, 26. – with Shotton, 140, 560. Leasingthorne, 344. Level Head Engine pit, Burtree Pasture, 448. Licker Seam, 45. Linton, 346. Lintz, 347. - Ford, 126. Lislesburn, 164, 165, 166, 167. Band Pit, Ridsdale, Little Black 162.— Chilton, 119.

Little Coal Seam, 165, 218, 362, 401.

Little Howyate Seam, 83. Little Limestone, 2, 3, 4, 5, 6, 8, 9, 10, 11, 12, 13, 14, 15, 65, 137, 162, 242, 262, 291, 313, 314, 316, 350, 363, 364, 365, 366, 367, 368, 379, 399, 419, 420, 447, 448, 449, 450, 461, 485. Little Limestone Coal Seam, 2, 137, 198, 242, 360. Little Lumley, 355, 356.

— pit, North Biddick, 46. — Whickhope Burn, 242.

Jew Limestone, 4, 15, 369, 449. John Henry Pit, South Durham, 225. — pit, New Copley, 142. Josephine pit, Stanley, 453. Jubilee Neam, 99.

K.

Kimblesworth, 335. King pit, Sheriff Hill, 428. Kingswood, 336, 337. Kitty Crag Limestone, 452. Knitsley, 311. Kyo, 440, 444.

L.

Little Wonder Seam, 79, 411. Littletown, 348. Lizzie Ann pit, Prestwick, 409. pit, Weetslade, 517. Lobley Hill, 244, 246. Lodgesyke, 367. Long Framlington, 73, 350. Longbenton, 43. Longcleugh, 6. Loughirst, 351, 353, 354. Louisa pit, South Moor, 439. Low Beechburn, 33, 34, 35, 36. - Coniscliffe, 153. - Forest, 5. 193, 194, 205, 210, 221, 223, 224, 225, 234, 245, 250, 256, 269, 297, 303, 304, 307, 324, 330, 331, 335, 345, 352, 356, 357, 381, 394, 403, 413, 429, 430, 433, 441, 442, 443, 478, 504, 513, 516, 517, 518, 520, 542, 550. Low Newport, 435. Lower Limestone, 40, 41. Lower Little Limestone, 450. Lowick, 82, 83. Lumley, 355, 356. Luttrington, 358. Lynesack and Softley, 96, 97, 98, 99, 100, 101, 102, 103, 107, 144, 145, 240, 558.

Μ.

Main Coal pit, Pelton, 396.

Main Coal Seam, 34, 36, 47, 55, 60, 67, 68, 74, 80, 92, 95, 107, 115, 119, 122, 154, 158, 180, 182, 193, 194, 207, 218, 219, 220, 222, 225, 234, 235, 239, 249, 259, 289, 297, 301, 302, 303, 304, 307, 324, 331, 344, 356, 362, 394, 396, 409, 415, 416, 441, 442, 444, 453, 456, 467,

474, 475, 483, 500, 502, 504, 513, 515, 516, 535, 550, 551, 552.

Major pit, Seghill, 427.

Manor House, 359.

Marley Hill, 360.

— pit, Hutton Henry, 318.

Marsden, 527.

Marsh House, 259.

Marshall Green Seam, 34, 36, 37, 38, 95, 96, 104, 453, 534.

Marwood, 26.
Mary pit, Beamish, 30.
Mason, 203.
Matfen, 360, 361, 530.
Maude pit, Backworth, 25.
Maudlin Seam, 31, 47, 55, 86, 87, 89, 139, 154, 193, 223, 234, 245, 297, 302, 303, 304, 307, 324, 331, 355, 356, 394, 441, 442, 443, 504, 513, 516, 517, 520.
Medomsley, 198, 199, 361, 362.
Melkridge, 363, 364.
Melmerby Scar Limestone, 361, 362.
Metal Coal Seam, 380, 382, 429, 434, 478, 509, 542.

Middlehope, 451.
Middlestone, 344.
Middleton Common, 368.
Middleton-in-Teasdale, 364, 365, 366, 367, 368, 369.
Middridge, 369, 370, 371.
— Grange, 371.
Midgeholme, 372.
Mill pit, Cowpen, 169.
Monk Hesleden, 60.
Moorsley, 415.
Morpeth, 373, 374, 375, 376, 377, 378.
— Castle, 375, 376, 377, 378.
Morrison pit, South Moor, 441.
Mostyn pit, Gordon House, 258.
Muggleswick, 379.

N.

Nether Denton, 196.
Netherton, 379.
— Pike, 379.
Netherwitton Bottom Seam, 138.
New Brancepeth, 69, 70, 71, 72.
— Copley, 140, 141, 142.
— Herrington, 296.
— pit, South Garesfield, 347.
— , Stonecroft, 466, 467.
— , West Stanley, 519.
— Shildon, 478, 479.
Newbrough, 111, 466, 467.
— pit, Radeliffe, 410.
Newcastle-upon-Tyne, 380, 381, 382, 389.
Newfield, 383.
Newsham and South Blyth, 169, 384, 385.
Newton-On-the-Moor, 385.
North Biddick, 46, 48.
— Brancepeth, 69.
— Fenham, 247.

Northpit, Coatyards, 138.

——, Easington, 215.

——, Horden, 306.

— Wallbottle, 499.

Norton, 385, 387, 388.

No. 1 pit, Binchester, 49.

——, Elsdon, 225.

——, Leasingthorne, 344.

——, Linton, 346.

——, Woodhorn, 549.

No. 1 Seam, 219.

No. 1 South pit, Whitburn, 523.

—2 pit, Axwell, 21.

——, Dipton, 207.

——, Fourstones, 253.

——, New Brancepeth, 71.

——, Herrington, 296.

— Randolph pit, Evenwood, 240.

—3 pit, Deaf Hill, 194.

——, Kimblesworth, 335.

——, New Brancepeth, 69, 70.

—5 Ironstone pit, Ridsdale, 164.

0.

Ρ.

Oakwood Seam, 261.
Oaky Bank quarry, 240.
Offerton, 296.
Old Engine pit, Tanfield Lea, 473.
Old Five-Quarter Seam, 456.
Old Furnace pit, Cornsay, 157.
— pit, Soppit, 226.
— Towns quarry, 371.

Osmondcroft, 389. Oswald pit, Holmside, 304. Ouseburn, 389. Ouston, 389, 391. Ovingham, 227, 391, 392, 394. Ovington, 227, 228. Oxclose, 394.

Paddy's Land, 302.
Pallion, 395.
Papists Cross Limestone, 41.
Park House, 375, 376, 377, 378.
Quarter, 450.
Pasture Drift Seam, 361, 363.
Pear's pit, Derwent, 314.
Peases' West, 184.

Peel Fell, 399. Pelton, 395, 396. Perseverance pit, Hutton Henry, 317. Pioneer pit, Crake Scar, 145. Pittington, 38, 348, 416. Plainmeller, 397, 398, 494, 495. Plashetts, 399, 400, 401. Plashetts Seam, 243, 401, 402. Plawsworth, 264, 402. Plessey, 403. — and Shotton, 403. Plessey Seam, 17, 33, 168, 171, 181, 282, 353, 551. Plough pit, Chirm, 125. Pontop, 404. Port Clarence, 130, 131, 404, 406, 407. Portgate, 447. Presser Engine pit, Derwent, 313. Preston, 408. Prestwick, 409. Princess Neam, 411. Prudhoe Castle, 561.

Q.

Quarrington, 66, 185. Quarry Grange, 26. Queen Seam, 79, 411.

R.

Radcliffe, 410. Radcliffe Steam Coal Seam, 410. Railey Burn, 92, 93, 94. Rainton, 411, 413, 415, 416. Raisby Hill, 417. Rampgill, 13. pit, Ramshaw Engine Derwent. 314. Randolph pit, Evenwood, 240. Reaygarth, 417, 418, 419. Rede Bridge, 167. Relief pit, Seaton Delaval, 426. Ricknall, 419. — Grange, 419.

Ridsdale, 161, 162, 164, 165, 167. Ridsdale Ironstone, 40, 41. Rising Sun pit, Wallsend, 508. Rispey Engine pit, 452. Ritton Coltpark, 146. Roach burn, 420. Robert pit, Kibblesworth, 332. Robinson's Limestone, 15. Rodridge, 421. Rotherhope Fell, 13. Routh pit, Derwent, 315. Ruler Seam, 129, 456. Ryhope, 421, 422. Ryton Woodside, 456.

S.

St. Giles, 329. - Helens Auckland, 84. Sandfield, 277. Scar Limestone, 4, 11, 12, 14, 15, 111, 448, 450, 452. Scraithe pit, Coalcleugh, 2. Seaham, 421. - Harbou**r, 423**. Seaton Carew, 424.
— Delaval, 268, 269, 270, 426. – Sluice, 270. Second Limestone.—See Little Limestone. Second Sinking pit, Lumley, 355. Sedgefield, 427 Seggar Seam, 540. Seghill, 427. Seven-Quarter Seam, 135,136, 397. Seventy Fathoms Coal Seam, 259, 327. Seventy Fathoms pit, Ridsdale, 162. Shadfen, 291, 292. Shanks' Kiln pit, Ridsdale, 167. Sharnberry, 368. Sheriff Hill, 428. Shield Row Seam, 30, 86, 92, 301, 303, 404, 440, 441, 503, 519. Shildon, 64, 430, 478, 479. - Lodge, 430. Shincliffe, 431, 432. Shiremoor, 434. Shop pit, Allerdean, 477. Shotley High Quarter, 64. Shotton, 140, 219, 403, 560.

Silksworth, 434, 435, 436. Single Post Limestone, 14, 15, 364, 369. Sionside, 39. Sipton, 5. Sisters pit, Widdrington, 536.
Six Inches Seam, 96, 97, 98, 101, 103. Six-Quarter Seam, 229, 429, 478, 525, 561. Six Yards Limestone, 74, 350. Sixteen-feet pit, Bearpark-Brancepeth, Skears, 365, 366, 367. Great Rise, 366. Slag Seam, 135, 136. Slitt, 452. Small Limestone, 11. Smiddy Limestone, 15. Smith's Gill, 301. Smittergill Head, 15. Softley, 96, 97, 98, 99, 100, 101, 102, 103, 107, 144, 145, 240, 558. Soppit, 226. South Blyth, 169, 384, 385. – Durham, 225. – Garesfield, 347. — Gosforth, 259. — Hetton, 437, 438. - Moor, 439, 440, 441. — Pelaw, 442.

— pit, Carterthorne, 114. — —, Coatyards, 138. — —, Easington, 217.

-, Whitburn, 523.

South Quarter, 256.
— Shields, 443.
— Tanfield, 444.
— Tyne, 262.
— Wingate, 421.
Southwick, 446.
Splint Coal Seam, 21, 483.
Springwell, 446.
Stagshaw, 447.
— Bank, 447.
Stainton, 26.
Stand-against-all, 341.
Stanhope, 447, 448, 449, 450, 451, 452.
Stanley, 453.
Stannington, 39, 454, 455.
Stella, 457, 458.
— and Towneley, 456, 457, 458.
— Freehold pit, Stella and Towneley, 457.

Stiddle Hill pit, Ridsdale, 164, 165, 167.

Stobhill, 375, 376, 377, 378. Stobswood, 459, 460, 461, 462, 463, 464, 493. Stockton, 465. Stone Coal Seam, 22, 65, 114, 128, 129, 170, 208, 382, 429, 456, 478, 500, 533, 534. Stone Marsh, 280. Stonecroft, 466, 467. Streatlam, 26. Stublick, 467. Studdon Dean, 3. Success pit, Chirm, 124. Sunderland, 395, 467, 468, 469. Bridge, 185, 187, 188. Sunnyside, 256. Surtees pit, Dipton, 207. Swalwell, 18, 20, 23, 470, 471, 472, 473. - dam, 22. Sweethill, 280.

Т.

Tanfield, 28, 29, 30, 184, 439, 473, 474, 475, 519.

— Lea, 473, 474, 475.
Tarset, 476.
Taylor's Hill, 92.
— pit, Derwent, 315.
Team, 477.
Teesdale fault, 369.
Ten Yards Limestone, 74.
Thickley, 478, 479.
Thirlwall, 419, 480, 481.
— Common, 481.
Thirty Inches Seam, 161.
Thornley, 481.
Thornton pit, Croxdale, 185.
Thorpe, 306, 308.
— Bulmer, 265.
Three Post Limestone, 365, 367.
Three-Quarter Seam, 20, 22, 31, 47, 64, 65, 71, 88, 108, 115, 121, 128, 129, 154, 192, 194, 196, 199, 208, 234, 246, 249, 289, 333, 343, 344, 348, 360, 361,

363, 391, 409, 457, 467, 483, 487, 500, 502, 533, 534.

Three Yards Limestone, 4, 5, 8, 10, 11, 12, 13, 14, 15, 448, 451, 452. Throckley, 482, 483. Tilley Seam, 21, 31, 81, 87, 88, 129, 198, 219, 229, 332, 362, 444, 456, 487, 502, 561. Tindale Fell, 484, 485. Toft Hill, 92, 93. Top Coal Seam, 158. Top Main Seam, 355. Towneley Main Seam, 21, 56, 520. Towneley Seam, 128, 129, 229, 362, 444, 456, 561. Tursdale, 485. Tweedmouth, 486. Twelve Fathoms Limestone, 367. Twizell, 486, 487. Two-feet Seam, 465. Tyne Bottom Limestone, 4, 14, 15, 364, 369, 449, 453, 466. Tynedale, 2.

U.

Ulgham, 488.
— Grange, 488, 489, 490, 491, 492, 493.
Unthank, 494, 495.
Upper Hall Seam, 40, 41, 162.

Upper Little Limestone, 449. Urpeth, 496. Ushaw Moor, 497. Usworth, 446, 498.

Ť.

Vale pit, Cassop, 115.

— —, Crowtrees, 185.

Venture pit, Willington, 541.

Victoria pit, Cornsay, 157.

Victoria Seam, 34, 35, 36, 37, 38, 72, 82, 94, 96, 106, 107, 187, 342, 343, 453, 476, 521, 533, 551.

W.


Wagtail Hall, 302. Walbottle, 499, 501, 502. Waldridge, 503. Walker, 505, 506, 507, 508. Wallsend, 508. Walltown, 510. Wardley, 512. Wash House pit, Birtley, 54. Washington, 394, 513, 514, 516. Water pit, Coatyards, 138. Weetslade, 517. West Acomb, 2. – Allendale, 2. – Auckland, 358. - Coanwood, 136. — Durham Wallsend, 153. - Matfen, 361, 530. – pit, Dinnington, 203. – —, Lumley, 356. -, Stublick, 467. — Quarter, 137, 467. – Rainton, 411. – Sleekburn, 27 Stanley, 519, 521. - Wylam, 561. Westfield, 277. Westmost, 365. Westoe, 443, 522. Wheels pit, Farnacres, 245. Whickham, 18, 20, 21, 22, 107, 200, 201, 208, 243, 244, 245, 246, 360, 470, 471, 472, 473. Whin pit, Throckley, 483. Whinney Hill, 39.

Whiteside, 112, 113. Whitfield, 6. Moor, 6. Whitley, 190, 529. Whittington, 530. Whittonstall, 530, 531, 532, 533, 534. Whitwell, 535. · House, 535. Whitworth, 535. Whorlton, 499, 502. Widdrington, 536, 537. Wigglesworth fault, 140. William pit, Butterknowle, 107. , Derwent, 199. Willington, 540, 541, 542, 543. Wind pit, Tanfield Lea, 475. Wingate, 194. Wingates, 124, 125. Winlaton, 23, 65, 481. Winston, 389, 544, 545. Witton Gilbert, 254, 255, 545. Witton - le - Wear, 36, 37, 38, 546, Witton Park, 546, 547. Wolfcleugh, 316. Wolsingham, 548. Woodhorn, 549. Woodhouse, 470, 471, 472, 473. Woodifield, 551, 552. Woodland, 552, 553, 554, 555, 556, 557, 558, 559, 560. pit, Woodland, 552. Woods Fell, 164. Wylam, 561, 562.

Y.

Yard Coal Seam, 16, 67, 68, 135, 136, 170, 180, 182, 202, 204, 229, 268, 269,

270, 346, 352, 353, 380, 382, 427, 429, 430, 434, 467, 468, 497, 509, 518, 550, 561.





QE 262 N8N6 Suppl. North of England Institute of Mining and Mechanical Engineers, Newcastle-upon-Tyne

An account of the strata of Northumberland and Durham

Physical & Applied Sci.

PLEASE DO NOT REMOVE
CARDS OR SLIPS FROM THIS POCKET

UNIVERSITY OF TORONTO LIBRARY

